

083.8:524.3

5911-2.



1679

TAYLOR'S

GENERAL CATALOGUE OF STARS

FOR THE EQUINOX 1835·0

FROM OBSERVATIONS

MADE AT THE

MADRAS OBSERVATORY

DURING THE YEARS

1831 to 1842.

REVISED AND EDITED BY

A. M. W. DOWNING, M.A., D.Sc., F.R.S.,

SUPERINTENDENT OF THE NAUTICAL ALMANAC.

EDINBURGH:

PRINTED BY NEILL & COMPANY, LTD., BELLEVUE.

1901.

MADRAS
GENERAL CATALOGUE OF STARS
FOR
1835·0.

INTRODUCTION.

This Catalogue contains the results of observations of Stars made at the Madras Observatory during the years 1831 to 1842 inclusive, under the direction of the late Thomas Glanville Taylor. The Catalogue places represent the mean Right Ascensions and Declinations of the Stars at the mean epoch of observation, reduced without proper motion to the Equinox of 1835·0.

The Right Ascensions.

The Transit Instrument is described in detail in Vol. I. of the Madras Observations. Here it is sufficient to state that the focal length of the telescope is 61 inches, and the clear aperture $3\frac{1}{4}$ inches, and that a power of 150 was employed. The transits were observed over five fixed vertical wires. Much trouble was caused in the early years of Taylor's term of office by the unequal wear of the pivots; and corrections on this account, of a more or less problematical character, have been applied to the observations (Vol. II., page 8). At the end of 1833, however, the pivots were fitted with collars of steel, and since that time no further evidence of wear was detected.

The Error of Level was determined by a spirit-level, and it has not appeared necessary to revise the Level Errors as adopted in the original reductions.

The revision of a Catalogue of 11,000 Stars is a work of such magnitude that it was necessary to exercise the utmost vigilance in order to keep the expenses within reasonable limits; otherwise there would have been a danger of the work being left in an unfinished state. Hence the necessity of utilising, as far as possible, the existing material.

The Error of Collimation was determined from the observation of the (known) angular distance between the North and South Meridian Marks. From the beginning of 1840 onwards, owing to the obliteration of the South Mark, and the dilapidated state of the Micrometer-screw, the practice was adopted of inverting the instrument on the North Mark, and adjusting it so that the error of Collimation should be zero. The observations made during the last three years are comparatively very few, and it did not appear necessary to revise the determinations of Collimation error (except in some isolated cases), although during the years referred to they were made in this unsatisfactory way.

The Error of Azimuth was determined from observations of the Meridian Marks, the positions of which were assumed from observations of close polar stars, mainly of Polaris, above and below the pole. The determination of Azimuth Error presents certain difficulties in a low latitude such as that of Madras, a circumstance which must give rise to some uncertainty in the concluded Right Ascensions of stars of high declination. After some consideration, I decided to follow Taylor's methods, as the observations did not lend themselves to a revision of these, and Taylor appears to have exercised the greatest care and vigilance in all matters relating to the adjustment of the instruments. But I have been careful to attend to such details as the changes in the positions of the Marks, referred to in Vol. II., page cxxxii, and the error in the assumed position of the North Mark, referred to in Vol. VII., page (xiii). Attention to these and similar points has occasionally (especially during periods when Taylor was absent from the Observatory) necessitated the application of comparatively large corrections to the Azimuth Errors originally adopted. That some further correction for Azimuth Error of the Transit is required appears probable from the comparison with Newcomb's Catalogue of Fundamental Stars given below. But I preferred to leave the results as they were rather than to apply a correction of an *a posteriori* character.

The Concluded Right Ascensions of Polaris, observed above and below the pole, and reduced to 1835·0, are as follows:—

| | h | m | s. | |
|-------------------------|---|---|-------|---------------------|
| Polaris, | 1 | 0 | 49·07 | (89 observations). |
| Polaris S.P., | 1 | 0 | 49·71 | (100 observations). |

The Transit Clock used in the observations was one by Shelton, with a common dead-beat escapement and gridiron pendulum. It had, apparently, no maintaining power, and the effect of the periodical winding of the clock on its going often gave rise to considerable difficulty in determining the rate.

The Clock Errors were determined from the adopted positions of Standard Stars taken from Auwers' Fundamental Catalogue (*Publication der Astron. Gesellschaft*, XIV. and XVII.), excluding stars north of $+70^\circ$ Dec. The stars used for determination of clock error were not usually kept for place on any day on which the observations did not extend over six hours at least, or on which there were fewer than six Clock Stars observed by the same observer. On account of the somewhat unsatisfactory character of the Collimation and Azimuth determinations during 1840-42, alluded to above, no observations of Clock Stars, and no observations of close Polar Stars (except λ Ursæ Minoris) made during these years have been included in the Catalogue.

The probable error of a single determination of Right Ascension, estimated by the discordance of each day's result from the annual mean, for several stars near the zenith, and therefore not far from the equator, is

$$\pm 0.081.$$

The Declinations.

The Mural Circle is described in detail in Vol. I. of the Madras Observations. The Circle is 48 inches in diameter, and is provided with a telescope of 49 inches focal length, with object-glass of $3\frac{3}{4}$ inches aperture. A power of 120 was employed throughout. The circle is divided to every $5'$, and was read by four microscope-micrometers. In the observations of stars a fixed horizontal wire in the eye-piece was used.

No observations of Runs of the microscope-micrometers appear to have been recorded, except during the years 1840-42. Taylor, however, remarks that the microscopes were kept in adjustment so that the Runs—which were examined once a week—should be of small amount, and no correction for Runs was applied in the original reduction of the observations. It did not appear advisable to make a change in this respect towards the end of the period over which the observations extend, and accordingly I have not introduced a correction for Runs into the revised reduction of the Circle observations made during 1840-42.

The Refractions used in the original reductions were those of Atkinson, published in Vol. II. of the *Memoirs* of the Royal Astronomical Society. To these I have applied systematic corrections taken from an extension of the Table in the Madras Observations, Vol. V., pages 2, 3, to reduce them to the refractions of Bessel's *Tabulæ Regiomontanæ*. For a few very low stars the refractions have been computed directly from the *Tabulæ*.

Taylor appears to have made only two determinations of flexure during the period 1831-1842. One, made in 1835, gave a negative flexure of $0''\cdot19$; the other, made in 1836, gave a positive flexure of $0''\cdot56$. It has not been possible, therefore, to apply any correction for flexure to the observations.

| | | | |
|----------------------|------|----|--------------------------|
| Polaris, | + 88 | 25 | 47.44 (13 observations). |
| Polaris S. P., . . . | + 88 | 25 | 44.88 (11 observations). |

 $\pm 0.60.$

At a zenith distance of 65° this probable error is increased to

$$\pm 0.87.$$

The observed Right Ascensions and Declinations of Standard Stars were reduced to mean places for the beginning of the year of observation by the help of the Pulkowa "Tabulæ quantitatum Besselianarum pro annis 1750-1864." For other stars the appropriate corrections applicable to Taylor's Star Corrections to reduce them to Star Corrections deduced from the Struve-Peters' Constants were taken from specially constructed Tables.

The mean Right Ascensions and Declinations for the beginning of each year of observation were reduced to the Equinox of 1835.0 by the application of the precessions printed in the Catalogue; the Secular Variations of the precessions being allowed for whenever sensible.

Explanation of the Separate Columns of the Catalogue.

"No." is the rotation number.

"Taylor's No." is the number attached to the star in the original Catalogue. This series of numbers tends to differ from that in the first column mainly because Taylor affixed numbers to several stars that he did not observe. Also, in some cases, different numbers were assigned to objects that the revision has shown to be really the same star.

"Star's Name." In those cases where the name of the Constellation, with letter or number, is given, the adopted nomenclature is that of the British Association Catalogue of Stars, except in four instances (Nos. 915, 1077, 5266, and 9448), for which the nomenclature of Auwers' Bradley is preferred. Other stars are designated by the number in Auwers' Bradley, in Lacaille's Catalogue of 9766 Stars, by the hour and number in Piazzi's Catalogue, by the number in Brisbane's Paramatta Catalogue, in Gould's Catalogo General, in Stone's Cape Catalogue for 1880.0, in the B.D. Zones, in the C.P.D. Zones, in B.A.C., or, in cases where the star cannot be identified, in Taylor's original Catalogue.

"Magnitude." The value set down is the mean between the estimations made with the Transit, and with the Circle. The value 2.3 (*exempli gratia*) implies that in brightness the star is between the second and third magnitudes. The estimations appear to be very rough, and no reliance should be placed on them as affording evidence of variability.

"Mean R.A., 1835.0." These results refer to the mean epoch of observation and Equinox of 1835.0.

"Mean Date." The mean epoch of observation in R.A. expressed in years from 1800.

"No. of Obs." The number of Observations in Right Ascension.

"Annual Precession, 1835·0." The corrections to Taylor's precessions in R.A., as printed in the original Catalogue, to reduce them to precessions corresponding to the Struve-Peters' Constants, were computed from the expression

$$+0\cdot0007+0\cdot000025 \times \text{Taylor's Precession.}$$

For stars of higher declination than 80° the precessions were computed directly from the expression

$$3\cdot0715+1\cdot3372 \sin \alpha \tan \delta.$$

"Mean Dec., 1835·0." These results refer to the mean epoch of observation and the Equinox of 1835·0.

"Mean Date." The mean epoch of observation in Declination expressed in years from 1800.

"No. of Obs." The number of Observations in Declination.

"Annual Precession, 1835·0." The corrections to Taylor's precessions in Declination to reduce them to precessions corresponding to the Struve-Peters' Constants, are given by the expression

$$+0\cdot0005 \cos \alpha.$$

This quantity was considered negligible, and, except in cases where the R.A. of the star was sufficiently altered by the revision to necessitate a re-computation of the precession, or where there was reason to think that the original value was erroneous, Taylor's precession was adopted unaltered. In the exceptional cases referred to, the precessions were computed directly from the expression

$$20\cdot0577 \cos \alpha.$$

"Bradley." The reference gives the number of the Star in Auwers' Bradley.

"Lacaille." The reference gives the number of the Star in Lacaille's Catalogue of 9766 Stars.

"Piazzi." The reference gives the number of the Star for the current hour of R.A. in Piazzi's Catalogue.

Every effort has been made to detect mistakes of arithmetic in the original reductions—of which a large number have been found—and to guard against their introduction into the revised results. But a somewhat extensive experience of numerical work has convinced me that it is idle to expect complete immunity from error in a mass of computations such as it has been necessary to undertake, and I can only hope that no very serious errors have escaped detection.

My examination of the Madras Observations, made under his direction, has led me to form a very high opinion of Taylor, and of the work which he accomplished in the face of enormous difficulties. That his work may now be rendered more useful to astronomers is the reward for which I hope in the publication of this revised edition.

The great mass of the computations has been undertaken by Mr Jackman and Mr Sprigge, Assistants in this Office. By far the larger share has fallen to Mr Sprigge, who has also undertaken the preparation of the copy for press, and the reading of the proof-sheets, a part of the work on which he has bestowed great care and attention. My acknowledgments are due to the authorities of the India Office for the loan of the books of original reductions, which had been deposited, for safe keeping, in the Record Room of the Greenwich Observatory. The expenses of the calculations involved in the preparation of the work have been met by a succession of grants made to me by the Government Grant Committee of the Royal Society. The cost of printing has been defrayed partly by a grant from the India Office, and partly by a grant from the Publication Fund of the Royal Society. My acknowledgments are due to the various bodies concerned for the assistance thus rendered.

A. M. W. DOWNING.

NAUTICAL ALMANAC OFFICE,
GRAY'S INN, LONDON,
13th April 1901.

CORRECTIONS TO REDUCE THE REVISED MADRAS CATALOGUE TO NEWCOMB'S
FUNDAMENTAL CATALOGUE.

| Limits of Dec. | $\Delta\alpha$ | $\Delta\delta$ | Number of Stars. | | Limits of R.A. | $\Delta\alpha$ | $\Delta\delta$ | Number of Stars. |
|---------------------------|----------------|----------------|------------------|--|---------------------------|----------------|----------------|------------------|
| ^o ^o | ^s | ["] | | | ^h ^h | ^s | ["] | |
| +75 to +65 | +172 | +0'44 | 62 | | 0-1 | -075 | +0'54 | 43 |
| 65 „ 55 | +069 | +0'69 | 63 | | 1-2 | -020 | -0'12 | 48 |
| 55 „ 45 | +004 | +0'91 | 62 | | 2-3 | -050 | +0'30 | 47 |
| 45 „ 35 | +025 | +0'78 | 100 | | 3-4 | -074 | +0'44 | 42 |
| 35 „ 25 | -011 | +0'58 | 101 | | 4-5 | -073 | +0'16 | 44 |
| 25 „ 15 | -037 | 0'00 | 110 | | 5-6 | -043 | +0'41 | 53 |
| 15 „ + 5 | -064 | -0'05 | 117 | | 6-7 | -031 | +0'38 | 43 |
| + 5 „ - 5 | -064 | -0'14 | 109 | | 7-8 | -028 | +0'58 | 44 |
| - 5 „ 15 | -066 | -0'07 | 91 | | 8-9 | -036 | +0'55 | 39 |
| 15 „ 25 | -106 | +0'34 | 86 | | 9-10 | -037 | +1'01 | 42 |
| 25 „ 35 | -122 | +0'42 | 52 | | 10-11 | -036 | +0'67 | 42 |
| 35 „ 45 | -107 | +1'07 | 54 | | 11-12 | -050 | +0'65 | 35 |
| 45 „ 55 | -099 | +2'22 | 40 | | 12-13 | -061 | +1'12 | 44 |
| 55 „ 65 | -177 | +1'88 | 41 | | 13-14 | -028 | +0'63 | 41 |
| -65 „ -75 | -199 | +1'31 | 17 | | 14-15 | -026 | +1'24 | 48 |
| | | | | | 15-16 | -038 | +0'55 | 45 |
| | | | | | 16-17 | -028 | +0'52 | 46 |
| | | | | | 17-18 | -059 | +0'59 | 55 |
| | | | | | 18-19 | -011 | +0'23 | 46 |
| | | | | | 19-20 | -039 | +0'08 | 54 |
| | | | | | 20-21 | -039 | +0'08 | 58 |
| | | | | | 21-22 | +002 | +0'70 | 54 |
| | | | | | 22-23 | -043 | +0'18 | 44 |
| | | | | | 23-24 | -034 | +0'19 | 48 |

REDUCTION TABLE.

| Dec. | $\Delta\alpha$ | $\Delta\delta$ | | R.A. | $\Delta\alpha$ | $\delta\Delta$ |
|--------------|----------------|----------------|--|--------------|----------------|----------------|
| ^o | ^s | ["] | | ^h | ^s | ["] |
| +65 | +121 | +0'57 | | 0 | -015 | -0'13 |
| 55 | +037 | +0'80 | | 1 | -008 | -0'18 |
| 45 | +015 | +0'85 | | 2 | +005 | -0'40 |
| 35 | +007 | +0'68 | | 3 | -022 | -0'12 |
| 25 | -024 | +0'29 | | 4 | -034 | -0'19 |
| 15 | -051 | -0'02 | | 5 | -018 | -0'21 |
| + 5 | -064 | -0'10 | | 6 | +003 | -0'10 |
| - 5 | -065 | -0'11 | | 7 | +010 | -0'01 |
| 15 | -086 | +0'14 | | 8 | +008 | +0'07 |
| 25 | -114 | +0'38 | | 9 | +004 | +0'29 |
| 35 | -115 | +0'75 | | 10 | +003 | +0'35 |
| 45 | -103 | +1'65 | | 11 | -003 | +0'17 |
| 55 | -138 | +2'05 | | 12 | -016 | +0'39 |
| -65 | -188 | +1'60 | | 13 | -005 | +0'39 |
| | | | | 14 | +013 | +0'44 |
| | | | | 15 | +008 | +0'40 |
| | | | | 16 | +007 | +0'05 |
| | | | | 17 | -004 | +0'07 |
| | | | | 18 | +005 | -0'08 |
| | | | | 19 | +015 | -0'33 |
| | | | | 20 | +001 | -0'41 |
| | | | | 21 | +021 | -0'10 |
| | | | | 22 | +019 | -0'05 |
| | | | | 23 | +002 | -0'30 |
| | | | | 24 | -015 | -0'13 |

MADRAS

GENERAL CATALOGUE OF STARS

FOR

1835·0

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{ iii }

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-----|--------------|------------------------|------------|---|----------------------|-------------------|----------------------------------|---|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 1 | 1 | Piazzi XXIII. 282..... | 7 | ^h ^m ^s 0. 0. 16.13 | 32.68 | 6 | ^s + 3.071 | [°] ['] ["] - 3. 8. 27.85 | 33.97 | 4 | ["] +20.058 | ... | ... | 282 |
| 2 | 2 | 11 Cassiopeiasβ | 2.3 | 0. 0. 25.15 | 34.87 | 6 | + 3.075 | + 58. 14. 22.34 | 32.26 | 9 | +20.058 | 3216 | ... | 283 |
| 3 | 3 | 87 Pegasi | 6 | 0. 0. 32.40 | 32.93 | 5 | + 3.073 | + 17. 17. 40.92 | 33.80 | 4 | +20.058 | 3218 | ... | 284 |
| 4 | 4 | Lacaille 9740 | 7 | 0. 0. 41.51 | 38.82 | 3 | + 3.068 | - 54. 55. 18.59 | 38.82 | 3 | +20.058 | ... | 9740 | ... |
| 5 | 5 | Lacaille 9741 | 6 | 0. 0. 55.91 | 33.29 | 7 | + 3.069 | - 28. 54. 23.95 | 33.88 | 5 | +20.058 | ... | 9741 | 285 |
| 6 | 6 | Phoenixis | 4 | 0. 1. 1.08 | 31.77 | 6 | + 3.065 | - 46. 39. 28.58 | 31.84 | 5 | +20.058 | ... | 9742 | ... |
| 7 | 7 | Piazzi XXIII. 286..... | 7 | 0. 1. 28.29 | 33.84 | 5 | + 3.071 | - 3. 28. 38.67 | 33.92 | 5 | +20.057 | ... | ... | 286 |
| 8 | 8 | 34 Piscium | 6 | 0. 1. 33.81 | 33.90 | 6 | + 3.073 | + 10. 13. 36.70 | 33.94 | 5 | +20.057 | 3219 | ... | 287 |
| 9 | 9 | Lacaille 9748 | 7.8 | 0. 1. 35.43 | 38.76 | 3 | + 3.062 | - 45. 35. 9.89 | 38.76 | 3 | +20.057 | ... | 9748 | ... |
| 10 | 10 | 22 Andromedæ..... | 5 | 0. 1. 46.24 | 31.84 | 4 | + 3.082 | + 45. 9. 14.94 | 31.92 | 5 | +20.057 | 3220 | ... | 288 |
| 11 | 11 | Piazzi 0. 1 | 6.7 | 0. 1. 52.20 | 36.08 | 10 | + 3.070 | - 6. 9. 57.76 | 36.51 | 14 | +20.057 | ... | ... | 1 |
| 12 | 12 | Piazzi 0. 2 | 7.8 | 0. 1. 56.75 | 36.99 | 6 | + 3.077 | + 27. 44. 4.51 | 37.03 | 4 | +20.057 | ... | ... | 2 |
| 13 | 13 | Piazzi 0. 3 | 9 | 0. 1. 57.24 | 37.03 | 4 | + 3.069 | - 12. 42. 14.89 | 36.36 | 4 | +20.057 | ... | ... | 3 |
| 14 | 14 | Piazzi 0. 4 | Var. | 0. 2. 42.92 | 37.05 | 4 | + 3.070 | - 4. 14. 21.97 | 37.13 | 3 | +20.056 | ... | ... | 4 |
| 15 | 15 | 6 Ceti | 6 | 0. 2. 52.02 | 33.88 | 6 | + 3.067 | - 16. 22. 24.50 | 32.12 | 5 | +20.056 | 3222 | ... | 5 |
| 16 | 16 | Lacaille 9758 | 5.6 | 0. 3. 11.28 | 31.91 | 6 | + 3.061 | - 28. 43. 8.29 | 33.35 | 6 | +20.056 | ... | 9758 | 6 |
| 17 | 17 | Sculptoris.....θ | 6 | 0. 3. 20.23 | 37.82 | 6 | + 3.057 | - 36. 3. 25.54 | 37.80 | 7 | +20.056 | ... | 9760 | 7 |
| 18 | 18 | Piazzi 0. 8 | 7.8 | 0. 3. 30.58 | 37.07 | 4 | + 3.082 | + 27. 41. 32.42 | 37.34 | 4 | +20.056 | ... | ... | 8 |
| 19 | 19 | Lacaille 9761 | 7 | 0. 3. 37.41 | 38.77 | 3 | + 3.052 | - 43. 5. 18.05 | 38.77 | 2 | +20.055 | ... | 9761 | ... |
| 20 | 20 | Lacaille 9763 | 7.8 | 0. 3. 50.21 | 38.80 | 3 | + 3.033 | - 59. 26. 13.02 | 38.83 | 3 | +20.055 | ... | 9763 | ... |
| 21 | 21 | 88 Pegasi | 2.3 | 0. 4. 44.89 | 33.07 | 42 | + 3.079 | + 14. 15. 58.09 | 32.77 | 63 | +20.054 | 1 | ... | 9 |
| 22 | 22 | Piazzi 0. 10..... | 8 | 0. 4. 46.34 | 37.15 | 3 | + 3.069 | - 6. 9. 34.16 | 37.37 | 4 | +20.054 | ... | ... | 10 |
| 23 | 23 | Lacaille 6..... | 8 | 0. 4. 53.91 | 37.31 | 4 | + 3.049 | - 38. 44. 27.00 | 37.19 | 3 | +20.053 | ... | 6 | 11 |
| 24 | 24 | 23 Andromedæ..... | 6.7 | 0. 4. 57.99 | 38.04 | 8 | + 3.096 | + 40. 7. 25.50 | 37.26 | 10 | +20.053 | 2 | ... | 12 |
| 25 | 25 | Lacaille 10 | 7 | 0. 5. 29.72 | 38.76 | 3 | + 3.034 | - 49. 36. 5.03 | 38.76 | 3 | +20.052 | ... | 10 | ... |
| 26 | 26 | Lacaille 11 | 8 | 0. 5. 39.26 | 40.35 | 6 | + 3.019 | - 57. 55. 12.02 | 40.56 | 7 | +20.051 | ... | 11 | ... |
| 27 | 27 | Piazzi 0. 13 | 8 | 0. 5. 57.72 | 36.83 | 4 | + 3.101 | + 40. 6. 47.90 | 36.92 | 2 | +20.051 | ... | ... | 13 |
| 28 | 28 | 89 Pegasi | 6 | 0. 6. 4.60 | 32.45 | 5 | + 3.084 | + 19. 17. 20.52 | 31.92 | 5 | +20.051 | 3 | ... | 14 |
| 29 | 29 | 7 Ceti | 5.6 | 0. 6. 15.47 | 32.81 | 5 | + 3.058 | - 19. 50. 51.41 | 32.52 | 6 | +20.051 | 4 | ... | 15 |
| 30 | 30 | 35 Piscium | 6 | 0. 6. 29.44 | 32.83 | 5 | + 3.077 | + 7. 54. 15.78 | 33.87 | 7 | +20.050 | 5 | ... | 16 |
| 31 | 31 | Piazzi 0. 17 | 8.9 | 0. 6. 29.67 | 37.42 | 3 | + 3.077 | + 7. 54. 4.29 | 37.29 | 2 | +20.050 | ... | ... | 17 |
| 32 | 32 | Piazzi 0. 18 | 7.8 | 0. 6. 33.52 | 37.20 | 3 | + 3.094 | + 30. 37. 4.87 | 37.15 | 3 | +20.050 | ... | ... | 18 |
| 33 | 33 | Lacaille 18 | 7.8 | 0. 6. 37.81 | 37.25 | 6 | + 3.044 | - 35. 49. 18.47 | 36.65 | 7 | +20.049 | ... | 18 | 20 |
| 34 | 34 | Piazzi 0. 19 | 7.8 | 0. 6. 38.04 | 37.38 | 4 | + 3.091 | + 26. 21. 58.56 | 37.53 | 3 | +20.049 | ... | ... | 19 |
| 35 | 35 | Piazzi 0. 21 | 7.8 | 0. 6. 51.17 | 37.20 | 3 | + 3.067 | - 7. 3. 12.04 | 37.57 | 3 | +20.049 | ... | ... | 21 |
| 36 | 36 | Piazzi 0. 22 | 7.8 | 0. 7. 36.42 | 37.49 | 3 | + 3.077 | + 7. 11. 56.48 | 37.54 | 3 | +20.047 | ... | ... | 22 |
| 37 | 37 | Lacaille 22 | 7 | 0. 7. 47.70 | 37.46 | 3 | + 3.043 | - 32. 21. 46.11 | 37.21 | 3 | +20.046 | ... | 22 | 23 |
| 38 | 38 | 36 Piscium | 6.7 | 0. 8. 5.84 | 32.83 | 5 | + 3.078 | + 7. 19. 24.66 | 32.29 | 5 | +20.045 | 7 | ... | 24 |
| 39 | 39 | Piazzi 0. 25 | 7 | 0. 8. 8.67 | 37.51 | 3 | + 3.156 | + 60. 36. 57.39 | 37.24 | 3 | +20.045 | ... | ... | 25 |
| 40 | 40 | Piazzi 0. 26 | 7.8 | 0. 8. 12.20 | 37.21 | 3 | + 3.072 | + 0. 55. 55.82 | 37.18 | 3 | +20.045 | ... | ... | 26 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835'0.

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|-----|--------------|---------------------|------------|---------------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 41 | 41 | 37 Piscium | 7 | ^{h m s} 0. 8. 15'77 | 35'80 | 2 | + 3'083 | + 12. 59. 58'70 | 35'10 | 4 | +20'045 | 8 | ... | 27 |
| 42 | 42 | Lacaille 27 | 7 | 0. 8. 23'59 | 38'75 | 2 | + 3'039 | - 33. 36. 10'85 | 38'76 | 2 | +20'044 | ... | 27 | ... |
| 43 | 43 | 24 Andromedæ | 5 | 0. 8. 29'51 | 31'75 | 6 | + 3'110 | + 37. 45. 53'89 | 32'50 | 13 | +20'044 | 9 | ... | 28 |
| 44 | 44 | Piazzi 0. 29 | 8.9 | 0. 8. 42'51 | 37'22 | 3 | + 3'060 | - 12. 57. 28'36 | 37'06 | 4 | +20'043 | ... | ... | 29 |
| 45 | 45 | 38 Piscium | 7 | 0. 8. 54'87 | 35'79 | 2 | + 3'079 | + 7. 57. 19'67 | 34'82 | 3 | +20'042 | 10 | ... | 30 |
| 46 | 46 | Piazzi 0. 31 | 7 | 0. 9. 10'04 | 37'23 | 3 | + 3'052 | - 19. 58. 6'55 | 37'09 | 4 | +20'042 | ... | ... | 31 |
| 47 | 47 | 39 Piscium | 7.8 | 0. 9. 16'97 | 35'81 | 3 | + 3'086 | + 15. 24. 53'63 | 35'10 | 4 | +20'041 | 11 | ... | 32 |
| 48 | 48 | Piazzi 0. 33 | 6.7 | 0. 9. 19'75 | 31'88 | 6 | + 3'072 | + 0. 46. 22'71 | 31'95 | 5 | +20'041 | ... | ... | 33 |
| 49 | 49 | Piazzi 0. 34 | 7.8 | 0. 9. 22'04 | 37'36 | 2 | + 3'069 | - 2. 46. 48'87 | 37'14 | 4 | +20'041 | ... | ... | 34 |
| 50 | 50 | 25 Andromedæ | 6 | 0. 9. 43'74 | 35'81 | 3 | + 3'113 | + 35. 52. 11'24 | 35'08 | 4 | +20'040 | 12 | ... | 35 |
| 51 | 51 | Piazzi 0. 36 | 7.8 | 0. 9. 51'73 | 37'22 | 3 | + 3'069 | - 2. 55. 55'95 | 37'19 | 3 | +20'040 | ... | ... | 36 |
| 52 | 53 | Lacaille 34 | 7 | 0. 10. 1'89 | 38'75 | 3 | + 3'027 | - 37. 25. 33'59 | 38'75 | 3 | +20'039 | ... | 34 | ... |
| 53 | 52 | 26 Andromedæ | 7 | 0. 10. 1'93 | 36'22 | 5 | + 3'126 | + 42. 52. 25'37 | 35'03 | 4 | +20'039 | 13 | ... | 37 |
| 54 | 54 | Piazzi 0. 38 | 7.8 | 0. 10. 2'08 | 36'90 | 2 | + 3'106 | + 30. 36. 0'50 | 37'21 | 3 | +20'039 | ... | ... | 38 |
| 55 | 55 | Piazzi 0. 39 | 8 | 0. 10. 23'59 | 37'23 | 3 | + 3'059 | - 11. 51. 55'67 | 37'34 | 2 | +20'038 | ... | ... | 39 |
| 56 | 56 | Lacaille 38 | 6 | 0. 10. 28'31 | 37'98 | 3 | + 3'012 | - 44. 9. 10'93 | 37'98 | 2 | +20'037 | ... | 38 | 40 |
| 57 | 57 | Piazzi 0. 41 | 8 | 0. 10. 48'23 | 37'19 | 3 | + 3'102 | + 25. 32. 14'94 | 37'56 | 3 | +20'036 | ... | ... | 41 |
| 58 | 58 | 8 Oeti | 4 | 0. 11. 1'30 | 33'85 | 11 | + 3'061 | - 9. 44. 21'78 | 32'08 | 11 | +20'035 | 14 | ... | 42 |
| 59 | 59 | 40 Piscium | 6 | 0. 11. 25'30 | 32'57 | 7 | + 3'089 | + 15. 20. 5'79 | 31'92 | 5 | +20'033 | 15 | ... | 43 |
| 60 | 60 | Toncani | 5 | 0. 11. 25'85 | 36'06 | 13 | + 2'923 | - 65. 50. 42'81 | 35'23 | 16 | +20'033 | ... | 40 | ... |
| 61 | 61 | Piazzi 0. 44 | 7.8 | 0. 11. 46'89 | 37'16 | 3 | + 3'049 | - 13. 58. 44'32 | 37'08 | 4 | +20'031 | ... | ... | 44 |
| 62 | 62 | 41 Piscium | 5.6 | 0. 12. 6'89 | 32'99 | 15 | + 3'081 | + 7. 16. 24'76 | 32'05 | 7 | +20'030 | 16 | ... | 45 |
| 63 | 63 | 27 Andromedæ | 6 | 0. 12. 26'94 | 35'64 | 3 | + 3'126 | + 37. 3. 13'31 | 35'07 | 4 | +20'028 | 17 | ... | 46 |
| 64 | 64 | Lacaille 50 | 7.8 | 0. 12. 41'23 | 38'77 | 3 | + 3'009 | - 40. 9. 17'18 | 38'76 | 3 | +20'027 | ... | 50 | ... |
| 65 | 65 | Piazzi 0. 47 | 7.8 | 0. 12. 55'00 | 37'14 | 3 | + 3'129 | + 37. 16. 16'68 | 37'08 | 4 | +20'025 | ... | ... | 47 |
| 66 | 66 | Lacaille 52 | 7.8 | 0. 12. 59'88 | 37'33 | 4 | + 3'015 | - 36. 42. 48'28 | 36'89 | 3 | +20'025 | ... | 52 | 48 |
| 67 | 67 | Sculptoria | 6 | 0. 13. 13'50 | 32'85 | 6 | + 3'027 | - 29. 53. 39'22 | 32'80 | 5 | +20'024 | ... | 54 | 50 |
| 68 | 68 | Piazzi 0. 49 | 8 | 0. 13. 14'22 | 37'19 | 3 | + 3'048 | - 17. 7. 25'50 | 36'89 | 3 | +20'024 | ... | ... | 49 |
| 69 | 69 | Lacaille 55 | 8 | 0. 13. 31'63 | 37'48 | 3 | + 3'037 | - 23. 55. 9'29 | 37'20 | 3 | +20'022 | ... | 55 | 51 |
| 70 | 70 | Piazzi 0. 52 | 8 | 0. 13. 53'58 | 37'62 | 4 | + 3'219 | + 61. 19. 32'09 | 37'47 | 3 | +20'020 | ... | ... | 52 |
| 71 | 71 | 42 Piscium | 6 | 0. 13. 53'90 | 35'78 | 3 | + 3'090 | + 12. 33. 56'01 | 35'03 | 4 | +20'020 | 19 | ... | 53 |
| 72 | 72 | Piazzi 0. 54 | 9 | 0. 14. 18'57 | 37'50 | 3 | + 3'225 | + 61. 23. 56'69 | 37'96 | 1 | +20'018 | ... | ... | 54 |
| 73 | 73 | 9 Oeti | 6 | 0. 14. 24'55 | 31'92 | 6 | + 3'052 | - 13. 7. 41'09 | 32'30 | 5 | +20'018 | 20 | ... | 55 |
| 74 | 74 | Piazzi 0. 56 | 7 | 0. 14. 41'98 | 37'39 | 4 | + 3'046 | - 16. 51. 36'04 | 37'31 | 4 | +20'017 | ... | ... | 56 |
| 75 | 75 | Lacaille 65 | 7 | 0. 14. 56'79 | 37'96 | 6 | + 3'017 | - 31. 57. 5'52 | 37'95 | 7 | +20'015 | ... | 65 | 57 |
| 76 | 76 | 12 Cassiopeia | 6 | 0. 15. 44'57 | 35'79 | 1 | + 3'237 | + 60. 54. 55'36 | 35'08 | 4 | +20'011 | 21 | ... | 58 |
| 77 | 77 | Piazzi 0. 59 | 7.8 | 0. 16. 0'97 | 37'12 | 4 | + 3'126 | + 30. 27. 28'39 | 37'09 | 4 | +20'009 | ... | ... | 59 |
| 78 | 78 | Piazzi 0. 60 | 6.7 | 0. 16. 4'08 | 32'88 | 9 | + 3'064 | - 3. 7. 55'66 | 32'08 | 6 | +20'009 | ... | ... | 60 |
| 79 | 79 | 43 Piscium | 6 | 0. 16. 6'21 | 35'76 | 3 | + 3'094 | + 13. 24. 0'80 | 35'09 | 4 | +20'009 | 22 | ... | 61 |
| 80 | 80 | Piazzi 0. 62 | 8 | 0. 16. 27'35 | 37'06 | 4 | + 3'050 | - 12. 37. 30'27 | 37'35 | 4 | +20'006 | ... | ... | 62 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean-R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-----|--------------|---------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 81 | 81 | Piazzi 0. 63 | 8 | h m s 0. 16. 32.92 | 37.34 | 4 | + 3.042 | - 16. 56. 36.37 | 37.64 | 4 | +20.006 | ... | ... | 63 |
| 82 | 82 | Lacaille 75 | 7 | 0. 16. 33.90 | 38.76 | 3 | + 2.948 | - 51. 56. 50.76 | 38.76 | 3 | +20.006 | ... | 75 | ... |
| 83 | 84 | 44 Piscium | 6 | 0. 16. 57.12 | 31.89 | 5 | + 3.073 | + 1. 1. 32.04 | 32.89 | 5 | +20.003 | 25 | ... | 64 |
| 84 | 85 | 45 Piscium | 6 | 0. 17. 12.06 | 32.85 | 6 | + 3.083 | + 6. 46. 40.81 | 32.88 | 5 | +20.002 | 26 | ... | 65 |
| 85 | 86 | Piazzi 0. 67 | 7.8 | 0. 17. 29.01 | 37.12 | 3 | + 3.055 | - 9. 15. 57.10 | 37.09 | 4 | +19.999 | ... | ... | 67 |
| 86 | 87 | Bradley 27 | 7 | 0. 17. 29.43 | 37.16 | 3 | + 3.107 | + 19. 13. 54.61 | 37.09 | 4 | +19.999 | 27 | ... | 66 |
| 87 | 88 | Phoenix | 5 | 0. 18. 4.44 | 31.76 | 5 | + 2.968 | - 44. 35. 46.77 | 32.30 | 11 | +19.996 | ... | 89 | 68 |
| 88 | 89 | Phoenix | 2 | 0. 18. 6.81 | 32.59 | 20 | + 2.972 | - 43. 12. 8.93 | 31.91 | 13 | +19.996 | ... | 87 | 69 |
| 89 | 90 | 10 Ceti | 6 | 0. 18. 9.97 | 33.31 | 9 | + 3.070 | - 0. 57. 49.36 | 31.92 | 5 | +19.995 | 29 | ... | 70 |
| 90 | 91 | Piazzi 0. 71 | 7.8 | 0. 18. 26.49 | 37.14 | 4 | + 3.120 | + 24. 7. 43.99 | 37.12 | 4 | +19.993 | ... | ... | 71 |
| 91 | 92 | Piazzi 0. 72 | 7 | 0. 18. 40.54 | 37.46 | 3 | + 3.060 | - 5. 55. 1.83 | 37.18 | 3 | +19.991 | ... | ... | 72 |
| 92 | 93 | Piazzi 0. 73 | 7.8 | 0. 18. 52.59 | 37.40 | 4 | + 3.075 | + 1. 54. 0.17 | 37.32 | 4 | +19.990 | ... | ... | 73 |
| 93 | 94 | Piazzi 0. 74 | 6 | 0. 19. 23.05 | 35.65 | 3 | + 3.179 | + 43. 28. 51.45 | 35.06 | 4 | +19.986 | ... | ... | 74 |
| 94 | 95 | 46 Piscium | 7 | 0. 19. 23.81 | 35.79 | 3 | + 3.110 | + 18. 36. 2.28 | 35.04 | 4 | +19.986 | 31 | ... | 75 |
| 95 | 96 | 47 Piscium | 6 | 0. 19. 27.56 | 33.33 | 6 | + 3.106 | + 16. 58. 42.78 | 32.17 | 11 | +19.986 | 32 | ... | 76 |
| 96 | 97 | Piazzi 0. 78 | 7.8 | 0. 19. 38.01 | 37.17 | 3 | + 3.046 | - 12. 34. 19.16 | 37.18 | 3 | +19.984 | ... | ... | 78 |
| 97 | 98 | 48 Piscium | 6 | 0. 19. 39.25 | 31.93 | 6 | + 3.103 | + 15. 31. 54.64 | 32.89 | 5 | +19.984 | 33 | ... | 77 |
| 98 | 99 | Lacaille 94 | 5.6 | 0. 19. 44.27 | 37.07 | 7 | + 2.994 | - 33. 55. 7.99 | 36.66 | 7 | +19.984 | ... | 94 | 79 |
| 99 | 100 | Piazzi 0. 80 | 7 | 0. 20. 12.40 | 37.17 | 3 | + 3.151 | + 35. 59. 10.03 | 37.11 | 4 | +19.981 | ... | ... | 80 |
| 100 | 101 | Lacaille 99 | 6 | 0. 20. 17.71 | 39.17 | 9 | + 2.970 | - 40. 49. 37.46 | 38.06 | 10 | +19.980 | ... | 99 | 81 |
| 101 | 102 | Brisbane 47 | 7.8 | 0. 20. 19.51 | 40.11 | 4 | + 2.922 | - 51. 32. 25.09 | 40.92 | 7 | +19.980 | ... | ... | ... |
| 102 | 103 | Lacaille 101 | 6.7 | 0. 20. 43.31 | 39.86 | 6 | + 2.920 | - 51. 26. 47.61 | 39.44 | 5 | +19.976 | ... | 101 | ... |
| 103 | 104 | Piazzi 0. 82 | 8 | 0. 20. 48.65 | 37.31 | 4 | + 3.045 | - 12. 30. 43.57 | 37.05 | 4 | +19.976 | ... | ... | 82 |
| 104 | 105 | Piazzi 0. 83 | 7 | 0. 21. 3.67 | 37.35 | 4 | + 3.062 | - 4. 22. 59.59 | 37.60 | 4 | +19.974 | ... | ... | 83 |
| 105 | 106 | Brisbane 51 | 7.8 | 0. 21. 8.26 | 40.46 | 7 | + 2.917 | - 51. 31. 8.55 | 40.10 | 4 | +19.973 | ... | ... | ... |
| 106 | 107 | Lacaille 104 | 7 | 0. 21. 17.46 | 38.24 | 5 | + 2.962 | - 41. 34. 42.24 | 37.85 | 6 | +19.972 | ... | 104 | 84 |
| 107 | 108 | Piazzi 0. 85 | 7.8 | 0. 21. 23.58 | 37.15 | 3 | + 3.089 | + 7. 53. 34.80 | 37.61 | 4 | +19.971 | ... | ... | 85 |
| 108 | 109 | 28 Andromeda | 6 | 0. 21. 25.98 | 32.33 | 5 | + 3.140 | + 28. 50. 28.69 | 32.96 | 5 | +19.970 | 35 | ... | 86 |
| 109 | 110 | 11 Ceti | 7.8 | 0. 21. 27.64 | 35.85 | 3 | + 3.067 | - 2. 1. 39.60 | 34.85 | 4 | +19.970 | 36 | ... | 87 |
| 110 | 111 | Piazzi 0. 88 | 6 | 0. 21. 30.21 | 32.89 | 6 | + 3.036 | - 15. 46. 32.13 | 33.46 | 5 | +19.970 | ... | ... | 88 |
| 111 | 112 | 12 Ceti | 6 | 0. 21. 37.31 | 33.20 | 7 | + 3.061 | - 4. 52. 12.36 | 33.80 | 4 | +19.969 | 38 | ... | 89 |
| 112 | 113 | Brisbane 53 | 8.9 | 0. 21. 52.44 | 38.82 | 3 | + 2.959 | - 41. 22. 31.17 | 40.66 | 6 | +19.967 | ... | ... | ... |
| 113 | 114 | 13 Cassiopeia | 6.7 | 0. 21. 59.34 | 39.28 | 6 | + 3.354 | + 65. 36. 25.24 | 39.96 | 8 | +19.966 | 37 | ... | 90 |
| 114 | 115 | Lacaille 106 | 6 | 0. 22. 7.67 | 32.83 | 6 | + 3.012 | - 24. 42. 4.04 | 33.49 | 5 | +19.965 | ... | 106 | 91 |
| 115 | 116 | 49 Piscium | 7 | 0. 22. 13.45 | 35.85 | 2 | + 3.107 | + 15. 7. 32.02 | 35.29 | 4 | +19.964 | 39 | ... | 92 |
| 116 | 117 | Piazzi 0. 93 | 7 | 0. 22. 21.64 | 37.24 | 3 | + 3.193 | + 43. 2. 2.95 | 37.93 | 2 | +19.963 | ... | ... | 93 |
| 117 | 119 | Lacaille 108 | 7 | 0. 22. 23.28 | 38.79 | 3 | + 2.960 | - 40. 25. 41.42 | 38.79 | 3 | +19.963 | ... | 108 | ... |
| 118 | 118 | Lacaille 109 | 7 | 0. 22. 23.34 | 37.12 | 4 | + 2.955 | - 41. 51. 12.15 | 37.24 | 3 | +19.963 | ... | 109 | 94 |
| 119 | 120 | Lacaille 110 | 7 | 0. 22. 26.18 | 38.83 | 3 | + 2.920 | - 49. 7. 26.60 | 38.83 | 3 | +19.962 | ... | 110 | ... |
| 120 | 121 | Piazzi 0. 96 | 8 | 0. 22. 38.16 | 37.46 | 3 | + 3.046 | - 10. 59. 48.17 | 36.88 | 3 | +19.960 | ... | ... | 96 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-----|--------------|-----------------------------|------------|----------------------------------|----------------------|-------------------|----------------------------------|-------------------------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 121 | 122 | 14 Cassiopeiaλ | 5 | ^{h m s} 0. 22. 42.48 | 34.65 | 11 | ^s + 3.252 | ^{° ' "} + 53. 36. 37.07 | 34.25 | 13 | ["] +19.960 | 40 | ... | 95 |
| 122 | 123 | Bradley 41 | 7 | 0. 23. 1.97 | 37.19 | 3 | + 3.108 | + 15. 6. 36.96 | 36.86 | 3 | +19.957 | 41 | ... | 97 |
| 123 | 124 | Piazzi 0. 98..... | 7.8 | 0. 23. 20.95 | 37.33 | 2 | + 3.081 | + 3. 56. 6.52 | 37.46 | 3 | +19.953 | ... | ... | 98 |
| 124 | 125 | Phoenixisλ | 5 | 0. 23. 26.43 | 35.16 | 9 | + 2.910 | - 49. 43. 1.24 | 34.80 | 14 | +19.953 | ... | 115 | ... |
| 125 | 126 | 15 Cassiopeiaκ | 4 | 0. 23. 40.89 | 34.91 | 6 | + 3.331 | + 62. 1. 11.80 | 32.75 | 12 | +19.951 | 43 | ... | 99 |
| 126 | 127 | Piazzi 0. 100..... | 7.8 | 0. 23. 46.39 | 37.36 | 2 | + 3.023 | - 19. 7. 59.07 | 37.18 | 3 | +19.950 | ... | ... | 100 |
| 127 | 128 | 51 Piscium | 6.7 | 0. 23. 53.45 | 32.80 | 5 | + 3.086 | + 6. 2. 37.48 | 31.94 | 4 | +19.949 | 44 | ... | 101 |
| 128 | 129 | Toucaniβ ¹ | 4 | 0. 23. 56.90 | 34.97 | 4 | + 2.788 | - 63. 52. 7.40 | 37.91 | 1 | +19.948 | ... | 119 | ... |
| 129 | 130 | 52 Piscium | 6 | 0. 23. 57.27 | 33.37 | 6 | + 3.121 | + 19. 23. 5.10 | 33.49 | 5 | +19.948 | 45 | ... | 102 |
| 130 | 131 | Toucaniβ ² | 4 | 0. 23. 57.74 | 36.89 | 7 | + 2.787 | - 63. 52. 33.31 | 35.78 | 8 | +19.948 | ... | 120 | ... |
| 131 | 132 | Piazzi 0. 103..... | 7 | 0. 24. 7.67 | 39.88 | 4 | + 3.143 | + 27. 22. 4.72 | 40.60 | 5 | +19.947 | ... | ... | 103 |
| 132 | 133 | Piazzi 0. 104..... | 8 | 0. 24. 18.99 | 37.40 | 2 | + 3.313 | + 59. 38. 13.37 | 37.95 | 1 | +19.945 | ... | ... | 104 |
| 133 | 134 | Piazzi 0. 106..... | 7.8 | 0. 24. 46.97 | 37.34 | 2 | + 3.059 | - 4. 45. 34.21 | 37.24 | 3 | +19.941 | ... | ... | 106 |
| 134 | 135 | 16 Cassiopeiaλ | 5.6 | 0. 24. 52.59 | 35.84 | 3 | + 3.394 | + 65. 50. 20.78 | 35.04 | 4 | +19.940 | 46 | ... | 105 |
| 135 | 136 | Piazzi 0. 107..... | 8 | 0. 25. 2.90 | 34.84 | 2 | + 3.068 | - 1. 31. 8.36 | 37.56 | 3 | +19.937 | ... | ... | 107 |
| 136 | 137 | Lacaille 123 | 5 | 0. 25. 10.69 | 34.99 | 7 | + 2.772 | - 63. 56. 28.84 | 32.38 | 8 | +19.937 | ... | 123 | ... |
| 137 | 138 | Piazzi 0. 108..... | 8 | 0. 25. 11.02 | 37.19 | 4 | + 3.082 | + 4. 2. 11.40 | 37.25 | 2 | +19.937 | ... | ... | 108 |
| 138 | 139 | Lacaille 125 | 5.6 | 0. 25. 30.95 | 37.30 | 6 | + 2.984 | - 30. 28. 3.80 | 36.67 | 7 | +19.934 | ... | 125 | 109 |
| 139 | 141 | Piazzi 0. 110..... | 7 | 0. 25. 38.00 | 32.92 | 5 | + 3.096 | + 9. 23. 42.19 | 33.44 | 5 | +19.932 | ... | ... | 110 |
| 140 | 140 | Lacaille 127 | 7 | 0. 25. 38.08 | 37.92 | 9 | + 2.964 | - 35. 53. 24.72 | 37.94 | 11 | +19.932 | ... | 127 | 111 |
| 141 | 142 | Lacaille 130 | 7 | 0. 25. 44.92 | 38.82 | 3 | + 2.848 | - 56. 14. 24.99 | 38.82 | 3 | +19.931 | ... | 130 | ... |
| 142 | 143 | Piazzi 0. 112..... | 8 | 0. 26. 1.13 | 36.93 | 2 | + 3.344 | + 60. 57. 14.93 | 37.37 | 2 | +19.929 | ... | ... | 112 |
| 143 | 144 | Piazzi 0. 113..... | 7 | 0. 26. 4.60 | 32.94 | 5 | + 3.057 | - 5. 27. 28.77 | 33.20 | 6 | +19.928 | ... | ... | 113 |
| 144 | 145 | Lacaille 133 | 7 | 0. 26. 18.64 | 38.82 | 3 | + 2.926 | - 43. 20. 35.98 | 38.82 | 3 | +19.926 | ... | 133 | ... |
| 145 | 146 | Piazzi 0. 114..... | 7 | 0. 26. 20.58 | 36.87 | 4 | + 3.277 | + 53. 17. 33.29 | 37.20 | 3 | +19.926 | ... | ... | 114 |
| 146 | 147 | Piazzi 0. 115..... | 6.7 | 0. 26. 22.76 | 32.83 | 5 | + 3.106 | + 12. 27. 47.76 | 32.56 | 8 | +19.926 | ... | ... | 115 |
| 147 | 148 | Lacaille 137 | 6 | 0. 26. 35.88 | 38.81 | 3 | + 2.864 | - 53. 17. 8.96 | 38.81 | 3 | +19.923 | ... | 137 | ... |
| 148 | 149 | Lacaille 136 | 8 | 0. 26. 36.13 | 38.83 | 3 | + 2.947 | - 38. 54. 27.50 | 38.83 | 3 | +19.923 | ... | 136 | ... |
| 149 | 150 | Piazzi 0. 116..... | 8 | 0. 26. 43.90 | 37.16 | 3 | + 3.142 | + 24. 11. 43.00 | 37.20 | 3 | +19.921 | ... | ... | 116 |
| 150 | 151 | 13 Oeti | 6 | 0. 26. 45.54 | 32.96 | 7 | + 3.059 | - 4. 30. 8.19 | 33.65 | 6 | +19.921 | 50 | ... | 117 |
| 151 | 152 | Piazzi 0. 119..... | 8 | 0. 26. 56.71 | 37.07 | 4 | + 3.102 | + 10. 56. 8.85 | 37.29 | 2 | +19.920 | ... | ... | 119 |
| 152 | 153 | Bradley 49 | 5.6 | 0. 26. 59.75 | 35.79 | 1 | + 3.282 | + 53. 15. 29.51 | 35.10 | 4 | +19.919 | 49 | ... | 118 |
| 153 | 154 | 14 Oeti | 6.7 | 0. 27. 4.80 | 32.71 | 6 | + 3.068 | - 1. 24. 45.56 | 32.92 | 5 | +19.918 | 51 | ... | 120 |
| 154 | 155 | Piazzi 0. 121..... | 8 | 0. 27. 29.49 | 36.33 | 4 | + 3.140 | + 23. 6. 54.76 | 36.85 | 2 | +19.914 | ... | ... | 121 |
| 155 | 156 | Piazzi 0. 122..... | 6.7 | 0. 27. 37.45 | 35.83 | 3 | + 3.151 | + 26. 20. 43.31 | 35.08 | 4 | +19.913 | ... | ... | 122 |
| 156 | 157 | Lacaille 143 | 7 | 0. 27. 48.25 | 38.83 | 3 | + 2.886 | - 48. 54. 22.94 | 38.80 | 2 | +19.910 | ... | 143 | ... |
| 157 | 158 | 17 Cassiopeiaζ | 4 | 0. 27. 49.07 | 31.79 | 2 | + 3.286 | + 52. 59. 15.11 | 32.54 | 15 | +19.910 | 52 | ... | 123 |
| 158 | 159 | Piazzi 0. 124..... | 5.6 | 0. 27. 49.72 | 35.56 | 2 | + 3.226 | + 43. 34. 37.95 | 35.15 | 4 | +19.910 | ... | ... | 124 |
| 159 | 160 | Lacaille 144 | 6.7 | 0. 27. 50.25 | 38.81 | 3 | + 2.828 | - 55. 43. 48.12 | 38.81 | 3 | +19.910 | ... | 144 | ... |
| 160 | 161 | 29 Andromedaπ | 4.5 | 0. 28. 5.24 | 31.83 | 4 | + 3.177 | + 32. 48. 35.11 | 33.15 | 11 | +19.907 | 53 | ... | 125 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Procession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Procession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-----|--------------|---------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 161 | 162 | 53 Piscium | 5 | h m s 0. 28. 12.20 | 33.41 | 8 | + 3.113 | + 14. 19. 24.22 | 33.42 | 8 | +19.906 | 54 | ... | 126 |
| 162 | 163 | Piazzi 0. 127 | 7 | 0. 28. 26.92 | 36.67 | 5 | + 3.142 | + 23. 6. 23.01 | 35.52 | 5 | +19.903 | ... | ... | 127 |
| 163 | 164 | Piazzi 0. 129 | 8 | 0. 28. 32.26 | 38.50 | 3 | + 3.059 | - 4. 18. 35.97 | 37.25 | 3 | +19.902 | ... | ... | 129 |
| 164 | 165 | Piazzi 0. 128 | 7 | 0. 28. 32.34 | 37.17 | 3 | + 3.186 | + 34. 29. 25.21 | 37.22 | 3 | +19.902 | ... | ... | 128 |
| 165 | 166 | Lacaille 147 | 6 | 0. 28. 52.09 | 36.61 | 13 | + 2.991 | - 25. 40. 33.48 | 36.05 | 9 | +19.899 | ... | 147 | 130 |
| 166 | 167 | Piazzi 0. 131 | 7 | 0. 29. 1.08 | 35.96 | 9 | + 3.078 | + 2. 13. 44.25 | 36.21 | 7 | +19.897 | ... | ... | 131 |
| 167 | 168 | Piazzi 0. 132 | 9 | 0. 29. 33.34 | 37.33 | 4 | + 3.051 | - 6. 54. 23.88 | 37.14 | 4 | +19.891 | ... | ... | 132 |
| 168 | 169 | Lacaille 152 | 7.8 | 0. 29. 36.19 | 38.77 | 3 | + 2.823 | - 55. 18. 9.75 | 40.36 | 6 | +19.890 | ... | 152 | ... |
| 169 | 170 | 15 Ceti | 7 | 0. 29. 38.63 | 32.92 | 7 | + 3.067 | - 1. 24. 41.91 | 32.93 | 5 | +19.890 | 55 | ... | 133 |
| 170 | 171 | 30 Andromedæ | 4 | 0. 29. 51.28 | 31.88 | 1 | + 3.166 | + 28. 24. 53.97 | 32.24 | 8 | +19.888 | 56 | ... | 134 |
| 171 | 172 | Piazzi 0. 135 | 7 | 0. 30. 26.52 | 37.98 | 3 | + 3.093 | + 7. 0. 29.61 | 37.98 | 3 | +19.880 | ... | ... | 135 |
| 172 | 174 | 31 Andromedæ | 3 | 0. 30. 31.20 | 31.89 | 1 | + 3.174 | + 29. 57. 24.34 | 34.05 | 18 | +19.880 | 57 | ... | 136 |
| 173 | 175 | Piazzi 0. 137 | 7.8 | 0. 30. 36.50 | 38.91 | 6 | + 3.076 | + 2. 12. 44.03 | 38.64 | 4 | +19.879 | ... | ... | 137 |
| 174 | 176 | 54 Piscium | 6.7 | 0. 30. 47.34 | 39.27 | 5 | + 3.138 | + 20. 21. 32.31 | 39.09 | 10 | +19.877 | 58 | ... | 138 |
| 175 | 177 | Piazzi 0. 140 | 7.8 | 0. 31. 5.46 | 37.22 | 3 | + 3.105 | + 10. 37. 28.99 | 37.21 | 3 | +19.873 | ... | ... | 140 |
| 176 | 178 | 18 Cassiopeie | 3 | 0. 31. 11.19 | 32.94 | 29 | + 3.338 | + 55. 37. 51.32 | 32.73 | 49 | +19.872 | 59 | ... | 139 |
| 177 | 179 | 55 Piscium | 6 | 0. 31. 15.30 | 32.81 | 5 | + 3.140 | + 20. 31. 56.08 | 31.92 | 5 | +19.871 | 60 | ... | 141 |
| 178 | 180 | Piazzi 0. 142 | 7 | 0. 31. 24.46 | 37.32 | 2 | + 3.033 | - 12. 3. 12.35 | 37.48 | 3 | +19.870 | ... | ... | 142 |
| 179 | 181 | Lacaille 166 | 7 | 0. 31. 59.53 | 38.78 | 3 | + 2.881 | - 45. 42. 17.49 | 38.78 | 3 | +19.862 | ... | 166 | ... |
| 180 | 182 | Piazzi 0. 144 | 7 | 0. 32. 11.87 | 35.80 | 2 | + 3.013 | - 17. 25. 21.15 | 35.12 | 4 | +19.860 | ... | ... | 144 |
| 181 | 183 | 32 Andromedæ | 6 | 0. 32. 12.15 | 35.79 | 3 | + 3.221 | + 38. 33. 5.25 | 35.07 | 4 | +19.860 | 61 | ... | 143 |
| 182 | 184 | Piazzi 0. 146 | 6.7 | 0. 32. 18.81 | 31.96 | 5 | + 3.054 | - 5. 15. 30.58 | 32.13 | 5 | +19.858 | ... | ... | 146 |
| 183 | 185 | Piazzi 0. 145 | 7.8 | 0. 32. 18.99 | 37.16 | 3 | + 3.140 | + 20. 6. 49.99 | 37.54 | 3 | +19.858 | ... | ... | 145 |
| 184 | 186 | Piazzi 0. 148 | 5.6 | 0. 32. 51.93 | 37.32 | 4 | + 3.155 | + 23. 43. 23.55 | 35.15 | 4 | +19.852 | ... | ... | 148 |
| 185 | 187 | 19 Cassiopeie | 5.6 | 0. 32. 53.86 | 35.84 | 3 | + 3.296 | + 49. 36. 20.44 | 35.09 | 4 | +19.852 | 62 | ... | 147 |
| 186 | 188 | Piazzi 0. 149 | 8 | 0. 32. 57.64 | 37.16 | 3 | + 3.112 | + 12. 3. 23.58 | 37.51 | 3 | +19.851 | ... | ... | 149 |
| 187 | 189 | Lacaille 174 | 7.8 | 0. 32. 58.88 | 40.03 | 5 | + 2.902 | - 41. 26. 17.01 | 40.35 | 6 | +19.850 | ... | 174 | ... |
| 188 | 190 | Piazzi 0. 150 | 7.8 | 0. 33. 1.50 | 37.14 | 4 | + 3.139 | + 19. 13. 59.78 | 37.19 | 3 | +19.850 | ... | ... | 150 |
| 189 | 191 | Piazzi 0. 151 | 8 | 0. 33. 16.26 | 36.84 | 2 | + 2.997 | - 21. 12. 23.16 | 37.18 | 3 | +19.847 | ... | ... | 151 |
| 190 | 192 | Phoenixis | 5 | 0. 33. 30.99 | 34.79 | 9 | + 2.863 | - 46. 59. 30.50 | 35.21 | 8 | +19.844 | ... | 177 | ... |
| 191 | 193 | Piazzi 0. 152 | 6 | 0. 33. 54.74 | 32.64 | 5 | + 3.027 | - 12. 42. 34.24 | 32.12 | 5 | +19.839 | ... | ... | 152 |
| 192 | 194 | Lacaille 178 | 7.8 | 0. 34. 4.87 | 38.01 | 6 | + 2.880 | - 44. 1. 51.86 | 38.00 | 6 | +19.837 | ... | 178 | 153 |
| 193 | 195 | 20 Cassiopeie | 5 | 0. 34. 22.14 | 31.83 | 6 | + 3.279 | + 46. 7. 12.80 | 32.27 | 9 | +19.833 | 67 | ... | 154 |
| 194 | 196 | Piazzi 0. 155 | 6 | 0. 34. 27.73 | 33.55 | 7 | + 2.994 | - 21. 5. 57.49 | 32.88 | 4 | +19.832 | ... | ... | 155 |
| 195 | 197 | Piazzi 0. 157 | 7 | 0. 34. 37.28 | 35.82 | 2 | + 3.055 | - 4. 45. 44.34 | 35.16 | 4 | +19.831 | ... | ... | 157 |
| 196 | 198 | Sculptoris | 6.7 | 0. 34. 46.11 | 37.62 | 5 | + 2.905 | - 39. 22. 8.67 | 36.60 | 8 | +19.829 | ... | 183 | 158 |
| 197 | 199 | 21 Cassiopeie | 5 | 0. 34. 52.60 | 38.83 | 7 | + 3.782 | + 74. 5. 1.16 | 38.35 | 7 | +19.827 | 66 | ... | 156 |
| 198 | 200 | 16 Ceti | 2.3 | 0. 35. 18.30 | 33.36 | 19 | + 3.001 | - 18. 53. 36.53 | 32.38 | 10 | +19.821 | 70 | ... | 159 |
| 199 | 201 | Piazzi 0. 161 | 7 | 0. 35. 31.75 | 37.13 | 3 | + 3.024 | - 12. 54. 26.49 | 36.82 | 4 | +19.817 | ... | ... | 161 |
| 200 | 202 | 22 Cassiopeie | 5.6 | 0. 35. 33.54 | 35.68 | 3 | + 3.296 | + 47. 22. 47.63 | 35.12 | 4 | +19.817 | 69 | ... | 160 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley | Lacaille. | Piazzi. |
|-----|--------------|------------------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|---------|-----------|---------|
| 201 | 203 | 17 Ceti ϕ^1 | 5 | h m s 0. 35. 52.09 | 31.91 | 5 | + 3.029 | — 11. 30. 33.06 | 32.26 | 6 | +19.812 | 71 | ... | 163 |
| 202 | 204 | Phoenixis γ | 5 | 0. 35. 55.02 | 31.95 | 6 | + 2.733 | — 58. 22. 7.61 | 31.95 | 5 | +19.811 | ... | 190 | ... |
| 203 | 205 | Piazzi 0. 162 | 5.6 | 0. 35. 55.84 | 35.90 | 2 | + 3.362 | + 54. 19. 0.73 | 35.07 | 4 | +19.811 | ... | ... | 162 |
| 204 | 206 | Sculptoris λ^2 | 6 | 0. 36. 13.25 | 37.59 | 5 | + 2.899 | — 39. 19. 55.60 | 36.85 | 7 | +19.808 | ... | 192 | 164 |
| 205 | 207 | Lacaille 193 | 6 | 0. 36. 34.54 | 32.84 | 5 | + 2.981 | — 22. 54. 53.08 | 32.33 | 5 | +19.803 | ... | 193 | 166 |
| 206 | 208 | Piazzi 0. 167 | 7.8 | 0. 36. 41.44 | 37.13 | 3 | + 3.069 | — 0. 38. 54.93 | 37.15 | 4 | +19.801 | ... | ... | 167 |
| 207 | 209 | Piazzi 0. 169 | 7.8 | 0. 36. 41.64 | 36.88 | 2 | + 3.022 | — 13. 2. 53.08 | 36.92 | 2 | +19.801 | ... | ... | 169 |
| 208 | 210 | Briabane 95 | 7.8 | 0. 36. 45.97 | 38.59 | 4 | + 2.869 | — 43. 30. 13.48 | 38.79 | 3 | +19.800 | ... | ... | ... |
| 209 | 211 | Piazzi 0. 168 | 7.8 | 0. 36. 51.70 | 37.18 | 3 | + 3.371 | + 54. 24. 7.92 | 36.90 | 1 | +19.798 | ... | ... | 168 |
| 210 | 212 | 23 Cassiopeie | 6 | 0. 36. 52.77 | 40.02 | 5 | + 3.816 | + 73. 56. 39.76 | 37.91 | 8 | +19.798 | 72 | ... | 165 |
| 211 | 213 | Piazzi 0. 171 | 6 | 0. 37. 0.46 | 32.90 | 5 | + 3.051 | — 5. 32. 6.51 | 32.82 | 5 | +19.797 | ... | ... | 171 |
| 212 | 214 | Piazzi 0. 170 | 7.8 | 0. 37. 0.63 | 37.18 | 3 | + 3.173 | + 25. 16. 9.58 | 36.91 | 3 | +19.797 | ... | ... | 170 |
| 213 | 215 | Lacaille 200 | 6.7 | 0. 37. 8.42 | 38.02 | 6 | + 2.866 | — 43. 34. 35.42 | 38.15 | 7 | +19.795 | ... | 200 | 173 |
| 214 | 216 | 18 Ceti γ | 6 | 0. 37. 11.61 | 32.94 | 7 | + 3.019 | — 13. 46. 30.62 | 32.91 | 4 | +19.794 | 73 | ... | 172 |
| 215 | 217 | Lacaille 201 | 6 | 0. 37. 23.72 | 38.81 | 3 | + 2.766 | — 54. 37. 10.33 | 38.78 | 3 | +19.791 | ... | 201 | ... |
| 216 | 218 | Piazzi 0. 174 | 7 | 0. 37. 26.76 | 37.51 | 3 | + 3.004 | — 17. 19. 40.57 | 37.53 | 3 | +19.790 | ... | ... | 174 |
| 217 | 219 | Piazzi 0. 175 | 8 | 0. 37. 34.03 | 37.14 | 4 | + 3.198 | + 30. 2. 31.48 | 37.57 | 3 | +19.789 | ... | ... | 175 |
| 218 | 220 | Piazzi 0. 176 | 7.8 | 0. 37. 36.98 | 37.36 | 2 | + 3.200 | + 30. 2. 57.50 | 37.59 | 3 | +19.788 | ... | ... | 176 |
| 219 | 221 | Lacaille 202 | 8 | 0. 37. 38.76 | 38.81 | 3 | + 2.813 | — 49. 44. 26.18 | 38.79 | 3 | +19.787 | ... | 202 | ... |
| 220 | 222 | 57 Piscium | 6.7 | 0. 37. 55.36 | 32.95 | 5 | + 3.129 | + 14. 34. 29.58 | 32.95 | 4 | +19.784 | 75 | ... | 178 |
| 221 | 223 | Lacaille 207 | 7 | 0. 38. 0.59 | 38.84 | 3 | + 2.822 | — 48. 27. 34.13 | 38.83 | 3 | +19.783 | ... | 207 | ... |
| 222 | 224 | 58 Piscium | 6 | 0. 38. 25.59 | 32.82 | 5 | + 3.115 | + 11. 4. 21.85 | 33.79 | 5 | +19.777 | 76 | ... | 179 |
| 223 | 225 | 59 Piscium | 6 | 0. 38. 31.26 | 32.81 | 5 | + 3.147 | + 18. 40. 31.81 | 33.45 | 5 | +19.776 | 77 | ... | 180 |
| 224 | 226 | 34 Andromedæ ζ | 4 | 0. 38. 36.39 | 31.82 | 2 | + 3.168 | + 23. 22. 6.24 | 32.45 | 13 | +19.774 | 78 | ... | 182 |
| 225 | 227 | Piazzi 0. 181 | 7 | 0. 38. 41.07 | 35.80 | 3 | + 3.344 | + 50. 32. 31.93 | 35.07 | 4 | +19.773 | ... | ... | 181 |
| 226 | 228 | 60 Piscium | 6 | 0. 38. 52.07 | 32.88 | 4 | + 3.095 | + 5. 50. 21.23 | 31.93 | 4 | +19.770 | 80 | ... | 183 |
| 227 | 229 | Piazzi 0. 184 | 8 | 0. 38. 56.88 | 37.41 | 4 | + 3.179 | + 25. 23. 18.48 | 37.14 | 4 | +19.769 | ... | ... | 184 |
| 228 | 230 | 24 Cassiopeie γ | 4 | 0. 39. 9.45 | 32.46 | 3 | + 3.421 | + 56. 56. 17.42 | 31.83 | 5 | +19.767 | 79 | ... | 185 |
| 229 | 231 | 61 Piscium | 6 | 0. 39. 10.53 | 35.82 | 3 | + 3.155 | + 20. 1. 20.36 | 35.16 | 4 | +19.766 | 81 | ... | 186 |
| 230 | 232 | Lacaille 214 | 9.10 | 0. 39. 13.51 | 39.83 | 4 | + 2.771 | — 52. 54. 27.04 | 39.86 | 6 | +19.766 | ... | 214 | ... |
| 231 | 233 | Piazzi 0. 188 | 7.8 | 0. 39. 30.77 | 37.19 | 3 | + 3.044 | — 6. 53. 37.03 | 37.13 | 3 | +19.762 | ... | ... | 188 |
| 232 | 234 | 25 Cassiopeie ν | 5 | 0. 39. 31.35 | 35.82 | 3 | + 3.346 | + 50. 3. 57.98 | 35.09 | 4 | +19.762 | 83 | ... | 187 |
| 233 | 235 | Piazzi 0. 189 | 6 | 0. 39. 44.16 | 35.90 | 8 | + 3.089 | + 4. 25. 49.67 | 37.08 | 15 | +19.758 | ... | ... | 189 |
| 234 | 236 | 62 Piscium | 6 | 0. 39. 44.23 | 33.56 | 7 | + 3.097 | + 6. 23. 51.12 | 33.88 | 5 | +19.758 | 84 | ... | 190 |
| 235 | 237 | Piazzi 0. 191 | 8 | 0. 40. 7.37 | 37.23 | 3 | + 3.145 | + 17. 24. 46.23 | 37.17 | 4 | +19.752 | ... | ... | 191 |
| 236 | 238 | 63 Piscium δ | 5 | 0. 40. 7.82 | 32.53 | 6 | + 3.099 | + 6. 41. 9.08 | 32.41 | 10 | +19.752 | 85 | ... | 192 |
| 237 | 239 | 64 Piscium | 5.6 | 0. 40. 19.24 | 32.84 | 5 | + 3.139 | + 16. 2. 55.28 | 32.90 | 5 | +19.749 | 86 | ... | 193 |
| 238 | 240 | 35 Andromedæ ν | 4 | 0. 40. 44.25 | 32.71 | 10 | + 3.271 | + 40. 10. 42.12 | 32.31 | 10 | +19.743 | 87 | ... | 194 |
| 239 | 241 | Piazzi 0. 197 | 9 | 0. 41. 1.77 | 37.21 | 3 | + 3.101 | + 7. 3. 13.40 | 37.15 | 3 | +19.739 | ... | ... | 197 |
| 240 | 242 | 65 Piscium δ | 6 | 0. 41. 2.41 | 31.97 | 6 | + 3.192 | + 26. 48. 35.18 | 31.97 | 5 | +19.739 | 88 | ... | 195 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-----|--------------|----------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 241 | 243 | Piazzi 0. 196 | 6.7 | h m s 0. 41. 7.29 | 35.83 | 3 | + 3.303 | + 44. 6. 5.54 | 35.18 | 4 | +19.738 | ... | ... | 196 |
| 242 | 244 | Piazzi 0. 198 .. | 6 | 0. 41. 8.39 | 37.23 | 3 | + 3.010 | - 14. 27. 26.71 | 37.23 | 3 | +19.738 | ... | ... | 198 |
| 243 | 245 | Lacaille 226 | 7 | 0. 41. 16.94 | 38.77 | 3 | + 2.809 | - 47. 36. 0.76 | 38.77 | 3 | +19.734 | ... | 226 | ... |
| 244 | 246 | Piazzi 0. 200 | 8 | 0. 41. 24.00 | 37.15 | 4 | + 3.035 | - 8. 45. 1.27 | 37.13 | 4 | +19.733 | ... | ... | 200 |
| 245 | 247 | Piazzi 0. 199 | 7 | 0. 41. 33.08 | 35.87 | 3 | + 3.365 | + 50. 36. 26.34 | 35.13 | 4 | +19.731 | ... | ... | 199 |
| 246 | 248 | Bradley 65 | 6.7 | 0. 41. 46.58 | 35.89 | 2 | +10.511 | + 88. 8. 1.31 | 38.93 | 9 | +19.726 | 65 | ... | 177 |
| 247 | 249 | 19 Ceti | 6 | 0. 41. 52.02 | 32.85 | 7 | + 3.022 | - 11. 32. 3.12 | 32.84 | 5 | +19.725 | 89 | ... | 201 |
| 248 | 250 | Piazzi 0. 202 .. | 8 | 0. 41. 58.13 | 37.18 | 3 | + 3.142 | + 16. 5. 30.53 | 37.40 | 4 | +19.723 | ... | ... | 202 |
| 249 | 251 | Piazzi 0. 203 | 6.7 | 0. 42. 11.41 | 35.87 | 3 | + 3.370 | + 50. 40. 19.27 | 35.16 | 3 | +19.720 | ... | ... | 203 |
| 250 | 252 | Lacaille 231 | 7.8 | 0. 42. 19.28 | 38.23 | 5 | + 2.832 | - 44. 17. 45.15 | 38.44 | 5 | +19.719 | ... | 231 | 205 |
| 251 | 253 | Piazzi 0. 204 | 8 | 0. 42. 22.34 | 37.13 | 3 | + 3.102 | + 7. 8. 51.69 | 37.14 | 4 | +19.718 | ... | ... | 204 |
| 252 | 254 | Piazzi 0. 206 | 7.8 | 0. 42. 31.82 | 37.19 | 4 | + 3.098 | + 5. 59. 57.81 | 37.41 | 4 | +19.715 | ... | ... | 206 |
| 253 | 255 | Bradley 91 | 6.7 | 0. 42. 49.09 | 35.87 | 2 | + 3.082 | + 2. 29. 21.03 | 35.07 | 4 | +19.711 | 91 | ... | 207 |
| 254 | 256 | Piazzi 0. 208 | 7.8 | 0. 42. 57.11 | 37.26 | 3 | + 3.124 | + 11. 53. 10.86 | 37.15 | 3 | +19.708 | ... | ... | 208 |
| 255 | 257 | Piazzi 0. 210 | 7 | 0. 43. 1.16 | 35.74 | 3 | + 3.026 | - 10. 18. 18.03 | 35.16 | 4 | +19.707 | ... | ... | 210 |
| 256 | 258 | Phoeniceis | 6 | 0. 43. 9.81 | 38.77 | 3 | + 2.753 | - 51. 53. 19.30 | 38.77 | 3 | +19.705 | ... | 233 | ... |
| 257 | 259 | Bradley 90 | 5 | 0. 43. 16.80 | 35.87 | 2 | + 3.510 | + 60. 13. 2.65 | 35.07 | 4 | +19.703 | 90 | ... | 209 |
| 258 | 260 | Lacaille 236 | 7.8 | 0. 44. 9.29 | 35.91 | 3 | + 2.819 | - 44. 36. 29.42 | 35.05 | 4 | +19.688 | ... | 236 | 212 |
| 259 | 261 | Piazzi 0. 211 | 6.7 | 0. 44. 18.70 | 35.92 | 2 | + 3.398 | + 51. 47. 32.50 | 35.29 | 5 | +19.685 | ... | ... | 211 |
| 260 | 262 | 20 Ceti | 5 | 0. 44. 34.87 | 32.62 | 20 | + 3.062 | - 2. 2. 29.39 | 32.38 | 10 | +19.681 | 93 | ... | 213 |
| 261 | 263 | Piazzi 0. 214 | 8 | 0. 44. 45.55 | 37.12 | 4 | + 3.157 | + 18. 11. 48.57 | 37.09 | 4 | +19.677 | ... | ... | 214 |
| 262 | 264 | Piazzi 0. 215 | 8.9 | 0. 44. 48.85 | 37.19 | 3 | + 3.154 | + 17. 29. 46.66 | 37.11 | 4 | +19.676 | ... | ... | 215 |
| 263 | 265 | Piazzi 0. 216 | 8.9 | 0. 44. 50.30 | 37.23 | 3 | + 3.086 | + 3. 11. 24.10 | 36.95 | 3 | +19.676 | ... | ... | 216 |
| 264 | 266 | 26 Cassiopeia | 5.6 | 0. 45. 15.29 | 35.89 | 3 | + 3.493 | + 58. 4. 39.02 | 35.11 | 4 | +19.669 | 94 | ... | 217 |
| 265 | 267 | Piazzi 0. 218 | 8.9 | 0. 45. 26.64 | 37.23 | 3 | + 3.094 | + 4. 54. 41.55 | 37.13 | 4 | +19.666 | ... | ... | 218 |
| 266 | 268 | Piazzi 0. 219 | 8 | 0. 45. 26.86 | 36.87 | 2 | + 2.999 | - 14. 49. 5.40 | 37.20 | 3 | +19.666 | ... | ... | 219 |
| 267 | 269 | 66 Piscium | 6 | 0. 45. 51.89 | 32.81 | 6 | + 3.159 | + 18. 17. 32.97 | 31.92 | 5 | +19.658 | 96 | ... | 221 |
| 268 | 270 | 21 Ceti | 6.7 | 0. 45. 58.18 | 39.09 | 5 | + 3.026 | - 9. 38. 8.87 | 38.10 | 8 | +19.656 | 98 | ... | 222 |
| 269 | 271 | Lacaille 245 | 8 | 0. 46. 7.85 | 40.19 | 6 | + 2.896 | - 33. 13. 53.88 | 40.19 | 6 | +19.654 | ... | 245 | ... |
| 270 | 272 | 36 Andromedæ | 6 | 0. 46. 8.86 | 32.05 | 8 | + 3.184 | + 22. 44. 0.13 | 31.97 | 5 | +19.654 | 97 | ... | 223 |
| 271 | 273 | Piazzi 0. 224 | 8 | 0. 46. 19.94 | 37.18 | 3 | + 3.183 | + 22. 31. 4.32 | 37.38 | 2 | +19.651 | ... | ... | 224 |
| 272 | 274 | Piazzi 0. 227 | 7 | 0. 46. 46.79 | 35.86 | 3 | + 3.100 | + 5. 57. 27.89 | 35.07 | 4 | +19.643 | ... | ... | 227 |
| 273 | 275 | 27 Cassiopeia | 3 | 0. 46. 48.39 | 32.63 | 14 | + 3.538 | + 59. 49. 16.48 | 32.87 | 24 | +19.642 | 99 | ... | 225 |
| 274 | 276 | 28 Cassiopeia | 5 | 0. 46. 53.55 | 35.83 | 2 | + 3.511 | + 58. 17. 17.17 | 35.12 | 4 | +19.640 | ... | ... | 226 |
| 275 | 277 | 67 Piscium | 6 | 0. 47. 7.04 | 32.39 | 4 | + 3.207 | + 26. 18. 47.75 | 32.83 | 4 | +19.635 | 100 | ... | 228 |
| 276 | 278 | Piazzi 0. 229 | 7 | 0. 47. 13.35 | 35.84 | 3 | + 3.258 | + 34. 20. 1.63 | 35.15 | 4 | +19.634 | ... | ... | 229 |
| 277 | 279 | Piazzi 0. 230 | 6 | 0. 47. 22.39 | 32.82 | 5 | + 3.032 | - 8. 14. 26.46 | 32.92 | 4 | +19.632 | ... | ... | 230 |
| 278 | 281 | Piazzi 0. 231 | 7 | 0. 47. 30.33 | 32.85 | 5 | + 3.135 | + 13. 3. 24.20 | 32.98 | 5 | +19.630 | ... | ... | 231 |
| 279 | 280 | 2 Ursæ Minoris | 5 | 0. 47. 30.53 | 36.66 | 9 | + 6.466 | + 85. 22. 3.33 | 34.73 | 8 | +19.630 | 92 | ... | 220 |
| 280 | 282 | 37 Andromedæ | 4 | 0. 47. 36.91 | 32.88 | 6 | + 3.284 | + 37. 36. 9.90 | 33.40 | 20 | +19.627 | 101 | ... | 232 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-----|--------------|----------------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 281 | 283 | 22 Ceti..... ϕ^8 | 6 | h m s 0. 47. 45.25 | 33.09 | 7 | + 3.012 | — 12. 9. 42.52 | 32.86 | 5 | +19.625 | 103 | ... | 235 |
| 282 | 284 | Piazzi 0. 233 | 7.8 | 0. 47. 49.68 | 37.35 | 4 | + 3.418 | + 51. 20. 42.06 | 36.77 | 1 | +19.624 | ... | ... | 233 |
| 283 | 285 | Piazzi 0. 236 | 8 | 0. 47. 52.65 | 37.15 | 4 | + 3.204 | + 25. 26. 40.72 | 37.21 | 3 | +19.622 | ... | ... | 236 |
| 284 | 286 | Piazzi 0. 237 | 7.8 | 0. 48. 24.38 | 37.21 | 3 | + 3.421 | + 51. 14. 34.65 | 37.22 | 3 | +19.612 | ... | ... | 237 |
| 285 | 287 | 38 Andromedæ..... γ | 5 | 0. 48. 24.83 | 32.68 | 8 | + 3.188 | + 22. 31. 31.17 | 32.33 | 10 | +19.612 | 104 | ... | 238 |
| 286 | 288 | Lacaille 259 | 7 | 0. 48. 33.78 | 38.76 | 3 | + 2.684 | — 54. 5. 3.52 | 38.77 | 3 | +19.610 | ... | 259 | ... |
| 287 | 289 | Piazzi 0. 239 | 7.8 | 0. 48. 42.48 | 37.31 | 2 | + 3.178 | + 20. 35. 34.47 | 37.23 | 3 | +19.607 | ... | ... | 239 |
| 288 | 290 | Piazzi 0. 240 | 8.9 | 0. 48. 46.44 | 37.22 | 3 | + 3.075 | + 0. 28. 10.45 | 37.38 | 2 | +19.606 | ... | ... | 240 |
| 289 | 291 | 68 Piscium..... λ | 6 | 0. 48. 55.45 | 32.92 | 4 | + 3.223 | + 28. 5. 54.82 | 31.93 | 4 | +19.603 | 105 | ... | 241 |
| 290 | 292 | Piazzi 0. 242 | 7 | 0. 49. 13.04 | 37.00 | 1 | + 3.257 | + 33. 3. 36.81 | 38.00 | 1 | +19.598 | ... | ... | 242 |
| 291 | 294 | Piazzi 0. 244 | 8 | 0. 49. 15.60 | 37.23 | 3 | + 3.128 | + 11. 8. 50.51 | 37.96 | 2 | +19.597 | ... | ... | 244 |
| 292 | 293 | Piazzi 0. 243 | 6.7 | 0. 49. 15.68 | 32.87 | 5 | + 3.136 | + 12. 48. 10.15 | 32.94 | 5 | +19.597 | ... | ... | 243 |
| 293 | 295 | Piazzi 0. 245 | 8 | 0. 49. 32.38 | 37.08 | 4 | + 3.179 | + 20. 30. 39.55 | 37.19 | 4 | +19.590 | ... | ... | 245 |
| 294 | 296 | Piazzi 0. 246 | 7 | 0. 49. 46.50 | 35.79 | 4 | + 3.102 | + 5. 57. 4.92 | 35.09 | 4 | +19.587 | ... | ... | 246 |
| 295 | 297 | Piazzi 0. 247 | 8 | 0. 49. 50.52 | 37.16 | 4 | + 3.129 | + 11. 14. 5.47 | 37.35 | 2 | +19.585 | ... | ... | 247 |
| 296 | 298 | Bradley 95 | 6 | 0. 50. 11.79 | 38.96 | 4 | + 7.519 | + 86. 15. 42.31 | 38.67 | 12 | +19.578 | 95 | ... | 234 |
| 297 | 299 | 23 Ceti..... ϕ^4 | 6 | 0. 50. 28.30 | 32.57 | 7 | + 3.008 | — 12. 16. 19.35 | 32.97 | 5 | +19.573 | 106 | ... | 249 |
| 298 | 300 | Sculptoris..... α | 5 | 0. 50. 39.01 | 31.80 | 6 | + 2.901 | — 30. 15. 1.75 | 32.28 | 11 | +19.570 | ... | 266 | 250 |
| 299 | 301 | Piazzi 0. 248 | 8.9 | 0. 50. 41.33 | 37.40 | 3 | + 3.531 | + 57. 28. 20.41 | 37.41 | 2 | +19.569 | ... | ... | 248 |
| 300 | 302 | Piazzi 0. 251 | 8 | 0. 50. 56.55 | 39.06 | 6 | + 3.071 | — 0. 6. 30.41 | 39.03 | 6 | +19.564 | ... | ... | 251 |
| 301 | 303 | Bradley 107 | 6.7 | 0. 51. 16.93 | 35.20 | 8 | + 3.101 | + 5. 35. 29.18 | 35.60 | 8 | +19.558 | 107 | ... | 252 |
| 302 | 304 | Piazzi 0. 253 | 7 | 0. 51. 40.61 | 37.44 | 2 | + 3.182 | + 20. 21. 28.13 | 36.92 | 2 | +19.550 | ... | ... | 253 |
| 303 | 305 | Piazzi 0. 254 | 7.8 | 0. 51. 56.51 | 35.86 | 2 | + 3.367 | + 44. 33. 43.09 | 35.06 | 4 | +19.545 | ... | ... | 254 |
| 304 | 306 | Piazzi 0. 255 | 8 | 0. 52. 36.82 | 37.20 | 3 | + 3.127 | + 10. 17. 27.05 | 36.89 | 3 | +19.532 | ... | ... | 255 |
| 305 | 307 | Piazzi 0. 256 | 8 | 0. 52. 38.06 | 37.25 | 3 | + 3.110 | + 7. 8. 39.15 | 37.58 | 3 | +19.531 | ... | ... | 256 |
| 306 | 308 | Piazzi 0. 257 | 8 | 0. 52. 43.78 | 37.46 | 2 | + 3.131 | + 11. 1. 17.00 | 37.94 | 3 | +19.529 | ... | ... | 257 |
| 307 | 309 | Piazzi 0. 258 | 6.7 | 0. 52. 49.75 | 35.84 | 3 | + 3.210 | + 24. 24. 8.93 | 35.11 | 4 | +19.527 | ... | ... | 258 |
| 308 | 310 | Lacaille 279 | 7.8 | 0. 53. 19.49 | 38.80 | 3 | + 2.582 | — 57. 49. 14.37 | 38.80 | 3 | +19.517 | ... | 279 | ... |
| 309 | 311 | 70 Piscium..... δ | 7.8 | 0. 53. 32.44 | 36.38 | 2 | + 3.110 | + 7. 2. 58.99 | 35.09 | 4 | +19.513 | 110 | ... | 260 |
| 310 | 312 | 39 Andromedæ..... δ | 5.6 | 0. 53. 39.48 | 35.81 | 2 | + 3.336 | + 40. 27. 22.54 | 35.06 | 4 | +19.511 | 108 | ... | 259 |
| 311 | 313 | 69 Piscium..... σ^1 | 6 | 0. 53. 47.74 | 35.69 | 3 | + 3.258 | + 30. 54. 59.17 | 35.08 | 4 | +19.508 | 111 | ... | 261 |
| 312 | 314 | Lacaille 280 | 7 | 0. 53. 52.06 | 38.80 | 3 | + 2.818 | — 39. 6. 2.77 | 38.80 | 3 | +19.507 | ... | 280 | ... |
| 313 | 315 | Piazzi 0. 262 | 7 | 0. 53. 55.26 | 32.70 | 5 | + 3.115 | + 7. 55. 56.93 | 31.95 | 5 | +19.506 | ... | ... | 262 |
| 314 | 316 | 71 Piscium..... ϵ | 4 | 0. 54. 23.25 | 34.55 | 17 | + 3.110 | + 7. 0. 0.10 | 33.38 | 29 | +19.496 | 113 | ... | 264 |
| 315 | 317 | Sculptoris..... σ | 6 | 0. 54. 33.42 | 37.35 | 6 | + 2.871 | — 32. 26. 30.12 | 36.63 | 8 | +19.492 | ... | 282 | 265 |
| 316 | 318 | 25 Ceti..... ω | 6 | 0. 54. 42.02 | 32.82 | 6 | + 3.039 | — 5. 43. 14.36 | 32.48 | 5 | +19.489 | 115 | ... | 266 |
| 317 | 319 | Phoenix..... ω | 6.7 | 0. 55. 2.49 | 40.37 | 6 | + 2.565 | — 57. 53. 32.15 | 40.59 | 7 | +19.482 | ... | 288 | ... |
| 318 | 320 | Piazzi 0. 267 | 6.7 | 0. 55. 10.22 | 35.89 | 3 | + 3.453 | + 50. 7. 19.50 | 35.42 | 2 | +19.480 | ... | ... | 267 |
| 319 | 321 | Piazzi 0. 269 | 8 | 0. 55. 13.85 | 37.06 | 4 | + 3.104 | + 5. 52. 38.25 | 37.09 | 4 | +19.478 | ... | ... | 269 |
| 320 | 322 | Piazzi 0. 271 | 8.9 | 0. 55. 15.32 | 36.84 | 3 | + 3.106 | + 6. 9. 48.60 | 37.11 | 4 | +19.478 | ... | ... | 271 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-----|--------------|---------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 321 | 323 | 26 Ceti | 6.7 | h m s 0. 55. 19.99 | 32.83 | 6 | + 3.074 | + 0. 28. 48.75 | 32.81 | 5 | +19.476 | 116 | ... | 270 |
| 322 | 324 | Lacaille 287 | 6.7 | 0. 55. 24.92 | 38.85 | 3 | + 2.884 | - 30. 24. 47.80 | 38.85 | 3 | +19.474 | ... | 287 | ... |
| 323 | 325 | Piazzi 0. 268 | 6.7 | 0. 55. 41.31 | 35.90 | 2 | + 3.957 | + 70. 2. 44.67 | 35.19 | 4 | +19.469 | ... | ... | 268 |
| 324 | 326 | Gould 976 | 7.8 | 0. 56. 5.19 | 40.09 | 5 | + 2.747 | - 45. 7. 47.03 | 40.39 | 6 | +19.460 | ... | ... | ... |
| 325 | 327 | 73 Piscium | 6.7 | 0. 56. 20.19 | 32.85 | 5 | + 3.099 | + 4. 46. 12.70 | 32.98 | 8 | +19.455 | 120 | ... | 273 |
| 326 | 328 | 72 Piscium | 6 | 0. 56. 23.44 | 33.36 | 7 | + 3.153 | + 14. 3. 25.90 | 32.96 | 5 | +19.454 | 119 | ... | 274 |
| 327 | 329 | Piazzi 0. 272 | 7 | 0. 56. 36.03 | 37.22 | 3 | + 3.710 | + 62. 53. 14.23 | 37.88 | 2 | +19.450 | ... | ... | 272 |
| 328 | 330 | 74 Piscium | 5.6 | 0. 56. 51.12 | 33.64 | 3 | + 3.195 | + 20. 35. 16.05 | 31.94 | 5 | +19.444 | 121 | ... | 275 |
| 329 | 331 | Bradley 122 | 6.7 | 0. 56. 51.40 | 36.25 | 3 | + 3.195 | + 20. 34. 47.17 | 37.39 | 2 | +19.443 | 122 | ... | 276 |
| 330 | 332 | 76 Piscium | 7 | 0. 57. 7.91 | 35.69 | 3 | + 3.272 | + 31. 17. 48.32 | 34.97 | 1 | +19.438 | 123 | ... | 278 |
| 331 | 333 | 77 Piscium | 7 | 0. 57. 17.37 | 36.55 | 3 | + 3.095 | + 4. 1. 41.17 | 35.20 | 4 | +19.436 | 124 | ... | 280 |
| 332 | 334 | Bradley 125 | 8 | 0. 57. 19.64 | 37.22 | 3 | + 3.095 | + 4. 1. 46.20 | 37.21 | 3 | +19.435 | 125 | ... | 281 |
| 333 | 336 | 27 Ceti | 6 | 0. 57. 21.20 | 33.34 | 7 | + 3.009 | - 10. 51. 49.26 | 33.85 | 9 | +19.434 | 126 | ... | 284 |
| 334 | 335 | 30 Cassiopeie | 6 | 0. 57. 21.33 | 36.86 | 4 | + 3.529 | + 54. 6. 24.36 | 37.68 | 9 | +19.434 | 118 | ... | 277 |
| 335 | 337 | Piazzi 0. 279 | 7 | 0. 57. 23.27 | 38.42 | 6 | + 3.506 | + 52. 36. 47.52 | 34.95 | 3 | +19.433 | ... | ... | 279 |
| 336 | 338 | Piazzi 0. 282 | 8 | 0. 57. 24.48 | 37.25 | 3 | + 3.204 | + 21. 39. 54.99 | 37.44 | 4 | +19.433 | ... | ... | 282 |
| 337 | 339 | Piazzi 0. 285 | 6.7 | 0. 57. 38.00 | 35.79 | 2 | + 3.450 | + 48. 40. 14.12 | 35.09 | 4 | +19.428 | ... | ... | 285 |
| 338 | 340 | 28 Ceti | 6 | 0. 57. 48.63 | 33.13 | 11 | + 3.009 | - 10. 43. 30.22 | 33.91 | 9 | +19.423 | 128 | ... | 286 |
| 339 | 341 | 75 Piscium | 6.7 | 0. 57. 53.45 | 32.81 | 5 | + 3.143 | + 12. 4. 10.56 | 33.00 | 5 | +19.421 | 127 | ... | 287 |
| 340 | 342 | Piazzi 0. 288 | 8.9 | 0. 58. 10.47 | 41.28 | 4 | + 3.009 | - 10. 39. 5.20 | 42.78 | 4 | +19.415 | ... | ... | 288 |
| 341 | 343 | Bradley 117 | 6.7 | 0. 58. 18.10 | 35.96 | 3 | + 4.770 | + 78. 47. 32.57 | 35.18 | 4 | +19.412 | 117 | ... | 283 |
| 342 | 344 | Piazzi 0. 289 | 7.8 | 0. 58. 18.63 | 40.39 | 6 | + 3.190 | + 19. 16. 0.84 | 38.79 | 5 | +19.412 | ... | ... | 289 |
| 343 | 345 | 41 Andromedæ | 5.6 | 0. 58. 34.33 | 35.86 | 3 | + 3.388 | + 43. 3. 38.49 | 35.09 | 4 | +19.407 | 129 | ... | 290 |
| 344 | 346 | Lacaille 305 | 7 | 0. 58. 42.43 | 38.80 | 3 | + 2.821 | - 36. 32. 37.82 | 38.80 | 2 | +19.403 | ... | 305 | ... |
| 345 | 347 | Phœnicis | 3.4 | 0. 58. 42.65 | 33.87 | 9 | + 2.701 | - 47. 36. 16.16 | 31.93 | 10 | +19.403 | ... | 308 | ... |
| 346 | 348 | 78 Piscium | 7 | 0. 58. 54.86 | 35.93 | 2 | + 3.277 | + 31. 7. 44.17 | 35.20 | 4 | +19.399 | 131 | ... | 291 |
| 347 | 349 | 79 Piscium | 6 | 0. 59. 6.96 | 36.62 | 8 | + 3.195 | + 19. 51. 35.77 | 32.83 | 4 | +19.395 | 132 | ... | 292 |
| 348 | 350 | Piazzi 0. 294 | 6.7 | 0. 59. 16.00 | 35.93 | 2 | + 3.254 | + 27. 59. 17.64 | 35.01 | 3 | +19.391 | ... | ... | 294 |
| 349 | 351 | 30 Ceti | 6 | 0. 59. 28.53 | 34.62 | 4 | + 3.007 | - 10. 40. 10.79 | 35.22 | 4 | +19.387 | 135 | ... | 296 |
| 350 | 352 | 29 Ceti | 7 | 0. 59. 29.61 | 38.88 | 4 | + 3.079 | + 1. 7. 41.75 | 37.24 | 7 | +19.387 | 133 | ... | 295 |
| 351 | 353 | 31 Cassiopeie | 6.7 | 0. 59. 35.52 | 35.96 | 3 | + 3.919 | + 67. 53. 52.50 | 35.19 | 4 | +19.384 | 130 | ... | 293 |
| 352 | 354 | Piazzi 0. 297 | 8 | 0. 59. 44.84 | 37.14 | 3 | + 3.127 | + 9. 1. 29.55 | 37.13 | 3 | +19.381 | ... | ... | 297 |
| 353 | 355 | 80 Piscium | 5 | 0. 59. 52.78 | 35.16 | 9 | + 3.101 | + 4. 46. 30.55 | 32.59 | 8 | +19.379 | 136 | ... | 299 |
| 354 | 356 | 42 Andromedæ | 5 | 0. 59. 57.38 | 33.92 | 2 | + 3.435 | + 46. 21. 34.75 | 31.85 | 5 | +19.375 | 134 | ... | 298 |
| 355 | 357 | Lacaille 311 | 7.8 | 0. 59. 57.52 | 38.81 | 3 | + 2.754 | - 42. 37. 37.55 | 38.82 | 3 | +19.375 | ... | 311 | ... |
| 356 | 358 | Phœnicis | 7 | 1. 0. 14.82 | 40.40 | 7 | + 2.755 | - 42. 22. 15.06 | 39.34 | 9 | +19.370 | ... | 312 | 303 |
| 357 | 359 | 31 Ceti | 3.4 | 1. 0. 17.48 | 33.93 | 2 | + 3.004 | - 11. 3. 30.31 | 31.93 | 5 | +19.369 | 141 | ... | 300 |
| 358 | 360 | Piazzi 0. 302 | 8 | 1. 0. 29.40 | 37.68 | 4 | + 3.213 | + 22. 1. 30.08 | 37.24 | 3 | +19.365 | ... | ... | 302 |
| 359 | 361 | 43 Andromedæ | 2 | 1. 0. 30.96 | 33.94 | 3 | + 3.314 | + 34. 44. 38.03 | 32.12 | 7 | +19.364 | 140 | ... | 301 |
| 360 | 362 | Piazzi 0. 304 | 7.8 | 1. 0. 31.96 | 37.45 | 3 | + 3.211 | + 22. 41. 44.32 | 36.85 | 2 | +19.363 | ... | ... | 304 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. |
|-----|--------------|--------------------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|
| 361 | 363 | 1 Ursæ Minorisa | 2.3 | h m s I. 0. 49.41 | 33.03 | 189 | + 15.857 | + 88. 25. 46.26 | 32.00 | 24 | +19.357 | 102 | ... |
| 362 | 365 | 44 Andromedæc | 6.7 | I. 0. 58.41 | 37.14 | 3 | + 3.380 | + 41. 12. 7.39 | 35.19 | 4 | +19.353 | 143 | ... |
| 363 | 366 | 81 Pisciumψ ⁸ | 6 | I. 1. 0.73 | 33.94 | 3 | + 3.192 | + 18. 46. 35.73 | 33.84 | 6 | +19.352 | 144 | ... |
| 364 | 364 | 32 Cassiopeiæδ | 5 | I. 1. 0.87 | 34.01 | 3 | + 3.797 | + 64. 8. 21.48 | 34.49 | 4 | +19.352 | 139 | ... |
| 365 | 367 | 33 Cassiopeiæθ | 4.5 | I. 1. 5.64 | 33.96 | 3 | + 3.561 | + 54. 16. 11.60 | 32.14 | 5 | +19.350 | 142 | ... |
| 366 | 368 | Piazzi 0. 310 | 6.7 | I. 1. 23.41 | 35.85 | 2 | + 3.234 | + 24. 34. 55.22 | 35.10 | 4 | +19.344 | ... | ... |
| 367 | 369 | Phœnicisζ | 5 | I. 1. 26.24 | 38.06 | 6 | + 2.545 | - 56. 7. 46.72 | 35.93 | 8 | +19.343 | ... | 318 |
| 368 | 370 | Piazzi 0. 311 | 6 | I. 1. 27.09 | 33.97 | 1 | + 3.166 | + 14. 47. 37.42 | 32.93 | 5 | +19.343 | ... | ... |
| 369 | 371 | 45 Andromedæδ | 6 | I. 1. 55.44 | 34.02 | 2 | + 3.339 | + 36. 50. 38.16 | 34.68 | 4 | +19.330 | 145 | ... |
| 370 | 372 | 32 Cetiδ | 6 | I. 1. 55.44 | 38.12 | 5 | + 3.010 | - 9. 47. 7.69 | 36.42 | 11 | +19.330 | 147 | ... |
| 371 | 373 | Piazzi 0. 312 | 8 | I. 2. 0.44 | 37.61 | 3 | + 3.809 | + 64. 7. 48.69 | 37.55 | 3 | +19.329 | ... | ... |
| 372 | 374 | 82 Pisciumg | 7 | I. 2. 2.03 | 35.84 | 3 | + 3.283 | + 30. 32. 40.78 | 35.18 | 4 | +19.328 | 146 | ... |
| 373 | 375 | 33 Cetiδ | 6 | I. 2. 4.56 | 33.58 | 3 | + 3.081 | + 1. 33. 56.25 | 32.81 | 6 | +19.327 | 148 | ... |
| 374 | 376 | Bradley 137 | 7 | I. 2. 13.58 | 35.96 | 3 | + 4.922 | + 79. 1. 48.20 | 34.95 | 4 | +19.324 | 137 | ... |
| 375 | 377 | Piazzi I. 4 | 7.8 | I. 2. 16.00 | 37.17 | 3 | + 3.127 | + 8. 40. 19.93 | 37.52 | 3 | +19.323 | ... | ... |
| 376 | 378 | Lacaille 321 | 7.8 | I. 2. 29.56 | 40.09 | 5 | + 2.507 | - 57. 28. 32.39 | 40.40 | 6 | +19.317 | ... | 321 |
| 377 | 379 | 83 Pisciumτ | 6 | I. 2. 35.62 | 33.92 | 2 | + 3.274 | + 29. 12. 40.82 | 32.90 | 5 | +19.315 | 149 | ... |
| 378 | 380 | 84 Pisciumχ | 5 | I. 2. 35.77 | 33.89 | 3 | + 3.204 | + 20. 9. 17.37 | 31.71 | 6 | +19.315 | 150 | ... |
| 379 | 381 | Piazzi I. 7 | 8 | I. 2. 47.41 | 37.48 | 3 | + 3.217 | + 21. 50. 36.45 | 37.28 | 5 | +19.310 | ... | ... |
| 380 | 382 | Piazzi I. 8 | 7 | I. 2. 50.71 | 33.88 | 3 | + 3.132 | + 9. 24. 44.87 | 32.96 | 4 | +19.309 | ... | ... |
| 381 | 383 | Piazzi I. 9 | 7.8 | I. 3. 2.69 | 35.92 | 3 | + 3.428 | + 44. 27. 27.51 | 34.66 | 4 | +19.304 | ... | ... |
| 382 | 384 | 34 Cetiδ | 6.7 | I. 3. 20.24 | 34.56 | 8 | + 3.052 | - 3. 7. 44.36 | 33.61 | 9 | +19.297 | 152 | ... |
| 383 | 385 | Lacaille 323 | 7 | I. 3. 22.94 | 38.91 | 3 | + 2.475 | - 58. 34. 12.18 | 38.91 | 3 | +19.296 | ... | 323 |
| 384 | 386 | Lacaille 325 | 7.8 | I. 3. 28.83 | 38.86 | 4 | + 2.493 | - 57. 44. 25.85 | 38.87 | 3 | +19.293 | ... | 325 |
| 385 | 387 | Bradley 153 | 7 | I. 3. 55.43 | 37.24 | 3 | + 3.278 | + 29. 11. 13.40 | 36.94 | 3 | +19.283 | 153 | ... |
| 386 | 388 | 35 Cetiδ | 6.7 | I. 4. 3.54 | 32.47 | 5 | + 3.082 | + 1. 35. 54.98 | 32.91 | 4 | +19.280 | 154 | ... |
| 387 | 389 | Bradley 151 | 7 | I. 4. 28.27 | 35.91 | 2 | + 4.142 | + 70. 52. 4.96 | 34.99 | 6 | +19.270 | 151 | ... |
| 388 | 390 | 36 Cetiδ | 7 | I. 4. 29.68 | 35.80 | 3 | + 3.022 | - 7. 39. 36.07 | 35.17 | 4 | +19.269 | 156 | ... |
| 389 | 391 | Lacaille 326 | 7 | I. 4. 35.02 | 40.85 | 7 | + 2.842 | - 31. 40. 37.54 | 41.10 | 9 | +19.267 | ... | 326 |
| 390 | 392 | 85 Pisciumφ | 6 | I. 4. 48.28 | 32.83 | 5 | + 3.236 | + 23. 42. 29.15 | 33.21 | 5 | +19.262 | 157 | ... |
| 391 | 393 | Lacaille 327 | 7.8 | I. 5. 6.76 | 38.98 | 8 | + 2.799 | - 36. 4. 57.87 | 39.42 | 8 | +19.254 | ... | 327 |
| 392 | 394 | 86 Pisciumζ | 6 | I. 5. 7.26 | 33.50 | 6 | + 3.116 | + 6. 42. 2.49 | 34.03 | 7 | +19.254 | 158 | ... |
| 393 | 395 | Bradley 159 | 7.8 | I. 5. 8.53 | 36.93 | 3 | + 3.116 | + 6. 42. 13.26 | 36.91 | 2 | +19.253 | 159 | ... |
| 394 | 396 | Lacaille 328 | 6 | I. 5. 9.15 | 37.38 | 6 | + 2.771 | - 38. 43. 57.02 | 36.25 | 7 | +19.253 | ... | 328 |
| 395 | 397 | 87 Pisciumδ | 6.7 | I. 5. 22.48 | 32.89 | 4 | + 3.175 | + 15. 15. 30.17 | 33.79 | 5 | +19.248 | 161 | ... |
| 396 | 398 | Piazzi I. 21 | 8 | I. 5. 35.24 | 36.36 | 3 | + 3.196 | + 18. 15. 4.05 | 37.22 | 3 | +19.242 | ... | ... |
| 397 | 399 | Piazzi I. 22 | 8 | I. 6. 3.94 | 40.63 | 5 | + 3.013 | - 8. 47. 56.39 | 40.69 | 8 | +19.230 | ... | ... |
| 398 | 400 | 37 Cetiδ | 6 | I. 6. 5.52 | 37.20 | 9 | + 3.013 | - 8. 48. 40.37 | 36.52 | 11 | +19.230 | 164 | ... |
| 399 | 401 | 88 Pisciumδ | 6.7 | I. 6. 8.01 | 32.63 | 7 | + 3.113 | + 6. 7. 13.30 | 33.50 | 6 | +19.229 | 162 | ... |
| 400 | 402 | 38 Cetiδ | 6 | I. 6. 24.11 | 31.86 | 7 | + 3.060 | - 1. 51. 33.30 | 33.52 | 5 | +19.222 | 165 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|-----|--------------|---------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 401 | 403 | Piazzi I. 26 | 7.8 | h m s 1. 6. 42.88 | 34.49 | 4 | + 3.487 | + 47. 12. 27.89 | 34.46 | 4 | +19.214 | ... | ... | 26 |
| 402 | 404 | Piazzi I. 28 | 7.8 | 1. 6. 58.72 | 37.20 | 3 | + 3.113 | + 6. 4. 51.83 | 37.55 | 3 | +19.207 | ... | ... | 28 |
| 403 | 405 | Piazzi I. 29 | 6.7 | 1. 7. 8.07 | 35.84 | 2 | + 3.316 | + 32. 14. 30.47 | 35.11 | 4 | +19.204 | ... | ... | 29 |
| 404 | 406 | Piazzi I. 27 | 7 | 1. 7. 12.58 | 36.89 | 2 | + 3.662 | + 56. 45. 31.97 | 37.61 | 3 | +19.201 | ... | ... | 27 |
| 405 | 407 | Phœnicis | 6 | 1. 7. 44.10 | 39.90 | 6 | + 2.663 | - 46. 24. 52.64 | 39.90 | 6 | +19.189 | ... | 337 | ... |
| 406 | 408 | Piazzi I. 30 | 7.8 | 1. 7. 56.76 | 34.01 | 3 | + 3.216 | + 20. 10. 53.39 | 35.15 | 4 | +19.183 | ... | ... | 30 |
| 407 | 409 | 39 Ceti | 6 | 1. 8. 13.93 | 32.81 | 5 | + 3.049 | - 3. 22. 13.90 | 32.13 | 5 | +19.176 | 167 | ... | 32 |
| 408 | 410 | Lacaille 339 | 9 | 1. 8. 27.26 | 40.37 | 6 | + 2.796 | - 35. 1. 18.73 | 40.37 | 6 | +19.171 | ... | 339 | ... |
| 409 | 411 | Piazzi I. 31 | 7 | 1. 8. 28.59 | 35.87 | 2 | + 3.487 | + 46. 32. 51.28 | 35.15 | 4 | +19.170 | ... | ... | 31 |
| 410 | 412 | 40 Ceti | 6 | 1. 8. 32.43 | 32.93 | 5 | + 3.050 | - 3. 8. 44.58 | 32.82 | 5 | +19.168 | 168 | ... | 33 |
| 411 | 413 | Piazzi I. 34 | 8 | 1. 8. 47.60 | 36.87 | 2 | + 3.098 | + 3. 47. 34.61 | 37.08 | 4 | +19.161 | ... | ... | 34 |
| 412 | 414 | 89 Piscium | 6 | 1. 9. 17.82 | 33.23 | 6 | + 3.091 | + 2. 44. 38.91 | 32.10 | 5 | +19.148 | 171 | ... | 36 |
| 413 | 415 | 41 Ceti | 7 | 1. 9. 25.12 | 35.79 | 2 | + 3.012 | - 8. 31. 55.71 | 35.16 | 4 | +19.146 | 172 | ... | 38 |
| 414 | 416 | Piazzi I. 35 | 7.8 | 1. 9. 32.59 | 36.89 | 3 | + 3.695 | + 57. 20. 15.11 | 37.31 | 2 | +19.142 | ... | ... | 35 |
| 415 | 417 | 34 Cassiopeiæ | 5.6 | 1. 9. 45.45 | 35.60 | 6 | + 3.698 | + 57. 21. 42.16 | 35.23 | 7 | +19.137 | 169 | ... | 37 |
| 416 | 418 | Lacaille 352 | 7.8 | 1. 9. 49.38 | 38.82 | 3 | + 2.758 | - 38. 8. 30.16 | 38.82 | 3 | +19.135 | ... | 352 | ... |
| 417 | 419 | Piazzi I. 39 | 8 | 1. 10. 7.89 | 39.64 | 4 | + 3.890 | + 63. 48. 14.89 | 38.64 | 4 | +19.126 | ... | ... | 39 |
| 418 | 420 | 35 Cassiopeiæ | 6.7 | 1. 10. 8.97 | 38.14 | 7 | + 3.890 | + 63. 47. 24.18 | 38.11 | 8 | +19.126 | 170 | ... | 40 |
| 419 | 421 | Piazzi I. 42 | 7.8 | 1. 10. 20.35 | 36.93 | 5 | + 3.099 | + 3. 46. 59.96 | 37.14 | 4 | +19.121 | ... | ... | 42 |
| 420 | 422 | Piazzi I. 43 | 8 | 1. 10. 22.20 | 37.15 | 3 | + 3.119 | + 6. 33. 34.83 | 37.20 | 4 | +19.120 | ... | ... | 43 |
| 421 | 423 | 90 Piscium | 5.6 | 1. 10. 24.80 | 31.92 | 3 | + 3.273 | + 26. 23. 38.91 | 32.87 | 5 | +19.119 | 173 | ... | 41 |
| 422 | 424 | Piazzi I. 44 | 7.8 | 1. 10. 52.27 | 35.55 | 2 | + 3.089 | + 2. 25. 15.01 | 35.08 | 4 | +19.108 | ... | ... | 44 |
| 423 | 425 | Piazzi I. 45 | 8 | 1. 10. 57.51 | 37.08 | 4 | + 3.119 | + 6. 37. 17.28 | 37.64 | 4 | +19.105 | ... | ... | 45 |
| 424 | 426 | Piazzi I. 46 | 7.8 | 1. 11. 10.74 | 37.16 | 3 | + 3.110 | + 5. 17. 32.67 | 37.43 | 4 | +19.099 | ... | ... | 46 |
| 425 | 427 | 42 Ceti | 6 | 1. 11. 22.65 | 32.68 | 6 | + 3.062 | - 1. 22. 39.12 | 32.85 | 5 | +19.093 | 175 | ... | 47 |
| 426 | 428 | Lacaille 358 | 6 | 1. 11. 25.39 | 39.01 | 1 | + 2.672 | - 44. 12. 12.06 | 39.01 | 1 | +19.092 | ... | 358 | ... |
| 427 | 429 | 91 Piscium | 6 | 1. 12. 0.96 | 32.86 | 5 | + 3.290 | + 27. 52. 25.12 | 32.22 | 4 | +19.077 | 176 | ... | 48 |
| 428 | 430 | Piazzi I. 49 | 8 | 1. 12. 10.75 | 37.23 | 3 | + 3.507 | + 46. 24. 53.19 | 37.41 | 4 | +19.072 | ... | ... | 49 |
| 429 | 431 | Piazzi I. 50 | 6.7 | 1. 12. 37.22 | 34.94 | 6 | + 3.457 | + 42. 43. 3.86 | 34.46 | 4 | +19.060 | ... | ... | 50 |
| 430 | 432 | 46 Andromedæ | 5 | 1. 12. 39.48 | 32.16 | 7 | + 3.484 | + 44. 39. 41.10 | 31.73 | 10 | +19.059 | 177 | ... | 51 |
| 431 | 433 | Piazzi I. 52 | 6.7 | 1. 13. 46.04 | 35.89 | 3 | + 4.242 | + 70. 6. 58.44 | 35.11 | 4 | +19.030 | ... | ... | 52 |
| 432 | 434 | Piazzi I. 54 | 7.8 | 1. 13. 50.11 | 36.94 | 4 | + 3.105 | + 4. 23. 12.58 | 36.90 | 4 | +19.027 | ... | ... | 54 |
| 433 | 435 | Piazzi I. 57 | 7 | 1. 14. 7.60 | 32.82 | 5 | + 3.078 | + 0. 51. 46.77 | 31.95 | 5 | +19.018 | ... | ... | 57 |
| 434 | 436 | 43 Ceti | 6.7 | 1. 14. 8.85 | 32.97 | 5 | + 3.062 | - 1. 18. 52.80 | 32.81 | 5 | +19.018 | 181 | ... | 58 |
| 435 | 437 | Piazzi I. 59 | 6.7 | 1. 14. 11.30 | 35.89 | 3 | + 3.101 | + 3. 52. 23.82 | 35.10 | 4 | +19.017 | ... | ... | 59 |
| 436 | 438 | 47 Andromedæ | 6 | 1. 14. 15.79 | 34.49 | 4 | + 3.391 | + 36. 51. 3.72 | 34.46 | 4 | +19.014 | 179 | ... | 55 |
| 437 | 439 | Piazzi I. 56 | 6.7 | 1. 14. 17.49 | 35.88 | 3 | + 3.353 | + 33. 22. 31.30 | 35.18 | 4 | +19.013 | ... | ... | 56 |
| 438 | 440 | Piazzi I. 60 | 7 | 1. 14. 19.94 | 35.79 | 2 | + 3.121 | + 6. 32. 34.66 | 35.29 | 5 | +19.012 | ... | ... | 60 |
| 439 | 441 | 36 Cassiopeiæ | 4.5 | 1. 14. 22.50 | 32.09 | 5 | + 4.090 | + 67. 15. 55.02 | 32.06 | 9 | +19.010 | 178 | ... | 53 |
| 440 | 442 | Lacaille 373 | 7 | 1. 14. 38.89 | 38.82 | 3 | + 2.739 | - 37. 55. 1.33 | 38.82 | 3 | +19.003 | ... | 373 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835°0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835°0. | Mean Dec., 1835°0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835°0. | Bradley. | Lacaille. | Piazzi. |
|-----|--------------|---------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 441 | 443 | Piazzi I. 61 | 7·8 | h m s 1. 14. 42·43 | 36·91 | 4 | + 3·462 | + 42. 16. 41·09 | 36·97 | 4 | +19·001 | ... | ... | 61 |
| 442 | 444 | 92 Piscium | 7·8 | 1. 14. 59·49 | 35·92 | 3 | + 3·203 | + 16. 57. 20·23 | 35·17 | 4 | +18·994 | 182 | ... | 63 |
| 443 | 445 | 37 Cassiopeie | 3 | 1. 15. 5·32 | 37·26 | 12 | + 3·798 | + 59. 22. 28·65 | 34·17 | 14 | +18·992 | 180 | ... | 62 |
| 444 | 446 | Lacaille 378 | 7·8 | 1. 15. 7·64 | 37·86 | 7 | + 2·649 | - 44. 28. 9·89 | 37·91 | 7 | +18·990 | ... | 378 | 65 |
| 445 | 447 | Lacaille 376 | 7 | 1. 15. 11·88 | 38·89 | 3 | + 2·742 | - 37. 27. 37·06 | 38·90 | 3 | +18·988 | ... | 376 | ... |
| 446 | 448 | Piazzi I. 64 | 7·8 | 1. 15. 16·36 | 37·14 | 3 | + 3·106 | + 4. 26. 48·60 | 37·08 | 4 | +18·986 | ... | ... | 64 |
| 447 | 449 | Lacaille 381 | 7 | 1. 15. 43·03 | 35·85 | 3 | + 2·868 | - 25. 12. 59·97 | 35·16 | 4 | +18·974 | ... | 381 | 68 |
| 448 | 450 | 44 Ceti | 6 | 1. 15. 44·86 | 32·94 | 6 | + 3·004 | - 8. 52. 3·24 | 32·65 | 4 | +18·974 | 183 | ... | 66 |
| 449 | 451 | 45 Ceti | 3 | 1. 15. 46·83 | 34·52 | 6 | + 3·003 | - 9. 2. 12·34 | 32·25 | 7 | +18·972 | 184 | ... | 67 |
| 450 | 452 | Lacaille 384 | 6·7 | 1. 15. 50·14 | 38·85 | 3 | + 2·803 | - 31. 48. 27·79 | 38·85 | 3 | +18·971 | ... | 384 | ... |
| 451 | 453 | Lacaille 388 | 7 | 1. 16. 20·68 | 38·89 | 3 | + 2·681 | - 41. 48. 57·83 | 38·88 | 3 | +18·956 | ... | 388 | ... |
| 452 | 454 | Lacaille 386 | 7 | 1. 16. 31·42 | 38·92 | 3 | + 2·791 | - 32. 40. 19·30 | 38·91 | 3 | +18·955 | ... | 386 | ... |
| 453 | 455 | Piazzi I. 69 | 6 | 1. 16. 38·13 | 34·40 | 4 | + 3·476 | + 42. 35. 56·88 | 34·47 | 4 | +18·948 | ... | ... | 69 |
| 454 | 456 | Piazzi I. 70 | 7 | 1. 16. 46·74 | 38·92 | 4 | + 3·365 | + 33. 43. 19·18 | 38·39 | 6 | +18·943 | ... | ... | 70 |
| 455 | 457 | 93 Piscium | 5·6 | 1. 17. 22·42 | 32·87 | 6 | + 3·219 | + 18. 18. 39·34 | 32·85 | 7 | +18·931 | 185 | ... | 72 |
| 456 | 458 | Lacaille 392 | 5 | 1. 17. 22·42 | 33·15 | 9 | + 2·668 | - 42. 21. 11·90 | 33·29 | 10 | +18·931 | ... | 392 | 76 |
| 457 | 459 | Bradley 187 | 7·8 | 1. 17. 28·55 | 35·86 | 3 | + 3·226 | + 19. 12. 43·71 | 35·14 | 4 | +18·923 | 187 | ... | 73 |
| 458 | 460 | 46 Ceti | 5 | 1. 17. 30·56 | 31·91 | 6 | + 2·949 | - 15. 27. 35·43 | 32·23 | 8 | +18·922 | 190 | ... | 75 |
| 459 | 461 | Lacaille 395 | 6·7 | 1. 17. 31·50 | 38·06 | 6 | + 2·622 | - 45. 23. 22·93 | 38·22 | 6 | +18·921 | ... | 395 | 78 |
| 460 | 462 | Piazzi I. 71 | 8 | 1. 17. 33·08 | 37·19 | 3 | + 3·619 | + 50. 56. 56·46 | 37·15 | 4 | +18·921 | ... | ... | 71 |
| 461 | 463 | 94 Piscium | 6·7 | 1. 17. 47·74 | 33·02 | 5 | + 3·220 | + 18. 22. 58·05 | 32·96 | 5 | +18·914 | 189 | ... | 77 |
| 462 | 464 | 48 Andromedæ | 5·6 | 1. 17. 49·10 | 39·36 | 6 | + 3·510 | + 44. 33. 7·45 | 38·04 | 7 | +18·914 | 186 | ... | 74 |
| 463 | 465 | Bradley 191 | 6·7 | 1. 18. 1·10 | 32·95 | 5 | + 3·062 | - 1. 15. 29·02 | 32·38 | 5 | +18·908 | 191 | ... | ... |
| 464 | 466 | Piazzi I. 79 | 6·7 | 1. 18. 27·79 | 35·94 | 3 | + 3·343 | + 31. 6. 39·79 | 34·87 | 4 | +18·894 | ... | ... | 79 |
| 465 | 467 | 47 Ceti | 6 | 1. 18. 43·27 | 32·82 | 5 | + 2·960 | - 13. 55. 0·02 | 33·02 | 5 | +18·886 | 192 | ... | 82 |
| 466 | 468 | Piazzi I. 81 | 6·7 | 1. 18. 55·24 | 34·91 | 4 | + 3·626 | + 50. 49. 37·20 | 34·89 | 4 | +18·881 | ... | ... | 81 |
| 467 | 469 | 38 Cassiopeie | 6·7 | 1. 19. 4·24 | 38·30 | 5 | + 4·275 | + 69. 24. 43·36 | 38·08 | 7 | +18·877 | 188 | ... | 80 |
| 468 | 470 | 95 Piscium | 7 | 1. 19. 6·21 | 32·97 | 5 | + 3·108 | + 4. 30. 1·77 | 33·80 | 5 | +18·876 | 194 | ... | 83 |
| 469 | 471 | Piazzi I. 84 | 7 | 1. 19. 32·57 | 33·64 | 5 | + 3·204 | + 16. 13. 22·70 | 32·92 | 5 | +18·862 | ... | ... | 84 |
| 470 | 472 | Piazzi I. 85 | 7 | 1. 19. 44·40 | 34·90 | 7 | + 3·129 | + 7. 6. 13·28 | 34·40 | 6 | +18·857 | ... | ... | 85 |
| 471 | 473 | Piazzi I. 87 | 8 | 1. 19. 49·00 | 37·21 | 3 | + 3·129 | + 7. 6. 4·45 | 37·60 | 3 | +18·854 | ... | ... | 87 |
| 472 | 474 | 49 Andromedæ | 5·6 | 1. 20. 14·46 | 34·46 | 4 | + 3·550 | + 46. 9. 10·48 | 34·26 | 4 | +18·842 | 196 | ... | 89 |
| 473 | 475 | Piazzi I. 90 | 7 | 1. 20. 18·88 | 36·92 | 4 | + 3·280 | + 24. 25. 6·92 | 37·33 | 5 | +18·839 | ... | ... | 90 |
| 474 | 476 | 96 Piscium | 6·7 | 1. 20. 26·84 | 33·95 | 5 | + 3·124 | + 6. 26. 23·19 | 32·81 | 5 | +18·836 | 197 | ... | 91 |
| 475 | 477 | Bradley 193 | 7·8 | 1. 20. 26·96 | 36·95 | 4 | + 4·281 | + 69. 9. 58·22 | 36·97 | 4 | +18·836 | 193 | ... | 86 |
| 476 | 478 | Brisbane 208 | 7·8 | 1. 20. 32·31 | 39·63 | 4 | + 2·391 | - 55. 56. 17·69 | 41·20 | 9 | +18·833 | ... | ... | ... |
| 477 | 479 | Piazzi I. 88 | 7 | 1. 20. 33·21 | 35·81 | 3 | + 4·186 | + 67. 33. 27·64 | 35·19 | 4 | +18·833 | ... | ... | 88 |
| 478 | 480 | 97 Piscium | 6·7 | 1. 20. 59·38 | 32·94 | 6 | + 3·218 | + 17. 30. 2·66 | 31·96 | 5 | +18·819 | 198 | ... | 92 |
| 479 | 481 | Piazzi I. 93 | 8 | 1. 21. 10·04 | 36·69 | 4 | + 3·354 | + 31. 19. 57·70 | 36·89 | 3 | +18·814 | ... | ... | 93 |
| 480 | 482 | Phoenixis | 3 | 1. 21. 11·65 | 33·87 | 9 | + 2·621 | - 44. 9. 55·05 | 31·18 | 6 | +18·813 | ... | 419 | 94 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-----|--------------|---------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 481 | 483 | 98 Piscium | 5 | 1. 21. 32.87 | 32.83 | 13 | + 3.115 | + 5. 17. 27.25 | 34.49 | 15 | +18.803 | 199 | ... | 95 |
| 482 | 484 | 48 Ceti | 6 | 1. 21. 41.31 | 32.85 | 5 | + 2.879 | - 22. 29. 6.03 | 33.06 | 5 | +18.798 | 200 | 423 | 96 |
| 483 | 485 | Bradley 201 | 6 | 1. 21. 54.97 | 34.74 | 8 | + 2.839 | - 26. 28. 24.67 | 32.70 | 4 | +18.790 | 201 | 425 | ... |
| 484 | 486 | Piazzi I. 97 | 7.8 | 1. 22. 5.39 | 35.82 | 4 | + 3.327 | + 28. 33. 46.99 | 35.08 | 4 | +18.786 | ... | ... | 97 |
| 485 | 487 | Lacaille 427 | 6.7 | 1. 22. 36.40 | 35.08 | 8 | + 2.831 | - 27. 3. 44.39 | 35.20 | 8 | +18.770 | ... | 427 | 99 |
| 486 | 488 | 99 Piscium | 4 | 1. 22. 39.94 | 34.06 | 13 | + 3.194 | + 14. 29. 35.05 | 33.55 | 23 | +18.768 | 203 | ... | 98 |
| 487 | 489 | Piazzi I. 101 | 7 | 1. 23. 0.15 | 35.91 | 3 | + 3.156 | + 10. 2. 9.78 | 34.92 | 3 | +18.757 | ... | ... | 101 |
| 488 | 490 | 39 Cassiopeia | 5.6 | 1. 23. 12.16 | 34.51 | 4 | + 3.843 | + 58. 22. 54.22 | 34.91 | 4 | +18.751 | 202 | ... | 100 |
| 489 | 491 | Lacaille 433 | 7 | 1. 23. 50.38 | 38.90 | 2 | + 2.787 | - 30. 50. 20.27 | 38.90 | 2 | +18.731 | ... | 433 | ... |
| 490 | 492 | Piazzi I. 102 | 6.7 | 1. 24. 0.63 | 35.94 | 2 | + 4.685 | + 73. 27. 12.29 | 34.47 | 4 | +18.726 | ... | ... | 102 |
| 491 | 493 | Lacaille 437 | 7 | 1. 24. 5.49 | 38.90 | 2 | + 2.782 | - 31. 7. 56.14 | 38.91 | 2 | +18.723 | ... | 437 | ... |
| 492 | 494 | Lacaille 436 | 7 | 1. 24. 17.91 | 35.80 | 3 | + 2.853 | - 24. 29. 46.90 | 35.14 | 3 | +18.717 | ... | 436 | 103 |
| 493 | 495 | Phoenix | 4 | 1. 24. 22.43 | 36.29 | 15 | + 2.500 | - 49. 55. 57.10 | 35.90 | 17 | +18.714 | ... | 440 | ... |
| 494 | 496 | Lacaille 445 | 7.8 | 1. 24. 29.84 | 38.85 | 3 | + 2.482 | - 50. 45. 11.45 | 38.85 | 3 | +18.710 | ... | 445 | ... |
| 495 | 497 | Lacaille 442 | 6.7 | 1. 24. 38.36 | 38.90 | 3 | + 2.564 | - 46. 25. 40.69 | 38.90 | 3 | +18.706 | ... | 442 | ... |
| 496 | 498 | Piazzi I. 107 | 7 | 1. 24. 39.82 | 32.95 | 6 | + 3.134 | + 7. 21. 36.07 | 32.10 | 6 | +18.704 | ... | ... | 107 |
| 497 | 499 | Piazzi I. 104 | 7.8 | 1. 24. 46.58 | 37.32 | 4 | + 3.428 | + 36. 23. 16.69 | 36.95 | 4 | +18.700 | ... | ... | 104 |
| 498 | 500 | Piazzi I. 108 | 6.7 | 1. 24. 50.15 | 34.50 | 4 | + 2.988 | - 9. 51. 56.52 | 34.27 | 4 | +18.699 | ... | ... | 108 |
| 499 | 501 | 40 Cassiopeia | 6 | 1. 25. 28.73 | 35.94 | 3 | + 4.589 | + 72. 11. 45.33 | 35.17 | 4 | +18.678 | 206 | ... | 106 |
| 500 | 502 | Lacaille 447 | 5 | 1. 25. 33.01 | 37.38 | 6 | + 2.695 | - 37. 42. 53.33 | 36.61 | 7 | +18.676 | ... | 447 | 109 |
| 501 | 503 | Bradley 205 | 7 | 1. 25. 49.41 | 35.81 | 3 | + 5.212 | + 77. 7. 34.18 | 34.26 | 4 | +18.667 | 205 | ... | 105 |
| 502 | 504 | Lacaille 450 | 7 | 1. 25. 50.43 | 38.85 | 3 | + 2.477 | - 50. 34. 28.20 | 38.85 | 3 | +18.667 | ... | 450 | ... |
| 503 | 505 | Piazzi I. 110 | 6 | 1. 25. 54.22 | 32.92 | 4 | + 3.227 | + 17. 36. 57.10 | 31.97 | 5 | +18.665 | ... | ... | 110 |
| 504 | 506 | 100 Piscium | 7 | 1. 26. 6.10 | 34.49 | 8 | + 3.174 | + 11. 42. 40.10 | 32.82 | 5 | +18.659 | 208 | ... | 111 |
| 505 | 507 | Piazzi I. 112 | 7.8 | 1. 26. 7.47 | 37.59 | 3 | + 3.174 | + 11. 42. 42.37 | 37.48 | 8 | +18.658 | ... | ... | 112 |
| 506 | 508 | Piazzi I. 114 | 7.8 | 1. 26. 13.95 | 36.92 | 4 | + 3.136 | + 7. 25. 37.60 | 36.96 | 4 | +18.655 | ... | ... | 114 |
| 507 | 510 | Bradley 207 | 6.7 | 1. 26. 24.08 | 34.51 | 4 | + 3.616 | + 47. 52. 36.32 | 34.28 | 4 | +18.649 | 207 | ... | 113 |
| 508 | 511 | 49 Ceti | 5.6 | 1. 26. 34.47 | 32.86 | 5 | + 2.926 | - 16. 31. 27.82 | 32.88 | 5 | +18.644 | 210 | ... | 117 |
| 509 | 512 | Piazzi I. 115 | 8 | 1. 26. 44.43 | 36.91 | 4 | + 3.610 | + 47. 28. 10.09 | 36.96 | 4 | +18.638 | ... | ... | 115 |
| 510 | 513 | 101 Piscium | 6 | 1. 26. 57.86 | 32.83 | 5 | + 3.194 | + 13. 48. 55.38 | 32.95 | 5 | +18.631 | 211 | ... | 118 |
| 511 | 514 | Piazzi I. 120 | 6 | 1. 26. 59.70 | 32.97 | 6 | + 3.220 | + 16. 35. 11.35 | 33.00 | 5 | +18.630 | ... | ... | 120 |
| 512 | 515 | Piazzi I. 116 | 7 | 1. 27. 3.16 | 35.85 | 3 | + 3.985 | + 61. 30. 23.27 | 35.14 | 4 | +18.628 | ... | ... | 116 |
| 513 | 516 | 50 Andromeda | 5 | 1. 27. 8.54 | 31.85 | 7 | + 3.497 | + 40. 34. 37.69 | 31.86 | 5 | +18.625 | 209 | ... | 119 |
| 514 | 517 | Piazzi I. 122 | 7 | 1. 27. 17.86 | 35.80 | 3 | + 2.946 | - 14. 13. 40.95 | 34.90 | 4 | +18.621 | ... | ... | 122 |
| 515 | 518 | Lacaille 457 | 7 | 1. 27. 18.93 | 38.85 | 3 | + 2.752 | - 32. 44. 16.62 | 38.85 | 3 | +18.620 | ... | 457 | ... |
| 516 | 519 | Lacaille 460 | 7 | 1. 27. 20.40 | 40.86 | 6 | + 2.547 | - 46. 32. 34.06 | 41.02 | 7 | +18.619 | ... | 460 | ... |
| 517 | 520 | Piazzi I. 123 | 6.7 | 1. 27. 25.36 | 32.81 | 5 | + 3.131 | + 6. 47. 54.13 | 33.03 | 5 | +18.617 | ... | ... | 123 |
| 518 | 521 | Piazzi I. 121 | 7 | 1. 27. 38.70 | 36.94 | 4 | + 3.618 | + 47. 34. 3.08 | 37.17 | 4 | +18.609 | ... | ... | 121 |
| 519 | 522 | 51 Andromeda | 3.4 | 1. 27. 54.23 | 32.61 | 7 | + 3.624 | + 47. 47. 20.23 | 31.97 | 8 | +18.601 | 212 | ... | 124 |
| 520 | 523 | 50 Ceti | 6 | 1. 27. 56.25 | 33.03 | 6 | + 2.926 | - 16. 14. 48.02 | 32.97 | 5 | +18.600 | 213 | ... | 125 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. |
|-----|--------------|-----------------------|------------|----------------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|
| 521 | 524 | Lacaille 464 | 7 | ^{h m s} 1. 27. 59.90 | 40.45 | 6 | + 2.275 | — 57. 50. 56.38 | 40.69 | 8 | +18.598 | ... | 46 |
| 522 | 526 | 102 Piscium | 6 | 1. 28. 21.91 | 33.72 | 12 | + 3.172 | + 11. 17. 41.90 | 34.62 | 9 | +18.586 | 214 | .. |
| 523 | 527 | Lacaille 462 | 6 | 1. 28. 30.96 | 39.46 | 9 | + 2.772 | — 30. 45. 15.62 | 37.77 | 9 | +18.581 | ... | 46 |
| 524 | 528 | Bradley 217 | 7.8 | 1. 28. 54.78 | 36.94 | 2 | + 3.172 | + 11. 14. 3.56 | 37.59 | 5 | +18.568 | 217 | .. |
| 525 | 525 | Lacaille 468 | 7 | 1. 29. 3.88 | 38.93 | 3 | + 2.238 | — 58. 59. 1.86 | 38.92 | 3 | +18.563 | ... | 46 |
| 526 | 529 | Piazzi I. 131 | 6 | 1. 29. 23.19 | 32.95 | 5 | + 2.980 | — 10. 15. 4.99 | 32.84 | 5 | +18.553 | ... | .. |
| 527 | 530 | Piazzi I. 134 | 8.9 | 1. 29. 24.79 | 37.21 | 3 | + 2.826 | — 25. 51. 34.69 | 37.15 | 4 | +18.552 | ... | .. |
| 528 | 531 | 52 Andromedæ | 7 | 1. 29. 29.17 | 35.21 | 3 | + 3.556 | + 43. 32. 36.83 | 34.26 | 4 | +18.548 | 218 | .. |
| 529 | 532 | Piazzi I. 130 | 6.7 | 1. 29. 46.60 | 35.92 | 3 | + 3.750 | + 53. 1. 38.88 | 35.15 | 4 | +18.539 | ... | .. |
| 530 | 533 | Lacaille 473 | 7 | 1. 30. 3.08 | 38.96 | 3 | + 2.469 | — 49. 38. 55.93 | 38.96 | 3 | +18.530 | ... | 4 |
| 531 | 534 | 43 Cassiopeia | 6 | 1. 30. 13.66 | 35.94 | 2 | + 4.292 | + 67. 12. 19.05 | 35.17 | 4 | +18.525 | 216 | .. |
| 532 | 535 | Lacaille 472 | 7 | 1. 30. 14.80 | 38.90 | 3 | + 2.657 | — 38. 58. 44.34 | 38.90 | 3 | +18.524 | ... | 4 |
| 533 | 536 | 42 Cassiopeia | 6 | 1. 30. 16.21 | 38.15 | 9 | + 4.466 | + 69. 47. 4.62 | 37.07 | 7 | +18.523 | 215 | .. |
| 534 | 537 | 103 Piscium | 7.8 | 1. 30. 22.52 | 37.11 | 4 | + 3.217 | + 15. 47. 8.04 | 37.66 | 4 | +18.520 | 219 | .. |
| 535 | 538 | 104 Piscium | 6.7 | 1. 30. 25.51 | 33.19 | 5 | + 3.195 | + 13. 26. 45.61 | 32.98 | 5 | +18.517 | 220 | .. |
| 536 | 539 | Lacaille 479 | 6.7 | 1. 30. 41.86 | 38.93 | 2 | + 2.210 | — 59. 6. 53.23 | 38.93 | 2 | +18.509 | ... | 4 |
| 537 | 540 | 105 Piscium | 6 | 1. 30. 47.45 | 33.45 | 9 | + 3.216 | + 15. 33. 56.72 | 32.82 | 5 | +18.506 | 223 | .. |
| 538 | 541 | 53 Andromedæ | 5.6 | 1. 30. 52.13 | 34.45 | 4 | + 3.501 | + 39. 44. 18.18 | 34.28 | 4 | +18.504 | 221 | .. |
| 539 | 542 | Lacaille 475 | 6.7 | 1. 31. 5.40 | 36.33 | 4 | + 2.821 | — 25. 51. 48.18 | 35.16 | 4 | +18.495 | ... | 4 |
| 540 | 543 | ...Lacaille 476 | 6.7 | 1. 31. 7.46 | 36.65 | 7 | + 2.677 | — 37. 21. 52.07 | 36.62 | 7 | +18.494 | ... | 4 |
| 541 | 544 | Lacaille 478 | 7.8 | 1. 31. 9.38 | 40.86 | 6 | + 2.518 | — 46. 55. 34.35 | 41.14 | 8 | +18.493 | ... | 4 |
| 542 | 545 | ...Lacaille 481 | 7 | 1. 31. 28.58 | 38.86 | 3 | + 2.571 | — 43. 46. 5.80 | 38.86 | 3 | +18.483 | ... | 4 |
| 543 | 546 | Piazzi I. 139 | 7 | 1. 31. 32.23 | 37.32 | 7 | + 3.962 | + 59. 42. 38.38 | 36.92 | 2 | +18.481 | ... | .. |
| 544 | 547 | Eridani | 1 | 1. 31. 33.58 | 32.56 | 13 | + 2.237 | — 58. 4. 38.69 | 32.04 | 17 | +18.480 | ... | 4 |
| 545 | 548 | Piazzi I. 142 | 5 | 1. 31. 46.45 | 37.91 | 5 | + 3.538 | + 41. 46. 55.30 | 37.09 | 6 | +18.473 | ... | .. |
| 546 | 549 | Piazzi I. 144 | 7 | 1. 31. 54.22 | 32.84 | 5 | + 3.145 | + 7. 55. 16.53 | 31.98 | 3 | +18.467 | ... | .. |
| 547 | 550 | Piazzi I. 145 | 7.8 | 1. 32. 7.17 | 36.95 | 4 | + 3.315 | + 24. 54. 34.80 | 37.28 | 3 | +18.460 | ... | .. |
| 548 | 551 | 44 Cassiopeia | 6 | 1. 32. 13.89 | 37.11 | 6 | + 3.969 | + 59. 42. 56.27 | 35.41 | 7 | +18.457 | 224 | .. |
| 549 | 552 | Lacaille 489 | 7 | 1. 32. 24.63 | 38.92 | 3 | + 2.342 | — 54. 16. 37.95 | 38.92 | 3 | +18.450 | ... | 4 |
| 550 | 553 | Lacaille 485 | 8 | 1. 32. 24.65 | 37.25 | 2 | + 2.657 | — 38. 18. 40.96 | 37.30 | 3 | +18.450 | ... | 4 |
| 551 | 554 | Piazzi I. 149 | 8 | 1. 32. 44.44 | 37.24 | 3 | + 3.148 | + 8. 14. 4.93 | 36.92 | 4 | +18.440 | ... | .. |
| 552 | 555 | 1 Trianguli | 7 | 1. 32. 48.70 | 35.96 | 3 | + 3.360 | + 28. 40. 7.95 | 35.09 | 4 | +18.438 | ... | .. |
| 553 | 556 | Piazzi I. 146 | 8.9 | 1. 32. 49.26 | 37.35 | 2 | + 3.970 | + 59. 36. 5.07 | 37.21 | 3 | +18.435 | ... | .. |
| 554 | 557 | 106 Piscium | 5 | 1. 32. 51.19 | 33.39 | 17 | + 3.115 | + 4. 38. 59.64 | 33.59 | 21 | +18.434 | 228 | .. |
| 555 | 558 | Lacaille 493 | 7.8 | 1. 32. 56.92 | 40.16 | 5 | + 2.252 | — 57. 16. 3.44 | 40.45 | 6 | +18.431 | ... | 4 |
| 556 | 559 | Piazzi I. 153 | 7.8 | 1. 33. 20.04 | 37.32 | 2 | + 2.852 | — 22. 33. 22.76 | 37.79 | 2 | +18.418 | ... | .. |
| 557 | 560 | 54 Andromedæ | 5 | 1. 33. 21.66 | 31.86 | 5 | + 3.700 | + 49. 51. 13.08 | 31.85 | 5 | +18.417 | 227 | .. |
| 558 | 561 | Piazzi I. 152 | 8 | 1. 33. 30.73 | 37.27 | 3 | + 3.700 | + 49. 46. 42.20 | 36.93 | 2 | +18.411 | ... | .. |
| 559 | 562 | Lacaille 495 | 6 | 1. 33. 32.75 | 40.15 | 5 | + 2.254 | — 57. 2. 3.43 | 41.05 | 7 | +18.409 | ... | .. |
| 560 | 563 | 107 Piscium | 5.6 | 1. 33. 33.35 | 32.59 | 8 | + 3.260 | + 19. 27. 51.19 | 32.11 | 5 | +18.409 | 229 | .. |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835°0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835°0. | Mean Dec., 1835°0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835°0. | Bradley. | Lacaille. | Piazzi. |
|-----|--------------|---------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 561 | 564 | Lacaille 496 | 7.8 | h m s 1. 34. 12.75 | 38.85 | 3 | + 2.640 | — 38. 58. 19.92 | 36.23 | 7 | +18.387 | ... | 496 | 156 |
| 562 | 565 | Lacaille 500 | 6 | 1. 34. 41.63 | 37.36 | 6 | + 2.721 | — 33. 9. 41.65 | 36.62 | 7 | +18.370 | ... | 500 | 157 |
| 563 | 566 | Lacaille 501 | 6 | 1. 34. 46.47 | 38.92 | 3 | + 2.657 | — 37. 40. 2.36 | 36.27 | 7 | +18.367 | ... | 501 | 158 |
| 564 | 567 | Lacaille 502 | 7 | 1. 35. 6.07 | 38.95 | 3 | + 2.410 | — 50. 52. 25.74 | 38.95 | 3 | +18.356 | ... | 502 | ... |
| 565 | 568 | Piazzi I. 160 | 7 | 1. 35. 36.50 | 34.78 | 5 | + 3.019 | — 5. 35. 49.16 | 34.26 | 4 | +18.338 | ... | ... | 160 |
| 566 | 569 | | | | | | | | | | | | | |
| 566 | 570 | Piazzi I. 161 | 8.9 | 1. 35. 53.21 | 36.94 | 3 | + 3.255 | + 19. 1. 29.81 | 37.13 | 5 | +18.328 | ... | ... | 161 |
| 567 | 571 | Piazzi I. 159 | 6.7 | 1. 35. 54.02 | 35.79 | 2 | + 4.140 | + 63. 2. 2.15 | 34.88 | 4 | +18.328 | ... | ... | 159 |
| 568 | 572 | 109 Piscium | 6.7 | 1. 35. 55.96 | 32.94 | 6 | + 3.262 | + 19. 15. 21.44 | 32.31 | 5 | +18.326 | 231 | ... | 162 |
| 569 | 573 | Eridani | 6.7 | 1. 36. 7.86 | 38.84 | 3 | + 2.307 | — 54. 34. 17.48 | 38.84 | 3 | +18.320 | ... | 506 | ... |
| 570 | 574 | Piazzi I. 155 | 7.8 | 1. 36. 10.43 | 39.40 | 5 | + 6.565 | + 81. 8. 13.22 | 40.56 | 8 | +18.318 | ... | ... | 155 |
| 571 | 575 | 52 Ceti | 3.4 | 1. 36. 24.63 | 33.07 | 6 | + 2.907 | — 16. 48. 32.10 | 32.31 | 10 | +18.310 | 233 | ... | 163 |
| 572 | 576 | 110 Piscium | 5 | 1. 36. 41.31 | 34.16 | 14 | + 3.152 | + 8. 19. 27.77 | 33.54 | 28 | +18.300 | 232 | ... | 164 |
| 573 | 577 | Piazzi I. 166 | 6.7 | 1. 37. 42.48 | 34.92 | 4 | + 3.633 | + 45. 24. 14.33 | 34.27 | 4 | +18.263 | ... | ... | 166 |
| 574 | 578 | Piazzi I. 167 | 6 | 1. 37. 42.76 | 32.83 | 5 | + 3.008 | — 6. 33. 41.53 | 32.84 | 6 | +18.263 | ... | ... | 167 |
| 575 | 579 | Sculptoris | 5 | 1. 37. 55.18 | 31.87 | 7 | + 2.804 | — 25. 52. 46.20 | 32.16 | 7 | +18.254 | ... | 511 | 168 |
| 576 | 580 | Lacaille 514 | 8 | 1. 38. 9.62 | 38.85 | 4 | + 2.365 | — 51. 51. 6.72 | 38.86 | 3 | +18.247 | ... | 514 | ... |
| 577 | 581 | Piazzi I. 169 | 7.8 | 1. 38. 24.52 | 36.94 | 4 | + 3.170 | + 10. 0. 59.64 | 36.91 | 4 | +18.238 | ... | ... | 169 |
| 578 | 582 | Bradley 230 | 7 | 1. 38. 34.43 | 38.78 | 10 | + 5.561 | + 77. 22. 36.46 | 39.16 | 9 | +18.232 | 230 | ... | 165 |
| 579 | 583 | Piazzi I. 170 | 6 | 1. 38. 56.15 | 35.75 | 3 | + 3.496 | + 37. 7. 38.44 | 34.88 | 4 | +18.218 | ... | ... | 170 |
| 580 | 584 | 4 Arietis | 6.7 | 1. 39. 14.72 | 32.87 | 5 | + 3.234 | + 16. 7. 51.10 | 32.32 | 5 | +18.207 | 235 | ... | 172 |
| 581 | 585 | Piazzi I. 171 | 7 | 1. 39. 15.84 | 38.62 | 7 | + 3.421 | + 31. 51. 2.32 | 38.87 | 6 | +18.206 | ... | ... | 171 |
| 582 | 586 | Bradley 236 | 8 | 1. 39. 25.40 | 37.36 | 4 | + 3.235 | + 16. 11. 39.93 | 36.96 | 4 | +18.200 | 236 | ... | 174 |
| 583 | 587 | Lacaille 520 | 6.7 | 1. 39. 37.82 | 38.88 | 3 | + 2.360 | — 51. 38. 36.72 | 38.88 | 3 | +18.193 | ... | 520 | ... |
| 584 | 588 | Piazzi I. 173 | 8 | 1. 39. 45.64 | 37.15 | 4 | + 3.859 | + 54. 23. 37.14 | 36.95 | 4 | +18.189 | ... | ... | 173 |
| 585 | 589 | Eridani | 6 | 1. 39. 49.00 | 38.89 | 3 | + 2.286 | — 54. 21. 10.16 | 38.89 | 3 | +18.186 | ... | 523 | ... |
| 586 | 590 | Piazzi I. 175 | 6.7 | 1. 39. 53.53 | 34.50 | 4 | + 3.100 | + 2. 51. 34.42 | 34.26 | 4 | +18.183 | ... | ... | 175 |
| 587 | 591 | Lacaille 524 | 6.7 | 1. 40. 17.22 | 38.86 | 3 | + 2.551 | — 42. 35. 17.69 | 38.86 | 3 | +18.169 | ... | 524 | ... |
| 588 | 592 | Piazzi I. 176 | 6 | 1. 40. 25.89 | 35.87 | 3 | + 3.775 | + 51. 6. 58.81 | 34.90 | 4 | +18.163 | ... | ... | 176 |
| 589 | 593 | Lacaille 526 | 7 | 1. 40. 35.56 | 37.33 | 6 | + 2.628 | — 37. 59. 10.24 | 36.62 | 7 | +18.158 | ... | 526 | 178 |
| 590 | 594 | Lacaille 527 | 8 | 1. 40. 58.37 | 36.95 | 4 | + 2.780 | — 27. 4. 42.30 | 36.92 | 4 | +18.143 | ... | 527 | 180 |
| 591 | 595 | 1 Arietis | 6 | 1. 41. 2.53 | 32.84 | 5 | + 3.296 | + 21. 27. 9.61 | 32.65 | 5 | +18.141 | ... | ... | 179 |
| 592 | 596 | 1 Persei | 6.7 | 1. 41. 11.90 | 34.01 | 3 | + 3.868 | + 54. 19. 35.69 | 34.27 | 4 | +18.134 | 237 | ... | 177 |
| 593 | 597 | Lacaille 530 | 6.7 | 1. 41. 15.51 | 40.10 | 5 | + 2.551 | — 42. 19. 35.93 | 40.41 | 6 | +18.132 | ... | 530 | ... |
| 594 | 598 | Piazzi I. 182 | 7 | 1. 41. 17.29 | 37.39 | 7 | + 2.955 | — 11. 31. 21.66 | 36.98 | 4 | +18.132 | ... | ... | 182 |
| 595 | 599 | 53 Ceti | 5 | 1. 41. 29.16 | 34.64 | 13 | + 2.955 | — 11. 30. 18.94 | 31.87 | 10 | +18.124 | 242 | ... | 183 |
| 596 | 600 | 2 Persei | 6.7 | 1. 41. 42.22 | 34.79 | 5 | + 3.756 | + 49. 58. 24.68 | 34.28 | 4 | +18.115 | 238 | ... | 181 |
| 597 | 601 | 54 Ceti | 6 | 1. 42. 7.48 | 32.79 | 8 | + 3.176 | + 10. 13. 23.46 | 31.97 | 5 | +18.100 | 243 | ... | 185 |
| 598 | 602 | 45 Cassiopeiæ | 3.4 | 1. 42. 36.18 | 32.03 | 6 | + 4.201 | + 62. 51. 11.33 | 32.23 | 11 | +18.079 | 239 | ... | 184 |
| 599 | 603 | Lacaille 536 | 6.7 | 1. 42. 41.46 | 39.17 | 11 | + 2.599 | — 39. 14. 14.81 | 38.84 | 13 | +18.077 | ... | 536 | 188 |
| 600 | 604 | Piazzi I. 189 | 9 | 1. 43. 5.59 | 36.96 | 2 | + 3.106 | + 3. 18. 33.30 | 36.96 | 4 | +18.062 | ... | ... | 189 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-----|--------------|---------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 601 | 605 | Piazzi I. 187 | 7 | h m s I. 43. 6'99 | 35'85 | 3 | + 3'732 | + 48. 37. 28'16 | 35'00 | 4 | +18'062 | ... | ... | 187 |
| 602 | 606 | Piazzi I. 191 | 8 | I. 43. 17'43 | 36'98 | 4 | + 3'175 | + 9. 59. 31'45 | 37'15 | 4 | +18'056 | ... | ... | 191 |
| 603 | 607 | 46 Cassiopeia | 6'7 | I. 43. 17'67 | 35'84 | 3 | + 4'504 | + 67. 52. 10'25 | 34'88 | 4 | +18'056 | 241 | ... | 186 |
| 604 | 608 | 55 Ceti | 3 | I. 43. 19'15 | 32'96 | 2 | + 2'957 | + 11. 9. 10'45 | 32'49 | 10 | +18'055 | 247 | ... | 192 |
| 605 | 609 | 55 Andromedæ | 6'7 | I. 43. 25'24 | 34'04 | 3 | + 3'560 | + 39. 54. 41'52 | 34'88 | 4 | +18'050 | 244 | ... | 190 |
| 606 | 610 | 2 Trianguli | 3'4 | I. 43. 41'71 | 32'90 | 10 | + 3'393 | + 28. 46. 18'39 | 32'66 | 13 | +18'039 | 245 | ... | 193 |
| 607 | 611 | Lacaille 542 | 6'7 | I. 43. 42'83 | 38'01 | 3 | + 2'408 | + 48. 38. 21'94 | 38'01 | 3 | +18'039 | ... | 542 | ... |
| 608 | 612 | Lacaille 544 | 8 | I. 43. 58'78 | 38'24 | 4 | + 2'226 | + 55. 17. 2'08 | 38'30 | 3 | +18'029 | ... | 544 | ... |
| 609 | 613 | Lacaille 543 | 7 | I. 44. 23'99 | 35'85 | 2 | + 2'567 | + 40. 39. 14'75 | 34'24 | 4 | +18'012 | ... | 543 | 198 |
| 610 | 615 | 5 Arietis | 4'5 | I. 44. 29'30 | 37'68 | 1 | + 3'269 | + 18. 28. 53'46 | 32'60 | 6 | +18'009 | 248 | ... | 197 |
| 611 | 614 | 5 Arietis | 6 | I. 44. 29'33 | 32'60 | 6 | + 3'269 | + 18. 29. 2'88 | 33'40 | 11 | +18'009 | 249 | ... | 196 |
| 612 | 616 | Lacaille 547 | 6'7 | I. 44. 30'21 | 38'04 | 2 | + 2'344 | + 51. 1. 30'58 | 38'03 | 2 | +18'008 | ... | 547 | ... |
| 613 | 618 | Piazzi I. 194 | 6'7 | I. 44. 52'53 | 35'89 | 3 | + 4'929 | + 72. 20. 34'08 | 35'21 | 4 | +17'994 | ... | ... | 194 |
| 614 | 617 | Lacaille 552 | 7'8 | I. 44. 53'18 | 38'02 | 3 | + 2'225 | + 55. 5. 51'11 | 38'02 | 2 | +17'994 | ... | 552 | ... |
| 615 | 619 | III Piscium | 5'6 | I. 45. 1'19 | 32'95 | 3 | + 3'096 | + 2. 22. 13'33 | 32'32 | 5 | +17'988 | 251 | ... | 201 |
| 616 | 620 | Piazzi I. 199 | 7 | I. 45. 10'83 | 35'94 | 3 | + 3'801 | + 50. 52. 30'09 | 35'15 | 4 | +17'983 | ... | ... | 199 |
| 617 | 621 | Piazzi I. 200 | 6'7 | I. 45. 13'95 | 35'80 | 1 | + 3'508 | + 36. 18. 49'02 | 35'96 | 3 | +17'981 | ... | ... | 200 |
| 618 | 622 | Brisbane 269 | 8 | I. 45. 23'84 | 38'85 | 5 | + 2'425 | + 47. 27. 29'83 | 38'84 | 5 | +17'973 | ... | ... | ... |
| 619 | 623 | Piazzi I. 195 | 7'8 | I. 45. 26'87 | 39'66 | 8 | + 5'310 | + 75. 8. 37'80 | 40'26 | 11 | +17'972 | ... | ... | 195 |
| 620 | 624 | 6 Arietis | 3 | I. 45. 32'34 | 33'17 | 22 | + 3'288 | + 19. 59. 53'87 | 32'74 | 22 | +17'969 | 252 | ... | 202 |
| 621 | 625 | Bradley 253 | 6 | I. 46. 10'37 | 35'78 | 2 | + 3'514 | + 36. 27. 52'46 | 34'55 | 8 | +17'944 | 253 | ... | 203 |
| 622 | 626 | Lacaille 555 | 6'7 | I. 46. 16'86 | 35'81 | 2 | + 2'580 | + 39. 24. 40'38 | 35'17 | 4 | +17'940 | ... | 555 | 206 |
| 623 | 627 | 56 Andromedæ | 6 | I. 46. 22'66 | 34'46 | 8 | + 3'514 | + 36. 26. 18'06 | 34'03 | 3 | +17'935 | 255 | ... | 204 |
| 624 | 628 | 7 Arietis | 6 | I. 46. 39'82 | 32'97 | 5 | + 3'324 | + 22. 45. 54'58 | 32'53 | 6 | +17'924 | 257 | ... | 205 |
| 625 | 629 | Lacaille 559 | 5'6 | I. 47. 1'79 | 38'72 | 6 | + 2'424 | + 47. 6. 48'58 | 38'72 | 6 | +17'910 | ... | 559 | ... |
| 626 | 630 | Piazzi I. 209 | 7 | I. 47. 22'50 | 32'91 | 6 | + 3'083 | + 1. 1. 42'24 | 32'87 | 5 | +17'897 | ... | ... | 209 |
| 627 | 631 | Brisbane 273 | 8'9 | I. 47. 22'55 | 38'01 | 3 | + 2'239 | + 54. 3. 51'27 | 38'01 | 2 | +17'897 | ... | ... | ... |
| 628 | 632 | Phœnix | 5 | I. 47. 31'25 | 31'86 | 6 | + 2'502 | + 43. 18. 31'82 | 32'13 | 9 | +17'891 | ... | 565 | 212 |
| 629 | 633 | Piazzi I. 207 | 7'8 | I. 47. 41'67 | 36'87 | 4 | + 3'705 | + 46. 17. 9'54 | 36'90 | 4 | +17'884 | ... | ... | 207 |
| 630 | 634 | 3 Persæ | 6'7 | I. 48. 6'50 | 35'87 | 3 | + 3'757 | + 48. 23. 36'80 | 34'88 | 4 | +17'868 | 261 | ... | 211 |
| 631 | 635 | 8 Arietis | 6 | I. 48. 20'97 | 33'30 | 10 | + 3'258 | + 17. 0. 31'42 | 33'79 | 8 | +17'859 | 262 | ... | 214 |
| 632 | 636 | Piazzi I. 213 | 6'7 | I. 48. 22'40 | 35'90 | 3 | + 3'382 | + 26. 59. 51'21 | 35'85 | 2 | +17'858 | ... | ... | 213 |
| 633 | 637 | 48 Cassiopeia | 5 | I. 48. 32'11 | 33'07 | 7 | + 4'755 | + 70. 6. 6'25 | 33'23 | 8 | +17'851 | 258 | ... | 210 |
| 634 | 638 | 9 Arietis | 5'6 | I. 48. 45'10 | 33'10 | 6 | + 3'329 | + 22. 47. 16'46 | 33'17 | 9 | +17'841 | 263 | ... | 216 |
| 635 | 639 | 47 Cassiopeia | 6 | I. 48. 51'88 | 39'03 | 7 | + 5'615 | + 76. 28. 54'47 | 39'56 | 10 | +17'838 | 254 | ... | 208 |
| 636 | 640 | 56 Ceti | 6 | I. 48. 56'46 | 33'67 | 9 | + 2'808 | + 23. 20. 8'66 | 33'57 | 9 | +17'835 | 267 | 568 | 218 |
| 637 | 641 | 50 Cassiopeia | 4'5 | I. 49. 30'04 | 33'74 | 5 | + 4'923 | + 71. 37. 2'98 | 32'91 | 10 | +17'812 | 260 | ... | 215 |
| 638 | 642 | Eridani | 4 | I. 49. 32'07 | 35'64 | 12 | + 2'272 | + 52. 25. 56'69 | 35'52 | 13 | +17'811 | ... | 575 | ... |
| 639 | 643 | 49 Cassiopeia | 6 | I. 49. 59'83 | 37'42 | 4 | + 5'427 | + 75. 18. 56'87 | 35'20 | 4 | +17'792 | 259 | ... | 217 |
| 640 | 644 | Piazzi I. 222 | 6 | I. 50. 27'13 | 33'05 | 5 | + 3'301 | + 20. 15. 13'23 | 32'66 | 4 | +17'774 | ... | ... | 222 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835-0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835-0. | Mean Dec., 1835-0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835-0. | Bradley. | Lacaille. | Piazzi. |
|-----|--------------|---------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 641 | 645 | Piazzi I. 223 | 7 | h m s 1. 50. 36.64 | 33.85 | 5 | + 3.198 | + 11. 29. 28.58 | 33.04 | 5 | +17.768 | ... | ... | 223 |
| 642 | 646 | Lacaille 585 | Var. | 1. 50. 37.49 | 38.04 | 2 | + 2.378 | - 48. 11. 38.54 | 38.30 | 3 | +17.767 | ... | 585 | ... |
| 643 | 647 | 52 Cassiopeia | 6 | 1. 50. 40.10 | 35.89 | 2 | + 4.351 | + 64. 6. 0.46 | 35.12 | 4 | +17.766 | 265 | ... | 219 |
| 644 | 648 | Lacaille 588 | 6.7 | 1. 50. 42.38 | 38.02 | 3 | + 2.260 | - 52. 35. 8.86 | 38.02 | 3 | +17.764 | .. | 588 | ... |
| 645 | 649 | Hydri | 4.5 | 1. 50. 45.87 | 32.27 | 5 | + 1.498 | - 68. 27. 36.03 | 33.62 | 6 | +17.762 | ... | 594 | ... |
| 646 | 650 | 53 Cassiopeia | 6.7 | 1. 50. 52.35 | 36.47 | 4 | + 4.324 | + 63. 35. 18.14 | 35.29 | 5 | +17.756 | 266 | ... | 221 |
| 647 | 651 | 51 Cassiopeia | 7 | 1. 51. 10.24 | 35.98 | 2 | + 5.216 | + 73. 47. 7.71 | 34.28 | 4 | +17.743 | 264 | ... | 220 |
| 648 | 652 | Piazzi I. 225 | 7 | 1. 51. 20.36 | 32.95 | 6 | + 3.129 | + 5. 13. 54.73 | 33.88 | 6 | +17.738 | ... | ... | 225 |
| 649 | 653 | 4 Persei | 5 | 1. 51. 21.74 | 34.42 | 4 | + 3.921 | + 53. 41. 9.04 | 34.29 | 4 | +17.737 | 269 | ... | 224 |
| 650 | 654 | Piazzi I. 227 | 8 | 1. 51. 33.54 | 36.92 | 5 | + 3.139 | + 6. 6. 54.93 | 36.91 | 4 | +17.728 | ... | ... | 227 |
| 651 | 655 | Lacaille 591 | 7 | 1. 51. 34.05 | 35.74 | 2 | + 2.509 | - 41. 58. 30.93 | 34.97 | 4 | +17.728 | ... | 591 | 229 |
| 652 | 656 | 112 Piscium | 6 | 1. 51. 34.62 | 32.99 | 5 | + 3.097 | + 2. 18. 17.03 | 32.83 | 5 | +17.727 | 271 | ... | 226 |
| 653 | 657 | Piazzi I. 228 | 8 | 1. 51. 47.51 | 36.92 | 4 | + 3.111 | + 3. 35. 8.72 | 36.91 | 4 | +17.718 | ... | ... | 228 |
| 654 | 658 | 57 Ceti | 6 | 1. 52. 0.70 | 32.88 | 4 | + 2.823 | - 21. 37. 42.19 | 32.55 | 5 | +17.710 | 272 | ... | 231 |
| 655 | 659 | 59 Ceti | 4.5 | 1. 52. 13.83 | 32.49 | 7 | + 2.819 | - 21. 52. 49.32 | 33.68 | 14 | +17.702 | 273 | ... | 232 |
| 656 | 660 | Lacaille 597 | 7 | 1. 52. 33.71 | 38.23 | 4 | + 2.514 | - 41. 31. 47.92 | 38.01 | 3 | +17.687 | ... | 597 | ... |
| 657 | 661 | Lacaille 599 | 6 | 1. 52. 50.38 | 34.48 | 4 | + 2.486 | - 42. 49. 45.57 | 34.60 | 5 | +17.675 | ... | 599 | 235 |
| 658 | 662 | Piazzi I. 230 | 8 | 1. 52. 50.58 | 36.91 | 2 | + 4.345 | + 63. 35. 15.69 | 36.94 | 4 | +17.675 | ... | ... | 230 |
| 659 | 663 | Piazzi I. 234 | 7.8 | 1. 53. 10.12 | 36.93 | 3 | + 3.150 | + 7. 3. 57.45 | 36.91 | 4 | +17.663 | ... | ... | 234 |
| 660 | 664 | 3 Trianguli | 6 | 1. 53. 21.08 | 35.94 | 2 | + 3.476 | + 32. 29. 5.79 | 35.09 | 4 | +17.654 | 275 | ... | 233 |
| 661 | 665 | 113 Piscium | 5 | 1. 53. 31.03 | 33.47 | 10 | + 3.094 | + 1. 57. 49.32 | 33.48 | 16 | +17.648 | 277 | ... | 238 |
| 662 | 666 | Hydri | 3 | 1. 53. 34.22 | 34.28 | 6 | + 1.857 | - 62. 22. 29.61 | 33.89 | 6 | +17.646 | ... | 605 | ... |
| 663 | 667 | 57 Andromedae | 3.4 | 1. 53. 48.06 | 34.27 | 6 | + 3.636 | + 41. 32. 2.10 | 33.08 | 7 | +17.635 | 276 | ... | 236 |
| 664 | 668 | Piazzi I. 237 | 7.8 | 1. 53. 48.88 | 37.00 | 2 | + 3.636 | + 41. 32. 6.11 | 36.96 | 2 | +17.635 | ... | ... | 237 |
| 665 | 669 | Lacaille 602 | 5.6 | 1. 53. 52.68 | 35.90 | 3 | + 2.692 | - 30. 47. 50.06 | 34.92 | 4 | +17.632 | ... | 602 | 241 |
| 666 | 670 | B.D.—17°. 371 | 7 | 1. 54. 2.59 | 40.33 | 7 | + 2.872 | - 17. 22. 6.55 | 40.91 | 8 | +17.626 | ... | ... | ... |
| 667 | 671 | Piazzi I. 240 | 7 | 1. 54. 10.11 | 33.90 | 6 | + 3.187 | + 10. 13. 10.01 | 32.87 | 5 | +17.622 | ... | ... | 240 |
| 668 | 672 | 10 Arietis | 6.7 | 1. 54. 18.53 | 35.50 | 6 | + 3.372 | + 25. 8. 11.47 | 34.29 | 4 | +17.616 | 278 | ... | 242 |
| 669 | 673 | Piazzi I. 243 | 6 | 1. 54. 40.48 | 32.99 | 5 | + 3.274 | + 17. 27. 24.87 | 33.28 | 6 | +17.600 | ... | ... | 243 |
| 670 | 674 | 60 Ceti | 6 | 1. 54. 44.27 | 33.01 | 5 | + 3.065 | - 0. 40. 12.81 | 33.02 | 5 | +17.597 | 280 | ... | 244 |
| 671 | 675 | Bradley 279 | 7.8 | 1. 55. 1.29 | 36.97 | 4 | + 3.373 | + 25. 7. 25.28 | 36.99 | 3 | +17.585 | 279 | ... | 245 |
| 672 | 676 | 54 Cassiopeia | 6.7 | 1. 55. 2.32 | 39.39 | 6 | + 4.916 | + 70. 46. 16.82 | 37.96 | 7 | +17.585 | 274 | ... | 239 |
| 673 | 677 | Phoenicis | 5 | 1. 55. 5.25 | 34.29 | 8 | + 2.417 | - 45. 30. 36.80 | 36.10 | 7 | +17.583 | ... | 610 | 248 |
| 674 | 678 | Piazzi I. 246 | 8 | 1. 55. 8.04 | 36.98 | 2 | + 3.014 | - 5. 7. 39.10 | 36.98 | 4 | +17.581 | ... | ... | 246 |
| 675 | 679 | 61 Ceti | 6.7 | 1. 55. 21.79 | 35.82 | 3 | + 3.059 | - 1. 8. 4.48 | 34.97 | 4 | +17.571 | 281 | ... | 247 |
| 676 | 680 | Piazzi I. 249 | 7 | 1. 56. 9.33 | 34.51 | 4 | + 3.151 | + 6. 56. 28.59 | 34.27 | 4 | +17.538 | ... | ... | 249 |
| 677 | 681 | Lacaille 618 | 5.6 | 1. 57. 5.59 | 35.90 | 4 | + 2.693 | - 30. 5. 28.54 | 34.95 | 4 | +17.497 | ... | 618 | 251 |
| 678 | 682 | 12 Arietis | 6 | 1. 57. 21.01 | 32.65 | 5 | + 3.335 | + 21. 51. 30.35 | 32.84 | 5 | +17.487 | 285 | ... | 250 |
| 679 | 683 | Bradley 284 | 6 | 1. 57. 22.54 | 32.94 | 5 | + 3.378 | + 25. 2. 21.06 | 32.31 | 5 | +17.486 | 284 | ... | ... |
| 680 | 684 | 11 Arietis | 6.7 | 1. 57. 29.03 | 34.02 | 3 | + 3.377 | + 24. 54. 50.99 | 34.29 | 4 | +17.480 | 286 | ... | 252 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-----|--------------|---------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 681 | 685 | 13 Arietis | 3 | h m s 1. 57. 53.25 | 33.31 | 44 | + 3.347 | + 22. 40. 43.14 | 32.98 | 112 | +17.463 | 287 | ... | 253 |
| 682 | 686 | 58 Andromedæ | 6 | 1. 58. 33.51 | 38.65 | 4 | + 3.571 | + 37. 4. 19.03 | 38.06 | 9 | +17.434 | 288 | ... | 254 |
| 683 | 687 | Piazzi I. 257 | 7 | 1. 58. 43.27 | 35.91 | 3 | + 3.277 | + 17. 14. 23.85 | 34.91 | 4 | +17.427 | ... | ... | 257 |
| 684 | 688 | Lacaille 629 | 8 | 1. 58. 53.63 | 38.24 | 4 | + 2.269 | - 50. 28. 31.38 | 38.32 | 4 | +17.421 | ... | 629 | ... |
| 685 | 689 | Piazzi I. 258 | 8 | 1. 58. 53.74 | 37.06 | 5 | + 3.166 | + 8. 3. 22.26 | 36.89 | 4 | +17.420 | ... | ... | 258 |
| 686 | 690 | Piazzi I. 255 | 8.9 | 1. 59. 1.74 | 37.09 | 5 | + 3.970 | + 53. 32. 39.50 | 36.96 | 4 | +17.413 | ... | ... | 255 |
| 687 | 691 | Piazzi I. 256 | 7 | 1. 59. 6.12 | 34.65 | 3 | + 3.956 | + 53. 3. 32.67 | 34.27 | 4 | +17.411 | ... | ... | 256 |
| 688 | 692 | Lacaille 635 | 7 | 1. 59. 8.13 | 38.01 | 3 | + 1.961 | - 59. 8. 16.43 | 38.01 | 3 | +17.410 | ... | 635 | ... |
| 689 | 693 | Piazzi I. 261 | 8 | 1. 59. 35.48 | 37.00 | 8 | + 3.166 | + 8. 3. 47.23 | 36.90 | 5 | +17.389 | ... | ... | 261 |
| 690 | 694 | 4 Trianguli | 4 | 1. 59. 44.89 | 32.22 | 8 | + 3.525 | + 34. 12. 10.45 | 32.29 | 11 | +17.381 | 290 | ... | 260 |
| 691 | 695 | 14 Arietis | 5.6 | 2. 0. 2.92 | 33.38 | 8 | + 3.386 | + 25. 9. 18.78 | 35.14 | 9 | +17.369 | 291 | ... | 262 |
| 692 | 696 | 5 Persei | 7 | 2. 0. 3.13 | 34.53 | 4 | + 4.097 | + 56. 51. 43.06 | 34.28 | 4 | +17.369 | 289 | ... | 259 |
| 693 | 697 | Lacaille 640 | 7 | 2. 0. 45.96 | 39.01 | 3 | + 2.080 | - 55. 52. 21.24 | 39.01 | 3 | +17.337 | ... | 640 | ... |
| 694 | 698 | 62 Ceti | 8 | 2. 0. 48.73 | 36.91 | 4 | + 3.035 | - 3. 6. 56.18 | 36.91 | 4 | +17.336 | 295 | ... | 265 |
| 695 | 699 | 59 Andromedæ | 6.7 | 2. 0. 54.01 | 35.93 | 2 | + 3.602 | + 38. 15. 24.29 | 34.89 | 4 | +17.331 | 293 | ... | 263 |
| 696 | 700 | Piazzi I. 266 | 6.7 | 2. 1. 4.76 | 33.33 | 7 | + 3.113 | + 3. 26. 52.61 | 33.90 | 10 | +17.323 | ... | ... | 266 |
| 697 | 701 | Lacaille 641 | 7 | 2. 1. 22.79 | 35.81 | 2 | + 2.449 | - 42. 39. 57.09 | 34.49 | 4 | +17.310 | ... | 641 | 270 |
| 698 | 702 | 15 Arietis | 6 | 2. 1. 29.61 | 33.23 | 6 | + 3.301 | + 18. 43. 6.14 | 33.01 | 5 | +17.305 | 296 | ... | 267 |
| 699 | 703 | 55 Cassiopeæ | 6.7 | 2. 1. 37.57 | 35.00 | 6 | + 4.574 | + 65. 44. 42.78 | 34.30 | 4 | +17.299 | 292 | ... | 264 |
| 700 | 704 | 5 Trianguli | 7 | 2. 1. 47.69 | 34.03 | 3 | + 3.475 | + 30. 44. 41.16 | 34.27 | 4 | +17.292 | 297 | ... | 268 |
| 701 | 705 | 16 Arietis | 7.8 | 2. 1. 47.77 | 35.90 | 1 | + 3.466 | + 30. 12. 11.68 | 35.02 | 3 | +17.292 | 298 | ... | 269 |
| 702 | 706 | Piazzi II. 1 | 8 | 2. 2. 8.50 | 36.97 | 2 | + 3.327 | + 20. 35. 44.77 | 36.25 | 4 | +17.276 | ... | ... | 1 |
| 703 | 707 | Lacaille 650 | 8 | 2. 2. 11.30 | 38.95 | 3 | + 1.806 | - 61. 46. 29.49 | 38.92 | 4 | +17.275 | ... | 650 | ... |
| 704 | 708 | Piazzi II. 2 | 6.7 | 2. 2. 33.50 | 35.96 | 2 | + 3.953 | + 52. 16. 44.96 | 35.14 | 4 | +17.260 | ... | ... | 2 |
| 705 | 709 | Lacaille 647 | 6.7 | 2. 2. 33.87 | 35.95 | 2 | + 2.407 | - 44. 17. 53.47 | 35.18 | 4 | +17.259 | ... | 647 | 7 |
| 706 | 710 | 64 Ceti | 6.7 | 2. 2. 39.03 | 32.95 | 5 | + 3.165 | + 7. 47. 38.11 | 32.13 | 5 | +17.254 | 302 | ... | 6 |
| 707 | 711 | 6 Persei | 6.7 | 2. 2. 40.40 | 38.33 | 6 | + 3.894 | + 50. 17. 40.43 | 38.13 | 8 | +17.254 | 299 | ... | 3 |
| 708 | 712 | 6 Trianguli | 5.6 | 2. 2. 49.11 | 33.63 | 8 | + 3.459 | + 29. 31. 33.81 | 34.31 | 11 | +17.247 | 301 | ... | 5 |
| 709 | 713 | 60 Andromedæ | 5.6 | 2. 2. 54.45 | 36.94 | 4 | + 3.719 | + 43. 27. 9.09 | 35.16 | 4 | +17.243 | 300 | ... | 4 |
| 710 | 714 | Lacaille 653 | 7 | 2. 3. 2.34 | 35.18 | 2 | + 2.463 | - 41. 38. 54.48 | 35.19 | 4 | +17.237 | ... | 653 | 10 |
| 711 | 715 | 63 Ceti | 6 | 2. 3. 13.62 | 32.97 | 6 | + 3.041 | - 2. 36. 16.81 | 32.87 | 4 | +17.228 | 304 | ... | 9 |
| 712 | 716 | Piazzi II. 8 | 6.7 | 2. 3. 18.66 | 34.01 | 3 | + 3.368 | + 23. 23. 19.76 | 34.77 | 4 | +17.225 | ... | ... | 8 |
| 713 | 717 | Lacaille 659 | 6 | 2. 3. 29.57 | 35.95 | 2 | + 2.395 | - 44. 35. 50.66 | 35.22 | 4 | +17.217 | ... | 659 | 14 |
| 714 | 718 | 17 Arietis | 6 | 2. 3. 34.66 | 32.32 | 5 | + 3.328 | + 20. 25. 54.07 | 33.05 | 5 | +17.213 | 303 | ... | 11 |
| 715 | 719 | Lacaille 662 | 7 | 2. 3. 44.67 | 38.92 | 3 | + 2.176 | - 52. 30. 54.95 | 38.92 | 3 | +17.205 | ... | 662 | ... |
| 716 | 720 | Piazzi II. 12 | 8 | 2. 3. 45.36 | 36.96 | 4 | + 3.309 | + 19. 2. 34.41 | 36.26 | 4 | +17.205 | ... | ... | 12 |
| 717 | 721 | Lacaille 661 | 6 | 2. 3. 47.20 | 40.33 | 6 | + 2.203 | - 51. 38. 6.30 | 41.12 | 7 | +17.203 | ... | 661 | ... |
| 718 | 722 | 19 Arietis | 7 | 2. 4. 4.09 | 32.48 | 14 | + 3.250 | + 14. 30. 10.76 | 32.81 | 5 | +17.191 | 305 | ... | 15 |
| 719 | 723 | Piazzi II. 13 | 7 | 2. 4. 12.43 | 35.75 | 4 | + 3.838 | + 48. 0. 23.96 | 35.00 | 4 | +17.186 | ... | ... | 13 |
| 720 | 724 | 65 Ceti | 5 | 2. 4. 15.89 | 32.53 | 20 | + 3.170 | + 8. 4. 9.59 | 31.61 | 10 | +17.182 | 306 | ... | 16 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-----|--------------|---------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 721 | 725 | Piazzi II. 17 | Var. | h m s 2. 4. 21.63 | 37.38 | 4 | + 3.034 | — 3. 10. 16.58 | 36.52 | 4 | +17.178 | ... | ... | 17 |
| 722 | 726 | 66 Oeti | 6.7 | 2. 4. 22.24 | 35.02 | 2 | + 3.034 | — 3. 10. 6.22 | 34.27 | 4 | +17.178 | 308 | ... | 18 |
| 723 | 727 | Piazzi II. 19 | 8 | 2. 4. 27.74 | 37.26 | 3 | + 3.115 | + 3. 30. 31.84 | 36.75 | 4 | +17.173 | ... | ... | 19 |
| 724 | 728 | Bradley 309 | 7 | 2. 4. 43.33 | 35.96 | 2 | + 3.308 | + 18. 50. 15.69 | 35.25 | 4 | +17.161 | 309 | ... | 20 |
| 725 | 729 | Piazzi II. 23 | 7 | 2. 4. 51.89 | 35.66 | 3 | + 3.123 | + 4. 14. 19.18 | 34.50 | 4 | +17.154 | ... | ... | 23 |
| 726 | 730 | Brisbane 313 | 7.8 | 2. 4. 54.17 | 38.25 | 4 | + 2.319 | — 47. 21. 51.69 | 38.33 | 4 | +17.153 | ... | ... | ... |
| 727 | 731 | Piazzi II. 21 | 7.8 | 2. 5. 18.42 | 36.97 | 4 | + 4.113 | + 56. 15. 23.63 | 37.95 | 2 | +17.136 | ... | ... | 21 |
| 728 | 732 | Piazzi II. 26 | 7 | 2. 5. 22.35 | 37.57 | 3 | + 3.026 | — 3. 48. 24.70 | 37.53 | 3 | +17.132 | ... | ... | 26 |
| 729 | 734 | Piazzi II. 22 | 7.8 | 2. 5. 23.37 | 36.98 | 5 | + 4.115 | + 56. 16. 57.55 | 36.99 | 6 | +17.131 | ... | ... | 22 |
| 730 | 733 | Lacaille 673 | 8.9 | 2. 5. 23.40 | 38.01 | 3 | + 1.770 | — 61. 52. 38.51 | 38.02 | 3 | +17.131 | ... | 673 | ... |
| 731 | 735 | Fornacia | μ 6 | 2. 5. 38.54 | 36.90 | 2 | + 2.645 | — 31. 30. 2.33 | 34.53 | 4 | +17.120 | ... | 666 | 28 |
| 732 | 736 | Piazzi II. 25 | 8 | 2. 5. 50.39 | 37.45 | 2 | + 3.850 | + 48. 6. 21.86 | 37.51 | 4 | +17.111 | ... | ... | 25 |
| 733 | 737 | Piazzi II. 24 | 8.9 | 2. 5. 58.01 | 36.98 | 4 | + 4.158 | + 57. 14. 59.81 | 36.01 | 2 | +17.105 | ... | ... | 24 |
| 734 | 738 | Brisbane 316 | 7.8 | 2. 6. 1.73 | 38.32 | 3 | + 2.307 | — 47. 35. 24.27 | 38.32 | 3 | +17.101 | ... | ... | ... |
| 735 | 739 | Piazzi II. 31 | 7.8 | 2. 6. 7.76 | 37.56 | 3 | + 3.081 | + 0. 54. 13.30 | 37.64 | 4 | +17.097 | ... | ... | 31 |
| 736 | 740 | 7 Trianguli | 6 | 2. 6. 12.00 | 34.03 | 3 | + 3.519 | + 32. 35. 15.36 | 34.54 | 4 | +17.094 | 312 | ... | 30 |
| 737 | 741 | 20 Arietis | 6.7 | 2. 6. 20.22 | 36.81 | 2 | + 3.399 | + 25. 0. 47.40 | 35.09 | 4 | +17.088 | 314 | ... | 32 |
| 738 | 742 | 21 Arietis | 7 | 2. 6. 22.01 | 34.04 | 3 | + 3.388 | + 24. 16. 29.19 | 35.00 | 3 | +17.086 | 315 | ... | 33 |
| 739 | 743 | 8 Persei | 6 | 2. 6. 22.84 | 35.97 | 1 | + 4.156 | + 57. 7. 44.90 | 35.02 | 3 | +17.085 | 310 | ... | 27 |
| 740 | 744 | 7 Persei | χ 6 | 2. 6. 31.91 | 35.98 | 2 | + 4.142 | + 56. 44. 47.01 | 35.65 | 7 | +17.078 | 311 | ... | 29 |
| 741 | 745 | Brisbane 317 | 10 | 2. 6. 37.43 | 38.90 | 3 | + 2.021 | — 56. 15. 0.24 | 40.75 | 3 | +17.075 | ... | ... | ... |
| 742 | 746 | 8 Trianguli | δ 5.6 | 2. 7. 0.76 | 38.97 | 4 | + 3.537 | + 33. 27. 52.73 | 37.41 | 6 | +17.056 | 317 | ... | 34 |
| 743 | 747 | 9 Trianguli | γ 5.6 | 2. 7. 31.82 | 35.85 | 2 | + 3.533 | + 33. 4. 47.50 | 35.16 | 4 | +17.032 | 318 | ... | 37 |
| 744 | 748 | Bradley 316 | 7 | 2. 7. 32.76 | 38.98 | 3 | + 4.133 | + 56. 22. 3.82 | 40.20 | 5 | +17.031 | 316 | ... | 35 |
| 745 | 749 | Piazzi II. 36 | 7.8 | 2. 7. 41.57 | 40.96 | 3 | + 4.137 | + 56. 24. 4.83 | 37.71 | 1 | +17.025 | ... | ... | 36 |
| 746 | 750 | Lacaille 682 | 6.7 | 2. 7. 51.27 | 35.85 | 2 | + 2.436 | — 41. 56. 17.37 | 35.17 | 4 | +17.017 | ... | 682 | 42 |
| 747 | 751 | Piazzi II. 38 | 8 | 2. 7. 51.83 | 37.19 | 4 | + 3.448 | + 27. 58. ... | ... | ... | +17.016 | ... | ... | 38 |
| 748 | 752 | Piazzi II. 39 | 8 | 2. 7. 52.12 | 37.29 | 3 | + 3.448 | + 27. 58. 43.76 | 36.56 | 7 | +17.016 | ... | ... | 39 |
| 749 | 753 | Piazzi II. 40 | 7.8 | 2. 7. 57.29 | 37.61 | 3 | + 3.090 | + 1. 28. 5.88 | 36.35 | 3 | +17.012 | ... | ... | 40 |
| 750 | 754 | Lacaille 685 | 8 | 2. 8. 16.32 | 38.95 | 3 | + 1.931 | — 58. 7. 5.29 | 38.95 | 3 | +16.999 | ... | 685 | ... |
| 751 | 755 | Piazzi II. 44 | 8 | 2. 8. 30.02 | 37.41 | 2 | + 3.026 | — 3. 40. 26.63 | 36.86 | 2 | +16.987 | ... | ... | 44 |
| 752 | 756 | Piazzi II. 41 | 8.9 | 2. 8. 39.31 | 35.94 | 3 | + 3.869 | + 48. 11. 11.33 | 37.99 | 1 | +16.980 | ... | ... | 41 |
| 753 | 757 | 62 Andromede | ε 6.7 | 2. 8. 40.24 | 35.33 | 3 | + 3.825 | + 46. 36. 50.95 | 34.98 | 4 | +16.979 | 319 | ... | 43 |
| 754 | 758 | Piazzi II. 45 | 9 | 2. 8. 40.88 | 37.57 | 3 | + 3.129 | + 4. 35. 29.19 | 37.69 | 4 | +16.978 | ... | ... | 45 |
| 755 | 759 | Piazzi II. 46 | 7 | 2. 8. 43.21 | 35.90 | 1 | + 3.086 | + 1. 5. 31.87 | 35.11 | 4 | +16.977 | ... | ... | 46 |
| 756 | 760 | Lacaille 684 | 7.8 | 2. 8. 44.10 | 36.68 | 4 | + 2.434 | — 41. 50. 27.62 | 36.97 | 3 | +16.976 | ... | 684 | 50 |
| 757 | 761 | Piazzi II. 48 | 7.8 | 2. 8. 45.20 | 36.92 | 2 | + 2.980 | — 7. 20. 48.29 | 37.44 | 2 | +16.975 | ... | ... | 48 |
| 758 | 762 | 67 Oeti | 6 | 2. 8. 45.60 | 32.82 | 5 | + 2.982 | — 7. 11. 9.36 | 31.93 | 5 | +16.974 | 321 | ... | 47 |
| 759 | 763 | 22 Arietis | θ 6 | 2. 8. 57.70 | 33.09 | 6 | + 3.319 | + 19. 8. 1.66 | 32.27 | 6 | +16.965 | 320 | ... | 49 |
| 760 | 764 | 10 Trianguli | 5.6 | 2. 9. 24.38 | 34.05 | 2 | + 3.450 | + 27. 52. 35.95 | 34.27 | 4 | +16.943 | 322 | ... | 51 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-----|--------------|---------------------|------------|------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 761 | 765 | Piazzi II. 52 | 6 | h m s 2. 9. 27.62 | 36.08 | 8 | + 3.084 | + 0. 58. 24.33 | 35.87 | 8 | +16.941 | ... | ... | 52 |
| 762 | 766 | Brisbane 322 | 7.8 | 2. 9. 28.51 | 38.66 | 3 | + 2.167 | - 51. 39. 18.03 | 38.65 | 3 | +16.941 | ... | ... | ... |
| 763 | 767 | 23 Arietis | 7 | 2. 9. 59.15 | 34.04 | 3 | + 3.318 | + 18. 55. 42.31 | 34.61 | 5 | +16.917 | 327 | ... | 54 |
| 764 | 768 | 63 Andromeda | 6 | 2. 10. 5.38 | 36.91 | 2 | + 3.910 | + 49. 23. 22.65 | 34.85 | 3 | +16.912 | 324 | ... | 53 |
| 765 | 769 | Lacaille 688 | 6.7 | 2. 10. 20.42 | 38.03 | 3 | + 2.534 | - 36. 45. 7.08 | 38.02 | 3 | +16.900 | ... | 688 | ... |
| 766 | 770 | Eridani | 4 | 2. 10. 36.98 | 33.93 | 13 | + 2.139 | - 52. 16. 42.96 | 33.72 | 14 | +16.888 | ... | 693 | ... |
| 767 | 771 | 9 Persei | 5 | 2. 10. 54.67 | 32.29 | 9 | + 4.107 | + 55. 5. 5.45 | 31.96 | 10 | +16.873 | 326 | ... | 55 |
| 768 | 772 | 68 Ceti | Var. | 2. 11. 1.21 | 36.36 | 14 | + 3.025 | - 3. 43. 50.04 | 40.63 | 7 | +16.868 | 329 | ... | 56 |
| 769 | 773 | Piazzi II. 57 | 11 | 2. 11. 8.97 | 37.00 | 1 | + 3.025 | - 3. 43. 45.78 | 39.13 | 8 | +16.863 | ... | ... | 57 |
| 770 | 774 | Piazzi II. 58 | 6.7 | 2. 11. 23.33 | 35.13 | 3 | + 3.007 | - 5. 6. 31.44 | 34.92 | 4 | +16.850 | ... | ... | 58 |
| 771 | 775 | Lacaille 695 | 6 | 2. 11. 35.03 | 37.61 | 9 | + 2.706 | - 26. 43. 45.06 | 37.52 | 9 | +16.842 | ... | 695 | 59 |
| 772 | 776 | Piazzi II. 61 | 6.7 | 2. 12. 35.90 | 34.51 | 4 | + 3.700 | + 40. 38. 36.89 | 34.29 | 4 | +16.794 | ... | ... | 61 |
| 773 | 777 | Piazzi II. 62 | 7.8 | 2. 12. 38.56 | 36.69 | 4 | + 3.702 | + 40. 43. 20.72 | 36.49 | 4 | +16.792 | ... | ... | 62 |
| 774 | 778 | Brisbane 333 | 8 | 2. 12. 39.02 | 40.33 | 5 | + 2.464 | - 39. 44. 21.55 | 40.38 | 7 | +16.792 | ... | ... | ... |
| 775 | 779 | Piazzi II. 63 | 8 | 2. 12. 48.73 | 36.45 | 4 | + 3.161 | + 6. 59. 35.18 | 36.27 | 4 | +16.783 | ... | ... | 63 |
| 776 | 780 | Lacaille 703 | 6.7 | 2. 12. 49.90 | 38.95 | 2 | + 2.398 | - 42. 36. 40.49 | 38.95 | 2 | +16.782 | ... | 703 | ... |
| 777 | 781 | Piazzi II. 67 | 9.10 | 2. 13. 17.78 | 36.35 | 3 | + 3.025 | - 3. 43. 8.00 | 36.95 | 3 | +16.760 | ... | ... | 67 |
| 778 | 782 | Piazzi II. 66 | 8.9 | 2. 13. 18.02 | 36.63 | 3 | + 3.058 | - 1. 6. 30.79 | 36.51 | 4 | +16.760 | ... | ... | 66 |
| 779 | 783 | Piazzi II. 68 | 7.8 | 2. 13. 20.62 | 36.94 | 4 | + 3.075 | + 0. 12. 35.46 | 36.91 | 4 | +16.757 | ... | ... | 68 |
| 780 | 784 | 64 Andromeda | 6 | 2. 13. 29.62 | 35.86 | 3 | + 3.926 | + 49. 15. 10.89 | 34.31 | 4 | +16.750 | 331 | ... | 64 |
| 781 | 785 | 69 Ceti | 6 | 2. 13. 29.90 | 32.86 | 5 | + 3.067 | - 0. 21. 41.68 | 31.93 | 5 | +16.750 | 333 | ... | 69 |
| 782 | 786 | 10 Persei | 6.7 | 2. 13. 40.04 | 34.04 | 3 | + 4.158 | + 55. 51. 20.40 | 34.26 | 4 | +16.742 | 330 | ... | 65 |
| 783 | 787 | 70 Ceti | 6 | 2. 13. 48.55 | 32.71 | 6 | + 3.051 | - 1. 38. 22.71 | 31.95 | 5 | +16.736 | 335 | ... | 70 |
| 784 | 788 | Lacaille 707 | 8 | 2. 13. 55.52 | 40.92 | 8 | + 2.339 | - 44. 49. 6.87 | 40.91 | 8 | +16.729 | ... | 707 | ... |
| 785 | 789 | Brisbane 336 | 8.9 | 2. 14. 26.81 | 39.48 | 4 | + 1.937 | - 56. 52. 36.36 | 40.70 | 4 | +16.705 | ... | ... | ... |
| 786 | 790 | Piazzi II. 60 | 7 | 2. 14. 29.90 | 35.94 | 2 | + 7.697 | + 80. 54. 16.70 | 34.95 | 4 | +16.702 | ... | ... | 60 |
| 787 | 791 | Lacaille 717 | 6 | 2. 14. 34.61 | 38.34 | 3 | + 1.944 | - 56. 42. 17.87 | 38.34 | 3 | +16.698 | ... | 717 | ... |
| 788 | 792 | 65 Andromeda | 5.6 | 2. 14. 39.64 | 35.88 | 3 | + 3.941 | + 49. 31. 36.21 | 34.90 | 4 | +16.694 | 334 | ... | 71 |
| 789 | 793 | Brisbane 339 | 8 | 2. 14. 56.33 | 39.49 | 8 | + 1.935 | - 56. 51. 24.42 | 40.04 | 7 | +16.681 | ... | ... | ... |
| 790 | 794 | Fornacis | 6 | 2. 14. 59.70 | 35.22 | 12 | + 2.733 | - 24. 34. 9.04 | 35.02 | 13 | +16.678 | ... | 712 | 73 |
| 791 | 795 | Lacaille 722 | 7 | 2. 15. 10.40 | 38.93 | 3 | + 1.903 | - 57. 32. 30.64 | 38.93 | 3 | +16.670 | ... | 722 | ... |
| 792 | 796 | Bradley 332 | 4.5 | 2. 15. 34.65 | 32.77 | 11 | + 4.799 | + 66. 39. 15.31 | 31.94 | 13 | +16.651 | 332 | ... | 72 |
| 793 | 797 | Piazzi II. 75 | 6.7 | 2. 15. 42.07 | 32.58 | 6 | + 3.190 | + 8. 57. 49.01 | 32.84 | 5 | +16.645 | ... | ... | 75 |
| 794 | 798 | Lacaille 721 | 7 | 2. 15. 43.24 | 35.43 | 4 | + 2.352 | - 43. 57. 27.37 | 34.90 | 4 | +16.644 | ... | 721 | 77 |
| 795 | 799 | Piazzi II. 74 | 7.8 | 2. 15. 52.66 | 36.92 | 4 | + 3.488 | + 29. 7. 51.76 | 36.50 | 4 | +16.635 | ... | ... | 74 |
| 796 | 800 | Brisbane 342 | 7.8 | 2. 15. 53.39 | 38.04 | 2 | + 2.441 | - 40. 10. 5.24 | 38.04 | 2 | +16.635 | ... | ... | ... |
| 797 | 801 | 24 Arietis | 6 | 2. 15. 59.03 | 33.97 | 7 | + 3.202 | + 9. 51. 35.07 | 32.93 | 4 | +16.630 | 338 | ... | 76 |
| 798 | 802 | Lacaille 718 | 6.7 | 2. 16. 1.86 | 38.01 | 3 | + 2.679 | - 27. 44. 47.07 | 38.01 | 3 | +16.627 | ... | 718 | ... |
| 799 | 803 | Lacaille 720 | 7.8 | 2. 16. 2.28 | 38.90 | 3 | + 2.629 | - 30. 37. 6.14 | 38.87 | 3 | +16.627 | ... | 720 | ... |
| 800 | 804 | Lacaille 723 | 6.7 | 2. 16. 18.49 | 38.97 | 2 | + 2.479 | - 38. 19. 41.49 | 38.97 | 3 | +16.613 | ... | 723 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-----|--------------|----------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 801 | 805 | 71 Ceti | 6 | 2. 16. 38.49 | 32.97 | 5 | + 3.026 | - 3. 31. 49.89 | 31.93 | 6 | +16.597 | 339 | ... | 80 |
| 802 | 806 | Piazzi II. 81 | 8.9 | 2. 16. 40.59 | 36.97 | 4 | + 3.070 | - 0. 6. 44.00 | 36.27 | 4 | +16.595 | ... | ... | 81 |
| 803 | 807 | Piazzi II. 78 | 8 | 2. 16. 47.70 | 36.97 | 4 | + 4.027 | + 51. 48. 8.77 | 36.54 | 4 | +16.589 | ... | ... | 78 |
| 804 | 808 | 66 Andromedæ | 6.7 | 2. 16. 50.06 | 34.51 | 4 | + 3.963 | + 49. 49. 35.57 | 34.81 | 6 | +16.587 | 337 | ... | 79 |
| 805 | 809 | Piazzi II. 82 | 7.8 | 2. 16. 51.78 | 36.95 | 3 | + 3.201 | + 9. 45. 23.43 | 36.84 | 4 | +16.586 | ... | ... | 82 |
| 806 | 810 | Lacaille 729 | 7 | 2. 17. 6.69 | 38.92 | 3 | + 2.113 | - 51. 50. 52.89 | 38.92 | 3 | +16.575 | ... | 729 | ... |
| 807 | 811 | Piazzi II. 83 | 7 | 2. 17. 20.02 | 36.66 | 3 | + 3.204 | + 9. 54. 3.57 | 37.13 | 4 | +16.563 | ... | ... | 83 |
| 808 | 812 | 11 Trianguli | 7 | 2. 17. 41.89 | 35.66 | 3 | + 3.527 | + 31. 3. 20.76 | 34.31 | 4 | +16.545 | 340 | ... | 84 |
| 809 | 813 | Lacaille 731 | 6.7 | 2. 17. 55.21 | 35.94 | 3 | + 2.400 | - 41. 35. 45.01 | 34.92 | 4 | +16.534 | ... | 731 | 90 |
| 810 | 814 | Bradley 341 | 6 | 2. 17. 55.35 | 32.93 | 6 | + 3.203 | + 9. 49. 7.50 | 32.17 | 5 | +16.534 | 341 | ... | 85 |
| 811 | 815 | Brisbane 347 | 9 | 2. 17. 56.98 | 40.29 | 6 | + 1.893 | - 57. 17. 51.12 | 40.16 | 5 | +16.533 | ... | ... | ... |
| 812 | 816 | 72 Ceti | 5 | 2. 17. 59.02 | 31.85 | 6 | + 2.897 | - 13. 2. 17.90 | 32.01 | 10 | +16.532 | 343 | ... | 87 |
| 813 | 817 | Brisbane 348 | 9 | 2. 18. 9.90 | 39.77 | 5 | + 1.891 | - 57. 17. 59.45 | 38.90 | 2 | +16.523 | ... | ... | ... |
| 814 | 818 | Lacaille 739 | 8 | 2. 18. 13.73 | 40.96 | 6 | + 1.878 | - 57. 33. 56.32 | 41.22 | 8 | +16.520 | ... | 739 | ... |
| 815 | 819 | Lacaille 735 | 7.8 | 2. 18. 23.03 | 38.96 | 3 | + 2.366 | - 42. 54. 34.65 | 38.96 | 3 | +16.512 | ... | 735 | ... |
| 816 | 820 | 12 Trianguli | 6 | 2. 18. 30.76 | 36.63 | 15 | + 3.492 | + 28. 55. 42.01 | 38.33 | 9 | +16.506 | 342 | ... | 88 |
| 817 | 821 | Piazzi II. 89 | 8 | 2. 18. 31.85 | 36.72 | 4 | + 3.495 | + 29. 7. 44.34 | 36.51 | 4 | +16.505 | ... | ... | 89 |
| 818 | 822 | 25 Arietis | 7 | 2. 18. 37.11 | 34.51 | 4 | + 3.199 | + 9. 27. 44.73 | 34.28 | 4 | +16.500 | 345 | ... | 91 |
| 819 | 823 | Hydri | 4 | 2. 18. 50.07 | 32.22 | 6 | + 1.045 | - 69. 24. 48.20 | 31.05 | 5 | +16.489 | ... | 747 | ... |
| 820 | 824 | Piazzi II. 92 | 10 | 2. 19. 5.23 | 37.99 | 3 | + 3.494 | + 28. 56. 37.98 | 37.25 | 7 | +16.477 | ... | ... | 92 |
| 821 | 825 | Piazzi II. 86 | 7 | 2. 19. 8.41 | 38.32 | 12 | + 5.233 | + 70. 33. 35.60 | 38.74 | 9 | +16.474 | ... | ... | 86 |
| 822 | 826 | 13 Trianguli | 6 | 2. 19. 8.96 | 35.93 | 3 | + 3.498 | + 29. 11. 5.57 | 34.94 | 4 | +16.474 | 346 | ... | 93 |
| 823 | 827 | 73 Ceti | 5 | 2. 19. 23.77 | 33.81 | 17 | + 3.175 | + 7. 43. 0.17 | 33.47 | 23 | +16.461 | 347 | ... | 94 |
| 824 | 828 | Piazzi II. 95 | 7 | 2. 19. 29.21 | 34.03 | 3 | + 3.088 | + 1. 13. 3.24 | 34.26 | 4 | +16.457 | ... | ... | 95 |
| 825 | 829 | Horologii | 5.6 | 2. 20. 17.46 | 38.25 | 4 | + 1.683 | - 61. 3. 5.48 | 38.25 | 4 | +16.417 | ... | 752 | ... |
| 826 | 830 | Eridani | 4.5 | 2. 20. 56.26 | 35.16 | 19 | + 2.202 | - 48. 26. 48.91 | 34.35 | 16 | +16.384 | ... | 753 | ... |
| 827 | 831 | Lacaille 749 | 6 | 2. 21. 2.78 | 35.30 | 3 | + 2.540 | - 34. 33. 14.74 | 34.27 | 4 | +16.379 | ... | 749 | 99 |
| 828 | 832 | Piazzi II. 96 | 6.7 | 2. 21. 3.86 | 32.85 | 5 | + 3.424 | + 24. 30. 0.01 | 32.82 | 5 | +16.378 | ... | ... | 96 |
| 829 | 833 | 26 Arietis | 6.7 | 2. 21. 24.14 | 32.96 | 5 | + 3.340 | + 19. 7. 7.59 | 31.93 | 5 | +16.361 | 349 | ... | 98 |
| 830 | 834 | Lacaille 754 | 6.7 | 2. 21. 26.27 | 38.04 | 3 | + 2.487 | - 37. 5. 0.32 | 38.04 | 3 | +16.360 | ... | 754 | ... |
| 831 | 835 | Lacaille 751 | 6 | 2. 21. 29.10 | 38.36 | 3 | + 2.591 | - 31. 50. 36.16 | 38.33 | 3 | +16.357 | ... | 751 | ... |
| 832 | 836 | 27 Arietis | 6 | 2. 21. 46.01 | 33.03 | 6 | + 3.309 | + 16. 58. 11.96 | 31.97 | 5 | +16.341 | 351 | ... | 101 |
| 833 | 837 | 14 Trianguli | 5.6 | 2. 22. 2.97 | 35.96 | 2 | + 3.625 | + 35. 24. 38.56 | 34.29 | 4 | +16.328 | 350 | ... | 102 |
| 834 | 838 | Piazzi II. 100 | 7 | 2. 22. 3.14 | 35.95 | 3 | + 4.051 | + 51. 34. 28.37 | 34.90 | 4 | +16.328 | ... | ... | 100 |
| 835 | 839 | Piazzi II. 103 | 8 | 2. 22. 8.74 | 36.22 | 4 | + 3.595 | + 33. 56. 36.86 | 36.24 | 4 | +16.323 | ... | ... | 103 |
| 836 | 840 | Lacaille 759 | 8 | 2. 22. 18.87 | 38.05 | 2 | + 2.392 | - 41. 10. 28.00 | 38.05 | 2 | +16.314 | ... | 759 | ... |
| 837 | 841 | Lacaille 757 | 7 | 2. 22. 23.39 | 35.95 | 3 | + 2.735 | - 23. 25. 18.29 | 34.92 | 4 | +16.311 | ... | 757 | 104 |
| 838 | 842 | Bradley 348 | 5.6 | 2. 22. 30.73 | 35.88 | 3 | + 5.482 | + 72. 5. 22.39 | 34.31 | 4 | +16.302 | 348 | ... | 97 |
| 839 | 843 | Lacaille 761 | 6 | 2. 22. 48.69 | 35.84 | 3 | + 2.693 | - 25. 55. 29.74 | 34.95 | 4 | +16.290 | ... | 761 | 106 |
| 840 | 844 | Piazzi II. 105 | 6.7 | 2. 22. 56.26 | 34.51 | 4 | + 3.595 | + 33. 48. 32.43 | 36.04 | 8 | +16.282 | ... | ... | 105 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|-----|--------------|----------------------|------------|------------------------|----------------------|-------------------|----------------------------------|--------------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 841 | 845 | Lacaille 763 | 6 | h m s 2. 23. 1'55 | 32'77 | 5 | s + 2'739 | ° ' " - 23. 16. 51'46 | 32'50 | 5 | " +16'277 | ... | 763 | 107 |
| 842 | 846 | Piazzi II. 108 | 6'7 | 2. 23. 13'65 | 38'73 | 6 | + 2'850 | - 15. 52. 17'15 | 36'34 | 6 | +16'267 | ... | ... | 108 |
| 843 | 847 | 75 Ceti | 5'6 | 2. 23. 46'00 | 36'86 | 9 | + 3'048 | - 1. 46. 2'85 | 37'79 | 11 | +16'239 | 354 | ... | 110 |
| 844 | 848 | 29 Arietis | 6'7 | 2. 23. 52'65 | 36'91 | 9 | + 3'272 | + 14. 18. 0'86 | 35'91 | 8 | +16'232 | 352 | ... | 109 |
| 845 | 849 | 76 Ceti | 5 | 2. 24. 16'19 | 33'09 | 14 | + 2'847 | - 15. 58. 20'40 | 32'32 | 14 | +16'215 | 356 | ... | 113 |
| 846 | 850 | Piazzi II. 111 | 9 | 2. 24. 17'43 | 36'39 | 5 | + 3'158 | + 6. 13. 27'72 | 36'29 | 3 | +16'214 | ... | ... | 111 |
| 847 | 851 | Bradley 355 | 6'7 | 2. 24. 23'97 | 33'46 | 11 | + 3'330 | + 18. 8. 53'62 | 32'92 | 5 | +16'208 | 355 | ... | 112 |
| 848 | 852 | Lacaille 776 | 6 | 2. 25. 26'99 | 38'02 | 3 | + 2'471 | - 37. 9. 34'6 | 38'03 | 3 | +16'155 | ... | 776 | ... |
| 849 | 853 | Piazzi II. 115 | 7 | 2. 25. 30'66 | 34'51 | 4 | + 4'060 | + 51. 14. 7'16 | 34'28 | 4 | +16'150 | ... | ... | 115 |
| 850 | 854 | 15 Trianguli | 6 | 2. 25. 47'15 | 38'11 | 7 | + 3'637 | + 33. 57. 45'44 | 37'98 | 7 | +16'135 | 357 | ... | 116 |
| 851 | 855 | Piazzi II. 117 | 8 | 2. 25. 50'89 | 36'81 | 6 | + 3'608 | + 33. 59. 56'91 | 37'40 | 5 | +16'131 | ... | ... | 117 |
| 852 | 856 | Lacaille 785 | 7 | 2. 26. 8'36 | 38'22 | 4 | + 2'230 | - 46. 36. 5'28 | 38'22 | 4 | +16'119 | ... | 785 | ... |
| 853 | 857 | Lacaille 781 | 6'7 | 2. 26. 14'13 | 34'52 | 4 | + 2'506 | - 35. 22. 44'79 | 34'27 | 4 | +16'113 | ... | 781 | 120 |
| 854 | 858 | Piazzi II. 118 | 6'7 | 2. 26. 20'57 | 32'85 | 5 | + 3'166 | + 6. 44. 57'30 | 32'94 | 5 | +16'107 | ... | ... | 118 |
| 855 | 859 | 77 Ceti | 6 | 2. 26. 34'64 | 32'82 | 5 | + 2'952 | - 8. 35. 1'57 | 31'97 | 5 | +16'096 | 359 | ... | 121 |
| 856 | 860 | Lacaille 783 | 6 | 2. 26. 37'38 | 32'94 | 5 | + 2'630 | - 28. 57. 37'87 | 31'93 | 5 | +16'093 | ... | 783 | 122 |
| 857 | 862 | Piazzi II. 119 | 8 | 2. 27. 2'69 | 36'48 | 4 | + 4'018 | + 49. 46. 9'35 | 36'49 | 4 | +16'070 | ... | ... | 119 |
| 858 | 861 | Piazzi II. 123 | 6'7 | 2. 27. 2'77 | 36'23 | 13 | + 3'157 | + 6. 5. 42'55 | 36'23 | 11 | +16'070 | ... | ... | 123 |
| 859 | 863 | 79 Ceti | 6'7 | 2. 27. 4'05 | 35'93 | 3 | + 3'012 | - 4. 16. 0'85 | 35'18 | 5 | +16'069 | 363 | ... | 124 |
| 860 | 864 | 78 Ceti | 4'5 | 2. 27. 13'43 | 32'85 | 19 | + 3'140 | + 4. 52. 9'18 | 32'12 | 11 | +16'061 | 362 | ... | 125 |
| 861 | 865 | Piazzi II. 127 | 8'9 | 2. 27. 15'65 | 36'66 | 3 | + 3'013 | - 4. 11. 1'28 | 36'50 | 4 | +16'060 | ... | ... | 127 |
| 862 | 866 | 30 Arietis | 6 | 2. 27. 27'61 | 35'99 | 9 | + 3'428 | + 23. 55. 29'46 | 35'17 | 13 | +16'048 | 360 | ... | 126 |
| 863 | 867 | Bradley 361 | 6'7 | 2. 27. 30'52 | 35'12 | 8 | + 3'428 | + 23. 55. 29'02 | 39'35 | 5 | +16'046 | 361 | ... | 128 |
| 864 | 868 | 31 Arietis | 6 | 2. 27. 38'68 | 32'77 | 8 | + 3'238 | + 11. 43. 42'23 | 33'43 | 5 | +16'039 | 364 | ... | 129 |
| 865 | 869 | Brisbane 369 | 8 | 2. 27. 48'82 | 38'32 | 3 | + 2'144 | - 49. 7. 3'24 | 38'33 | 3 | +16'030 | ... | ... | ... |
| 866 | 870 | Piazzi II. 130 | 6'7 | 2. 27. 51'22 | 33'73 | 11 | + 3'171 | + 7. 0. 26'59 | 34'92 | 9 | +16'027 | ... | ... | 130 |
| 867 | 871 | 80 Ceti | 6 | 2. 27. 53'08 | 33'05 | 4 | + 2'951 | - 8. 33. 10'90 | 33'93 | 6 | +16'025 | 365 | ... | 131 |
| 868 | 872 | Lacaille 799 | 6'7 | 2. 28. 17'80 | 38'33 | 3 | + 2'048 | - 51. 49. 9'92 | 38'34 | 3 | +16'006 | ... | 799 | ... |
| 869 | 873 | Brisbane 371 | 7 | 2. 28. 30'51 | 38'05 | 3 | + 2'429 | - 38. 31. 48'95 | 38'05 | 3 | +15'992 | ... | ... | ... |
| 870 | 874 | Piazzi II. 134 | 8 | 2. 28. 50'03 | 36'48 | 4 | + 3'237 | + 11. 32. 54'10 | 36'26 | 4 | +15'975 | ... | ... | 134 |
| 871 | 875 | Piazzi II. 132 | 7'8 | 2. 28. 55'33 | 34'53 | 4 | + 4'111 | + 52. 5. 14'11 | 34'26 | 4 | +15'970 | ... | ... | 132 |
| 872 | 876 | Lacaille 798 | 6 | 2. 29. 2'32 | 34'54 | 4 | + 2'590 | - 30. 46. 1'77 | 34'29 | 4 | +15'964 | ... | 798 | 137 |
| 873 | 877 | Piazzi II. 133 | 7'8 | 2. 29. 14'23 | 36'71 | 4 | + 4'000 | + 48. 50. 37'42 | 36'53 | 4 | +15'954 | ... | ... | 133 |
| 874 | 878 | Piazzi II. 135 | 7'8 | 2. 29. 15'20 | 39'20 | 6 | + 3'171 | + 6. 58. 35'93 | 38'39 | 2 | +15'953 | ... | ... | 135 |
| 875 | 879 | 81 Ceti | 5'6 | 2. 29. 23'39 | 32'94 | 4 | + 3'014 | - 4. 6. 51'60 | 32'95 | 5 | +15'946 | 368 | ... | 138 |
| 876 | 880 | 32 Arietis | 5'6 | 2. 29. 27'69 | 33'74 | 5 | + 3'387 | + 21. 14. 35'75 | 32'82 | 5 | +15'942 | 367 | ... | 136 |
| 877 | 881 | Lacaille 812 | 7 | 2. 29. 31'53 | 38'32 | 3 | + 1'457 | - 63. 18. 46'80 | 38'32 | 3 | +15'938 | ... | 812 | ... |
| 878 | 882 | Piazzi II. 139 | 7 | 2. 30. 2'06 | 35'94 | 3 | + 3'111 | + 2. 43. 29'44 | 34'96 | 4 | +15'911 | ... | ... | 139 |
| 879 | 883 | Lacaille 805 | 6 | 2. 30. 7'53 | 35'90 | 3 | + 2'496 | - 35. 17. 10'33 | 34'94 | 4 | +15'907 | ... | 805 | 141 |
| 880 | 884 | Piazzi II. 140 | 7 | 2. 30. 11'14 | 35'94 | 3 | + 3'214 | + 9. 55. 22'25 | 34'29 | 4 | +15'903 | ... | ... | 140 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|-----|--------------|----------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 881 | 885 | Brisbane 375 | 8 | h m s 2. 30. 50'59 | 38'88 | 3 | + 2'349 | — 41. 27. 49'08 | 38'88 | 3 | +15'869 | ... | ... | ... |
| 882 | 886 | 82 Ceti | 4 | 2. 31. 1'92 | 33'29 | 13 | + 3'067 | — 0. 23. 13'81 | 31'80 | 9 | +15'858 | 372 | ... | 144 |
| 883 | 887 | 33 Arietis | 6 | 2. 31. 3'61 | 34'58 | 5 | + 3'478 | + 26. 20. 51'34 | 35'82 | 8 | +15'858 | 370 | ... | 143 |
| 884 | 888 | Lacaille 811 | 6'7 | 2. 31. 11'66 | 34'51 | 4 | + 2'581 | — 30. 54. 28'48 | 34'28 | 4 | +15'850 | ... | 811 | 147 |
| 885 | 889 | 11 Persei | 7 | 2. 31. 17'30 | 34'52 | 4 | + 4'217 | + 54. 23. 45'36 | 34'27 | 4 | +15'845 | 369 | ... | 142 |
| 886 | 890 | Piazzi II. 145 | 9 | 2. 31. 19'46 | 36'58 | 5 | + 2'891 | — 12. 27. 51'18 | 36'48 | 4 | +15'843 | ... | ... | 145 |
| 887 | 891 | Piazzi II. 148 | 7 | 2. 31. 34'22 | 35'08 | 10 | + 3'150 | + 5. 23. 51'81 | 32'35 | 5 | +15'831 | ... | ... | 148 |
| 888 | 892 | 83 Ceti | 4'5 | 2. 31. 35'26 | 32'41 | 11 | + 2'889 | — 12. 34. 33'72 | 33'43 | 13 | +15'828 | 375 | ... | 149 |
| 889 | 893 | Lacaille 815 | 6 | 2. 31. 46'17 | 38'26 | 4 | + 2'413 | — 38. 42. 16'13 | 38'26 | 4 | +15'818 | ... | 815 | ... |
| 890 | 894 | 12 Persei | 5'6 | 2. 31. 51'50 | 34'08 | 3 | + 3'750 | + 39. 29. 27'64 | 34'32 | 4 | +15'814 | 371 | ... | 146 |
| 891 | 895 | Horologii | 6'7 | 2. 31. 58'11 | 40'42 | 7 | + 1'969 | — 53. 15. 35'66 | 40'88 | 10 | +15'808 | ... | 821 | ... |
| 892 | 896 | Lacaille 822 | 7 | 2. 32. 22'25 | 38'01 | 3 | + 2'234 | — 45. 26. 59'46 | 38'01 | 2 | +15'788 | ... | 822 | ... |
| 893 | 897 | Brisbane 380 | 7'8 | 2. 32. 23'21 | 38'01 | 3 | + 2'235 | — 45. 25. 21'93 | 38'01 | 3 | +15'787 | ... | ... | ... |
| 894 | 898 | Piazzi II. 151 | 7'8 | 2. 32. 26'91 | 37'21 | 4 | + 3'150 | + 5. 21. 36'09 | 36'50 | 4 | +15'782 | ... | ... | 151 |
| 895 | 899 | 84 Ceti | 6 | 2. 32. 47'22 | 33'56 | 5 | + 3'052 | — 1. 24. 5'13 | 32'95 | 5 | +15'764 | 378 | ... | 152 |
| 896 | 900 | 13 Persei | 4 | 2. 32. 58'16 | 32'55 | 4 | + 4'008 | + 48. 31. 29'63 | 32'69 | 9 | +15'754 | 374 | ... | 150 |
| 897 | 901 | Lacaille 823 | 7 | 2. 32. 59'60 | 38'25 | 4 | + 2'568 | — 31. 20. 36'98 | 38'04 | 3 | +15'753 | ... | 823 | ... |
| 898 | 902 | 34 Arietis | 6 | 2. 33. 4'76 | 34'90 | 8 | + 3'362 | + 19. 18. 17'21 | 33'02 | 5 | +15'749 | 377 | ... | 153 |
| 899 | 903 | Bradley 379 | 7 | 2. 33. 8'32 | 33'96 | 5 | + 3'216 | + 9. 50. 10'06 | 33'05 | 5 | +15'745 | 379 | ... | 155 |
| 900 | 904 | 14 Persei | 7 | 2. 33. 22'10 | 34'53 | 4 | + 3'862 | + 43. 35. 24'38 | 34'31 | 4 | +15'733 | 376 | ... | 154 |
| 901 | 905 | Lacaille 825 | 7 | 2. 33. 30'13 | 38'35 | 3 | + 2'550 | — 32. 10. 42'96 | 38'49 | 4 | +15'725 | ... | 825 | ... |
| 902 | 906 | Lacaille 827 | 5 | 2. 33. 30'51 | 32'37 | 5 | + 2'281 | — 43. 36. 10'09 | 31'91 | 5 | +15'725 | ... | 827 | 158 |
| 903 | 907 | Bradley 381 | 6 | 2. 33. 36'54 | 37'13 | 6 | + 3'219 | + 10. 2. 1'04 | 35'75 | 10 | +15'721 | 381 | ... | 156 |
| 904 | 908 | 35 Arietis | 4 | 2. 33. 47'28 | 32'82 | 4 | + 3'496 | + 26. 59. 59'86 | 32'05 | 9 | +15'710 | 380 | ... | 157 |
| 905 | 909 | Eridani | 4'5 | 2. 34. 9'67 | 32'91 | 5 | + 2'359 | — 40. 33. 54'43 | 31'94 | 4 | +15'690 | ... | 831 | 159 |
| 906 | 910 | 86 Ceti | 3 | 2. 34. 45'50 | 34'46 | 8 | + 3'109 | + 2. 32. 12'24 | 33'90 | 19 | +15'657 | 383 | ... | 161 |
| 907 | 911 | Piazzi II. 160 | 8 | 2. 34. 50'36 | 36'36 | 3 | + 3'531 | + 28. 45. 30'76 | 36'39 | 5 | +15'652 | ... | ... | 160 |
| 908 | 912 | 36 Arietis | 7 | 2. 35. 7'43 | 33'90 | 3 | + 3'329 | + 17. 3. 40'57 | 32'92 | 5 | +15'637 | 384 | ... | 162 |
| 909 | 913 | Piazzi II. 163 | 9 | 2. 35. 17'12 | 36'51 | 4 | + 3'103 | + 2. 6. 47'13 | 36'92 | 2 | +15'628 | ... | ... | 163 |
| 910 | 914 | 37 Arietis | 6'7 | 2. 35. 28'13 | 33'98 | 3 | + 3'291 | + 14. 36. 33'22 | 33'08 | 5 | +15'618 | 385 | ... | 164 |
| 911 | 915 | Horologii | 5'6 | 2. 35. 31'92 | 38'24 | 4 | + 1'861 | — 55. 15. 31'66 | 38'24 | 4 | +15'615 | ... | 847 | ... |
| 912 | 916 | Lacaille 841 | 7 | 2. 35. 32'33 | 34'47 | 4 | + 2'390 | — 39. 5. 27'53 | 34'26 | 4 | +15'614 | ... | 841 | 168 |
| 913 | 917 | Piazzi II. 165 | 8'9 | 2. 35. 52'88 | 36'75 | 5 | + 3'145 | + 4. 57. 18'95 | 36'26 | 4 | +15'595 | ... | ... | 165 |
| 914 | 918 | 38 Arietis | 5'6 | 2. 35. 58'85 | 33'25 | 8 | + 3'247 | + 11. 44. 49'60 | 32'40 | 5 | +15'589 | 386 | ... | 166 |
| 915 | 919 | 87 Ceti | 4 | 2. 36. 1'93 | 33'12 | 13 | + 3'211 | + 9. 24. 46'41 | 33'01 | 23 | +15'586 | 387 | ... | 167 |
| 916 | 920 | Lacaille 842 | 7 | 2. 36. 3'04 | 38'04 | 3 | + 2'551 | — 31. 46. 23'30 | 38'04 | 3 | +15'585 | ... | 842 | ... |
| 917 | 921 | Lacaille 848 | 5'6 | 2. 36. 12'02 | 38'50 | 4 | + 2'161 | — 47. 13. 36'12 | 38'50 | 4 | +15'577 | ... | 848 | ... |
| 918 | 922 | 89 Ceti | 4 | 2. 36. 16'32 | 32'49 | 8 | + 2'853 | — 14. 33. 40'79 | 31'65 | 10 | +15'574 | 388 | ... | 170 |
| 919 | 923 | Piazzi II. 169 | 8'9 | 2. 36. 37'81 | 36'50 | 4 | + 4'109 | + 50. 51. 14'28 | 36'50 | 4 | +15'554 | ... | ... | 169 |
| 920 | 924 | Piazzi II. 171 | 7 | 2. 36. 42'35 | 36'96 | 3 | + 3'131 | + 4. 0. 45'37 | 36'04 | 2 | +15'550 | ... | ... | 171 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-----|--------------|----------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 921 | 925 | Lacaille 862 | 7.8 | 2. 36. 43.46 | 38.88 | 3 | + 1.771 | - 57. 0. 11.92 | 38.88 | 3 | +15.549 | ... | 862 | ... |
| 922 | 926 | Lacaille 850 | 6.7 | 2. 36. 54.89 | 38.35 | 3 | + 2.656 | - 26. 12. 2.41 | 38.35 | 3 | +15.537 | ... | 850 | ... |
| 923 | 927 | Lacaille 852 | 7 | 2. 36. 55.75 | 35.91 | 3 | + 2.331 | - 41. 13. 56.43 | 34.31 | 4 | +15.537 | ... | 852 | 173 |
| 924 | 928 | Lacaille 859 | 6.7 | 2. 36. 57.13 | 38.92 | 3 | + 2.008 | - 51. 30. 53.88 | 38.92 | 3 | +15.536 | ... | 859 | ... |
| 925 | 929 | Hydri | 5 | 2. 37. 5.10 | 34.59 | 14 | + 0.870 | - 68. 58. 35.70 | 35.16 | 9 | +15.529 | ... | 871 | ... |
| 926 | 930 | 1 Eridani | 5.6 | 2. 37. 24.36 | 33.01 | 5 | + 2.776 | - 19. 16. 30.46 | 32.88 | 5 | +15.512 | 390 | ... | 175 |
| 927 | 931 | Lacaille 855 | 6.7 | 2. 37. 25.41 | 37.98 | 8 | + 2.517 | - 33. 13. 31.19 | 38.97 | 11 | +15.511 | ... | 855 | 176 |
| 928 | 932 | Piazzi II. 174 | 7.8 | 2. 37. 33.97 | 36.65 | 3 | + 3.145 | + 4. 53. 44.85 | 36.94 | 4 | +15.593 | ... | ... | 174 |
| 929 | 933 | Piazzi II. 172 | 9 | 2. 37. 37.92 | 36.86 | 2 | + 4.031 | + 48. 29. 17.59 | 37.10 | 4 | +15.498 | ... | ... | 172 |
| 930 | 934 | Piazzi II. 177 | 7.8 | 2. 37. 55.50 | 36.74 | 4 | + 3.246 | + 11. 33. 50.11 | 37.01 | 3 | +15.482 | ... | ... | 177 |
| 931 | 935 | 39 Arietis | 4 | 2. 38. 6.09 | 33.32 | 7 | + 3.535 | + 28. 33. 23.98 | 34.29 | 16 | +15.472 | 389 | ... | 178 |
| 932 | 936 | 15 Persei | 5 | 2. 38. 42.77 | 33.41 | 4 | + 4.300 | + 55. 12. 16.10 | 31.89 | 6 | +15.437 | ... | ... | 179 |
| 933 | 937 | Lacaille 874 | 6.7 | 2. 38. 53.46 | 38.33 | 3 | + 1.927 | - 53. 16. 12.87 | 38.04 | 3 | +15.428 | ... | 874 | ... |
| 934 | 938 | Brisbane 402 | 7 | 2. 38. 53.79 | 38.33 | 3 | + 2.555 | - 31. 10. 38.12 | 38.33 | 3 | +15.428 | ... | ... | ... |
| 935 | 939 | Piazzi II. 180 | 8 | 2. 39. 0.71 | 36.45 | 4 | + 4.151 | + 51. 35. 33.57 | 36.36 | 3 | +15.421 | ... | ... | 180 |
| 936 | 940 | Brisbane 404 | 7 | 2. 39. 5.76 | 38.02 | 3 | + 2.383 | - 38. 52. 3.40 | 38.02 | 3 | +15.416 | ... | ... | ... |
| 937 | 941 | Bradley 391 | 6.7 | 2. 39. 11.26 | 33.19 | 7 | + 3.462 | + 24. 29. 41.09 | 32.95 | 5 | +15.410 | 391 | ... | 181 |
| 938 | 942 | 40 Arietis | 6 | 2. 39. 17.94 | 33.06 | 7 | + 3.344 | + 17. 35. 32.22 | 33.00 | 5 | +15.405 | 393 | ... | 182 |
| 939 | 943 | Lacaille 875 | 6.7 | 2. 39. 20.80 | 38.05 | 2 | + 2.258 | - 43. 31. 59.29 | 38.34 | 3 | +15.403 | ... | 875 | ... |
| 940 | 944 | Lacaille 876 | 7 | 2. 39. 21.63 | 38.01 | 3 | + 2.154 | - 46. 59. 5.21 | 38.01 | 3 | +15.402 | ... | 876 | ... |
| 941 | 945 | 42 Arietis | 5 | 2. 40. 5.83 | 32.66 | 6 | + 3.331 | + 16. 46. 24.42 | 32.00 | 10 | +15.360 | 397 | ... | 185 |
| 942 | 946 | 16 Persei | 4.5 | 2. 40. 11.61 | 32.73 | 6 | + 3.735 | + 37. 38. 1.48 | 32.41 | 6 | +15.355 | 394 | ... | 183 |
| 943 | 947 | 41 Arietis | 3 | 2. 40. 17.35 | 32.55 | 5 | + 3.503 | + 26. 34. 31.80 | 33.40 | 10 | +15.350 | 395 | ... | 186 |
| 944 | 948 | Piazzi II. 187 | 8.9 | 2. 40. 21.97 | 36.74 | 5 | + 2.399 | - 38. 2. 26.05 | 36.23 | 4 | +15.346 | ... | ... | 187 |
| 945 | 949 | Piazzi II. 184 | 8.9 | 2. 40. 27.92 | 36.52 | 4 | + 4.156 | + 51. 30. 49.27 | 36.58 | 5 | +15.340 | ... | ... | 184 |
| 946 | 950 | Lacaille 879 | 7 | 2. 40. 52.11 | 34.49 | 4 | + 2.439 | - 36. 14. 31.67 | 34.26 | 4 | +15.316 | ... | 879 | 189 |
| 947 | 951 | 17 Persei | 7 | 2. 41. 22.18 | 36.90 | 7 | + 3.664 | + 34. 22. 31.83 | 36.77 | 7 | +15.289 | 398 | ... | 188 |
| 948 | 952 | Fornacis | 5 | 2. 42. 2.79 | 33.71 | 11 | + 2.390 | - 38. 5. 38.76 | 33.60 | 9 | +15.249 | ... | 887 | 194 |
| 949 | 953 | Fornacis | 5 | 2. 42. 11.41 | 36.38 | 10 | + 2.505 | - 33. 6. 8.64 | 35.70 | 9 | +15.243 | ... | 888 | 195 |
| 950 | 954 | 43 Arietis | 6 | 2. 42. 23.73 | 35.07 | 7 | + 3.295 | + 14. 23. 51.95 | 35.20 | 9 | +15.230 | 400 | ... | 192 |
| 951 | 955 | Piazzi II. 196 | 9 | 2. 42. 24.03 | 36.43 | 4 | + 2.505 | - 33. 4. 4.68 | 36.49 | 4 | +15.230 | ... | ... | 196 |
| 952 | 957 | Lacaille 891 | 8.9 | 2. 42. 27.04 | 36.46 | 4 | + 2.539 | - 31. 30. 9.36 | 36.19 | 5 | +15.227 | ... | 891 | 197 |
| 953 | 959 | Fornacis | 6 | 2. 42. 32.57 | 33.04 | 5 | + 2.662 | - 25. 14. 29.49 | 31.93 | 5 | +15.223 | ... | 890 | 198 |
| 954 | 958 | 18 Persei | 5 | 2. 42. 36.33 | 32.13 | 5 | + 4.190 | + 52. 4. 51.54 | 33.61 | 27 | +15.217 | 399 | ... | 190 |
| 955 | 960 | Lacaille 892 | 6 | 2. 42. 45.45 | 35.92 | 3 | + 2.596 | - 28. 37. 49.34 | 34.52 | 4 | +15.209 | ... | 892 | 200 |
| 956 | 961 | Piazzi II. 193 | 7 | 2. 42. 54.90 | 34.50 | 4 | + 4.130 | + 50. 29. 10.09 | 34.27 | 4 | +15.200 | ... | ... | 193 |
| 957 | 962 | Brisbane 418 | 7.8 | 2. 43. 0.29 | 38.01 | 3 | + 2.135 | - 47. 2. 11.55 | 38.01 | 3 | +15.195 | ... | ... | ... |
| 958 | 963 | Hydri | 5 | 2. 43. 1.54 | 33.01 | 5 | + 0.878 | - 68. 18. 43.84 | 31.03 | 5 | +15.194 | ... | 907 | ... |
| 959 | 964 | 20 Persei | 6.7 | 2. 43. 19.16 | 34.52 | 4 | + 3.747 | + 37. 39. 34.92 | 34.28 | 4 | +15.177 | 401 | ... | 199 |
| 960 | 965 | Piazzi II. 201 | 7 | 2. 43. 27.76 | 34.53 | 4 | + 3.597 | + 30. 57. 49.48 | 34.29 | 4 | +15.168 | ... | ... | 201 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 961 | 966 | 2 Eridani τ^2 | 4.5 | 2. 43. 33.48 | 32.70 | 9 | + 2.723 | - 21. 41. 18.05 | 31.54 | 10 | +15.164 | 404 | ... | 202 |
| 962 | 967 | Lacaille 897 | 6 | 2. 43. 34.63 | 35.93 | 3 | + 2.423 | - 36. 31. 50.48 | 34.92 | 4 | +15.162 | ... | 897 | 204 |
| 963 | 968 | Lacaille 899 | 6.7 | 2. 44. 0.14 | 34.79 | 5 | + 2.426 | - 36. 21. 29.87 | 34.27 | 4 | +15.138 | ... | 899 | 205 |
| 964 | 969 | Piazzi II. 203 | 7 | 2. 44. 1.29 | 32.74 | 5 | + 3.320 | + 15. 48. 18.61 | 31.95 | 5 | +15.137 | ... | ... | 203 |
| 965 | 970 | Lacaille 902 | 6.7 | 2. 44. 24.75 | 35.31 | 3 | + 2.318 | - 40. 36. 58.57 | 34.30 | 4 | +15.114 | ... | 902 | 207 |
| 966 | 971 | Bradley 392 | 7 | 2. 44. 31.52 | 35.88 | 3 | + 7.497 | + 78. 45. 19.74 | 34.31 | 4 | +15.108 | 392 | ... | 191 |
| 967 | 972 | Lacaille 903 | 7 | 2. 44. 57.13 | 36.22 | 4 | + 2.532 | - 31. 30. 3.86 | 35.24 | 3 | +15.083 | ... | 903 | 208 |
| 968 | 973 | Piazzi II. 206 | 6.7 | 2. 45. 19.30 | 35.95 | 3 | + 4.146 | + 50. 35. 16.17 | 34.31 | 4 | +15.062 | ... | ... | 206 |
| 969 | 974 | Piazzi II. 209 | 9 | 2. 45. 23.82 | 36.45 | 4 | + 2.924 | - 9. 31. 36.65 | 36.46 | 5 | +15.057 | ... | ... | 209 |
| 970 | 975 | 44 Arietis ρ^1 | 7.8 | 2. 45. 41.09 | 34.51 | 4 | + 3.343 | + 17. 3. 35.03 | 34.27 | 4 | +15.041 | 405 | ... | 210 |
| 971 | 976 | Lacaille 912 | 6.7 | 2. 46. 28.70 | 38.02 | 4 | + 2.271 | - 42. 4. 11.68 | 38.03 | 4 | +14.994 | ... | 912 | ... |
| 972 | 977 | 45 Arietis ρ^2 | 6 | 2. 46. 32.97 | 33.57 | 7 | + 3.355 | + 17. 39. 30.03 | 33.22 | 9 | +14.990 | 406 | ... | 212 |
| 973 | 978 | Lacaille 919 | 6.7 | 2. 46. 33.47 | 38.05 | 3 | + 1.658 | - 57. 52. 25.74 | 38.05 | 3 | +14.990 | ... | 919 | ... |
| 974 | 979 | Piazzi II. 211 | 7 | 2. 46. 48.28 | 36.47 | 4 | + 4.652 | + 60. 37. 16.89 | 36.48 | 6 | +14.975 | ... | ... | 211 |
| 975 | 980 | Lacaille 915 | 6.7 | 2. 47. 6.55 | 36.44 | 4 | + 2.348 | - 39. 6. 56.24 | 34.31 | 4 | +14.958 | ... | 915 | 216 |
| 976 | 981 | 46 Arietis ρ^3 | 6 | 2. 47. 8.06 | 33.46 | 8 | + 3.350 | + 17. 21. 36.66 | 34.52 | 18 | +14.956 | 408 | ... | 213 |
| 977 | 982 | 21 Persei | 6 | 2. 47. 17.53 | 34.54 | 4 | + 3.613 | + 31. 15. 51.92 | 34.28 | 4 | +14.947 | 407 | ... | 214 |
| 978 | 983 | Bradley 410 | 6.7 | 2. 47. 24.85 | 32.86 | 6 | + 3.193 | + 7. 42. 49.02 | 31.95 | 5 | +14.940 | 410 | ... | 215 |
| 979 | 984 | Lacaille 923 | 7 | 2. 48. 3.31 | 38.30 | 3 | + 2.464 | - 34. 11. 58.31 | 38.23 | 4 | +14.903 | ... | 923 | ... |
| 980 | 985 | 22 Persei π | 6 | 2. 48. 14.13 | 34.05 | 3 | + 3.798 | + 38. 59. 47.81 | 34.29 | 4 | +14.892 | 411 | ... | 217 |
| 981 | 986 | 3 Eridani η | 3 | 2. 48. 22.23 | 32.76 | 9 | + 2.921 | - 9. 33. 31.45 | 31.56 | 10 | +14.884 | 413 | ... | 219 |
| 982 | 987 | 47 Arietis | 6 | 2. 48. 39.45 | 33.05 | 5 | + 3.398 | + 20. 0. 7.25 | 32.96 | 5 | +14.868 | 412 | ... | 218 |
| 983 | 988 | 24 Persei | 6.7 | 2. 48. 51.62 | 34.51 | 4 | + 3.690 | + 34. 30. 59.15 | 34.26 | 4 | +14.856 | ... | ... | 221 |
| 984 | 989 | Piazzi II. 220 | 6 | 2. 49. 9.24 | 36.11 | 6 | + 4.210 | + 51. 41. 21.26 | 34.57 | 4 | +14.838 | ... | ... | 220 |
| 985 | 990 | Piazzi II. 222 | 8.9 | 2. 49. 10.29 | 36.02 | 1 | + 4.211 | + 51. 41. 21.52 | 36.57 | 5 | +14.837 | ... | ... | 222 |
| 986 | 991 | Lacaille 931 | 6 | 2. 49. 26.01 | 38.02 | 3 | + 2.334 | - 39. 19. 16.68 | 38.02 | 3 | +14.822 | ... | 931 | ... |
| 987 | 992 | Bradley 414 | 7 | 2. 49. 26.57 | 32.99 | 6 | + 3.417 | + 20. 57. 8.32 | 32.93 | 4 | +14.821 | 414 | ... | ... |
| 988 | 993 | Piazzi II. 223 | 7.8 | 2. 49. 46.19 | 36.56 | 5 | + 3.764 | + 37. 28. 8.39 | 36.46 | 4 | +14.802 | ... | ... | 223 |
| 989 | 994 | 48 Arietis ϵ | 5 | 2. 49. 47.55 | 32.32 | 17 | + 3.413 | + 20. 40. 30.39 | 31.58 | 10 | +14.801 | 415 | ... | 224 |
| 990 | 995 | Lacaille 932 | 7 | 2. 49. 59.10 | 38.04 | 3 | + 2.638 | - 25. 38. 5.93 | 38.04 | 3 | +14.789 | ... | 932 | ... |
| 991 | 996 | 4 Eridani | 5.6 | 2. 50. 3.72 | 33.64 | 6 | + 2.660 | - 24. 31. 42.22 | 32.96 | 5 | +14.784 | 418 | 933 | 225 |
| 992 | 997 | Lacaille 936 | 6.7 | 2. 50. 10.68 | 38.26 | 4 | + 2.414 | - 36. 2. 45.82 | 38.25 | 4 | +14.778 | ... | 936 | ... |
| 993 | 998 | Lacaille 935 | 7 | 2. 50. 14.02 | 34.53 | 4 | + 2.539 | - 30. 31. 21.53 | 34.31 | 4 | +14.774 | ... | 935 | 226 |
| 994 | 999 | Lacaille 939 | 7 | 2. 50. 18.32 | 38.02 | 3 | + 2.391 | - 36. 57. 52.99 | 38.02 | 3 | +14.770 | ... | 939 | ... |
| 995 | 1000 | Lacaille 942 | 7 | 2. 50. 38.90 | 38.02 | 3 | + 2.387 | - 37. 6. 0.71 | 38.02 | 3 | +14.760 | ... | 942 | ... |
| 996 | 1001 | 6 Eridani | 5.6 | 2. 50. 45.69 | 33.89 | 4 | + 2.663 | - 24. 16. 29.08 | 31.94 | 5 | +14.744 | 421 | 940 | 229 |
| 997 | 1002 | 91 Ceti λ | 5.6 | 2. 50. 52.98 | 33.93 | 3 | + 3.204 | + 8. 14. 41.48 | 32.62 | 5 | +14.736 | 419 | ... | 228 |
| 998 | 1003 | Bradley 416 | 7.8 | 2. 50. 57.90 | 36.60 | 3 | + 3.718 | + 35. 27. 25.75 | 36.49 | 4 | +14.731 | 416 | ... | 227 |
| 999 | 1004 | Lacaille 945 | 6 | 2. 51. 6.69 | 35.88 | 3 | + 2.340 | - 38. 51. 25.43 | 34.83 | 5 | +14.723 | ... | 945 | 232 |
| 1000 | 1005 | 50 Arietis | 6.7 | 2. 51. 15.80 | 34.79 | 5 | + 3.356 | + 17. 20. 42.30 | 34.28 | 4 | +14.714 | 420 | ... | 230 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 1001 | 1006 | 5 Eridani | 6 | h m s 2. 51. 21.85 | 33.95 | 3 | + 3.022 | — 3. 7. 34.78 | 33.05 | 5 | +14.708 | 423 | ... | 231 |
| 1002 | 1008 | Brisbane 445 | 7.8 | 2. 51. 33.13 | 38.90 | 3 | + 2.462 | — 33. 48. 58.97 | 38.89 | 3 | +14.696 | ... | ... | ... |
| 1003 | 1009 | Eridani | 4.5 | 2. 52. 0.62 | 33.78 | 7 | + 2.280 | — 40. 58. 9.68 | 31.25 | 5 | +14.670 | ... | 950 | 238 |
| 1004 | 1010 | Piazzi II. 239 | 6 | 2. 52. 1.51 | 36.63 | 3 | + 2.280 | — 40. 58. 8.24 | 36.50 | 4 | +14.669 | ... | ... | 239 |
| 1005 | 1011 | Lacaille 946 | 6.7 | 2. 52. 5.30 | 38.34 | 3 | + 2.555 | — 29. 34. 2.74 | 38.34 | 3 | +14.665 | ... | 946 | ... |
| 1006 | 1012 | Lacaille 949 | 7 | 2. 52. 7.13 | 38.06 | 3 | + 2.342 | — 38. 39. 20.34 | 38.06 | 3 | +14.663 | ... | 949 | ... |
| 1007 | 1013 | 49 Arietis | 6 | 2. 52. 11.74 | 33.97 | 3 | + 3.513 | + 25. 48. 13.71 | 35.89 | 8 | +14.659 | 424 | ... | 233 |
| 1008 | 1014 | Lacaille 947 | 6 | 2. 52. 20.36 | 33.98 | 3 | + 2.628 | — 25. 56. 20.87 | 33.06 | 5 | +14.650 | ... | 947 | 241 |
| 1009 | 1015 | 7 Eridani | 7 | 2. 52. 32.45 | 35.85 | 3 | + 3.015 | — 3. 32. 15.29 | 34.55 | 4 | +14.638 | 426 | ... | 240 |
| 1010 | 1016 | 51 Arietis | 7 | 2. 52. 40.18 | 33.99 | 2 | + 3.577 | + 25. 57. 38.48 | 33.92 | 6 | +14.630 | 425 | ... | 235 |
| 1011 | 1018 | Lacaille 960 | 7.8 | 2. 52. 50.13 | 38.25 | 4 | + 1.731 | — 55. 40. 43.70 | 38.24 | 4 | +14.620 | ... | 960 | ... |
| 1012 | 1017 | Lacaille 953 | 7.8 | 2. 52. 50.38 | 36.48 | 4 | + 2.474 | — 33. 10. 5.22 | 36.50 | 4 | +14.620 | ... | 953 | 243 |
| 1013 | 1019 | 23 Persei | 4 | 2. 52. 53.58 | 32.11 | 5 | + 4.280 | + 52. 51. 12.61 | 31.56 | 10 | +14.617 | 422 | ... | 234 |
| 1014 | 1020 | 8 Eridani | 5.6 | 2. 53. 3.65 | 32.86 | 6 | + 2.938 | — 8. 19. 3.55 | 33.65 | 14 | +14.607 | 427 | ... | 242 |
| 1015 | 1021 | Piazzi II. 236 | 5 | 2. 53. 11.65 | 32.95 | 5 | + 4.434 | + 56. 3. 2.45 | 31.03 | 5 | +14.599 | ... | ... | 236 |
| 1016 | 1022 | 92 Ceti | 2.3 | 2. 53. 39.73 | 34.13 | 36 | + 3.127 | + 3. 26. 16.94 | 33.46 | 65 | +14.571 | 428 | ... | 244 |
| 1017 | 1023 | 93 Ceti | 6 | 2. 53. 44.54 | 34.52 | 4 | + 3.131 | + 3. 41. 50.38 | 34.30 | 4 | +14.566 | 430 | ... | 245 |
| 1018 | 1024 | Lacaille 965 | 7 | 2. 54. 0.62 | 38.01 | 3 | + 2.228 | — 42. 31. 56.33 | 38.01 | 3 | +14.550 | ... | 965 | ... |
| 1019 | 1025 | Bradley 417 | 5.6 | 2. 54. 13.68 | 34.68 | 3 | + 6.234 | + 73. 45. 25.01 | 34.27 | 4 | +14.536 | 417 | ... | 237 |
| 1020 | 1026 | Lacaille 964 | 6.7 | 2. 54. 17.99 | 38.05 | 3 | + 2.456 | — 33. 46. 1.91 | 38.05 | 3 | +14.532 | ... | 964 | ... |
| 1021 | 1027 | Lacaille 963 | 6 | 2. 54. 30.85 | 33.07 | 4 | + 2.566 | — 28. 43. 37.90 | 33.75 | 6 | +14.520 | ... | 963 | 248 |
| 1022 | 1028 | 9 Eridani | 5 | 2. 54. 36.74 | 32.84 | 11 | + 2.937 | — 8. 20. 18.98 | 32.15 | 6 | +14.513 | 432 | ... | 247 |
| 1023 | 1029 | 25 Persei | 4 | 2. 54. 37.63 | 32.01 | 5 | + 3.798 | + 38. 11. 39.48 | 31.87 | 4 | +14.512 | 429 | ... | 246 |
| 1024 | 1030 | Lacaille 971 | 7 | 2. 54. 41.73 | 39.01 | 3 | + 1.775 | — 54. 34. 2.70 | 39.02 | 3 | +14.508 | ... | 971 | ... |
| 1025 | 1031 | Brisbane 459 | 8 | 2. 54. 54.65 | 38.93 | 3 | + 2.240 | — 42. 0. 25.89 | 38.93 | 3 | +14.495 | ... | ... | ... |
| 1026 | 1032 | 11 Eridani | 4 | 2. 55. 7.31 | 32.85 | 7 | + 2.655 | — 24. 16. 32.02 | 32.59 | 5 | +14.482 | 434 | 968 | 249 |
| 1027 | 1033 | Taylor 1033 | 6 | 2. 55. ... | ... | ... | + 2.667 | — 23. 37. 42.26 | 33.94 | 2 | +14.476 | ... | ... | ... |
| 1028 | 1034 | 52 Arietis | 6.7 | 2. 55. 47.04 | 33.00 | 4 | + 3.497 | + 24. 36. 29.14 | 32.92 | 5 | +14.441 | 433 | ... | 250 |
| 1029 | 1035 | Piazzi II. 251 | 7 | 2. 56. 6.60 | 34.52 | 4 | + 3.092 | + 1. 12. 54.19 | 34.63 | 5 | +14.422 | ... | ... | 251 |
| 1030 | 1036 | 10 Eridani | 5 | 2. 56. 10.57 | 32.97 | 5 | + 2.937 | — 8. 15. 3.52 | 31.49 | 3 | +14.418 | 435 | ... | 252 |
| 1031 | 1037 | Lacaille 973 | 7.8 | 2. 56. 12.50 | 38.06 | 3 | + 1.431 | — 60. 28. 30.36 | 38.06 | 3 | +14.416 | ... | 973 | ... |
| 1032 | 1038 | Brisbane 463 | 8 | 2. 56. 19.01 | 38.91 | 3 | + 2.031 | — 48. 12. 44.14 | 38.91 | 3 | +14.408 | ... | ... | ... |
| 1033 | 1039 | Persei | 4 | 2. 57. 12.13 | 34.71 | 9 | + 4.146 | + 48. 58. 34.92 | 31.58 | 10 | +14.356 | ... | ... | 253 |
| 1034 | 1040 | 26 Persei | 2.3 | 2. 57. 27.66 | 32.76 | 9 | + 3.865 | + 40. 18. 49.97 | 32.20 | 23 | +14.339 | 436 | ... | 254 |
| 1035 | 1041 | Brisbane 468 | 8 | 2. 57. 46.25 | 38.02 | 3 | + 2.291 | — 39. 49. 8.07 | 38.02 | 3 | +14.320 | ... | ... | ... |
| 1036 | 1042 | Lacaille 976 | 7 | 2. 58. 0.32 | 35.86 | 3 | + 2.149 | — 44. 32. 47.03 | 34.31 | 4 | +14.306 | ... | 976 | 258 |
| 1037 | 1043 | 53 Arietis | 6 | 2. 58. 9.10 | 33.06 | 5 | + 3.363 | + 17. 14. 15.67 | 36.26 | 7 | +14.298 | 439 | ... | 257 |
| 1038 | 1044 | 27 Persei | 5 | 2. 58. 23.95 | 31.99 | 10 | + 3.986 | + 44. 13. 34.92 | 32.11 | 8 | +14.282 | 438 | ... | 256 |
| 1039 | 1045 | Lacaille 980 | 8 | 2. 58. 40.89 | 39.34 | 9 | + 1.866 | — 52. 3. 33.17 | 39.34 | 9 | +14.265 | ... | 980 | ... |
| 1040 | 1046 | 54 Arietis | 6.7 | 2. 59. 0.71 | 33.02 | 5 | + 3.381 | + 18. 9. 22.44 | 33.04 | 5 | +14.244 | 440 | ... | 259 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835°. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835°. | Mean Dec., 1835°. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835°. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|----------------------------------|----------------------|-------------------|---------------------------------|-------------------------------------|----------------------|-------------------|---------------------------------|----------|-----------|---------|
| 1041 | 1047 | Lacaille 985 | 7 | ^{h m s} 2. 59. 12.88 | 38°05 | 1 | ^s + 1'340 | ^{° ' "} - 61. 26. 43.15 | 38°05 | 2 | ["] +14'232 | ... | 985 | ... |
| 1042 | 1048 | Lacaille 982 | 8 | 2. 59. 23.60 | 38°04 | 5 | + 1'866 | - 51. 58. 11.62 | 38°04 | 5 | +14'221 | ... | 982 | ... |
| 1043 | 1049 | Lacaille 979 | 7 | 2. 59. 27.61 | 38°06 | 1 | + 2'335 | - 37. 58. 55.53 | 38°06 | 1 | +14'217 | ... | 979 | ... |
| 1044 | 1050 | Bradley 431 | 7 | 2. 59. 39.54 | 34°06 | 3 | + 7'199 | + 77. 6. 58.25 | 34°26 | 4 | +14'204 | 431 | ... | 255 |
| 1045 | 1051 | 55 Arietis | 7.8 | 2. 59. 42.14 | 34°01 | 3 | + 3'584 | + 28. 26. 30.70 | 34°26 | 4 | +14'201 | 441 | ... | 260 |
| 1046 | 1052 | Lacaille 989 | 5.6 | 2. 59. 44.22 | 38°06 | 2 | + 1'411 | - 60. 22. 49.42 | 38°06 | 2 | +14'199 | ... | 989 | ... |
| 1047 | 1053 | Lacaille 981 | 7 | 2. 59. 45.58 | 38°04 | 3 | + 2'513 | - 30. 37. 35.86 | 38°04 | 3 | +14'198 | ... | 981 | ... |
| 1048 | 1054 | Piazzi II. 262 | 7 | 2. 59. 49.15 | 34°47 | 4 | + 3'202 | + 7. 49. 48.50 | 34°32 | 4 | +14'194 | ... | ... | 262 |
| 1049 | 1055 | Piazzi II. 261 | 7 | 2. 59. 53.23 | 33°50 | 6 | + 3'418 | + 20. 7. 30.51 | 32°70 | 6 | +14'190 | ... | ... | 261 |
| 1050 | 1056 | Piazzi II. 263 | 8 | 2. 59. 58.77 | 36°58 | 5 | + 3'277 | + 12. 13. 21.12 | 36°24 | 4 | +14'185 | ... | ... | 263 |
| 1051 | 1057 | Brisbane 477 .. | 7.8 | 3. 0. 7.39 | 38°05 | 2 | + 1'331 | - 61. 29. 11.34 | 38°05 | 2 | +14'176 | ... | ... | ... |
| 1052 | 1058 | Piazzi II. 264 | 6.7 | 3. 0. 12.36 | 34°49 | 4 | + 3'393 | + 18. 44. 43.73 | 34°27 | 4 | +14'171 | ... | ... | 264 |
| 1053 | 1059 | Piazzi II. 266 | 8.9 | 3. 0. 25.23 | 36°44 | 4 | + 3'355 | + 16. 37. 40.16 | 36°49 | 4 | +14'157 | ... | ... | 266 |
| 1054 | 1060 | Brisbane 478 | 7 | 3. 0. 29.52 | 39°67 | 6 | + 1'314 | - 61. 41. 27.95 | 39°67 | 6 | +14'153 | ... | ... | ... |
| 1055 | 1061 | 28 Persei | 5.6 | 3. 0. 39.74 | 34°44 | 5 | + 3'839 | + 38. 58. 44.06 | 34°32 | 4 | +14'143 | 443 | ... | 265 |
| 1056 | 1062 | Bradley 444 | 6.7 | 3. 0. 40.23 | 36°81 | 13 | + 3'540 | + 26. 15. 34.95 | 36°38 | 9 | +14'142 | 444 | ... | ... |
| 1057 | 1063 | Lacaille 984 | 6 | 3. 0. 48.06 | 32°95 | 4 | + 2'558 | - 28. 28. 4.54 | 31°94 | 4 | +14'133 | ... | 984 | 267 |
| 1058 | 1064 | Brisbane 480 | 7.8 | 3. 1. 45.59 | 38°54 | 5 | + 2'275 | - 39. 55. 57.43 | 38°56 | 5 | +14'075 | ... | ... | ... |
| 1059 | 1065 | Piazzi II. 268 | 7.8 | 3. 1. 56.64 | 36°32 | 3 | + 4'112 | + 47. 29. 1.66 | 36°65 | 3 | +14'063 | ... | ... | 268 |
| 1060 | 1066 | Piazzi II. 269 | 7.8 | 3. 1. 58.55 | 36°47 | 4 | + 4'115 | + 47. 33. 0.36 | 36°50 | 4 | +14'060 | ... | ... | 269 |
| 1061 | 1067 | Hydri | 5 | 3. 1. 58.90 | 32°95 | 5 | + 0'038 | - 72. 32. 46.38 | 33°01 | 1 | +14'060 | ... | 1001 | ... |
| 1062 | 1068 | Lacaille 993 | 6.7 | 3. 2. 10.93 | 38°61 | 5 | + 2'377 | - 36. 3. 44.40 | 38°60 | 5 | +14'049 | ... | 993 | ... |
| 1063 | 1069 | 57 Arietis | 4 | 3. 2. 12.42 | 34°27 | 26 | + 3'403 | + 19. 5. 49.63 | 33°54 | 30 | +14'047 | 446 | ... | 2 |
| 1064 | 1070 | Piazzi III. 4 | 6.7 | 3. 2. 19.02 | 33°95 | 6 | + 3'282 | + 12. 25. 2.51 | 33°27 | 10 | +14'041 | ... | ... | 4 |
| 1065 | 1071 | 56 Arietis | 6 | 3. 2. 25.48 | 33°39 | 8 | + 3'551 | + 26. 37. 45.65 | 35°38 | 12 | +14'033 | 447 | ... | 3 |
| 1066 | 1072 | Brisbane 484 | 8 | 3. 2. 29.07 | 38°98 | 3 | + 2'213 | - 41. 58. 22.46 | 38°97 | 3 | +14'029 | ... | ... | ... |
| 1067 | 1073 | Brisbane 485 | 7.8 | 3. 2. 45.28 | 38°98 | 3 | + 2'477 | - 31. 53. 12.46 | 38°98 | 3 | +14'013 | ... | ... | ... |
| 1068 | 1074 | Bradley 445 | 7.8 | 3. 3. 9.99 | 36°49 | 4 | + 5'130 | + 65. 2. 16.83 | 36°52 | 4 | +13'987 | 445 | ... | 1 |
| 1069 | 1075 | Piazzi III. 6 | 6.7 | 3. 3. 41.61 | 34°49 | 4 | + 3'173 | + 6. 2. 4.93 | 34°27 | 4 | +13'954 | ... | ... | 6 |
| 1070 | 1076 | Brisbane 488 | 7 | 3. 4. 1.39 | 38°93 | 8 | + 1'942 | - 49. 35. 39.61 | 38°88 | 6 | +13'933 | ... | ... | ... |
| 1071 | 1077 | Piazzi III. 5 | 7 | 3. 4. 1.45 | 35°09 | 3 | + 3'934 | + 41. 52. 50.49 | 34°32 | 4 | +13'933 | ... | ... | 5 |
| 1072 | 1078 | Gould 3433 | 9 | 3. 4. 2.61 | 38°04 | 1 | + 1'942 | - 49. 38. 53.64 | 38°04 | 1 | +13'932 | ... | ... | ... |
| 1073 | 1079 | 94 Ceti | 5.6 | 3. 4. 21.57 | 32°88 | 6 | + 3'041 | - 1. 49. 6.30 | 32°10 | 6 | +13'912 | 450 | ... | 8 |
| 1074 | 1080 | Lacaille 999 | 7 | 3. 4. 28.36 | 38°03 | 3 | + 2'272 | - 39. 40. 49.57 | 38°02 | 3 | +13'904 | ... | 999 | ... |
| 1075 | 1081 | Brisbane 491 | 7 | 3. 4. 35.56 | 38°36 | 3 | + 1'275 | - 61. 46. 58.82 | 38°34 | 3 | +13'897 | ... | ... | ... |
| 1076 | 1082 | Piazzi III. 10 | 6.7 | 3. 4. 53.15 | 36°56 | 5 | + 2'520 | - 29. 47. 8.56 | 36°47 | 4 | +13'878 | ... | ... | 10 |
| 1077 | 1083 | 12 Eridani | 3.4 | 3. 5. 3.77 | 32°31 | 9 | + 2'522 | - 29. 38. 32.01 | 31°51 | 9 | +13'868 | 454 | 1000 | 13 |
| 1078 | 1084 | Lacaille 1006 | 7.8 | 3. 5. 5.93 | 39°30 | 12 | + 1'946 | - 49. 21. 38.34 | 39°76 | 15 | +13'865 | ... | 1006 | ... |
| 1079 | 1085 | Lacaille 1012 | 8 | 3. 5. 17.50 | 39°76 | 7 | + 1'633 | - 56. 6. 54.70 | 40°25 | 5 | +13'853 | ... | 1012 | ... |
| 1080 | 1086 | Piazzi III. 9 | 8.9 | 3. 5. 18.85 | 36°55 | 5 | + 3'629 | + 29. 56. 12.38 | 36°47 | 4 | +13'852 | ... | ... | 9 |

{xxx}

MADRAS GENERAL CATALOGUE OF STARS FOR 1835'0.

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|--|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | ^h ^m ^s | | | ^s | [°] ' " | | | " | | | |
| 1081 | 1087 | 58 Arietis | 5 | 3. 5. 25'86 | 32'80 | 23 | + 3'432 | + 20. 25. 39'40 | 32'27 | 19 | +13'845 | 451 | ... | 11 |
| 1082 | 1088 | Bradley 448 | 6'7 | 3. 5. 33'13 | 34'08 | 3 | + 5'151 | + 65. 2. 24'67 | 35'07 | 6 | +13'837 | 448 | ... | 7 |
| 1083 | 1089 | Lacaille 1005 | 7 | 3. 5. 37'14 | 38'02 | 5 | + 2'270 | - 39. 38. 48'05 | 38'02 | 5 | +13'832 | ... | 1005 | ... |
| 1084 | 1090 | Piazzi III. 12 | 7 | 3. 5. 42'64 | 34'48 | 4 | + 3'727 | + 34. 4. 19'72 | 34'28 | 4 | +13'827 | ... | ... | 12 |
| 1085 | 1091 | Lacaille 1002 | 7 | 3. 5. 49'67 | 38'39 | 3 | + 2'472 | - 31. 45. 9'23 | 38'39 | 3 | +13'819 | ... | 1002 | ... |
| 1086 | 1092 | Lacaille 1023 | 6'7 | 3. 6. 32'60 | 38'58 | 5 | + 1'490 | - 58. 26. 6'64 | 38'71 | 4 | +13'774 | ... | 1023 | ... |
| 1087 | 1093 | Lacaille 1014 | 6'7 | 3. 6. 33'34 | 34'45 | 4 | + 2'351 | - 36. 33. 56'03 | 34'37 | 3 | +13'773 | ... | 1014 | 17 |
| 1088 | 1094 | Lacaille 1016 | 6'7 | 3. 6. 38'24 | 36'89 | 7 | + 2'098 | - 45. 2. 30'08 | 36'76 | 7 | +13'767 | ... | 1016 | 19 |
| 1089 | 1095 | 30 Persei | 6'7 | 3. 6. 42'87 | 34'53 | 4 | + 3'993 | + 43. 24. 44'16 | 34'54 | 4 | +13'762 | 453 | ... | 14 |
| 1090 | 1096 | Lacaille 1015 | 6'7 | 3. 6. 45'06 | 36'62 | 7 | + 2'501 | - 30. 25. 27'05 | 36'04 | 7 | +13'760 | .. | 1015 | 18 |
| 1091 | 1097 | Lacaille 1017 | 7'8 | 3. 6. 53'97 | 38'95 | 3 | + 2'024 | - 47. 6. 36'23 | 38'95 | 3 | +13'750 | ... | 1017 | ... |
| 1092 | 1098 | 29 Persei | 7 | 3. 6. 55'06 | 34'66 | 3 | + 4'217 | + 49. 36. 37'48 | 34'29 | 4 | +13'749 | 452 | ... | 15 |
| 1093 | 1099 | Brisbane 506 | 9 | 3. 6. 55'77 | 40'80 | 7 | + 1'162 | - 62. 58. 39'61 | 40'82 | 9 | +13'748 | ... | ... | ... |
| 1094 | 1100 | Lacaille 1019 | 7 | 3. 7. 14'08 | 38'96 | 3 | + 2'194 | - 42. 0. 0'78 | 38'96 | 3 | +13'729 | ... | 1019 | ... |
| 1095 | 1101 | 31 Persei | 6'7 | 3. 7. 25'23 | 34'54 | 4 | + 4'214 | + 49. 29. 6'20 | 34'32 | 4 | +13'717 | 455 | ... | 16 |
| 1096 | 1102 | Bradley 456 | 7'8 | 3. 7. 30'82 | 35'38 | 3 | + 2'911 | - 9. 23. 9'54 | 34'54 | 4 | +13'712 | 456 | ... | 20 |
| 1097 | 1103 | Lacaille 1018 | 7 | 3. 7. 36'52 | 39'01 | 4 | + 2'269 | - 39. 25. 35'43 | 39'01 | 4 | +13'706 | ... | 1018 | ... |
| 1098 | 1104 | 13 Eridani | 4 | 3. 7. 49'44 | 32'46 | 15 | + 2'910 | - 9. 26. 14'61 | 31'55 | 10 | +13'692 | 457 | ... | 22 |
| 1099 | 1105 | Piazzi III. 21 | 8'9 | 3. 7. 54'38 | 36'70 | 4 | + 3'370 | + 16. 57. 38'54 | 36'58 | 5 | +13'686 | ... | ... | 21 |
| 1100 | 1106 | Lacaille 1021 | 6 | 3. 7. 54'54 | 35'96 | 2 | + 2'580 | - 26. 42. 58'03 | 34'97 | 4 | +13'686 | ... | 1021 | 24 |
| 1101 | 1107 | Lacaille 1020 | 7 | 3. 8. 10'84 | 34'51 | 4 | + 2'356 | - 36. 10. 30'08 | 34'28 | 4 | +13'669 | ... | 1020 | 25 |
| 1102 | 1108 | Lacaille 1040 | 6'7 | 3. 8. 23'14 | 39'06 | 3 | + 1'508 | - 57. 56. 29'51 | 39'05 | 3 | +13'655 | ... | 1040 | ... |
| 1103 | 1109 | Piazzi III. 23 | 6 | 3. 8. 25'92 | 34'32 | 4 | + 3'723 | + 33. 36. 45'97 | 34'27 | 4 | +13'652 | ... | ... | 23 |
| 1104 | 1110 | 14 Eridani | 6 | 3. 8. 36'42 | 34'87 | 8 | + 2'903 | - 9. 46. 10'78 | 31'93 | 5 | +13'642 | ... | ... | 26 |
| 1105 | 1111 | Brisbane 512 | 8 | 3. 8. 53'51 | 39'08 | 3 | + 2'416 | - 33. 47. 19'83 | 39'08 | 3 | +13'624 | ... | ... | ... |
| 1106 | 1112 | Brisbane 513 | 7 | 3. 9. 11'74 | 38'05 | 2 | + 2'259 | - 39. 36. 57'15 | 38'05 | 2 | +13'604 | ... | ... | ... |
| 1107 | 1113 | Lacaille 1038 | 8 | 3. 9. 15'07 | 38'56 | 5 | + 2'192 | - 41. 50. 44'21 | 38'56 | 5 | +13'600 | ... | 1038 | ... |
| 1108 | 1114 | Lacaille 1034 | 7 | 3. 9. 23'58 | 38'36 | 3 | + 2'471 | - 31. 26. 26'21 | 38'36 | 3 | +13'591 | ... | 1034 | ... |
| 1109 | 1115 | Lacaille 1042 | 6'7 | 3. 9. 31'61 | 38'01 | 3 | + 2'043 | - 46. 17. 7'12 | 38'01 | 3 | +13'583 | ... | 1042 | ... |
| 1110 | 1116 | Brisbane 517 | 7'8 | 3. 9. 46'71 | 39'49 | 7 | + 2'124 | - 43. 53. 57'40 | 39'49 | 7 | +13'567 | ... | ... | ... |
| 1111 | 1117 | 95 Ceti | 5'6 | 3. 9. 56'35 | 32'87 | 5 | + 3'046 | - 1. 32. 10'56 | 31'95 | 5 | +13'556 | 461 | ... | 31 |
| 1112 | 1118 | Lacaille 1045 | 7'8 | 3. 10. 4'75 | 35'80 | 4 | + 2'348 | - 36. 18. 7'75 | 34'54 | 4 | +13'548 | ... | 1045 | 35 |
| 1113 | 1119 | 59 Arietis | 6'7 | 3. 10. 5'59 | 33'04 | 5 | + 3'563 | + 26. 28. 7'91 | 32'60 | 6 | +13'547 | 460 | ... | 29 |
| 1114 | 1120 | Piazzi III. 28 | 6'7 | 3. 10. 12'46 | 35'11 | 7 | + 4'186 | + 48. 28. 14'88 | 34'25 | 5 | +13'539 | ... | ... | 28 |
| 1115 | 1121 | Piazzi III. 32 | 5'6 | 3. 10. 22'47 | 32'94 | 5 | + 3'607 | + 28. 26. 39'67 | 36'44 | 9 | +13'528 | ... | ... | 32 |
| 1116 | 1122 | Piazzi III. 33 | 7'8 | 3. 10. 24'44 | 36'44 | 4 | + 3'402 | + 18. 28. 17'27 | 36'49 | 6 | +13'526 | ... | ... | 33 |
| 1117 | 1123 | 32 Persei | 6'7 | 3. 10. 25'13 | 36'59 | 7 | + 3'984 | + 42. 43. 37'46 | 34'33 | 4 | +13'525 | 458 | ... | 30 |
| 1118 | 1124 | Piazzi III. 27 | 6 | 3. 10. 26'09 | 36'64 | 6 | + 5'095 | + 63. 59. 11'80 | 34'32 | 4 | +13'524 | ... | ... | 27 |
| 1119 | 1125 | 60 Arietis | 7 | 3. 10. 39'73 | 34'42 | 5 | + 3'534 | + 25. 3. 45'78 | 34'29 | 4 | +13'509 | 462 | ... | 34 |
| 1120 | 1126 | 96 Ceti | 6 | 3. 10. 42'94 | 33'06 | 6 | + 3'120 | + 2. 45. 36'21 | 33'04 | 5 | +13'507 | 463 | ... | 36 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{xxx}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 1121 | 1127 | Lacaille 1053 | 8 | h m s 3. 10. 44.05 | 38.02 | 3 | + 2.185 | — 41. 52. 50.30 | 38.02 | 3 | +13.505 | ... | 1053 | ... |
| 1122 | 1128 | 15 Eridani | 5.6 | 3. 11. 4.54 | 33.08 | 5 | + 2.649 | — 23. 7. 8.35 | 33.05 | 5 | +13.483 | 466 | 1051 | 39 |
| 1123 | 1129 | Lacaille 1057 | 7.8 | 3. 11. 8.51 | 38.34 | 3 | + 1.347 | — 60. 7. 36.08 | 38.36 | 3 | +13.479 | ... | 1057 | ... |
| 1124 | 1130 | Piazzi III. 38 | 6 | 3. 11. 23.13 | 34.55 | 4 | + 3.431 | + 19. 54. 28.46 | 34.96 | 4 | +13.462 | ... | ... | 38 |
| 1125 | 1131 | Piazzi III. 37 | 7.8 | 3. 11. 34.00 | 38.88 | 8 | + 4.198 | + 48. 36. 57.13 | 38.35 | 9 | +13.451 | ... | ... | 37 |
| 1126 | 1132 | 61 Arietis | 6 | 3. 11. 42.69 | 33.10 | 3 | + 3.444 | + 20. 32. 47.98 | 33.07 | 5 | +13.442 | 465 | ... | 40 |
| 1127 | 1133 | Lacaille 1056 | 7.8 | 3. 11. 56.53 | 39.45 | 9 | + 2.268 | — 38. 59. 5.44 | 39.44 | 9 | +13.426 | ... | 1056 | ... |
| 1128 | 1134 | Lacaille 1058 | 6 | 3. 12. 4.30 | 38.09 | 3 | + 1.953 | — 48. 21. 38.09 | 38.09 | 3 | +13.418 | ... | 1058 | ... |
| 1129 | 1135 | 16 Eridani | 3.4 | 3. 12. 10.78 | 32.31 | 8 | + 2.663 | — 22. 21. 44.84 | 31.56 | 10 | +13.411 | 469 | ... | 43 |
| 1130 | 1136 | Brisbane 524 | 7.8 | 3. 12. 12.35 | 38.04 | 3 | + 2.356 | — 35. 46. 18.77 | 38.04 | 3 | +13.410 | ... | ... | ... |
| 1131 | 1137 | 62 Arietis | 6 | 3. 12. 18.34 | 33.95 | 5 | + 3.579 | + 27. 0. 31.80 | 33.09 | 5 | +13.402 | 467 | ... | 42 |
| 1132 | 1138 | Brisbane 527 | 7.8 | 3. 12. 21.43 | 38.48 | 4 | + 2.269 | — 38. 54. 29.37 | 38.48 | 4 | +13.399 | ... | ... | ... |
| 1133 | 1139 | Lacaille 1055 | 6.7 | 3. 12. 23.72 | 38.35 | 3 | + 2.614 | — 24. 43. 30.73 | 38.46 | 3 | +13.397 | ... | 1055 | ... |
| 1134 | 1140 | 97 Oeti | 6 | 3. 12. 29.51 | 33.96 | 4 | + 3.126 | + 3. 4. 34.73 | 31.94 | 5 | +13.391 | 468 | ... | 44 |
| 1135 | 1141 | 33 Persei | 2.3 | 3. 12. 34.76 | 32.73 | 12 | + 4.229 | + 49. 16. 0.46 | 33.16 | 90 | +13.385 | 464 | ... | 41 |
| 1136 | 1142 | Lacaille 1059 | 6 | 3. 12. 48.86 | 38.04 | 3 | + 2.358 | — 35. 36. 20.34 | 38.04 | 3 | +13.370 | ... | 1059 | ... |
| 1137 | 1143 | 63 Arietis | 7 | 3. 13. 16.36 | 33.98 | 5 | + 3.438 | + 20. 8. 47.66 | 33.01 | 5 | +13.339 | 470 | ... | 45 |
| 1138 | 1144 | Lacaille 1060 | 4 | 3. 13. 20.16 | 33.74 | 15 | + 2.118 | — 43. 42. 19.13 | 34.41 | 15 | +13.335 | ... | 1060 | 47 |
| 1139 | 1145 | Brisbane 533 | 7.8 | 3. 13. 38.93 | 40.11 | 7 | + 2.134 | — 43. 10. 25.26 | 40.11 | 7 | +13.315 | ... | ... | ... |
| 1140 | 1146 | Lacaille 1063 | 7 | 3. 13. 40.99 | 38.49 | 4 | + 2.565 | — 26. 53. 35.53 | 38.49 | 4 | +13.313 | ... | 1063 | ... |
| 1141 | 1147 | Lacaille 1064 | 6.7 | 3. 13. 42.85 | 38.37 | 3 | + 2.558 | — 27. 12. 25.77 | 38.37 | 3 | +13.311 | ... | 1064 | ... |
| 1142 | 1148 | Piazzi III. 46 | 8 | 3. 13. 48.99 | 36.46 | 4 | + 3.444 | + 20. 22. 32.44 | 36.48 | 4 | +13.304 | ... | ... | 46 |
| 1143 | 1149 | Lacaille 1067 | 5.6 | 3. 14. 11.41 | 38.05 | 2 | + 2.616 | — 24. 13. 53.37 | 38.05 | 2 | +13.279 | ... | 1067 | ... |
| 1144 | 1150 | 64 Arietis | 5.6 | 3. 14. 34.75 | 35.25 | 7 | + 3.522 | + 24. 8. 2.30 | 36.48 | 9 | +13.254 | 472 | ... | 49 |
| 1145 | 1151 | 65 Arietis | 6 | 3. 14. 56.05 | 32.93 | 15 | + 3.442 | + 20. 12. 43.72 | 32.70 | 12 | +13.231 | 474 | ... | 50 |
| 1146 | 1152 | Piazzi III. 48 | 7.8 | 3. 15. 1.95 | 34.38 | 3 | + 4.792 | + 59. 41. ... | ... | ... | +13.224 | ... | ... | 48 |
| 1147 | 1153 | Lacaille 1071 | 5.6 | 3. 15. 11.00 | 38.02 | 3 | + 2.577 | — 26. 10. 55.68 | 38.02 | 3 | +13.213 | ... | 1071 | ... |
| 1148 | 1154 | Piazzi III. 51 | 4 | 3. 15. 46.28 | 31.91 | 6 | + 4.774 | + 59. 21. 25.95 | 31.98 | 10 | +13.174 | ... | ... | 51 |
| 1149 | 1155 | Piazzi III. 52 | 8 | 3. 15. 53.94 | 36.58 | 5 | + 4.233 | + 49. 0. 59.15 | 36.52 | 2 | +13.167 | ... | ... | 52 |
| 1150 | 1156 | 1 Tauri | 4.5 | 3. 15. 56.58 | 34.13 | 14 | + 3.222 | + 8. 26. 34.99 | 32.54 | 11 | +13.163 | 477 | ... | 55 |
| 1151 | 1157 | Lacaille 1080 | 7 | 3. 16. 13.60 | 38.03 | 3 | + 1.936 | — 48. 22. 13.06 | 38.03 | 3 | +13.145 | ... | 1080 | ... |
| 1152 | 1158 | Bradley 476 | 8.9 | 3. 16. 21.45 | 36.92 | 1 | + 4.214 | + 48. 28. 43.66 | 36.91 | 1 | +13.136 | 476 | ... | 53 |
| 1153 | 1159 | Brisbane 541 | 7.8 | 3. 16. 30.49 | 38.07 | 2 | + 2.252 | — 39. 3. 5.69 | 38.07 | 2 | +13.126 | ... | ... | ... |
| 1154 | 1160 | Piazzi III. 54 | 4.5 | 3. 16. 47.84 | 32.04 | 6 | + 4.711 | + 58. 17. 55.21 | 31.57 | 10 | +13.107 | ... | ... | 54 |
| 1155 | 1161 | Lacaille 1084 | 7.8 | 3. 16. 58.85 | 38.72 | 4 | + 2.164 | — 41. 50. 48.34 | 38.57 | 5 | +13.095 | ... | 1084 | ... |
| 1156 | 1162 | Piazzi III. 56 | 6.7 | 3. 17. 4.68 | 34.33 | 4 | + 4.249 | + 49. 16. 4.87 | 34.32 | 4 | +13.089 | ... | ... | 56 |
| 1157 | 1163 | Lacaille 1081 | 6 | 3. 17. 7.41 | 38.04 | 3 | + 2.406 | — 33. 17. 48.00 | 38.04 | 3 | +13.085 | ... | 1081 | ... |
| 1158 | 1164 | Piazzi III. 57 | 6.7 | 3. 17. 27.97 | 34.37 | 3 | + 4.514 | + 54. 52. 24.86 | 34.28 | 4 | +13.063 | ... | ... | 57 |
| 1159 | 1165 | 34 Persei | 5.6 | 3. 17. 36.12 | 34.34 | 4 | + 4.237 | + 48. 55. 48.92 | 34.31 | 4 | +13.053 | 478 | ... | 59 |
| 1160 | 1166 | Piazzi III. 60 | 7 | 3. 17. 38.72 | 33.02 | 5 | + 3.405 | + 18. 10. 24.27 | 33.00 | 5 | +13.051 | ... | ... | 60 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|---------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 1161 | 1167 | Piazzi III. 58..... | 8.9 | h m s 3. 17. 40.26 | 36.55 | 5 | + 4.512 | + 54. 47. 48.23 | 36.49 | 4 | +13.049 | ... | ... | 58 |
| 1162 | 1168 | Piazzi III. 62..... | 7 | 3. 18. 0.13 | 34.30 | 4 | + 3.738 | + 33. 13. 45.32 | 34.28 | 4 | +13.027 | ... | ... | 62 |
| 1163 | 1169 | Lacaille 1091 | 7 | 3. 18. 10.25 | 38.03 | 4 | + 2.162 | - 41. 49. 2.48 | 38.02 | 4 | +13.016 | ... | 1091 | ... |
| 1164 | 1170 | 2 Tauri | 4 | 3. 18. 14.15 | 33.32 | 19 | + 3.236 | + 9. 9. 7.45 | 32.66 | 15 | +13.012 | 481 | ... | 63 |
| 1165 | 1171 | Piazzi III. 61..... | 8.9 | 3. 18. 14.85 | 36.90 | 1 | + 4.179 | + 47. 24. 2.53 | 36.34 | 3 | +13.010 | ... | ... | 61 |
| 1166 | 1172 | Lacaille 1089 | 7 | 3. 18. 23.05 | 38.05 | 3 | + 2.474 | - 30. 25. 41.75 | 38.05 | 3 | +13.001 | ... | 1089 | ... |
| 1167 | 1173 | 66 Arietis..... | 6.7 | 3. 18. 48.74 | 33.05 | 5 | + 3.489 | + 22. 13. 46.06 | 31.94 | 5 | +12.972 | 482 | ... | 65 |
| 1168 | 1174 | 35 Persei | 5 | 3. 18. 59.01 | 35.77 | 9 | + 4.183 | + 47. 25. 7.91 | 31.54 | 8 | +12.961 | 479 | ... | 64 |
| 1169 | 1175 | Lacaille 1099 | 8 | 3. 19. 22.51 | 38.93 | 3 | + 2.247 | - 38. 53. 48.36 | 38.93 | 3 | +12.934 | ... | 1099 | ... |
| 1170 | 1176 | Lacaille 1096 | 6 | 3. 19. 25.15 | 38.38 | 3 | + 2.531 | - 27. 54. 6.96 | 38.38 | 3 | +12.932 | ... | 1096 | ... |
| 1171 | 1177 | Fornacis | 6.7 | 3. 19. 33.41 | 36.66 | 6 | + 2.315 | - 36. 30. 11.42 | 36.16 | 7 | +12.922 | ... | 1101 | 69 |
| 1172 | 1178 | Piazzi III. 67..... | 7.8 | 3. 19. 35.82 | 34.31 | 4 | + 3.267 | + 10. 48. 49.80 | 34.27 | 4 | +12.919 | ... | ... | 67 |
| 1173 | 1179 | Lacaille 1103 | 7 | 3. 19. 36.72 | 38.95 | 2 | + 2.314 | - 36. 32. 26.39 | 38.95 | 2 | +12.918 | ... | 1103 | ... |
| 1174 | 1180 | Lacaille 1106 | 6.7 | 3. 19. 42.72 | 38.96 | 2 | + 1.779 | - 51. 38. 51.30 | 38.95 | 2 | +12.912 | ... | 1106 | ... |
| 1175 | 1181 | Piazzi III. 66..... | 8 | 3. 19. 57.07 | 36.29 | 7 | + 4.181 | + 47. 17. 27.85 | 34.33 | 8 | +12.896 | ... | ... | 66 |
| 1176 | 1182 | Lacaille 1107 | 7 | 3. 20. 17.98 | 34.56 | 4 | + 2.142 | - 42. 13. 9.95 | 34.30 | 4 | +12.873 | ... | 1107 | 73 |
| 1177 | 1183 | Piazzi III. 70..... | 7 | 3. 20. 24.39 | 37.96 | 10 | + 3.370 | + 16. 11. 16.88 | 37.53 | 8 | +12.865 | ... | ... | 70 |
| 1178 | 1184 | Piazzi III. 72..... | 6.7 | 3. 20. 28.08 | 37.24 | 9 | + 3.120 | + 2. 40. 21.52 | 36.40 | 6 | +12.862 | ... | ... | 72 |
| 1179 | 1185 | Bradley 483..... | 7 | 3. 20. 31.00 | 37.10 | 5 | + 4.190 | + 47. 27. 12.27 | 35.84 | 7 | +12.859 | 483 | ... | 68 |
| 1180 | 1186 | Brisbane 553..... | 8 | 3. 20. 34.24 | 38.36 | 5 | + 2.175 | - 41. 9. 1.09 | 38.44 | 5 | +12.856 | ... | ... | ... |
| 1181 | 1187 | 36 Persei..... | 5.6 | 3. 21. 2.23 | 34.54 | 4 | + 4.118 | + 45. 29. 24.91 | 34.29 | 4 | +12.825 | 484 | ... | 71 |
| 1182 | 1188 | Lacaille 1108 | 7 | 3. 21. 9.99 | 35.09 | 3 | + 2.318 | - 36. 15. 30.91 | 34.07 | 1 | +12.816 | ... | 1108 | 76 |
| 1183 | 1189 | 4 Tauri | 6 | 3. 21. 23.99 | 32.94 | 5 | + 3.268 | + 10. 45. 52.31 | 32.34 | 5 | +12.800 | 485 | ... | 75 |
| 1184 | 1190 | Piazzi III. 74..... | 8 | 3. 21. 41.82 | 36.71 | 4 | + 4.192 | + 47. 23. 3.00 | 36.39 | 5 | +12.779 | ... | ... | 74 |
| 1185 | 1191 | 5 Tauri | 5.6 | 3. 21. 46.44 | 34.37 | 13 | + 3.298 | + 12. 21. 57.16 | 33.36 | 8 | +12.774 | 486 | ... | 77 |
| 1186 | 1192 | Fornacis..... | 7 | 3. 21. 49.62 | 34.53 | 4 | + 2.311 | - 36. 25. 42.61 | 34.34 | 7 | +12.770 | ... | 1111 | 79 |
| 1187 | 1193 | Lacaille 1117 | 7 | 3. 22. 3.21 | 37.93 | 12 | + 2.660 | - 44. 25. 59.17 | 37.76 | 8 | +12.756 | ... | 1117 | 81 |
| 1188 | 1194 | Piazzi III. 78..... | 9 | 3. 22. 18.19 | 36.31 | 3 | + 3.512 | + 23. 4. 43.43 | 36.32 | 3 | +12.739 | ... | ... | 78 |
| 1189 | 1195 | Lacaille 1115 | 6.7 | 3. 22. 23.29 | 38.01 | 3 | + 2.369 | - 34. 13. 42.04 | 38.01 | 3 | +12.733 | ... | 1115 | ... |
| 1190 | 1196 | 17 Eridani | 4.5 | 3. 22. 26.21 | 32.42 | 18 | + 2.970 | - 5. 38. 45.21 | 31.63 | 10 | +12.730 | 487 | ... | 80 |
| 1191 | 1197 | Piazzi III. 82..... | 8 | 3. 23. 39.90 | 34.28 | 4 | + 3.369 | + 16. 2. 17.00 | 34.26 | 4 | +12.646 | ... | ... | 82 |
| 1192 | 1198 | 6 Tauri | 6.7 | 3. 23. 40.88 | 33.06 | 6 | + 3.232 | + 8. 48. 35.92 | 31.98 | 5 | +12.645 | 489 | ... | 83 |
| 1193 | 1199 | Lacaille 1125 | 5 | 3. 24. 21.07 | 32.05 | 9 | + 2.138 | - 41. 55. 49.93 | 31.51 | 7 | +12.600 | ... | 1125 | 88 |
| 1194 | 1200 | 7 Tauri | 6 | 3. 24. 41.12 | 32.98 | 6 | + 3.534 | + 23. 54. 17.30 | 31.93 | 5 | +12.577 | 491 | ... | 86 |
| 1195 | 1201 | Brisbane 562..... | 8 | 3. 24. 43.60 | 38.02 | 3 | + 2.178 | - 40. 40. 48.85 | 38.02 | 3 | +12.573 | ... | ... | ... |
| 1196 | 1202 | Piazzi III. 87..... | 6.7 | 3. 24. 45.04 | 34.50 | 4 | + 3.396 | + 17. 17. 10.02 | 34.29 | 4 | +12.572 | ... | ... | 87 |
| 1197 | 1203 | Bradley 490..... | 7 | 3. 24. 45.18 | 34.07 | 3 | + 3.709 | + 31. 27. 32.20 | 34.32 | 4 | +12.572 | 490 | ... | 85 |
| 1198 | 1204 | 37 Persei | 5 | 3. 24. 47.96 | 32.32 | 13 | + 4.215 | + 47. 38. 11.90 | 31.59 | 10 | +12.568 | 488 | ... | 84 |
| 1199 | 1205 | Lacaille 1127 ... | 7.8 | 3. 24. 54.25 | 38.01 | 3 | + 2.366 | - 34. 6. 45.12 | 38.01 | 3 | +12.562 | ... | 1127 | ... |
| 1200 | 1206 | 18 Eridani..... | 4 | 3. 25. 9.73 | 33.76 | 18 | + 2.883 | - 10. 1. 16.80 | 31.66 | 11 | +12.544 | 493 | ... | 89 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Procession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Procession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|---------------------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 1201 | 1207 | Lacaille 1130 | 6.7 | 3. 25. 19.86 | 38.03 | 3 | + 1.915 | - 47. 56. 31.26 | 38.03 | 3 | +12.533 | ... | 1130 | ... |
| 1202 | 1208 | Piazzi III. 90 | 9 | 3. 25. 52.42 | 36.47 | 4 | + 3.419 | + 18. 20. 52.59 | 36.77 | 6 | +12.496 | ... | ... | 90 |
| 1203 | 1209 | 19 Eridani ^{7.5} | 4 | 3. 26. 30.24 | 32.26 | 15 | + 2.645 | - 22. 11. 27.28 | 31.76 | 8 | +12.453 | 495 | ... | 95 |
| 1204 | 1210 | Piazzi III. 92 | 9 | 3. 26. 48.58 | 36.47 | 4 | + 3.371 | + 15. 55. 32.32 | 36.50 | 4 | +12.430 | ... | ... | 92 |
| 1205 | 1211 | Piazzi III. 93 | 8 | 3. 26. 53.06 | 36.58 | 5 | + 3.444 | + 19. 30. 57.67 | 36.24 | 4 | +12.426 | ... | ... | 93 |
| 1206 | 1212 | Piazzi III. 91 | 8 | 3. 26. 55.18 | 36.72 | 4 | + 3.692 | + 30. 34. 23.13 | 36.63 | 3 | +12.425 | ... | ... | 91 |
| 1207 | 1213 | 9 Tauri | 6 | 3. 27. 16.71 | 32.96 | 5 | + 3.511 | + 22. 39. 33.80 | 31.93 | 6 | +12.398 | 494 | ... | ... |
| 1208 | 1214 | Piazzi III. 96 | 7 | 3. 27. 17.51 | 35.18 | 7 | + 3.693 | + 30. 34. 2.68 | 35.02 | 6 | +12.398 | ... | ... | 96 |
| 1209 | 1215 | Lacaille 1144 | 6 | 3. 27. 40.35 | 38.05 | 3 | + 1.775 | - 50. 56. 30.03 | 38.04 | 3 | +12.372 | ... | 1144 | ... |
| 1210 | 1216 | Brisbane 568 | 8 | 3. 27. 40.98 | 39.42 | 10 | + 2.232 | - 38. 35. 29.34 | 39.42 | 10 | +12.371 | ... | ... | ... |
| 1211 | 1217 | Piazzi III. 94 | 6 | 3. 27. 54.08 | 34.34 | 4 | + 5.110 | + 62. 40. 23.27 | 34.31 | 4 | +12.356 | ... | ... | 94 |
| 1212 | 1218 | Lacaille 1138 | 6 | 3. 27. 56.84 | 38.05 | 3 | + 2.403 | - 32. 25. 49.76 | 38.05 | 3 | +12.352 | ... | 1138 | ... |
| 1213 | 1219 | Bradley 496 | 7 | 3. 28. 19.58 | 34.99 | 4 | + 3.073 | + 0. 2. 38.16 | 34.28 | 4 | +12.327 | 496 | ... | 98 |
| 1214 | 1220 | 10 Tauri | 5 | 3. 28. 27.65 | 32.04 | 11 | + 3.070 | - 0. 7. 34.60 | 31.46 | 13 | +12.318 | 497 | ... | 100 |
| 1215 | 1221 | Piazzi III. 99 | 7 | 3. 28. 32.79 | 34.56 | 4 | + 3.352 | + 14. 52. 57.84 | 34.33 | 4 | +12.311 | ... | ... | 99 |
| 1216 | 1222 | 20 Eridani | 6 | 3. 28. 46.65 | 35.97 | 9 | + 2.728 | - 18. 1. 4.25 | 38.64 | 10 | +12.296 | 498 | ... | 101 |
| 1217 | 1223 | Piazzi III. 97 | 6 | 3. 29. 10.47 | 35.09 | 3 | + 4.863 | + 59. 25. 43.87 | 34.32 | 4 | +12.269 | ... | ... | 97 |
| 1218 | 1224 | Piazzi III. 103 | 7 | 3. 30. 6.27 | 32.80 | 5 | + 3.376 | + 15. 59. 38.70 | 32.76 | 5 | +12.204 | ... | ... | 103 |
| 1219 | 1225 | Lacaille 1154 | 7 | 3. 30. 13.18 | 34.51 | 4 | + 2.037 | - 44. 16. 1.50 | 34.30 | 4 | +12.196 | ... | 1154 | 108 |
| 1220 | 1226 | Lacaille 1153 | 6 | 3. 30. 23.78 | 38.02 | 4 | + 2.347 | - 34. 19. 45.33 | 38.20 | 4 | +12.183 | ... | 1153 | ... |
| 1221 | 1227 | Lacaille 1152 | 6.7 | 3. 30. 25.13 | 38.03 | 3 | + 2.449 | - 30. 22. 35.42 | 38.03 | 3 | +12.182 | ... | 1152 | ... |
| 1222 | 1228 | Piazzi III. 104 | 7 | 3. 30. 25.42 | 35.11 | 3 | + 3.873 | + 37. 2. 25.59 | 34.34 | 4 | +12.182 | ... | ... | 104 |
| 1223 | 1229 | Piazzi III. 102 | 6.7 | 3. 30. 29.32 | 34.01 | 3 | + 5.536 | + 66. 40. 25.16 | 34.29 | 4 | +12.177 | ... | ... | 102 |
| 1224 | 1230 | Lacaille 1155 | 6.7 | 3. 30. 49.31 | 38.07 | 3 | + 2.275 | - 36. 50. 22.92 | 38.07 | 3 | +12.153 | ... | 1155 | ... |
| 1225 | 1231 | Brisbane 577 | 8 | 3. 30. 51.93 | 38.56 | 7 | + 2.344 | - 34. 24. 23.80 | 38.46 | 4 | +12.150 | ... | ... | ... |
| 1226 | 1232 | 21 Eridani | 6 | 3. 30. 52.72 | 33.32 | 6 | + 2.957 | - 6. 9. 36.72 | 32.97 | 5 | +12.149 | 502 | ... | 109 |
| 1227 | 1233 | 11 Tauri | 6 | 3. 30. 55.89 | 33.67 | 9 | + 3.563 | + 24. 47. 23.32 | 35.39 | 12 | +12.146 | 500 | ... | 107 |
| 1228 | 1234 | Lacaille 1161 | 5 | 3. 31. 10.50 | 33.00 | 10 | + 2.152 | - 40. 49. 12.06 | 32.35 | 14 | +12.130 | ... | 1161 | 113 |
| 1229 | 1235 | 39 Persei ⁸ | 3.4 | 3. 31. 12.57 | 32.01 | 9 | + 4.224 | + 47. 15. 9.30 | 33.12 | 28 | +12.128 | 499 | ... | 106 |
| 1230 | 1236 | 12 Tauri | 6 | 3. 31. 15.98 | 34.21 | 5 | + 3.119 | + 2. 30. 54.90 | 33.04 | 5 | +12.123 | 503 | ... | 110 |
| 1231 | 1237 | Piazzi III. 105 | 6.7 | 3. 31. 40.56 | 34.04 | 3 | + 5.149 | + 62. 48. 52.16 | 34.30 | 4 | +12.094 | ... | ... | 105 |
| 1232 | 1239 | Lacaille 1163 | 6 | 3. 31. 56.02 | 33.57 | 6 | + 2.493 | - 28. 29. 10.95 | 33.03 | 5 | +12.075 | ... | 1163 | 114 |
| 1233 | 1238 | 40 Persei ⁰ | 6 | 3. 31. 56.11 | 34.52 | 4 | + 3.777 | + 33. 25. 45.24 | 34.27 | 4 | +12.075 | 501 | ... | 112 |
| 1234 | 1240 | Piazzi III. 117 ... | 9 | 3. 32. 13.26 | 36.92 | 2 | + 2.490 | - 28. 33. 41.68 | 36.49 | 4 | +12.056 | ... | ... | 117 |
| 1235 | 1241 | 22 Eridani | 5.6 | 3. 32. 28.54 | 33.10 | 5 | + 2.964 | - 5. 44. 55.35 | 33.03 | 5 | +12.038 | 505 | ... | 116 |
| 1236 | 1242 | Piazzi III. 115 | 8 | 3. 32. 34.63 | 36.57 | 5 | + 3.510 | + 22. 15. 17.77 | 36.26 | 4 | +12.031 | ... | ... | 115 |
| 1237 | 1243 | Brisbane 581 | 9 | 3. 32. 37.82 | 40.29 | 3 | + 2.337 | - 34. 30. 26.14 | 40.29 | 3 | +12.026 | ... | ... | ... |
| 1238 | 1244 | 13 Tauri | 6.7 | 3. 32. 48.70 | 32.73 | 5 | + 3.445 | + 19. 9. 57.52 | 32.72 | 4 | +12.014 | 504 | ... | 118 |
| 1239 | 1245 | Camelopardi ⁷ | 6 | 3. 33. 3.06 | 35.12 | 2 | + 6.152 | + 70. 48. 45.69 | 34.33 | 4 | +11.998 | ... | ... | 111 |
| 1240 | 1246 | Piazzi III. 120 | 8 | 3. 33. 16.34 | 36.48 | 4 | + 3.395 | + 16. 45. 30.05 | 36.50 | 4 | +11.983 | ... | ... | 120 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Procession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Procession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------------|------------|------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 1241 | 1247 | Piazzi III. 119..... | 8 | 3. 33. 43.95 | 36.27 | 4 | + 4.229 | + 47. 8. 0.31 | 36.38 | 3 | +11.949 | ... | ... | 119 |
| 1242 | 1248 | Lacaille 1181 | 7 | 3. 33. 51.75 | 34.34 | 4 | + 2.142 | - 40. 53. 25.48 | 34.32 | 4 | +11.941 | ... | 1181 | 126 |
| 1243 | 1249 | 38 Persei ^o | 4 | 3. 33. 59.39 | 32.08 | 6 | + 3.738 | + 31. 45. 32.65 | 31.57 | 10 | +11.932 | ... | ... | 123 |
| 1244 | 1250 | 41 Persei ^v | 4.5 | 3. 34. 0.65 | 34.00 | 9 | + 4.041 | + 42. 3. 1.50 | 32.74 | 14 | +11.931 | 506 | ... | 122 |
| 1245 | 1251 | Piazzi III. 124..... | 8 | 3. 34. 3.35 | 36.51 | 4 | + 3.467 | + 20. 11. 14.51 | 36.50 | 4 | +11.928 | ... | ... | 124 |
| 1246 | 1252 | 14 Tauri | 7 | 3. 34. 15.56 | 33.12 | 3 | + 3.445 | + 19. 8. 15.34 | 33.06 | 6 | +11.914 | 507 | ... | 125 |
| 1247 | 1253 | Brisbane 584 | 7 | 3. 34. 22.09 | 39.18 | 8 | + 2.389 | - 32. 24. 12.75 | 39.47 | 7 | +11.904 | ... | ... | ... |
| 1248 | 1254 | Piazzi III. 121 | 5.6 | 3. 34. 29.27 | 34.07 | 3 | + 5.381 | + 65. 0. 22.14 | 34.28 | 4 | +11.897 | ... | ... | 121 |
| 1249 | 1255 | Piazzi III. 128 | 7 | 3. 34. 52.92 | 34.49 | 4 | + 3.473 | + 20. 24. 4.73 | 34.28 | 4 | +11.868 | ... | ... | 128 |
| 1250 | 1256 | Lacaille 1197 | 7.8 | 3. 34. 53.41 | 38.94 | 2 | + 1.181 | - 60. 19. 2.63 | 38.94 | 2 | +11.868 | ... | 1197 | ... |
| 1251 | 1257 | 16 Tauri | 5.6 | 3. 35. 0.51 | 33.55 | 6 | + 3.547 | + 23. 45. 51.85 | 33.10 | 3 | +11.860 | 508 | ... | 129 |
| 1252 | 1258 | 17 Tauri | 4.5 | 3. 35. 5.45 | 33.04 | 10 | + 3.543 | + 23. 35. 18.83 | 32.27 | 11 | +11.854 | 509 | ... | 130 |
| 1253 | 1259 | Piazzi III. 127 | 9 | 3. 35. 6.07 | 36.73 | 4 | + 4.232 | + 47. 4. 48.39 | 36.50 | 4 | +11.853 | ... | ... | 127 |
| 1254 | 1260 | Lacaille 1190 | 7 | 3. 35. 19.01 | 35.38 | 3 | + 2.124 | - 41. 18. 4.06 | 34.95 | 4 | +11.838 | ... | 1190 | 140 |
| 1255 | 1261 | Lacaille 1195 | 6.7 | 3. 35. 19.23 | 38.06 | 3 | + 1.616 | - 53. 26. 49.99 | 38.01 | 3 | +11.838 | ... | 1195 | ... |
| 1256 | 1262 | 18 Tauri | 7 | 3. 35. 19.90 | 35.90 | 7 | + 3.560 | + 24. 18. 55.15 | 35.72 | 10 | +11.837 | 510 | ... | 131 |
| 1257 | 1263 | 23 Eridani ^δ | 3.4 | 3. 35. 20.96 | 34.30 | 6 | + 2.875 | - 10. 19. 38.52 | 31.61 | 10 | +11.836 | 515 | ... | 134 |
| 1258 | 1264 | 19 Tauri | 5 | 3. 35. 24.11 | 31.97 | 7 | + 3.552 | + 23. 56. 34.65 | 32.22 | 9 | +11.832 | 511 | ... | 132 |
| 1259 | 1265 | Piazzi III. 133 | 8 | 3. 35. 39.53 | 36.99 | 2 | + 3.523 | + 22. 40. 57.32 | 36.58 | 3 | +11.814 | ... | ... | 133 |
| 1260 | 1266 | Piazzi III. 138 | 6 | 3. 35. 41.31 | 33.95 | 5 | + 2.862 | - 11. 0. 47.30 | 33.06 | 5 | +11.812 | ... | ... | 138 |
| 1261 | 1267 | Lacaille 1191 | 5 | 3. 35. 41.42 | 36.06 | 14 | + 2.384 | - 32. 28. 10.03 | 34.03 | 17 | +11.812 | ... | 1191 | 142 |
| 1262 | 1268 | Piazzi III. 135 | 8 | 3. 35. 49.79 | 36.70 | 3 | + 3.549 | + 23. 48. 46.29 | 36.68 | 3 | +11.801 | ... | ... | 135 |
| 1263 | 1269 | 20 Tauri | 5 | 3. 36. 1.16 | 32.78 | 4 | + 3.550 | + 23. 50. 44.60 | 32.80 | 5 | +11.789 | 512 | ... | 136 |
| 1264 | 1270 | Piazzi III. 139 | 7 | 3. 36. 5.00 | 35.02 | 6 | + 3.523 | + 22. 37. 31.32 | 34.29 | 4 | +11.784 | ... | ... | 139 |
| 1265 | 1271 | 21 Tauri | 6.7 | 3. 36. 5.67 | 36.71 | 6 | + 3.554 | + 24. 1. 58.03 | 34.80 | 12 | +11.783 | 513 | ... | 137 |
| 1266 | 1272 | 24 Eridani | 6.7 | 3. 36. 7.96 | 34.53 | 4 | + 3.040 | - 1. 41. 19.64 | 34.31 | 4 | +11.781 | 517 | ... | 143 |
| 1267 | 1273 | 22 Tauri | 6.7 | 3. 36. 13.99 | 35.47 | 7 | + 3.554 | + 24. 0. 25.00 | 37.90 | 2 | +11.774 | 514 | ... | 141 |
| 1268 | 1274 | 25 Eridani | 6.7 | 3. 36. 30.58 | 38.18 | 9 | + 3.057 | - 0. 49. 16.18 | 37.58 | 7 | +11.755 | 518 | ... | 145 |
| 1269 | 1275 | 23 Tauri | 5 | 3. 36. 32.69 | 33.65 | 6 | + 3.542 | + 23. 25. 42.40 | 33.31 | 7 | +11.751 | 516 | ... | 144 |
| 1270 | 1276 | Eridani ^u | 5 | 3. 36. 43.28 | 33.04 | 5 | + 2.230 | - 37. 50. 17.39 | 32.07 | 5 | +11.738 | ... | 1198 | 149 |
| 1271 | 1277 | Lacaille 1208 | 7 | 3. 36. 52.27 | 38.02 | 3 | + 1.930 | - 46. 29. 14.63 | 38.02 | 2 | +11.728 | ... | 1208 | ... |
| 1272 | 1278 | 29 Tauri ^u | 6 | 3. 36. 54.93 | 33.05 | 5 | + 3.177 | + 5. 31. 41.39 | 33.07 | 5 | +11.725 | 519 | ... | 146 |
| 1273 | 1279 | Piazzi III. 147 | 7 | 3. 37. 10.39 | 34.05 | 2 | + 3.555 | + 24. 0. 7.40 | 36.75 | 5 | +11.708 | ... | ... | 147 |
| 1274 | 1280 | 24 Tauri | 7 | 3. 37. 33.31 | 38.50 | 10 | + 3.547 | + 23. 35. 58.14 | 40.45 | 5 | +11.679 | 520 | ... | 150 |
| 1275 | 1281 | Piazzi III. 151 | 7 | 3. 37. 41.13 | 35.72 | 6 | + 3.551 | + 23. 46. 19.56 | 33.98 | 4 | +11.670 | ... | ... | 151 |
| 1276 | 1282 | 25 Tauri ^η | 3 | 3. 37. 41.34 | 34.42 | 7 | + 3.547 | + 23. 35. 19.83 | 33.39 | 16 | +11.670 | 521 | ... | 152 |
| 1277 | 1283 | Piazzi III. 148 | 7.8 | 3. 38. 14.26 | 36.55 | 4 | + 4.947 | + 59. 49. 32.48 | 37.04 | 2 | +11.632 | ... | ... | 148 |
| 1278 | 1284 | Lacaille 1214 | 6 | 3. 38. 16.15 | 38.03 | 3 | + 2.119 | - 41. 10. 46.85 | 38.03 | 3 | +11.630 | ... | 1214 | ... |
| 1279 | 1285 | 26 Eridani ^π | 5 | 3. 38. 20.90 | 32.07 | 6 | + 2.828 | - 12. 37. 26.26 | 31.45 | 5 | +11.624 | 526 | ... | 154 |
| 1280 | 1286 | Bradley 522 | 7 | 3. 38. 35.43 | 33.95 | 5 | + 3.533 | + 22. 54. 27.95 | 33.93 | 5 | +11.606 | 522 | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 1281 | 1287 | Bradley 523 | 7 | h m s 3. 38. 41'19 | 38'16 | 7 | + 3'554 | + 23. 49. 56'55 | 37'61 | 6 | +11'599 | 523 | ... | 153 |
| 1282 | 1288 | Lacaille 1217 | 7 | 3. 38. 47'01 | 38'04 | 3 | + 2'177 | - 39. 20. 33'67 | 38'05 | 3 | +11'592 | ... | 1217 | ... |
| 1283 | 1289 | 42 Persei | 6 | 3. 39. 8'18 | 35'09 | 3 | + 3'772 | + 32. 34. 43'09 | 34'32 | 4 | +11'568 | 524 | ... | 155 |
| 1284 | 1290 | 26 Tauri | 7 | 3. 39. 9'46 | 35'88 | 13 | + 3'544 | + 23. 20. 47'33 | 34'57 | 6 | +11'566 | 525 | ... | 156 |
| 1285 | 1291 | 30 Tauri | 6 | 3. 39. 14'01 | 32'63 | 6 | + 3'277 | + 10. 37. 47'26 | 32'61 | 5 | +11'560 | 529 | ... | 159 |
| 1286 | 1292 | Brisbane 596 | 7.8 | 3. 39. 16'15 | 38'49 | 4 | + 2'363 | - 32. 59. 59'86 | 39'25 | 4 | +11'558 | ... | ... | ... |
| 1287 | 1293 | 27 Tauri | 5 | 3. 39. 21'77 | 33'05 | 8 | + 3'548 | + 23. 32. 34'10 | 31'70 | 9 | +11'551 | 527 | ... | 157 |
| 1288 | 1294 | 28 Tauri | 5.6 | 3. 39. 22'93 | 33'11 | 4 | + 3'550 | + 23. 37. 34'78 | 32'95 | 5 | +11'550 | 528 | ... | 158 |
| 1289 | 1295 | Piazzi III. 161 | 7 | 3. 39. 25'09 | 37'59 | 9 | + 3'545 | + 23. 22. 33'25 | 38'59 | 4 | +11'547 | ... | ... | 161 |
| 1290 | 1296 | Piazzi III. 162 | 8 | 3. 39. 32'79 | 39'41 | 8 | + 3'248 | + 9. 7. 54'81 | 38'98 | 9 | +11'537 | ... | ... | 162 |
| 1291 | 1297 | Lacaille 1224 | 6 | 3. 39. 44'16 | 35'39 | 7 | + 2'444 | - 29. 51. 20'25 | 33'09 | 5 | +11'524 | ... | 1224 | 169 |
| 1292 | 1298 | 27 Eridani | 5.6 | 3. 39. 45'17 | 32'53 | 12 | + 2'591 | - 23. 44. 28'90 | 32'16 | 8 | +11'523 | 530 | ... | 168 |
| 1293 | 1299 | Lacaille 1230 | 6.7 | 3. 39. 47'59 | 39'63 | 8 | + 1'831 | - 48. 34. 39'05 | 38'52 | 6 | +11'520 | ... | 1230 | ... |
| 1294 | 1300 | Lacaille 1225 | 7 | 3. 39. 51'32 | 39'02 | 6 | + 2'182 | - 39. 6. 3'31 | 39'46 | 7 | +11'515 | ... | 1225 | ... |
| 1295 | 1301 | Piazzi III. 163 | 7.8 | 3. 39. 56'82 | 36'31 | 3 | + 3'541 | + 23. 12. 10'83 | 36'34 | 3 | +11'508 | ... | ... | 163 |
| 1296 | 1302 | Brisbane 605 | 6.7 | 3. 40. 5'90 | 40'02 | 5 | + 1'507 | - 55. 0. 12'00 | 40'48 | 7 | +11'499 | ... | ... | ... |
| 1297 | 1303 | Piazzi III. 164 | 7 | 3. 40. 7'32 | 37'30 | 6 | + 3'556 | + 23. 50. 28'24 | 42'94 | 2 | +11'497 | ... | ... | 164 |
| 1298 | 1304 | Lacaille 1232 | 6 | 3. 40. 8'74 | 38'09 | 3 | + 1'860 | - 47. 52. 40'15 | 38'08 | 3 | +11'495 | ... | 1232 | ... |
| 1299 | 1305 | Piazzi III. 165 | 7 | 3. 40. 10'76 | 36'49 | 6 | + 3'545 | + 23. 20. 29'02 | 34'96 | 3 | +11'492 | ... | ... | 165 |
| 1300 | 1306 | Piazzi III. 166 | 7 | 3. 40. 13'79 | 32'98 | 5 | + 3'509 | + 21. 44. 8'98 | 33'11 | 5 | +11'488 | ... | ... | 166 |
| 1301 | 1307 | Lacaille 1237 | 6 | 3. 40. 22'21 | 38'05 | 3 | + 1'517 | - 54. 47. 47'04 | 38'05 | 3 | +11'479 | ... | 1237 | ... |
| 1302 | 1308 | Piazzi III. 170 | 6.7 | 3. 40. 24'83 | 33'06 | 5 | + 3'585 | + 25. 4. 29'43 | 36'36 | 9 | +11'475 | ... | ... | 170 |
| 1303 | 1309 | Taylor 1309 | ... | 3. 40. ... | ... | ... | + 1'820 | - 48. 45. 51'75 | 42'97 | 3 | +11'472 | ... | ... | ... |
| 1304 | 1310 | 28 Eridani | 5 | 3. 40. 34'26 | 34'81 | 8 | + 2'575 | - 24. 23. 26'46 | 31'01 | 5 | +11'464 | 532 | 1226 | 173 |
| 1305 | 1311 | Piazzi III. 171 | 7.8 | 3. 40. 37'94 | 39'38 | 6 | + 3'560 | + 23. 59. 17'05 | 39'51 | 10 | +11'460 | ... | ... | 171 |
| 1306 | 1312 | Lacaille 1229 | 7 | 3. 40. 39'55 | 37'74 | 9 | + 2'439 | - 29. 58. 48'44 | 37'14 | 7 | +11'457 | ... | 1229 | 174 |
| 1307 | 1313 | Piazzi III. 167 | 8 | 3. 40. 45'65 | 36'57 | 5 | + 4'406 | + 50. 32. 49'99 | 36'38 | 5 | +11'450 | ... | ... | 167 |
| 1308 | 1314 | Piazzi III. 172 | 7 | 3. 41. 4'21 | 34'07 | 3 | + 3'549 | + 23. 27. 23'38 | 34'34 | 4 | +11'428 | ... | ... | 172 |
| 1309 | 1315 | Lacaille 1234 | 6 | 3. 41. 16'03 | 34'05 | 3 | + 2'420 | - 30. 40. 8'48 | 34'32 | 4 | +11'414 | ... | 1234 | 176 |
| 1310 | 1316 | Piazzi III. 175 | 8 | 3. 41. 32'93 | 36'43 | 7 | + 3'577 | + 24. 39. 28'56 | 36'46 | 4 | +11'394 | ... | ... | 175 |
| 1311 | 1317 | Lacaille 1238 | 7 | 3. 41. 37'41 | 38'61 | 7 | + 2'254 | - 36. 37. 4'35 | 39'56 | 4 | +11'389 | ... | 1238 | 180 |
| 1312 | 1318 | Lacaille 1253 | 4 | 3. 42. 9'31 | 32'06 | 5 | + 0'671 | - 65. 19. 37'78 | 32'06 | 5 | +11'350 | ... | 1253 | ... |
| 1313 | 1319 | Piazzi III. 181 | 8 | 3. 42. 10'77 | 36'50 | 4 | + 2'964 | - 5. 34. 54'89 | 36'67 | 3 | +11'348 | ... | ... | 181 |
| 1314 | 1320 | Piazzi III. 179 | 7.8 | 3. 42. 20'31 | 36'51 | 4 | + 3'579 | + 24. 40. 5'43 | 36'53 | 4 | +11'337 | ... | ... | 179 |
| 1315 | 1321 | Piazzi III. 182 | 5 | 3. 42. 30'70 | 36'32 | 15 | + 2'206 | - 38. 7. 47'88 | 36'28 | 14 | +11'324 | ... | ... | 182 |
| 1316 | 1322 | Lacaille 1244 | 6 | 3. 42. 30'74 | 41'26 | 5 | + 2'206 | - 38. 7. 42'23 | 41'99 | 3 | +11'324 | ... | 1244 | 183 |
| 1317 | 1323 | Piazzi III. 160 | 6 | 3. 42. 49'22 | 35'71 | 6 | + 9'485 | + 80. 13. 35'49 | 35'41 | 8 | +11'302 | ... | ... | 160 |
| 1318 | 1324 | Piazzi III. 177 | 5.6 | 3. 42. 55'72 | 36'41 | 6 | + 5'203 | + 62. 34. 45'40 | 34'75 | 4 | +11'294 | ... | ... | 177 |
| 1319 | 1325 | Piazzi III. 178 | 5.6 | 3. 43. 7'04 | 34'08 | 3 | + 5'036 | + 60. 36. 57'66 | 34'27 | 4 | +11'280 | ... | ... | 178 |
| 1320 | 1326 | 31 Tauri | 6 | 3. 43. 12'92 | 32'96 | 5 | + 3'189 | + 6. 2. 0'51 | 32'92 | 5 | +11'273 | 535 | ... | 184 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|--|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 1321 | 1327 | Eridani ^v ₃ | 5 | h m s 3. 43. 16'77 | 32'46 | 6 | + 2'248 | — 36. 42. 14'49 | 31'59 | 10 | +11'268 | ... | 1248 | 189 |
| 1322 | 1328 | Piazzi III. 187 | 7 | 3. 43. 44'52 | 33'46 | 9 | + 3'407 | + 16. 49. 46'09 | 34'52 | 13 | +11'235 | ... | ... | 187 |
| 1323 | 1329 | Brisbane 613 | 7'8 | 3. 43. 45'27 | 39'65 | 6 | + 2'336 | — 33. 37. 3'68 | 39'19 | 5 | +11'234 | ... | ... | ... |
| 1324 | 1330 | 44 Persei ^z ₄ | 3'4 | 3. 43. 46'57 | 32'90 | 20 | + 3'748 | + 31. 23. 12'90 | 32'33 | 19 | +11'233 | 534 | ... | 185 |
| 1325 | 1331 | Piazzi III. 186 | 6 | 3. 44. 6'87 | 34'30 | 4 | + 4'277 | + 47. 22. 45'33 | 34'26 | 4 | +11'208 | ... | ... | 186 |
| 1326 | 1332 | Lacaille 1255 | 7 | 3. 44. 14'75 | 38'24 | 4 | + 2'029 | — 43. 13. 52'66 | 38'31 | 3 | +11'198 | ... | 1255 | ... |
| 1327 | 1333 | 29 Eridani | 7 | 3. 44. 20'83 | 34'60 | 4 | + 2'964 | — 5. 33. 15'46 | 34'67 | 5 | +11'191 | 537 | ... | 190 |
| 1328 | 1334 | 43 Persei ^A | Var. | 3. 44. 22'28 | 34'05 | 3 | + 4'405 | + 50. 12. 32'97 | 34'28 | 4 | +11'189 | 533 | ... | 188 |
| 1329 | 1335 | 30 Eridani | 6 | 3. 44. 33'05 | 33'02 | 5 | + 2'958 | — 5. 51. 33'74 | 32'96 | 5 | +11'174 | 538 | ... | 191 |
| 1330 | 1336 | Lacaille 1256 | 7'8 | 3. 44. 48'19 | 34'28 | 4 | + 2'157 | — 39. 29. 6'71 | 34'29 | 4 | +11'157 | ... | 1256 | 193 |
| 1331 | 1337 | Piazzi III. 192..... | 9 | 3. 45. 12'68 | 36'46 | 4 | + 3'409 | + 16. 51. 1'13 | 36'05 | 2 | +11'129 | ... | ... | 192 |
| 1332 | 1338 | Piazzi III. 194..... | 6'7 | 3. 45. 51'81 | 34'33 | 4 | + 3'840 | + 34. 35. 29'74 | 34'33 | 4 | +11'080 | ... | ... | 194 |
| 1333 | 1339 | 32 Eridani | 5 | 3. 46. 0'71 | 32'09 | 6 | + 3'005 | — 3. 26. 52'84 | 31'71 | 11 | +11'069 | 540 | ... | 195 |
| 1334 | 1340 | Lacaille 1272 | 7 | 3. 46. 39'35 | 38'04 | 3 | + 1'888 | — 46. 39. 36'03 | 38'04 | 3 | +11'022 | ... | 1272 | ... |
| 1335 | 1341 | 33 Eridani ^v ₈ | 5'6 | 3. 46. 41'69 | 33'04 | 5 | + 2'549 | — 25. 6. 17'36 | 32'94 | 5 | +11'019 | 543 | 1270 | 198 |
| 1336 | 1342 | 45 Persei ^e ₃ | 3'4 | 3. 46. 48'10 | 32'74 | 13 | + 3'994 | + 39. 31. 32'27 | 33'42 | 31 | +11'011 | 539 | ... | 196 |
| 1337 | 1343 | Piazzi III. 200..... | 8'9 | 3. 46. 59'51 | 36'32 | 3 | + 2'965 | — 5. 28. 2'94 | 36'38 | 5 | +10'998 | ... | ... | 200 |
| 1338 | 1344 | 32 Tauri | 6 | 3. 47. 7'94 | 33'06 | 5 | + 3'524 | + 21. 59. 46'87 | 32'98 | 5 | +10'988 | ... | ... | 197 |
| 1339 | 1345 | 33 Tauri | 6'7 | 3. 47. 17'68 | 32'94 | 5 | + 3'540 | + 22. 41. 24'57 | 33'03 | 5 | +10'977 | 541 | ... | 199 |
| 1340 | 1346 | Eridani ^v ₈ | 5 | 3. 47. 21'73 | 32'01 | 11 | + 2'282 | — 35. 13. 27'30 | 31'55 | 10 | +10'971 | ... | 1275 | 202 |
| 1341 | 1347 | Lacaille 1273 | 6'7 | 3. 47. 28'80 | 38'06 | 3 | + 2'472 | — 28. 9. 47'49 | 38'05 | 3 | +10'962 | ... | 1273 | ... |
| 1342 | 1348 | Lacaille 1282 | 6'7 | 3. 47. 44'70 | 38'07 | 3 | + 2'073 | — 41. 43. 3'12 | 38'06 | 3 | +10'943 | ... | 1282 | ... |
| 1343 | 1349 | Piazzi III. 203..... | 6'7 | 3. 48. 15'47 | 34'31 | 4 | + 3'181 | + 5. 33. 28'81 | 34'28 | 4 | +10'906 | ... | ... | 203 |
| 1344 | 1350 | 46 Persei ^z ₅ | 5 | 3. 48. 16'71 | 31'98 | 8 | + 3'867 | + 35. 18. 34'60 | 31'85 | 10 | +10'904 | 542 | ... | 201 |
| 1345 | 1351 | Lacaille 1287 | 6 | 3. 48. 26'99 | 38'05 | 3 | + 1'851 | — 47. 22. 57'92 | 38'06 | 3 | +10'892 | ... | 1287 | ... |
| 1346 | 1352 | Lacaille 1286 | 6'7 | 3. 48. 36'46 | 34'32 | 4 | + 2'101 | — 40. 50. 44'96 | 34'28 | 4 | +10'879 | ... | 1286 | 206 |
| 1347 | 1353 | Bradley 544..... | 6'7 | 3. 48. 46'64 | 34'34 | 4 | + 2'790 | — 14. 4. 57'65 | 34'33 | 4 | +10'867 | 544 | ... | 205 |
| 1348 | 1354 | Piazzi III. 204..... | 8 | 3. 49. 6'77 | 36'95 | 1 | + 4'001 | + 39. 32. 8'84 | 36'50 | 4 | +10'843 | ... | ... | 204 |
| 1349 | 1355 | Lacaille 1293 | 6'7 | 3. 49. 20'35 | 34'33 | 4 | + 2'152 | — 39. 14. 42'58 | 34'43 | 5 | +10'827 | ... | 1293 | 209 |
| 1350 | 1356 | Lacaille 1297 | 6 | 3. 49. 29'30 | 38'01 | 3 | + 1'869 | — 46. 54. 12'21 | 38'01 | 3 | +10'816 | ... | 1297 | ... |
| 1351 | 1357 | Hydri ^γ ₃ | 3 | 3. 49. 53'87 | 32'96 | 5 | — 1'064 | — 74. 44. 39'83 | 36'08 | 4 | +10'785 | ... | 1322 | ... |
| 1352 | 1358 | Piazzi III. 207..... | 8 | 3. 50. 11'06 | 36'48 | 4 | + 4'006 | + 39. 37. 22'80 | 36'58 | 5 | +10'765 | ... | ... | 207 |
| 1353 | 1359 | Lacaille 1304 | 6 | 3. 50. 14'43 | 38'02 | 3 | + 1'565 | — 53. 10. 27'43 | 38'02 | 3 | +10'761 | ... | 1304 | ... |
| 1354 | 1360 | 34 Eridani ^γ ₂ | 2'3 | 3. 50. 20'10 | 33'99 | 29 | + 2'791 | — 13. 58. 58'22 | 31'94 | 17 | +10'754 | 546 | ... | 210 |
| 1355 | 1361 | Lacaille 1299..... | 7 | 3. 50. 35'34 | 34'76 | 3 | + 2'143 | — 39. 26. 40'16 | 34'34 | 4 | +10'734 | ... | 1299 | 216 |
| 1356 | 1362 | Piazzi III. 208..... | 6 | 3. 50. 45'08 | 35'10 | 3 | + 4'929 | + 58. 41. 16'91 | 34'32 | 4 | +10'722 | ... | ... | 208 |
| 1357 | 1363 | Piazzi III. 211..... | 8'9 | 3. 51. 1'69 | 36'47 | 2 | + 3'482 | + 19. 54. 40'40 | 36'06 | 2 | +10'702 | ... | ... | 211 |
| 1358 | 1364 | Piazzi III. 212..... | 8'9 | 3. 51. 4'49 | 36'39 | 5 | + 3'483 | + 19. 56. 26'63 | 36'34 | 6 | +10'699 | ... | ... | 212 |
| 1359 | 1365 | Brisbane 631..... | 7 | 3. 51. 9'39 | 38'39 | 5 | + 1'804 | — 48. 14. 57'90 | 38'38 | 5 | +10'693 | ... | ... | ... |
| 1360 | 1366 | Bradley 545..... | 7 | 3. 51. 9'62 | 37'42 | 8 | + 3'546 | + 22. 43. 48'52 | 37'32 | 8 | +10'693 | 545 | ... | 213 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------------|--|----------------------|----------------|----------------------------------|--|----------------------|----------------|----------------------------------|----------|-----------|---------|
| | | | | ^h ^m ^s | | | ^s | [°] ['] ["] | | | ["] | | | |
| 1361 | 1367 | Piazzi III. 214 | 6.7 | 3. 51. 11.88 | 34.48 | 4 | + 3.414 | + 16. 49. 29.15 | 34.30 | 4 | +10.690 | ... | ... | 214 |
| 1362 | 1368 | Piazzi III. 215 | 6.7 | 3. 51. 18.95 | 32.76 | 5 | + 3.433 | + 17. 43. 21.02 | 34.83 | 14 | +10.680 | ... | ... | 215 |
| 1363 | 1369 | Bradley 547 | 7 | 3. 51. 30.94 | 32.98 | 5 | + 3.478 | + 19. 43. 50.13 | 32.96 | 5 | +10.666 | 547 | ... | 217 |
| 1364 | 1370 | 35 Tauri | λ 4 | 3. 51. 32.84 | 33.62 | 20 | + 3.313 | + 12. 1. 5.83 | 33.15 | 30 | +10.663 | 548 | ... | 218 |
| 1365 | 1371 | Piazzi III. 219 | 8.9 | 3. 52. 31.87 | 36.49 | 4 | + 3.530 | + 21. 57. 21.57 | 36.01 | 3 | +10.591 | ... | ... | 219 |
| 1366 | 1372 | Piazzi III. 220 | 7 | 3. 52. 46.72 | 34.50 | 4 | + 3.263 | + 9. 31. 46.04 | 34.36 | 3 | +10.574 | ... | ... | 220 |
| 1367 | 1373 | 36 Eridani | ^τ 5 | 3. 52. 53.72 | 31.99 | 5 | + 2.554 | - 24. 29. 20.42 | 32.03 | 9 | +10.562 | 551 | 1312 | 221 |
| 1368 | 1374 | 35 Eridani | 5 | 3. 53. 10.83 | 32.64 | 7 | + 3.032 | - 2. 1. 4.46 | 31.57 | 10 | +10.542 | 550 | ... | 222 |
| 1369 | 1375 | Lacaille 1318 | 6.7 | 3. 53. 32.21 | 38.06 | 2 | + 1.711 | - 50. 5. 5.34 | 38.06 | 3 | +10.516 | ... | 1318 | ... |
| 1370 | 1376 | Piazzi III. 225 | 8.9 | 3. 53. 55.95 | 36.66 | 3 | + 3.030 | - 2. 5. 51.63 | 36.59 | 5 | +10.486 | ... | ... | 225 |
| 1371 | 1377 | Lacaille 1320 | 9 | 3. 53. 56.93 | 36.50 | 4 | + 1.956 | - 44. 23. 18.11 | 36.51 | 4 | +10.484 | ... | 1320 | 230 |
| 1372 | 1378 | Lacaille 1316 | 6.7 | 3. 54. 5.82 | 36.03 | 7 | + 2.388 | - 30. 57. 34.68 | 35.91 | 7 | +10.473 | ... | 1316 | 229 |
| 1373 | 1379 | Piazzi III. 226 | 6.7 | 3. 54. 9.66 | 34.52 | 4 | + 3.058 | - 0. 43. 19.82 | 34.32 | 4 | +10.468 | ... | ... | 226 |
| 1374 | 1380 | Piazzi III. 223 | 7 | 3. 54. 11.61 | 35.11 | 4 | + 4.273 | + 46. 28. 8.36 | 34.32 | 4 | +10.467 | ... | ... | 223 |
| 1375 | 1381 | 47 Persei | λ 5.6 | 3. 54. 19.06 | 34.32 | 4 | + 4.427 | + 49. 53. 43.28 | 34.27 | 4 | +10.457 | 549 | ... | 224 |
| 1376 | 1382 | Brisbane 636 | 9 | 3. 54. 19.25 | 38.10 | 3 | + 1.299 | - 57. 14. 25.34 | 38.10 | 3 | +10.457 | ... | ... | ... |
| 1377 | 1383 | 38 Tauri | ^ν 5 | 3. 54. 23.22 | 32.03 | 3 | + 3.182 | + 5. 31. 33.38 | 31.61 | 10 | +10.452 | 553 | ... | 228 |
| 1378 | 1384 | 36 Tauri | 6.7 | 3. 54. 30.32 | 33.64 | 9 | + 3.572 | + 23. 38. 42.16 | 33.55 | 9 | +10.443 | 552 | ... | 227 |
| 1379 | 1385 | Brisbane 637 | 8 | 3. 54. 32.18 | 38.39 | 5 | + 2.134 | - 39. 24. 37.01 | 38.39 | 5 | +10.440 | ... | ... | ... |
| 1380 | 1386 | Piazzi III. 231 | 8 | 3. 54. 42.85 | 36.51 | 4 | + 3.124 | + 2. 36. 52.21 | 36.29 | 4 | +10.427 | ... | ... | 231 |
| 1381 | 1387 | Piazzi III. 233 | 8 | 3. 54. 44.63 | 36.29 | 4 | + 3.126 | + 2. 43. 29.64 | 36.51 | 4 | +10.424 | ... | ... | 233 |
| 1382 | 1388 | Brisbane 638 | 9 | 3. 54. 52.78 | 39.26 | 9 | + 1.289 | - 57. 21. 7.90 | 39.26 | 9 | +10.414 | ... | ... | ... |
| 1383 | 1389 | 37 Tauri | ^A 5 | 3. 54. 57.10 | 32.41 | 22 | + 3.525 | + 21. 37. 29.69 | 32.31 | 17 | +10.409 | 554 | ... | 232 |
| 1384 | 1390 | 40 Tauri | 6 | 3. 55. 0.21 | 34.33 | 4 | + 3.171 | + 4. 58. 27.58 | 34.34 | 4 | +10.406 | 555 | ... | 235 |
| 1385 | 1391 | Piazzi III. 234 | 7 | 3. 55. 1.17 | 35.60 | 7 | + 3.227 | + 7. 44. 5.76 | 34.29 | 4 | +10.405 | ... | ... | 234 |
| 1386 | 1392 | Lacaille 1330 | 6 | 3. 55. 11.94 | 38.04 | 3 | + 1.272 | - 57. 34. 21.57 | 38.04 | 3 | +10.391 | ... | 1330 | ... |
| 1387 | 1393 | Piazzi III. 238 | 6.7 | 3. 55. 32.68 | 34.30 | 4 | + 3.119 | + 2. 22. 23.40 | 34.29 | 4 | +10.365 | ... | ... | 238 |
| 1388 | 1394 | 39 Tauri | 6.7 | 3. 55. 34.84 | 33.54 | 7 | + 3.524 | + 21. 33. 27.09 | 32.11 | 6 | +10.362 | 556 | ... | 236 |
| 1389 | 1395 | Piazzi III. 237 | 8.9 | 3. 55. 36.45 | 36.37 | 3 | + 3.525 | + 21. 36. 10.56 | 36.56 | 4 | +10.361 | ... | ... | 237 |
| 1390 | 1396 | Lacaille 1324 | 8.9 | 3. 55. 40.24 | 36.53 | 4 | + 2.437 | - 28. 59. 32.21 | 36.70 | 5 | +10.356 | ... | 1324 | 241 |
| 1391 | 1397 | Brisbane 640 | 7.8 | 3. 55. 48.86 | 38.08 | 2 | + 1.930 | - 44. 54. 46.81 | 38.08 | 2 | +10.345 | ... | ... | ... |
| 1392 | 1398 | Lacaille 1335 | 6.7 | 3. 55. 59.29 | 38.11 | 3 | + 1.310 | - 56. 56. 34.98 | 38.11 | 3 | +10.332 | ... | 1335 | ... |
| 1393 | 1399 | Retiuli | ^δ 5 | 3. 56. 9.48 | 34.74 | 8 | + 0.928 | - 61. 52. 4.82 | 34.03 | 17 | +10.320 | ... | 1338 | ... |
| 1394 | 1400 | 41 Tauri | 6 | 3. 56. 29.97 | 34.80 | 8 | + 3.660 | + 27. 8. 53.46 | 32.41 | 9 | +10.294 | 558 | ... | 243 |
| 1395 | 1401 | Piazzi III. 239 | 9 | 3. 56. 31.99 | 36.08 | 2 | + 4.428 | + 49. 45. 1.43 | 36.07 | 1 | +10.292 | ... | ... | 239 |
| 1396 | 1402 | Piazzi III. 242 | 7.8 | 3. 56. 35.82 | 36.49 | 4 | + 3.957 | + 37. 37. 56.32 | 36.55 | 4 | +10.286 | ... | ... | 242 |
| 1397 | 1403 | Piazzi III. 244 | 7.8 | 3. 56. 37.75 | 38.17 | 9 | + 3.659 | + 27. 4. 8.21 | 38.48 | 5 | +10.284 | ... | ... | 244 |
| 1398 | 1404 | Brisbane 643 | 7 | 3. 56. 39.83 | 38.57 | 5 | + 2.147 | - 38. 50. 50.15 | 38.57 | 5 | +10.281 | ... | ... | ... |
| 1399 | 1405 | 48 Persei | ^ε 5 | 3. 56. 42.73 | 32.46 | 4 | + 4.315 | + 47. 15. 51.05 | 31.55 | 10 | +10.277 | 557 | ... | 240 |
| 1400 | 1406 | 42 Tauri | ^ψ 5.6 | 3. 56. 49.29 | 33.04 | 5 | + 3.697 | + 28. 32. 53.20 | 32.97 | 5 | +10.270 | 559 | ... | 245 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 1401 | 1407 | Brisbane 644..... | 7.8 | 3. 56. 53.28 | 38'05 | 3 | + 1'444 | - 54. 47. 17.12 | 38'05 | 3 | +10'265 | ... | ... | ... |
| 1402 | 1408 | Lacaille 1342..... | 7 | 3. 57. 1'38 | 38'05 | 3 | + 1'440 | - 54. 51. 20.95 | 38'05 | 3 | +10'255 | ... | 1342 | ... |
| 1403 | 1409 | Piazzi III. 246..... | 9 | 3. 57. 5'07 | 40'06 | 3 | + 3'659 | + 27. 3. 39.44 | 37'79 | 8 | +10'250 | ... | ... | 246 |
| 1404 | 1410 | Brisbane 646..... | 7.8 | 3. 57. 5'84 | 38'05 | 3 | + 1'439 | - 54. 52. 9.26 | 38'05 | 3 | +10'248 | ... | ... | ... |
| 1405 | 1411 | 49 Persei..... | 6.7 | 3. 57. 22.30 | 34'33 | 4 | + 3'948 | + 37. 17. 11.57 | 34'31 | 4 | +10'228 | 560 | ... | 247 |
| 1406 | 1412 | Brisbane 647..... | 7 | 3. 57. 23'01 | 38'06 | 2 | + 1'653 | - 50. 58. 13.21 | 38'05 | 2 | +10'227 | ... | ... | ... |
| 1407 | 1413 | Brisbane 648..... | 7 | 3. 57. 30'04 | 38'08 | 2 | + 1'931 | - 44. 45. 27.72 | 38'08 | 2 | +10'218 | ... | ... | ... |
| 1408 | 1414 | 50 Persei..... | 6 | 3. 57. 38'01 | 34'30 | 4 | + 3'958 | + 37. 36. 1'54 | 34'27 | 4 | +10'209 | 561 | ... | 248 |
| 1409 | 1415 | Brisbane 650..... | 7 | 3. 57. 41'34 | 38'25 | 5 | + 1'927 | - 44. 50. 49'08 | 38'30 | 4 | +10'205 | ... | ... | ... |
| 1410 | 1416 | Brisbane 652..... | 7 | 3. 58. 29'91 | 38'25 | 4 | + 1'911 | - 45. 11. 21'95 | 38'25 | 4 | +10'143 | ... | ... | ... |
| 1411 | 1417 | Reticuli..... | 5 | 3. 58. 31'96 | 34'56 | 19 | + 0'845 | - 62. 37. 16'56 | 34'06 | 14 | +10'140 | ... | 1357 | ... |
| 1412 | 1418 | Piazzi III. 249..... | 6 | 3. 58. 33'11 | 33'28 | 7 | + 3'422 | + 16. 53. 32'09 | 36'45 | 9 | +10'139 | ... | ... | 249 |
| 1413 | 1419 | Reticuli..... | 6.7 | 3. 58. 39'30 | 38'90 | 3 | + 0'942 | - 61. 32. 34'03 | 38'95 | 3 | +10'131 | ... | 1355 | ... |
| 1414 | 1420 | Lacaille 1344..... | 6 | 3. 58. 49'74 | 33'24 | 7 | + 2'456 | - 28. 6. 30'17 | 33'03 | 5 | +10'118 | ... | 1344 | 251 |
| 1415 | 1421 | Piazzi III. 250..... | 8.9 | 3. 59. 23'32 | 36'31 | 3 | + 3'422 | + 16. 50. 52'40 | 36'49 | 4 | +10'076 | ... | ... | 250 |
| 1416 | 1422 | Brisbane 655..... | 7.8 | 3. 59. 32'43 | 38'25 | 4 | + 1'911 | - 45. 7. 13'70 | 38'02 | 3 | +10'064 | ... | ... | ... |
| 1417 | 1423 | 43 Tauri..... | 6 | 3. 59. 33'78 | 33'01 | 5 | + 3'474 | + 19. 9. 59'57 | 33'05 | 5 | +10'062 | 562 | ... | 252 |
| 1418 | 1424 | Piazzi III. 253..... | 6.7 | 3. 59. 41'68 | 34'33 | 4 | + 3'269 | + 9. 39. 23'37 | 34'27 | 5 | +10'052 | ... | ... | 253 |
| 1419 | 1425 | Lacaille 1364..... | 7.8 | 3. 59. 46'66 | 39'23 | 9 | + 0'912 | - 61. 49. 1'83 | 39'25 | 9 | +10'046 | ... | 1364 | ... |
| 1420 | 1426 | Piazzi III. 254..... | 6.7 | 3. 59. 49'37 | 33'35 | 6 | + 3'338 | + 12. 57. 18'08 | 32'22 | 4 | +10'043 | ... | ... | 254 |
| 1421 | 1427 | Piazzi III. 255..... | 6.7 | 4. 0. 24'58 | 34'48 | 4 | + 3'829 | + 33. 8. 51'01 | 34'26 | 4 | + 9'998 | ... | ... | 255 |
| 1422 | 1428 | Piazzi III. 258..... | 7 | 4. 0. 37'77 | 34'33 | 4 | + 3'200 | + 6. 17. 9'85 | 34'32 | 4 | + 9'981 | ... | ... | 258 |
| 1423 | 1429 | 44 Tauri..... | 6.7 | 4. 0. 47'62 | 33'09 | 6 | + 3'639 | + 26. 2. 35'41 | 31'95 | 5 | + 9'969 | 563 | ... | 256 |
| 1424 | 1430 | Brisbane 657..... | 8 | 4. 0. 59'91 | 38'47 | 6 | + 1'996 | - 42. 48. 44'89 | 38'47 | 5 | + 9'953 | ... | ... | ... |
| 1425 | 1431 | Brisbane 658..... | 8 | 4. 1. 7'58 | 38'09 | 3 | + 1'108 | - 59. 24. 22'75 | 38'09 | 3 | + 9'944 | ... | ... | ... |
| 1426 | 1432 | Piazzi III. 257..... | 8.9 | 4. 1. 24'62 | 36'48 | 4 | + 4'677 | + 54. 5. 31'23 | 36'24 | 4 | + 9'922 | ... | ... | 257 |
| 1427 | 1433 | Piazzi III. 259..... | 8 | 4. 1. 33'75 | 36'49 | 4 | + 4'460 | + 50. 2. 45'39 | 36'51 | 4 | + 9'910 | ... | ... | 259 |
| 1428 | 1434 | Piazzi III. 262..... | 7 | 4. 1. 34'90 | 34'50 | 4 | + 2'990 | - 4. 0. 47'87 | 34'28 | 4 | + 9'909 | ... | ... | 262 |
| 1429 | 1435 | Piazzi III. 261..... | 7 | 4. 1. 39'30 | 34'48 | 4 | + 3'410 | + 16. 12. 34'98 | 34'31 | 4 | + 9'903 | ... | ... | 261 |
| 1430 | 1436 | Piazzi IV. 2..... | 9.10 | 4. 1. 57'24 | 36'47 | 4 | + 2'622 | - 21. 8. 37'24 | 36'51 | 4 | + 9'881 | ... | ... | 2 |
| 1431 | 1437 | Lacaille 1369..... | 6.7 | 4. 1. 59'48 | 38'09 | 3 | + 1'973 | - 43. 21. 38'19 | 38'09 | 3 | + 9'878 | ... | 1369 | ... |
| 1432 | 1438 | Lacaille 1371..... | 6.7 | 4. 2. 12'61 | 38'42 | 5 | + 1'681 | - 50. 4. 24'17 | 38'43 | 5 | + 9'860 | ... | 1371 | ... |
| 1433 | 1439 | 37 Eridani..... | 5.6 | 4. 2. 19'98 | 33'59 | 10 | + 2'921 | - 7. 21. 38'66 | 32'77 | 15 | + 9'852 | 567 | ... | 3 |
| 1434 | 1440 | Piazzi III. 260..... | 6.7 | 4. 2. 23'75 | 34'78 | 5 | + 5'212 | + 61. 25. 30'29 | 34'27 | 4 | + 9'847 | ... | ... | 260 |
| 1435 | 1441 | 45 Tauri..... | 6 | 4. 2. 33'82 | 32'95 | 5 | + 3'176 | + 5. 5. 14'86 | 32'96 | 5 | + 9'834 | 566 | ... | 4 |
| 1436 | 1442 | Piazzi IV. 5..... | 8 | 4. 2. 35'45 | 36'51 | 4 | + 3'110 | + 1. 53. 1'66 | 36'52 | 4 | + 9'833 | ... | ... | 5 |
| 1437 | 1443 | Brisbane 662..... | 7 | 4. 2. 46'09 | 38'08 | 4 | + 1'973 | - 43. 17. 43'80 | 38'08 | 4 | + 9'819 | ... | ... | ... |
| 1438 | 1444 | 51 Persei..... | 4.5 | 4. 2. 48'49 | 32'38 | 16 | + 4'366 | + 47. 58. 53'08 | 32'27 | 17 | + 9'817 | 564 | ... | 1 |
| 1439 | 1445 | Piazzi IV. 6..... | 7 | 4. 3. 4'94 | 32'99 | 6 | + 3'543 | + 21. 58. 57'46 | 32'74 | 5 | + 9'795 | ... | ... | 6 |
| 1440 | 1446 | Lacaille 1378..... | 8 | 4. 3. 20'17 | 38'07 | 3 | + 1'024 | - 60. 19. 11'51 | 38'08 | 3 | + 9'776 | ... | 1378 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|--------------------------------|------------|---------------------------------|----------------------|-------------------|----------------------------------|-------------------------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 1441 | 1447 | Lacaille 1376 | 6 | ^{h m s} 4. 3. 28'04 | 38'04 | 3 | ^s + 1'850 | ^{° ' "} - 46. 18. 16'67 | 38'04 | 3 | ["] + 9'766 | ... | 1376 | ... |
| 1442 | 1448 | 52 Persei ^f | 5 | 4. 3. 40'80 | 35'09 | 3 | + 4'054 | + 40. 3. 26'12 | 34'34 | 4 | + 9'748 | 565 | ... | 8 |
| 1443 | 1449 | Piazzi IV. 9 | 8'9 | 4. 3. 42'35 | 36'31 | 3 | + 3'294 | + 10. 44. 35'72 | 36'49 | 4 | + 9'745 | ... | ... | 9 |
| 1444 | 1450 | 38 Eridani ^{o1} | 4'5 | 4. 3. 48'91 | 33'42 | 23 | + 2'923 | - 7. 16. 23'93 | 31'54 | 10 | + 9'738 | 568 | ... | 11 |
| 1445 | 1451 | Piazzi IV. 7 | 6'7 | 4. 3. 52'62 | 34'52 | 4 | + 4'634 | + 53. 11. 17'89 | 34'29 | 4 | + 9'733 | ... | ... | 7 |
| 1446 | 1452 | Brisbane 665 | 7'8 | 4. 4. 32'67 | 38'40 | 5 | + 2'004 | - 42. 21. 33'00 | 38'40 | 5 | + 9'682 | ... | ... | ... |
| 1447 | 1453 | Piazzi IV. 12 | 7 | 4. 4. 32'96 | 35'11 | 3 | + 3'274 | + 9. 47. 9'16 | 34'35 | 4 | + 9'682 | ... | ... | 12 |
| 1448 | 1454 | Bradley 569 | Var. | 4. 4. 34'48 | 34'54 | 4 | + 3'246 | + 8. 27. 50'41 | 34'05 | 3 | + 9'679 | 569 | ... | 13 |
| 1449 | 1456 | Lacaille 1377 | 6'7 | 4. 4. 38'06 | 38'09 | 3 | + 2'230 | - 35. 42. 17'99 | 38'09 | 3 | + 9'676 | ... | 1377 | ... |
| 1450 | 1455 | Piazzi IV. 15 | 9'10 | 4. 4. 38'15 | 36'08 | 2 | + 2'923 | - 7. 15. 41'07 | 36'54 | 4 | + 9'676 | ... | ... | 15 |
| 1451 | 1457 | 46 Tauri | 6 | 4. 4. 40'45 | 33'05 | 5 | + 3'222 | + 7. 17. 17'93 | 33'01 | 5 | + 9'672 | 570 | ... | 14 |
| 1452 | 1458 | Brisbane 667 | 7 | 4. 4. 50'64 | 38'39 | 5 | + 2'054 | - 40. 58. 6'98 | 38'41 | 5 | + 9'659 | ... | ... | ... |
| 1453 | 1459 | Piazzi IV. 16 | 8 | 4. 4. 56'60 | 36'67 | 3 | + 3'291 | + 10. 36. 3'93 | 36'54 | 4 | + 9'652 | ... | ... | 16 |
| 1454 | 1460 | 47 Tauri | 5'6 | 4. 4. 58'50 | 33'02 | 5 | + 3'254 | + 8. 50. 20'07 | 32'97 | 5 | + 9'649 | 571 | ... | 17 |
| 1455 | 1461 | Piazzi IV. 10 | 6 | 4. 5. 13'10 | 34'05 | 3 | + 5'557 | + 64. 43. 38'10 | 34'26 | 4 | + 9'631 | ... | ... | 10 |
| 1456 | 1462 | Horologii ^δ | 6 | 4. 5. 17'35 | 35'25 | 5 | + 2'000 | - 42. 25. 40'59 | 35'05 | 5 | + 9'627 | ... | 1382 | 20 |
| 1457 | 1463 | Piazzi IV. 19 | 6'7 | 4. 5. 35'69 | 34'09 | 3 | + 3'270 | + 9. 35. 18'94 | 34'33 | 4 | + 9'601 | ... | ... | 19 |
| 1458 | 1464 | Persei ^{b1} | 5 | 4. 5. 51'84 | 32'04 | 9 | + 4'466 | + 49. 52. 51'16 | 31'58 | 10 | + 9'581 | ... | ... | 18 |
| 1459 | 1465 | 48 Tauri | 6 | 4. 6. 24'76 | 32'76 | 6 | + 3'387 | + 14. 58. 53'27 | 35'87 | 8 | + 9'540 | 572 | ... | 21 |
| 1460 | 1466 | 39 Eridani ^A | 5 | 4. 6. 33'08 | 32'92 | 5 | + 2'850 | - 10. 40. 16'15 | 31'55 | 10 | + 9'528 | 574 | ... | 26 |
| 1461 | 1467 | 49 Tauri ^μ | 5 | 4. 6. 34'92 | 31'88 | 4 | + 3'247 | + 8. 28. 22'78 | 31'95 | 9 | + 9'525 | 573 | ... | 23 |
| 1462 | 1468 | Piazzi IV. 24 | 8 | 4. 6. 39'38 | 36'61 | 3 | + 3'191 | + 5. 47. 0'36 | 36'25 | 4 | + 9'520 | ... | ... | 24 |
| 1463 | 1469 | Piazzi IV. 25 | 7 | 4. 6. 42'31 | 35'01 | 4 | + 3'191 | + 5. 46. 18'01 | 34'28 | 4 | + 9'517 | ... | ... | 25 |
| 1464 | 1470 | Lacaille 1390 | 7 | 4. 7. 16'98 | 35'10 | 3 | + 1'902 | - 44. 47. 37'43 | 34'34 | 4 | + 9'472 | ... | 1390 | 30 |
| 1465 | 1471 | Piazzi IV. 28 | 9 | 4. 7. 26'82 | 36'47 | 4 | + 3'212 | + 6. 44. 39'50 | 36'59 | 5 | + 9'460 | ... | ... | 28 |
| 1466 | 1472 | Piazzi IV. 22 | 6'7 | 4. 7. 29'47 | 35'40 | 3 | + 5'141 | + 60. 20. 0'08 | 34'32 | 4 | + 9'456 | ... | ... | 22 |
| 1467 | 1473 | Lacaille 1388 | 7 | 4. 7. 30'90 | 38'02 | 2 | + 2'376 | - 30. 32. 4'43 | 38'01 | 3 | + 9'455 | ... | 1388 | ... |
| 1468 | 1474 | 50 Tauri ^{ω2} | 5'6 | 4. 7. 36'20 | 32'96 | 5 | + 3'505 | + 20. 9. 56'15 | 32'04 | 10 | + 9'447 | 575 | ... | 27 |
| 1469 | 1475 | 40 Eridani ^{o2} | 5 | 4. 7. 41'22 | 32'10 | 6 | + 2'908 | - 7. 54. 39'57 | 31'59 | 10 | + 9'441 | 578 | ... | 29 |
| 1470 | 1476 | Lacaille 1394 | 6 | 4. 7. 56'62 | 38'02 | 3 | + 2'054 | - 40. 46. 49'58 | 38'02 | 3 | + 9'421 | ... | 1394 | ... |
| 1471 | 1477 | Brisbane 673 | 6'7 | 4. 7. 59'45 | 38'04 | 3 | + 2'168 | - 37. 27. 3'39 | 38'04 | 3 | + 9'417 | ... | ... | ... |
| 1472 | 1478 | Horologii ^α | 5 | 4. 8. 32'41 | 32'00 | 11 | + 1'981 | - 42. 42. 17'04 | 31'60 | 10 | + 9'375 | ... | 1398 | 34 |
| 1473 | 1479 | 51 Tauri | 7 | 4. 8. 37'97 | 33'00 | 5 | + 3'530 | + 21. 10. 5'32 | 31'97 | 5 | + 9'368 | 576 | ... | 32 |
| 1474 | 1480 | Piazzi IV. 31 | 6'7 | 4. 8. 51'52 | 34'29 | 4 | + 4'115 | + 41. 24. 4'75 | 34'27 | 4 | + 9'350 | ... | ... | 31 |
| 1475 | 1481 | Lacaille 1402 | 7 | 4. 9. 6'02 | 38'05 | 3 | + 1'823 | - 46. 32. 49'46 | 38'05 | 3 | + 9'332 | ... | 1402 | ... |
| 1476 | 1482 | 53 Persei ^λ | 6 | 4. 9. 38'50 | 35'09 | 3 | + 4'304 | + 46. 5. 46'68 | 34'32 | 4 | + 9'290 | 577 | ... | 33 |
| 1477 | 1483 | 54 Persei | 6 | 4. 9. 42'83 | 34'28 | 4 | + 3'877 | + 34. 9. 38'77 | 34'26 | 4 | + 9'283 | 579 | ... | 35 |
| 1478 | 1484 | 53 Tauri | 6'7 | 4. 9. 43'14 | 32'92 | 5 | + 3'521 | + 20. 44. 9'99 | 32'71 | 5 | + 9'283 | 580 | ... | 36 |
| 1479 | 1485 | 56 Tauri | 6'7 | 4. 9. 51'39 | 33'03 | 5 | + 3'536 | + 21. 22. 5'53 | 33'45 | 6 | + 9'273 | 581 | ... | 37 |
| 1480 | 1486 | 52 Tauri ^φ | 6 | 4. 10. 13'10 | 33'33 | 7 | + 3'675 | + 26. 56. 56'19 | 33'02 | 5 | + 9'245 | 582 | ... | 38 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|---------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 1481 | 1487 | 54 Tauri | 3'4 | h m s 4. 10. 24'73 | 33'26 | 20 | + 3'395 | + 15. 13. 22'04 | 33'70 | 27 | + 9'229 | 583 | ... | 39 |
| 1482 | 1488 | 55 Tauri | 7 | 4. 10. 28'75 | 34'34 | 4 | + 3'415 | + 16. 7. 5'05 | 34'33 | 4 | + 9'224 | 584 | ... | 40 |
| 1483 | 1489 | Lacaille 1413 | 7 | 4. 10. 30'00 | 38'05 | 2 | + 1'139 | - 58. 26. 28'67 | 38'05 | 2 | + 9'223 | ... | 1413 | ... |
| 1484 | 1490 | 57 Tauri | 6 | 4. 10. 40'69 | 33'09 | 5 | + 3'360 | + 13. 37. 50'69 | 33'04 | 5 | + 9'209 | 585 | ... | 41 |
| 1485 | 1491 | Lacaille 1408 | 7 | 4. 10. 42'54 | 38'02 | 3 | + 2'100 | - 39. 17. 35'95 | 38'02 | 3 | + 9'207 | ... | 1408 | ... |
| 1486 | 1492 | 58 Tauri | 6 | 4. 11. 15'45 | 33'02 | 5 | + 3'384 | + 14. 41. 37'14 | 32'47 | 7 | + 9'164 | 586 | ... | 43 |
| 1487 | 1493 | Brisbane 680 | 8 | 4. 11. 28'10 | 38'02 | 3 | + 2'100 | - 39. 15. 10'58 | 38'02 | 3 | + 9'148 | ... | ... | ... |
| 1488 | 1494 | Bradley 587 | 6'7 | 4. 11. 36'39 | 33'11 | 5 | + 3'357 | + 13. 27. 48'22 | 32'36 | 5 | + 9'137 | 587 | ... | 45 |
| 1489 | 1495 | 41 Eridani | 3'4 | 4. 11. 39'30 | 31'95 | 12 | + 2'263 | - 34. 12. 20'38 | 33'04 | 13 | + 9'133 | 590 | ... | 50 |
| 1490 | 1496 | Doradus | 4 | 4. 11. 42'92 | 35'98 | 13 | + 1'553 | - 51. 54. 21'32 | 35'11 | 20 | + 9'128 | ... | 1417 | ... |
| 1491 | 1497 | Piazzi IV. 47 | 7 | 4. 11. 47'90 | 34'69 | 5 | + 3'520 | + 20. 38. 26'68 | 34'33 | 4 | + 9'122 | ... | ... | 47 |
| 1492 | 1498 | Piazzi IV. 48 | 7 | 4. 11. 52'04 | 34'52 | 4 | + 3'524 | + 20. 47. 15'48 | 34'29 | 4 | + 9'116 | ... | ... | 48 |
| 1493 | 1499 | Piazzi IV. 49 | 6'7 | 4. 11. 53'84 | 34'54 | 4 | + 3'192 | + 5. 43. 51'98 | 34'34 | 4 | + 9'115 | ... | ... | 49 |
| 1494 | 1500 | Piazzi IV. 44 | 8 | 4. 12. 2'92 | 36'31 | 3 | + 4'515 | + 50. 27. 24'11 | 36'02 | 3 | + 9'103 | ... | ... | 44 |
| 1495 | 1501 | Piazzi IV. 46 | 7 | 4. 12. 7'78 | 34'32 | 4 | + 4'146 | + 42. 2. 0'31 | 34'28 | 4 | + 9'097 | ... | ... | 46 |
| 1496 | 1502 | Retionli | 3'4 | 4. 12. 19'40 | 32'93 | 5 | + 0'744 | - 62. 53. 19'38 | 31'54 | 10 | + 9'081 | ... | 1423 | ... |
| 1497 | 1503 | Piazzi IV. 52 | 9 | 4. 12. 23'10 | 36'51 | 4 | + 3'065 | - 0. 19. 30'07 | 36'50 | 4 | + 9'076 | ... | ... | 52 |
| 1498 | 1504 | 59 Tauri | 6 | 4. 12. 33'13 | 33'12 | 5 | + 3'634 | + 25. 13. 57'86 | 32'98 | 5 | + 9'063 | 588 | ... | 51 |
| 1499 | 1505 | Piazzi IV. 53 | 7 | 4. 12. 41'10 | 33'62 | 5 | + 3'516 | + 20. 25. 25'64 | 33'05 | 5 | + 9'052 | ... | ... | 53 |
| 1500 | 1506 | 60 Tauri | 7 | 4. 12. 46'17 | 33'92 | 3 | + 3'363 | + 13. 40. 51'17 | 33'07 | 5 | + 9'046 | 589 | ... | 54 |
| 1501 | 1507 | Lacaille 1415 | 6'7 | 4. 12. 48'81 | 38'16 | 11 | + 2'504 | - 25. 25. 36'93 | 37'33 | 8 | + 9'044 | ... | 1415 | 56 |
| 1502 | 1508 | Piazzi IV. 55 | 6'7 | 4. 13. 1'33 | 36'26 | 5 | + 3'062 | - 0. 29. 26'31 | 34'28 | 4 | + 9'027 | ... | ... | 55 |
| 1503 | 1509 | 61 Tauri | 4 | 4. 13. 25'72 | 33'26 | 18 | + 3'441 | + 17. 8. 55'78 | 31'66 | 10 | + 8'995 | 594 | ... | 57 |
| 1504 | 1510 | Retionli | 5 | 4. 13. 38'93 | 32'09 | 6 | + 1'026 | - 59. 42. 3'32 | 31'59 | 10 | + 8'978 | ... | 1428 | ... |
| 1505 | 1511 | 55 Persei | 6'7 | 4. 13. 47'61 | 34'67 | 3 | + 3'871 | + 33. 44. 26'72 | 34'29 | 4 | + 8'967 | 591 | ... | 58 |
| 1506 | 1512 | Piazzi IV. 61 | 7'8 | 4. 13. 49'65 | 34'52 | 4 | + 3'521 | + 20. 35. 24'91 | 34'31 | 4 | + 8'965 | ... | ... | 61 |
| 1507 | 1513 | Lacaille 1430 | 7 | 4. 13. 52'81 | 39'26 | 9 | + 0'882 | - 61. 21. 19'41 | 39'26 | 9 | + 8'959 | ... | 1430 | ... |
| 1508 | 1514 | 56 Persei | 7 | 4. 13. 56'55 | 36'50 | 7 | + 3'866 | + 33. 34. 18'84 | 35'95 | 3 | + 8'955 | 593 | ... | 60 |
| 1509 | 1515 | 63 Tauri | 6 | 4. 13. 57'49 | 32'82 | 5 | + 3'424 | + 16. 23. 7'54 | 33'29 | 7 | + 8'954 | 596 | ... | 62 |
| 1510 | 1516 | 62 Tauri | 7 | 4. 14. 3'46 | 33'65 | 3 | + 3'603 | + 23. 54. 35'67 | 33'10 | 5 | + 8'946 | 595 | ... | 63 |
| 1511 | 1517 | Lacaille 1424 | 6 | 4. 14. 3'81 | 35'90 | 7 | + 1'889 | - 44. 40. 0'73 | 34'91 | 6 | + 8'946 | ... | 1424 | 65 |
| 1512 | 1518 | Lacaille 1427 | 7'8 | 4. 14. 11'63 | 39'26 | 9 | + 1'466 | - 53. 18. 28'87 | 39'26 | 9 | + 8'936 | ... | 1427 | ... |
| 1513 | 1519 | Brisbane 689 | 7 | 4. 14. 19'33 | 38'07 | 3 | + 1'980 | - 42. 21. 19'54 | 38'07 | 3 | + 8'925 | ... | ... | ... |
| 1514 | 1520 | 64 Tauri | 4'5 | 4. 14. 35'63 | 36'22 | 6 | + 3'439 | + 17. 3. 18'54 | 33'69 | 13 | + 8'905 | 597 | ... | 64 |
| 1515 | 1521 | Lacaille 1429 | 6'7 | 4. 14. 36'26 | 38'53 | 4 | + 1'466 | - 53. 15. 52'31 | 38'03 | 5 | + 8'904 | ... | 1429 | ... |
| 1516 | 1522 | Brisbane 692 | 7'8 | 4. 14. 36'41 | 38'28 | 4 | + 1'464 | - 53. 18. 31'59 | 38'04 | 2 | + 8'904 | ... | ... | ... |
| 1517 | 1523 | Lacaille 1422 | 6 | 4. 14. 40'67 | 33'97 | 3 | + 2'484 | - 26. 7. 16'69 | 33'12 | 5 | + 8'898 | ... | 1422 | 68 |
| 1518 | 1524 | 66 Tauri | 5'6 | 4. 14. 52'61 | 33'13 | 2 | + 3'263 | + 9. 4. 14'29 | 33'01 | 5 | + 8'882 | 598 | ... | 66 |
| 1519 | 1525 | Brisbane 693 | 8 | 4. 14. 59'85 | 38'35 | 3 | + 1'460 | - 53. 20. 38'04 | 38'05 | 2 | + 8'873 | ... | ... | ... |
| 1520 | 1526 | 42 Eridani | 6 | 4. 15. 28'25 | 33'05 | 5 | + 2'985 | - 4. 7. 58'50 | 33'05 | 5 | + 8'836 | 602 | ... | 72 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date. 1800.+ | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800. + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|---------------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|--------------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 1521 | 1527 | 65 Tauri κ^1 | 5.6 | 4. 15. 32.57 | 32.96 | 1 | + 3.555 | + 21. 54. 32.86 | 33.07 | 5 | + 8.830 | 599 | ... | 70 |
| 1522 | 1528 | 67 Tauri κ^2 | 6.7 | 4. 15. 35.82 | 33.03 | 9 | + 3.553 | + 21. 48. 57.30 | 32.95 | 6 | + 8.826 | 600 | ... | 71 |
| 1523 | 1529 | Piazzi IV. 69 | 6.7 | 4. 15. 36.77 | 33.10 | 5 | + 3.795 | + 31. 3. 32.80 | 33.09 | 4 | + 8.825 | ... | ... | 69 |
| 1524 | 1530 | Reticuli θ | 5 | 4. 15. 50.86 | 36.45 | 11 | + 0.646 | - 63. 39. 24.55 | 34.42 | 14 | + 8.804 | ... | 1443 | ... |
| 1525 | 1531 | 68 Tauri δ^8 | 5 | 4. 15. 57.22 | 32.30 | 11 | + 3.452 | + 17. 32. 38.42 | 31.81 | 10 | + 8.797 | 601 | ... | 73 |
| 1526 | 1532 | 70 Tauri | 7 | 4. 16. 12.84 | 33.82 | 5 | + 3.406 | + 15. 33. 25.61 | 32.97 | 5 | + 8.777 | 603 | ... | 74 |
| 1527 | 1533 | 69 Tauri ν^1 | 5 | 4. 16. 26.63 | 32.45 | 5 | + 3.569 | + 22. 25. 58.32 | 32.03 | 10 | + 8.758 | 604 | ... | 75 |
| 1528 | 1534 | Piazzi IV. 76 | 8 | 4. 16. 32.43 | 36.50 | 2 | + 3.536 | + 21. 5. 19.05 | 36.49 | 4 | + 8.751 | ... | ... | 76 |
| 1529 | 1535 | Piazzi IV. 67 | 7.8 | 4. 16. 33.35 | 34.55 | 4 | + 5.944 | + 67. 15. 40.74 | 34.26 | 4 | + 8.750 | ... | ... | 67 |
| 1530 | 1536 | 71 Tauri | 5.6 | 4. 16. 57.20 | 35.66 | 7 | + 3.400 | + 15. 14. 13.77 | 33.12 | 5 | + 8.718 | 605 | ... | 78 |
| 1531 | 1537 | Lacaille 1438 | 6.7 | 4. 17. 4.73 | 35.09 | 3 | + 2.199 | - 35. 56. 1.00 | 34.31 | 4 | + 8.709 | ... | 1438 | 81 |
| 1532 | 1538 | 73 Tauri π | 5 | 4. 17. 17.54 | 32.15 | 13 | + 3.380 | + 14. 20. 2.61 | 31.84 | 10 | + 8.691 | 608 | ... | 79 |
| 1533 | 1539 | 72 Tauri ν^2 | 6 | 4. 17. 26.10 | 33.13 | 5 | + 3.574 | + 22. 37. 3.34 | 33.10 | 5 | + 8.679 | 606 | ... | 80 |
| 1534 | 1540 | Piazzi IV. 59 | 9 | 4. 17. 28.31 | 36.50 | 4 | + 10.051 | + 80. 11. 58.72 | 36.50 | 4 | + 8.677 | ... | ... | 59 |
| 1535 | 1541 | 43 Eridani ν^5 | 4.5 | 4. 17. 50.71 | 32.02 | 5 | + 2.246 | - 34. 24. 16.36 | 33.03 | 13 | + 8.648 | ... | 1441 | 85 |
| 1536 | 1542 | Piazzi IV. 82 | 6.7 | 4. 18. 13.67 | 35.43 | 8 | + 3.541 | + 21. 14. 41.96 | 35.37 | 8 | + 8.617 | ... | ... | 82 |
| 1537 | 1543 | Lacaille 1446 | 6.7 | 4. 18. 35.82 | 38.07 | 3 | + 2.042 | - 40. 26. 12.14 | 38.07 | 3 | + 8.590 | ... | 1446 | ... |
| 1538 | 1544 | Lacaille 1447 | 6.7 | 4. 18. 49.86 | 34.01 | 3 | + 2.221 | - 35. 8. 3.67 | 34.29 | 4 | + 8.569 | ... | 1447 | 92 |
| 1539 | 1545 | Piazzi IV. 86 | 7.8 | 4. 18. 55.16 | 36.64 | 3 | + 3.417 | + 15. 55. 36.05 | 36.35 | 3 | + 8.582 | ... | ... | 86 |
| 1540 | 1547 | 74 Tauri ϵ | 4 | 4. 18. 59.42 | 33.67 | 25 | + 3.484 | + 18. 48. 27.59 | 32.43 | 11 | + 8.557 | 609 | ... | 87 |
| 1541 | 1548 | 1 Camelopardi | 7 | 4. 18. 59.59 | 35.11 | 3 | + 4.709 | + 53. 32. 33.08 | 34.31 | 4 | + 8.557 | 607 | ... | 84 |
| 1542 | 1549 | 75 Tauri | 6 | 4. 19. 0.98 | 33.46 | 6 | + 3.418 | + 15. 59. 1.19 | 32.12 | 6 | + 8.556 | 610 | ... | 88 |
| 1543 | 1550 | 76 Tauri | 7 | 4. 19. 2.94 | 33.04 | 5 | + 3.382 | + 14. 22. 2.28 | 33.03 | 5 | + 8.552 | 611 | ... | 89 |
| 1544 | 1551 | 77 Tauri θ^1 | 5 | 4. 19. 9.43 | 34.71 | 10 | + 3.409 | + 15. 35. 21.23 | 33.69 | 13 | + 8.544 | 612 | ... | 90 |
| 1545 | 1552 | 78 Tauri θ^2 | 5.6 | 4. 19. 14.88 | 32.80 | 8 | + 3.407 | + 15. 29. 52.32 | 33.02 | 7 | + 8.538 | 613 | ... | 91 |
| 1546 | 1553 | Lacaille 1452 | 7 | 4. 19. 19.18 | 38.08 | 3 | + 1.887 | - 44. 24. 9.55 | 38.08 | 2 | + 8.531 | ... | 1452 | ... |
| 1547 | 1554 | Lacaille 1449 | 7 | 4. 19. 21.42 | 39.27 | 9 | + 2.191 | - 36. 3. 7.84 | 39.27 | 9 | + 8.528 | ... | 1449 | ... |
| 1548 | 1555 | Lacaille 1454 | 7 | 4. 19. 23.45 | 38.05 | 3 | + 1.772 | - 47. 1. 35.56 | 38.05 | 3 | + 8.525 | ... | 1454 | ... |
| 1549 | 1556 | 79 Tauri δ | 6 | 4. 19. 36.05 | 33.14 | 4 | + 3.344 | + 12. 40. 30.28 | 31.98 | 5 | + 8.509 | 614 | ... | 93 |
| 1550 | 1557 | 44 Eridani | 5.6 | 4. 20. 0.79 | 33.04 | 5 | + 3.094 | + 1. 0. 32.63 | 33.01 | 5 | + 8.477 | 615 | ... | 94 |
| 1551 | 1558 | Reticuli η | 5 | 4. 20. 7.75 | 32.08 | 6 | + 0.610 | - 63. 46. 45.87 | 31.59 | 10 | + 8.468 | ... | 1473 | ... |
| 1552 | 1559 | Lacaille 1458 | 7 | 4. 20. 8.38 | 35.04 | 3 | + 1.878 | - 44. 32. 34.08 | 34.34 | 4 | + 8.467 | ... | 1458 | 98 |
| 1553 | 1560 | Piazzi IV. 77 | 8 | 4. 20. 22.65 | 36.67 | 3 | + 10.181 | + 80. 19. 10.07 | 36.51 | 4 | + 8.448 | ... | ... | 77 |
| 1554 | 1561 | Brisbane 709 | 7 | 4. 20. 37.02 | 38.07 | 3 | + 2.091 | - 38. 57. 45.30 | 38.07 | 3 | + 8.428 | ... | ... | ... |
| 1555 | 1562 | Piazzi IV. 95 | 7 | 4. 20. 37.73 | 34.47 | 5 | + 3.501 | + 19. 28. 27.90 | 34.33 | 4 | + 8.428 | ... | ... | 95 |
| 1556 | 1563 | Lacaille 1462 | 7 | 4. 20. 40.98 | 38.03 | 3 | + 1.849 | - 45. 13. 52.38 | 38.02 | 3 | + 8.424 | ... | 1462 | ... |
| 1557 | 1564 | 80 Tauri | 6 | 4. 20. 44.58 | 35.02 | 14 | + 3.403 | + 15. 16. 12.96 | 38.81 | 8 | + 8.419 | 617 | ... | 97 |
| 1558 | 1566 | Piazzi IV. 96 | 7.8 | 4. 20. 59.72 | 34.52 | 4 | + 3.967 | + 36. 22. 51.76 | 34.26 | 4 | + 8.399 | ... | ... | 96 |
| 1559 | 1565 | Lacaille 1475 | 7 | 4. 20. 59.80 | 38.09 | 3 | + 1.170 | - 57. 26. 51.63 | 38.09 | 3 | + 8.399 | ... | 1475 | ... |
| 1560 | 1567 | Lacaille 1464 | 6.7 | 4. 21. 4.14 | 38.02 | 3 | + 2.020 | - 40. 54. 16.65 | 38.01 | 3 | + 8.393 | ... | 1464 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|---------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 1561 | 1568 | Bradley 619..... | 5.6 | h m s 4. 21. 7.50 | 35.73 | 10 | + 3.416 | + 15. 49. 41.49 | 34.00 | 9 | + 8.389 | 619 | ... | 99 |
| 1562 | 1569 | 81 Tauri | 5.6 | 4. 21. 14.91 | 33.98 | 3 | + 3.405 | + 15. 19. 36.19 | 32.96 | 3 | + 8.380 | 620 | ... | 100 |
| 1563 | 1570 | 83 Tauri | 6 | 4. 21. 20.63 | 32.66 | 6 | + 3.361 | + 13. 21. 33.25 | 33.06 | 5 | + 8.371 | 621 | ... | 103 |
| 1564 | 1571 | Piazzi IV. 102..... | 7 | 4. 21. 20.83 | 37.00 | 11 | + 3.415 | + 15. 47. 14.11 | 37.57 | 2 | + 8.371 | ... | ... | 102 |
| 1565 | 1572 | 84 Tauri | 7 | 4. 21. 45.79 | 35.92 | 17 | + 3.392 | + 14. 44. 33.33 | 35.83 | 8 | + 8.338 | 622 | ... | 105 |
| 1566 | 1573 | Bradley 616..... | 6.7 | 4. 21. 46.15 | 38.60 | 6 | + 4.193 | + 42. 40. 25.99 | 38.37 | 7 | + 8.337 | 616 | ... | 101 |
| 1567 | 1574 | 57 Persei | 6.7 | 4. 21. 49.44 | 38.11 | 5 | + 4.194 | + 42. 42. 11.96 | 34.36 | 8 | + 8.332 | 618 | ... | 104 |
| 1568 | 1575 | Piazzi IV. 106..... | 9.10 | 4. 21. 51.23 | 38.42 | 8 | + 3.383 | + 14. 19. 31.40 | 40.34 | 4 | + 8.330 | ... | ... | 106 |
| 1569 | 1576 | Lacaille 1468 | 8 | 4. 22. 4.57 | 38.91 | 1 | + 2.366 | - 30. 7. 35.58 | 38.91 | 1 | + 8.311 | ... | 1468 | ... |
| 1570 | 1577 | Lacaille 1479 | 6 | 4. 22. 15.41 | 38.10 | 3 | + 1.753 | - 47. 18. 25.51 | 38.10 | 3 | + 8.298 | ... | 1479 | ... |
| 1571 | 1578 | 85 Tauri | 6 | 4. 22. 26.80 | 32.99 | 5 | + 3.409 | + 15. 29. 24.77 | 32.02 | 10 | + 8.282 | 623 | ... | 108 |
| 1572 | 1579 | Piazzi IV. 107..... | 9 | 4. 22. 28.69 | 36.52 | 4 | + 4.197 | + 42. 43. 49.30 | 36.49 | 4 | + 8.279 | ... | ... | 107 |
| 1573 | 1580 | Brisbane 716..... | 7 | 4. 22. 37.01 | 38.06 | 2 | + 2.121 | - 37. 58. 30.37 | 38.06 | 2 | + 8.269 | ... | ... | ... |
| 1574 | 1581 | Lacaille 1484 | 6.7 | 4. 22. 45.64 | 38.11 | 3 | + 1.962 | - 42. 19. 44.23 | 38.11 | 3 | + 8.257 | ... | 1484 | ... |
| 1575 | 1582 | Lacaille 1496 | 6.7 | 4. 22. 49.40 | 38.11 | 3 | + 0.816 | - 61. 36. 47.56 | 38.11 | 3 | + 8.253 | ... | 1496 | ... |
| 1576 | 1583 | Piazzi IV. 109..... | 6.7 | 4. 23. 18.12 | 34.37 | 3 | + 3.180 | + 5. 2. 56.63 | 34.28 | 4 | + 8.214 | ... | ... | 109 |
| 1577 | 1584 | 45 Eridani | 6 | 4. 23. 26.57 | 32.32 | 5 | + 3.063 | - 0. 24. 14.50 | 33.03 | 5 | + 8.203 | 624 | ... | 110 |
| 1578 | 1585 | Brisbane 719..... | 7 | 4. 23. 34.49 | 38.06 | 3 | + 2.082 | - 39. 2. 48.80 | 38.06 | 3 | + 8.193 | ... | ... | ... |
| 1579 | 1586 | Lacaille 1488 | 6.7 | 4. 23. 55.41 | 35.40 | 3 | + 2.344 | - 30. 48. 25.26 | 34.35 | 4 | + 8.165 | ... | 1488 | 115 |
| 1580 | 1587 | Bradley 625 | 7 | 4. 24. 12.07 | 34.32 | 4 | + 3.422 | + 15. 58. 9.05 | 34.35 | 4 | + 8.142 | 625 | ... | 113 |
| 1581 | 1588 | Piazzi IV. 111..... | 7 | 4. 24. 19.21 | 33.08 | 6 | + 3.739 | + 28. 36. 31.56 | 33.07 | 5 | + 8.133 | ... | ... | 111 |
| 1582 | 1589 | Lacaille 1498 | 7 | 4. 24. 27.62 | 38.08 | 3 | + 1.766 | - 46. 52. 49.40 | 38.08 | 3 | + 8.121 | ... | 1498 | ... |
| 1583 | 1590 | 86 Tauri..... | 5 | 4. 24. 29.68 | 31.58 | 12 | + 3.387 | + 14. 29. 28.40 | 31.59 | 10 | + 8.118 | 627 | ... | 114 |
| 1584 | 1591 | Piazzi IV. 116..... | 7 | 4. 24. 31.29 | 34.51 | 4 | + 3.352 | + 12. 53. 52.46 | 34.90 | 7 | + 8.116 | ... | ... | 116 |
| 1585 | 1592 | Lacaille 1495 | 6 | 4. 24. 39.88 | 34.53 | 4 | + 2.183 | - 36. 0. 55.46 | 34.31 | 4 | + 8.105 | ... | 1495 | 118 |
| 1586 | 1593 | Lacaille 1499 | 7 | 4. 24. 59.78 | 38.02 | 3 | + 2.142 | - 37. 14. 4.92 | 38.02 | 3 | + 8.078 | ... | 1499 | ... |
| 1587 | 1594 | 58 Persei | 5.6 | 4. 25. 16.36 | 35.06 | 3 | + 4.133 | + 40. 55. 3.16 | 34.35 | 4 | + 8.055 | 626 | ... | 117 |
| 1588 | 1595 | Lacaille 1508 | 6.7 | 4. 25. 24.89 | 34.58 | 4 | + 1.987 | - 41. 31. 55.47 | 34.34 | 4 | + 8.045 | ... | 1508 | 124 |
| 1589 | 1596 | Oali..... | 5 | 4. 25. 47.11 | 32.64 | 15 | + 1.832 | - 45. 18. 42.06 | 32.41 | 14 | + 8.015 | ... | 1512 | 129 |
| 1590 | 1597 | 46 Eridani | 6 | 4. 25. 52.54 | 33.10 | 6 | + 2.920 | - 7. 5. 24.79 | 32.05 | 10 | + 8.007 | 631 | ... | 121 |
| 1591 | 1598 | Piazzi IV. 119..... | 8 | 4. 25. 59.85 | 36.47 | 4 | + 3.509 | + 19. 37. 22.00 | 36.47 | 4 | + 7.998 | ... | ... | 119 |
| 1592 | 1599 | Piazzi IV. 120..... | 6.7 | 4. 26. 2.63 | 34.10 | 3 | + 3.507 | + 19. 32. 3.96 | 34.38 | 4 | + 7.994 | ... | ... | 120 |
| 1593 | 1600 | Bradley 633 | 6 | 4. 26. 12.76 | 33.11 | 5 | + 2.917 | - 7. 11. 12.34 | 33.08 | 3 | + 7.981 | 633 | ... | ... |
| 1594 | 1601 | 47 Eridani | 5 | 4. 26. 15.18 | 32.04 | 12 | + 2.887 | - 8. 34. 56.08 | 31.60 | 10 | + 7.978 | 634 | ... | 126 |
| 1595 | 1602 | 87 Tauri..... | 1 | 4. 26. 27.61 | 34.60 | 118 | + 3.428 | + 16. 10. 14.31 | 32.93 | 180 | + 7.961 | 630 | ... | 125 |
| 1596 | 1603 | Piazzi IV. 127..... | 9 | 4. 26. 31.81 | 36.49 | 4 | + 3.284 | + 9. 49. 31.11 | 36.85 | 3 | + 7.955 | ... | ... | 127 |
| 1597 | 1604 | 88 Tauri..... | 5 | 4. 26. 35.75 | 32.51 | 6 | + 3.284 | + 9. 49. 1.86 | 31.60 | 10 | + 7.950 | 632 | ... | 128 |
| 1598 | 1605 | Piazzi IV. 112..... | 6.7 | 4. 26. 45.98 | 34.01 | 3 | + 7.863 | + 75. 37. 28.96 | 34.33 | 4 | + 7.937 | ... | ... | 112 |
| 1599 | 1606 | 2 Camelopardi | 6.7 | 4. 26. 55.05 | 34.58 | 4 | + 4.707 | + 53. 8. 17.57 | 34.33 | 4 | + 7.925 | 628 | ... | 122 |
| 1600 | 1607 | 3 Camelopardi | 5.6 | 4. 26. 56.37 | 35.10 | 3 | + 4.687 | + 52. 44. 28.61 | 34.38 | 4 | + 7.923 | 629 | ... | 123 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------------|------------|-----------------------|----------------------|----------------|----------------------------------|------------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 1601 | 1608 | Brisbane 731..... | 7 | h m s 4. 26. 57'57 | 38'07 | 3 | + 2'178 | ° ' " — 36. 3. 6'52 | 38'08 | 3 | + 7'922 | ... | ... | ... |
| 1602 | 1609 | 50 Eridani..... ^v | 6 | 4. 27. 2'35 | 35'08 | 5 | + 2'360 | — 30. 6. 16'69 | 35'58 | 10 | + 7'916 | 636 | 1513 | 130 |
| 1603 | 1610 | Lacaille 1518..... | 7 | 4. 27. 16'31 | 38'06 | 3 | + 2'090 | — 38. 38. 9'12 | 38'07 | 2 | + 7'897 | ... | 1518 | ... |
| 1604 | 1611 | Piazzi IV. 131..... | 8 | 4. 27. 24'89 | 36'05 | 2 | + 2'886 | — 8. 38. 16'99 | 36'38 | 6 | + 7'884 | ... | ... | 131 |
| 1605 | 1612 | Lacaille 1516..... | 7 | 4. 27. 27'31 | 37'96 | 10 | + 2'396 | — 28. 47. 49'06 | 37'34 | 8 | + 7'881 | ... | 1516 | 132 |
| 1606 | 1613 | 48 Eridani..... ^v | 4 | 4. 28. 4'83 | 31'97 | 6 | + 2'992 | — 3. 41. 44'52 | 32'06 | 5 | + 7'830 | 637 | ... | 133 |
| 1607 | 1614 | 89 Tauri..... | 7 | 4. 28. 43'27 | 33'08 | 5 | + 3'418 | + 15. 41. 45'22 | 33'07 | 5 | + 7'780 | 638 | ... | 135 |
| 1608 | 1615 | 49 Eridani..... | 6 | 4. 28. 43'77 | 33'56 | 4 | + 3'086 | + 0. 39. 28'12 | 31'97 | 5 | + 7'778 | 640 | ... | 137 |
| 1609 | 1616 | Lacaille 1535..... | 7 | 4. 28. 48'77 | 38'01 | 3 | + 0'927 | — 60. 7. 5'35 | 38'01 | 3 | + 7'772 | ... | 1535 | ... |
| 1610 | 1617 | Piazzi IV. 134..... | 6'7 | 4. 28. 48'78 | 34'54 | 4 | + 4'123 | + 40. 27. 17'79 | 34'37 | 4 | + 7'772 | ... | ... | 134 |
| 1611 | 1618 | Piazzi IV. 139..... | 7 | 4. 28. 54'25 | 34'83 | 5 | + 2'882 | — 8. 47. 58'63 | 34'30 | 4 | + 7'765 | ... | ... | 139 |
| 1612 | 1619 | 90 Tauri..... ^c | 5 | 4. 28. 56'66 | 31'86 | 5 | + 3'338 | + 12. 10. 20'67 | 32'04 | 10 | + 7'761 | 639 | ... | 138 |
| 1613 | 1620 | 52 Eridani..... ^v | 3 | 4. 29. 8'57 | 32'01 | 6 | + 2'334 | — 30. 54. 18'02 | 31'81 | 12 | + 7'746 | 645 | 1529 | 144 |
| 1614 | 1621 | Piazzi IV. 141..... | 8'9 | 4. 29. 14'42 | 36'50 | 4 | + 2'882 | — 8. 45. 57'99 | 36'37 | 3 | + 7'738 | ... | ... | 141 |
| 1615 | 1622 | 51 Eridani..... ^c | 5'6 | 4. 29. 18'20 | 33'14 | 5 | + 3'011 | — 2. 48. 34'77 | 33'05 | 4 | + 7'733 | 642 | ... | 140 |
| 1616 | 1623 | Piazzi IV. 142..... | 9'10 | 4. 29. 26'08 | 36'53 | 2 | + 3'008 | — 2. 59. 0'72 | 36'50 | 4 | + 7'722 | ... | ... | 142 |
| 1617 | 1624 | 91 Tauri..... ^c | 5'6 | 4. 29. 44'44 | 33'13 | 4 | + 3'414 | + 15. 28. 5'73 | 33'10 | 5 | + 7'697 | 641 | ... | 143 |
| 1618 | 1625 | 92 Tauri..... ^c | 5'6 | 4. 29. 50'65 | 33'08 | 6 | + 3'416 | + 15. 35. 2'62 | 33'11 | 5 | + 7'688 | 643 | ... | 145 |
| 1619 | 1626 | Piazzi IV. 146..... | 6'7 | 4. 30. 10'58 | 34'35 | 4 | + 3'235 | + 7. 32. 12'03 | 34'32 | 4 | + 7'661 | ... | ... | 146 |
| 1620 | 1627 | Doradus..... ^a | 3 | 4. 30. 26'58 | 34'67 | 9 | + 1'281 | — 55. 23. 19'04 | 33'06 | 13 | + 7'640 | ... | 1539 | ... |
| 1621 | 1628 | Lacaille 1533..... | 7'8 | 4. 30. 26'87 | 36'53 | 4 | + 2'328 | — 31. 3. 18'03 | 36'57 | 4 | + 7'640 | ... | 1533 | 151 |
| 1622 | 1629 | Piazzi IV. 136..... | 7'8 | 4. 30. 32'87 | 38'01 | 10 | + 6'510 | + 70. 12. 42'13 | 37'33 | 8 | + 7'632 | ... | ... | 136 |
| 1623 | 1630 | 53 Eridani..... | 4 | 4. 30. 37'75 | 31'93 | 6 | + 2'749 | — 14. 37. 53'12 | 31'68 | 12 | + 7'624 | 647 | ... | 150 |
| 1624 | 1631 | Lacaille 1537..... | 7 | 4. 30. 38'56 | 38'41 | 5 | + 2'100 | — 38. 9. 41'63 | 38'41 | 5 | + 7'623 | ... | 1537 | ... |
| 1625 | 1632 | Lacaille 1534..... | 7 | 4. 30. 40'08 | 34'35 | 4 | + 2'336 | — 30. 46. 3'73 | 34'30 | 4 | + 7'622 | ... | 1534 | 153 |
| 1626 | 1633 | 93 Tauri..... ^c | 5 | 4. 30. 52'67 | 32'01 | 11 | + 3'332 | + 11. 52. 4'13 | 31'60 | 10 | + 7'604 | 646 | ... | 149 |
| 1627 | 1634 | Piazzi IV. 152..... | 8 | 4. 30. 55'62 | 38'69 | 5 | + 2'886 | — 8. 33. 27'60 | 40'41 | 3 | + 7'600 | ... | ... | 152 |
| 1628 | 1635 | Piazzi IV. 148..... | 6'7 | 4. 31. 0'81 | 32'97 | 6 | + 3'738 | + 28. 17. 15'51 | 35'38 | 12 | + 7'594 | ... | ... | 148 |
| 1629 | 1636 | Brisbane 746..... | 7 | 4. 31. 1'05 | 38'05 | 2 | + 2'174 | — 35. 57. 28'56 | 38'05 | 2 | + 7'594 | ... | ... | ... |
| 1630 | 1637 | Piazzi IV. 154..... | 7 | 4. 31. 12'06 | 36'49 | 4 | + 2'799 | — 12. 27. 18'33 | 37'01 | 1 | + 7'579 | ... | ... | 154 |
| 1631 | 1638 | 59 Persei..... | 6 | 4. 31. 12'99 | 35'09 | 3 | + 4'229 | + 43. 2. 31'93 | 34'34 | 4 | + 7'578 | 644 | ... | 147 |
| 1632 | 1639 | Piazzi IV. 156..... | 8'9 | 4. 31. 24'26 | 36'59 | 5 | + 2'306 | — 31. 44. 41'36 | 36'68 | 3 | + 7'563 | ... | ... | 156 |
| 1633 | 1640 | Piazzi IV. 155..... | 6'7 | 4. 31. 24'37 | 34'37 | 4 | + 3'040 | — 1. 22. 57'43 | 34'36 | 4 | + 7'563 | ... | ... | 155 |
| 1634 | 1641 | Bradley 650..... | 6 | 4. 31. 44'50 | 33'03 | 5 | + 2'747 | — 14. 41. 4'48 | 31'97 | 4 | + 7'534 | 650 | ... | 157 |
| 1635 | 1642 | Lacaille 1543..... | 7 | 4. 31. 57'24 | 35'08 | 5 | + 1'947 | — 42. 12. 36'90 | 33'20 | 6 | + 7'518 | ... | 1543 | 160 |
| 1636 | 1643 | Piazzi IV. 158..... | 8'9 | 4. 32. 18'73 | 36'56 | 4 | + 3'588 | + 22. 37. 7'03 | 37'08 | 2 | + 7'489 | ... | ... | 158 |
| 1637 | 1644 | 94 Tauri..... ^r | 5 | 4. 32. 21'14 | 32'59 | 8 | + 3'589 | + 22. 38. 0'47 | 33'34 | 21 | + 7'486 | 648 | ... | 159 |
| 1638 | 1645 | Piazzi IV. 161..... | 6'7 | 4. 33. 9'06 | 34'29 | 4 | + 3'865 | + 32. 32. 50'23 | 34'31 | 4 | + 7'421 | ... | ... | 161 |
| 1639 | 1646 | 54 Eridani..... | 4 | 4. 33. 13'71 | 32'31 | 18 | + 2'620 | — 19. 59. 36'00 | 31'63 | 9 | + 7'414 | 653 | ... | 166 |
| 1640 | 1647 | Piazzi IV. 163..... | 7'8 | 4. 33. 14'12 | 34'34 | 4 | + 3'485 | + 18. 24. 10'28 | 34'27 | 4 | + 7'414 | ... | ... | 163 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 1641 | 1648 | 95 Tauri | 7 | 4 33. 14.91 | 33.10. | 5 | + 3.619 | + 23. 46. 7.56 | 32.12 | 5 | + 7.413 | 652 | ... | 162 |
| 1642 | 1649 | Lacaille 1544 | 6 | 4 33. 15.30 | 33.06 | 5 | + 2.498 | - 24. 48. 37.63 | 32.12 | 6 | + 7.413 | ... | 1544 | 167 |
| 1643 | 1650 | Brisbane 753 | 9 | 4 33. 43.10 | 38.40 | 5 | + 1.458 | - 52. 23. 6.80 | 38.40 | 5 | + 7.375 | ... | ... | ... |
| 1644 | 1651 | 4 Camelopardi | 6 | 4 34. 16.97 | 35.12 | 3 | + 4.949 | + 56. 27. 14.41 | 34.32 | 4 | + 7.329 | 649 | ... | 164 |
| 1645 | 1652 | Lacaille 1553 | 6.7 | 4 34. 34.50 | 38.07 | 3 | + 2.059 | - 39. 7. 50.61 | 38.08 | 3 | + 7.305 | ... | 1553 | ... |
| 1646 | 1653 | Piazzi IV. 165 | 7 | 4 34. 45.55 | 34.32 | 4 | + 5.551 | + 63. 19. 19.58 | 34.28 | 4 | + 7.289 | ... | ... | 165 |
| 1647 | 1654 | Lacaille 1558 | 6 | 4 34. 59.62 | 38.08 | 3 | + 1.477 | - 51. 59. 58.21 | 38.08 | 3 | + 7.270 | ... | 1558 | ... |
| 1648 | 1655 | Cæli | 4.5 | 4 35. 15.05 | 31.98 | 12 | + 1.942 | - 42. 10. 58.90 | 31.86 | 13 | + 7.250 | ... | 1556 | 175 |
| 1649 | 1656 | Piazzi IV. 169 | 6 | 4 35. 17.60 | 32.97 | 5 | + 3.310 | + 10. 49. 55.42 | 32.81 | 6 | + 7.246 | ... | ... | 169 |
| 1650 | 1657 | Piazzi IV. 171 | 7.8 | 4 35. 24.90 | 36.49 | 4 | + 2.530 | - 23. 29. 44.96 | 36.25 | 4 | + 7.237 | ... | ... | 171 |
| 1651 | 1658 | Piazzi IV. 168 | 7 | 4 35. 30.30 | 34.35 | 4 | + 3.745 | + 28. 21. 0.51 | 34.32 | 4 | + 7.227 | ... | ... | 168 |
| 1652 | 1660 | Piazzi IV. 173 | 7.8 | 4 35. 40.40 | 36.03 | 4 | + 2.872 | - 9. 6. 37.70 | 36.33 | 3 | + 7.215 | ... | ... | 173 |
| 1653 | 1659 | 55 Eridani | 6.7 | 4 35. 40.57 | 34.36 | 4 | + 2.872 | - 9. 6. 32.37 | 34.35 | 4 | + 7.215 | 655 | ... | 172 |
| 1654 | 1661 | Piazzi IV. 174 | 9 | 4 35. 51.85 | 36.52 | 4 | + 2.996 | - 3. 28. 50.49 | 37.07 | 2 | + 7.199 | ... | ... | 174 |
| 1655 | 1662 | Brisbane 760 | 7.8 | 4 36. 1.62 | 38.01 | 3 | + 2.114 | - 37. 30. 28.44 | 38.01 | 3 | + 7.186 | ... | ... | ... |
| 1656 | 1663 | Lacaille 1565 | 7 | 4 36. 2.76 | 38.05 | 3 | + 1.642 | - 48. 51. 36.14 | 38.05 | 3 | + 7.184 | ... | 1565 | ... |
| 1657 | 1664 | 56 Eridani | 6 | 4 36. 9.84 | 34.38 | 3 | + 2.878 | - 8. 49. 2.71 | 34.27 | 4 | + 7.175 | 656 | ... | 178 |
| 1658 | 1665 | Cæli | 5 | 4 36. 13.74 | 32.02 | 10 | + 2.115 | - 37. 28. 15.18 | 31.58 | 10 | + 7.169 | ... | 1559 | 181 |
| 1659 | 1666 | Piazzi IV. 177 | 8 | 4 36. 28.07 | 36.54 | 4 | + 3.490 | + 18. 29. 28.16 | 36.52 | 4 | + 7.151 | ... | ... | 177 |
| 1660 | 1667 | Piazzi IV. 179 | 6 | 4 36. 39.34 | 33.09 | 8 | + 3.488 | + 18. 25. 44.35 | 32.12 | 5 | + 7.134 | ... | ... | 179 |
| 1661 | 1668 | Piazzi IV. 170 | 6 | 4 36. 40.85 | 34.31 | 5 | + 5.547 | + 63. 12. 42.09 | 34.29 | 4 | + 7.132 | ... | ... | 170 |
| 1662 | 1669 | Lacaille 1564 | 6.7 | 4 36. 46.84 | 35.09 | 3 | + 2.318 | - 31. 4. 36.84 | 34.34 | 4 | + 7.123 | ... | 1564 | 182 |
| 1663 | 1670 | 57 Eridani | 5 | 4 37. 15.48 | 31.80 | 10 | + 2.994 | - 3. 33. 46.54 | 31.58 | 10 | + 7.086 | 657 | ... | 183 |
| 1664 | 1671 | Lacaille 1574 | 6.7 | 4 37. 15.66 | 38.09 | 3 | + 1.676 | - 48. 8. 27.32 | 38.09 | 3 | + 7.085 | ... | 1574 | ... |
| 1665 | 1672 | Lacaille 1569 | 6.7 | 4 37. 37.46 | 38.09 | 3 | + 2.410 | - 27. 53. 17.03 | 38.09 | 3 | + 7.055 | ... | 1569 | ... |
| 1666 | 1673 | 9 Camelopardi | 4.5 | 4 37. 42.10 | 33.70 | 14 | + 5.890 | + 66. 3. 1.10 | 32.35 | 11 | + 7.048 | ... | ... | 176 |
| 1667 | 1674 | Lacaille 1570 | 8 | 4 37. 53.64 | 36.35 | 3 | + 2.399 | - 28. 15. 32.83 | 36.32 | 4 | + 7.032 | ... | 1570 | 188 |
| 1668 | 1675 | Piazzi IV. 186 | 7 | 4 37. 58.84 | 36.48 | 4 | + 2.576 | - 21. 35. 27.96 | 36.52 | 4 | + 7.025 | ... | ... | 186 |
| 1669 | 1676 | Piazzi IV. 180 | 8 | 4 38. 4.35 | 38.05 | 7 | + 5.905 | + 66. 8. 51.06 | 37.54 | 6 | + 7.019 | ... | ... | 180 |
| 1670 | 1677 | Lacaille 1578 | 6.7 | 4 38. 19.14 | 34.38 | 4 | + 1.968 | - 41. 22. 34.15 | 34.33 | 4 | + 6.999 | ... | 1578 | 192 |
| 1671 | 1678 | Piazzi IV. 189 | 7 | 4 38. 30.27 | 34.34 | 4 | + 3.192 | + 5. 29. 3.73 | 34.48 | 5 | + 6.983 | ... | ... | 189 |
| 1672 | 1679 | Brisbane 771 | 7.8 | 4 38. 31.10 | 38.09 | 3 | + 2.135 | - 36. 45. 47.07 | 38.09 | 3 | + 6.982 | ... | ... | ... |
| 1673 | 1680 | Pictoris | 5 | 4 38. 33.14 | 38.08 | 3 | + 1.535 | - 50. 47. 43.25 | 38.08 | 3 | + 6.979 | ... | 1585 | ... |
| 1674 | 1681 | Piazzi IV. 185 | 6.7 | 4 38. 39.23 | 34.38 | 4 | + 3.864 | + 32. 17. 24.91 | 34.31 | 4 | + 6.971 | ... | ... | 185 |
| 1675 | 1682 | Piazzi IV. 184 | 6.7 | 4 38. 46.26 | 34.31 | 4 | + 4.487 | + 48. 26. 48.00 | 34.27 | 4 | + 6.961 | ... | ... | 184 |
| 1676 | 1683 | 1. Aurigæ | 6 | 4 38. 48.86 | 34.29 | 4 | + 4.023 | + 37. 11. 19.29 | 34.28 | 4 | + 6.953 | 658 | ... | 187 |
| 1677 | 1684 | Piazzi IV. 190 | 7.8 | 4 39. 2.89 | 34.02 | 4 | + 3.490 | + 18. 25. 38.52 | 34.88 | 7 | + 6.938 | ... | ... | 190 |
| 1678 | 1685 | Lacaille 1589 | 6.7 | 4 39. 17.36 | 38.48 | 4 | + 1.646 | - 48. 38. 51.94 | 38.64 | 3 | + 6.918 | ... | 1589 | ... |
| 1679 | 1686 | Lacaille 1587 | 7 | 4 39. 43.47 | 35.11 | 3 | + 2.215 | - 34. 18. 35.66 | 34.34 | 4 | + 6.881 | ... | 1587 | 196 |
| 1680 | 1687 | Lacaille 1599 | 7 | 4 39. 46.84 | 38.10 | 3 | + 1.431 | - 52. 34. 24.84 | 38.10 | 3 | + 6.877 | ... | 1599 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835-0. | Mean Data, 1800 + | No. of Obs. | Annual Precession, 1835-0. | Mean Dec., 1835-0. | Mean Data, 1800 + | No. of Obs. | Annual Precession, 1835-0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 1681 | 1688 | Lacaille 1586 | 6 | 4. 39. 50.86 | 32.14 | 5 | + 2.393 | - 28. 23. 28.29 | 32.05 | 10 | + 6.872 | ... | 1586 | 197 |
| 1682 | 1689 | Piazzi IV. 194 | 8 | 4. 40. 5.66 | 36.48 | 4 | + 3.423 | + 15. 35. 37.80 | 36.40 | 3 | + 6.852 | ... | ... | 194 |
| 1683 | 1690 | 58 Eridani | 6 | 4. 40. 11.98 | 33.04 | 6 | + 2.682 | - 17. 14. 33.05 | 32.30 | 5 | + 6.844 | 664 | ... | 198 |
| 1684 | 1691 | 96 Tauri | 6 | 4. 40. 18.19 | 34.71 | 8 | + 3.423 | + 15. 36. 33.01 | 36.32 | 7 | + 6.835 | 660 | ... | 195 |
| 1685 | 1692 | Lacaille 1594 | 6.7 | 4. 40. 20.94 | 34.56 | 4 | + 2.030 | - 39. 39. 29.37 | 34.32 | 4 | + 6.831 | ... | 1594 | 202 |
| 1686 | 1693 | Brisbane 780 | 7 | 4. 40. 45.65 | 38.02 | 3 | + 2.098 | - 37. 45. 22.55 | 38.02 | 3 | + 6.797 | ... | ... | ... |
| 1687 | 1694 | Piazzi IV. 193 | 7.8 | 4. 40. 49.90 | 36.72 | 3 | + 6.109 | + 67. 29. 53.82 | 36.57 | 4 | + 6.792 | ... | ... | 193 |
| 1688 | 1695 | 1 Orionis | 4 | 4. 40. 53.27 | 32.40 | 20 | + 3.219 | + 6. 40. 0.24 | 32.11 | 16 | + 6.787 | 663 | ... | 201 |
| 1689 | 1696 | 59 Eridani | 6 | 4. 41. 7.35 | 33.07 | 5 | + 2.696 | - 16. 37. 38.45 | 33.04 | 5 | + 6.769 | 668 | ... | 206 |
| 1690 | 1697 | Bradley 661 | 7 | 4. 41. 18.11 | 34.46 | 3 | + 3.999 | + 36. 21. 17.86 | 34.34 | 4 | + 6.753 | 661 | ... | 200 |
| 1691 | 1698 | Lacaille 1603 | 7 | 4. 41. 19.86 | 38.09 | 3 | + 2.067 | - 38. 36. 29.07 | 38.09 | 3 | + 6.750 | ... | 1603 | ... |
| 1692 | 1699 | Lacaille 1601 | 6.7 | 4. 41. 23.46 | 34.44 | 3 | + 2.336 | - 30. 19. 19.19 | 34.27 | 4 | + 6.745 | ... | 1601 | 210 |
| 1693 | 1700 | Piazzi IV. 205 | 8 | 4. 41. 25.62 | 36.52 | 4 | + 3.219 | + 6. 39. 28.31 | 36.50 | 4 | + 6.742 | ... | ... | 205 |
| 1694 | 1701 | Piazzi IV. 191 | 6.7 | 4. 41. 29.23 | 34.34 | 4 | + 7.464 | + 73. 59. 52.78 | 34.30 | 4 | + 6.738 | ... | ... | 191 |
| 1695 | 1702 | 5 Camelopardi | 6 | 4. 41. 35.17 | 34.32 | 4 | + 4.870 | + 54. 58. 34.46 | 34.31 | 4 | + 6.730 | 659 | ... | 199 |
| 1696 | 1703 | 2 Aurigæ | 5.6 | 4. 41. 35.85 | 34.34 | 5 | + 4.001 | + 36. 24. 57.05 | 34.34 | 4 | + 6.729 | 662 | ... | 203 |
| 1697 | 1704 | 2 Orionis | 5 | 4. 41. 37.58 | 32.14 | 15 | + 3.263 | + 8. 36. 37.25 | 32.10 | 14 | + 6.726 | 667 | ... | 209 |
| 1698 | 1705 | 97 Tauri | 5.6 | 4. 41. 43.78 | 33.04 | 7 | + 3.493 | + 18. 33. 7.66 | 33.07 | 5 | + 6.717 | 666 | ... | 208 |
| 1699 | 1706 | 3 Orionis | 4 | 4. 42. 25.45 | 31.93 | 8 | + 3.189 | + 5. 18. 59.19 | 32.40 | 15 | + 6.662 | 670 | ... | 213 |
| 1700 | 1707 | Piazzi IV. 211 | 7 | 4. 42. 29.23 | 33.09 | 6 | + 3.732 | + 27. 36. 49.98 | 33.08 | 5 | + 6.656 | ... | ... | 211 |
| 1701 | 1708 | Piazzi IV. 214 | 6.7 | 4. 42. 40.11 | 34.39 | 3 | + 3.287 | + 9. 41. 18.88 | 34.27 | 4 | + 6.641 | ... | ... | 214 |
| 1702 | 1709 | Gould 5444 | 7 | 4. 42. 44.81 | 39.36 | 7 | + 1.724 | - 46. 53. 29.98 | 39.36 | 7 | + 6.633 | ... | ... | ... |
| 1703 | 1710 | 60 Eridani | 6 | 4. 42. 45.78 | 33.03 | 8 | + 2.698 | - 16. 30. 34.27 | 33.03 | 5 | + 6.632 | 673 | ... | 215 |
| 1704 | 1711 | Lacaille 1611 | 8.9 | 4. 43. 9.92 | 36.52 | 4 | + 2.175 | - 35. 22. 49.92 | 37.02 | 2 | + 6.600 | ... | 1611 | 220 |
| 1705 | 1712 | 4 Orionis | 5 | 4. 43. 12.46 | 31.90 | 11 | + 3.386 | + 13. 58. 8.50 | 31.60 | 10 | + 6.597 | 672 | ... | 216 |
| 1706 | 1713 | 6 Camelopardi | 7 | 4. 43. 14.13 | 34.36 | 4 | + 4.913 | + 55. 32. 55.70 | 34.36 | 4 | + 6.594 | 665 | ... | 212 |
| 1707 | 1714 | Lacaille 1616 | 6.7 | 4. 43. 29.40 | 35.09 | 3 | + 1.841 | - 44. 16. 21.86 | 34.27 | 4 | + 6.573 | ... | 1616 | 221 |
| 1708 | 1715 | Piazzi IV. 219 | 8 | 4. 43. 35.15 | 36.49 | 4 | + 2.947 | - 5. 39. 39.03 | 36.36 | 3 | + 6.564 | ... | ... | 219 |
| 1709 | 1716 | Piazzi IV. 204 | 6.7 | 4. 43. 44.55 | 34.54 | 4 | + 7.340 | + 73. 30. 12.40 | 34.28 | 4 | + 6.551 | ... | ... | 204 |
| 1710 | 1717 | Lacaille 1617 | 8 | 4. 43. 53.96 | 36.52 | 4 | + 2.174 | - 35. 23. 14.99 | 36.05 | 2 | + 6.538 | ... | 1617 | 223 |
| 1711 | 1718 | Piazzi IV. 207 | 7.8 | 4. 43. 57.05 | 35.91 | 7 | + 7.426 | + 73. 48. 29.49 | 35.68 | 3 | + 6.534 | ... | ... | 207 |
| 1712 | 1719 | 7 Camelopardi | 5 | 4. 44. 4.89 | 32.81 | 5 | + 4.780 | + 53. 28. 41.05 | 31.58 | 10 | + 6.523 | 669 | ... | 217 |
| 1713 | 1720 | Lacaille 1621 | 7 | 4. 44. 23.44 | 38.42 | 5 | + 1.927 | - 42. 8. 31.42 | 38.43 | 5 | + 6.498 | ... | 1621 | ... |
| 1714 | 1721 | Piazzi IV. 222 | 7 | 4. 44. 31.43 | 34.36 | 3 | + 3.453 | + 16. 44. 52.29 | 34.31 | 4 | + 6.487 | ... | ... | 222 |
| 1715 | 1722 | Lacaille 1632 | 6 | 4. 44. 31.87 | 38.04 | 3 | + 0.930 | - 59. 25. 48.07 | 38.04 | 3 | + 6.486 | ... | 1632 | ... |
| 1716 | 1723 | Piazzi IV. 224 | 7 | 4. 44. 39.50 | 34.39 | 4 | + 2.949 | - 5. 34. 3.07 | 34.34 | 4 | + 6.476 | ... | ... | 224 |
| 1717 | 1724 | 5 Orionis | 6 | 4. 44. 46.76 | 33.03 | 3 | + 3.121 | + 2. 13. 45.01 | 33.17 | 5 | + 6.464 | 675 | ... | 226 |
| 1718 | 1725 | 61 Eridani | 5 | 4. 44. 47.60 | 32.12 | 6 | + 2.945 | - 5. 44. 5.45 | 31.61 | 9 | + 6.463 | 676 | ... | 227 |
| 1719 | 1726 | Lacaille 1622 | 6.7 | 4. 44. 49.35 | 38.08 | 3 | + 2.052 | - 38. 51. 1.93 | 38.08 | 3 | + 6.462 | ... | 1622 | ... |
| 1720 | 1727 | Lacaille 1626 | 6.7 | 4. 44. 54.43 | 34.57 | 4 | + 1.947 | - 41. 36. 34.84 | 34.32 | 4 | + 6.454 | ... | 1626 | 230 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|----------------------------------|-------------------------|-------------------|----------------------------------|-------------------------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 1721 | 1728 | Lacaille 1638 | 8 | ^{h m s} 4. 45. 21'46 | 38'05 | 3 | ^s + 0'713 | ^{° ' "} - 61. 45. 55'01 | 38'05 | 3 | ["] + 6'418 | ... | 1638 | ... |
| 1722 | 1729 | Piazzi IV. 228 | 7 | 4. 45. 26'46 | 34'32 | 4 | + 3'438 | + 16. 6. 39'55 | 34'27 | 4 | + 6'410 | ... | ... | 228 |
| 1723 | 1730 | Lacaille 1628 | 6 | 4. 45. 28'34 | 38'56 | 6 | + 2'179 | - 35. 11. 14'23 | 37'08 | 9 | + 6'409 | ... | 1628 | 237 |
| 1724 | 1731 | 6 Orionis | 6 | 4. 45. 38'24 | 33'07 | 5 | + 3'322 | + 11. 8. 57'54 | 32'70 | 6 | + 6'394 | 678 | ... | 229 |
| 1725 | 1732 | 8 Orionis | 4'5 | 4. 45. 39'70 | 33'68 | 12 | + 3'120 | + 2. 9. 51'55 | 31'45 | 8 | + 6'392 | 680 | ... | 232 |
| 1726 | 1733 | Piazzi IV. 218 | 7'8 | 4. 45. 47'57 | 36'97 | 2 | + 7'447 | + 73. 50. 21'86 | 37'08 | 2 | + 6'380 | ... | ... | 218 |
| 1727 | 1734 | 7 Orionis | 5'6 | 4. 45. 49'05 | 33'04 | 5 | + 3'293 | + 9. 52. 55'24 | 33'04 | 5 | + 6'379 | 679 | ... | 234 |
| 1728 | 1735 | Lacaille 1630 | 6'7 | 4. 45. 50'08 | 38'01 | 4 | + 2'200 | - 34. 31. 11'22 | 38'01 | 3 | + 6'377 | ... | 1630 | ... |
| 1729 | 1736 | Piazzi IV. 231 | 7 | 4. 45. 50'48 | 34'68 | 3 | + 3'444 | + 16. 20. 51'45 | 34'29 | 4 | + 6'376 | ... | ... | 231 |
| 1730 | 1737 | Piazzi IV. 236 | 6'7 | 4. 45. 52'82 | 34'54 | 4 | + 3'239 | + 7. 30. 20'62 | 34'30 | 4 | + 6'373 | ... | ... | 236 |
| 1731 | 1738 | Piazzi IV. 238 | 7'8 | 4. 46. 13'26 | 36'58 | 5 | + 2'994 | - 3. 30. 0'85 | 36'58 | 4 | + 6'347 | ... | ... | 238 |
| 1732 | 1739 | 3 Aurigæ | 4 | 4. 46. 15'52 | 32'46 | 12 | + 3'893 | + 32. 53. 48'25 | 31'59 | 10 | + 6'343 | 677 | ... | 235 |
| 1733 | 1740 | Piazzi IV. 225 | 9 | 4. 46. 20'18 | 36'58 | 4 | + 5'831 | + 65. 18. 34'85 | 36'58 | 4 | + 6'336 | ... | ... | 225 |
| 1734 | 1741 | Piazzi IV. 239 | 6 | 4. 46. 22'33 | 34'31 | 4 | + 3'076 | + 0. 11. 35'86 | 34'27 | 4 | + 6'334 | ... | ... | 239 |
| 1735 | 1742 | 8 Camelopardi | 6'7 | 4. 46. 38'93 | 34'40 | 4 | + 4'750 | + 52. 53. 30'55 | 34'35 | 4 | + 6'310 | 674 | ... | 233 |
| 1736 | 1743 | 9 Orionis | 5 | 4. 47. 6'10 | 31'82 | 11 | + 3'371 | + 13. 14. 48'53 | 31'59 | 10 | + 6'273 | 682 | ... | 240 |
| 1737 | 1744 | Piazzi IV. 241 | 6'7 | 4. 47. 14'35 | 34'38 | 4 | + 3'242 | + 7. 38. 15'50 | 34'32 | 4 | + 6'262 | ... | ... | 241 |
| 1738 | 1745 | Lacaille 1650 | 6 | 4. 47. 14'79 | 39'26 | 9 | + 1'340 | - 53. 44. 43'52 | 39'27 | 9 | + 6'261 | ... | 1650 | ... |
| 1739 | 1746 | Brisbane 811 | 7 | 4. 47. 15'96 | 39'05 | 8 | + 1'340 | - 53. 44. 36'56 | 38'43 | 5 | + 6'259 | ... | ... | ... |
| 1740 | 1747 | Lacaille 1643 | 7 | 4. 47. 20'62 | 38'09 | 3 | + 1'703 | - 47. 7. 48'45 | 38'09 | 3 | + 6'253 | ... | 1643 | ... |
| 1741 | 1748 | Lacaille 1651 | 6'7 | 4. 47. 28'00 | 38'09 | 3 | + 1'445 | - 52. 0. 17'76 | 38'09 | 3 | + 6'243 | ... | 1651 | ... |
| 1742 | 1749 | 99 Tauri | 6'7 | 4. 47. 48'47 | 33'10 | 5 | + 3'630 | + 23. 41. 1'12 | 33'04 | 6 | + 6'213 | 684 | ... | 243 |
| 1743 | 1750 | Bradley 686 | 6'7 | 4. 47. 50'85 | 33'09 | 5 | + 3'458 | + 16. 53. 15'51 | 33'06 | 5 | + 6'210 | 686 | ... | 246 |
| 1744 | 1751 | Piazzi IV. 248 | 9 | 4. 47. 58'34 | 36'62 | 3 | + 2'948 | - 5. 35. 28'65 | 36'52 | 4 | + 6'201 | ... | ... | 248 |
| 1745 | 1753 | 98 Tauri | 6 | 4. 48. 4'05 | 34'39 | 6 | + 3'659 | + 24. 47. 18'76 | 35'96 | 8 | + 6'193 | 685 | ... | 247 |
| 1746 | 1752 | 4 Aurigæ | 5 | 4. 48. 4'09 | 31'96 | 12 | + 4'053 | + 37. 37. 57'78 | 31'58 | 10 | + 6'193 | 683 | ... | 245 |
| 1747 | 1754 | Lacaille 1646 | 7 | 4. 48. 6'41 | 38'09 | 3 | + 2'159 | - 35. 41. 3'53 | 38'09 | 3 | + 6'190 | ... | 1646 | ... |
| 1748 | 1755 | 62 Eridani | 6 | 4. 48. 17'02 | 33'14 | 5 | + 2'951 | - 5. 26. 21'08 | 32'64 | 5 | + 6'174 | 689 | ... | 250 |
| 1749 | 1756 | Piazzi IV. 249 | 8 | 4. 48. 20'97 | 36'54 | 4 | + 3'139 | + 3. 1. 9'78 | 36'49 | 2 | + 6'169 | ... | ... | 249 |
| 1750 | 1757 | Piazzi IV. 242 | 8'9 | 4. 48. 41'56 | 36'53 | 4 | + 5'292 | + 60. 10. 13'02 | 36'53 | 4 | + 6'141 | ... | ... | 242 |
| 1751 | 1758 | Lacaille 1648 | 7 | 4. 48. 45'47 | 38'07 | 3 | + 2'451 | - 25. 59. 48'55 | 38'08 | 3 | + 6'136 | ... | 1648 | ... |
| 1752 | 1759 | 10 Camelopardi | 4'5 | 4. 48. 46'36 | 33'67 | 3 | + 5'294 | + 60. 11. 24'40 | 31'62 | 10 | + 6'135 | 681 | ... | 244 |
| 1753 | 1760 | 5 Aurigæ | 6'7 | 4. 48. 58'58 | 34'28 | 4 | + 4'108 | + 39. 8. 10'00 | 34'27 | 4 | + 6'118 | 687 | ... | 251 |
| 1754 | 1761 | Lacaille 1657 | 7 | 4. 49. 1'29 | 38'04 | 3 | + 2'027 | - 39. 21. 36'16 | 38'04 | 3 | + 6'114 | ... | 1657 | ... |
| 1755 | 1762 | 6 Aurigæ | 7 | 4. 49. 1'44 | 34'34 | 4 | + 4'118 | + 39. 23. 46'21 | 34'32 | 4 | + 6'114 | 688 | ... | 252 |
| 1756 | 1763 | Brisbane 824 | 8 | 4. 49. 3'54 | 39'36 | 7 | + 1'280 | - 54. 35. 56'18 | 39'09 | 4 | + 6'111 | ... | ... | ... |
| 1757 | 1764 | Lacaille 1658 | 6 | 4. 49. 23'40 | 34'31 | 4 | + 2'007 | - 39. 53. 55'04 | 34'29 | 4 | + 6'082 | ... | 1658 | 260 |
| 1758 | 1765 | Piazzi IV. 258 | 8'9 | 4. 49. 33'05 | 36'68 | 3 | + 3'104 | + 1. 24. 50'53 | 36'53 | 4 | + 6'070 | ... | ... | 258 |
| 1759 | 1766 | Piazzi IV. 255 | 9 | 4. 49. 36'07 | 36'57 | 4 | + 3'396 | + 14. 17. 24'85 | 37'02 | 1 | + 6'066 | ... | ... | 255 |
| 1760 | 1767 | Piazzi IV. 257 | 7 | 4. 49. 37'95 | 32'47 | 5 | + 3'396 | + 14. 17. 2'82 | 34'17 | 8 | + 6'065 | ... | ... | 257 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|--------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 1761 | 1768 | 10 Orionis..... π^b | 5.6 | h m s 4. 50. 0.16 | 33'08 | 5 | + 3'104 | + 1. 27. 16.25 | 33'11 | 5 | + 6'032 | 695 | ... | 259 |
| 1762 | 1769 | 7 Aurigæ..... ϵ | 4 | 4. 50. 8.56 | 31'98 | 9 | + 4'286 | + 43. 34. 13.65 | 32'68 | 25 | + 6'021 | 690 | ... | 256 |
| 1763 | 1770 | 101 Tauri..... | 7 | 4. 50. 16.58 | 33'02 | 4 | + 3'430 | + 15. 39. 39.43 | 33'04 | 5 | + 6'010 | 694 | ... | 261 |
| 1764 | 1771 | Lacaille 1664..... | 6.7 | 4. 50. 34.33 | 38'04 | 3 | + 2'031 | - 39. 12. 13.03 | 38'04 | 3 | + 5'985 | ... | 1664 | ... |
| 1765 | 1772 | Piazzi IV. 265..... | 8.9 | 4. 50. 56.32 | 36'65 | 3 | + 3'300 | + 10. 8. 7.45 | 36'57 | 4 | + 5'953 | ... | ... | 265 |
| 1766 | 1773 | 8 Aurigæ..... ζ | 4 | 4. 50. 57.44 | 32'57 | 6 | + 4'176 | + 40. 49. 34.49 | 32'61 | 22 | + 5'952 | 693 | ... | 262 |
| 1767 | 1774 | Piazzi IV. 266..... | 6.7 | 4. 51. 12.40 | 34'36 | 4 | + 3'394 | + 14. 7. 40.04 | 34'32 | 4 | + 5'931 | ... | ... | 266 |
| 1768 | 1775 | Piazzi IV. 267..... | 7 | 4. 51. 16.56 | 36'40 | 3 | + 3'285 | + 9. 26. 47.56 | 37'08 | 2 | + 5'927 | ... | ... | 267 |
| 1769 | 1776 | Piazzi IV. 268..... | 8.9 | 4. 51. 26.41 | 36'40 | 3 | + 2'655 | - 18. 3. 53.46 | 36'52 | 4 | + 5'911 | ... | ... | 268 |
| 1770 | 1777 | Piazzi IV. 253..... | 6 | 4. 51. 27.51 | 37'64 | 7 | + 8'292 | + 76. 14. 47.91 | 37'30 | 8 | + 5'910 | ... | ... | 253 |
| 1771 | 1778 | Piazzi IV. 270..... | 7 | 4. 51. 37.49 | 37'93 | 8 | + 2'832 | - 10. 36. 33.14 | 37'63 | 9 | + 5'897 | ... | ... | 270 |
| 1772 | 1779 | Piazzi IV. 254..... | 6 | 4. 51. 37.94 | 35'34 | 4 | + 7'448 | + 73. 43. 5.85 | 34'34 | 4 | + 5'896 | ... | ... | 254 |
| 1773 | 1780 | Lacaille 1674..... | 7 | 4. 51. 38.93 | 38'01 | 3 | + 1'267 | - 54. 41. 37.55 | 38'01 | 3 | + 5'894 | ... | 1674 | ... |
| 1774 | 1781 | 11 Camelopardi..... | 6.7 | 4. 51. 49.38 | 34'99 | 9 | + 5'182 | + 58. 43. 51.12 | 34'01 | 2 | + 5'880 | 691 | ... | 263 |
| 1775 | 1782 | 12 Camelopardi..... | 6.7 | 4. 51. 52.57 | 37'12 | 3 | + 5'182 | + 58. 46. 52.23 | 34'40 | 6 | + 5'875 | 692 | ... | 264 |
| 1776 | 1783 | 63 Eridani..... | 5 | 4. 52. 2.13 | 33'62 | 13 | + 2'835 | - 10. 30. 36.77 | 31'59 | 10 | + 5'860 | 697 | ... | 271 |
| 1777 | 1784 | Lacaille 1679..... | 6.7 | 4. 52. 11.49 | 38'05 | 3 | + 0'959 | - 58. 48. 59.73 | 38'06 | 3 | + 5'848 | ... | 1679 | ... |
| 1778 | 1785 | 64 Eridani..... | 6 | 4. 52. 16.05 | 33'07 | 5 | + 2'782 | - 12. 47. 10.56 | 33'02 | 5 | + 5'842 | 699 | ... | 272 |
| 1779 | 1786 | Brisbane 836..... | 7 | 4. 53. 12.70 | 38'65 | 3 | + 1'252 | - 54. 52. 14.50 | 38'65 | 3 | + 5'764 | ... | ... | ... |
| 1780 | 1787 | 102 Tauri..... ι | 4.5 | 4. 53. 14.44 | 33'13 | 21 | + 3'573 | + 21. 20. 49.61 | 32'02 | 14 | + 5'761 | 698 | ... | 274 |
| 1781 | 1788 | Piazzi IV. 276..... | 6.7 | 4. 53. 20.95 | 34'25 | 5 | + 3'083 | + 0. 28. 32.20 | 34'32 | 4 | + 5'752 | ... | ... | 276 |
| 1782 | 1789 | Piazzi IV. 277..... | 8 | 4. 53. 25.80 | 36'47 | 4 | + 3'090 | + 0. 48. 1.94 | 36'53 | 4 | + 5'746 | ... | ... | 277 |
| 1783 | 1790 | 65 Eridani..... ψ | 5 | 4. 53. 26.61 | 31'81 | 9 | + 2'905 | - 7. 25. 18.77 | 31'57 | 10 | + 5'744 | 701 | ... | 280 |
| 1784 | 1791 | Piazzi IV. 278..... | 7 | 4. 53. 27.69 | 35'22 | 7 | + 3'103 | + 1. 21. 44.04 | 34'35 | 4 | + 5'743 | ... | ... | 278 |
| 1785 | 1792 | Piazzi IV. 279..... | 8.9 | 4. 53. 28.49 | 36'96 | 2 | + 3'102 | + 1. 21. 48.25 | 36'52 | 4 | + 5'742 | ... | ... | 279 |
| 1786 | 1793 | 9 Aurigæ..... | 6 | 4. 53. 46.36 | 34'53 | 4 | + 4'676 | + 51. 22. 6.77 | 34'29 | 4 | + 5'717 | 696 | ... | 273 |
| 1787 | 1794 | Piazzi IV. 281..... | 7 | 4. 53. 49.73 | 34'30 | 4 | + 3'340 | + 11. 48. 47.59 | 34'31 | 4 | + 5'713 | ... | ... | 281 |
| 1788 | 1795 | Lacaille 1682..... | 7 | 4. 54. 3.08 | 38'06 | 3 | + 2'111 | - 36. 52. 24.38 | 38'05 | 3 | + 5'693 | ... | 1682 | ... |
| 1789 | 1796 | Piazzi IV. 285..... | 5 | 4. 54. 16.33 | 36'36 | 3 | + 2'598 | - 20. 17. 48.27 | 36'52 | 4 | + 5'675 | ... | ... | 285 |
| 1790 | 1797 | Lacaille 1696..... | 6.7 | 4. 54. 22.69 | 39'36 | 7 | + 0'992 | - 58. 19. 43.47 | 39'08 | 6 | + 5'666 | ... | 1696 | ... |
| 1791 | 1798 | Piazzi IV. 275..... | 6.7 | 4. 54. 25.87 | 37'63 | 11 | + 5'511 | + 62. 15. 9.32 | 37'96 | 9 | + 5'662 | ... | ... | 275 |
| 1792 | 1799 | Piazzi IV. 282..... | 7 | 4. 54. 32.02 | 32'85 | 6 | + 3'565 | + 21. 2. 21.03 | 32'12 | 5 | + 5'652 | ... | ... | 282 |
| 1793 | 1800 | 10 Aurigæ..... γ | 4 | 4. 54. 57.34 | 32'36 | 12 | + 4'188 | + 41. 0. 9.80 | 32'20 | 13 | + 5'617 | 700 | ... | 283 |
| 1794 | 1801 | Piazzi IV. 284..... | 6.7 | 4. 55. 3.26 | 34'39 | 4 | + 4'266 | + 42. 56. 25.48 | 34'36 | 4 | + 5'609 | ... | ... | 284 |
| 1795 | 1802 | 11 Orionis..... | 5 | 4. 55. 8.74 | 31'65 | 6 | + 3'420 | + 15. 10. 2.34 | 33'66 | 13 | + 5'602 | 702 | ... | 286 |
| 1796 | 1803 | Lacaille 1698..... | 7 | 4. 55. 11.80 | 38'07 | 3 | + 1'558 | - 49. 42. 22.28 | 38'08 | 3 | + 5'597 | ... | 1698 | ... |
| 1797 | 1804 | Lacaille 1708..... | 7 | 4. 55. 12.87 | 38'09 | 3 | + 1'000 | - 58. 13. 7.54 | 38'09 | 3 | + 5'596 | ... | 1708 | ... |
| 1798 | 1805 | Lacaille 1709..... | 7 | 4. 55. 19.39 | 38'07 | 3 | + 0'980 | - 58. 27. 31.88 | 38'07 | 3 | + 5'587 | ... | 1709 | ... |
| 1799 | 1806 | Lacaille 1686..... | 5.6 | 4. 55. 27.48 | 33'04 | 5 | + 2'431 | - 26. 30. 50.16 | 32'07 | 7 | + 5'575 | ... | 1686 | 289 |
| 1800 | 1807 | Piazzi IV. 269..... | 5.6 | 4. 55. 30.36 | 34'34 | 4 | + 9'693 | + 79. 1. 15.11 | 34'28 | 4 | + 5'571 | ... | ... | 269 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 1801 | 1808 | Piazzi IV. 287 | 7 | h m s 4. 55. 40'97 | 34'31 | 4 | + 3'704 | + 26. 11. 44'13 | 34'12 | 4 | + 5'555 | ... | ... | 287 |
| 1802 | 1809 | 1 Leporis | 6 | 4. 55. 47'46 | 33'02 | 5 | + 2'526 | - 23. 2. 13'00 | 32'98 | 5 | + 5'547 | 704 | ... | 290 |
| 1803 | 1810 | Piazzi IV. 288 | 6'7 | 4. 55. 48'99 | 34'35 | 4 | + 3'529 | + 19. 34. 21'02 | 34'34 | 4 | + 5'545 | ... | ... | 288 |
| 1804 | 1811 | Lacaille 1700 | 6 | 4. 56. 5'04 | 37'33 | 8 | + 1'995 | - 39. 57. 43'64 | 37'31 | 8 | + 5'522 | ... | 1700 | 291 |
| 1805 | 1812 | Lacaille 1699 | 7 | 4. 56. 8'33 | 38'09 | 3 | + 2'096 | - 37. 13. 5'38 | 38'09 | 3 | + 5'518 | ... | 1699 | ... |
| 1806 | 1813 | Lacaille 1695 | 5'6 | 4. 56. 8'48 | 38'03 | 3 | + 2'268 | - 32. 0. 53'89 | 38'03 | 3 | + 5'518 | ... | 1695 | ... |
| 1807 | 1814 | Brisbane 856 | 8 | 4. 57. 18'34 | 39'09 | 6 | + 0'950 | - 58. 44. 34'12 | 39'09 | 6 | + 5'420 | ... | ... | ... |
| 1808 | 1815 | Brisbane 857 | 7 | 4. 57. 40'53 | 38'10 | 3 | + 1'918 | - 41. 50. 45'41 | 38'10 | 3 | + 5'389 | ... | ... | ... |
| 1809 | 1816 | 104 Tauri | 5 | 4. 57. 42'36 | 31'91 | 8 | + 3'501 | + 18. 24. 58'52 | 32'22 | 18 | + 5'386 | 705 | ... | 293 |
| 1810 | 1817 | Piazzi IV. 299 | 9 | 4. 57. 55'89 | 36'50 | 4 | + 3'212 | + 6. 11. 36'33 | 36'51 | 4 | + 5'368 | ... | ... | 299 |
| 1811 | 1818 | 106 Tauri | 5'6 | 4. 58. 2'90 | 33'03 | 7 | + 3'546 | + 20. 11. 37'23 | 32'12 | 5 | + 5'358 | 708 | ... | 296 |
| 1812 | 1819 | 103 Tauri | 6 | 4. 58. 3'75 | 33'06 | 5 | + 3'647 | + 24. 2. 23'44 | 32'32 | 5 | + 5'357 | 706 | ... | 295 |
| 1813 | 1820 | 105 Tauri | 6 | 4. 58. 3'96 | 33'08 | 5 | + 3'579 | + 21. 28. 45'23 | 33'05 | 5 | + 5'357 | 707 | ... | 297 |
| 1814 | 1821 | 14 Camelopardi | 6'7 | 4. 58. 11'46 | 34'37 | 4 | + 5'545 | + 62. 28. 31'94 | 34'32 | 4 | + 5'345 | 703 | ... | 292 |
| 1815 | 1822 | Piazzi IV. 298 | 7 | 4. 58. 13'94 | 33'11 | 5 | + 3'759 | + 28. 2. 55'95 | 33'06 | 5 | + 5'343 | ... | ... | 298 |
| 1816 | 1823 | Piazzi IV. 294 | 6 | 4. 58. 26'54 | 34'86 | 6 | + 4'443 | + 46. 44. 54'46 | 34'30 | 4 | + 5'324 | ... | ... | 294 |
| 1817 | 1824 | Cæli | 5 | 4. 58. 28'61 | 32'11 | 7 | + 2'145 | - 35. 42. 48'69 | 31'61 | 10 | + 5'322 | ... | 1712 | 308 |
| 1818 | 1825 | 2 Leporis | 4 | 4. 58. 28'77 | 31'97 | 9 | + 2'535 | - 22. 35. 53'05 | 31'59 | 10 | + 5'322 | 713 | ... | 303 |
| 1819 | 1826 | Pictoris | 6'7 | 4. 58. 30'22 | 38'73 | 4 | + 1'569 | - 49. 23. 16'19 | 38'96 | 3 | + 5'319 | ... | 1717 | ... |
| 1820 | 1827 | Cæli | 6'7 | 4. 58. 32'76 | 34'30 | 4 | + 2'138 | - 35. 56. 21'75 | 34'27 | 4 | + 5'315 | ... | 1713 | 309 |
| 1821 | 1828 | Lacaille 1710 | 6 | 4. 58. 34'66 | 33'14 | 5 | + 2'432 | - 26. 22. 47'36 | 33'11 | 5 | + 5'313 | ... | 1710 | 307 |
| 1822 | 1829 | 13 Orionis | 6'7 | 4. 58. 36'09 | 34'35 | 4 | + 3'282 | + 9. 15. 48'24 | 34'35 | 4 | + 5'310 | 709 | ... | 300 |
| 1823 | 1830 | 66 Eridani | 6 | 4. 58. 36'47 | 33'12 | 5 | + 2'962 | - 4. 52. 56'51 | 33'27 | 5 | + 5'310 | 712 | ... | 302 |
| 1824 | 1831 | Lacaille 1715 | 6'7 | 4. 58. 38'32 | 34'31 | 4 | + 1'911 | - 41. 59. 8'38 | 34'34 | 4 | + 5'306 | ... | 1715 | 310 |
| 1825 | 1832 | Lacaille 1719 | 7 | 4. 58. 42'70 | 38'02 | 3 | + 1'539 | - 49. 56. 28'75 | 38'02 | 3 | + 5'301 | ... | 1719 | ... |
| 1826 | 1833 | Piazzi IV. 306 | 8'9 | 4. 58. 47'82 | 36'49 | 4 | + 2'950 | - 5. 23. 28'90 | 36'56 | 4 | + 5'294 | ... | ... | 306 |
| 1827 | 1834 | 14 Orionis | 6 | 4. 58. 54'30 | 33'16 | 5 | + 3'260 | + 8. 16. 35'98 | 33'12 | 5 | + 5'284 | 711 | ... | 304 |
| 1828 | 1835 | Brisbane 866 | 8 | 4. 58. 58'08 | 39'07 | 5 | + 0'946 | - 58. 45. 21'41 | 39'41 | 6 | + 5'279 | ... | ... | ... |
| 1829 | 1836 | Lacaille 1720 | 7 | 4. 58. 59'55 | 38'02 | 2 | + 1'549 | - 49. 43. 35'70 | 38'02 | 3 | + 5'277 | ... | 1720 | ... |
| 1830 | 1837 | 107 Tauri | 7 | 4. 59. 6'67 | 33'57 | 2 | + 3'532 | + 19. 38. 17'98 | 33'14 | 5 | + 5'268 | 710 | ... | 305 |
| 1831 | 1838 | Piazzi IV. 301 | 8'9 | 4. 59. 26'96 | 36'32 | 3 | + 4'443 | + 46. 43. 33'02 | 36'52 | 4 | + 5'239 | ... | ... | 301 |
| 1832 | 1839 | 67 Eridani | 3 | 4. 59. 44'49 | 33'05 | 19 | + 2'952 | - 5. 18. 21'17 | 31'53 | 10 | + 5'213 | 715 | ... | 312 |
| 1833 | 1840 | Brisbane 869 | 8 | 5. 0. 9'05 | 38'02 | 2 | + 1'541 | - 49. 50. 35'65 | 38'02 | 3 | + 5'179 | ... | ... | ... |
| 1834 | 1841 | 16 Oriopis | 6 | 5. 0. 15'25 | 32'67 | 5 | + 3'292 | + 9. 36. 34'24 | 33'03 | 5 | + 5'170 | 716 | ... | 314 |
| 1835 | 1842 | 15 Orionis | 5 | 5. 0. 15'73 | 33'62 | 10 | + 3'427 | + 15. 22. 46'65 | 33'56 | 14 | + 5'170 | 714 | ... | 313 |
| 1836 | 1843 | 68 Eridani | 6 | 5. 0. 33'36 | 33'04 | 5 | + 2'966 | - 4. 40. 38'70 | 32'43 | 5 | + 5'145 | 717 | ... | 316 |
| 1837 | 1844 | Piazzi IV. 320 | 6'7 | 5. 0. 51'79 | 34'29 | 5 | + 3'230 | + 6. 57. 49'03 | 34'32 | 4 | + 5'139 | ... | ... | 320 |
| 1838 | 1846 | Piazzi IV. 322 | 7 | 5. 0. 52'09 | 34'58 | 4 | + 2'593 | - 20. 20. 19'79 | 34'28 | 4 | + 5'119 | ... | ... | 322 |
| 1839 | 1845 | Brisbane 873 | 8 | 5. 0. 52'37 | 38'87 | 5 | + 0'948 | - 58. 40. 35'02 | 38'87 | 5 | + 5'118 | ... | ... | ... |
| 1840 | 1847 | Piazzi IV. 318 | 7 | 5. 0. 52'97 | 34'27 | 5 | + 3'378 | + 13. 20. 1'85 | 34'30 | 4 | + 5'118 | ... | ... | 318 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | " ' " | | | " | | | |
| 1841 | 1848 | Piazzi IV. 319 | 7 | 5. 1. 0.20 | 34.40 | 4 | + 3.552 | + 20. 21. 19.59 | 34.36 | 4 | + 5.107 | ... | ... | 319 |
| 1842 | 1849 | Piazzi IV. 321 | 7 | 5. 1. 3.97 | 34.71 | 5 | + 3.294 | + 9. 44. 47.98 | 34.38 | 4 | + 5.103 | ... | ... | 321 |
| 1843 | 1850 | 69 Eridani.....λ | 4 | 5. 1. 15.24 | 31.96 | 5 | + 2.860 | - 8. 58. 18.12 | 31.61 | 10 | + 5.086 | 720 | ... | 323 |
| 1844 | 1851 | Piazzi IV. 315 | 6.7 | 5. 1. 30.72 | 34.39 | 4 | + 4.789 | + 53. 0. 27.69 | 34.42 | 3 | + 5.064 | ... | ... | 315 |
| 1845 | 1852 | Lacaille 1732 | 6 | 5. 1. 33.91 | 38.04 | 3 | + 1.249 | - 54. 37. 58.81 | 38.04 | 3 | + 5.060 | ... | 1732 | ... |
| 1846 | 1853 | Piazzi V. 2 | 8.9 | 5. 1. 57.93 | 36.50 | 4 | + 2.980 | - 4. 3. 59.94 | 36.38 | 3 | + 5.025 | ... | ... | 2 |
| 1847 | 1854 | 11 Aurigæ.....μ | 5 | 5. 2. 8.73 | 32.14 | 6 | + 4.094 | + 38. 16. 49.56 | 31.57 | 11 | + 5.011 | 719 | ... | 324 |
| 1848 | 1855 | Piazzi V. 1 | 6.7 | 5. 2. 13.37 | 33.06 | 4 | + 3.439 | + 15. 50. 2.67 | 32.89 | 6 | + 5.004 | ... | ... | 1 |
| 1849 | 1856 | Lacaille 1731 | 6 | 5. 2. 22.51 | 38.07 | 3 | + 2.133 | - 35. 56. 9.85 | 38.07 | 3 | + 4.992 | ... | 1731 | ... |
| 1850 | 1857 | Piazzi V. 3 | 7 | 5. 2. 23.12 | 34.78 | 3 | + 2.892 | - 7. 47. 57.19 | 34.36 | 4 | + 4.992 | ... | ... | 3 |
| 1851 | 1858 | Doradus.....ζ | 5 | 5. 2. 41.67 | 35.80 | 15 | + 1.022 | - 57. 42. 1.36 | 35.39 | 14 | + 4.963 | ... | 1744 | ... |
| 1852 | 1859 | Piazzi V. 4 | 7.8 | 5. 2. 52.02 | 36.50 | 4 | + 2.800 | - 11. 51. 36.65 | 36.50 | 4 | + 4.948 | ... | ... | 4 |
| 1853 | 1860 | Piazzi IV. 311 | 7 | 5. 3. 2.25 | 35.21 | 6 | + 9.237 | + 78. 7. 43.77 | 35.30 | 8 | + 4.934 | ... | ... | 311 |
| 1854 | 1861 | Lacaille 1737 | 6.7 | 5. 3. 12.75 | 38.51 | 6 | + 1.927 | - 41. 26. 31.24 | 38.51 | 6 | + 4.920 | ... | 1737 | ... |
| 1855 | 1862 | Bradley 724 | 7 | 5. 3. 41.08 | 35.11 | 4 | + 2.795 | - 12. 3. 35.18 | 34.39 | 4 | + 4.878 | 724 | ... | 7 |
| 1856 | 1863 | Piazzi IV. 317 | 8 | 5. 4. 8.46 | 36.55 | 4 | + 9.076 | + 77. 48. 21.30 | 36.53 | 4 | + 4.841 | ... | ... | 317 |
| 1857 | 1864 | 12 Aurigæ..... | 7 | 5. 4. 14.34 | 34.37 | 4 | + 4.427 | + 43. 13. 5.78 | 34.32 | 4 | + 4.832 | 721 | ... | 5 |
| 1858 | 1865 | Lacaille 1751 | 7 | 5. 4. 16.18 | 38.06 | 3 | + 1.205 | - 55. 12. 23.60 | 38.06 | 3 | + 4.830 | ... | 1751 | ... |
| 1859 | 1866 | 13 Aurigæ.....α | 1 | 5. 4. 30.55 | 32.61 | 49 | + 4.408 | + 45. 49. 15.59 | 32.77 | 152 | + 4.810 | 722 | ... | 6 |
| 1860 | 1867 | 3 Leporis.....λ | 4 | 5. 4. 36.19 | 32.09 | 6 | + 2.794 | - 12. 4. 25.40 | 32.04 | 10 | + 4.801 | 727 | ... | 11 |
| 1861 | 1868 | 14 Aurigæ..... | 5 | 5. 4. 39.89 | 35.96 | 13 | + 3.899 | + 32. 29. 16.62 | 37.28 | 11 | + 4.795 | 723 | ... | 9 |
| 1862 | 1869 | 17 Orionis.....ρ | 5 | 5. 4. 40.16 | 33.03 | 9 | + 3.133 | + 2. 39. 30.38 | 33.09 | 9 | + 4.795 | 725 | ... | 10 |
| 1863 | 1870 | Lacaille 1749 | 7 | 5. 4. 43.13 | 35.13 | 3 | + 1.794 | - 44. 33. 1.44 | 34.35 | 4 | + 4.791 | ... | 1749 | 14 |
| 1864 | 1871 | Brisbane 888 | 7 | 5. 4. 53.43 | 38.96 | 10 | + 1.568 | - 49. 11. 23.75 | 38.96 | 10 | + 4.776 | ... | ... | ... |
| 1865 | 1872 | Piazzi V. 12..... | 9 | 5. 5. 2.30 | 36.49 | 4 | + 2.883 | - 8. 16. 1.56 | 36.52 | 4 | + 4.764 | ... | ... | 12 |
| 1866 | 1873 | Lacaille 1747 | 7 | 5. 5. 8.74 | 38.52 | 6 | + 2.308 | - 30. 25. 54.25 | 38.52 | 6 | + 4.754 | ... | 1747 | ... |
| 1867 | 1874 | 15 Camelopardi..... | 6.7 | 5. 5. 14.63 | 34.36 | 4 | + 5.146 | + 57. 55. 42.90 | 34.34 | 4 | + 4.747 | ... | ... | 8 |
| 1868 | 1875 | 5 Leporis.....μ | 5 | 5. 5. 31.40 | 31.91 | 10 | + 2.692 | - 16. 24. 22.51 | 31.33 | 6 | + 4.723 | 732 | ... | 16 |
| 1869 | 1876 | 108 Tauri..... | 7 | 5. 5. 33.01 | 32.41 | 6 | + 3.599 | + 22. 5. 19.04 | 33.07 | 5 | + 4.722 | 726 | ... | 13 |
| 1870 | 1877 | 4 Leporis.....κ | 5 | 5. 5. 37.01 | 33.07 | 6 | + 2.768 | - 13. 8. 32.60 | 32.11 | 5 | + 4.716 | 730 | ... | 17 |
| 1871 | 1878 | Bradley 729 | 4 | 5. 5. 37.65 | 34.43 | 10 | + 2.881 | - 8. 20. 52.59 | 33.55 | 9 | + 4.715 | 729 | ... | 15 |
| 1872 | 1879 | 19 Orionis.....β | 1 | 5. 6. 36.71 | 35.12 | 69 | + 2.880 | - 8. 23. 52.55 | 32.18 | 65 | + 4.631 | 736 | ... | 18 |
| 1873 | 1880 | 18 Orionis..... | 6 | 5. 6. 54.46 | 33.12 | 5 | + 3.328 | + 11. 8. 53.57 | 32.31 | 5 | + 4.605 | 734 | ... | 19 |
| 1874 | 1881 | Piazzi V. 20 | 7 | 5. 7. 5.66 | 36.53 | 4 | + 3.501 | + 18. 14. 53.81 | 36.55 | 4 | + 4.589 | ... | ... | 20 |
| 1875 | 1882 | Piazzi V. 24 | 7 | 5. 7. 8.57 | 36.55 | 4 | + 2.912 | - 6. 59. 55.31 | 36.53 | 4 | + 4.586 | ... | ... | 24 |
| 1876 | 1883 | 16 Aurigæ..... | 5.6 | 5. 7. 21.14 | 34.60 | 2 | + 3.923 | + 33. 11. 27.70 | 34.39 | 3 | + 4.568 | 733 | ... | 21 |
| 1877 | 1884 | 17 Aurigæ..... | 6.7 | 5. 7. 27.86 | 34.27 | 6 | + 3.937 | + 33. 34. 54.04 | 34.42 | 3 | + 4.558 | ... | ... | 23 |
| 1878 | 1885 | 15 Aurigæ.....λ | 5 | 5. 7. 32.40 | 32.12 | 5 | + 4.163 | + 39. 56. 38.87 | 31.59 | 10 | + 4.551 | 731 | ... | 22 |
| 1879 | 1887 | Piazzi V. 25..... | 7.8 | 5. 7. 45.64 | 36.71 | 3 | + 3.545 | + 19. 56. 52.39 | 36.52 | 4 | + 4.532 | ... | ... | 25 |
| 1880 | 1886 | Brisbane 896..... | 8 | 5. 7. 45.71 | 38.54 | 6 | + 1.560 | - 49. 15. 33.08 | 38.03 | 5 | + 4.532 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 1881 | 1888 | Lacaille 1767 | 7.8 | 5. 7. 55'29 | 37'13 | 2 | + 2'125 | - 36. 1. 8'57 | 36'33 | 4 | + 4'519 | ... | 1767 | 30 |
| 1882 | 1889 | Piazzi V. 29 | 7.8 | 5. 8. 0'47 | 36'60 | 2 | + 2'404 | - 27. 9. 26'73 | 36'51 | 4 | + 4'512 | ... | ... | 29 |
| 1883 | 1890 | Bradley 737 | 6.7 | 5. 8. 8'75 | 34'58 | 2 | + 3'937 | + 33. 33. 51'01 | 34'58 | 2 | + 4'500 | 737 | ... | 26 |
| 1884 | 1891 | 18 Aurigæ | 8 | 5. 8. 31'22 | 36'74 | 3 | + 3'945 | + 33. 48. 8'87 | 36'01 | 2 | + 4'468 | 738 | ... | 27 |
| 1885 | 1892 | Lacaille 1773 | 6 | 5. 8. 38'78 | 34'73 | 5 | + 2'119 | - 36. 10. 13'91 | 34'35 | 4 | + 4'456 | ... | 1773 | 36 |
| 1886 | 1893 | Lacaille 1771 | 6 | 5. 8. 47'46 | 34'09 | 7 | + 2'404 | - 27. 8. 0'01 | 33'06 | 6 | + 4'444 | ... | 1771 | 35 |
| 1887 | 1894 | Piazzi V. 33 | 9 | 5. 8. 56'62 | 36'51 | 4 | + 2'909 | - 7. 7. 25'82 | 36'34 | 4 | + 4'430 | ... | ... | 33 |
| 1888 | 1895 | Brisbane 902 | 7.8 | 5. 9. 1'85 | 38'04 | 3 | + 1'620 | - 48. 4. 15'41 | 38'04 | 3 | + 4'423 | ... | ... | ... |
| 1889 | 1896 | 19 Aurigæ | 6 | 5. 9. 8'72 | 34'09 | 3 | + 3'945 | + 33. 46. 37'48 | 34'29 | 4 | + 4'414 | 739 | ... | 32 |
| 1890 | 1897 | 16 Camelopardi | 6 | 5. 9. 20'79 | 34'39 | 6 | + 5'109 | + 57. 22. 21'93 | 34'36 | 4 | + 4'397 | 735 | ... | 28 |
| 1891 | 1898 | 109 Tauri | 5.6 | 5. 9. 22'13 | 35'04 | 7 | + 3'597 | + 21. 55. 5'74 | 33'11 | 5 | + 4'396 | 741 | ... | 34 |
| 1892 | 1899 | Piazzi V. 37 | 7 | 5. 9. 29'42 | 33'10 | 6 | + 3'546 | + 19. 57. 15'44 | 33'13 | 5 | + 4'385 | ... | ... | 37 |
| 1893 | 1900 | Piazzi V. 38 | 9 | 5. 9. 34'35 | 36'32 | 4 | + 3'382 | + 13. 23. 9'04 | 36'11 | 5 | + 4'379 | ... | ... | 38 |
| 1894 | 1901 | 20 Orionis | 4 | 5. 9. 35'89 | 32'74 | 14 | + 2'911 | - 7. 1. 43'15 | 31'53 | 9 | + 4'376 | 742 | ... | 40 |
| 1895 | 1902 | Lacaille 1783 | 7 | 5. 9. 51'70 | 37'10 | 3 | + 2'154 | - 35. 6. 56'92 | 35'74 | 6 | + 4'352 | ... | 1783 | 44 |
| 1896 | 1903 | Lacaille 1791 | 6.7 | 5. 10. 3'97 | 38'08 | 3 | + 1'388 | - 52. 13. 18'09 | 38'08 | 3 | + 4'336 | ... | 1791 | ... |
| 1897 | 1904 | Bradley 743 | 6 | 5. 10. 5'77 | 34'59 | 8 | + 2'754 | - 13. 42. 3'98 | 32'84 | 5 | + 4'333 | 743 | ... | ... |
| 1898 | 1905 | 20 Aurigæ | 6 | 5. 10. 8'19 | 34'28 | 4 | + 4'233 | + 41. 37. 49'96 | 34'28 | 4 | + 4'330 | 740 | ... | 39 |
| 1899 | 1906 | Lacaille 1785 | 7 | 5. 10. 15'02 | 39'31 | 9 | + 2'234 | - 32. 41. 55'65 | 39'19 | 9 | + 4'320 | ... | 1785 | ... |
| 1900 | 1908 | Lacaille 1794 | 6.7 | 5. 10. 15'97 | 38'06 | 3 | + 1'154 | - 55. 45. 23'02 | 38'06 | 3 | + 4'319 | ... | 1794 | ... |
| 1901 | 1909 | Lacaille 1786 | 6 | 5. 10. 20'70 | 34'37 | 4 | + 2'201 | - 33. 43. 22'62 | 34'32 | 4 | + 4'312 | ... | 1786 | 47 |
| 1902 | 1910 | Piazzi V. 43 | 7 | 5. 10. 34'76 | 32'12 | 6 | + 3'532 | + 19. 24. 5'19 | 33'06 | 5 | + 4'291 | ... | ... | 43 |
| 1903 | 1911 | 21 Orionis | 6 | 5. 10. 35'10 | 32'86 | 7 | + 3'127 | + 2. 25. 7'51 | 33'16 | 5 | + 4'291 | 744 | ... | 45 |
| 1904 | 1912 | Piazzi V. 41 | 6.7 | 5. 10. 38'14 | 34'38 | 4 | + 3'760 | + 27. 46. 56'22 | 34'35 | 4 | + 4'286 | ... | ... | 41 |
| 1905 | 1913 | Piazzi V. 42 | 6.7 | 5. 10. 43'37 | 33'03 | 6 | + 3'808 | + 29. 23. 39'00 | 33'18 | 5 | + 4'280 | ... | ... | 42 |
| 1906 | 1914 | Lacaille 1787 | 7 | 5. 10. 45'11 | 39'15 | 10 | + 2'273 | - 31. 28. 2'93 | 39'25 | 9 | + 4'277 | ... | 1787 | ... |
| 1907 | 1915 | Piazzi V. 46 | 9 | 5. 10. 45'11 | 36'54 | 4 | + 3'382 | + 13. 22. 19'43 | 36'26 | 6 | + 4'277 | ... | ... | 46 |
| 1908 | 1916 | Piazzi V. 48 | 6.7 | 5. 11. 12'09 | 34'30 | 4 | + 3'538 | + 19. 38. 23'55 | 34'30 | 4 | + 4'239 | ... | ... | 48 |
| 1909 | 1917 | Piazzi V. 49 | 7.8 | 5. 11. 12'82 | 36'53 | 4 | + 3'125 | + 2. 20. 28'75 | 36'36 | 3 | + 4'238 | ... | ... | 49 |
| 1910 | 1918 | Columbæ | 5 | 5. 11. 32'21 | 34'40 | 23 | + 2'154 | - 35. 3. 40'03 | 34'04 | 15 | + 4'210 | ... | 1793 | 51 |
| 1911 | 1919 | Brisbane 915 | 7 | 5. 11. 35'18 | 38'07 | 3 | + 1'575 | - 48. 52. 13'34 | 38'08 | 3 | + 4'206 | ... | ... | ... |
| 1912 | 1920 | Lacaille 1802 | 7 | 5. 11. 51'20 | 38'10 | 3 | + 1'376 | - 52. 22. 4'23 | 38'10 | 3 | + 4'182 | ... | 1802 | ... |
| 1913 | 1921 | 6 Leporis | 4.5 | 5. 11. 58'56 | 31'78 | 10 | + 2'762 | - 13. 21. 11'40 | 31'54 | 10 | + 4'173 | 748 | ... | 52 |
| 1914 | 1922 | 7 Leporis | 5.6 | 5. 12. 20'00 | 32'12 | 7 | + 2'782 | - 12. 29. 26'68 | 32'11 | 7 | + 4'142 | 749 | ... | 54 |
| 1915 | 1923 | Brisbane 918 | 7 | 5. 12. 27'46 | 38'07 | 3 | + 1'576 | - 48. 49. 13'98 | 38'10 | 3 | + 4'132 | ... | ... | ... |
| 1916 | 1924 | Gould 6115 | 7.8 | 5. 12. 35'21 | 38'95 | 12 | + 1'524 | - 49. 46. 47'47 | 38'94 | 15 | + 4'120 | ... | ... | ... |
| 1917 | 1925 | Piazzi V. 53 | 8.9 | 5. 12. 37'53 | 36'51 | 4 | + 3'777 | + 28. 18. 8'58 | 36'70 | 3 | + 4'118 | ... | ... | 53 |
| 1918 | 1926 | Piazzi V. 50 | 8 | 5. 12. 44'91 | 36'55 | 4 | + 5'112 | + 57. 18. 37'07 | 36'69 | 3 | + 4'106 | ... | ... | 50 |
| 1919 | 1927 | Lacaille 1796 | 6 | 5. 12. 49'48 | 33'12 | 5 | + 2'389 | - 27. 32. 35'93 | 32'90 | 6 | + 4'101 | ... | 1796 | 59 |
| 1920 | 1928 | 22 Aurigæ | 7 | 5. 12. 56'15 | 33'13 | 5 | + 3'791 | + 28. 46. 16'53 | 33'02 | 5 | + 4'090 | 746 | ... | 55 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835°0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835°0. | Mean Dec., 1835°0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835°0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|------------------------|----------------------|----------------|----------------------------------|-------------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 1921 | 1929 | Bradley 750 | 5.6 | h m s 5. 13. 7°00 | 35°68 | 15 | s + 3°059 | ° ' " - 0. 35. 11°26 | 34°52 | 2 | " + 4°076 | 750 | .. | 58 |
| 1922 | 1930 | 22 Orionis | 5.6 | 5. 13. 20°61 | 38°32 | 12 | + 3°059 | - 0. 33. 5°20 | 35°47 | 10 | + 4°056 | 751 | ... | 60 |
| 1923 | 1931 | Piazzi V. 61 | Var. | 5. 13. 25°16 | 37°08 | 6 | + 3°150 | + 3. 24. 11°99 | 38°42 | 6 | + 4°049 | .. | .. | 61 |
| 1924 | 1932 | 21 Aurigæ | 6 | 5. 13. 26°72 | 34°34 | 4 | + 4°067 | + 37. 13. 20°70 | 34°34 | 4 | + 4°046 | 747 | ... | 56 |
| 1925 | 1933 | Piazzi V. 62 | 7 | 5. 14. 0°65 | 33°10 | 5 | + 3°861 | + 31. 3. 42°27 | 33°11 | 5 | + 3°998 | ... | ... | 62 |
| 1926 | 1934 | Piazzi V. 63 | 7 | 5. 14. 0°94 | 33°08 | 8 | + 3°859 | + 30. 58. 52°39 | 33°18 | 5 | + 3°998 | ... | ... | 63 |
| 1927 | 1935 | 110 Tauri | 7 | 5. 14. 6°30 | 33°06 | 6 | + 3°461 | + 16. 32. 11°41 | 33°14 | 6 | + 3°991 | 752 | ... | 64 |
| 1928 | 1936 | 23 Orionis | 5 | 5. 14. 9°91 | 31°95 | 12 | + 3°149 | + 3. 22. 45°29 | 31°99 | 12 | + 3°985 | 753 | ... | 65 |
| 1929 | 1937 | Brisbane 923 | 7 | 5. 14. 11°11 | 39°21 | 6 | + 1°519 | - 49. 49. 46°16 | 40°15 | 3 | + 3°984 | ... | ... | ... |
| 1930 | 1938 | Lacaille 1817 | 7 | 5. 14. 21°73 | 38°42 | 5 | + 1°224 | - 54. 38. 55°09 | 38°22 | 5 | + 3°968 | ... | 1817 | ... |
| 1931 | 1939 | Lacaille 1809 | 6.7 | 5. 14. 24°78 | 34°29 | 4 | + 2°159 | - 34. 52. 9°17 | 34°32 | 4 | + 3°964 | ... | 1809 | 69 |
| 1932 | 1940 | Piazzi V. 67 | 7.8 | 5. 14. 34°69 | 36°49 | 4 | + 3°098 | + 1. 7. 33°41 | 36°49 | 4 | + 3°948 | ... | ... | 67 |
| 1933 | 1941 | 17 Camelopardi | 6 | 5. 14. 36°24 | 34°30 | 6 | + 5°636 | + 62. 55. 1°43 | 34°34 | 4 | + 3°947 | 745 | ... | 57 |
| 1934 | 1942 | 111 Tauri | 6 | 5. 14. 47°97 | 33°05 | 6 | + 3°478 | + 17. 13. 22°97 | 33°16 | 5 | + 3°930 | 754 | ... | 66 |
| 1935 | 1943 | Lacaille 1810 | 6 | 5. 15. 0°16 | 34°39 | 9 | + 2°462 | - 24. 56. 18°77 | 33°17 | 5 | + 3°913 | ... | 1810 | 70 |
| 1936 | 1944 | Lacaille 1815 | 6.7 | 5. 15. 11°63 | 38°08 | 3 | + 1°975 | - 39. 55. 25°52 | 38°08 | 3 | + 3°897 | ... | 1815 | ... |
| 1937 | 1945 | Lacaille 1813 | 6.7 | 5. 15. 18°43 | 34°39 | 3 | + 2°170 | - 34. 30. 41°80 | 34°31 | 4 | + 3°887 | ... | 1813 | 74 |
| 1938 | 1946 | Pictoris | 5.6 | 5. 15. 19°77 | 38°09 | 3 | + 1°464 | - 50. 47. 12°36 | 38°08 | 3 | + 3°886 | ... | 1825 | ... |
| 1939 | 1947 | Lacaille 1821 | 6.7 | 5. 15. 27°28 | 38°10 | 3 | + 1°654 | - 47. 13. 3°99 | 38°10 | 3 | + 3°874 | ... | 1821 | ... |
| 1940 | 1948 | Lacaille 1820 | 7 | 5. 15. 36°68 | 39°75 | 7 | + 1°819 | - 43. 42. 9°58 | 39°75 | 7 | + 3°860 | ... | 1820 | ... |
| 1941 | 1949 | 112 Tauri | 2 | 5. 15. 51°99 | 33°77 | 32 | + 3°783 | + 28. 27. 36°98 | 32°93 | 95 | + 3°839 | 756 | ... | 72 |
| 1942 | 1950 | Piazzi V. 73 | 8.9 | 5. 15. 52°59 | 36°51 | 4 | + 3°149 | + 3. 21. 34°91 | 36°54 | 4 | + 3°837 | ... | ... | 73 |
| 1943 | 1951 | Bradley 755 | 6 | 5. 15. 53°31 | 34°41 | 4 | + 3°965 | + 34. 14. 17°00 | 34°43 | 3 | + 3°837 | 755 | ... | 71 |
| 1944 | 1952 | Brisbane 934 | 7.8 | 5. 15. 56°58 | 38°10 | 3 | + 1°380 | - 52. 12. 29°88 | 38°10 | 3 | + 3°832 | ... | ... | ... |
| 1945 | 1953 | 8 Leporis | 6 | 5. 15. 57°32 | 33°98 | 3 | + 2°743 | - 14. 5. 17°49 | 33°18 | 4 | + 3°831 | 766 | ... | 77 |
| 1946 | 1954 | 29 Orionis | 5.6 | 5. 16. 0°26 | 33°18 | 4 | + 2°888 | - 7. 57. 55°52 | 33°08 | 5 | + 3°827 | 764 | ... | 75 |
| 1947 | 1955 | 27 Orionis | 5.6 | 5. 16. 5°79 | 33°19 | 5 | + 3°048 | - 1. 3. 21°51 | 33°06 | 5 | + 3°818 | 762 | ... | 76 |
| 1948 | 1956 | 28 Orionis | 4.5 | 5. 16. 11°05 | 33°21 | 21 | + 3°014 | - 2. 33. 19°58 | 31°57 | 10 | + 3°811 | 765 | ... | 81 |
| 1949 | 1957 | 25 Orionis | 5.6 | 5. 16. 11°38 | 33°16 | 5 | + 3°111 | + 1. 41. 20°07 | 33°98 | 3 | + 3°811 | 763 | .. | 78 |
| 1950 | 1958 | Piazzi V. 68 | 7 | 5. 16. 12°78 | 34°65 | 2 | + 5°632 | + 62. 50. 31°83 | 34°35 | 4 | + 3°809 | ... | ... | 68 |
| 1951 | 1959 | 24 Orionis | 2 | 5. 16. 17°05 | 33°01 | 8 | + 3°215 | + 6. 11. 37°71 | 32°02 | 16 | + 3°802 | 761 | ... | 80 |
| 1952 | 1960 | Piazzi V. 82 | 8 | 5. 16. 23°51 | 38°74 | 7 | + 3°011 | - 2. 39. 20°12 | 38°42 | 8 | + 3°794 | .. | ... | 82 |
| 1953 | 1961 | Piazzi V. 83 | 8.9 | 5. 16. 32°52 | 36°50 | 4 | + 3°096 | + 1. 1. 45°67 | 36°58 | 4 | + 3°781 | ... | ... | 83 |
| 1954 | 1962 | 113 Tauri | 6 | 5. 16. 34°06 | 33°14 | 5 | + 3°462 | + 16. 32. 46°40 | 33°99 | 1 | + 3°778 | 760 | ... | ... |
| 1955 | 1963 | Lacaille 1823 | 6 | 5. 16. 34°53 | 39°41 | 9 | + 2°407 | - 26. 51. 58°63 | 39°15 | 9 | + 3°777 | ... | 1823 | ... |
| 1956 | 1964 | Lacaille 1830 | 7 | 5. 16. 36°75 | 38°12 | 3 | + 1°780 | - 44. 32. 14°55 | 38°12 | 3 | + 3°774 | ... | 1830 | ... |
| 1957 | 1965 | Piazzi V. 84 | 7.8 | 5. 16. 37°83 | 36°38 | 3 | + 3°112 | + 1. 46. 3°05 | 36°56 | 4 | + 3°774 | ... | ... | 84 |
| 1958 | 1966 | 24 Aurigæ | 6 | 5. 16. 43°08 | 32°00 | 6 | + 3°969 | + 34. 19. 37°23 | 31°62 | 10 | + 3°766 | 758 | ... | 79 |
| 1959 | 1967 | Brisbane 938 | 7 | 5. 16. 45°02 | 38°04 | 2 | + 1°510 | - 49. 56. 9°98 | 38°04 | 2 | + 3°762 | ... | ... | ... |
| 1960 | 1968 | Piazzi V. 87 | 6.7 | 5. 17. 18°42 | 34°30 | 4 | + 3°080 | + 0. 21. 58°73 | 34°30 | 4 | + 3°715 | ... | ... | 87 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 1961 | 1969 | Lacaille 1836 | 6 | h m s 5. 17. 30.14 | 38.06 | 2 | + 1.406 | - 51. 44. 19.16 | 38.06 | 2 | + 3.698 | ... | 1836 | ... |
| 1962 | 1970 | 115 Tauri | 5.6 | 5. 17. 33.02 | 32.87 | 4 | + 3.494 | + 17. 48. 47.47 | 33.16 | 5 | + 3.694 | 767 | ... | 86 |
| 1963 | 1971 | 114 Tauri | 5 | 5. 17. 43.88 | 31.74 | 9 | + 3.597 | + 21. 47. 18.95 | 31.63 | 10 | + 3.677 | 768 | ... | 88 |
| 1964 | 1972 | Lacaille 1833 | 6.7 | 5. 17. 57.84 | 34.67 | 4 | + 2.063 | - 37. 29. 36.76 | 34.28 | 4 | + 3.657 | ... | 1833 | 94 |
| 1965 | 1973 | Lacaille 1834 | 6.7 | 5. 17. 58.08 | 34.47 | 5 | + 1.975 | - 39. 50. 10.01 | 34.34 | 4 | + 3.657 | ... | 1834 | 95 |
| 1966 | 1974 | Bradley 769 | 9 | 5. 18. 1.12 | 36.55 | 4 | + 3.446 | + 15. 53. 28.56 | 36.54 | 4 | + 3.654 | 769 | ... | 89 |
| 1967 | 1975 | Brisbane 944 | 7.8 | 5. 18. 1.64 | 38.09 | 3 | + 1.490 | - 50. 16. 9.08 | 38.10 | 3 | + 3.654 | ... | ... | .. |
| 1968 | 1976 | Piazzi V. 93 | 7.8 | 5. 18. 3.56 | 36.55 | 4 | + 2.762 | - 13. 16. 54.66 | 36.42 | 3 | + 3.651 | ... | ... | 93 |
| 1969 | 1977 | Lacaille 1832 | 7 | 5. 18. 10.54 | 38.14 | 3 | + 2.166 | - 34. 34. 23.62 | 38.13 | 3 | + 3.641 | ... | 1832 | ... |
| 1970 | 1978 | 30 Orionis | ψ^2 5 | 5. 18. 11.86 | 31.62 | 12 | + 3.140 | + 2. 56. 47.87 | 31.70 | 9 | + 3.638 | 773 | ... | 91 |
| 1971 | 1979 | Lacaille 1841 | 7.8 | 5. 18. 16.22 | 38.07 | 2 | + 1.092 | - 56. 24. 27.42 | 38.15 | 2 | + 3.633 | ... | 1841 | ... |
| 1972 | 1980 | 116 Tauri | 6 | 5. 18. 17.02 | 33.64 | 9 | + 3.442 | + 15. 43. 37.91 | 33.51 | 9 | + 3.630 | 771 | ... | 90 |
| 1973 | 1981 | 18 Camelopardi | 6.7 | 5. 18. 26.42 | 34.39 | 4 | + 5.105 | + 57. 5. 35.59 | 34.36 | 4 | + 3.617 | 759 | ... | 85 |
| 1974 | 1982 | 117 Tauri | 6 | 5. 18. 27.23 | 33.11 | 5 | + 3.476 | + 17. 5. 40.81 | 33.09 | 5 | + 3.616 | ... | .. | 92 |
| 1975 | 1983 | Piazzi V. 96 | 8 | 5. 18. 27.91 | 36.58 | 4 | + 2.767 | - 13. 3. 20.41 | 36.43 | 3 | + 3.615 | ... | ... | 96 |
| 1976 | 1985 | Lacaille 1843 | 7.8 | 5. 18. 31.39 | 38.05 | 2 | + 1.232 | - 54. 26. 0.89 | 38.14 | 2 | + 3.611 | ... | 1843 | ... |
| 1977 | 1984 | Lacaille 1851 | 7 | 5. 18. 31.51 | 38.13 | 2 | + 0.705 | - 60. 56. 34.94 | 38.13 | 2 | + 3.611 | ... | 1851 | ... |
| 1978 | 1986 | Bradley 774 | 7 | 5. 18. 38.78 | 33.08 | 5 | + 3.456 | + 16. 17. 43.81 | 33.13 | 5 | + 3.599 | 774 | ... | ... |
| 1979 | 1987 | Piazzi V. 97 | 6.7 | 5. 18. 41.40 | 34.32 | 4 | + 3.014 | - 2. 30. 32.33 | 34.28 | 4 | + 3.596 | ... | ... | 97 |
| 1980 | 1988 | 118 Tauri | 7 | 5. 19. 7.38 | 33.06 | 6 | + 3.686 | + 25. 0. 32.94 | 33.12 | 5 | + 3.559 | 775 | ... | 98 |
| 1981 | 1989 | Piazzi V. 100 | 8.9 | 5. 19. 9.91 | 36.59 | 4 | + 3.559 | + 20. 17. 58.63 | 36.60 | 4 | + 3.555 | ... | ... | 100 |
| 1982 | 1990 | Piazzi V. 99 | 7.8 | 5. 19. 12.05 | 35.10 | 3 | + 3.803 | + 29. 2. 48.13 | 34.02 | 3 | + 3.552 | ... | ... | 99 |
| 1983 | 1991 | Brisbane 954 | 7.8 | 5. 19. 14.19 | 38.04 | 3 | + 1.529 | - 49. 31. 45.89 | 38.03 | 3 | + 3.549 | ... | ... | ... |
| 1984 | 1992 | Piazzi V. 102 | 6 | 5. 19. 23.82 | 32.51 | 5 | + 2.791 | - 12. 2. 44.72 | 32.06 | 4 | + 3.535 | ... | ... | 102 |
| 1985 | 1993 | Piazzi V. 101 | 6.7 | 5. 19. 27.22 | 34.43 | 3 | + 3.020 | - 2. 17. 26.16 | 34.30 | 4 | + 3.530 | ... | ... | 101 |
| 1986 | 1994 | Piazzi V. 104 | 9 | 5. 19. 48.05 | 36.47 | 5 | + 2.876 | - 8. 28. 18.41 | 36.55 | 4 | + 3.500 | ... | ... | 104 |
| 1987 | 1995 | Lacaille 1850 | 6.7 | 5. 20. 1.54 | 34.33 | 4 | + 1.783 | - 44. 22. 31.62 | 34.31 | 4 | + 3.482 | ... | 1850 | 108 |
| 1988 | 1996 | Piazzi V. 105 | 9 | 5. 20. 18.42 | 36.51 | 4 | + 3.615 | + 22. 24. 7.74 | 36.54 | 4 | + 3.457 | ... | ... | 105 |
| 1989 | 1997 | Piazzi V. 106 | 7 | 5. 20. 26.76 | 34.35 | 4 | + 3.562 | + 20. 24. 49.64 | 34.32 | 4 | + 3.444 | ... | ... | 106 |
| 1990 | 1998 | Brisbane 960 | 8 | 5. 20. 35.52 | 38.07 | 4 | + 0.809 | - 59. 47. 18.13 | 38.08 | 3 | + 3.432 | ... | ... | ... |
| 1991 | 1999 | Piazzi V. 107 | 6.7 | 5. 20. 45.97 | 34.36 | 4 | + 3.613 | + 22. 19. 35.31 | 34.36 | 4 | + 3.417 | ... | ... | 107 |
| 1992 | 2000 | Lacaille 1849 | 6.7 | 5. 20. 47.19 | 38.33 | 6 | + 2.408 | - 26. 43. 35.28 | 38.38 | 5 | + 3.415 | ... | 1849 | ... |
| 1993 | 2001 | Piazzi V. 109 | 8 | 5. 20. 48.18 | 36.53 | 4 | + 2.875 | - 8. 31. 3.08 | 36.68 | 3 | + 3.414 | ... | ... | 109 |
| 1994 | 2002 | 9 Leporis | β 4 | 5. 21. 10.72 | 32.20 | 15 | + 2.569 | - 20. 53. 46.82 | 31.58 | 10 | + 3.381 | 781 | ... | 113 |
| 1995 | 2003 | Piazzi V. 110 | 9 | 5. 21. 11.33 | 36.52 | 4 | + 3.042 | - 1. 19. 32.99 | 36.55 | 4 | + 3.381 | ... | ... | 110 |
| 1996 | 2004 | Bradley 778 | 7.8 | 5. 21. 17.51 | 36.71 | 3 | + 3.051 | - 0. 56. 15.69 | 36.55 | 4 | + 3.372 | 778 | ... | 111 |
| 1997 | 2005 | 19 Camelopardi | 6.7 | 5. 21. 17.70 | 34.41 | 4 | + 5.779 | + 64. 2. 6.65 | 34.35 | 4 | + 3.371 | 770 | ... | 103 |
| 1998 | 2006 | 31 Orionis | 5 | 5. 21. 21.50 | 32.37 | 13 | + 3.044 | - 1. 13. 42.58 | 32.38 | 14 | + 3.367 | 779 | ... | 112 |
| 1999 | 2007 | Lacaille 1870 | 7 | 5. 21. 33.42 | 38.06 | 3 | + 1.334 | - 52. 49. 27.05 | 38.07 | 3 | + 3.350 | ... | 1870 | ... |
| 2000 | 2008 | Lacaille 1855 | 6.7 | 5. 21. 42.69 | 38.03 | 3 | + 2.230 | - 32. 33. 24.48 | 38.03 | 3 | + 3.336 | ... | 1855 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 2001 | 2009 | Lacaille 1862 | 6.7 | 5. 21. 48.10 | 34.41 | 4 | + 1.922 | - 41. 5. 25.12 | 34.34 | 4 | + 3.329 | ... | 1862 | 122 |
| 2002 | 2010 | 32 Orionis | 5 | 5. 21. 57.56 | 34.38 | 6 | + 3.206 | + 5. 48. 55.21 | 31.59 | 10 | + 3.315 | 780 | ... | 116 |
| 2003 | 2011 | 25 Aurigæ | 5 | 5. 21. 59.71 | 34.86 | 17 | + 3.898 | + 32. 3. 42.26 | 34.09 | 14 | + 3.313 | 776 | ... | 114 |
| 2004 | 2012 | Piazzi V. 115 | 8.9 | 5. 22. 10.19 | 36.53 | 4 | + 3.740 | + 26. 51. 6.96 | 36.63 | 5 | + 3.297 | ... | ... | 115 |
| 2005 | 2013 | Lacaille 1872 | 6.7 | 5. 22. 16.87 | 38.08 | 3 | + 1.752 | - 45. 0. 18.13 | 38.08 | 2 | + 3.286 | ... | 1872 | ... |
| 2006 | 2014 | Piazzi V. 121 | 8 | 5. 22. 25.77 | 36.52 | 4 | + 3.146 | + 3. 13. 14.21 | 36.57 | 4 | + 3.273 | ... | ... | 121 |
| 2007 | 2015 | Piazzi V. 118 | Var. | 5. 22. 30.77 | 35.23 | 6 | + 3.902 | + 32. 9. 42.21 | 34.22 | 5 | + 3.267 | ... | ... | 118 |
| 2008 | 2016 | 119 Tauri | 5.6 | 5. 22. 32.67 | 34.66 | 11 | + 3.513 | + 18. 27. 51.39 | 33.64 | 16 | + 3.265 | 783 | ... | 119 |
| 2009 | 2017 | Lacaille 1868 | 6 | 5. 22. 34.49 | 36.11 | 7 | + 2.065 | - 37. 22. 19.53 | 35.94 | 7 | + 3.262 | ... | 1868 | 124 |
| 2010 | 2018 | 33 Orionis | 6 | 5. 22. 35.33 | 33.63 | 9 | + 3.145 | + 3. 9. 36.94 | 33.55 | 10 | + 3.261 | 784 | ... | 123 |
| 2011 | 2019 | Piazzi V. 117 | 6.7 | 5. 23. 3.48 | 38.64 | 7 | + 4.910 | + 54. 18. 29.72 | 38.46 | 8 | + 3.220 | ... | ... | 117 |
| 2012 | 2020 | 20 Camelopardi | 7.8 | 5. 23. 30.49 | 34.01 | 3 | + 5.057 | + 56. 22. 11.53 | 34.28 | 4 | + 3.181 | 777 | ... | 120 |
| 2013 | 2021 | 34 Orionis | 2 | 5. 23. 34.79 | 32.80 | 23 | + 3.062 | - 0. 25. 39.47 | 32.15 | 20 | + 3.173 | 787 | ... | 126 |
| 2014 | 2022 | Piazzi V. 125 | 6.7 | 5. 23. 50.59 | 33.07 | 6 | + 3.562 | + 20. 20. 58.29 | 33.02 | 5 | + 3.152 | ... | ... | 125 |
| 2015 | 2023 | 120 Tauri | 6 | 5. 23. 51.80 | 36.32 | 9 | + 3.512 | + 18. 24. 54.29 | 38.59 | 6 | + 3.150 | 786 | ... | 127 |
| 2016 | 2024 | 36 Orionis | 5 | 5. 23. 57.29 | 31.81 | 6 | + 2.900 | - 7. 25. 44.56 | 31.60 | 4 | + 3.142 | 789 | ... | 130 |
| 2017 | 2025 | 10 Leporis | 6 | 5. 24. 4.38 | 32.80 | 6 | + 2.626 | - 20. 59. 25.11 | 32.13 | 5 | + 3.133 | 791 | ... | 133 |
| 2018 | 2026 | 35 Orionis | 7 | 5. 24. 31.85 | 35.23 | 7 | + 3.406 | + 14. 10. 58.03 | 35.68 | 9 | + 3.091 | 788 | ... | 132 |
| 2019 | 2027 | Piazzi V. 131 | 7.8 | 5. 24. 40.56 | 36.52 | 4 | + 3.741 | + 26. 51. 21.24 | 36.42 | 3 | + 3.080 | ... | ... | 131 |
| 2020 | 2028 | Piazzi V. 134 | 7 | 5. 24. 47.66 | 34.32 | 4 | + 2.964 | - 4. 41. 29.67 | 34.29 | 4 | + 3.068 | ... | ... | 134 |
| 2021 | 2029 | 22 Camelopardi | 7 | 5. 25. 9.62 | 34.53 | 5 | + 5.050 | + 56. 15. 15.13 | 34.32 | 4 | + 3.037 | 785 | ... | 129 |
| 2022 | 2030 | 21 Camelopardi | 7 | 5. 25. 11.50 | 34.34 | 4 | + 5.541 | + 61. 50. 20.41 | 34.30 | 4 | + 3.036 | 782 | ... | 128 |
| 2023 | 2031 | Lacaille 1886 | 6.7 | 5. 25. 18.11 | 38.02 | 3 | + 1.644 | - 47. 12. 20.12 | 38.02 | 3 | + 3.025 | ... | 1886 | ... |
| 2024 | 2032 | Columbæ | 4 | 5. 25. 21.49 | 32.00 | 6 | + 2.126 | - 35. 35. 44.79 | 34.13 | 9 | + 3.021 | ... | 1883 | 140 |
| 2025 | 2033 | 121 Tauri | 6 | 5. 25. 22.91 | 33.17 | 4 | + 3.658 | + 23. 55. 20.43 | 33.11 | 5 | + 3.018 | 790 | ... | 135 |
| 2026 | 2034 | 11 Leporis | 3.4 | 5. 25. 27.28 | 33.41 | 7 | + 2.644 | - 17. 56. 45.27 | 31.47 | 11 | + 3.012 | 796 | ... | 139 |
| 2027 | 2035 | Piazzi V. 136 | 6.7 | 5. 25. 34.61 | 33.18 | 5 | + 3.761 | + 27. 32. 49.67 | 33.13 | 5 | + 3.002 | ... | ... | 136 |
| 2028 | 2036 | 38 Orionis | 6 | 5. 25. 36.14 | 33.15 | 4 | + 3.156 | + 3. 38. 51.42 | 33.14 | 5 | + 2.998 | 793 | ... | 137 |
| 2029 | 2037 | Lacaille 1888 | 5.6 | 5. 25. 37.52 | 38.02 | 3 | + 1.644 | - 47. 11. 59.80 | 38.02 | 3 | + 2.995 | ... | 1888 | ... |
| 2030 | 2038 | Lacaille 1897 | 7 | 5. 25. 41.58 | 38.04 | 4 | + 0.730 | - 60. 32. 41.91 | 38.04 | 4 | + 2.990 | ... | 1897 | ... |
| 2031 | 2039 | 37 Orionis | 4.5 | 5. 25. 46.09 | 31.90 | 4 | + 3.290 | + 9. 22. 13.90 | 31.58 | 10 | + 2.984 | 792 | ... | 138 |
| 2032 | 2040 | Lacaille 1889 | 7 | 5. 26. 2.31 | 38.06 | 3 | + 1.863 | - 42. 25. 39.73 | 38.06 | 3 | + 2.962 | ... | 1889 | ... |
| 2033 | 2041 | 39 Orionis | 4 | 5. 26. 3.26 | 32.11 | 6 | + 3.301 | + 9. 49. 1.39 | 32.65 | 20 | + 2.960 | 794 | ... | 141 |
| 2034 | 2042 | Brisbane 977 | 8.9 | 5. 26. 4.59 | 38.04 | 3 | + 0.705 | - 60. 48. 34.02 | 38.05 | 2 | + 2.956 | ... | ... | ... |
| 2035 | 2043 | Piazzi V. 142 | 7 | 5. 26. 9.02 | 34.38 | 4 | + 3.293 | + 9. 29. 46.73 | 34.33 | 4 | + 2.951 | ... | ... | 142 |
| 2036 | 2044 | Piazzi V. 144 | 6.7 | 5. 26. 15.64 | 36.68 | 10 | + 2.958 | - 4. 55. 23.73 | 38.73 | 8 | + 2.942 | ... | ... | 144 |
| 2037 | 2045 | Piazzi V. 145 | 7 | 5. 26. 50.96 | 32.89 | 6 | + 3.741 | + 26. 48. 48.23 | 33.09 | 5 | + 2.891 | ... | ... | 145 |
| 2038 | 2046 | Lacaille 1896 | 6.7 | 5. 26. 55.05 | 36.90 | 16 | + 1.699 | - 46. 2. 59.46 | 37.17 | 10 | + 2.886 | ... | 1896 | 157 |
| 2039 | 2047 | 41 Orionis | 6 | 5. 27. 10.05 | 38.37 | 9 | + 2.945 | - 5. 30. 17.76 | 34.75 | 12 | + 2.864 | 802 | ... | 147 |
| 2040 | 2048 | Lacaille 1890 | 7 | 5. 27. 13.58 | 35.11 | 3 | + 2.137 | - 35. 15. 26.36 | 34.36 | 4 | + 2.860 | ... | 1890 | 158 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 2041 | 2049 | 42 Orionis..... ^c | 5 | 5. 27. 14'96 | 33'32 | 15 | + 2'957 | — 4. 57. 12'42 | 32'97 | 15 | + 2'857 | 803 | ... | 149 |
| 2042 | 2050 | 43 Orionis..... ^θ | 6 | 5. 27. 16'86 | 33'99 | 11 | + 2'944 | — 5. 31. 52'38 | 35'17 | 3 | + 2'853 | 804 | ... | 150 |
| 2043 | 2051 | Lacaille 1892..... | 6'7 | 5. 27. 19'02 | 34'35 | 4 | + 2'165 | — 34. 25. 22'70 | 34'31 | 4 | + 2'851 | ... | 1892 | 159 |
| 2044 | 2052 | 44 Orionis..... ^ι | 3'4 | 5. 27. 21'80 | 32'15 | 4 | + 2'933 | — 6. 1. 26'67 | 31'65 | 8 | + 2'847 | 806 | ... | 151 |
| 2045 | 2053 | Piazzi V. 143..... | 8'9 | 5. 27. 26'82 | 36'68 | 3 | + 5'510 | + 61. 30. 14'21 | 36'51 | 4 | + 2'839 | ... | ... | 143 |
| 2046 | 2054 | 122 Tauri..... | 6 | 5. 27. 29'47 | 33'59 | 4 | + 3'475 | + 16. 55. 51'60 | 33'98 | 5 | + 2'836 | 798 | ... | 148 |
| 2047 | 2055 | 45 Orionis..... | 6 | 5. 27. 31'35 | 37'21 | 9 | + 2'957 | — 4. 58. 11'76 | 38'63 | 6 | + 2'833 | 807 | ... | 154 |
| 2048 | 2056 | Brisbane 981..... | 10 | 5. 27. 37'93 | 39'44 | 5 | + 0'577 | — 62. 2. 52'02 | 39'73 | 6 | + 2'822 | ... | ... | ... |
| 2049 | 2057 | Brisbane 982..... | 7'8 | 5. 27. 44'61 | 39'56 | 6 | + 0'587 | — 61. 56. 59'14 | 39'56 | 6 | + 2'812 | ... | ... | ... |
| 2050 | 2058 | 123 Tauri..... ^ζ | 3'4 | 5. 27. 47'24 | 33'13 | 11 | + 3'581 | + 21. 2. 3'83 | 32'56 | 20 | + 2'807 | 800 | ... | 152 |
| 2051 | 2059 | 46 Orionis..... ^ε | 2'3 | 5. 27. 50'66 | 32'32 | 9 | + 3'042 | — 1. 18. 49'47 | 31'71 | 19 | + 2'804 | 809 | ... | 160 |
| 2052 | 2060 | 40 Orionis..... ^φ | 5 | 5. 27. 50'73 | 32'02 | 6 | + 3'286 | + 9. 11. 38'96 | 33'87 | 12 | + 2'804 | 805 | ... | 156 |
| 2053 | 2061 | Piazzi V. 146..... | 7 | 5. 27. 57'81 | 36'49 | 4 | + 4'855 | + 53. 24. 11'68 | 36'50 | 4 | + 2'793 | ... | ... | 146 |
| 2054 | 2062 | 26 Aurigæ..... | 5 | 5. 28. 2'68 | 33'02 | 6 | + 3'848 | + 30. 23. 8'68 | 31'10 | 5 | + 2'787 | 799 | ... | 155 |
| 2055 | 2063 | Piazzi V. 163..... | 7'8 | 5. 28. 9'85 | 35'14 | 3 | + 2'939 | — 5. 45. 31'63 | 35'71 | 3 | + 2'777 | ... | ... | 163 |
| 2056 | 2064 | Piazzi V. 162..... | 6'7 | 5. 28. 17'70 | 33'68 | 5 | + 3'278 | + 8. 50. 35'44 | 34'31 | 4 | + 2'765 | ... | ... | 162 |
| 2057 | 2065 | 23 Camelopardi..... | 6'7 | 5. 28. 58'31 | 34'74 | 5 | + 5'500 | + 61. 22. 58'33 | 34'35 | 4 | + 2'706 | 795 | ... | 153 |
| 2058 | 2066 | 24 Camelopardi..... | 6'7 | 5. 29. 2'40 | 35'15 | 3 | + 5'073 | + 56. 29. 3'17 | 34'35 | 4 | + 2'702 | 797 | ... | 161 |
| 2059 | 2067 | Lacaille 1902..... | 6 | 5. 29. 11'28 | 38'40 | 5 | + 2'205 | — 33. 11. 44'95 | 38'40 | 5 | + 2'688 | ... | 1902 | ... |
| 2060 | 2068 | Piazzi V. 164..... | 6'7 | 5. 29. 13'79 | 34'39 | 3 | + 3'640 | + 23. 13. 12'80 | 34'30 | 4 | + 2'684 | ... | ... | 164 |
| 2061 | 2069 | Lacaille 1904..... | 7 | 5. 29. 24'39 | 39'16 | 8 | + 2'199 | — 33. 23. 1'75 | 39'05 | 8 | + 2'670 | ... | 1904 | ... |
| 2062 | 2070 | Piazzi V. 167..... | 7 | 5. 29. 28'75 | 34'33 | 4 | + 2'955 | — 5. 2. 24'49 | 34'28 | 4 | + 2'662 | ... | ... | 167 |
| 2063 | 2071 | 125 Tauri..... | 6 | 5. 29. 30'86 | 34'38 | 6 | + 3'713 | + 25. 47. 46'34 | 35'80 | 8 | + 2'659 | 810 | ... | 165 |
| 2064 | 2072 | Lacaille 1905..... | 6 | 5. 29. 43'32 | 37'70 | 13 | + 2'343 | — 28. 48. 58'69 | 36'98 | 14 | + 2'642 | ... | 1905 | 169 |
| 2065 | 2073 | Brisbane 992..... | 6'7 | 5. 29. 53'97 | 38'09 | 3 | + 0'614 | — 61. 39. 33'73 | 38'09 | 3 | + 2'626 | ... | ... | ... |
| 2066 | 2074 | Piazzi V. 168..... | 8 | 5. 30. 9'45 | 36'52 | 4 | + 3'926 | + 32. 47. 53'54 | 37'01 | 2 | + 2'604 | ... | ... | 168 |
| 2067 | 2075 | Piazzi V. 170..... | 8'9 | 5. 30. 17'46 | 37'06 | 8 | + 3'165 | + 4. 2. 17'50 | 36'54 | 4 | + 2'591 | ... | ... | 170 |
| 2068 | 2076 | 25 Camelopardi..... | 6'7 | 5. 30. 20'40 | 35'09 | 3 | + 4'950 | + 54. 46. 27'14 | 34'33 | 4 | + 2'588 | 808 | ... | 166 |
| 2069 | 2077 | 48 Orionis..... ^σ | 4 | 5. 30. 28'00 | 31'52 | 11 | + 3'010 | — 2. 42. 5'97 | 31'57 | 10 | + 2'576 | 814 | ... | 172 |
| 2070 | 2078 | Lacaille 1923..... | 7 | 5. 30. 28'63 | 38'10 | 3 | + 1'177 | — 55. 0. 54'33 | 38'10 | 3 | + 2'575 | ... | 1923 | ... |
| 2071 | 2079 | 47 Orionis..... ^ω | 6 | 5. 30. 28'75 | 34'45 | 13 | + 3'165 | + 4. 1. 15'10 | 35'10 | 13 | + 2'575 | 813 | ... | 171 |
| 2072 | 2080 | Piazzi V. 173..... | 9 | 5. 30. 29'15 | 39'05 | 6 | + 3'010 | — 2. 42. 2'99 | 36'10 | 2 | + 2'575 | ... | ... | 173 |
| 2073 | 2081 | Piazzi V. 174..... | 7 | 5. 30. 30'46 | 36'72 | 3 | + 3'010 | — 2. 41. 44'78 | 36'58 | 4 | + 2'574 | ... | ... | 174 |
| 2074 | 2082 | Lacaille 1914..... | 7 | 5. 30. 43'55 | 38'09 | 3 | + 2'138 | — 35. 10. 8'38 | 38'10 | 3 | + 2'556 | ... | 1914 | ... |
| 2075 | 2083 | Lacaille 1911..... | 6 | 5. 30. 45'70 | 33'67 | 9 | + 2'368 | — 27. 58. 21'39 | 33'12 | 9 | + 2'551 | ... | 1911 | 177 |
| 2076 | 2084 | 49 Orionis..... ^d | 5 | 5. 30. 54'27 | 31'97 | 7 | + 2'902 | — 7. 18. 38'92 | 33'52 | 13 | + 2'540 | 816 | ... | 176 |
| 2077 | 2085 | Piazzi V. 175..... | 7 | 5. 30. 55'61 | 36'55 | 4 | + 2'949 | — 5. 17. 40'22 | 37'04 | 2 | + 2'538 | ... | ... | 175 |
| 2078 | 2086 | Piazzi V. 181..... | 7 | 5. 31. 12'45 | 37'92 | 9 | + 2'345 | — 28. 43. 43'29 | 37'73 | 10 | + 2'514 | ... | ... | 181 |
| 2079 | 2087 | Piazzi V. 178..... | 6 | 5. 31. 18'09 | 33'05 | 6 | + 2'981 | — 3. 39. 41'71 | 33'07 | 5 | + 2'505 | ... | ... | 178 |
| 2080 | 2088 | Lacaille 1915..... | 6 | 5. 31. 18'44 | 32'32 | 7 | + 2'343 | — 28. 47. 38'58 | 33'05 | 5 | + 2'505 | ... | 1915 | 183 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Procession 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Procession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|------------------------|----------------------|-------------------|---------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 2081 | 2089 | Lacaille 1930 | 5.6 | 5. 31. 34.46 | 38.04 | 3 | + 1.628 | - 47. 25. 6.21 | 38.05 | 2 | + 2.482 | ... | 1930 | ... |
| 2082 | 2090 | 126 Tauri... .. | 5.6 | 5. 31. 45.80 | 32.16 | 6 | + 3.463 | + 16. 26. 27.60 | 33.68 | 6 | + 2.464 | 817 | ... | 180 |
| 2083 | 2091 | Lacaille 1926 | 7 | 5. 31. 46.55 | 38.09 | 3 | + 2.030 | - 38. 7. 32.73 | 38.11 | 3 | + 2.462 | ... | 1926 | ... |
| 2084 | 2092 | Piazzi V. 184 | 6.7 | 5. 32. 5.82 | 34.82 | 3 | + 3.624 | + 22. 34. 11.89 | 34.33 | 4 | + 2.435 | ... | ... | 184 |
| 2085 | 2093 | Piazzi V. 185 | 7 | 5. 32. 6.04 | 34.35 | 4 | + 2.990 | - 3. 31. 19.07 | 34.29 | 4 | + 2.435 | ... | ... | 185 |
| 2086 | 2094 | Piazzi V. 190 | 8 | 5. 32. 7.63 | 36.59 | 4 | + 2.338 | - 28. 56. 13.27 | 36.58 | 4 | + 2.432 | ... | ... | 190 |
| 2087 | 2095 | Donadue | 4 | 5. 32. 12.42 | 32.15 | 6 | + 0.511 | - 62. 35. 56.71 | 31.66 | 9 | + 2.427 | ... | 1948 | ... |
| 2088 | 2096 | 50 Orionis | 3 | 5. 32. 26.14 | 32.34 | 26 | + 3.025 | - 2. 2. 10.89 | 32.15 | 21 | + 2.406 | 819 | ... | 188 |
| 2089 | 2097 | 26 Camelopardi | 6.7 | 5. 32. 36.17 | 34.41 | 4 | + 5.043 | + 56. 2. 10.78 | 34.35 | 4 | + 2.391 | 811 | ... | 179 |
| 2090 | 2098 | Piazzi V. 187 | 8 | 5. 32. 42.83 | 36.38 | 3 | + 3.519 | + 18. 35. 59.65 | 36.41 | 3 | + 2.382 | ... | ... | 187 |
| 2091 | 2099 | Bradley 818..... | 9 | 5. 32. 46.49 | 36.08 | 8 | + 3.527 | + 18. 53. 54.53 | 35.76 | 3 | + 2.377 | 818 | ... | 189 |
| 2092 | 2100 | 28 Camelopardi | 7 | 5. 32. 50.53 | 34.33 | 4 | + 5.105 | + 56. 50. 39.14 | 34.27 | 4 | + 2.371 | 812 | ... | 182 |
| 2093 | 2101 | Piazzi V. 193 | 9 | 5. 32. 53.95 | 36.52 | 2 | + 2.311 | - 29. 48. 38.04 | 36.56 | 4 | + 2.366 | ... | ... | 193 |
| 2094 | 2102 | 27 Aurigæ..... | 6.7 | 5. 33. 8.07 | 35.10 | 4 | + 4.641 | + 49. 44. 38.83 | 34.33 | 4 | + 2.345 | 815 | ... | 186 |
| 2095 | 2103 | Brisbane 1006 | 6 | 5. 33. 9.77 | 38.10 | 3 | + 0.648 | - 61. 16. 44.51 | 38.10 | 3 | + 2.343 | ... | ... | ... |
| 2096 | 2104 | 127 Tauri | 6.7 | 5. 33. 11.60 | 36.59 | 6 | + 3.527 | + 18. 53. 34.60 | 35.24 | 5 | + 2.340 | 820 | ... | 191 |
| 2097 | 2105 | Lacaille 1958 | 8.9 | 5. 33. 13.91 | 39.09 | 6 | + 0.676 | - 60. 59. 47.37 | 39.36 | 7 | + 2.337 | ... | 1958 | ... |
| 2098 | 2106 | Piazzi V. 192 | 6.7 | 5. 33. 18.41 | 34.39 | 4 | + 3.639 | + 23. 7. 6.45 | 34.35 | 4 | + 2.331 | ... | ... | 192 |
| 2099 | 2107 | Lacaille 1941 | 6.7 | 5. 33. 25.76 | 35.04 | 5 | + 1.925 | - 40. 18. 14.43 | 34.28 | 4 | + 2.319 | ... | 1941 | 195 |
| 2100 | 2108 | Bradley 823..... | 7 | 5. 33. 36.38 | 35.95 | 10 | + 3.406 | + 14. 5. 31.18 | 36.26 | 9 | + 2.304 | 823 | ... | ... |
| 2101 | 2109 | Columba | 2 | 5. 33. 40.74 | 32.38 | 24 | + 2.170 | - 34. 9. 59.94 | 31.88 | 51 | + 2.297 | ... | 1938 | 196 |
| 2102 | 2111 | Brisbane 1012 | 7 | 5. 33. 43.76 | 38.04 | 4 | + 1.606 | - 47. 48. 39.95 | 38.04 | 3 | + 2.292 | ... | ... | ... |
| 2103 | 2110 | Lacaille 1936 | 6.7 | 5. 33. 44.10 | 34.39 | 4 | + 2.219 | - 32. 43. 14.45 | 34.35 | 4 | + 2.292 | ... | 1936 | 197 |
| 2104 | 2112 | 51 Orionis..... | 6 | 5. 33. 56.86 | 32.45 | 6 | + 3.104 | + 1. 23. 16.63 | 32.18 | 5 | + 2.274 | 822 | ... | 194 |
| 2105 | 2113 | Brisbane 1013 | 7 | 5. 34. 12.50 | 38.02 | 2 | + 1.926 | - 40. 46. 38.00 | 38.02 | 2 | + 2.253 | ... | ... | ... |
| 2106 | 2114 | Piazzi V. 198 | 8.9 | 5. 34. 35.13 | 36.78 | 4 | + 3.523 | + 18. 45. 8.21 | 36.55 | 4 | + 2.219 | ... | ... | 198 |
| 2107 | 2115 | Piazzi V. 200 | 6.7 | 5. 34. 48.43 | 34.31 | 4 | + 3.033 | - 1. 41. 45.25 | 34.32 | 4 | + 2.200 | ... | ... | 200 |
| 2108 | 2116 | Lacaille 1966 | 7 | 5. 35. 12.99 | 38.42 | 5 | + 1.170 | - 55. 2. 49.59 | 38.43 | 5 | + 2.165 | ... | 1966 | ... |
| 2109 | 2117 | 12 Leporis | 6 | 5. 35. 17.65 | 31.80 | 9 | + 2.522 | - 22. 27. 34.35 | 32.81 | 4 | + 2.158 | 828 | ... | 204 |
| 2110 | 2118 | 128 Tauri | 6 | 5. 35. 23.06 | 33.40 | 7 | + 3.453 | + 16. 0. 25.54 | 35.36 | 8 | + 2.149 | 826 | ... | 201 |
| 2111 | 2119 | Lacaille 1955 | 7 | 5. 35. 25.07 | 35.32 | 4 | + 2.193 | - 33. 29. 11.57 | 34.38 | 4 | + 2.147 | ... | 1955 | 205 |
| 2112 | 2120 | Piazzi V. 202 | 7 | 5. 35. 30.56 | 34.38 | 4 | + 3.520 | + 18. 37. 33.10 | 34.38 | 4 | + 2.140 | ... | ... | 202 |
| 2113 | 2121 | Piazzi V. 199 | 9 | 5. 35. 33.92 | 36.54 | 4 | + 4.900 | + 53. 57. 42.16 | 37.02 | 2 | + 2.136 | ... | ... | 199 |
| 2114 | 2122 | Lacaille 1962 | 7 | 5. 35. 54.34 | 35.13 | 3 | + 2.285 | - 30. 37. 10.95 | 34.40 | 4 | + 2.106 | ... | 1962 | 207 |
| 2115 | 2123 | Brisbane 1020 | 8.9 | 5. 36. 15.95 | 38.06 | 3 | + 0.614 | - 61. 35. 10.43 | 38.06 | 3 | + 2.074 | ... | ... | ... |
| 2116 | 2124 | Piazzi V. 206 | 6 | 5. 36. 19.52 | 34.32 | 4 | + 3.163 | + 3. 55. 55.06 | 34.28 | 4 | + 2.069 | ... | ... | 206 |
| 2117 | 2125 | Lacaille 1964 | 6.7 | 5. 36. 20.54 | 35.17 | 3 | + 2.149 | - 34. 45. 10.34 | 34.38 | 4 | + 2.067 | ... | 1964 | 211 |
| 2118 | 2126 | 29 Camelopardi | 6.7 | 5. 36. 29.73 | 34.32 | 4 | + 5.108 | + 56. 51. 10.40 | 34.31 | 4 | + 2.053 | 821 | ... | 203 |
| 2119 | 2127 | Brisbane 1021 | 8 | 5. 36. 39.38 | 38.11 | 3 | + 0.646 | - 61. 15. 29.93 | 38.11 | 2 | + 2.041 | ... | ... | ... |
| 2120 | 2128 | Piazzi V. 210 | 6.7 | 5. 37. 8.73 | 34.45 | 3 | + 3.562 | + 20. 12. 35.78 | 34.35 | 4 | + 1.997 | ... | ... | 210 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 2121 | 2129 | Lacaille 1968 | 7 | h m s 5. 37. 12.71 | 34.57 | 4 | + 2.192 | — 33. 30. 15.61 | 34.29 | 4 | + 1.991 | ... | 1968 | 217 |
| 2122 | 2130 | 129 Tauri | 6 | 5. 37. 16.31 | 33.33 | 7 | + 3.447 | + 15. 45. 1.80 | 32.16 | 5 | + 1.987 | 830 | ... | 212 |
| 2123 | 2131 | 28 Aurigæ | 6.7 | 5. 37. 23.54 | 35.15 | 3 | + 4.168 | + 39. 28. 0.95 | 35.04 | 5 | + 1.975 | 827 | ... | 209 |
| 2124 | 2132 | 13 Leporis | 4 | 5. 37. 35.35 | 31.50 | 11 | + 2.521 | — 22. 30. 25.32 | 31.58 | 10 | + 1.959 | 837 | ... | 219 |
| 2125 | 2133 | 29 Aurigæ | 7 | 5. 37. 44.59 | 34.41 | 3 | + 4.154 | + 39. 6. 56.35 | 34.33 | 4 | + 1.944 | 829 | ... | 213 |
| 2126 | 2134 | 30 Camelopardi | 6 | 5. 37. 44.88 | 34.33 | 4 | + 5.278 | + 58. 54. 17.36 | 34.34 | 4 | + 1.944 | 825 | ... | 208 |
| 2127 | 2135 | Piazzi V. 214 | 6.7 | 5. 37. 48.19 | 35.12 | 2 | + 3.682 | + 24. 37. 9.45 | 34.36 | 4 | + 1.940 | ... | ... | 214 |
| 2128 | 2136 | 130 Tauri | 6 | 5. 37. 49.32 | 33.14 | 5 | + 3.496 | + 17. 39. 36.53 | 32.18 | 7 | + 1.939 | 832 | ... | 215 |
| 2129 | 2137 | 131 Tauri | 6 | 5. 37. 49.42 | 33.05 | 6 | + 3.414 | + 14. 25. 13.14 | 33.05 | 6 | + 1.939 | 833 | ... | 216 |
| 2130 | 2138 | Lacaille 1979 | 7.8 | 5. 37. 53.22 | 38.04 | 4 | + 1.203 | — 54. 32. 41.31 | 38.04 | 4 | + 1.932 | ... | 1979 | ... |
| 2131 | 2139 | Lacaille 1973 | 6.7 | 5. 38. 3.55 | 35.09 | 5 | + 1.976 | — 39. 29. 2.71 | 34.38 | 4 | + 1.918 | ... | 1973 | 224 |
| 2132 | 2140 | Piazzi V. 218 | 9 | 5. 38. 4.15 | 36.97 | 3 | + 3.445 | + 15. 39. 9.15 | 36.51 | 4 | + 1.916 | ... | ... | 218 |
| 2133 | 2141 | Piazzi V. 220 | 6 | 5. 38. 4.51 | 34.42 | 4 | + 3.098 | + 1. 6. 16.08 | 34.38 | 4 | + 1.914 | ... | ... | 220 |
| 2134 | 2142 | 133 Tauri | 6 | 5. 38. 21.56 | 33.11 | 5 | + 3.400 | + 13. 49. 56.24 | 33.08 | 4 | + 1.890 | 834 | ... | 221 |
| 2135 | 2143 | Piazzi V. 222 | 6.7 | 5. 38. 31.54 | 34.32 | 4 | + 3.578 | + 20. 48. 13.52 | 34.27 | 4 | + 1.876 | ... | ... | 222 |
| 2136 | 2144 | 132 Tauri | 5 | 5. 38. 53.57 | 32.21 | 13 | + 3.679 | + 24. 30. 17.17 | 32.33 | 14 | + 1.845 | 835 | ... | 223 |
| 2137 | 2145 | Lacaille 1981 | 6.7 | 5. 39. 0.28 | 34.38 | 4 | + 1.697 | — 45. 54. 43.25 | 36.19 | 8 | + 1.835 | ... | 1981 | 231 |
| 2138 | 2146 | Brisbane 1028 | 8 | 5. 39. 1.22 | 38.02 | 4 | + 1.707 | — 45. 41. 48.77 | 38.02 | 4 | + 1.834 | ... | ... | ... |
| 2139 | 2147 | Brisbane 1031 | 7.8 | 5. 39. 4.61 | 38.41 | 5 | + 1.702 | — 45. 48. 58.73 | 38.65 | 3 | + 1.830 | ... | ... | ... |
| 2140 | 2148 | 52 Orionis | 6 | 5. 39. 8.58 | 33.13 | 4 | + 3.221 | + 6. 23. 21.02 | 33.03 | 6 | + 1.823 | 841 | ... | 227 |
| 2141 | 2149 | Piazzi V. 225 | 8 | 5. 39. 12.34 | 36.33 | 3 | + 3.895 | + 31. 43. 29.33 | 36.53 | 4 | + 1.817 | ... | ... | 225 |
| 2142 | 2150 | Brisbane 1033 | 7 | 5. 39. 20.93 | 38.08 | 3 | + 1.490 | — 49. 55. 6.31 | 38.08 | 3 | + 1.804 | ... | ... | ... |
| 2143 | 2151 | 14 Leporis | 4.5 | 5. 39. 28.89 | 33.85 | 15 | + 2.718 | — 14. 53. 21.23 | 31.57 | 10 | + 1.792 | 843 | ... | 230 |
| 2144 | 2152 | 31 Aurigæ | 5.6 | 5. 39. 47.44 | 34.28 | 4 | + 4.085 | + 37. 14. 56.46 | 34.31 | 4 | + 1.767 | 839 | ... | 228 |
| 2145 | 2153 | Columbæ | 5 | 5. 39. 52.22 | 33.00 | 10 | + 2.228 | — 32. 22. 24.94 | 32.38 | 14 | + 1.760 | ... | 1982 | 238 |
| 2146 | 2154 | 53 Orionis | 3 | 5. 39. 55.98 | 33.50 | 11 | + 2.843 | — 9. 44. 3.94 | 31.53 | 10 | + 1.753 | 844 | ... | 234 |
| 2147 | 2155 | Lacaille 1986 | 7 | 5. 39. 57.87 | 37.47 | 5 | + 1.978 | — 39. 23. 2.32 | 38.39 | 3 | + 1.751 | ... | 1986 | ... |
| 2148 | 2156 | 32 Aurigæ | 5 | 5. 40. 3.55 | 32.15 | 5 | + 4.154 | + 39. 5. 28.41 | 31.38 | 7 | + 1.744 | 840 | ... | 229 |
| 2149 | 2157 | Piazzi V. 232 | 8.9 | 5. 40. 4.47 | 36.68 | 3 | + 3.401 | + 13. 51. 41.35 | 36.54 | 4 | + 1.743 | ... | ... | 232 |
| 2150 | 2158 | 31 Camelopardi | 5 | 5. 40. 11.65 | 32.17 | 6 | + 5.364 | + 59. 50. 22.03 | 31.05 | 5 | + 1.730 | 831 | ... | 226 |
| 2151 | 2159 | 134 Tauri | 5.6 | 5. 40. 17.03 | 32.76 | 6 | + 3.370 | + 12. 35. 32.27 | 32.42 | 5 | + 1.722 | 842 | ... | 235 |
| 2152 | 2160 | Piazzi V. 236 | 7 | 5. 40. 34.60 | 33.16 | 5 | + 3.778 | + 27. 54. 37.16 | 32.11 | 5 | + 1.699 | ... | ... | 236 |
| 2153 | 2161 | Piazzi V. 237 | 6.7 | 5. 40. 40.64 | 34.31 | 4 | + 3.907 | + 32. 4. 7.60 | 34.28 | 4 | + 1.688 | ... | ... | 237 |
| 2154 | 2162 | Lacaille 1991 | 6.7 | 5. 40. 47.46 | 34.39 | 4 | + 2.387 | — 27. 11. 50.57 | 34.36 | 4 | + 1.679 | ... | 1991 | 241 |
| 2155 | 2163 | Piazzi V. 239 | 6 | 5. 40. 57.43 | 34.31 | 4 | + 3.303 | + 9. 48. 48.10 | 34.29 | 4 | + 1.664 | ... | ... | 239 |
| 2156 | 2164 | 30 Aurigæ | 5 | 5. 41. 1.50 | 32.02 | 6 | + 5.022 | + 55. 39. 24.44 | 31.03 | 4 | + 1.659 | 838 | ... | 233 |
| 2157 | 2165 | 135 Tauri | 6 | 5. 41. 5.80 | 32.46 | 6 | + 3.410 | + 14. 15. 2.17 | 33.05 | 6 | + 1.651 | 845 | ... | 240 |
| 2158 | 2166 | Lacaille 2004 | 7 | 5. 41. 9.66 | 38.09 | 5 | + 1.113 | — 55. 46. 0.97 | 38.48 | 5 | + 1.646 | ... | 2004 | ... |
| 2159 | 2167 | Bradley 846 | 7 | 5. 41. 25.07 | 33.02 | 5 | + 3.414 | + 14. 23. 19.00 | 33.07 | 5 | + 1.623 | 846 | ... | 242 |
| 2160 | 2168 | Bradley 847 | 7 | 5. 41. 29.34 | 33.19 | 4 | + 3.405 | + 13. 59. 31.94 | 37.98 | 3 | + 1.617 | 847 | ... | 244 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|---------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 2161 | 2169 | Piazzi V. 243 | 6 | 5. 41. 44.91 | 34.33 | 4 | + 3.967 | + 33. 51. 55.44 | 34.31 | 4 | + 1.595 | ... | ... | 243 |
| 2162 | 2170 | Lacaille 2003 | 5.6 | 5. 41. 54.02 | 38.04 | 3 | + 1.659 | - 46. 39. 40.90 | 38.04 | 3 | + 1.582 | ... | 2003 | ... |
| 2163 | 2171 | Piazzi V. 245 | 8 | 5. 42. 7.41 | 36.27 | 4 | + 3.543 | + 19. 28. 11.58 | 36.52 | 4 | + 1.563 | ... | ... | 245 |
| 2164 | 2172 | Lacaille 2012 | 7.8 | 5. 42. 11.84 | 39.27 | 5 | + 1.111 | - 55. 47. 21.66 | 38.77 | 3 | + 1.555 | ... | 2012 | ... |
| 2165 | 2174 | Lacaille 2005 | 7 | 5. 42. 18.23 | 36.99 | 7 | + 1.886 | - 41. 39. 0.91 | 37.54 | 11 | + 1.546 | ... | 2005 | 250 |
| 2166 | 2173 | Lacaille 1998 | 6.7 | 5. 42. 18.40 | 39.12 | 6 | + 2.190 | - 33. 29. 20.74 | 40.13 | 3 | + 1.546 | ... | 1998 | ... |
| 2167 | 2175 | Lacaille 2014 | 7 | 5. 42. 25.63 | 39.51 | 9 | + 1.122 | - 55. 38. 31.97 | 39.37 | 10 | + 1.534 | ... | 2014 | ... |
| 2168 | 2176 | 136 Tauri | 4.5 | 5. 42. 57.65 | 32.30 | 21 | + 3.768 | + 27. 33. 56.24 | 33.58 | 19 | + 1.490 | 848 | ... | 247 |
| 2169 | 2177 | 137 Tauri | 6 | 5. 43. 0.20 | 33.17 | 5 | + 3.407 | + 14. 7. 21.22 | 32.19 | 6 | + 1.486 | 849 | ... | 249 |
| 2170 | 2178 | Lacaille 2002 | 6 | 5. 43. 0.21 | 33.13 | 5 | + 2.505 | - 23. 1. 38.93 | 33.04 | 4 | + 1.486 | ... | 2002 | 252 |
| 2171 | 2179 | Brisbane 1052 | 10 | 5. 43. 19.01 | 38.04 | 2 | + 0.668 | - 60. 58. 50.79 | 39.04 | 3 | + 1.458 | ... | ... | ... |
| 2172 | 2180 | Lacaille 2025 | 7 | 5. 43. 22.23 | 39.86 | 5 | + 1.095 | - 55. 59. 49.57 | 39.86 | 5 | + 1.454 | ... | 2025 | ... |
| 2173 | 2181 | Pictoria | 5.6 | 5. 43. 22.74 | 38.04 | 3 | + 1.417 | - 51. 7. 46.39 | 38.12 | 3 | + 1.454 | ... | 2021 | ... |
| 2174 | 2182 | 55 Orionis | 6 | 5. 43. 24.16 | 35.26 | 12 | + 2.895 | - 7. 34. 5.57 | 35.26 | 12 | + 1.450 | 853 | ... | 254 |
| 2175 | 2183 | Bradley 850 | Var. | 5. 43. 30.73 | 34.35 | 4 | + 3.564 | + 20. 15. 11.82 | 34.43 | 5 | + 1.442 | 850 | ... | 251 |
| 2176 | 2184 | Brisbane 1054 | 6.7 | 5. 43. 34.89 | 39.19 | 8 | + 0.687 | - 60. 47. 5.65 | 39.51 | 5 | + 1.436 | ... | ... | ... |
| 2177 | 2185 | Piazzi V. 255 | 7 | 5. 43. 36.44 | 36.49 | 4 | + 3.216 | + 6. 9. 45.62 | 36.55 | 4 | + 1.435 | ... | ... | 255 |
| 2178 | 2186 | Lacaille 2011 | 7 | 5. 43. 37.53 | 38.06 | 3 | + 2.281 | - 30. 40. 27.58 | 38.06 | 3 | + 1.434 | ... | 2011 | ... |
| 2179 | 2187 | Piazzi V. 246 | 6.7 | 5. 43. 41.65 | 34.56 | 5 | + 6.212 | + 66. 59. 3.40 | 34.35 | 4 | + 1.427 | ... | ... | 246 |
| 2180 | 2188 | Piazzi V. 248 | 7 | 5. 43. 51.16 | 34.28 | 5 | + 5.021 | + 55. 37. 8.72 | 34.31 | 4 | + 1.412 | ... | ... | 248 |
| 2181 | 2189 | 56 Orionis | 5.6 | 5. 43. 52.68 | 33.11 | 5 | + 3.114 | + 1. 48. 29.57 | 33.15 | 5 | + 1.409 | 855 | ... | 257 |
| 2182 | 2190 | 15 Leporis | 5 | 5. 44. 13.54 | 31.56 | 7 | + 2.563 | - 20. 53. 51.39 | 31.64 | 10 | + 1.380 | 858 | ... | 261 |
| 2183 | 2191 | Brisbane 1056 | 6.7 | 5. 44. 15.73 | 39.29 | 5 | + 0.636 | - 61. 17. 26.15 | 39.76 | 12 | + 1.376 | ... | ... | ... |
| 2184 | 2192 | Piazzi V. 256 | 6.7 | 5. 44. 16.58 | 33.05 | 7 | + 3.895 | + 31. 40. 5.90 | 33.16 | 5 | + 1.376 | ... | ... | 256 |
| 2185 | 2193 | Piazzi V. 258 | 9 | 5. 44. 19.36 | 36.52 | 4 | + 3.401 | + 13. 50. 49.81 | 36.51 | 4 | + 1.371 | ... | ... | 258 |
| 2186 | 2194 | Brisbane 1055 | 7 | 5. 44. 19.82 | 38.44 | 5 | + 1.673 | - 46. 22. 13.10 | 38.44 | 5 | + 1.369 | ... | ... | ... |
| 2187 | 2195 | Doradus | 5 | 5. 44. 29.67 | 32.15 | 6 | + 0.103 | - 65. 47. 51.35 | 31.14 | 6 | + 1.356 | ... | 2045 | ... |
| 2188 | 2196 | Piazzi V. 263 | 9 | 5. 44. 34.15 | 36.70 | 3 | + 2.563 | - 20. 53. 10.54 | 36.08 | 2 | + 1.350 | ... | ... | 263 |
| 2189 | 2197 | Piazzi V. 260 | 7 | 5. 44. 35.86 | 36.50 | 4 | + 3.217 | + 6. 12. 41.07 | 36.54 | 4 | + 1.347 | ... | ... | 260 |
| 2190 | 2198 | 54 Orionis | 5 | 5. 44. 36.85 | 32.04 | 10 | + 3.564 | + 20. 14. 17.53 | 32.16 | 16 | + 1.346 | 856 | ... | 259 |
| 2191 | 2199 | Lacaille 2034 | 7 | 5. 44. 46.66 | 38.14 | 3 | + 1.741 | - 44. 55. 39.46 | 38.14 | 3 | + 1.330 | ... | 2034 | ... |
| 2192 | 2200 | Columba | 3 | 5. 45. 8.93 | 31.82 | 9 | + 2.108 | - 35. 50. 5.81 | 33.55 | 13 | + 1.298 | ... | 2029 | 267 |
| 2193 | 2201 | 57 Orionis | 6 | 5. 45. 10.67 | 32.85 | 5 | + 3.550 | + 19. 42. 36.59 | 32.17 | 5 | + 1.294 | 857 | ... | 265 |
| 2194 | 2202 | Piazzi V. 253 | 7 | 5. 45. 12.72 | 37.12 | 7 | + 6.197 | + 66. 52. 26.75 | 40.07 | 3 | + 1.292 | ... | ... | 253 |
| 2195 | 2203 | 33 Aurigæ | 3.4 | 5. 45. 56.72 | 32.17 | 4 | + 4.927 | + 54. 15. 40.41 | 31.10 | 5 | + 1.228 | 852 | ... | 262 |
| 2196 | 2204 | Bradley 851 | 6.7 | 5. 46. 0.50 | 34.39 | 4 | + 5.000 | + 55. 17. 46.25 | 34.37 | 4 | + 1.224 | 851 | ... | 264 |
| 2197 | 2205 | Piazzi V. 266 | 6.7 | 5. 46. 5.06 | 34.36 | 4 | + 3.808 | + 28. 54. 26.51 | 34.29 | 4 | + 1.216 | ... | ... | 266 |
| 2198 | 2206 | Piazzi V. 270 | 8.9 | 5. 46. 9.45 | 36.63 | 5 | + 2.104 | - 35. 57. 12.10 | 36.38 | 3 | + 1.211 | ... | ... | 270 |
| 2199 | 2207 | 58 Orionis | 1 | 5. 46. 14.47 | 34.49 | 122 | + 3.245 | + 7. 22. 10.32 | 32.76 | 143 | + 1.201 | 860 | ... | 268 |
| 2200 | 2208 | Brisbane 1066 | 9 | 5. 46. 22.68 | 38.56 | 6 | + 0.639 | - 61. 15. 20.37 | 38.52 | 6 | + 1.189 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|---------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 2201 | 2209 | Lacaille 2040 | 6.7 | h m s 5. 46. 40.85 | 38.06 | 3 | + 1.905 | — 41. 8. 57.75 | 38.06 | 3 | + 1.165 | ... | 2040 | ... |
| 2202 | 2210 | Pictoris.....γ | 5.6 | 5. 46. 50.21 | 38.07 | 3 | + 1.077 | — 56. 12. 39.24 | 38.08 | 3 | + 1.151 | ... | 2053 | ... |
| 2203 | 2211 | Lacaille 2051 | 6 | 5. 46. 52.43 | 38.09 | 3 | + 1.312 | — 52. 48. 51.75 | 38.09 | 3 | + 1.149 | ... | 2051 | ... |
| 2204 | 2212 | Lacaille 2041 | 6.7 | 5. 46. 55.94 | 34.73 | 5 | + 2.041 | — 37. 40. 14.58 | 34.37 | 4 | + 1.142 | ... | 2041 | 274 |
| 2205 | 2213 | Columba.....λ | 6 | 5. 47. 7.23 | 35.09 | 3 | + 2.177 | — 33. 50. 33.42 | 34.36 | 4 | + 1.127 | ... | 2044 | 276 |
| 2206 | 2214 | Lacaille 2052 | 5 | 5. 47. 9.55 | 38.10 | 3 | + 1.354 | — 52. 8. 57.34 | 38.10 | 3 | + 1.124 | ... | 2052 | ... |
| 2207 | 2215 | Lacaille 2046 | 6 | 5. 47. 16.22 | 34.11 | 3 | + 2.007 | — 38. 33. 56.04 | 34.34 | 4 | + 1.114 | ... | 2046 | 278 |
| 2208 | 2216 | Piazzi V. 272 | 7.8 | 5. 47. 24.82 | 34.39 | 4 | + 3.537 | + 19. 11. 8.46 | 35.06 | 1 | + 1.100 | ... | ... | 272 |
| 2209 | 2217 | 34 Aurigæ.....β | 2 | 5. 47. 25.54 | 31.38 | 5 | + 4.404 | + 44. 55. 16.79 | 32.72 | 14 | + 1.100 | 859 | ... | 269 |
| 2210 | 2218 | 35 Aurigæ.....π | 5 | 5. 47. 41.52 | 32.19 | 6 | + 4.451 | + 45. 54. 44.64 | 31.18 | 5 | + 1.078 | ... | ... | 271 |
| 2211 | 2219 | Brisbane 1077 | 7 | 5. 47. 42.20 | 39.09 | 8 | + 0.690 | — 60. 43. 22.58 | 38.99 | 9 | + 1.077 | ... | ... | ... |
| 2212 | 2220 | 139 Tauri..... | 5.6 | 5. 47. 45.50 | 35.71 | 12 | + 3.721 | + 25. 55. 30.58 | 38.34 | 11 | + 1.072 | 862 | ... | 273 |
| 2213 | 2221 | Brisbane 1078 | 8.9 | 5. 47. 54.35 | 41.12 | 2 | + 0.677 | — 60. 51. 12.90 | 40.12 | 3 | + 1.058 | ... | ... | ... |
| 2214 | 2222 | 36 Aurigæ..... | 6.7 | 5. 48. 27.46 | 34.36 | 4 | + 4.549 | + 47. 52. 52.31 | 34.47 | 5 | + 1.010 | 861 | ... | 275 |
| 2215 | 2223 | 37 Aurigæ.....θ | 4 | 5. 48. 28.24 | 31.65 | 10 | + 4.085 | + 37. 11. 33.17 | 31.83 | 9 | + 1.009 | 863 | ... | 277 |
| 2216 | 2224 | Piazzi V. 279 | 8 | 5. 48. 43.67 | 36.54 | 2 | + 3.768 | + 27. 32. 16.28 | 36.52 | 4 | + 0.985 | ... | ... | 279 |
| 2217 | 2225 | Lacaille 2064 | 7.8 | 5. 48. 47.39 | 38.47 | 5 | + 1.588 | — 47. 59. 31.46 | 38.47 | 5 | + 0.981 | ... | 2064 | ... |
| 2218 | 2226 | Brisbane 1081 | 8 | 5. 48. 53.50 | 38.04 | 3 | + 1.895 | — 41. 22. 40.30 | 38.04 | 3 | + 0.972 | ... | ... | ... |
| 2219 | 2227 | 16 Leporis.....η | 4 | 5. 48. 53.64 | 32.32 | 8 | + 2.734 | — 14. 12. 12.88 | 31.64 | 10 | + 0.971 | 866 | ... | 281 |
| 2220 | 2228 | Brisbane 1084 | 10 | 5. 49. 12.45 | 39.63 | 7 | + 0.615 | — 61. 27. 57.00 | 39.40 | 9 | + 0.943 | ... | ... | ... |
| 2221 | 2229 | Lacaille 2077 | 7.8 | 5. 49. 23.79 | 38.06 | 3 | + 1.053 | — 56. 29. 59.45 | 38.05 | 3 | + 0.926 | ... | 2077 | ... |
| 2222 | 2230 | Brisbane 1087 | 8.9 | 5. 49. 25.51 | 40.39 | 4 | + 1.328 | — 52. 32. 58.91 | 39.14 | 3 | + 0.925 | ... | ... | ... |
| 2223 | 2231 | Lacaille 2067 | 6.7 | 5. 49. 30.97 | 34.41 | 4 | + 1.952 | — 39. 59. 25.54 | 34.39 | 4 | + 0.917 | ... | 2067 | 286 |
| 2224 | 2232 | Lacaille 2080 | 6 | 5. 49. 34.62 | 38.17 | 3 | + 1.001 | — 57. 11. 20.75 | 38.17 | 3 | + 0.912 | ... | 2080 | ... |
| 2225 | 2233 | Piazzi V. 282 | 7.8 | 5. 49. 39.81 | 36.26 | 4 | + 3.115 | + 1. 49. 57.37 | 36.52 | 4 | + 0.905 | ... | ... | 282 |
| 2226 | 2234 | Lacaille 2065 | 6.7 | 5. 49. 47.56 | 35.93 | 7 | + 2.251 | — 31. 33. 39.07 | 35.91 | 7 | + 0.894 | ... | 2065 | 288 |
| 2227 | 2235 | Lacaille 2069..... | 6 | 5. 49. 49.40 | 35.15 | 3 | + 2.060 | — 37. 8. 59.19 | 34.38 | 4 | + 0.892 | ... | 2069 | 290 |
| 2228 | 2236 | 59 Orionis..... | 6 | 5. 49. 50.44 | 32.70 | 7 | + 3.114 | + 1. 48. 47.98 | 33.05 | 5 | + 0.889 | 869 | ... | 283 |
| 2229 | 2237 | Piazzi V. 280 | 6 | 5. 49. 59.19 | 34.41 | 4 | + 4.659 | + 49. 53. 46.28 | 34.44 | 3 | + 0.876 | ... | ... | 280 |
| 2230 | 2238 | Doradus.....ε | 5 | 5. 50. 4.77 | 36.78 | 7 | — 0.067 | — 66. 56. 33.53 | 34.24 | 13 | + 0.870 | ... | 2093 | ... |
| 2231 | 2239 | Piazzi V. 284 | 9 | 5. 50. 8.08 | 36.50 | 4 | + 3.349 | + 11. 44. 30.56 | 36.54 | 4 | + 0.863 | ... | ... | 284 |
| 2232 | 2240 | Columba.....σ | 6.7 | 5. 50. 8.59 | 36.59 | 6 | + 2.256 | — 31. 24. 34.77 | 35.96 | 7 | + 0.862 | ... | 2070 | 292 |
| 2233 | 2241 | 60 Orionis..... | 6 | 5. 50. 20.71 | 32.19 | 6 | + 3.084 | + 0. 31. 51.54 | 32.17 | 5 | + 0.844 | 870 | ... | 289 |
| 2234 | 2242 | 140 Tauri..... | 6 | 5. 50. 28.28 | 34.30 | 4 | + 3.636 | + 22. 52. 54.87 | 34.28 | 4 | + 0.834 | 867 | ... | 285 |
| 2235 | 2243 | Lacaille 2082 | 6.7 | 5. 50. 33.89 | 38.06 | 3 | + 1.499 | — 49. 39. 27.18 | 38.07 | 3 | + 0.826 | ... | 2082 | ... |
| 2236 | 2244 | Piazzi V. 287 | 7 | 5. 50. 38.36 | 34.02 | 7 | + 3.769 | + 27. 33. 21.69 | 32.36 | 5 | + 0.819 | ... | ... | 287 |
| 2237 | 2245 | Lacaille 2075 | 6.7 | 5. 50. 39.89 | 38.11 | 3 | + 2.237 | — 32. 0. 6.68 | 38.11 | 3 | + 0.817 | ... | 2075 | ... |
| 2238 | 2246 | 1 Monocerotis..... | 6.7 | 5. 51. 10.62 | 34.40 | 4 | + 2.851 | — 9. 24. 8.14 | 34.35 | 4 | + 0.773 | 872 | ... | 294 |
| 2239 | 2247 | Lacaille 2087 | 6.7 | 5. 51. 12.55 | 38.35 | 4 | + 1.320 | — 52. 40. 30.13 | 38.11 | 3 | + 0.769 | ... | 2087 | ... |
| 2240 | 2248 | 2 Monocerotis..... | 5.6 | 5. 51. 14.43 | 33.06 | 6 | + 2.847 | — 9. 34. 31.68 | 33.09 | 5 | + 0.766 | 874 | ... | 295 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 2241 | 2249 | Bradley 864 | 7.8 | h m s 5. 51. 24.03 | 37.89 | 11 | + 4.756 | + 51. 34. 0.92 | 38.27 | 9 | + 0.751 | 864 | ... | 291 |
| 2242 | 2250 | 38 Aurigæ..... | 6.7 | 5. 51. 24.22 | 34.20 | 6 | + 4.314 | + 42. 54. 28.10 | 34.29 | 4 | + 0.751 | 868 | ... | 293 |
| 2243 | 2251 | Brisbane 1099 | 7 | 5. 51. 40.02 | 38.10 | 3 | + 0.573 | - 61. 52. 13.24 | 38.10 | 3 | + 0.730 | ... | ... | ... |
| 2244 | 2252 | Columbæ..... | 4 | 5. 51. 41.35 | 31.95 | 22 | + 2.126 | - 35. 18. 18.80 | 32.65 | 14 | + 0.728 | ... | 2084 | 297 |
| 2245 | 2253 | Brisbane 1100..... | 9.10 | 5. 51. 43.37 | 38.36 | 4 | + 0.617 | - 61. 25. 58.58 | 38.14 | 2 | + 0.725 | ... | ... | ... |
| 2246 | 2254 | 141 Tauri | 6 | 5. 51. 43.99 | 33.28 | 8 | + 3.622 | + 22. 23. 18.39 | 33.13 | 5 | + 0.723 | 871 | ... | 296 |
| 2247 | 2255 | Piazzi V. 299 | 7 | 5. 52. 52.31 | 34.39 | 4 | + 3.146 | + 3. 10. 33.10 | 34.36 | 4 | + 0.624 | ... | ... | 299 |
| 2248 | 2256 | Brisbane 1101 | 7.8 | 5. 52. 57.75 | 38.03 | 3 | + 1.049 | - 56. 32. 51.36 | 38.12 | 3 | + 0.615 | ... | ... | ... |
| 2249 | 2257 | Lacaille 2100 | 8 | 5. 53. 2.79 | 38.03 | 2 | + 1.046 | - 56. 34. 42.60 | 38.12 | 3 | + 0.608 | ... | 2100 | ... |
| 2250 | 2258 | 39 Aurigæ | 6.7 | 5. 53. 11.48 | 34.60 | 2 | + 4.318 | + 42. 59. 2.73 | 34.28 | 4 | + 0.595 | 873 | ... | 298 |
| 2251 | 2259 | 61 Orionis | 5 | 5. 53. 18.49 | 32.15 | 18 | + 3.299 | + 9. 38. 25.23 | 32.10 | 16 | + 0.585 | 877 | ... | 302 |
| 2252 | 2260 | Piazzi V. 300 | 8 | 5. 53. 20.37 | 36.53 | 4 | + 3.498 | + 17. 39. 31.32 | 36.55 | 4 | + 0.582 | ... | ... | 300 |
| 2253 | 2261 | Piazzi V. 303 | 8 | 5. 53. 38.91 | 36.71 | 3 | + 3.770 | + 27. 34. 4.04 | 37.05 | 2 | + 0.556 | ... | ... | 303 |
| 2254 | 2262 | Piazzi V. 305 | 8 | 5. 53. 39.45 | 36.52 | 4 | + 3.252 | + 7. 41. 29.42 | 36.55 | 4 | + 0.556 | ... | ... | 305 |
| 2255 | 2263 | 64 Orionis | 5.6 | 5. 53. 41.41 | 32.18 | 6 | + 3.550 | + 19. 41. 8.58 | 32.14 | 5 | + 0.553 | 878 | ... | 304 |
| 2256 | 2264 | Piazzi V. 301..... | 6.7 | 5. 53. 43.43 | 34.35 | 4 | + 4.115 | + 37. 57. 40.74 | 34.30 | 4 | + 0.551 | ... | ... | 301 |
| 2257 | 2265 | Lacaille 2098 | 6 | 5. 53. 44.23 | 35.95 | 6 | + 1.779 | - 44. 3. 2.46 | 34.36 | 4 | + 0.548 | ... | 2098 | 313 |
| 2258 | 2266 | Piazzi V. 306 | 7 | 5. 54. 0.20 | 34.39 | 4 | + 3.708 | + 25. 26. 31.30 | 34.34 | 4 | + 0.525 | ... | ... | 306 |
| 2259 | 2267 | 3 Monocerotis | 5.6 | 5. 54. 4.93 | 32.16 | 6 | + 2.822 | - 10. 36. 21.50 | 31.20 | 4 | + 0.517 | 883 | ... | 311 |
| 2260 | 2268 | 1 Geminorum | 5 | 5. 54. 5.68 | 31.72 | 12 | + 3.647 | + 23. 15. 52.08 | 32.09 | 16 | + 0.516 | 880 | ... | 307 |
| 2261 | 2269 | Lacaille 2099 | 5.6 | 5. 54. 5.78 | 35.09 | 4 | + 1.833 | - 42. 49. 41.45 | 34.38 | 4 | + 0.516 | ... | 2099 | 315 |
| 2262 | 2270 | 62 Orionis | 5 | 5. 54. 7.38 | 32.00 | 10 | + 3.562 | + 20. 8. 4.83 | 31.53 | 9 | + 0.515 | 881 | ... | 308 |
| 2263 | 2271 | Brisbane 1108 | 8 | 5. 54. 10.17 | 38.53 | 6 | + 1.320 | - 52. 39. 4.70 | 38.45 | 5 | + 0.511 | ... | ... | ... |
| 2264 | 2272 | Piazzi V. 312 | 7 | 5. 54. 12.05 | 34.32 | 4 | + 2.900 | - 7. 17. 47.53 | 34.31 | 4 | + 0.507 | ... | ... | 312 |
| 2265 | 2273 | Piazzi V. 309 | 7.8 | 5. 54. 13.53. | 34.67 | 5 | + 3.251 | + 7. 37. 19.67 | 34.18 | 7 | + 0.504 | ... | ... | 309 |
| 2266 | 2274 | Brisbane 1109 | 7.8 | 5. 54. 26.04 | 40.31 | 4 | + 0.613 | - 61. 28. 7.84 | 39.28 | 6 | + 0.485 | ... | ... | ... |
| 2267 | 2275 | Brisbane 1110 | 7.8 | 5. 55. 4.98 | 38.09 | 3 | + 1.311 | - 52. 48. 18.30 | 38.09 | 3... | + 0.430 | ... | ... | ... |
| 2268 | 2276 | Brisbane 1111 | 7.8 | 5. 55. 9.10 | 38.19 | 7 | + 1.319 | - 52. 39. 59.09 | 38.05 | 6 | + 0.425 | ... | ... | ... |
| 2269 | 2277 | Lacaille 2114 | 7 | 5. 55. 9.74 | 38.09 | 3 | + 1.407 | - 51. 14. 8.21 | 38.10 | 3. | + 0.424 | ... | 2114 | ... |
| 2270 | 2278 | Lacaille 2108 | 6 | 5. 55. 17.50 | 35.72 | 3 | + 2.173 | - 33. 55. 3.91 | 34.39 | 4... | + 0.411 | ... | 2108 | 320 |
| 2271 | 2279 | Lacaille 2112 ... | 7 | 5. 55. 24.06 | 39.07 | 7 | + 1.780 | - 44. 0. 50.74 | 39.26 | 6 | + 0.402 | ... | 2112 | ... |
| 2272 | 2280 | 37 Camelopardi | 6.7 | 5. 55. 25.21 | 34.41 | 4 | + 5.293 | + 58. 56. 44.43 | 34.35 | 4 | + 0.401 | 876 | ... | 310 |
| 2273 | 2281 | Piazzi V. 317 | 8.9 | 5. 55. 42.53 | 36.55 | 4 | + 3.441 | + 15. 27. 3.55 | 36.53 | 4 | + 0.377 | ... | ... | 317 |
| 2274 | 2282 | Piazzi V. 319 | 8 | 5. 56. 7.16 | 37.06 | 2 | + 3.739 | + 26. 31. 52.04 | 36.57 | 4 | + 0.340 | ... | ... | 319 |
| 2275 | 2283 | 63 Orionis | 6.7 | 5. 56. 10.39 | 36.55 | 4 | + 3.199 | + 5. 25. 21.39 | 36.59 | 4 | + 0.336 | ... | ... | 321 |
| 2276 | 2284 | Piazzi V. 318 | 7.8 | 5. 56. 11.71 | 36.57 | 4 | + 4.120 | + 38. 5. 23.65 | 36.54 | 4. | + 0.332 | ... | ... | 318 |
| 2277 | 2285 | 36 Camelopardi | 6 | 5. 56. 14.66 | 34.40 | 3 | + 6.038 | + 65. 44. 14.65 | 34.30 | 4. | + 0.328 | 875 | ... | 314 |
| 2278 | 2286 | 66 Orionis | 6 | 5. 56. 15.33 | 32.20 | 6 | + 3.168 | + 4. 9. 42.39 | 32.17 | 6. | + 0.328 | 885 | ... | 322 |
| 2279 | 2287 | 38 Camelopardi | 6.7 | 5. 56. 16.91 | 34.36 | 4 | + 5.314 | + 59. 11. 3.28 | 34.29 | 4. | + 0.324 | ... | ... | 316 |
| 2280 | 2288 | Lacaille 2115 | 5.6 | 5. 56. 36.99 | 33.05 | 6 | + 2.412 | - 26. 17. 21.24 | 32.19 | 4 | + 0.298 | ... | 2115 | 327 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 2281 | 2290 | 2 Geminorum | 6.7 | h m s 5. 56. 45.09 | 33.50 | 9 | + 3.658 | + 23. 38. 43.57 | 32.20 | 4 | + 0.285 | 884 | ... | 323 |
| 2282 | 2289 | Piazzi V. 324 | 7.8 | 5. 56. 45.39 | 36.56 | 4 | + 3.368 | + 12. 29. 8.55 | 36.58 | 4 | + 0.285 | ... | ... | 324 |
| 2283 | 2291 | Lacaille 2123 | 7 | 5. 56. 57.42 | 38.57 | 4 | + 1.408 | - 51. 13. 30.85 | 38.10 | 2 | + 0.267 | ... | 2123 | ... |
| 2284 | 2292 | Piazzi V. 325 | 7.8 | 5. 57. 2.06 | 34.01 | 1 | + 3.744 | + 26. 41. 26.81 | 34.01 | 3 | + 0.260 | ... | ... | 325 |
| 2285 | 2293 | Piazzi V. 328 | 7 | 5. 57. 13.56 | 33.11 | 5 | + 3.444 | + 15. 33. 16.62 | 32.12 | 5 | + 0.244 | ... | ... | 328 |
| 2286 | 2294 | Brisbane 1119 | 8 | 5. 57. 21.57 | 39.13 | 4 | + 1.155 | - 55. 5. 34.12 | 39.33 | 5 | + 0.231 | ... | ... | ... |
| 2287 | 2295 | 17 Leporis | 5.6 | 5. 57. 37.59 | 32.40 | 7 | + 2.676 | - 16. 28. 44.49 | 33.03 | 5 | + 0.210 | 890 | ... | 331 |
| 2288 | 2296 | Bradley 889 | 6.7 | 5. 57. 39.58 | 34.31 | 4 | + 2.831 | - 10. 14. 13.48 | 34.28 | 4 | + 0.206 | 889 | ... | 330 |
| 2289 | 2297 | Lacaille 2127 | 7 | 5. 57. 42.65 | 38.12 | 4 | + 1.166 | - 54. 57. 18.33 | 38.12 | 3 | + 0.201 | ... | 2127 | ... |
| 2290 | 2298 | Brisbane 1121 | 8 | 5. 57. 43.01 | 38.73 | 6 | + 0.710 | - 60. 29. 23.23 | 38.65 | 5 | + 0.200 | ... | ... | ... |
| 2291 | 2299 | Brisbane 1120 | 8 | 5. 57. 44.48 | 38.31 | 4 | + 2.321 | - 29. 20. 9.19 | 38.06 | 3 | + 0.198 | ... | ... | ... |
| 2292 | 2300 | Piazzi V. 329 | 7 | 5. 57. 47.40 | 34.37 | 4 | + 3.633 | + 22. 43. 8.99 | 34.33 | 4 | + 0.194 | ... | ... | 329 |
| 2293 | 2301 | Lacaille 2133 | 7 | 5. 58. 3.27 | 39.29 | 10 | + 0.927 | - 58. 6. 23.44 | 39.20 | 9 | + 0.171 | ... | 2133 | ... |
| 2294 | 2302 | 67 Orionis | 4.5 | 5. 58. 9.12 | 33.34 | 27 | + 3.425 | + 14. 46. 51.72 | 32.80 | 32 | + 0.162 | 887 | ... | 332 |
| 2295 | 2303 | Brisbane 1125 | 8 | 5. 58. 29.93 | 39.53 | 2 | + 0.709 | - 60. 29. 33.98 | 39.08 | 2 | + 0.131 | ... | ... | ... |
| 2296 | 2304 | 18 Leporis | 4.5 | 5. 58. 41.42 | 32.48 | 14 | + 2.715 | - 14. 55. 34.85 | 31.46 | 11 | + 0.114 | 892 | ... | 336 |
| 2297 | 2305 | Piazzi V. 326 | 7 | 5. 58. 47.49 | 36.43 | 3 | + 6.650 | + 69. 30. 35.19 | 36.59 | 4 | + 0.106 | ... | ... | 326 |
| 2298 | 2306 | 41 Aurigæ | 6.7 | 5. 58. 58.18 | 34.49 | 3 | + 4.596 | + 48. 44. 5.40 | 34.10 | 3 | + 0.089 | 886 | ... | 334 |
| 2299 | 2307 | Piazzi V. 333 | 7 | 5. 58. 58.40 | 36.56 | 4 | + 4.596 | + 48. 44. 12.39 | 36.29 | 4 | + 0.089 | ... | ... | 333 |
| 2300 | 2309 | Bradley 894 | 7 | 5. 59. 8.71 | 33.82 | 6 | + 2.808 | - 11. 9. 40.00 | 34.35 | 4 | + 0.074 | 894 | ... | 339 |
| 2301 | 2310 | Lacaille 2146 | 7 | 5. 59. 17.12 | 39.09 | 13 | + 0.710 | - 60. 29. 6.45 | 39.09 | 13 | + 0.062 | ... | 2146 | ... |
| 2302 | 2311 | Lacaille 2140 | 7 | 5. 59. 20.04 | 38.12 | 3 | + 1.259 | - 53. 34. 45.34 | 38.12 | 3 | + 0.057 | ... | 2140 | ... |
| 2303 | 2312 | Piazzi V. 338 | 6.7 | 5. 59. 35.59 | 32.50 | 6 | + 3.618 | + 22. 12. 31.57 | 32.16 | 5 | + 0.035 | ... | ... | 338 |
| 2304 | 2313 | Lacaille 2128 | 6 | 5. 59. 39.25 | 36.82 | 8 | + 2.502 | - 23. 5. 51.55 | 36.17 | 9 | + 0.031 | ... | 2128 | 342 |
| 2305 | 2314 | 3 Geminorum | 6 | 5. 59. 42.88 | 32.17 | 8 | + 3.643 | + 23. 7. 56.58 | 32.18 | 5 | + 0.025 | 891 | ... | 340 |
| 2306 | 2315 | Lacaille 2137 | 6.7 | 5. 59. 43.72 | 36.71 | 5 | + 1.733 | - 45. 2. 21.77 | 35.93 | 7 | + 0.023 | ... | 2137 | 346 |
| 2307 | 2316 | Lacaille 2130 | 6 | 5. 59. 44.55 | 38.01 | 3 | + 2.308 | - 29. 44. 42.67 | 38.01 | 3 | + 0.022 | ... | 2130 | ... |
| 2308 | 2317 | Lacaille 2136 | 7 | 5. 59. 45.37 | 34.08 | 3 | + 1.726 | - 45. 11. 16.57 | 34.31 | 4 | + 0.022 | ... | 2136 | 347 |
| 2309 | 2318 | Lacaille 2141 | 6.7 | 5. 59. 55.87 | 36.71 | 8 | + 1.731 | - 45. 4. 51.99 | 36.23 | 7 | + 0.005 | ... | 2141 | 348 |
| 2310 | 2319 | Piazzi V. 345 | 7.8 | 5. 59. 58.83 | 40.33 | 4 | + 2.503 | - 23. 4. 45.81 | 40.33 | 4 | + 0.001 | ... | ... | 345 |
| 2311 | 2320 | Lacaille 2155 | 6 | 6. 0. 5.70 | 38.91 | 5 | + 0.748 | - 60. 5. 33.94 | 39.82 | 7 | - 0.009 | ... | 2155 | ... |
| 2312 | 2321 | Lacaille 2143 | 7 | 6. 0. 6.47 | 38.15 | 3 | + 1.416 | - 51. 5. 26.75 | 38.15 | 3 | - 0.010 | ... | 2143 | ... |
| 2313 | 2323 | Brisbane 1136 | 8 | 6. 0. 24.30 | 38.09 | 3 | + 1.311 | - 52. 47. 10.05 | 38.13 | 2 | - 0.035 | ... | ... | ... |
| 2314 | 2324 | 4 Geminorum | 7 | 6. 0. 29.34 | 32.20 | 3 | + 3.640 | + 23. 1. 12.61 | 33.07 | 5 | - 0.043 | 895 | ... | 344 |
| 2315 | 2325 | Lacaille 2145 | 6 | 6. 0. 30.52 | 38.64 | 4 | + 1.563 | - 48. 26. 47.20 | 38.63 | 4 | - 0.045 | ... | 2145 | ... |
| 2316 | 2326 | 19 Leporis | 6 | 6. 0. 31.10 | 33.09 | 6 | + 2.608 | - 19. 9. 7.88 | 33.10 | 5 | - 0.045 | 898 | ... | 349 |
| 2317 | 2327 | Brisbane 1138 | 7.8 | 6. 0. 36.99 | 39.10 | 10 | + 1.305 | - 52. 53. 4.35 | 39.10 | 9 | - 0.053 | ... | ... | ... |
| 2318 | 2328 | Piazzi V. 335 | 5 | 6. 0. 38.96 | 32.02 | 6 | + 6.623 | + 69. 21. 52.56 | 31.58 | 10 | - 0.056 | ... | ... | 335 |
| 2319 | 2329 | 4 Monocerotis | 6 | 6. 0. 41.72 | 33.16 | 2 | + 2.808 | - 11. 7. 38.53 | 33.13 | 4 | - 0.061 | 897 | ... | ... |
| 2320 | 2330 | 40 Camelopardi | 5 | 6. 0. 50.93 | 31.99 | 6 | + 5.391 | + 60. 1. 57.68 | 31.57 | 10 | - 0.074 | 888 | ... | 341 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{1xi}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|---------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 2321 | 2331 | Brisbane 1142 | 9 | 6. 1. 3.10 | 38.49 | 3 | + 0.696 | - 60. 38. 10.02 | 40.31 | 6 | - 0.091 | ... | ... | ... |
| 2322 | 2332 | Brisbane 1140 | 7 | 6. 1. 6.05 | 38.35 | 4 | + 1.207 | - 54. 22. 26.45 | 38.44 | 3 | - 0.096 | ... | ... | ... |
| 2323 | 2333 | Lacaille 2142 | 6.7 | 6. 1. 7.21 | 35.14 | 3 | + 2.160 | - 34. 17. 45.60 | 34.35 | 4 | - 0.097 | ... | 2142 | 352 |
| 2324 | 2334 | Piazzi V. 337 | 6.7 | 6. 1. 17.12 | 34.32 | 4 | + 6.670 | + 69. 36. 45.86 | 34.26 | 4 | - 0.112 | ... | ... | 337 |
| 2325 | 2335 | 5 Geminorum | 7 | 6. 1. 25.12 | 33.58 | 10 | + 3.680 | + 24. 26. 55.74 | 33.61 | 9 | - 0.124 | 896 | ... | 350 |
| 2326 | 2336 | Piazzi V. 343 | 8 | 6. 1. 27.05 | 36.52 | 4 | + 5.320 | + 59. 15. 6.16 | 36.54 | 4 | - 0.127 | ... | ... | 343 |
| 2327 | 2337 | Lacaille 2156 | 7 | 6. 1. 31.06 | 38.08 | 3 | + 1.697 | - 45. 47. 53.62 | 38.08 | 3 | - 0.132 | ... | 2156 | ... |
| 2328 | 2338 | Columbae | 6.7 | 6. 1. 35.31 | 35.16 | 3 | + 1.856 | - 42. 16. 55.67 | 34.34 | 4 | - 0.140 | ... | 2154 | 6 |
| 2329 | 2339 | Lacaille 2150 | 8 | 6. 1. 36.07 | 36.25 | 7 | + 2.064 | - 37. 1. 5.14 | 36.54 | 4 | - 0.141 | ... | 2150 | 4 |
| 2330 | 2340 | Lacaille 2149 | 7.8 | 6. 1. 39.83 | 36.77 | 7 | + 2.058 | - 37. 10. 54.47 | 37.62 | 12 | - 0.144 | ... | 2149 | 5 |
| 2331 | 2341 | Columbae | 5 | 6. 1. 52.40 | 31.70 | 11 | + 2.056 | - 37. 14. 2.26 | 32.22 | 12 | - 0.162 | ... | 2153 | 9 |
| 2332 | 2342 | Brisbane 1148 | 7 | 6. 1. 56.90 | 38.09 | 3 | + 1.204 | - 54. 23. 41.38 | 38.09 | 3 | - 0.171 | ... | ... | ... |
| 2333 | 2343 | Gould 7325 | 10 | 6. 2. 9.18 | 41.12 | 3 | + 0.774 | - 59. 48. 31.47 | 39.97 | 6 | - 0.189 | ... | ... | ... |
| 2334 | 2344 | Lacaille 2160 | 6.7 | 6. 2. 15.03 | 34.34 | 4 | + 1.732 | - 45. 4. 30.61 | 34.28 | 4 | - 0.197 | ... | 2160 | 11 |
| 2335 | 2345 | 68 Orionis | 6 | 6. 2. 15.22 | 33.14 | 4 | + 3.554 | + 19. 49. 9.72 | 32.87 | 5 | - 0.197 | 900 | ... | 2 |
| 2336 | 2346 | 6 Geminorum | 6.7 | 6. 2. 18.71 | 33.02 | 5 | + 3.638 | + 22. 56. 16.70 | 32.20 | 5 | - 0.202 | 899 | ... | 3 |
| 2337 | 2347 | Lacaille 2161 | 6.7 | 6. 2. 24.20 | 38.44 | 3 | + 1.678 | - 46. 11. 9.36 | 38.44 | 3 | - 0.210 | ... | 2161 | ... |
| 2338 | 2348 | 69 Orionis | 6 | 6. 2. 32.51 | 33.12 | 5 | + 3.460 | + 16. 9. 35.52 | 32.18 | 6 | - 0.222 | 901 | ... | 7 |
| 2339 | 2349 | 70 Orionis | 5 | 6. 2. 33.61 | 31.55 | 14 | + 3.408 | + 14. 14. 20.17 | 31.64 | 9 | - 0.223 | 903 | ... | 8 |
| 2340 | 2350 | Brisbane 1155 | 7 | 6. 2. 35.40 | 38.49 | 3 | + 0.701 | - 60. 35. 18.61 | 40.31 | 6 | - 0.227 | ... | ... | ... |
| 2341 | 2351 | Brisbane 1152 | 7 | 6. 2. 37.11 | 38.80 | 3 | + 1.342 | - 52. 18. 15.24 | 38.80 | 3 | - 0.229 | ... | ... | ... |
| 2342 | 2352 | Piazzi VI. 1 | 8 | 6. 2. 40.41 | 36.70 | 3 | + 4.478 | + 46. 25. 52.89 | 36.55 | 4 | - 0.233 | ... | ... | 1 |
| 2343 | 2353 | 1 Lynx | 5 | 6. 2. 41.58 | 31.57 | 5 | + 5.540 | + 61. 33. 23.98 | 31.58 | 9 | - 0.237 | 893 | ... | 351 |
| 2344 | 2354 | Columbae | 6 | 6. 2. 45.67 | 35.09 | 3 | + 1.860 | - 42. 7. 56.79 | 34.36 | 4 | - 0.242 | ... | 2164 | 12 |
| 2345 | 2355 | Lacaille 2167 | 6.7 | 6. 2. 58.56 | 34.38 | 4 | + 1.748 | - 44. 42. 32.51 | 34.30 | 4 | - 0.260 | ... | 2167 | 15 |
| 2346 | 2356 | Lacaille 2170 | 7.8 | 6. 3. 6.01 | 38.04 | 3 | + 1.760 | - 44. 27. 24.52 | 38.04 | 3 | - 0.272 | ... | 2170 | ... |
| 2347 | 2357 | Lacaille 2174 | 6.7 | 6. 3. 43.32 | 35.59 | 6 | + 1.766 | - 44. 19. 54.80 | 35.55 | 6 | - 0.325 | ... | 2174 | 20 |
| 2348 | 2359 | Lacaille 2168 | 6 | 6. 4. 0.88 | 32.62 | 7 | + 2.387 | - 27. 7. 21.93 | 32.16 | 5 | - 0.351 | ... | 2168 | 17 |
| 2349 | 2360 | Piazzi VI. 13 | 9 | 6. 4. 3.99 | 37.96 | 8 | + 3.668 | + 24. 1. 25.56 | 37.90 | 6 | - 0.355 | ... | ... | 13 |
| 2350 | 2361 | Piazzi VI. 14 | 8.9 | 6. 4. 4.03 | 40.16 | 2 | + 3.667 | + 23. 59. 28.30 | 38.12 | 4 | - 0.355 | ... | ... | 14 |
| 2351 | 2362 | Brisbane 1162 | 7 | 6. 4. 6.46 | 38.47 | 3 | + 0.586 | - 61. 43. 46.40 | 38.46 | 3 | - 0.360 | ... | ... | ... |
| 2352 | 2363 | Piazzi VI. 10 | 8 | 6. 4. 20.73 | 36.53 | 4 | + 5.351 | + 59. 36. 29.60 | 36.53 | 4 | - 0.381 | ... | ... | 10 |
| 2353 | 2364 | Lacaille 2179 | 7 | 6. 4. 31.92 | 38.08 | 3 | + 1.870 | - 41. 57. 11.95 | 38.08 | 3 | - 0.397 | ... | 2179 | ... |
| 2354 | 2365 | Lacaille 2173 | 6 | 6. 4. 36.66 | 38.02 | 3 | + 2.407 | - 26. 27. 4.03 | 38.10 | 3 | - 0.404 | ... | 2173 | ... |
| 2355 | 2366 | Lacaille 2178 | 6 | 6. 4. 38.17 | 38.15 | 3 | + 2.143 | - 34. 47. 13.98 | 38.15 | 3 | - 0.406 | ... | 2178 | ... |
| 2356 | 2367 | Lacaille 2186 | 8.9 | 6. 4. 38.56 | 39.25 | 6 | + 1.204 | - 54. 24. 55.17 | 39.08 | 7 | - 0.407 | ... | 2186 | ... |
| 2357 | 2368 | Brisbane 1169 | 7.8 | 6. 4. 42.92 | 38.64 | 4 | + 1.281 | - 53. 15. 37.63 | 38.64 | 4 | - 0.413 | ... | ... | ... |
| 2358 | 2369 | Lacaille 2182 | 6.7 | 6. 4. 50.81 | 34.40 | 4 | + 1.937 | - 40. 19. 37.55 | 34.55 | 5 | - 0.425 | ... | 2182 | 28 |
| 2359 | 2370 | 44 Aurigae | 4 | 6. 4. 51.97 | 31.36 | 6 | + 3.830 | + 29. 33. 3.21 | 32.12 | 15 | - 0.426 | 907 | ... | 18 |
| 2360 | 2371 | Lacaille 2177 | 7 | 6. 4. 53.77 | 34.13 | 3 | + 2.390 | - 27. 1. 28.33 | 34.38 | 4 | - 0.429 | ... | 2177 | 26 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|---------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 2361 | 2372 | 7 Geminorum | 4.5 | h m s 6. 4. 55.13 | 33.17 | 13 | + 3.627 | + 22. 32. 50.26 | 31.86 | 19 | - 0.430 | 909 | ... | 22 |
| 2362 | 2373 | 2 Lynceis | 4.5 | 6. 5. 3.61 | 32.46 | 6 | + 5.302 | + 59. 3. 32.62 | 32.02 | 17 | - 0.443 | 902 | ... | 16 |
| 2363 | 2374 | 71 Orionis | 5.6 | 6. 5. 8.34 | 32.14 | 6 | + 3.538 | + 19. 12. 16.54 | 33.02 | 5 | - 0.450 | 911 | ... | 23 |
| 2364 | 2375 | Piazzi VI. 24 | 7 | 6. 5. 12.72 | 36.56 | 4 | + 3.457 | + 16. 4. 31.19 | 36.57 | 4 | - 0.457 | ... | ... | 24 |
| 2365 | 2377 | Lacaille 2183 | 8 | 6. 5. 16.67 | 38.06 | 3 | + 2.176 | - 33. 50. 16.83 | 38.05 | 3 | - 0.463 | ... | 2183 | ... |
| 2366 | 2376 | 42 Aurigæ | 6.7 | 6. 5. 16.70 | 34.34 | 5 | + 4.479 | + 46. 28. 10.19 | 34.37 | 4 | - 0.463 | 905 | ... | 19 |
| 2367 | 2379 | 72 Orionis | 6 | 6. 5. 54.32 | 32.21 | 5 | + 3.460 | + 16. 11. 10.86 | 33.05 | 5 | - 0.516 | 913 | ... | 29 |
| 2368 | 2380 | Lacaille 2191 | 6.7 | 6. 5. 56.03 | 35.11 | 3 | + 1.724 | - 45. 14. 56.91 | 34.35 | 4 | - 0.520 | ... | 2191 | 34 |
| 2369 | 2381 | 43 Aurigæ | 6.7 | 6. 5. 58.23 | 34.40 | 3 | + 4.477 | + 46. 24. 53.06 | 34.31 | 4 | - 0.522 | 908 | ... | 25 |
| 2370 | 2382 | 8 Geminorum | 7 | 6. 6. 14.19 | 33.55 | 6 | + 3.668 | + 24. 0. 56.11 | 32.20 | 4 | - 0.546 | 914 | ... | 30 |
| 2371 | 2383 | Brisbane 1175 | 8 | 6. 6. 24.93 | 38.62 | 6 | + 1.313 | - 52. 46. 5.44 | 38.62 | 4 | - 0.561 | ... | ... | ... |
| 2372 | 2384 | 73 Orionis | 6 | 6. 6. 28.98 | 33.08 | 6 | + 3.370 | + 12. 35. 45.71 | 33.07 | 5 | - 0.568 | 916 | ... | 32 |
| 2373 | 2385 | Lacaille 2189 | 7 | 6. 6. 31.39 | 34.36 | 4 | + 2.348 | - 28. 25. 32.44 | 34.27 | 4 | - 0.570 | ... | 2189 | 36 |
| 2374 | 2386 | Lacaille 2194 | 6.7 | 6. 6. 45.78 | 38.43 | 3 | + 2.082 | - 36. 31. 31.63 | 38.43 | 3 | - 0.591 | ... | 2194 | ... |
| 2375 | 2387 | 5 Monocerotis | 4.5 | 6. 6. 48.63 | 31.93 | 34 | + 2.926 | - 6. 13. 49.87 | 31.69 | 14 | - 0.595 | 920 | ... | 35 |
| 2376 | 2388 | 3 Lynceis | 7 | 6. 6. 50.60 | 34.31 | 4 | + 5.566 | + 61. 49. 22.40 | 34.32 | 4 | - 0.599 | 906 | ... | 27 |
| 2377 | 2389 | 9 Geminorum | 7 | 6. 6. 54.82 | 32.14 | 5 | + 3.661 | + 23. 47. 20.11 | 33.09 | 6 | - 0.604 | 917 | ... | 33 |
| 2378 | 2390 | Lacaille 2201 | 5.6 | 6. 7. 5.62 | 38.40 | 3 | + 1.168 | - 54. 56. 3.31 | 38.40 | 3 | - 0.621 | ... | 2201 | ... |
| 2379 | 2391 | 74 Orionis | 5.6 | 6. 7. 10.78 | 33.12 | 5 | + 3.364 | + 12. 18. 38.23 | 32.16 | 10 | - 0.629 | 919 | ... | 37 |
| 2380 | 2392 | Piazzi VI. 38 | 7 | 6. 7. 15.90 | 35.12 | 3 | + 3.286 | + 9. 4. 30.43 | 34.40 | 4 | - 0.635 | ... | ... | 38 |
| 2381 | 2393 | 4 Lynceis | 6.7 | 6. 7. 24.47 | 34.33 | 4 | + 5.335 | + 59. 25. 51.19 | 34.30 | 4 | - 0.648 | 910 | ... | 31 |
| 2382 | 2394 | Piazzi VI. 41 | 7 | 6. 7. 27.23 | 37.60 | 6 | + 3.193 | + 5. 9. 43.27 | 35.19 | 12 | - 0.652 | ... | ... | 41 |
| 2383 | 2395 | Lacaille 2199 | 8 | 6. 7. 30.61 | 38.08 | 4 | + 1.827 | - 42. 58. 0.72 | 38.08 | 4 | - 0.657 | ... | 2199 | ... |
| 2384 | 2396 | Piazzi VI. 44 | 8 | 6. 7. 43.63 | 37.06 | 2 | + 2.928 | - 6. 9. 39.54 | 36.43 | 3 | - 0.677 | ... | ... | 44 |
| 2385 | 2397 | Piazzi VI. 43 | 7 | 6. 8. 0.28 | 32.46 | 6 | + 3.761 | + 27. 15. 57.05 | 32.16 | 5 | - 0.700 | ... | ... | 43 |
| 2386 | 2398 | 75 Orionis | 6 | 6. 8. 0.89 | 35.55 | 8 | + 3.308 | + 9. 59. 43.11 | 32.17 | 5 | - 0.701 | 921 | ... | 45 |
| 2387 | 2399 | Piazzi VI. 46 | 9 | 6. 8. 8.98 | 39.49 | 5 | + 2.771 | - 12. 40. 37.57 | 40.33 | 4 | - 0.713 | ... | ... | 46 |
| 2388 | 2400 | Piazzi VI. 48 | 9.10 | 6. 8. 16.13 | 38.46 | 8 | + 2.771 | - 12. 41. 23.07 | 37.83 | 12 | - 0.723 | ... | ... | 48 |
| 2389 | 2401 | Piazzi VI. 39 | 8.9 | 6. 8. 19.48 | 36.52 | 4 | + 4.819 | + 52. 34. 56.00 | 36.53 | 4 | - 0.727 | ... | ... | 39 |
| 2390 | 2402 | Piazzi VI. 47 | 9.10 | 6. 8. 20.78 | 36.70 | 3 | + 2.928 | - 6. 8. 11.06 | 37.02 | 1 | - 0.731 | ... | ... | 47 |
| 2391 | 2403 | 45 Aurigæ | 6 | 6. 8. 21.53 | 34.32 | 4 | + 4.879 | + 53. 30. 58.53 | 34.29 | 4 | - 0.732 | 915 | ... | 40 |
| 2392 | 2404 | Piazzi VI. 49 | 7 | 6. 8. 32.19 | 37.07 | 3 | + 3.192 | + 5. 8. 42.92 | 38.93 | 7 | - 0.747 | ... | ... | 49 |
| 2393 | 2405 | Brisbane 1180 | 8 | 6. 8. 41.55 | 39.35 | 7 | + 0.779 | - 59. 46. 0.67 | 39.35 | 7 | - 0.761 | ... | ... | ... |
| 2394 | 2406 | 10 Geminorum | 7 | 6. 8. 51.23 | 34.33 | 4 | + 3.658 | + 23. 39. 33.43 | 34.32 | 4 | - 0.774 | 922 | ... | 51 |
| 2395 | 2407 | Lacaille 2215 | 8 | 6. 9. 12.01 | 38.85 | 4 | + 0.615 | - 61. 27. 41.51 | 38.85 | 4 | - 0.805 | ... | 2215 | ... |
| 2396 | 2408 | 11 Geminorum | 7 | 6. 9. 16.59 | 32.62 | 8 | + 3.654 | + 23. 31. 35.97 | 32.19 | 5 | - 0.812 | 923 | ... | 52 |
| 2397 | 2409 | Brisbane 1181 | 7.8 | 6. 9. 18.38 | 39.02 | 3 | + 0.756 | - 60. 1. 3.81 | 39.01 | 2 | - 0.813 | ... | ... | ... |
| 2398 | 2410 | 12 Geminorum | 6.7 | 6. 9. 20.95 | 35.14 | 3 | + 3.648 | + 23. 19. 57.15 | 34.37 | 4 | - 0.818 | 924 | ... | 53 |
| 2399 | 2411 | Brisbane 1184 | 8 | 6. 9. 35.99 | 38.04 | 3 | + 1.818 | - 43. 11. 29.48 | 38.04 | 3 | - 0.840 | ... | ... | ... |
| 2400 | 2412 | Lacaille 2206 | 6 | 6. 9. 36.30 | 38.02 | 3 | + 2.309 | - 29. 44. 15.69 | 38.02 | 3 | - 0.840 | ... | 2206 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|---------------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 2401 | 2413 | 6 Monocerotis | 7 | ^{h m s} 6. 9. 49.73 | 38.02 | 10 | + 2.820 | - 10. 40. 10.43 | 38.28 | 9 | - 0.861 | 927 | ... | 56 |
| 2402 | 2414 | Brisbane 1186 | 6.7 | 6. 9. 53.39 | 38.94 | 7 | + 1.385 | - 51. 37. 8.49 | 39.07 | 5 | - 0.866 | ... | ... | ... |
| 2403 | 2415 | Piazzi VI. 50 | 8.9 | 6. 10. 4.44 | 36.81 | 3 | + 5.777 | + 63. 42. 46.48 | 36.57 | 4 | - 0.880 | ... | ... | 50 |
| 2404 | 2416 | Piazzi VI. 59 | 6.7 | 6. 10. 7.07 | 36.40 | 3 | + 2.516 | - 22. 38. 56.91 | 36.56 | 4 | - 0.885 | ... | ... | 59 |
| 2405 | 2417 | Piazzi VI. 60 | 6.7 | 6. 10. 11.63 | 34.59 | 4 | + 2.524 | - 22. 19. 6.40 | 34.06 | 3 | - 0.892 | ... | ... | 60 |
| 2406 | 2418 | Brisbane 1189 | 7 | 6. 10. 14.58 | 38.13 | 3 | + 0.739 | - 60. 12. 44.12 | 38.13 | 3 | - 0.897 | ... | ... | ... |
| 2407 | 2419 | Brisbane 1188 | 9 | 6. 10. 24.15 | 39.10 | 4 | + 1.391 | - 51. 32. 14.29 | 38.75 | 3 | - 0.910 | ... | ... | ... |
| 2408 | 2420 | Piazzi VI. 58 | 7.8 | 6. 10. 26.34 | 36.58 | 4 | + 3.365 | + 12. 21. 12.90 | 36.53 | 4 | - 0.914 | ... | ... | 58 |
| 2409 | 2421 | Piazzi VI. 54 | 7 | 6. 10. 31.49 | 34.36 | 4 | + 5.667 | + 62. 45. 47.94 | 34.34 | 4 | - 0.921 | ... | ... | 54 |
| 2410 | 2422 | Brisbane 1190 | 7.8 | 6. 10. 32.56 | 39.39 | 7 | + 1.820 | - 43. 7. 34.66 | 39.39 | 7 | - 0.923 | ... | ... | ... |
| 2411 | 2423 | Brisbane 1192 | 8 | 6. 10. 37.19 | 38.13 | 3 | + 0.741 | - 60. 11. 21.77 | 38.13 | 2 | - 0.928 | ... | ... | ... |
| 2412 | 2424 | Columba | 4.5 | 6. 10. 41.05 | 31.43 | 22 | + 2.134 | - 35. 5. 23.88 | 33.38 | 14 | - 0.935 | ... | 2213 | 65 |
| 2413 | 2425 | Lacaille 2224 | 7 | 6. 10. 50.65 | 39.20 | 11 | + 0.619 | - 61. 25. 40.17 | 39.01 | 10 | - 0.949 | ... | 2224 | ... |
| 2414 | 2426 | Lacaille 2222 | 7 | 6. 10. 51.52 | 38.09 | 3 | + 1.026 | - 56. 52. 8.15 | 38.09 | 3 | - 0.950 | ... | 2222 | ... |
| 2415 | 2427 | Lacaille 2214 | 6.7 | 6. 11. 8.63 | 35.14 | 3 | + 1.983 | - 39. 12. 30.76 | 34.18 | 3 | - 0.975 | ... | 2214 | 68 |
| 2416 | 2428 | Piazzi VI. 55 | 7 | 6. 11. 12.32 | 34.51 | 3 | + 5.252 | + 58. 30. 13.51 | 34.15 | 3 | - 0.980 | ... | ... | 55 |
| 2417 | 2429 | Piazzi VI. 62 | 7 | 6. 11. 22.41 | 34.15 | 3 | + 3.590 | + 21. 11. 52.56 | 34.16 | 3 | - 0.994 | ... | ... | 62 |
| 2418 | 2430 | Lacaille 2217 | 6.7 | 6. 11. 24.28 | 34.08 | 3 | + 2.040 | - 37. 41. 4.29 | 34.07 | 3 | - 0.997 | ... | 2217 | 70 |
| 2419 | 2431 | Piazzi VI. 64 | 7 | 6. 11. 29.95 | 36.29 | 5 | + 3.592 | + 21. 15. 58.59 | 34.17 | 3 | - 1.006 | ... | ... | 64 |
| 2420 | 2432 | Lacaille 2218 | 6 | 6. 11. 30.45 | 35.17 | 3 | + 2.058 | - 37. 11. 42.77 | 34.10 | 3 | - 1.007 | ... | 2218 | 71 |
| 2421 | 2433 | Piazzi VI. 57 | 7 | 6. 11. 30.90 | 34.68 | 4 | + 5.266 | + 58. 40. 39.06 | 34.15 | 3 | - 1.007 | ... | ... | 57 |
| 2422 | 2434 | Lacaille 2216 | 6.7 | 6. 11. 36.92 | 38.04 | 3 | + 2.271 | - 30. 56. 58.51 | 38.04 | 3 | - 1.016 | ... | 2216 | ... |
| 2423 | 2435 | Piazzi VI. 67 | 8 | 6. 11. 45.12 | 34.05 | 2 | + 3.662 | + 23. 49. 45.36 | 34.28 | 4 | - 1.028 | ... | ... | 67 |
| 2424 | 2436 | 7 Monocerotis | 6 | 6. 11. 46.11 | 32.13 | 6 | + 2.890 | - 7. 45. 34.76 | 32.20 | 5 | - 1.029 | 928 | ... | 69 |
| 2425 | 2437 | Piazzi VI. 42 | 7 | 6. 11. 48.87 | 34.32 | 4 | + 10.422 | + 79. 42. 11.58 | 34.30 | 4 | - 1.033 | ... | ... | 42 |
| 2426 | 2438 | Piazzi VI. 72 | 8.9 | 6. 12. 4.45 | 36.59 | 4 | + 2.752 | - 13. 39. 29.46 | 36.59 | 4 | - 1.055 | ... | ... | 72 |
| 2427 | 2439 | Piazzi VI. 73 | 7 | 6. 12. 10.32 | 34.13 | 3 | + 2.889 | - 7. 48. 21.38 | 34.08 | 3 | - 1.064 | ... | ... | 73 |
| 2428 | 2440 | 46 Aurigæ | 5 | 6. 12. 11.10 | 31.81 | 8 | + 4.628 | + 49. 21. 43.03 | 31.58 | 10 | - 1.066 | 926 | ... | 66 |
| 2429 | 2441 | Piazzi VI. 61 | 8 | 6. 12. 12.69 | 36.59 | 3 | + 5.251 | + 58. 29. 48.04 | 36.07 | 2 | - 1.068 | ... | ... | 61 |
| 2430 | 2442 | 5 Lynceis | 6 | 6. 12. 23.94 | 35.08 | 6 | + 5.251 | + 58. 29. 45.87 | 34.53 | 4 | - 1.085 | 925 | ... | 63 |
| 2431 | 2443 | 13 Geminorum | 3 | 6. 12. 58.62 | 34.63 | 20 | + 3.627 | + 22. 35. 27.28 | 32.35 | 49 | - 1.136 | 929 | ... | 74 |
| 2432 | 2444 | Lacaille 2225 | 7 | 6. 13. 5.97 | 38.08 | 3 | + 1.997 | - 38. 49. 51.64 | 38.08 | 3 | - 1.146 | ... | 2225 | ... |
| 2433 | 2445 | Piazzi VI. 76 | 9 | 6. 13. 42.42 | 36.52 | 4 | + 3.026 | - 1. 57. 26.61 | 36.57 | 4 | - 1.198 | ... | ... | 76 |
| 2434 | 2446 | Lacaille 2228 | 7 | 6. 13. 44.13 | 34.37 | 4 | + 2.160 | - 34. 19. 47.66 | 34.27 | 4 | - 1.201 | ... | 2228 | 79 |
| 2435 | 2447 | Piazzi VI. 80 | 7.8 | 6. 13. 53.82 | 37.10 | 2 | + 2.303 | - 29. 57. 1.09 | 34.39 | 4 | - 1.215 | ... | ... | 80 |
| 2436 | 2449 | Brisbane 1210 | 9 | 6. 13. 56.95 | 38.89 | 6 | + 0.837 | - 59. 8. 59.29 | 38.90 | 6 | - 1.220 | ... | ... | ... |
| 2437 | 2448 | Lacaille 2239 | 8 | 6. 13. 57.12 | 39.31 | 9 | + 1.141 | - 55. 21. 10.50 | 39.30 | 9 | - 1.220 | ... | 2239 | ... |
| 2438 | 2451 | 1 Canis Majoris | 3 | 6. 13. 58.88 | 32.75 | 22 | + 2.301 | - 29. 59. 42.48 | 32.83 | 13 | - 1.223 | 933 | 2229 | 81 |
| 2439 | 2452 | Lacaille 2242 | 7 | 6. 14. 1.81 | 39.31 | 8 | + 0.839 | - 59. 8. 19.68 | 39.32 | 8 | - 1.227 | ... | 2242 | ... |
| 2440 | 2453 | Lacaille 2238 | 6.7 | 6. 14. 13.82 | 38.53 | 6 | + 1.322 | - 52. 40. 9.30 | 38.48 | 5 | - 1.245 | ... | 2238 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|----------------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 2441 | 2454 | Piazzi VI. 77 | 7.8 | ^{h m s} 6. 14. 14.21 | 36.69 | 3 | + 3.161 | + 3. 50. 7.68 | 36.03 | 2 | - 1.245 | ... | ... | 77 |
| 2442 | 2455 | Lacaille 2233 | 6.7 | 6. 14. 21.84 | 35.14 | 3 | + 1.975 | - 39. 25. 5.49 | 34.15 | 3 | - 1.256 | ... | 2233 | 86 |
| 2443 | 2456 | Piazzi VI. 78 | 7 | 6. 14. 33.92 | 32.16 | 6 | + 3.698 | + 25. 7. 38.72 | 32.14 | 6 | - 1.272 | ... | ... | 78 |
| 2444 | 2457 | Piazzi VI. 82 | 6 | 6. 14. 36.85 | 33.26 | 8 | + 3.161 | + 3. 50. 28.26 | 33.14 | 7 | - 1.277 | ... | ... | 82 |
| 2445 | 2458 | Lacaille 2234 | 5.6 | 6. 14. 38.17 | 34.32 | 4 | + 2.170 | - 34. 4. 29.08 | 34.30 | 4 | - 1.279 | ... | 2234 | 88 |
| 2446 | 2459 | Lacaille 2241 | 7 | 6. 14. 45.11 | 38.11 | 3 | + 1.465 | - 52. 17. 33.98 | 38.10 | 3 | - 1.289 | ... | 2241 | ... |
| 2447 | 2460 | 8 Monocerotis | 5.6 | 6. 15. 1.49 | 32.19 | 6 | + 3.181 | + 4. 40. 12.95 | 33.57 | 6 | - 1.314 | 931 | ... | 84 |
| 2448 | 2461 | Bradley 932 | 9 | 6. 15. 2.04 | 36.71 | 3 | + 3.182 | + 4. 40. 25.33 | 37.08 | 3 | - 1.314 | 932 | ... | 85 |
| 2449 | 2462 | 2 Canis Majoris | 2.3 | 6. 15. 26.12 | 32.84 | 27 | + 2.642 | - 17. 52. 46.93 | 31.52 | 37 | - 1.350 | 936 | ... | 92 |
| 2450 | 2463 | Piazzi VI. 87 | 7 | 6. 15. 30.21 | 32.21 | 5 | + 3.653 | + 23. 31. 29.24 | 32.19 | 7 | - 1.355 | ... | ... | 87 |
| 2451 | 2464 | Piazzi VI. 89 | 7 | 6. 15. 31.02 | 33.05 | 6 | + 3.650 | + 23. 24. 36.75 | 32.20 | 3 | - 1.356 | ... | ... | 89 |
| 2452 | 2465 | Piazzi VI. 83 | 7 | 6. 15. 37.34 | 34.33 | 4 | + 4.813 | + 52. 32. 10.01 | 34.29 | 4 | - 1.365 | ... | ... | 83 |
| 2453 | 2466 | Lacaille 2247 | 6 | 6. 15. 45.94 | 38.06 | 3 | + 1.556 | - 48. 39. 26.54 | 38.06 | 3 | - 1.378 | ... | 2247 | ... |
| 2454 | 2467 | 14 Geminorum | 6.7 | 6. 15. 48.47 | 34.37 | 4 | + 3.603 | + 21. 43. 42.11 | 34.33 | 4 | - 1.382 | 934 | ... | 91 |
| 2455 | 2468 | Piazzi VI. 93 | 6.7 | 6. 16. 4.90 | 34.40 | 4 | + 3.187 | + 4. 57. 19.79 | 34.10 | 3 | - 1.407 | ... | ... | 93 |
| 2456 | 2469 | 3 Canis Majoris | 4 | 6. 16. 5.27 | 31.90 | 8 | + 2.194 | - 33. 21. 26.51 | 31.59 | 10 | - 1.407 | 939 | 2244 | 95 |
| 2457 | 2470 | Piazzi VI. 94 | 8 | 6. 16. 20.12 | 36.39 | 3 | + 3.410 | + 14. 10. 37.00 | 36.04 | 1 | - 1.429 | ... | ... | 94 |
| 2458 | 2471 | Lacaille 2253 | 8.9 | 6. 16. 22.70 | 38.28 | 4 | + 1.753 | - 44. 41. 2.17 | 38.28 | 4 | - 1.433 | ... | 2253 | ... |
| 2459 | 2472 | 6 Lynx | 6 | 6. 16. 26.33 | 37.36 | 8 | + 5.229 | + 58. 16. 20.50 | 37.32 | 8 | - 1.438 | 930 | ... | 90 |
| 2460 | 2473 | Piazzi VI. 97 | 9 | 6. 16. 31.25 | 36.59 | 4 | + 2.180 | - 33. 47. 30.42 | 36.73 | 3 | - 1.444 | ... | ... | 97 |
| 2461 | 2474 | Lacaille 2255 | 7 | 6. 17. 4.23 | 38.38 | 3 | + 2.248 | - 31. 42. 34.83 | 38.37 | 3 | - 1.491 | ... | 2255 | ... |
| 2462 | 2475 | 47 Aurigæ | 7 | 6. 17. 43.10 | 34.30 | 4 | + 4.491 | + 46. 46. 48.30 | 34.27 | 4 | - 1.548 | 935 | ... | 96 |
| 2463 | 2476 | Lacaille 2269 | 7 | 6. 17. 46.48 | 38.09 | 3 | + 1.329 | - 52. 35. 3.45 | 38.09 | 3 | - 1.552 | ... | 2269 | ... |
| 2464 | 2477 | Piazzi VI. 99 | 9.10 | 6. 17. 55.42 | 37.84 | 5 | + 3.580 | + 20. 52. 26.33 | 40.11 | 2 | - 1.568 | ... | ... | 99 |
| 2465 | 2480 | Piazzi VI. 75 | 6 | 6. 17. 56.09 | 38.11 | 7 | + 10.416 | + 79. 43. 15.36 | 37.28 | 11 | - 1.568 | ... | ... | 75 |
| 2466 | 2478 | 15 Geminorum | 6 | 6. 17. 56.25 | 36.76 | 31 | + 3.581 | + 20. 52. 57.62 | 36.86 | 16 | - 1.568 | 940 | ... | 100 |
| 2467 | 2479 | 48 Aurigæ | 6 | 6. 17. 57.84 | 33.15 | 4 | + 3.860 | + 30. 35. 11.31 | 32.19 | 5 | - 1.570 | 938 | ... | 98 |
| 2468 | 2481 | Lacaille 2263 | 6 | 6. 18. 3.73 | 38.28 | 4 | + 2.070 | - 36. 55. 51.07 | 38.28 | 4 | - 1.578 | ... | 2263 | ... |
| 2469 | 2482 | 16 Geminorum | 6 | 6. 18. 8.01 | 33.12 | 5 | + 3.573 | + 20. 35. 15.13 | 32.21 | 5 | - 1.585 | 941 | ... | 101 |
| 2470 | 2483 | Piazzi VI. 102 | 9 | 6. 18. 11.23 | 36.55 | 4 | + 3.317 | + 10. 24. 46.31 | 35.59 | 2 | - 1.590 | ... | ... | 102 |
| 2471 | 2484 | Piazzi VI. 104 | 6.7 | 6. 18. 14.73 | 34.44 | 5 | + 3.085 | + 0. 32. 41.08 | 34.32 | 4 | - 1.595 | ... | ... | 104 |
| 2472 | 2485 | Lacaille 2282 | 8 | 6. 18. 15.23 | 38.08 | 3 | + 0.642 | - 61. 15. 23.70 | 38.08 | 3 | - 1.595 | ... | 2282 | ... |
| 2473 | 2486 | Piazzi VI. 105 | 8 | 6. 18. 17.33 | 37.01 | 2 | + 3.084 | + 0. 31. 41.99 | 36.58 | 4 | - 1.598 | ... | ... | 105 |
| 2474 | 2487 | Lacaille 2265 | 6.7 | 6. 18. 17.87 | 35.75 | 6 | + 2.081 | - 36. 37. 32.22 | 34.95 | 6 | - 1.599 | ... | 2265 | 110 |
| 2475 | 2488 | Piazzi VI. 112 | 8 | 6. 18. 23.06 | 35.72 | 3 | + 2.081 | - 36. 37. 4.13 | 37.07 | 2 | - 1.607 | ... | ... | 112 |
| 2476 | 2489 | Lacaille 2268 | 8 | 6. 18. 39.07 | 38.27 | 3 | + 1.969 | - 39. 37. 5.91 | 38.07 | 3 | - 1.629 | ... | 2268 | ... |
| 2477 | 2490 | Piazzi VI. 103 | 6.7 | 6. 18. 44.78 | 34.41 | 4 | + 4.251 | + 41. 30. 1.51 | 34.35 | 4 | - 1.638 | ... | ... | 103 |
| 2478 | 2491 | 77 Orionis | 6 | 6. 18. 45.51 | 33.06 | 5 | + 3.081 | + 0. 23. 29.24 | 33.04 | 6 | - 1.638 | 943 | ... | 107 |
| 2479 | 2492 | 78 Orionis | 6 | 6. 18. 49.77 | 33.18 | 5 | + 3.068 | - 0. 11. 1.34 | 33.08 | 5 | - 1.646 | 944 | ... | 108 |
| 2480 | 2493 | 9 Monocerotis | 6.7 | 6. 18. 50.50 | 34.31 | 4 | + 2.973 | - 4. 15. 50.59 | 34.28 | 4 | - 1.646 | 945 | ... | 111 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 2481 | 2494 | 18 Geminorum.....v | 5 | h m s 6. 19. 9'97 | 31'83 | 33 | + 3'565 | + 20 18. 32'92 | 32'11 | 16 | - 1'674 | 942 | ... | 109 |
| 2482 | 2495 | Piazzi VI. 113 | 7 | 6. 19. 11'45 | 35'10 | 3 | + 3'317 | + 10. 24. 2'97 | 35'29 | 6 | - 1'678 | ... | ... | 113 |
| 2483 | 2496 | B.A.C. 2091 | 9'10 | 6. 19. 21'79 | 37'99 | 2 | + 3'580 | + 20. 52. 58'40 | 33'10 | 5 | - 1'692 | ... | ... | ... |
| 2484 | 2497 | Lacaille 2276 | 6'7 | 6. 19. 23'37 | 34'35 | 4 | + 1'946 | - 40. 11. 44'50 | 34'31 | 4 | - 1'694 | ... | 2276 | 117 |
| 2485 | 2498 | 10 Monocerotis | 6 | 6. 19. 48'92 | 32'15 | 6 | + 2'963 | - 4. 40. 2'56 | 32'14 | 5 | - 1'731 | 948 | ... | 116 |
| 2486 | 2499 | Piazzi VI. 106 | 9'10 | 6. 19. 51'11 | 36'60 | 4 | + 5'317 | + 59. 18. 29'77 | 36'56 | 4 | - 1'735 | ... | ... | 106 |
| 2487 | 2500 | Lacaille 2285 | 7 | 6. 19. 53'76 | 38'08 | 2 | + 1'361 | - 52. 5. 35'95 | 38'08 | 2 | - 1'739 | ... | 2285 | ... |
| 2488 | 2501 | Piazzi VI. 114 | 6'7 | 6. 19. 57'18 | 34'33 | 4 | + 3'790 | + 28 18. 45'91 | 34'30 | 4 | - 1'744 | ... | ... | 114 |
| 2489 | 2502 | Argus.....a | 1 | 6. 20. 17'30 | 32'78 | 32 | + 1'330 | - 52. 36. 30'44 | 31'63 | 87 | - 1'773 | ... | 2291 | ... |
| 2490 | 2503 | Bradley 950 | 6'7 | 6. 20. 21'80 | 35'10 | 3 | + 3'061 | - 0. 28. 25'72 | 34'41 | 4 | - 1'780 | 950 | ... | 118 |
| 2491 | 2504 | Piazzi VI. 119 | 6'7 | 6. 20. 24'56 | 34'35 | 4 | + 3'077 | + 0. 13. 35'33 | 34'33 | 4 | - 1'784 | ... | ... | 119 |
| 2492 | 2505 | Lacaille 2284 | 7'8 | 6. 20. 29'75 | 35'15 | 3 | + 1'919 | - 40. 52. 57'61 | 35'12 | 1 | - 1'792 | ... | 2284 | 124 |
| 2493 | 2506 | Lacaille 2279 | 7 | 6. 20. 32'80 | 38'04 | 3 | + 2'430 | - 25. 45. 3'46 | 38'04 | 3 | - 1'795 | ... | 2279 | ... |
| 2494 | 2507 | 7 Lynx..... | 6'7 | 6. 20. 48'85 | 35'09 | 2 | + 5'007 | + 55. 27. 46'86 | 34'17 | 3 | - 1'818 | ... | ... | 115 |
| 2495 | 2508 | 11 Monocerotis | 6'7 | 6. 20. 49'38 | 34'57 | 5 | + 2'910 | - 6. 55. 59'41 | 34'23 | 3 | - 1'818 | 952 | ... | 122 |
| 2496 | 2509 | Cephei 51 (H)..... | 6'7 | 6. 20. 52'00 | 35'20 | 3 | + 30'950 | + 87. 15. 53'53 | 40'44 | 4 | - 1'823 | ... | ... | 21 |
| 2497 | 2510 | Piazzi VI. 120 | 9 | 6. 20. 52'29 | 36'53 | 4 | + 3'570 | + 20. 31. 28'28 | 36'28 | 4 | - 1'823 | ... | ... | 120 |
| 2498 | 2511 | Piazzi VI. 127 | 8 | 6. 20. 56'79 | 36'70 | 3 | + 2'238 | - 32. 4. 0'59 | 36'57 | 4 | - 1'831 | ... | ... | 127 |
| 2499 | 2512 | Lacaille 2290 | 7'8 | 6. 20. 57'65 | 34'59 | 4 | + 1'892 | - 41. 32. 32'16 | 34'37 | 4 | - 1'833 | ... | 2290 | 128 |
| 2500 | 2513 | Lacaille 2299 | 7'8 | 6. 21. 10'36 | 39'30 | 8 | + 1'323 | - 52. 42. 51'97 | 41'05 | 2 | - 1'849 | ... | 2299 | ... |
| 2501 | 2514 | Lacaille 2303 | 6 | 6. 21. 18'20 | 38'11 | 3 | + 0'904 | - 58. 27. 19'31 | 38'11 | 3 | - 1'861 | ... | 2303 | ... |
| 2502 | 2515 | Piazzi VI. 126 | 7 | 6. 21. 41'07 | 33'58 | 10 | + 3'922 | + 32. 33. 50'27 | 33'50 | 9 | - 1'895 | ... | ... | 126 |
| 2503 | 2516 | Piazzi VI. 129 | 8 | 6. 22. 1'79 | 36'59 | 4 | + 3'453 | + 15. 57. 38'79 | 37'01 | 2 | - 1'925 | ... | ... | 129 |
| 2504 | 2517 | Lacaille 2295 | 5 | 6. 22. 3'42 | 31'70 | 11 | + 2'225 | - 32. 28. 49'73 | 31'52 | 11 | - 1'926 | ... | 2295 | 136 |
| 2505 | 2518 | Piazzi VI. 131 | 9 | 6. 22. 4'31 | 36'57 | 4 | + 3'308 | + 10. 2. 47'89 | 36'63 | 4 | - 1'927 | ... | ... | 131 |
| 2506 | 2519 | 9 Lynx..... | 6'7 | 6. 22. 6'15 | 34'74 | 3 | + 5'083 | + 56. 30. 18'27 | 34'34 | 4 | - 1'931 | 947 | ... | 123 |
| 2507 | 2520 | 19 Geminorum | 6'7 | 6. 22. 8'08 | 33'10 | 7 | + 3'454 | + 16. 0. 41'55 | 32'18 | 5 | - 1'934 | 953 | ... | 130 |
| 2508 | 2521 | Lacaille 2311 | 6 | 6. 22. 11'36 | 38'13 | 3 | + 0'750 | - 60. 11. 24'44 | 38'13 | 3 | - 1'939 | ... | 2311 | ... |
| 2509 | 2522 | Brisbane 1250 | 7'8 | 6. 22. 27'24 | 38'66 | 5 | + 1'335 | - 52. 33. 28'60 | 38'80 | 4 | - 1'962 | ... | ... | ... |
| 2510 | 2523 | Lacaille 2300 | 6 | 6. 22. 31'12 | 35'39 | 4 | + 2'232 | - 32. 16. 9'63 | 34'42 | 4 | - 1'967 | ... | 2300 | 138 |
| 2511 | 2524 | Lacaille 2302 | 7'8 | 6. 22. 31'94 | 34'44 | 3 | + 1'914 | - 41. 2. 7'15 | 34'36 | 4 | - 1'969 | ... | 2302 | 139 |
| 2512 | 2525 | 8 Lynx..... | 6 | 6. 22. 35'57 | 36'78 | 10 | + 5'535 | + 61. 36. 50'98 | 36'17 | 14 | - 1'975 | 946 | ... | 125 |
| 2513 | 2526 | 20 Geminorum | 8 | 6. 22. 40'04 | 36'57 | 4 | + 3'501 | + 17. 53. 17'48 | 36'75 | 3 | - 1'980 | 955 | ... | 134 |
| 2514 | 2527 | Bradley 956 | 7 | 6. 22. 40'62 | 33'81 | 9 | + 3'502 | + 17. 53. 34'66 | 32'94 | 8 | - 1'981 | 956 | ... | 135 |
| 2515 | 2529 | Lacaille 2307 | 6'7 | 6. 23. 25'80 | 34'62 | 2 | + 1'917 | - 40. 58. 17'30 | 34'36 | 4 | - 2'049 | ... | 2307 | 145 |
| 2516 | 2528 | 10 Lynx..... | 6'7 | 6. 23. 26'09 | 37'08 | 9 | + 5'532 | + 61. 36. 8'02 | 39'73 | 6 | - 2'049 | 949 | ... | 132 |
| 2517 | 2530 | 12 Monocerotis | 6 | 6. 23. 33'86 | 32'17 | 6 | + 3'188 | + 4. 58. 2'98 | 32'39 | 5 | - 2'058 | 957 | ... | 140 |
| 2518 | 2531 | Brisbane 1253 | 8'9 | 6. 23. 34'59 | 39'49 | 7 | + 1'318 | - 52. 50. 16'85 | 39'49 | 7 | - 2'060 | ... | ... | ... |
| 2519 | 2532 | 11 Lynx..... | 6'7 | 6. 23. 36'03 | 34'10 | 3 | + 5'119 | + 56. 58. 44'47 | 34'27 | 4 | - 2'062 | 951 | ... | 133 |
| 2520 | 2533 | Brisbane 1255 | 8'9 | 6. 23. 45'25 | 38'09 | 3 | + 1'177 | - 54. 56. 0'25 | 38'09 | 3 | - 2'075 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|--|-------------------------|-------------------|----------------------------------|--|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | ^h ^m ^s | | | ["] | [°] ['] ["] | | | ["] | | | |
| 2521 | 2534 | Lacaille 2310 | 7.8 | 6. 23. 45.96 | 38.04 | 3 | + 1.945 | - 40. 16. 2.57 | 38.04 | 3 | - 2.076 | ... | 2310 | ... |
| 2522 | 2535 | Brisbane 1256 | 7 | 6. 23. 51.60 | 38.04 | 3 | + 1.945 | - 40. 16. 26.98 | 38.04 | 4 | - 2.085 | ... | ... | ... |
| 2523 | 2536 | Piazzi VI. 137 | 7 | 6. 23. 56.86 | 34.15 | 2 | + 5.006 | + 55. 28. 53.52 | 34.29 | 4 | - 2.093 | ... | ... | 137 |
| 2524 | 2537 | 13 Monocerotis | 5 | 6. 23. 58.98 | 32.06 | 13 | + 3.246 | + 7. 26. 49.61 | 31.58 | 10 | - 2.096 | 958 | ... | 143 |
| 2525 | 2538 | Piazzi VI. 144 | 6.7 | 6. 24. 14.03 | 32.19 | 6 | + 3.410 | + 14. 16. 29.37 | 33.04 | 5 | - 2.118 | ... | ... | 144 |
| 2526 | 2539 | Lacaille 2309 | 6 | 6. 24. 14.45 | 32.20 | 5 | + 2.375 | - 27. 39. 34.95 | 32.16 | 5 | - 2.118 | ... | 2309 | 148 |
| 2527 | 2540 | Piazzi VI. 142 | 6.7 | 6. 24. 21.07 | 34.29 | 4 | + 3.888 | + 31. 33. 12.69 | 34.05 | 3 | - 2.128 | ... | ... | 142 |
| 2528 | 2541 | Lacaille 2328 | 6 | 6. 24. 28.09 | 38.07 | 3 | + 0.952 | - 57. 53. 55.89 | 38.08 | 3 | - 2.138 | ... | 2328 | ... |
| 2529 | 2542 | Piazzi VI. 151 | 6 | 6. 24. 40.00 | 32.88 | 5 | + 2.641 | - 17. 56. 56.36 | 32.14 | 4 | - 2.154 | ... | ... | 151 |
| 2530 | 2543 | 49 Aurigæ | 6 | 6. 24. 48.48 | 33.06 | 5 | + 3.783 | + 28. 8. 32.80 | 32.21 | 5 | - 2.166 | 959 | ... | 146 |
| 2531 | 2544 | Piazzi VI. 149 | 7.8 | 6. 24. 51.90 | 36.52 | 4 | + 3.243 | + 7. 21. 25.48 | 37.07 | 2 | - 2.172 | ... | ... | 149 |
| 2532 | 2545 | 22 Geminorum | 7 | 6. 24. 55.00 | 34.31 | 4 | + 3.544 | + 19. 32. 54.86 | 34.31 | 4 | - 2.176 | 960 | ... | 147 |
| 2533 | 2546 | 4 Canis Majoris | 5.6 | 6. 24. 59.02 | 33.12 | 5 | + 2.500 | - 23. 18. 19.69 | 32.17 | 5 | - 2.183 | 962 | 2313 | 155 |
| 2534 | 2547 | Piazzi VI. 154 | 6.7 | 6. 25. 3.13 | 34.33 | 4 | + 2.812 | - 11. 3. 3.02 | 34.34 | 4 | - 2.188 | ... | ... | 154 |
| 2535 | 2548 | 41 Camelopardi | 7 | 6. 25. 14.30 | 35.20 | 2 | + 5.577 | + 62. 3. 15.14 | 35.22 | 2 | - 2.205 | 954 | ... | 141 |
| 2536 | 2549 | Piazzi VI. 150 | 7.8 | 6. 25. 18.43 | 36.63 | 4 | + 3.890 | + 31. 36. 10.77 | 36.56 | 4 | - 2.210 | ... | ... | 150 |
| 2537 | 2550 | Lacaille 2320 | 6 | 6. 25. 20.09 | 38.03 | 4 | + 1.944 | - 40. 20. 10.62 | 38.11 | 3 | - 2.214 | ... | 2320 | ... |
| 2538 | 2551 | Lacaille 2319 | 6 | 6. 25. 20.78 | 38.02 | 3 | + 2.136 | - 35. 8. 45.72 | 38.02 | 3 | - 2.215 | ... | 2319 | ... |
| 2539 | 2552 | Piazzi VI. 152 | 7 | 6. 25. 22.59 | 35.15 | 3 | + 3.462 | + 16. 19. 37.02 | 34.17 | 3 | - 2.218 | ... | ... | 152 |
| 2540 | 2553 | Piazzi VI. 153 | 8 | 6. 25. 23.69 | 36.99 | 10 | + 3.475 | + 16. 53. 6.19 | 37.72 | 6 | - 2.220 | ... | ... | 153 |
| 2541 | 2554 | Lacaille 2335 | 9 | 6. 25. 42.19 | 38.08 | 3 | + 1.116 | - 55. 48. 31.16 | 38.08 | 3 | - 2.244 | ... | 2335 | ... |
| 2542 | 2555 | Lacaille 2326 | 6.7 | 6. 25. 42.50 | 34.36 | 4 | + 1.925 | - 40. 48. 10.51 | 34.32 | 4 | - 2.245 | ... | 2326 | 159 |
| 2543 | 2556 | 14 Monocerotis | 6 | 6. 25. 50.37 | 33.14 | 5 | + 3.252 | + 7. 41. 38.10 | 32.19 | 5 | - 2.256 | 961 | ... | 156 |
| 2544 | 2557 | Lacaille 2324 | 6.7 | 6. 25. 52.27 | 35.11 | 3 | + 2.077 | - 36. 49. 43.35 | 34.41 | 4 | - 2.258 | ... | 2324 | 160 |
| 2545 | 2558 | Piazzi VI. 157 | 7.8 | 6. 26. 20.17 | 36.71 | 6 | + 3.467 | + 16. 34. 16.23 | 36.56 | 4 | - 2.300 | ... | ... | 157 |
| 2546 | 2559 | 23 Geminorum | 7 | 6. 26. 28.75 | 36.52 | 6 | + 3.476 | + 16. 55. 24.31 | 36.45 | 6 | - 2.313 | 966 | ... | 158 |
| 2547 | 2560 | Lacaille 2330 | 6 | 6. 26. 28.79 | 35.20 | 3 | + 2.245 | - 31. 54. 46.17 | 34.44 | 4 | - 2.313 | ... | 2330 | 164 |
| 2548 | 2561 | Lacaille 2343 | 6 | 6. 26. 36.87 | 38.01 | 3 | + 1.047 | - 56. 44. 30.46 | 38.01 | 3 | - 2.323 | ... | 2343 | ... |
| 2549 | 2562 | Lacaille 2334 | 6 | 6. 26. 42.14 | 36.66 | 5 | + 2.050 | - 37. 34. 30.86 | 34.23 | 3 | - 2.331 | ... | 2334 | 166 |
| 2550 | 2563 | 51 Aurigæ | 6 | 6. 27. 13.03 | 34.34 | 4 | + 4.168 | + 39. 31. 37.93 | 34.35 | 4 | - 2.376 | 963 | ... | 161 |
| 2551 | 2564 | 52 Aurigæ | 6.7 | 6. 27. 19.21 | 35.12 | 3 | + 4.187 | + 40. 2. 6.01 | 34.42 | 4 | - 2.384 | 964 | ... | 162 |
| 2552 | 2565 | Piazzi VI. 165 | 6.7 | 6. 27. 20.18 | 34.16 | 3 | + 3.683 | + 24. 43. 12.76 | 34.35 | 4 | - 2.386 | ... | ... | 165 |
| 2553 | 2567 | Lacaille 2349 | 6 | 6. 27. 27.41 | 38.06 | 3 | + 1.390 | - 51. 42. 46.89 | 38.05 | 3 | - 2.397 | ... | 2349 | ... |
| 2554 | 2568 | 50 Aurigæ | 6 | 6. 27. 32.25 | 34.16 | 3 | + 4.294 | + 42. 37. 31.04 | 34.37 | 4 | - 2.404 | 965 | ... | 163 |
| 2555 | 2569 | Lacaille 2344 | 7 | 6. 27. 33.06 | 38.13 | 3 | + 1.736 | - 45. 11. 22.12 | 38.13 | 3 | - 2.405 | ... | 2344 | ... |
| 2556 | 2570 | Lacaille 2338 | 6 | 6. 27. 37.54 | 38.14 | 3 | + 2.016 | - 38. 30. 10.74 | 38.15 | 3 | - 2.412 | ... | 2338 | ... |
| 2557 | 2571 | Lacaille 2356 | 6.7 | 6. 27. 40.48 | 38.58 | 4 | + 0.821 | - 59. 28. 32.98 | 38.73 | 3 | - 2.414 | ... | 2356 | ... |
| 2558 | 2572 | 53 Aurigæ | 6.7 | 6. 27. 54.89 | 34.06 | 3 | + 3.811 | + 29. 7. 2.41 | 34.35 | 4 | - 2.436 | 967 | ... | 167 |
| 2559 | 2573 | Lacaille 2341 | 6 | 6. 28. 2.22 | 34.02 | 3 | + 2.104 | - 36. 6. 46.31 | 34.33 | 4 | - 2.447 | ... | 2341 | 172 |
| 2560 | 2574 | 5 Canis Majoris | 6 | 6. 28. 8.73 | 31.49 | 7 | + 2.513 | - 22. 50. 21.34 | 31.54 | 10 | - 2.457 | 972 | ... | 170 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------------------|------------|------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 2561 | 2575 | 24 Geminorum..... ^v | 3 | 6. 28. 10'70 | 35'23 | 19 | + 3'466 | + 16. 31. 59'22 | 32'54 | 38 | - 2'461 | 969 | ... | 169 |
| 2562 | 2576 | Piazzi VI. 168 | 7.8 | 6. 28. 12'42 | 36'54 | 4 | + 3'679 | + 24. 35. 7'62 | 36'61 | 4 | - 2'463 | ... | ... | 168 |
| 2563 | 2577 | Piazzi VI. 171 | 6.7 | 6. 28. 28'02 | 35'18 | 3 | + 2'954 | - 5. 4. 49'08 | 34'42 | 4 | - 2'485 | ... | ... | 171 |
| 2564 | 2578 | Lacaille 2347 | 6 | 6. 28. 28'59 | 34'14 | 3 | + 2'224 | - 32. 35. 27'07 | 34'31 | 4 | - 2'487 | ... | 2347 | 175 |
| 2565 | 2579 | Lacaille 2350 | 6.7 | 6. 28. 43'68 | 34'79 | 3 | + 2'181 | - 33. 53. 4'56 | 34'36 | 4 | - 2'508 | ... | 2350 | 177 |
| 2566 | 2580 | Lacaille 2361 | 9 | 6. 28. 47'42 | 39'40 | 7 | + 1'471 | - 50. 21. 1'70 | 39'39 | 7 | - 2'513 | ... | 2361 | ... |
| 2567 | 2581 | Lacaille 2353 | 7 | 6. 29. 0'46 | 38'04 | 3 | + 1'879 | - 41. 58. 14'93 | 38'04 | 3 | - 2'531 | ... | 2353 | ... |
| 2568 | 2582 | Lacaille 2351 | 6.7 | 6. 29. 6'81 | 38'05 | 3 | + 2'146 | - 34. 55. 17'50 | 38'05 | 3 | - 2'542 | ... | 2351 | ... |
| 2569 | 2584 | 54 Aurigæ | 6 | 6. 29. 8'67 | 32'19 | 6 | + 3'789 | + 28. 24. 2'20 | 32'20 | 8 | - 2'545 | 970 | ... | 173 |
| 2570 | 2583 | Piazzi VI. 178 | 9 | 6. 29. 8'72 | 37'03 | 3 | + 2'627 | - 18. 31. 51'14 | 36'21 | 2 | - 2'545 | ... | ... | 178 |
| 2571 | 2585 | 6 Canis Majoris..... ^{v1} | 6.7 | 6. 29. 9'51 | 35'37 | 4 | + 2'627 | - 18. 31. 46'75 | 35'27 | 6 | - 2'546 | 975 | ... | 179 |
| 2572 | 2586 | Brisbane 1290 | 8 | 6. 29. 24'59 | 39'53 | 7 | + 1'141 | - 55. 31. 16'29 | 39'53 | 7 | - 2'567 | ... | ... | ... |
| 2573 | 2587 | 7 Canis Majoris..... ^{v2} | 5 | 6. 29. 29'37 | 31'71 | 9 | + 2'612 | - 19. 7. 13'59 | 31'60 | 10 | - 2'574 | 978 | ... | 180 |
| 2574 | 2588 | Pictoris | 6 | 6. 29. 31'06 | 38'95 | 13 | + 0'897 | - 58. 37. 51'35 | 38'95 | 13 | - 2'576 | ... | 2373 | ... |
| 2575 | 2589 | Lacaille 2377 | 5.6 | 6. 29. 32'34 | 38'46 | 3 | + 0'604 | - 61. 45. 29'83 | 38'45 | 3 | - 2'577 | ... | 2377 | ... |
| 2576 | 2590 | Lacaille 2359 | 6 | 6. 29. 40'31 | 35'17 | 3 | + 2'085 | - 36. 39. 2'69 | 34'38 | 4 | - 2'587 | ... | 2359 | 182 |
| 2577 | 2591 | Lacaille 2369 | 8 | 6. 29. 42'42 | 38'14 | 2 | + 1'363 | - 52. 12. 17'73 | 38'14 | 2 | - 2'591 | ... | 2369 | ... |
| 2578 | 2592 | Brisbane 1295 | 8 | 6. 29. 53'93 | 38'46 | 3 | + 0'555 | - 62. 12. 59'90 | 38'46 | 3 | - 2'608 | ... | ... | ... |
| 2579 | 2593 | Bradley 968 | 7 | 6. 30. 15'13 | 36'49 | 5 | + 5'331 | + 59. 35. 54'64 | 34'41 | 4 | - 2'639 | 968 | ... | 174 |
| 2580 | 2594 | Piazzi VI. 181 | 7 | 6. 30. 17'14 | 34'04 | 4 | + 3'549 | + 19. 48. 5'51 | 34'32 | 4 | - 2'642 | ... | ... | 181 |
| 2581 | 2595 | Lacaille 2364 | 7.8 | 6. 30. 17'33 | 36'20 | 1 | + 2'252 | - 31. 45. 15'52 | 36'77 | 3 | - 2'642 | ... | 2364 | 187 |
| 2582 | 2596 | Lacaille 2371 | 7 | 6. 30. 20'30 | 38'47 | 3 | + 1'638 | - 47. 14. 43'80 | 38'47 | 3 | - 2'647 | ... | 2371 | ... |
| 2583 | 2597 | Piazzi VI. 176 | 7 | 6. 30. 22'56 | 38'64 | 7 | + 5'119 | + 57. 4. 58'93 | 37'37 | 8 | - 2'651 | ... | ... | 176 |
| 2584 | 2598 | 8 Canis Majoris..... ^{v8} | 5.6 | 6. 30. 38'22 | 32'90 | 7 | + 2'639 | - 18. 6. 1'92 | 32'16 | 5 | - 2'672 | 979 | ... | 189 |
| 2585 | 2599 | Piazzi VI. 191 | 8 | 6. 30. 49'88 | 36'61 | 4 | + 2'241 | - 32. 5. 14'27 | 36'63 | 4 | - 2'690 | ... | ... | 191 |
| 2586 | 2600 | 25 Geminorum | 7 | 6. 30. 56'83 | 32'49 | 6 | + 3'786 | + 28. 20. 25'79 | 32'18 | 2 | - 2'700 | 977 | ... | 186 |
| 2587 | 2601 | Piazzi VI. 190 | 6.7 | 6. 31. 3'05 | 34'06 | 3 | + 3'216 | + 6. 11. 53'63 | 34'05 | 3 | - 2'708 | ... | ... | 190 |
| 2588 | 2602 | 55 Aurigæ | 5 | 6. 31. 4'02 | 31'86 | 8 | + 4'382 | + 44. 40. 26'72 | 31'59 | 10 | - 2'709 | 973 | ... | 183 |
| 2589 | 2603 | Lacaille 2389 | 6.7 | 6. 31. 6'76 | 38'46 | 3 | + 0'611 | - 61. 42. 5'98 | 38'45 | 3 | - 2'714 | ... | 2389 | ... |
| 2590 | 2604 | Lacaille 2383 | 5.6 | 6. 31. 20'38 | 38'15 | 3 | + 1'324 | - 52. 50. 37'45 | 38'15 | 3 | - 2'734 | ... | 2383 | ... |
| 2591 | 2605 | Lacaille 2375 | 6.7 | 6. 31. 25'78 | 37'11 | 7 | + 2'037 | - 38. 0. 43'21 | 34'36 | 4 | - 2'743 | ... | 2375 | 195 |
| 2592 | 2606 | Lacaille 2382 | 6.7 | 6. 31. 29'79 | 38'06 | 3 | + 1'484 | - 50. 9. 46'72 | 38'05 | 3 | - 2'748 | ... | 2382 | ... |
| 2593 | 2607 | Lacaille 2376 | 6.7 | 6. 31. 30'98 | 35'11 | 3 | + 2'079 | - 36. 51. 14'53 | 34'44 | 4 | - 2'749 | ... | 2376 | 197 |
| 2594 | 2608 | Lacaille 2374 | 6.7 | 6. 31. 37'08 | 34'61 | 4 | + 2'238 | - 32. 12. 14'64 | 34'34 | 4 | - 2'757 | ... | 2374 | 198 |
| 2595 | 2610 | Lacaille 2379 | 8 | 6. 31. 37'46 | 35'12 | 2 | + 1'904 | - 41. 25. 16'02 | 34'43 | 4 | - 2'757 | ... | 2379 | 199 |
| 2596 | 2609 | Piazzi VI. 184 | 8 | 6. 31. 37'63 | 36'96 | 7 | + 5'330 | + 59. 35. 56'99 | 36'77 | 3 | - 2'757 | ... | ... | 184 |
| 2597 | 2611 | 12 Lynceis | 6 | 6. 31. 38'11 | 34'11 | 3 | + 5'329 | + 59. 35. 46'84 | 35'05 | 4 | - 2'759 | 971 | ... | 185 |
| 2598 | 2612 | Piazzi VI. 196 | 8 | 6. 31. 48'38 | 36'59 | 4 | + 2'640 | - 18. 2. 39'87 | 36'56 | 4 | - 2'773 | ... | ... | 196 |
| 2599 | 2613 | 15 Monocerotis | 6 | 6. 31. 53'47 | 32'48 | 6 | + 3'306 | + 10. 2. 28'27 | 31'58 | 8 | - 2'781 | 981 | ... | 193 |
| 2600 | 2614 | Lacaille 2384 | 7 | 6. 32. 19'42 | 38'54 | 9 | + 1'824 | - 43. 18. 45'35 | 38'66 | 7 | - 2'818 | ... | 2384 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 2601 | 2615 | Lacaille 2390 | 7 | h m s 6. 32. 22.34 | 38.05 | 3 | + 1.483 | - 50. 11. 30.87 | 38.05 | 3 | - 2.823 | ... | 2390 | ... |
| 2602 | 2617 | Piazzi VI. 200 | 8.9 | 6. 32. 31.98 | 36.56 | 4 | + 3.171 | + 4. 17. 40.08 | 36.53 | 2 | - 2.837 | ... | ... | 200 |
| 2603 | 2618 | Piazzi VI. 203 | 6 | 6. 32. 36.45 | 34.36 | 4 | + 3.087 | + 0. 38. 33.13 | 34.32 | 4 | - 2.843 | ... | ... | 203 |
| 2604 | 2619 | Brisbane 1312 | 8 | 6. 32. 41.48 | 38.40 | 3 | + 1.166 | - 55. 12. 38.20 | 38.40 | 3 | - 2.852 | ... | ... | ... |
| 2605 | 2620 | Argds | 3 | 6. 32. 42.97 | 31.69 | 10 | + 1.836 | - 43. 3. 18.84 | 31.59 | 10 | - 2.853 | ... | 2386 | 205 |
| 2606 | 2621 | 13 Lyncis | 6 | 6. 32. 44.76 | 35.10 | 3 | + 5.136 | + 57. 19. 47.12 | 34.41 | 4 | - 2.856 | 976 | ... | 192 |
| 2607 | 2622 | Piazzi VI. 188 | 7 | 6. 32. 46.02 | 36.54 | 6 | + 6.296 | + 67. 40. 38.85 | 34.13 | 3 | - 2.858 | ... | ... | 188 |
| 2608 | 2623 | Lacaille 2401 | 7 | 6. 32. 46.78 | 38.19 | 3 | + 0.648 | - 61. 21. 49.06 | 38.19 | 3 | - 2.859 | ... | 2401 | ... |
| 2609 | 2624 | 26 Geminorum | 5.6 | 6. 32. 47.77 | 33.19 | 7 | + 3.497 | + 17. 47. 58.09 | 32.21 | 5 | - 2.860 | 982 | ... | 202 |
| 2610 | 2625 | Lacaille 2394 | 7.8 | 6. 32. 50.96 | 38.11 | 3 | + 1.104 | - 56. 5. 30.45 | 38.11 | 3 | - 2.865 | ... | 2394 | ... |
| 2611 | 2626 | Piazzi VI. 206 | 7 | 6. 33. 2.38 | 37.14 | 5 | + 2.044 | - 37. 51. 7.02 | 36.31 | 6 | - 2.881 | ... | ... | 206 |
| 2612 | 2627 | Brisbane 1315 | 7 | 6. 33. ... | ... | ... | + 1.837 | - 43. 18. 48.02 | 38.15 | 3 | - 2.903 | ... | ... | ... |
| 2613 | 2628 | Lacaille 2398 | 7 | 6. 33. 22.68 | 38.47 | 3 | + 1.366 | - 52. 12. 20.66 | 38.47 | 3 | - 2.911 | ... | 2398 | ... |
| 2614 | 2629 | Lacaille 2395 | 8 | 6. 33. 27.14 | 38.45 | 3 | + 1.529 | - 49. 23. 14.94 | 38.45 | 3 | - 2.917 | ... | 2395 | ... |
| 2615 | 2630 | Lacaille 2406 | 7 | 6. 33. 40.90 | 38.20 | 3 | + 1.004 | - 57. 24. 7.63 | 38.20 | 3 | - 2.938 | ... | 2406 | ... |
| 2616 | 2631 | 42 Camelopardi | 5 | 6. 33. 42.45 | 33.57 | 18 | + 6.303 | + 67. 44. 25.38 | 31.59 | 10 | - 2.939 | 974 | ... | 194 |
| 2617 | 2632 | 27 Geminorum | 3 | 6. 33. 46.69 | 34.08 | 18 | + 3.697 | + 25. 17. 12.12 | 32.29 | 44 | - 2.945 | 983 | ... | 204 |
| 2618 | 2633 | Brisbane 1320 | 8 | 6. 34. 13.01 | 38.08 | 2 | + 1.600 | - 48. 4. 22.99 | 38.08 | 2 | - 2.983 | ... | ... | ... |
| 2619 | 2634 | 28 Geminorum | 6 | 6. 34. 18.05 | 32.49 | 6 | + 3.809 | + 29. 7. 47.07 | 32.22 | 5 | - 2.990 | 986 | ... | 207 |
| 2620 | 2635 | Lacaille 2397 | 6.7 | 6. 34. 19.98 | 35.09 | 3 | + 2.038 | - 38. 0. 34.23 | 34.38 | 4 | - 2.994 | ... | 2397 | 213 |
| 2621 | 2636 | Lacaille 2408 | 7 | 6. 34. 23.79 | 38.40 | 3 | + 1.170 | - 55. 12. 4.80 | 38.40 | 3 | - 2.999 | ... | 2408 | ... |
| 2622 | 2637 | Lacaille 2400 | 6.7 | 6. 34. 25.52 | 38.34 | 5 | + 1.827 | - 43. 16. 49.03 | 38.14 | 3 | - 3.002 | ... | 2400 | ... |
| 2623 | 2638 | 30 Geminorum | 5.6 | 6. 34. 41.05 | 32.19 | 6 | + 3.387 | + 13. 23. 18.46 | 32.88 | 5 | - 3.024 | 987 | ... | 211 |
| 2624 | 2639 | Lacaille 2409 | 7 | 6. 34. 43.93 | 38.46 | 3 | + 1.332 | - 52. 47. 15.74 | 38.46 | 3 | - 3.028 | ... | 2409 | ... |
| 2625 | 2640 | Lacaille 2405 | 7 | 6. 34. 45.74 | 38.15 | 2 | + 1.829 | - 43. 15. 19.36 | 38.15 | 2 | - 3.030 | ... | 2405 | ... |
| 2626 | 2641 | Lacaille 2399 | 7 | 6. 34. 49.76 | 34.13 | 3 | + 2.293 | - 30. 29. 40.35 | 34.34 | 4 | - 3.037 | ... | 2399 | 214 |
| 2627 | 2642 | 56 Aurigæ | 6 | 6. 34. 50.33 | 34.54 | 4 | + 4.337 | + 43. 43. 54.89 | 34.31 | 4 | - 3.037 | 985 | ... | 209 |
| 2628 | 2643 | Piazzi VI. 212 | 6.7 | 6. 34. 56.41 | 34.07 | 3 | + 3.166 | + 4. 5. 22.59 | 34.33 | 4 | - 3.046 | ... | ... | 212 |
| 2629 | 2644 | 57 Aurigæ | 6 | 6. 35. 4.53 | 35.17 | 3 | + 4.590 | + 48. 57. 13.40 | 34.37 | 4 | - 3.057 | 984 | ... | 210 |
| 2630 | 2645 | Piazzi VI. 216 | 7 | 6. 35. 12.19 | 38.10 | 7 | + 2.384 | - 27. 28. 49.51 | 37.63 | 10 | - 3.069 | ... | ... | 216 |
| 2631 | 2646 | Lacaille 2411 | 7 | 6. 35. 51.78 | 36.38 | 7 | + 1.956 | - 40. 11. 49.27 | 35.97 | 7 | - 3.126 | ... | 2411 | 219 |
| 2632 | 2647 | 43 Camelopardi | 5 | 6. 35. 52.45 | 36.20 | 16 | + 6.525 | + 69. 3. 59.20 | 34.08 | 14 | - 3.126 | 980 | ... | 208 |
| 2633 | 2648 | Piazzi VI. 201 | 6 | 6. 35. 53.57 | 32.16 | 5 | + 8.871 | + 77. 10. 8.87 | 31.59 | 10 | - 3.127 | ... | ... | 201 |
| 2634 | 2649 | Lacaille 2412 | 7.8 | 6. 35. 55.31 | 38.37 | 3 | + 1.957 | - 40. 8. 18.92 | 38.04 | 3 | - 3.130 | ... | 2412 | ... |
| 2635 | 2650 | 31 Geminorum | 4 | 6. 36. 1.65 | 34.27 | 13 | + 3.379 | + 13. 4. 1.91 | 32.37 | 15 | - 3.141 | 989 | ... | 217 |
| 2636 | 2651 | Lacaille 2423 | 7 | 6. 36. 9.06 | 38.06 | 3 | + 1.300 | - 53. 18. 0.12 | 38.07 | 3 | - 3.151 | ... | 2423 | ... |
| 2637 | 2652 | Lacaille 2432 | 6.7 | 6. 36. 14.04 | 38.18 | 3 | + 0.651 | - 61. 23. 19.63 | 38.18 | 3 | - 3.159 | ... | 2432 | ... |
| 2638 | 2653 | Brisbane 1331 | 6.7 | 6. 36. 18.50 | 38.38 | 4 | + 1.633 | - 47. 28. 7.77 | 38.16 | 3 | - 3.165 | ... | ... | ... |
| 2639 | 2654 | Lacaille 2421 | 7 | 6. 36. 20.67 | 38.13 | 2 | + 1.630 | - 47. 31. 13.85 | 38.16 | 3 | - 3.169 | ... | 2421 | ... |
| 2640 | 2655 | Piazzi VI. 215 | 9 | 6. 36. 23.66 | 36.56 | 4 | + 4.837 | + 53. 12. 19.34 | 36.33 | 4 | - 3.173 | ... | ... | 215 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|----------------------------------|----------------------|----------------|----------------------------------|------------------------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 2641 | 2656 | Brisbane 1334 | 8 | ^{h m s} 6. 36. 30.38 | 38.19 | 3 | ^{s.} + 0.902 | ^{° ' "} - 58. 41. 8.00 | 38.19 | 3 | ["] - 3.181 | ... | ... | ... |
| 2642 | 2657 | 32 Geminorum | 6.7 | 6. 36. 38.07 | 34.10 | 3 | + 3.373 | + 12. 51. 30.40 | 34.29 | 4 | - 3.193 | 990 | ... | 218 |
| 2643 | 2658 | Lacaille 2418 | 7 | 6. 36. 41.39 | 35.20 | 3 | + 2.031 | - 38. 14. 30.54 | 34.40 | 4 | - 3.197 | ... | 2418 | 223 |
| 2644 | 2659 | Piazzi VI. 221 | 8 | 6. 37. 13.56 | 37.03 | 1 | + 3.133 | + 2. 39. 53.97 | 36.32 | 4 | - 3.242 | ... | ... | 221 |
| 2645 | 2660 | Piazzi VI. 225 | 8.9 | 6. 37. 17.76 | 36.36 | 3 | + 2.680 | - 16. 33. 59.89 | 36.57 | 4 | - 3.250 | ... | ... | 225 |
| 2646 | 2661 | Brisbane 1336 | 8 | 6. 37. 28.05 | 38.34 | 4 | + 2.011 | - 38. 48. 16.47 | 38.34 | 4 | - 3.264 | ... | ... | ... |
| 2647 | 2662 | 16 Monocerotis | 6 | 6. 37. 32.52 | 32.19 | 6 | + 3.275 | + 8. 45. 16.75 | 32.17 | 5 | - 3.271 | 991 | ... | 224 |
| 2648 | 2663 | Piazzi VI. 220 | 8 | 6. 37. 47.89 | 36.58 | 4 | + 4.456 | + 46. 21. 37.37 | 36.40 | 3 | - 3.294 | ... | ... | 220 |
| 2649 | 2664 | Piazzi VI. 226 | 7.8 | 6. 37. 48.03 | 36.30 | 5 | + 3.259 | + 8. 3. 44.96 | 34.07 | 3 | - 3.294 | ... | ... | 226 |
| 2650 | 2665 | 9 Canis Majoris | 1 | 6. 37. 52.67 | 33.78 | 150 | + 2.681 | - 16. 29. 41.36 | 32.32 | 133 | - 3.301 | 994 | ... | 227 |
| 2651 | 2666 | Lacaille 2430 | 6.7 | 6. 37. 53.15 | 36.50 | 3 | + 2.003 | - 39. 1. 48.65 | 34.33 | 4 | - 3.301 | ... | 2430 | 230 |
| 2652 | 2667 | Lacaille 2445 | 7.8 | 6. 37. 57.66 | 38.40 | 4 | + 0.880 | - 58. 58. 5.28 | 38.40 | 4 | - 3.308 | ... | 2445 | ... |
| 2653 | 2668 | 10 Canis Majoris | 6.7 | 6. 38. 11.97 | 38.12 | 7 | + 2.283 | - 30. 54. 20.63 | 37.36 | 8 | - 3.328 | ... | 2429 | 231 |
| 2654 | 2669 | 17 Monocerotis | 6 | 6. 38. 22.38 | 31.67 | 9 | + 3.262 | + 8. 12. 30.53 | 31.56 | 10 | - 3.342 | 993 | ... | 228 |
| 2655 | 2670 | 14 Lynx | 6 | 6. 38. 30.19 | 34.11 | 3 | + 5.322 | + 59. 37. 56.78 | 34.29 | 4 | - 3.354 | 988 | ... | 222 |
| 2656 | 2671 | Lacaille 2444 | 7 | 6. 38. 44.37 | 38.13 | 3 | + 1.485 | - 50. 17. 23.03 | 38.13 | 3 | - 3.375 | ... | 2444 | ... |
| 2657 | 2672 | Piazzi VI. 233 | 7.8 | 6. 38. 52.77 | 36.82 | 4 | + 2.576 | - 20. 36. 19.78 | 36.70 | 5 | - 3.387 | ... | ... | 233 |
| 2658 | 2673 | Piazzi VI. 235 | 9 | 6. 38. 59.34 | 36.44 | 3 | + 2.581 | - 20. 26. 12.88 | 36.59 | 4 | - 3.396 | ... | ... | 235 |
| 2659 | 2674 | Piazzi VI. 236 | 8.9 | 6. 39. 2.49 | 36.60 | 6 | + 2.577 | - 20. 35. 1.48 | 37.05 | 2 | - 3.400 | ... | ... | 236 |
| 2660 | 2675 | 58 Aurigæ | 5.6 | 6. 39. 5.37 | 35.11 | 3 | + 4.257 | + 41. 57. 57.74 | 34.37 | 4 | - 3.405 | 992 | ... | 229 |
| 2661 | 2676 | Lacaille 2437 | 6 | 6. 39. 12.72 | 35.19 | 3 | + 2.261 | - 31. 36. 34.95 | 34.31 | 4 | - 3.415 | ... | 2437 | 239 |
| 2662 | 2677 | Lacaille 2438 | 6 | 6. 39. 13.86 | 35.15 | 3 | + 2.287 | - 30. 46. 48.45 | 34.39 | 4 | - 3.417 | ... | 2438 | 238 |
| 2663 | 2678 | 18 Monocerotis | 5 | 6. 39. 15.39 | 32.55 | 7 | + 3.131 | + 2. 35. 12.70 | 31.63 | 10 | - 3.418 | 995 | ... | 234 |
| 2664 | 2679 | 11 Canis Majoris | 6 | 6. 39. 19.55 | 32.22 | 6 | + 2.737 | - 14. 15. 18.84 | 32.16 | 5 | - 3.426 | 996 | ... | 237 |
| 2665 | 2680 | Piazzi VI. 232 | 7 | 6. 39. 32.38 | 34.15 | 3 | + 4.469 | + 46. 40. 53.98 | 34.33 | 4 | - 3.444 | ... | ... | 232 |
| 2666 | 2681 | Brisbane 1343 | 7.8 | 6. 39. 37.80 | 38.33 | 4 | + 1.194 | - 54. 57. 6.06 | 38.33 | 4 | - 3.452 | ... | ... | ... |
| 2667 | 2682 | Brisbane 1342 | 7.8 | 6. 39. 44.31 | 38.07 | 3 | + 2.091 | - 36. 40. 47.53 | 38.32 | 4 | - 3.461 | ... | ... | ... |
| 2668 | 2683 | Lacaille 2452 | 7.8 | 6. 39. 44.88 | 38.17 | 3 | + 1.130 | - 55. 51. 6.61 | 38.17 | 3 | - 3.462 | ... | 2452 | ... |
| 2669 | 2684 | 12 Canis Majoris | 6 | 6. 39. 57.58 | 38.10 | 7 | + 2.570 | - 20. 50. 31.86 | 37.35 | 8 | - 3.480 | 1001 | ... | 241 |
| 2670 | 2685 | Piazzi VI. 242 | 8.9 | 6. 40. 2.34 | 36.14 | 2 | + 2.568 | - 20. 55. 39.55 | 36.69 | 5 | - 3.487 | ... | ... | 242 |
| 2671 | 2686 | 33 Geminorum | 6 | 6. 40. 19.88 | 32.20 | 6 | + 3.459 | + 16. 22. 58.81 | 32.19 | 5 | - 3.512 | 997 | ... | 240 |
| 2672 | 2687 | Brisbane 1350 | 8 | 6. 40. 32.59 | 38.17 | 3 | + 0.691 | - 61. 4. 1.09 | 38.17 | 3 | - 3.530 | ... | ... | ... |
| 2673 | 2688 | Lacaille 2447 | 6.7 | 6. 40. 32.72 | 34.45 | 3 | + 2.058 | - 37. 36. 10.11 | 34.35 | 4 | - 3.530 | ... | 2447 | 245 |
| 2674 | 2689 | Lacaille 2449 | 7 | 6. 40. 34.91 | 38.08 | 3 | + 1.992 | - 39. 22. 5.79 | 38.08 | 3 | - 3.533 | ... | 2449 | ... |
| 2675 | 2690 | Lacaille 2453 | 6.7 | 6. 40. 37.35 | 38.37 | 4 | + 1.658 | - 47. 3. 7.31 | 38.37 | 4 | - 3.537 | ... | 2453 | ... |
| 2676 | 2691 | Brisbane 1348 | 7.8 | 6. 40. 37.41 | 38.45 | 3 | + 1.676 | - 46. 40. 57.52 | 38.45 | 3 | - 3.537 | ... | ... | ... |
| 2677 | 2692 | Lacaille 2468 | 7.8 | 6. 40. 44.59 | 38.06 | 3 | + 0.639 | - 61. 35. 26.36 | 38.06 | 3 | - 3.548 | ... | 2468 | ... |
| 2678 | 2693 | Lacaille 2459 | 6.7 | 6. 40. 49.01 | 38.04 | 4 | + 1.222 | - 54. 33. 44.85 | 38.04 | 3 | - 3.553 | ... | 2459 | ... |
| 2679 | 2694 | Lacaille 2460 | 6.7 | 6. 40. 51.67 | 38.04 | 3 | + 1.225 | - 54. 31. 34.45 | 38.04 | 3 | - 3.557 | ... | 2460 | ... |
| 2680 | 2695 | Lacaille 2450 | 7.8 | 6. 40. 55.33 | 38.07 | 3 | + 2.101 | - 36. 25. 21.65 | 38.07 | 3 | - 3.561 | ... | 2450 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|--|----------------------|----------------|--|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| | | | | ^h ^m ^s | | | [°] ['] ["] | | | | ["] | | | |
| 2681 | 2696 | Lacaille 2448 | 8 | 6. 40. 58'25 | 38'63 | 5 | + 2'361 | - 28. 22. 57'79 | 38'53 | 4 | - 3'566 | ... | 2448 | ... |
| 2682 | 2697 | 35 Geminorum | 6 | 6. 41. 6'70 | 33'05 | 6 | + 3'390 | + 13. 35. 43'51 | 32'21 | 5 | - 3'579 | 1002 | ... | 243 |
| 2683 | 2698 | Piazzi VI. 249 | 8'9 | 6. 41. 20'22 | 36'10 | 1 | + 2'738 | - 14. 12. 36'62 | 36'16 | 3 | - 3'598 | ... | ... | 249 |
| 2684 | 2699 | 36 Geminorum | 6'7 | 6. 41. 39'74 | 32'32 | 7 | + 3'602 | + 21. 56. 54'56 | 32'22 | 5 | - 3'626 | 1004 | ... | 247 |
| 2685 | 2700 | 59 Aurigæ | 6'7 | 6. 41. 39'99 | 36'35 | 4 | + 4'139 | + 39. 3. 25'37 | 36'37 | 3 | - 3'626 | 999 | ... | 244 |
| 2686 | 2701 | Puppis | 6 | 6. 41. 42'69 | 31'65 | 12 | + 2'054 | - 37. 45. 5'59 | 31'61 | 10 | - 3'629 | ... | 2455 | 253 |
| 2687 | 2702 | 60 Aurigæ | 6'7 | 6. 41. 54'16 | 35'12 | 5 | + 4'123 | + 38. 38. 5'48 | 34'35 | 4 | - 3'646 | 1000 | ... | 246 |
| 2688 | 2703 | 34 Geminorum | 6 | 6. 41. 54'39 | 31'79 | 8 | + 3'964 | + 34. 9. 6'41 | 31'59 | 10 | - 3'646 | 1003 | ... | 248 |
| 2689 | 2704 | Lacaille 2471 | 6 | 6. 42. 7'55 | 38'35 | 4 | + 1'375 | - 52. 14. 6'04 | 38'35 | 4 | - 3'665 | ... | 2471 | ... |
| 2690 | 2705 | Lacaille 2469 | 6'7 | 6. 42. 15'92 | 38'45 | 3 | + 1'631 | - 47. 37. 40'69 | 38'45 | 3 | - 3'677 | ... | 2469 | ... |
| 2691 | 2706 | Brisbane 1362 | 8 | 6. 42. 33'03 | 39'38 | 7 | + 1'985 | - 39. 30. 34'14 | 39'38 | 7 | - 3'702 | ... | ... | ... |
| 2692 | 2707 | 61 Aurigæ | 6'7 | 6. 42. 38'13 | 35'13 | 3 | + 4'125 | + 38. 41. 53'91 | 34'41 | 4 | - 3'710 | 1005 | ... | 252 |
| 2693 | 2708 | Lacaille 2487 | 6'7 | 6. 42. 50'70 | 38'17 | 3 | + 0'697 | - 61. 3. 1'83 | 38'16 | 3 | - 3'728 | ... | 2487 | ... |
| 2694 | 2709 | Piazzi VI. 254 | 7 | 6. 42. 56'79 | 34'31 | 4 | + 3'699 | + 25. 30. 14'42 | 34'46 | 5 | - 3'736 | ... | ... | 254 |
| 2695 | 2710 | 15 Lynceis | 5 | 6. 42. 57'95 | 31'65 | 6 | + 5'227 | + 58. 37. 41'99 | 31'54 | 10 | - 3'738 | 998 | ... | 250 |
| 2696 | 2711 | Piazzi VI. 251 | 6'7 | 6. 3. 5'96 | 37'54 | 13 | + 5'155 | + 57. 45. 42'40 | 37'03 | 16 | - 3'750 | ... | ... | 251 |
| 2697 | 2712 | Lacaille 2476 | 7 | 6. 43. 7'85 | 38'19 | 3 | + 1'657 | - 47. 7. 9'68 | 38'19 | 3 | - 3'753 | ... | 2476 | ... |
| 2698 | 2713 | Lacaille 2475 | 7 | 6. 43. 18'33 | 38'39 | 4 | + 1'821 | - 43. 37. 17'22 | 38'16 | 3 | - 3'767 | ... | 2475 | ... |
| 2699 | 2714 | Lacaille 2484 | 7 | 6. 43. 20'47 | 38'08 | 5 | + 1'230 | - 54. 31. 1'85 | 38'10 | 4 | - 3'770 | ... | 2484 | ... |
| 2700 | 2715 | Piazzi VI. 258 | 8 | 6. 43. 22'42 | 36'41 | 3 | + 2'240 | - 32. 21. 23'33 | 36'57 | 4 | - 3'772 | ... | ... | 258 |
| 2701 | 2716 | Lacaille 2470 | 7 | 6. 43. 30'35 | 38'12 | 3 | + 2'399 | - 27. 8. 54'12 | 38'12 | 2 | - 3'784 | ... | 2470 | ... |
| 2702 | 2717 | 13 Canis Majoris | 4 | 6. 43. 40'86 | 32'47 | 19 | + 2'241 | - 32. 19. 21'46 | 31'51 | 9 | - 3'800 | 1008 | 2474 | 259 |
| 2703 | 2718 | Lacaille 2481 | 7 | 6. 43. 43'18 | 38'39 | 4 | + 1'821 | - 43. 37. 4'35 | 38'51 | 5 | - 3'802 | ... | 2481 | ... |
| 2704 | 2719 | Piazzi VI. 257 | 6'7 | 6. 43. 50'78 | 34'40 | 4 | + 3'270 | + 8. 34. 25'79 | 34'52 | 5 | - 3'814 | ... | ... | 257 |
| 2705 | 2720 | Piazzi VI. 260 | 7'8 | 6. 43. 55'67 | 36'37 | 4 | + 2'625 | - 18. 49. 27'70 | 36'58 | 4 | - 3'822 | ... | ... | 260 |
| 2706 | 2721 | Carinæ | 6 | 6. 44. 6'06 | 38'18 | 3 | + 1'172 | - 55. 21. 32'99 | 38'10 | 3 | - 3'836 | ... | 2490 | ... |
| 2707 | 2722 | Lacaille 2479 | 6 | 6. 44. 9'14 | 34'33 | 4 | + 2'267 | - 31. 31. 5'97 | 34'31 | 4 | - 3'840 | ... | 2479 | 261 |
| 2708 | 2723 | Piazzi VI. 262 | 8'9 | 6. 44. 12'47 | 36'58 | 4 | + 2'267 | - 31. 30. 47'62 | 36'08 | 3 | - 3'844 | ... | ... | 262 |
| 2709 | 2724 | Brisbane 1377 | 8 | 6. 44. 18'35 | 38'09 | 4 | + 1'228 | - 54. 34. 9'89 | 38'09 | 4 | - 3'853 | ... | ... | ... |
| 2710 | 2725 | Piazzi VI. 255 | 8'9 | 6. 44. 31'18 | 36'33 | 4 | + 5'154 | + 57. 47. 24'50 | 36'14 | 3 | - 3'871 | ... | ... | 255 |
| 2711 | 2726 | Piazzi VI. 256 | 8 | 6. 44. 44'28 | 40'56 | 2 | + 5'158 | + 57. 49. 56'60 | 38'27 | 5 | - 3'891 | ... | ... | 256 |
| 2712 | 2727 | Lacaille 2486 | 5 | 6. 44. 52'36 | 31'57 | 12 | + 2'181 | - 34. 10. 38'27 | 31'64 | 10 | - 3'901 | ... | 2486 | 267 |
| 2713 | 2728 | Piazzi VI. 265 | 8 | 6. 45. 3'49 | 39'67 | 5 | + 3'495 | + 17. 52. 59'96 | 38'09 | 7 | - 3'917 | ... | ... | 265 |
| 2714 | 2729 | Piazzi VI. 268 | 8'9 | 6. 45. 5'80 | 36'68 | 5 | + 2'185 | - 34. 5. 9'26 | 36'54 | 4 | - 3'922 | ... | ... | 268 |
| 2715 | 2730 | 37 Geminorum | 6 | 6. 45. 9'67 | 32'46 | 7 | + 3'699 | + 25. 34. 26'80 | 32'17 | 5 | - 3'926 | 1007 | ... | 264 |
| 2716 | 2731 | Puppis | 6 | 6. 45. 15'60 | 39'33 | 8 | + 1'693 | - 46. 26. 31'74 | 39'33 | 8 | - 3'935 | ... | 2492 | ... |
| 2717 | 2732 | 38 Geminorum | 5'6 | 6. 45. 20'02 | 33'08 | 5 | + 3'384 | + 13. 22. 50'90 | 31'52 | 6 | - 3'942 | 1009 | ... | 266 |
| 2718 | 2733 | Brisbane 1380 | 8'9 | 6. 45. 25'10 | 38'30 | 4 | + 1'030 | - 57. 17. 49'98 | 38'30 | 4 | - 3'949 | ... | ... | ... |
| 2719 | 2734 | Lacaille 2509 | 7'8 | 6. 45. 29'78 | 38'05 | 3 | + 1'017 | - 57. 28. 18'02 | 38'05 | 3 | - 3'956 | ... | 2509 | ... |
| 2720 | 2735 | 16 Lynceis | 6 | 6. 45. 34'07 | 34'38 | 4 | + 4'397 | + 45. 17. 56'79 | 34'38 | 4 | - 3'961 | 1006 | ... | 263 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|--|----------------------|----------------|----------------------------------|--|----------------------|----------------|----------------------------------|----------|-----------|---------|
| | | | | ^h ^m ^s | | | ^s | [°] ['] ["] | | | ["] | | | |
| 2721 | 2736 | Argus | 4 | 6. 45. 50.77 | 32.32 | 7 | + 1.487 | - 50. 25. 14.88 | 31.62 | 10 | - 3.986 | ... | 2505 | ... |
| 2722 | 2737 | Puppis | 6.7 | 6. 45. 53.53 | 34.41 | 4 | + 2.119 | - 36. 2. 0.00 | 34.39 | 4 | - 3.989 | ... | 2493 | 271 |
| 2723 | 2738 | Lacaille 2498 | 7 | 6. 45. 54.24 | 38.14 | 3 | + 1.891 | - 42. 0. 44.11 | 38.13 | 3 | - 3.990 | ... | 2498 | ... |
| 2724 | 2739 | Lacaille 2514 | 7.8 | 6. 45. 59.86 | 38.18 | 3 | + 0.952 | - 58. 16. 46.75 | 38.18 | 3 | - 3.999 | ... | 2514 | ... |
| 2725 | 2740 | Lacaille 2499 | 8 | 6. 46. 0.14 | 38.05 | 3 | + 2.048 | - 38. 1. 16.70 | 38.05 | 3 | - 3.999 | ... | 2499 | ... |
| 2726 | 2741 | Piazzi VI. 272 | 9 | 6. 46. 14.59 | 36.41 | 3 | + 2.640 | - 18. 14. 48.90 | 36.12 | 3 | - 4.019 | ... | ... | 272 |
| 2727 | 2742 | Carina | 5 | 6. 46. 15.88 | 38.19 | 3 | + 1.306 | - 53. 25. 56.59 | 38.19 | 3 | - 4.021 | ... | 2511 | ... |
| 2728 | 2743 | 15 Canis Majoris | 5.6 | 6. 46. 24.93 | 33.05 | 7 | + 2.594 | - 20. 1. 31.74 | 31.49 | 7 | - 4.035 | 1012 | ... | 275 |
| 2729 | 2744 | Pictoris | 4 | 6. 46. 29.65 | 34.50 | 10 | + 0.633 | - 61. 45. 56.67 | 34.10 | 10 | - 4.042 | ... | 2525 | ... |
| 2730 | 2745 | 14 Canis Majoris | 5 | 6. 46. 31.46 | 36.83 | 7 | + 2.798 | - 11. 50. 15.06 | 38.93 | 7 | - 4.045 | 1011 | ... | 274 |
| 2731 | 2746 | Piazzi VI. 270 | 7 | 6. 46. 40.64 | 33.49 | 9 | + 3.496 | + 17. 56. 36.91 | 32.23 | 5 | - 4.058 | ... | ... | 270 |
| 2732 | 2747 | Lacaille 2523 | 7.8 | 6. 46. 53.25 | 38.33 | 4 | + 1.151 | - 55. 42. 37.38 | 38.33 | 4 | - 4.075 | ... | 2523 | ... |
| 2733 | 2748 | Piazzi VI. 277 | 7.8 | 6. 46. 59.34 | 34.07 | 3 | + 2.488 | - 24. 1. 49.29 | 34.41 | 3 | - 4.084 | ... | ... | 277 |
| 2734 | 2749 | Lacaille 2501 | 6 | 6. 47. 0.09 | 35.10 | 2 | + 2.367 | - 28. 19. 10.25 | 34.37 | 4 | - 4.085 | ... | 2501 | 278 |
| 2735 | 2750 | Piazzi VI. 269 | 7 | 6. 47. 0.96 | 34.73 | 5 | + 5.152 | + 57. 48. 34.27 | 35.04 | 1 | - 4.086 | ... | ... | 269 |
| 2736 | 2751 | Brisbane 1394 | 7 | 6. 47. 10.04 | 38.20 | 3 | + 1.561 | - 49. 5. 53.88 | 38.19 | 3 | - 4.099 | ... | ... | ... |
| 2737 | 2752 | 16 Canis Majoris | 4 | 6. 47. 17.32 | 32.15 | 13 | + 2.490 | - 23. 58. 56.90 | 31.62 | 10 | - 4.110 | 1014 | 2506 | 279 |
| 2738 | 2753 | Lacaille 2518 | 7 | 6. 47. 29.76 | 38.14 | 3 | + 1.881 | - 42. 18. 18.30 | 38.14 | 3 | - 4.128 | ... | 2518 | ... |
| 2739 | 2754 | Piazzi VI. 273 | 6.7 | 6. 47. 40.87 | 34.37 | 4 | + 4.945 | + 55. 4. 25.88 | 34.32 | 4 | - 4.143 | ... | ... | 273 |
| 2740 | 2755 | 62 Aurige | 6 | 6. 47. 47.99 | 35.09 | 3 | + 4.104 | + 38. 16. 12.20 | 34.37 | 4 | - 4.153 | 1010 | ... | 276 |
| 2741 | 2756 | Lacaille 2521 | 7.8 | 6. 47. 50.60 | 38.14 | 3 | + 1.876 | - 42. 25. 39.42 | 38.14 | 3 | - 4.157 | ... | 2521 | ... |
| 2742 | 2757 | 17 Canis Majoris | 6 | 6. 47. 55.37 | 32.81 | 6 | + 2.591 | - 20. 12. 0.14 | 32.16 | 4 | - 4.162 | 1016 | ... | 282 |
| 2743 | 2758 | Piazzi VI. 281 | 7 | 6. 48. 6.30 | 33.15 | 4 | + 3.500 | + 18. 6. 44.22 | 33.06 | 5 | - 4.179 | ... | ... | 281 |
| 2744 | 2759 | 19 Canis Majoris | 5.6 | 6. 48. 28.44 | 33.17 | 5 | + 2.598 | - 19. 55. 54.04 | 32.18 | 4 | - 4.210 | 1018 | ... | 287 |
| 2745 | 2760 | 18 Canis Majoris | 5.6 | 6. 48. 33.13 | 33.12 | 6 | + 2.750 | - 13. 50. 10.61 | 32.20 | 5 | - 4.217 | 1017 | ... | 286 |
| 2746 | 2761 | 39 Geminorum | 6.7 | 6. 48. 36.93 | 33.69 | 10 | + 3.718 | + 26. 17. 24.11 | 33.98 | 3 | - 4.221 | 1013 | ... | 283 |
| 2747 | 2762 | 20 Canis Majoris | 4.5 | 6. 48. 46.84 | 32.15 | 22 | + 2.676 | - 16. 50. 46.15 | 31.83 | 12 | - 4.238 | 1019 | ... | 289 |
| 2748 | 2763 | Brisbane 1399 | 7.8 | 6. 48. 54.65 | 38.38 | 4 | + 0.970 | - 58. 7. 44.45 | 38.38 | 4 | - 4.248 | ... | ... | ... |
| 2749 | 2764 | Piazzi VI. 280 | 6.7 | 6. 49. 3.99 | 34.37 | 4 | + 5.175 | + 58. 9. 9.79 | 34.31 | 4 | - 4.261 | ... | ... | 280 |
| 2750 | 2765 | Lacaille 2530 | 6 | 6. 49. 14.87 | 34.34 | 4 | + 1.889 | - 42. 9. 38.68 | 34.30 | 4 | - 4.277 | ... | 2530 | 291 |
| 2751 | 2766 | 40 Geminorum | 6.7 | 6. 49. 16.48 | 33.24 | 6 | + 3.713 | + 26. 7. 49.87 | 32.87 | 4 | - 4.279 | 1015 | ... | 288 |
| 2752 | 2767 | Lacaille 2537 | 6.7 | 6. 49. 16.67 | 38.12 | 3 | + 1.282 | - 53. 53. 17.01 | 38.12 | 3 | - 4.281 | ... | 2537 | ... |
| 2753 | 2768 | Piazzi VI. 284 | 7 | 6. 49. 19.65 | 35.13 | 3 | + 4.732 | + 51. 47. 32.21 | 34.38 | 4 | - 4.285 | ... | ... | 284 |
| 2754 | 2769 | Lacaille 2531 | 7 | 6. 49. 30.98 | 38.46 | 3 | + 2.039 | - 38. 20. 54.25 | 38.46 | 3 | - 4.299 | ... | 2531 | ... |
| 2755 | 2770 | Lacaille 2529 | 7 | 6. 49. 32.83 | 38.18 | 3 | + 2.204 | - 33. 35. 53.27 | 38.17 | 2 | - 4.302 | ... | 2529 | ... |
| 2756 | 2771 | Piazzi VI. 290 | 7 | 6. 49. 41.70 | 37.79 | 6 | + 2.676 | - 16. 53. 11.49 | 35.42 | 6 | - 4.315 | ... | ... | 290 |
| 2757 | 2772 | Lacaille 2541 | 6.7 | 6. 49. 57.39 | 38.07 | 3 | + 1.493 | - 50. 24. 53.06 | 38.07 | 3 | - 4.337 | ... | 2541 | ... |
| 2758 | 2773 | Lacaille 2552 | 6.7 | 6. 50. 20.73 | 38.08 | 3 | + 0.888 | - 59. 8. 18.28 | 38.08 | 3 | - 4.371 | ... | 2552 | ... |
| 2759 | 2774 | Piazzi VI. 294 | 7 | 6. 50. 22.01 | 32.64 | 4 | + 3.450 | + 16. 9. 34.46 | 33.11 | 3 | - 4.372 | ... | ... | 294 |
| 2760 | 2775 | Brisbane 1409 | 7.8 | 6. 50. 38.46 | 38.05 | 3 | + 2.078 | - 37. 18. 35.81 | 38.05 | 3 | - 4.394 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 2761 | 2776 | Piazzi VI. 296 | 7 | 6. 50. 40'31 | 34'41 | 4 | + 3'644 | + 23. 39. 43'80 | 34'41 | 4 | - 4'397 | ... | ... | 296 |
| 2762 | 2777 | Piazzi VI. 295 | 7 | 6. 50. 45'56 | 34'38 | 4 | + 3'808 | + 29. 26. 22'59 | 34'33 | 4 | - 4'405 | ... | ... | 295 |
| 2763 | 2778 | Lacaille 2535 | 6 | 6. 50. 45'57 | 32'22 | 5 | + 2'480 | - 24. 25. 15'86 | 32'57 | 5 | - 4'405 | ... | 2535 | 300 |
| 2764 | 2779 | 41 Geminorum | 6'7 | 6. 50. 46'70 | 32'16 | 6 | + 3'453 | + 16. 17. 58'06 | 32'38 | 6 | - 4'408 | 1020 | ... | 297 |
| 2765 | 2780 | Lacaille 2539 | 7 | 6. 50. 50'36 | 38'16 | 3 | + 2'154 | - 35. 7. 40'94 | 38'16 | 3 | - 4'412 | ... | 2539 | ... |
| 2766 | 2781 | Piazzi VI. 293 | 6'7 | 6. 51. 25'44 | 35'11 | 3 | + 5'333 | + 60. 2. 6'43 | 34'40 | 4 | - 4'462 | ... | ... | 293 |
| 2767 | 2782 | Lacaille 2548 | 7 | 6. 51. 25'61 | 38'18 | 3 | + 2'101 | - 36. 40. 19'02 | 38'19 | 3 | - 4'462 | ... | 2548 | ... |
| 2768 | 2783 | Piazzi VI. 298 | 8'9 | 6. 51. 27'29 | 36'31 | 4 | + 4'494 | + 47. 29. 11'82 | 36'32 | 4 | - 4'465 | ... | ... | 298 |
| 2769 | 2784 | Brisbane 1415 | 9'10 | 6. 51. 33'56 | 38'17 | 2 | + 0'828 | - 59. 50. 53'45 | 38'13 | 2 | - 4'474 | ... | ... | ... |
| 2770 | 2785 | Brisbane 1414 | 8 | 6. 51. 33'77 | 38'09 | 3 | + 1'208 | - 55. 2. 26'81 | 38'09 | 3 | - 4'474 | ... | ... | ... |
| 2771 | 2786 | Brisbane 1417 | 8 | 6. 51. 36'20 | 38'31 | 5 | + 0'844 | - 59. 40. 19'61 | 38'36 | 4 | - 4'477 | ... | ... | ... |
| 2772 | 2787 | Piazzi VI. 299 | 6'7 | 6. 51. 43'30 | 34'33 | 4 | + 4'484 | + 47. 16. 43'06 | 34'34 | 4 | - 4'487 | ... | ... | 299 |
| 2773 | 2788 | Piazzi VI. 303 | 6 | 6. 51. 50'44 | 32'18 | 6 | + 2'459 | - 25. 11. 44'76 | 32'20 | 5 | - 4'498 | ... | ... | 303 |
| 2774 | 2789 | Lacaille 2557 | 6 | 6. 51. 52'67 | 38'35 | 4 | + 1'599 | - 48. 30. 25'33 | 38'35 | 4 | - 4'502 | ... | 2557 | ... |
| 2775 | 2790 | 21 Canis Majoris | 2'3 | 6. 52. 8'61 | 32'07 | 17 | + 2'357 | - 28. 45. 8'17 | 31'89 | 58 | - 4'525 | 1023 | 2550 | 304 |
| 2776 | 2791 | 42 Geminorum | 6 | 6. 52. 21'34 | 33'06 | 6 | + 3'664 | + 24. 26. 36'47 | 32'21 | 5 | - 4'542 | 1021 | ... | 302 |
| 2777 | 2792 | Puppis | 6 | 6. 52. 22'77 | 34'32 | 4 | + 2'197 | - 33. 53. 32'30 | 34'31 | 4 | - 4'546 | ... | 2554 | 306 |
| 2778 | 2793 | Lacaille 2561 | 7 | 6. 52. 29'30 | 38'17 | 3 | + 1'832 | - 43. 34. 11'72 | 38'17 | 3 | - 4'554 | ... | 2561 | ... |
| 2779 | 2794 | Piazzi VI. 301 | 6'7 | 6. 52. 31'66 | 34'40 | 4 | + 4'800 | + 52. 59. 42'18 | 34'37 | 4 | - 4'557 | ... | ... | 301 |
| 2780 | 2795 | Piazzi VI. 307 | 8 | 6. 52. 36'14 | 36'32 | 4 | + 2'358 | - 28. 44. 24'86 | 36'33 | 4 | - 4'562 | ... | ... | 307 |
| 2781 | 2796 | Lacaille 2568 | 6'7 | 6. 52. 43'37 | 38'17 | 3 | + 1'476 | - 50. 47. 55'24 | 38'18 | 3 | - 4'572 | ... | 2568 | ... |
| 2782 | 2797 | Lacaille 2567 | 8 | 6. 52. 43'71 | 38'07 | 3 | + 1'491 | - 50. 32. 21'47 | 38'07 | 3 | - 4'574 | ... | 2567 | ... |
| 2783 | 2798 | Lacaille 2574 | 7'8 | 6. 52. 55'26 | 38'35 | 4 | + 1'087 | - 56. 45. 15'13 | 38'35 | 4 | - 4'589 | ... | 2574 | ... |
| 2784 | 2799 | Piazzi VI. 305 | 6'7 | 6. 53. 0'87 | 36'19 | 9 | + 3'811 | + 29. 36. 20'43 | 35'95 | 10 | - 4'598 | ... | ... | 305 |
| 2785 | 2800 | Piazzi VI. 285 | 6'7 | 6. 53. 43'24 | 37'61 | 10 | + 11'809 | + 81. 32. 0'53 | 37'32 | 8 | - 4'660 | ... | ... | 285 |
| 2786 | 2801 | Brisbane 1429 | 7'8 | 6. 53. 44'92 | 38'10 | 3 | + 1'226 | - 54. 49. 40'00 | 38'10 | 3 | - 4'662 | ... | ... | ... |
| 2787 | 2802 | Lacaille 2576 | 6'7 | 6. 53. 53'72 | 34'36 | 4 | + 1'747 | - 45. 32. 37'46 | 34'35 | 4 | - 4'673 | ... | 2576 | 314 |
| 2788 | 2803 | Brisbane 1433 | 7 | 6. 54. 15'70 | 38'08 | 3 | + 1'153 | - 55. 52. 53'69 | 38'08 | 3 | - 4'704 | ... | ... | ... |
| 2789 | 2804 | Piazzi VI. 313 | 6 | 6. 54. 16'51 | 35'09 | 3 | + 3'286 | + 9. 22. 15'68 | 34'38 | 4 | - 4'706 | ... | ... | 313 |
| 2790 | 2805 | Piazzi VI. 311 | 8 | 6. 54. 18'68 | 36'53 | 4 | + 3'567 | + 20. 49. 50'06 | 36'35 | 4 | - 4'709 | ... | ... | 311 |
| 2791 | 2806 | 43 Geminorum | 4 | 6. 54. 19'16 | 33'57 | 24 | + 3'566 | + 20. 48. 17'32 | 32'97 | 38 | - 4'709 | 1024 | ... | 312 |
| 2792 | 2807 | Piazzi VI. 309 | 8'9 | 6. 54. 23'87 | 36'37 | 3 | + 4'605 | + 49. 42. 40'90 | 36'36 | 4 | - 4'717 | ... | ... | 309 |
| 2793 | 2808 | Lacaille 2580 | 6'7 | 6. 54. 28'56 | 38'18 | 3 | + 1'951 | - 40. 46. 41'39 | 38'18 | 3 | - 4'722 | ... | 2580 | ... |
| 2794 | 2809 | 19 Monocerotis | 5'6 | 6. 54. 43'21 | 35'30 | 20 | + 2'981 | - 4. 0. 23'14 | 34'87 | 12 | - 4'742 | 1026 | ... | 315 |
| 2795 | 2810 | 17 Lynx | 6'7 | 6. 54. 49'01 | 36'40 | 7 | + 5'419 | + 61. 2. 25'91 | 35'59 | 10 | - 4'751 | 1022 | ... | 308 |
| 2796 | 2811 | Piazzi VI. 310 | 6'7 | 6. 54. 56'34 | 37'91 | 5 | + 5'414 | + 60. 59. 32'60 | 38'30 | 5 | - 4'762 | ... | ... | 310 |
| 2797 | 2812 | 22 Canis Majoris | 3'4 | 6. 55. 9'00 | 32'16 | 17 | + 2'390 | - 27. 42. 13'24 | 31'53 | 11 | - 4'780 | 1027 | 2581 | 320 |
| 2798 | 2813 | Piazzi VI. 319 | Var. | 6. 55. 15'50 | 38'43 | 8 | + 2'981 | - 4. 1. 50'79 | 40'08 | 3 | - 4'788 | ... | ... | 319 |
| 2799 | 2814 | Piazzi VI. 316 | 6 | 6. 55. 18'36 | 35'10 | 3 | + 3'972 | + 34. 43. 1'01 | 34'39 | 4 | - 4'793 | ... | ... | 316 |
| 2800 | 2815 | Brisbane 1438 | 9 | 6. 55. 21'33 | 39'20 | 10 | + 0'765 | - 60. 37. 44'30 | 39'33 | 9 | - 4'798 | ... | ... | ... |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{lxxiii}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------------------|------------|------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 2801 | 2816 | 44 Geminorum | 6.7 | h m s 6. 55. 22.16 | 32.35 | 7 | + 3.620 | + 22. 52. 36.86 | 32.21 | 5 | " | 1025 | ... | 317 |
| 2802 | 2817 | Lacaille 2594 | 6.7 | 6. 55. 26.93 | 38.09 | 3 | + 1.183 | - 55. 29. 56.75 | 38.09 | 3 | - 4.798 | ... | 2594 | ... |
| 2803 | 2818 | Lacaille 2598 | 6.7 | 6. 55. 30.73 | 38.05 | 3 | + 1.135 | - 56. 10. 0.52 | 38.05 | 3 | - 4.806 | ... | 2598 | ... |
| 2804 | 2819 | Lacaille 2590 | 6.7 | 6. 55. 42.63 | 38.12 | 5 | + 1.961 | - 40. 33. 48.63 | 38.11 | 4 | - 4.810 | ... | 2590 | ... |
| 2805 | 2820 | Piazzi VI. 292 | 4.5 | 6. 55. 53.82 | 31.74 | 9 | + 13.206 | + 82. 42. 13.15 | 31.57 | 10 | - 4.825 | ... | 2590 | ... |
| | | | | | | | | | | | - 4.844 | ... | ... | 292 |
| 2806 | 2821 | Lacaille 2595 | 7 | 6. 56. 2.55 | 38.37 | 4 | + 1.585 | - 48. 54. 10.89 | 38.15 | 3 | - 4.856 | ... | 2595 | ... |
| 2807 | 2822 | 24 Canis Majoris ^o | 4 | 6. 56. 8.25 | 32.25 | 16 | + 2.505 | - 23. 35. 49.14 | 31.59 | 10 | - 4.864 | 1029 | 2588 | 323 |
| 2808 | 2823 | 23 Canis Majoris ^γ | 4 | 6. 56. 17.67 | 32.89 | 20 | + 2.715 | - 15. 23. 41.54 | 31.68 | 11 | - 4.878 | 1028 | ... | 325 |
| 2809 | 2824 | Lacaille 2593 | 6.7 | 6. 56. 24.19 | 38.14 | 4 | + 1.958 | - 40. 39. 49.24 | 38.14 | 4 | - 4.887 | ... | 2593 | ... |
| 2810 | 2825 | Brisbane 1441 | 8 | 6. 56. 30.91 | 39.32 | 10 | + 0.745 | - 60. 52. 14.47 | 39.32 | 10 | - 4.895 | ... | ... | ... |
| 2811 | 2826 | Piazzi VI. 324 | 6 | 6. 56. 36.84 | 34.66 | 4 | + 3.287 | + 9. 25. 43.35 | 34.40 | 4 | - 4.903 | ... | ... | 324 |
| 2812 | 2827 | Piazzi VI. 322 | 7 | 6. 56. 42.08 | 34.04 | 3 | + 3.493 | + 17. 59. 16.49 | 35.05 | 1 | - 4.911 | ... | ... | 322 |
| 2813 | 2828 | Piazzi VI. 321 | 7 | 6. 56. 52.95 | 35.13 | 3 | + 5.257 | + 59. 19. 7.83 | 34.16 | 3 | - 4.927 | ... | ... | 321 |
| 2814 | 2829 | Brisbane 1455 | 7 | 6. 57. 2.03 | 38.11 | 3 | + 0.770 | - 60. 36. 43.58 | 38.11 | 3 | - 4.940 | ... | ... | ... |
| 2815 | 2830 | Lacaille 2605 | 6.7 | 6. 57. 8.70 | 38.17 | 3 | + 1.515 | - 50. 13. 57.33 | 38.17 | 3 | - 4.950 | ... | 2605 | ... |
| 2816 | 2832 | Lacaille 2599 | 7 | 6. 57. 9.21 | 38.38 | 4 | + 1.889 | - 42. 23. 46.08 | 38.38 | 4 | - 4.950 | ... | 2599 | ... |
| 2817 | 2831 | Lacaille 2600 | 6.7 | 6. 57. 9.23 | 34.38 | 4 | + 1.856 | - 43. 10. 1.12 | 34.31 | 4 | - 4.950 | ... | 2600 | 327 |
| 2818 | 2833 | Brisbane 1458 | 7 | 6. 57. 56.84 | 38.17 | 3 | + 1.518 | - 50. 11. 30.68 | 38.17 | 3 | - 5.018 | ... | ... | ... |
| 2819 | 2834 | Piazzi VI. 328 | 8 | 6. 58. 1.94 | 36.31 | 4 | + 2.734 | - 14. 37. 35.80 | 36.38 | 4 | - 5.025 | ... | ... | 328 |
| 2820 | 2835 | Brisbane 1459 | 8 | 6. 58. 11.26 | 38.11 | 3 | + 0.771 | - 60. 37. 44.02 | 38.11 | 4 | - 5.038 | ... | ... | ... |
| 2821 | 2836 | Piazzi VI. 326 | 8 | 6. 58. 23.64 | 38.12 | 7 | + 4.622 | + 50. 9. 27.68 | 37.63 | 6 | - 5.056 | ... | ... | 326 |
| 2822 | 2837 | Lacaille 2621 | 6.7 | 6. 58. 31.66 | 39.53 | 8 | + 0.943 | - 58. 42. 33.95 | 39.53 | 8 | - 5.068 | ... | 2621 | ... |
| 2823 | 2838 | Brisbane 1460 | 8 | 6. 58. 33.80 | 38.13 | 3 | + 1.303 | - 53. 49. 18.93 | 38.13 | 3 | - 5.070 | ... | ... | ... |
| 2824 | 2839 | Piazzi VI. 329 | 8.9 | 6. 58. 34.62 | 35.16 | 3 | + 3.437 | + 15. 47. 19.12 | 34.16 | 3 | - 5.071 | ... | ... | 329 |
| 2825 | 2840 | Brisbane 1463 | 7.8 | 6. 58. 41.04 | 38.14 | 4 | + 0.747 | - 60. 54. 22.72 | 38.16 | 3 | - 5.081 | ... | ... | .. |
| 2826 | 2841 | Piazzi VI. 332 | 6.7 | 6. 58. 46.33 | 35.16 | 3 | + 3.437 | + 15. 47. 33.88 | 35.09 | ..1 | - 5.087 | ... | ... | 332 |
| 2827 | 2842 | Piazzi VI. 330 | 7 | 6. 58. 48.31 | 35.09 | 4 | + 3.831 | + 30. 24. 7.78 | 34.32 | 4 | - 5.090 | ... | ... | 330 |
| 2828 | 2843 | Puppis ^C | 6 | 6. 58. 49.15 | 35.15 | 3 | + 1.903 | - 42. 5. 51.17 | 34.53 | 5 | - 5.091 | ... | 2607 | 335 |
| 2829 | 2844 | Brisbane 1466 | 7.8 | 6. 58. 52.97 | 38.32 | 4 | + 1.211 | - 55. 12. 7.06 | 38.07 | 3 | - 5.098 | ... | ... | ... |
| 2830 | 2845 | Lacaille 2608 | 6 | 6. 58. 53.81 | 34.35 | 4 | + 1.849 | - 43. 22. 56.42 | 35.08 | 6 | - 5.099 | ... | 2608 | 336 |
| 2831 | 2846 | 45 Geminorum | 6 | 6. 58. 54.14 | 32.16 | 6 | + 3.447 | + 16. 11. 12.82 | 32.19 | 6 | - 5.099 | 1030 | ... | 333 |
| 2832 | 2847 | Piazzi VI. 337 | 8 | 6. 58. 55.50 | 36.71 | 5 | + 1.849 | - 43. 23. 6.27 | 36.66 | 2 | - 5.100 | ... | ... | 337 |
| 2833 | 2848 | Piazzi VI. 331 | 7 | 6. 59. 18.94 | 34.87 | 5 | + 4.615 | + 50. 2. 59.43 | 34.41 | 3 | - 5.133 | ... | ... | 331 |
| 2834 | 2849 | Puppis ^H | 6 | 6. 59. 36.49 | 38.32 | 4 | + 1.567 | - 49. 20. 45.20 | 38.32 | 4 | - 5.157 | ... | 2624 | ... |
| 2835 | 2850 | Lacaille 2622 | 6.7 | 7. 0. 7.25 | 38.11 | 3 | + 1.973 | - 40. 23. 39.76 | 38.18 | 3 | - 5.200 | ... | 2622 | ... |
| 2836 | 2851 | Lacaille 2635 | 8 | 7. 0. 15.50 | 38.21 | 3 | + 1.179 | - 55. 42. 17.83 | 38.21 | 3 | - 5.212 | ... | 2635 | ... |
| 2837 | 2852 | 63 Auriga | 5 | 7. 0. 17.72 | 31.66 | 10 | + 4.140 | + 39. 34. 52.16 | 31.57 | 10 | - 5.216 | 1032 | ... | 338 |
| 2838 | 2853 | Lacaille 2625 | 6.7 | 7. 0. 22.35 | 38.20 | 3 | + 2.058 | - 38. 8. 1.04 | 38.20 | 3 | - 5.223 | ... | 2625 | ... |
| 2839 | 2854 | 46 Geminorum ^T | 5 | 7. 0. 37.81 | 31.73 | 10 | + 3.832 | + 30. 30. 26.94 | 31.64 | 9 | - 5.246 | 1033 | ... | 341 |
| 2840 | 2855 | Brisbane 1474 | 9.10 | 7. 0. 42.37 | 38.45 | 5 | + 0.761 | - 60. 49. 4.94 | 38.55 | 4 | - 5.251 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 2841 | 2856 | Lacaille 2640 | 6 | h m s 7. 0. 42.71 | 38.20 | 3 | + 0.930 | — 58. 56. 5.18 | 38.19 | 3 | — 5.252 | ... | 2640 | ... |
| 2842 | 2857 | Lacaille 2631 | 6.7 | 7. 0. 43.50 | 31.51 | 3 | + 1.907 | — 42. 4. 41.88 | 34.20 | 3 | — 5.253 | ... | 2631 | 344 |
| 2843 | 2858 | Piazzi VI. 342 | 9 | 7. 0. 45.09 | 36.36 | 4 | + 3.233 | + 7. 6. 16.81 | 36.34 | 4 | — 5.255 | ... | ... | 342 |
| 2844 | 2859 | Piazzi VI. 339 | 7 | 7. 1. 1.67 | 35.13 | 2 | + 5.311 | + 60. 2. 45.75 | 34.40 | 4 | — 5.279 | ... | ... | 339 |
| 2845 | 2860 | 47 Geminorum | 6 | 7. 1. 8.74 | 32.19 | 6 | + 3.733 | + 27. 7. 13.50 | 31.20 | 5 | — 5.288 | 1034 | ... | 343 |
| 2846 | 2861 | Lacaille 2642 | 6 | 7. 1. 13.43 | 38.48 | 3 | + 1.123 | — 56. 30. 5.50 | 38.50 | 3 | — 5.294 | ... | 2642 | ... |
| 2847 | 2862 | Lacaille 2636 | 7 | 7. 1. 15.01 | 37.96 | 5 | + 1.854 | — 43. 21. 32.44 | 38.39 | 4 | — 5.297 | ... | 2636 | ... |
| 2848 | 2863 | 18 Lyncis | 6 | 7. 1. 28.14 | 34.63 | 6 | + 5.298 | + 59. 55. 13.60 | 34.36 | 4 | — 5.315 | 1031 | ... | 340 |
| 2849 | 2864 | Piazzi VI. 345 | 8.9 | 7. 1. 39.74 | 37.26 | 5 | + 3.215 | + 6. 19. 59.90 | 36.36 | 4 | — 5.333 | ... | ... | 345 |
| 2850 | 2865 | 25 Canis Majoris | 3.4 | 7. 1. 41.10 | 32.29 | 12 | + 2.440 | — 26. 8. 8.62 | 31.57 | 10 | — 5.335 | 1042 | 2633 | 2 |
| 2851 | 2866 | Puppis | 6 | 7. 1. 42.79 | 34.39 | 4 | + 1.966 | — 40. 38. 19.58 | 34.31 | 4 | — 5.337 | ... | 2638 | 6 |
| 2852 | 2867 | Brisbane 1482 | 7.8 | 7. 1. 45.31 | 38.47 | 3 | + 1.979 | — 40. 16. 56.71 | 38.48 | 3 | — 5.340 | ... | ... | ... |
| 2853 | 2868 | Piazzi VI. 347 | 9 | 7. 1. 45.67 | 38.19 | 7 | + 3.209 | + 6. 4. 45.85 | 39.09 | 6 | — 5.341 | ... | ... | 347 |
| 2854 | 2869 | Bradley 1036 | 7 | 7. 1. 51.23 | 34.32 | 4 | + 3.432 | + 15. 35. 49.04 | 35.40 | 9 | — 5.349 | 1036 | ... | 346 |
| 2855 | 2870 | Brisbane 1480 | 8 | 7. 1. 54.74 | 38.13 | 2 | + 1.307 | — 53. 52. 8.57 | 38.45 | 3 | — 5.354 | ... | ... | ... |
| 2856 | 2871 | Piazzi VII. 1 | 8 | 7. 1. 58.56 | 36.74 | 3 | + 3.207 | + 6. 0. 2.66 | 36.15 | 3 | — 5.360 | ... | ... | 1 |
| 2857 | 2872 | 20 Monocerotis | 5.6 | 7. 2. 1.95 | 32.21 | 6 | + 2.982 | — 3. 59. 8.73 | 31.21 | 5 | — 5.364 | 1041 | ... | 4 |
| 2858 | 2873 | 48 Geminorum | 6 | 7. 2. 24.58 | 32.57 | 8 | + 3.656 | + 24. 23. 50.85 | 31.23 | 5 | — 5.396 | 1038 | ... | 3 |
| 2859 | 2874 | Brisbane 1481 | 8.9 | 7. 2. 34.86 | 38.43 | 3 | + 0.791 | — 60. 33. 14.22 | 38.43 | 3 | — 5.410 | ... | ... | ... |
| 2860 | 2875 | 49 Geminorum | 7 | 7. 2. 39.97 | 34.42 | 4 | + 3.700 | + 26. 0. 59.27 | 34.42 | 4 | — 5.417 | 1039 | ... | 5 |
| 2861 | 2876 | Lacaille 2641 | 5.6 | 7. 2. 55.22 | 33.17 | 7 | + 2.473 | — 24. 58. 9.58 | 32.86 | 6 | — 5.438 | ... | 2641 | 13 |
| 2862 | 2877 | Piazzi VII. 14 | 8 | 7. 2. 56.99 | 36.51 | 3 | + 2.473 | — 24. 56. 46.93 | 36.81 | 3 | — 5.441 | ... | ... | 14 |
| 2863 | 2878 | 21 Monocerotis | 6 | 7. 2. 57.64 | 35.14 | 3 | + 3.072 | — 0. 2. 8.81 | 34.38 | 4 | — 5.442 | 1045 | ... | 7 |
| 2864 | 2879 | Brisbane 1485 | 7.8 | 7. 3. 1.61 | 38.08 | 3 | + 0.852 | — 59. 54. 10.90 | 38.08 | 3 | — 5.448 | ... | ... | ... |
| 2865 | 2880 | Piazzi VII. 8 | 6 | 7. 3. 3.30 | 34.73 | 5 | + 3.205 | + 5. 55. 18.50 | 34.33 | 4 | — 5.449 | ... | ... | 8 |
| 2866 | 2881 | Lacaille 2662 | 7 | 7. 3. 4.37 | 40.39 | 4 | + 0.406 | — 64. 14. 17.77 | 40.39 | 4 | — 5.450 | ... | 2662 | ... |
| 2867 | 2882 | Brisbane 1490 | 7.8 | 7. 3. 5.62 | 39.47 | 6 | + 0.753 | — 60. 58. 23.25 | 39.38 | 8 | — 5.453 | ... | ... | ... |
| 2868 | 2883 | Piazzi VII. 9 | 8 | 7. 3. 13.53 | 36.43 | 3 | + 3.449 | + 16. 21. 14.67 | 36.38 | 4 | — 5.463 | ... | ... | 9 |
| 2869 | 2884 | Carinae | 7 | 7. 3. 16.47 | 38.13 | 3 | + 1.442 | — 51. 42. 43.67 | 38.13 | 3 | — 5.469 | ... | 2651 | ... |
| 2870 | 2885 | Puppis | 6 | 7. 3. 18.65 | 34.10 | 3 | + 2.015 | — 39. 23. 43.53 | 34.36 | 4 | — 5.471 | ... | 2649 | 18 |
| 2871 | 2886 | Bradley 1044 | 7 | 7. 3. 23.62 | 34.14 | 3 | + 3.427 | + 15. 26. 49.33 | 34.35 | 4 | — 5.479 | 1044 | ... | 11 |
| 2872 | 2887 | Piazzi VII. 12 | 9 | 7. 3. 24.53 | 36.61 | 4 | + 3.310 | + 10. 27. 58.57 | 36.60 | 4 | — 5.480 | ... | ... | 12 |
| 2873 | 2888 | 22 Monocerotis | 4.5 | 7. 3. 26.27 | 32.24 | 19 | + 3.067 | — 0. 13. 31.60 | 31.56 | 9 | — 5.482 | 1047 | ... | 15 |
| 2874 | 2889 | Brisbane 1491 | 8 | 7. 3. 28.17 | 39.42 | 8 | + 0.737 | — 61. 8. 58.40 | 39.60 | 7 | — 5.484 | ... | ... | ... |
| 2875 | 2890 | Lacaille 2652 | 7 | 7. 3. 33.51 | 38.13 | 3 | + 1.429 | — 51. 56. 53.70 | 38.13 | 3 | — 5.491 | ... | 2652 | ... |
| 2876 | 2891 | 51 Geminorum | 5 | 7. 3. 53.68 | 32.59 | 12 | + 3.451 | + 16. 25. 56.33 | 32.52 | 22 | — 5.520 | 1046 | ... | 17 |
| 2877 | 2892 | Piazzi VII. 19 | 7 | 7. 4. 2.76 | 35.17 | 3 | + 2.955 | — 5. 10. 33.24 | 34.66 | 2 | — 5.533 | ... | ... | 19 |
| 2878 | 2893 | Brisbane 1494 | 7 | 7. 4. 11.26 | 38.09 | 3 | + 0.870 | — 59. 44. 17.55 | 38.09 | 3 | — 5.545 | ... | ... | ... |
| 2879 | 2894 | Piazzi VI. 334 | 6.7 | 7. 4. 14.77 | 37.69 | 7 | + 11.378 | + 81. 12. 32.79 | 37.35 | 8 | — 5.549 | ... | ... | 334 |
| 2880 | 2895 | 44 Camelopardi | 7 | 7. 4. 19.35 | 35.15 | 3 | + 5.227 | + 59. 12. 3.40 | 34.39 | 4 | — 5.555 | 1037 | ... | 10 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835'0.

{lxxv}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 2881 | 2896 | 52 Geminorum | 7 | h m s 7. 4. 36'11 | 33'08 | 7 | + 3'675 | + 25. 9. 49'53 | 32'21 | 5 | — 5'579 | 1049 | ... | 21 |
| 2882 | 2897 | Piazzi VII. 23 | 8 | 7. 4. 42'64 | 36'63 | 4 | + 3'321 | + 10. 57. 53'07 | 36'68 | 4 | — 5'589 | ... | ... | 23 |
| 2883 | 2898 | Lacaille 2667 | 6'7 | 7. 4. 49'42 | 38'20 | 3 | + 0'896 | — 59. 27. 20'96 | 38'19 | 3 | — 5'597 | ... | 2667 | ... |
| 2884 | 2899 | Brisbane 1495 | 8 | 7. 4. 50'58 | 38'16 | 2 | + 1'991 | — 40. 6. 4'81 | 38'16 | 2 | — 5'600 | ... | ... | ... |
| 2885 | 2900 | 45 Camelopardi | 6'7 | 7. 4. 51'26 | 35'15 | 3 | + 5'245 | + 59. 24. 38'51 | 34'35 | 4 | — 5'601 | 1040 | ... | 16 |
| 2886 | 2901 | 23 Monocerotis | 7 | 7. 4. 52'14 | 35'10 | 5 | + 3'072 | + 0. 0. 48'03 | 34'20 | 3 | — 5'602 | ... | ... | 24 |
| 2887 | 2902 | Lacaille 2669 | 6'7 | 7. 5. 7'63 | 38'20 | 3 | + 1'090 | — 57. 4. 10'15 | 38'20 | 3 | — 5'622 | ... | 2669 | ... |
| 2888 | 2903 | Piazzi VII. 27 | 7 | 7. 5. 21'75 | 35'11 | 3 | + 2'823 | — 10. 58. 42'43 | 34'43 | 4 | — 5'643 | ... | ... | 27 |
| 2889 | 2904 | 26 Canis Majoris | 6 | 7. 5. 27'33 | 32'18 | 6 | + 2'456 | — 25. 40. 16'92 | 31'22 | 3 | — 5'651 | 1053 | 2656 | 31 |
| 2890 | 2905 | Piazzi VII. 20 | 9 | 7. 5. 28'73 | 36'62 | 4 | + 5'293 | + 59. 59. 2'00 | 36'59 | 4 | — 5'654 | ... | ... | 20 |
| 2891 | 2906 | 46 Camelopardi | 6'7 | 7. 5. 31'71 | 34'34 | 4 | + 5'253 | + 59. 32. 26'06 | 34'36 | 4 | — 5'658 | 1043 | ... | 22 |
| 2892 | 2907 | Piazzi VII. 26 | 9 | 7. 5. 36'84 | 36'55 | 4 | + 3'259 | + 8. 18. 36'57 | 36'51 | 3 | — 5'664 | ... | ... | 26 |
| 2893 | 2908 | 53 Geminorum | 6 | 7. 5. 38'56 | 33'40 | 9 | + 3'759 | + 28. 10. 35'80 | 33'41 | 10 | — 5'667 | 1050 | ... | 25 |
| 2894 | 2909 | Piazzi VII. 29 | 6 | 7. 5. 40'98 | 34'07 | 3 | + 3'148 | + 3. 23. 16'45 | 34'30 | 4 | — 5'671 | ... | ... | 29 |
| 2895 | 2910 | Lacaille 2660 | 6 | 7. 5. 42'38 | 38'21 | 3 | + 2'315 | — 30. 33. 0'42 | 38'20 | 3 | — 5'672 | ... | 2660 | ... |
| 2896 | 2911 | Lacaille 2665 | 6'7 | 7. 5. 46'49 | 38'20 | 3 | + 2'040 | — 38. 50. 1'48 | 38'20 | 3 | — 5'677 | ... | 2665 | ... |
| 2897 | 2912 | Lacaille 2680 | 7'8 | 7. 6. 2'84 | 39'40 | 8 | + 1'164 | — 56. 5. 35'77 | 39'13 | 6 | — 5'701 | ... | 2680 | ... |
| 2898 | 2913 | Brisbane 1501 | 7'8 | 7. 6. 5'46 | 39'39 | 5 | + 1'164 | — 56. 6. 4'47 | 39'19 | 4 | — 5'704 | ... | ... | ... |
| 2899 | 2914 | Piazzi VII. 28 | 8 | 7. 6. 10'85 | 36'67 | 4 | + 4'195 | + 41. 13. 47'48 | 36'64 | 4 | — 5'713 | ... | ... | 28 |
| 2900 | 2915 | Piazzi VII. 34 | 8 | 7. 6. 28'26 | 36'65 | 5 | + 3'293 | + 9. 46. 44'56 | 36'68 | 4 | — 5'736 | ... | ... | 34 |
| 2901 | 2916 | 64 Aurigæ | 5 | 7. 6. 33'03 | 31'56 | 9 | + 4'192 | + 41. 10. 4'97 | 31'61 | 10 | — 5'743 | 1052 | ... | 32 |
| 2902 | 2917 | Lacaille 2668 | 6 | 7. 6. 34'43 | 38'49 | 3 | + 2'132 | — 36. 16. 14'04 | 38'49 | 3 | — 5'744 | ... | 2668 | ... |
| 2903 | 2918 | Brisbane 1503 | 8'9 | 7. 6. 38'12 | 39'16 | 7 | + 1'165 | — 56. 6. 8'71 | 38'38 | 4 | — 5'751 | ... | ... | ... |
| 2904 | 2919 | Piazzi VII. 37 | 6'7 | 7. 6. 42'45 | 35'13 | 3 | + 3'258 | + 8. 15. 29'73 | 34'45 | 4 | — 5'756 | ... | ... | 37 |
| 2905 | 2920 | Puppis | 6'7 | 7. 6. 48'01 | 35'19 | 3 | + 1'989 | — 40. 13. 28'26 | 34'81 | 3 | — 5'764 | ... | 2672 | 41 |
| 2906 | 2921 | Piazzi VII. 35 | 6'7 | 7. 6. 49'66 | 35'18 | 3 | + 3'724 | + 26. 58. 44'46 | 34'44 | 4 | — 5'768 | ... | ... | 35 |
| 2907 | 2923 | Brisbane 1505 | 7'8 | 7. 6. 52'87 | 38'05 | 3 | + 0'826 | — 60. 18. 32'91 | 38'05 | 3 | — 5'772 | ... | ... | ... |
| 2908 | 2922 | 24 Monocerotis | 6'7 | 7. 6. 52'96 | 34'39 | 4 | + 3'072 | + 0. 7. 7'85 | 34'39 | 4 | — 5'772 | 1055 | ... | 38 |
| 2909 | 2924 | Piazzi VII. 30 | 8'9 | 7. 7. 2'92 | 36'82 | 3 | + 5'403 | + 61. 13. 19'89 | 36'47 | 3 | — 5'785 | ... | ... | 30 |
| 2910 | 2925 | Lacaille 2685 | 6'7 | 7. 7. 3'93 | 38'07 | 3 | + 1'222 | — 55. 18. 56'49 | 38'07 | 3 | — 5'786 | ... | 2685 | ... |
| 2911 | 2926 | Lacaille 2692 | 6'7 | 7. 7. 7'47 | 38'05 | 3 | + 0'845 | — 60. 6. 46'84 | 38'05 | 3 | — 5'790 | ... | 2692 | ... |
| 2912 | 2927 | Piazzi VII. 39 | 7 | 7. 7. 16'47 | 32'22 | 6 | + 3'449 | + 16. 25. 47'08 | 32'57 | 7 | — 5'803 | ... | ... | 39 |
| 2913 | 2928 | Piazzi VII. 33 | Var. | 7. 7. 20'03 | 36'43 | 4 | + 5'345 | + 60. 37. 21'40 | 36'40 | 4 | — 5'809 | ... | ... | 33 |
| 2914 | 2929 | Lacaille 2676 | 6'7 | 7. 7. 26'51 | 35'16 | 3 | + 2'309 | — 30. 48. 17'33 | 34'58 | 5 | — 5'811 | ... | 2676 | 44 |
| 2915 | 2930 | 27 Canis Majoris | 4'5 | 7. 7. 31'80 | 31'55 | 15 | + 2'446 | — 26. 4. 21'62 | 31'62 | 10 | — 5'825 | 1059 | 2674 | 45 |
| 2916 | 2931 | Piazzi VII. 40 | 9 | 7. 7. 32'89 | 36'29 | 5 | + 3'289 | + 9. 37. 15'54 | 36'49 | 5 | — 5'826 | ... | ... | 40 |
| 2917 | 2932 | Piazzi VII. 42 | 7'8 | 7. 7. 40'73 | 34'41 | 4 | + 3'453 | + 16. 34. 42'21 | 34'33 | 4 | — 5'838 | ... | ... | 42 |
| 2918 | 2933 | Piazzi VII. 36 | 6'7 | 7. 7. 47'64 | 34'04 | 3 | + 5'305 | + 60. 11. 45'89 | 34'29 | 4 | — 5'847 | ... | ... | 36 |
| 2919 | 2934 | Puppis | 5 | 7. 7. 51'50 | 32'71 | 13 | + 1'725 | — 46. 29. 14'17 | 32'65 | 13 | — 5'852 | ... | 2687 | ... |
| 2920 | 2935 | Piazzi VII. 46 | 6'7 | 7. 7. 54'72 | 34'41 | 4 | + 2'840 | — 10. 18. 0'87 | 34'36 | 4 | — 5'857 | ... | ... | 46 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 2921 | 2936 | 28 Canis Majoris | 6 | h m s 7. 8. 6.96 | 32.24 | 4 | + 2.435 | — 26. 29. 26.98 | 31.65 | 10 | — 5.873 | 1060 | 2681 | 51 |
| 2922 | 2937 | Brisbane 1518 | 7 | 7. 8. 14.91 | 38.11 | 3 | + 2.323 | — 30. 22. 30.37 | 38.10 | 3 | — 5.885 | ... | ... | ... |
| 2923 | 2938 | Puppis L ¹ | 5 | 7. 8. 17.26 | 32.50 | 10 | + 1.798 | — 44. 53. 58.44 | 31.60 | 10 | — 5.888 | ... | 2690 | 54 |
| 2924 | 2939 | Puppis L ² | 6 | 7. 8. 29.82 | 34.11 | 3 | + 1.822 | — 44. 22. 28.39 | 34.33 | 4 | — 5.906 | ... | 2691 | 55 |
| 2925 | 2940 | Brisbane 1519 | 7 | 7. 8. 30.23 | 38.19 | 4 | + 2.003 | — 39. 54. 50.96 | 38.18 | 4 | — 5.906 | ... | ... | ... |
| 2926 | 2941 | 54 Geminorum.....λ | 4.5 | 7. 8. 36.42 | 35.32 | 30 | + 3.459 | + 16. 49. 52.80 | 32.64 | 23 | — 5.914 | 1058 | ... | 50 |
| 2927 | 2942 | Piazzi VII. 52 | 6.7 | 7. 8. 37.00 | 34.12 | 3 | + 3.288 | + 9. 35. 9.23 | 34.33 | 4 | — 5.915 | ... | ... | 52 |
| 2928 | 2943 | Piazzi VII. 43 | 8 | 7. 8. 57.85 | 36.12 | 3 | + 3.291 | + 9. 44. 59.85 | 36.36 | 4 | — 5.945 | ... | ... | 43 |
| 2929 | 2944 | Bradley 1054..... | 7.8 | 7. 9. 21.89 | 35.87 | 7 | + 4.935 | + 55. 35. 5.97 | 34.64 | 4 | — 5.981 | 1054 | ... | 47 |
| 2930 | 2945 | Piazzi VII. 49 | 8.9 | 7. 9. 23.88 | 36.38 | 4 | + 4.938 | + 55. 38. 28.89 | 36.36 | 4 | — 5.982 | ... | ... | 49 |
| 2931 | 2955 | O.P.D. — 61°.781..... | 10 | 7. 9. 24.94 | 39.10 | 3 | + 0.714 | — 61. 33. 9.06 | 40.61 | 4 | — 5.983 | ... | ... | ... |
| 2932 | 2946 | Piazzi VII. 56 | 7 | 7. 9. 28.90 | 35.21 | 2 | + 2.929 | — 6. 23. 27.08 | 34.45 | 4 | — 5.989 | ... | ... | 56 |
| 2933 | 2947 | Lacaille 2700 | 6 | 7. 9. 34.39 | 34.09 | 3 | + 1.957 | — 41. 8. 31.02 | 34.30 | 4 | — 5.995 | ... | 2700 | 58 |
| 2934 | 2948 | 20 Lynx 7 | 7 | 7. 9. 36.03 | 35.15 | 3 | + 4.617 | + 50. 26. 53.87 | 34.36 | 5 | — 5.998 | 1057 | ... | 53 |
| 2935 | 2949 | Brisbane 1525 | 8 | 7. 9. 42.72 | 38.20 | 3 | + 0.901 | — 59. 33. 34.55 | 38.20 | 3 | — 6.008 | ... | ... | ... |
| 2936 | 2950 | Lacaille 2715..... | 6.7 | 7. 9. 57.16 | 38.08 | 3 | + 1.356 | — 53. 23. 6.96 | 38.08 | 3 | — 6.028 | ... | 2715 | ... |
| 2937 | 2951 | Lacaille 2697..... | 6 | 7. 9. 58.36 | 32.20 | 7 | + 2.405 | — 27. 35. 41.30 | 32.21 | 5 | — 6.029 | ... | 2697 | 59 |
| 2938 | 2952 | Lacaille 2710..... | 5.6 | 7. 10. 2.04 | 38.15 | 4 | + 1.725 | — 46. 33. 51.03 | 38.15 | 4 | — 6.035 | ... | 2710 | ... |
| 2939 | 2953 | Volantis γ | 5 | 7. 10. 7.10 | 34.32 | 10 | — 0.475 | — 70. 13. 42.21 | 31.79 | 8 | — 6.041 | ... | 2746 | ... |
| 2940 | 2954 | 55 Geminorum δ | 3.4 | 7. 10. 15.81 | 33.29 | 23 | + 3.594 | + 22. 16. 44.42 | 32.36 | 23 | — 6.054 | 1062 | ... | 57 |
| 2941 | 2956 | Brisbane 1532..... | 7.8 | 7. 10. 24.34 | 38.20 | 3 | + 0.763 | — 61. 5. 56.67 | 38.19 | 3 | — 6.066 | ... | ... | ... |
| 2942 | 2957 | Piazzi VII. 63..... | 6.7 | 7. 10. 44.98 | 35.14 | 3 | + 3.139 | + 3. 2. 12.75 | 34.43 | 4 | — 6.094 | ... | ... | 63 |
| 2943 | 2958 | Lacaille 2713..... | 6.7 | 7. 10. 49.60 | 35.18 | 3 | + 2.076 | — 38. 1. 44.52 | 34.43 | 4 | — 6.102 | ... | 2713 | 65 |
| 2944 | 2959 | Piazzi VII. 64 | 6.7 | 7. 10. 53.19 | 34.07 | 3 | + 3.239 | + 7. 26. 32.61 | 34.36 | 4 | — 6.106 | ... | ... | 64 |
| 2945 | 2960 | Lacaille 2714 | 6.7 | 7. 10. 56.94 | 34.08 | 3 | + 2.136 | — 36. 18. 6.22 | 34.38 | 4 | — 6.111 | ... | 2714 | 66 |
| 2946 | 2961 | 65 Auriga | 5 | 7. 11. 0.55 | 31.67 | 11 | + 4.034 | + 37. 3. 46.21 | 31.62 | 10 | — 6.115 | 1063 | ... | 60 |
| 2947 | 2962 | Argus π | 3.4 | 7. 11. 19.07 | 32.32 | 12 | + 2.120 | — 36. 48. 20.12 | 31.64 | 10 | — 6.141 | ... | 2720 | 68 |
| 2948 | 2963 | Clould 9278..... | 7.8 | 7. 11. 24.23 | 39.91 | 5 | + 1.543 | — 50. 12. 35.02 | 39.91 | 5 | — 6.149 | ... | ... | ... |
| 2949 | 2964 | Lacaille 2732..... | 7 | 7. 11. 30.32 | 38.16 | 3 | + 1.732 | — 46. 29. 4.97 | 38.16 | 3 | — 6.157 | ... | 2732 | ... |
| 2950 | 2965 | Piazzi VII. 61 | 7 | 7. 11. 35.80 | 36.69 | 12 | + 5.023 | + 56. 52. 47.83 | 36.13 | 8 | — 6.164 | ... | ... | 61 |
| 2951 | 2966 | Piazzi VII. 62 | 7.8 | 7. 11. 43.52 | 37.97 | 9 | + 5.020 | + 56. 51. 11.86 | 38.06 | 8 | — 6.174 | ... | ... | 62 |
| 2952 | 2967 | Lacaille 2727 | 7 | 7. 11. 47.73 | 38.35 | 4 | + 2.052 | — 38. 43. 53.12 | 38.35 | 4 | — 6.181 | ... | 2727 | ... |
| 2953 | 2968 | Lacaille 2728..... | 7 | 7. 11. 47.95 | 38.35 | 4 | + 2.056 | — 38. 37. 19.09 | 38.35 | 4 | — 6.181 | ... | 2728 | ... |
| 2954 | 2969 | 29 Canis Majoris..... | 6 | 7. 11. 48.33 | 32.24 | 6 | + 2.499 | — 24. 15. 45.92 | 31.70 | 10 | — 6.182 | 1067 | 2718 | 71 |
| 2955 | 2970 | 30 Canis Majoris..... | 6 | 7. 11. 52.19 | 33.06 | 5 | + 2.488 | — 24. 39. 30.12 | 31.23 | 5 | — 6.187 | 1069 | 2721 | 72 |
| 2956 | 2971 | Lacaille 2729 | 7 | 7. 12. 10.56 | 38.08 | 3 | + 2.323 | — 30. 30. 8.42 | 38.08 | 2 | — 6.211 | ... | 2729 | ... |
| 2957 | 2972 | 56 Geminorum..... | 5.6 | 7. 12. 12.34 | 32.20 | 7 | + 3.554 | + 20. 44. 52.22 | 32.55 | 7 | — 6.215 | 1065 | ... | 69 |
| 2958 | 2973 | Lacaille 2750..... | 7 | 7. 12. 14.98 | 38.17 | 3 | + 0.799 | — 60. 46. 53.99 | 38.18 | 2 | — 6.219 | ... | 2750 | ... |
| 2959 | 2974 | Lacaille 2726..... | 8 | 7. 12. 22.03 | 36.06 | 2 | + 2.488 | — 24. 39. 27.90 | 36.13 | 3 | — 6.228 | ... | 2726 | 73 |
| 2960 | 2975 | Lacaille 2733..... | 6 | 7. 12. 26.56 | 35.18 | 3 | + 2.134 | — 36. 26. 14.85 | 34.55 | 5 | — 6.235 | ... | 2733 | 74 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{lxxvii}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 2961 | 2976 | Lacaille 2744 | 7 | h m s 7. 12. 30.74 | 38.32 | 4 | + 1.339 | — 53. 45. 0.41 | 38.05 | 3 | — 6.240 | ... | 2744 | ... |
| 2962 | 2977 | Lacaille 2748 | 7.8 | 7. 12. 38.29 | 38.32 | 4 | + 1.328 | — 53. 56. 5.32 | 38.05 | 3 | — 6.251 | ... | 2748 | ... |
| 2963 | 2978 | 66 Aurigæ | 5.6 | 7. 12. 42.07 | 34.04 | 3 | + 4.176 | + 40. 58. 53.90 | 34.38 | 4 | — 6.256 | 1064 | ... | 70 |
| 2964 | 2979 | Lacaille 2752 | 7 | 7. 12. 42.91 | 38.16 | 3 | + 1.019 | — 58. 15. 5.46 | 38.16 | 3 | — 6.257 | ... | 2752 | ... |
| 2965 | 2981 | Lacaille 2740 | 7 | 7. 12. 45.79 | 39.35 | 8 | + 1.723 | — 46. 42. 35.46 | 39.35 | 8 | — 6.261 | ... | 2740 | ... |
| 2966 | 2980 | Lacaille 2736 | 6 | 7. 12. 46.35 | 35.18 | 3 | + 2.134 | — 36. 26. 42.28 | 34.40 | 4 | — 6.261 | ... | 2736 | 78 |
| 2967 | 2982 | Puppis | 6.7 | 7. 12. 55.80 | 35.21 | 2 | + 2.047 | — 38. 54. 45.38 | 34.43 | 4 | — 6.276 | ... | 2739 | 80 |
| 2968 | 2983 | Brisbane 1555 | 7.8 | 7. 12. 56.52 | 38.16 | 3 | + 0.998 | — 58. 30. 48.28 | 38.16 | 3 | — 6.276 | ... | ... | ... |
| 2969 | 2984 | Puppis | 7 | 7. 12. 58.01 | 36.39 | 3 | + 1.859 | — 43. 41. 20.11 | 36.38 | 4 | — 6.278 | ... | 2742 | 82 |
| 2970 | 2985 | Lacaille 2738 | 6.7 | 7. 13. 5.25 | 38.05 | 3 | + 2.234 | — 33. 25. 37.24 | 38.05 | 3 | — 6.288 | ... | 2738 | ... |
| 2971 | 2986 | Brisbane 1556 | 7 | 7. 13. 24.02 | 38.20 | 3 | + 2.090 | — 37. 44. 22.52 | 38.20 | 3 | — 6.315 | ... | ... | ... |
| 2972 | 2987 | 57 Geminorum | 6 | 7. 13. 24.59 | 32.41 | 5 | + 3.674 | + 25. 21. 37.70 | 32.14 | 5 | — 6.316 | 1068 | ... | 75 |
| 2973 | 2988 | Piazzi VII. 77 | 6.7 | 7. 13. 29.09 | 34.63 | 6 | + 3.499 | + 18. 35. 0.23 | 34.35 | 4 | — 6.322 | ... | ... | 77 |
| 2974 | 2989 | 58 Geminorum | 7 | 7. 13. 32.92 | 32.93 | 10 | + 3.617 | + 23. 15. 19.57 | 33.69 | 10 | — 6.326 | 1070 | ... | 76 |
| 2975 | 2990 | Piazzi VII. 81 | 6 | 7. 13. 35.46 | 34.40 | 4 | + 3.083 | + 0. 28. 59.08 | 34.30 | 4 | — 6.329 | ... | ... | 81 |
| 2976 | 2991 | Piazzi VII. 67 | 6 | 7. 13. 37.92 | 35.16 | 3 | + 6.342 | + 68. 47. 24.32 | 34.41 | 4 | — 6.334 | ... | ... | 67 |
| 2977 | 2992 | Brisbane 1560 | 9 | 7. 13. 52.26 | 39.55 | 7 | + 0.854 | — 60. 13. 55.53 | 39.46 | 6 | — 6.354 | ... | ... | ... |
| 2978 | 2993 | Lacaille 2756 | 7.8 | 7. 14. 1.87 | 38.32 | 4 | + 1.520 | — 50. 44. 38.91 | 38.33 | 4 | — 6.367 | ... | 2756 | ... |
| 2979 | 2994 | Lacaille 2754 | 7 | 7. 14. 2.45 | 38.49 | 3 | + 1.804 | — 45. 0. 5.11 | 38.43 | 4 | — 6.367 | ... | 2754 | ... |
| 2980 | 2995 | Piazzi VII. 85 | 6.7 | 7. 14. 7.11 | 34.38 | 4 | + 2.879 | — 8. 40. 21.60 | 34.32 | 4 | — 6.373 | ... | ... | 85 |
| 2981 | 2996 | 21 Lynx | 5.6 | 7. 14. 14.66 | 34.40 | 4 | + 4.558 | + 49. 31. 45.96 | 34.31 | 4 | — 6.385 | 1066 | ... | 79 |
| 2982 | 2997 | 59 Geminorum | 6.7 | 7. 14. 16.95 | 35.81 | 13 | + 3.744 | + 27. 56. 56.61 | 35.09 | 19 | — 6.388 | 1071 | ... | 83 |
| 2983 | 2998 | Lacaille 2749 | 6 | 7. 14. 17.90 | 32.21 | 6 | + 2.465 | — 25. 35. 14.56 | 32.24 | 5 | — 6.389 | ... | 2749 | 88 |
| 2984 | 2999 | Piazzi VII. 86 | 6 | 7. 14. 19.65 | 35.16 | 2 | + 2.946 | — 5. 40. 26.42 | 34.83 | 3 | — 6.392 | ... | ... | 86 |
| 2985 | 3000 | Lacaille 2757 | 7 | 7. 14. 28.00 | 38.50 | 3 | + 1.763 | — 45. 55. 54.98 | 38.50 | 3 | — 6.403 | ... | 2757 | ... |
| 2986 | 3001 | Piazzi VII. 84 | 8.9 | 7. 14. 30.20 | 36.62 | 2 | + 3.616 | + 23. 14. 32.84 | 36.62 | 2 | — 6.406 | ... | ... | 84 |
| 2987 | 3002 | Lacaille 2753 | 7 | 7. 14. 35.23 | 38.46 | 3 | + 2.275 | — 32. 10. 15.48 | 38.46 | 3 | — 6.412 | ... | 2753 | ... |
| 2988 | 3003 | Lacaille 2761 | 8 | 7. 14. 44.25 | 38.35 | 4 | + 1.718 | — 46. 55. 7.87 | 38.35 | 4 | — 6.425 | ... | 2761 | ... |
| 2989 | 3004 | Lacaille 2764 | 7 | 7. 14. 56.95 | 38.51 | 3 | + 1.580 | — 49. 40. 49.17 | 38.51 | 3 | — 6.443 | ... | 2764 | ... |
| 2990 | 3005 | Brisbane 1566 | 7.8 | 7. 15. 1.12 | 38.51 | 3 | + 0.967 | — 58. 57. 49.99 | 38.51 | 3 | — 6.448 | ... | ... | ... |
| 2991 | 3006 | Piazzi VII. 87 | 6.7 | 7. 15. 15.71 | 34.36 | 4 | + 4.277 | + 43. 34. 37.61 | 34.35 | 4 | — 6.469 | ... | ... | 87 |
| 2992 | 3007 | 60 Geminorum | 4 | 7. 15. 28.26 | 32.75 | 18 | + 3.748 | + 28. 7. 5.70 | 32.56 | 28 | — 6.486 | 1072 | ... | 90 |
| 2993 | 3008 | Piazzi VII. 89 | 7.8 | 7. 15. 30.05 | 36.38 | 3 | + 3.869 | + 32. 12. 49.39 | 36.36 | 4 | — 6.489 | ... | ... | 89 |
| 2994 | 3009 | 1 Canis Minoris | 6 | 7. 15. 47.89 | 33.98 | 6 | + 3.334 | + 11. 59. 8.78 | 33.98 | 4 | — 6.513 | 1074 | ... | 91 |
| 2995 | 3010 | Lacaille 2763 | 7 | 7. 15. 53.36 | 39.66 | 6 | + 2.273 | — 32. 16. 35.87 | 39.67 | 6 | — 6.521 | ... | 2763 | ... |
| 2996 | 3011 | Piazzi VII. 93 | 8 | 7. 15. 53.54 | 37.03 | 1 | + 2.290 | — 31. 44. ... | ... | ... | — 6.521 | ... | ... | 93 |
| 2997 | 3012 | Brisbane 1571 | 7 | 7. 15. 54.88 | 38.52 | 3 | + 1.438 | — 52. 15. 34.72 | 38.52 | 3 | — 6.523 | ... | ... | ... |
| 2998 | 3013 | Lacaille 2778 | 6.7 | 7. 16. 1.57 | 38.53 | 3 | + 1.221 | — 55. 40. 1.50 | 38.22 | 2 | — 6.531 | ... | 2778 | ... |
| 2999 | 3014 | Brisbane 1567 | 7.8 | 7. 16. 16.94 | 39.62 | 8 | + 2.062 | — 38. 37. 37.62 | 39.54 | 7 | — 6.554 | ... | ... | ... |
| 3000 | 3015 | Lacaille 2766 | 6 | 7. 16. 18.07 | 35.61 | 6 | + 2.291 | — 31. 44. 2.51 | 35.40 | 8 | — 6.555 | ... | 2766 | 96 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 3001 | 3016 | Lacaille 2772 | 7 | 7. 16. 18.80 | 38.40 | 4 | + 1.659 | - 48. 12. 20.72 | 38.17 | 3 | - 6.556 | ... | 2772 | ... |
| 3002 | 3017 | Lacaille 2789 | 7 | 7. 16. 22.27 | 39.67 | 6 | + 1.069 | - 57. 44. 56.39 | 39.58 | 7 | - 6.560 | ... | 2789 | ... |
| 3003 | 3018 | Lacaille 2779 | 7.8 | 7. 16. 22.78 | 39.06 | 13 | + 1.455 | - 52. 0. 36.11 | 39.20 | 11 | - 6.561 | ... | 2779 | ... |
| 3004 | 3019 | Gould 9422 | 8 | 7. 16. 22.95 | 39.67 | 4 | + 1.455 | - 52. 0. 26.19 | 39.03 | 7 | - 6.562 | ... | ... | ... |
| 3005 | 3020 | Piazzi VII. 92 | 7 | 7. 16. 32.68 | 35.14 | 3 | + 4.501 | + 48. 30. 36.71 | 34.43 | 4 | - 6.576 | ... | ... | 92 |
| 3006 | 3021 | Brisbane 1573 | 8 | 7. 16. 36.38 | 39.12 | 6 | + 2.065 | - 38. 33. 46.64 | 39.12 | 6 | - 6.580 | ... | ... | ... |
| 3007 | 3022 | 2 Canis Minoris | 6 | 7. 16. 37.57 | 32.23 | 5 | + 3.286 | + 9. 35. 42.64 | 32.18 | 5 | - 6.583 | 1075 | ... | 94 |
| 3008 | 3023 | Lacaille 2785 | 6.7 | 7. 16. 38.92 | 40.15 | 5 | + 1.462 | - 51. 53. 22.68 | 39.83 | 6 | - 6.584 | ... | 2785 | ... |
| 3009 | 3024 | Puppis | 6.7 | 7. 16. 42.28 | 34.38 | 4 | + 2.295 | - 31. 36. 36.44 | 34.39 | 4 | - 6.588 | ... | 2769 | 99 |
| 3010 | 3025 | Lacaille 2781 | 6.7 | 7. 16. 49.01 | 38.17 | 3 | + 1.659 | - 48. 13. 2.81 | 38.17 | 3 | - 6.598 | ... | 2781 | ... |
| 3011 | 3026 | Brisbane 1582 | 7.8 | 7. 16. 49.68 | 38.48 | 3 | + 1.659 | - 48. 13. 25.52 | 38.48 | 3 | - 6.600 | ... | ... | ... |
| 3012 | 3027 | Volantis | 5 | 7. 16. 53.29 | 31.25 | 5 | + 0.001 | - 67. 39. 16.30 | 31.59 | 10 | - 6.604 | ... | 2809 | ... |
| 3013 | 3028 | Piazzi VII. 97 | 6.7 | 7. 17. 5.03 | 34.43 | 3 | + 3.579 | + 21. 51. 30.98 | 34.39 | 4 | - 6.620 | ... | ... | 97 |
| 3014 | 3029 | Lacaille 2798 | 6.7 | 7. 17. 6.10 | 38.51 | 3 | + 1.202 | - 55. 59. 15.63 | 38.51 | 3 | - 6.621 | ... | 2798 | ... |
| 3015 | 3030 | 61 Geminorum | 6.7 | 7. 17. 12.52 | 35.18 | 2 | + 3.546 | + 20. 34. 48.66 | 34.43 | 4 | - 6.630 | 1076 | ... | 98 |
| 3016 | 3031 | Piazzi VII. 100 | 6 | 7. 17. 12.97 | 35.21 | 2 | + 2.713 | - 15. 52. 57.99 | 34.41 | 4 | - 6.630 | ... | ... | 100 |
| 3017 | 3032 | Lacaille 2773 | 6 | 7. 17. 14.77 | 34.45 | 4 | + 2.287 | - 30. 53. 11.80 | 34.33 | 4 | - 6.633 | ... | 2773 | 102 |
| 3018 | 3033 | Lacaille 2771 | 7 | 7. 17. 15.13 | 38.38 | 4 | + 2.340 | - 30. 8. 4.23 | 38.46 | 3 | - 6.633 | ... | 2771 | ... |
| 3019 | 3034 | Lacaille 2804 | 7.8 | 7. 17. 20.28 | 38.52 | 3 | + 0.811 | - 60. 50. 13.60 | 38.52 | 3 | - 6.641 | ... | 2804 | ... |
| 3020 | 3035 | Piazzi VII. 103 | 7 | 7. 17. 21.17 | 35.22 | 2 | + 2.374 | - 28. 58. 24.55 | 34.41 | 4 | - 6.642 | ... | ... | 103 |
| 3021 | 3036 | 22 Lynx | 6 | 7. 17. 22.77 | 34.33 | 4 | + 4.575 | + 50. 0. 16.03 | 34.36 | 4 | - 6.645 | 1073 | ... | 95 |
| 3022 | 3037 | Lacaille 2774 | 6.7 | 7. 17. 27.81 | 38.13 | 3 | + 2.347 | - 29. 54. 2.52 | 38.13 | 3 | - 6.651 | ... | 2774 | ... |
| 3023 | 3038 | Brisbane 1594 | 7 | 7. 17. 32.08 | 39.73 | 7 | + 2.059 | - 38. 46. 32.92 | 39.86 | 3 | - 6.658 | ... | ... | ... |
| 3024 | 3039 | 31 Canis Majoris | 7 | 7. 17. 34.25 | 32.05 | 16 | + 2.375 | - 28. 59. 9.54 | 31.42 | 18 | - 6.660 | 1081 | 2777 | 104 |
| 3025 | 3040 | Lacaille 2806 | 7 | 7. 17. 51.51 | 38.40 | 3 | + 1.025 | - 58. 21. 44.26 | 38.40 | 3 | - 6.684 | ... | 2806 | ... |
| 3026 | 3041 | 63 Geminorum | 6 | 7. 17. 56.35 | 32.66 | 10 | + 3.576 | + 21. 46. 32.61 | 33.11 | 5 | - 6.691 | 1077 | ... | 101 |
| 3027 | 3042 | 3 Canis Minoris | 3 | 7. 18. 12.01 | 33.92 | 40 | + 3.263 | + 8. 36. 55.00 | 32.67 | 47 | - 6.712 | 1079 | ... | 106 |
| 3028 | 3043 | Lacaille 2796 | 7 | 7. 18. 14.42 | 39.56 | 7 | + 2.044 | - 39. 13. 9.79 | 39.56 | 7 | - 6.715 | ... | 2796 | ... |
| 3029 | 3044 | Lacaille 2793 | 6 | 7. 18. 24.74 | 35.16 | 4 | + 2.301 | - 31. 29. 20.37 | 34.32 | 4 | - 6.730 | ... | 2793 | 108 |
| 3030 | 3045 | 62 Geminorum | 5 | 7. 18. 29.34 | 32.42 | 10 | + 3.862 | + 32. 6. 16.18 | 31.50 | 8 | - 6.736 | 1078 | ... | 105 |
| 3031 | 3046 | 64 Geminorum | 5.6 | 7. 19. 3.07 | 32.80 | 6 | + 3.754 | + 28. 27. 2.58 | 31.22 | 7 | - 6.782 | 1080 | ... | 107 |
| 3032 | 3047 | 5 Canis Minoris | 6 | 7. 19. 9.49 | 33.08 | 6 | + 3.232 | + 7. 16. 18.65 | 33.23 | 5 | - 6.790 | 1084 | ... | 110 |
| 3033 | 3048 | 4 Canis Minoris | 5.6 | 7. 19. 10.67 | 32.22 | 6 | + 3.277 | + 9. 15. 10.57 | 31.99 | 5 | - 6.793 | 1083 | ... | 109 |
| 3034 | 3049 | Lacaille 2802 | 6.7 | 7. 19. 23.03 | 35.09 | 2 | + 2.304 | - 31. 24. 53.01 | 34.42 | 4 | - 6.810 | ... | 2802 | 113 |
| 3035 | 3050 | Brisbane 1603 | 8 | 7. 19. 29.17 | 38.46 | 3 | + 0.738 | - 61. 40. 39.81 | 38.46 | 3 | - 6.818 | ... | ... | ... |
| 3036 | 3051 | Lacaille 2812 | 7 | 7. 19. 31.53 | 38.21 | 3 | + 1.258 | - 55. 15. 48.04 | 38.21 | 3 | - 6.820 | ... | 2812 | ... |
| 3037 | 3052 | 65 Geminorum | 5.6 | 7. 19. 32.55 | 33.11 | 5 | + 3.748 | + 28. 14. 56.27 | 33.31 | 8 | - 6.822 | 1082 | ... | 111 |
| 3038 | 3053 | Lacaille 2811 | 7 | 7. 19. 33.70 | 39.46 | 8 | + 1.392 | - 53. 11. 21.22 | 39.46 | 8 | - 6.824 | ... | 2811 | ... |
| 3039 | 3054 | Lacaille 2818 | 7.8 | 7. 19. 41.26 | 38.39 | 4 | + 0.744 | - 61. 38. 9.39 | 38.15 | 3 | - 6.834 | ... | 2818 | ... |
| 3040 | 3055 | Lacaille 2816 | 7 | 7. 19. 55.29 | 39.37 | 7 | + 1.383 | - 53. 21. 1.03 | 39.44 | 8 | - 6.853 | ... | 2816 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 3041 | 3056 | Brisbane 1606 | 9 | 7. 20. 3.57 | 38.40 | 3 | + 1.014 | - 58. 35. 41.14 | 38.40 | 3 | - 6.864 | ... | ... | ... |
| 3042 | 3057 | Piazzi VII. 116 | 6 | 7. 20. 6.28 | 37.36 | 8 | + 2.823 | - 11. 13. 39.68 | 37.33 | 8 | - 6.868 | ... | ... | 116 |
| 3043 | 3058 | Piazzi VII. 114 | 6 | 7. 20. 23.34 | 34.11 | 2 | + 3.747 | + 28. 14. ... | ... | ... | - 6.892 | ... | ... | 114 |
| 3044 | 3059 | Lacaille 2810 | 6.7 | 7. 20. 35.01 | 35.14 | 3 | + 2.231 | - 33. 48. 46.86 | 34.42 | 4 | - 6.908 | ... | 2810 | 119 |
| 3045 | 3060 | Piazzi VII. 112 | 8 | 7. 20. 36.30 | 36.41 | 3 | + 4.413 | + 46. 52. 31.09 | 36.35 | 4 | - 6.909 | ... | ... | 112 |
| 3046 | 3061 | 6 Canis Minoris | 5.6 | 7. 20. 36.60 | 32.16 | 6 | + 3.346 | + 12. 20. 27.35 | 32.24 | 5 | - 6.910 | 1085 | ... | 117 |
| 3047 | 3062 | Piazzi VII. 121 | 7 | 7. 21. 7.44 | 34.34 | 4 | + 2.240 | - 33. 33. 32.29 | 34.32 | 4 | - 6.951 | ... | ... | 121 |
| 3048 | 3063 | Piazzi VII. 115 | 6.7 | 7. 21. 8.59 | 35.13 | 3 | + 4.657 | + 51. 39. 27.26 | 34.43 | 4 | - 6.954 | ... | ... | 115 |
| 3049 | 3064 | Lacaille 2831 | 7 | 7. 21. 10.03 | 38.50 | 3 | + 0.718 | - 61. 57. 5.31 | 38.50 | 3 | - 6.956 | ... | 2831 | ... |
| 3050 | 3065 | Piazzi VII. 118 | 8.9 | 7. 21. 10.67 | 36.37 | 4 | + 3.738 | + 27. 57. 36.12 | 36.32 | 5 | - 6.957 | ... | ... | 118 |
| 3051 | 3066 | Lacaille 2822 | 8 | 7. 21. 14.51 | 38.09 | 3 | + 1.421 | - 52. 47. 24.13 | 38.09 | 3 | - 6.961 | ... | 2822 | ... |
| 3052 | 3067 | Lacaille 2827 | 7 | 7. 21. 18.66 | 38.21 | 3 | + 1.052 | - 58. 10. 27.32 | 38.21 | 3 | - 6.968 | ... | 2827 | ... |
| 3053 | 3068 | Piazzi VII. 120 | 6.7 | 7. 21. 24.68 | 36.36 | 4 | + 2.913 | - 7. 13. 20.70 | 36.39 | 4 | - 6.976 | ... | ... | 120 |
| 3054 | 3069 | Lacaille 2817 | 6 | 7. 21. 26.36 | 32.81 | 10 | + 2.382 | - 28. 49. 29.42 | 32.25 | 6 | - 6.978 | ... | 2817 | 122 |
| 3055 | 3070 | Brisbane 1617 | 8 | 7. 21. 36.69 | 39.55 | 7 | + 0.855 | - 60. 30. 52.52 | 39.38 | 8 | - 6.991 | ... | ... | ... |
| 3056 | 3071 | Lacaille 2819 | 7 | 7. 22. 7.15 | 36.61 | 4 | + 2.384 | - 28. 47. 0.54 | 34.42 | 4 | - 7.033 | ... | 2819 | 123 |
| 3057 | 3072 | Carinae | 6.7 | 7. 22. 8.16 | 38.07 | 3 | + 1.543 | - 50. 41. 19.97 | 38.07 | 3 | - 7.035 | ... | 2829 | ... |
| 3058 | 3073 | Brisbane 1623 | 8.9 | 7. 22. 21.52 | 39.12 | 3 | + 1.282 | - 55. 2. 0.00 | 39.12 | 3 | - 7.054 | ... | ... | ... |
| 3059 | 3074 | Lacaille 2821 | 6.7 | 7. 22. 31.21 | 34.05 | 3 | + 2.305 | - 31. 30. 47.06 | 34.32 | 4 | - 7.066 | ... | 2821 | 124 |
| 3060 | 3075 | Lacaille 2823 | 6.7 | 7. 22. 42.90 | 35.14 | 4 | + 2.317 | - 31. 7. 13.53 | 34.41 | 4 | - 7.082 | ... | 2823 | 125 |
| 3061 | 3076 | Brisbane 1627 | 7.8 | 7. 23. 11.36 | 38.18 | 3 | + 1.292 | - 54. 54. 43.14 | 38.17 | 3 | - 7.121 | ... | ... | ... |
| 3062 | 3077 | Lacaille 2835 | 7 | 7. 23. 19.81 | 38.12 | 4 | + 1.525 | - 51. 4. 6.18 | 38.12 | 4 | - 7.134 | ... | 2835 | ... |
| 3063 | 3078 | Puppis | 6 | 7. 23. 22.89 | 35.16 | 3 | + 2.079 | - 38. 28. 30.25 | 34.42 | 4 | - 7.138 | ... | 2832 | 130 |
| 3064 | 3079 | 7 Canis Minoris | 6 | 7. 23. 31.61 | 32.19 | 6 | + 3.121 | + 2. 15. 30.63 | 32.14 | 5 | - 7.148 | 1088 | ... | 126 |
| 3065 | 3080 | Argus | 4 | 7. 23. 59.88 | 31.66 | 10 | + 1.909 | - 42. 58. 16.27 | 31.58 | 10 | - 7.188 | ... | 2837 | 135 |
| 3066 | 3081 | 67 Geminorum | 7 | 7. 23. 59.98 | 33.57 | 10 | + 3.430 | + 15. 59. 10.29 | 33.07 | 10 | - 7.188 | 1089 | ... | 129 |
| 3067 | 3082 | 66 Geminorum | 4.5 | 7. 24. 3.46 | 36.39 | 3 | + 3.860 | + 32. 14. 29.19 | 36.39 | 4 | - 7.192 | 1087 | ... | 127 |
| 3068 | 3083 | 66 Geminorum | 3 | 7. 24. 3.66 | 33.07 | 94 | + 3.860 | + 32. 14. 32.56 | 32.86 | 159 | - 7.193 | 1087 | ... | 128 |
| 3069 | 3084 | Brisbane 1633 | 8 | 7. 24. 5.14 | 39.46 | 9 | + 1.285 | - 55. 4. 29.28 | 39.38 | 8 | - 7.195 | ... | ... | ... |
| 3070 | 3085 | 68 Geminorum | 5 | 7. 24. 11.22 | 31.72 | 11 | + 3.434 | + 16. 10. 29.48 | 31.60 | 10 | - 7.203 | 1091 | ... | 131 |
| 3071 | 3086 | Lacaille 2834 | 5.6 | 7. 24. 17.73 | 34.37 | 4 | + 2.334 | - 30. 37. 12.36 | 34.38 | 4 | - 7.213 | ... | 2834 | 137 |
| 3072 | 3087 | Brisbane 1635 | 8 | 7. 24. 20.78 | 38.12 | 3 | + 0.975 | - 59. 14. 39.68 | 38.12 | 3 | - 7.217 | ... | ... | ... |
| 3073 | 3088 | 8 Canis Minoris | 5.6 | 7. 24. 32.58 | 32.23 | 9 | + 3.151 | + 3. 38. 8.65 | 31.22 | 6 | - 7.233 | 1092 | ... | 134 |
| 3074 | 3089 | Bradley 1090 | 7 | 7. 24. 39.12 | 33.11 | 6 | + 3.831 | + 31. 18. 41.00 | 32.19 | 4 | - 7.241 | 1090 | ... | ... |
| 3075 | 3090 | Brisbane 1637 | 8 | 7. 24. 57.71 | 38.14 | 3 | + 2.211 | - 34. 38. 25.92 | 38.14 | 3 | - 7.267 | ... | ... | ... |
| 3076 | 3091 | Piazzi VII. 136 | 8 | 7. 25. 5.25 | 38.87 | 5 | + 3.762 | + 28. 58. 47.58 | 40.34 | 4 | - 7.277 | ... | ... | 136 |
| 3077 | 3092 | Lacaille 2848 | 7 | 7. 25. 11.86 | 38.08 | 3 | + 1.099 | - 57. 44. 4.03 | 38.08 | 3 | - 7.286 | ... | 2848 | ... |
| 3078 | 3093 | 9 Canis Minoris | 6 | 7. 25. 36.32 | 35.37 | 9 | + 3.153 | + 3. 43. 24.07 | 34.10 | 13 | - 7.319 | 1095 | ... | 139 |
| 3079 | 3094 | Brisbane 1639 | 8 | 7. 25. 43.58 | 38.31 | 4 | + 1.542 | - 50. 51. 43.22 | 38.31 | 4 | - 7.330 | ... | ... | ... |
| 3080 | 3095 | 48 Camelopardi | 7 | 7. 25. 44.30 | 35.16 | 3 | + 5.222 | + 59. 55. 32.78 | 34.38 | 5 | - 7.331 | 1086 | ... | 133 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|--------------------------------|------------|------------------------|-------------------------|-------------------|----------------------------------|--------------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 3081 | 3096 | 69 Geminorum..... ^u | 5 | h m s 7. 25. 44'81 | 32'75 | 11 | " + 3'713 | " / " + 27. 15. 20'06 | 31'62 | 10 | " - 7'332 | 1094 | ... | 138 |
| 3082 | 3097 | Brisbane 1641..... | 7'8 | 7. 25. 57'76 | 38'17 | 2 | + 1'297 | - 54. 57. 44'79 | 38'17 | 3 | - 7'349 | ... | ... | ... |
| 3083 | 3098 | Lacaille 2851..... | 6'7 | 7. 25. 59'96 | 38'09 | 3 | + 1'462 | - 52. 18. 34'31 | 38'09 | 3 | - 7'352 | ... | 2851 | ... |
| 3084 | 3099 | Lacaille 2850..... | 6'7 | 7. 26. 9'39 | 38'07 | 3 | + 1'576 | - 50. 15. 52'93 | 38'07 | 3 | - 7'364 | ... | 2850 | ... |
| 3085 | 3100 | Gould 9703..... | 9 | 7. 26. 11'02 | 39'17 | 6 | + 1'601 | - 49. 46. 54'32 | 40'13 | 2 | - 7'367 | ... | ... | ... |
| 3086 | 3101 | Piazzi VII. 141..... | 6'7 | 7. 26. 13'67 | 38'10 | 5 | + 3'152 | + 3. 41. 45'21 | 37'79 | 8 | - 7'371 | ... | ... | 141 |
| 3087 | 3102 | Lacaille 2844..... | 6 | 7. 26. 16'19 | 38'51 | 3 | + 2'509 | - 24. 21. 39'55 | 38'51 | 3 | - 7'374 | ... | 2844 | ... |
| 3088 | 3103 | Piazzi VII. 142..... | 8 | 7. 26. 17'03 | 36'33 | 4 | + 3'195 | + 5. 39. 4'43 | 36'24 | 1 | - 7'376 | ... | ... | 142 |
| 3089 | 3104 | Piazzi VII. 143..... | 7'8 | 7. 26. 18'90 | 36'58 | 4 | + 3'151 | + 3. 37. 45'13 | 36'36 | 4 | - 7'378 | ... | ... | 143 |
| 3090 | 3105 | Brisbane 1644..... | 7 | 7. 26. 36'19 | 38'31 | 4 | + 1'547 | - 50. 48. 39'30 | 38'05 | 3 | - 7'400 | ... | ... | ... |
| 3091 | 3106 | Lacaille 2861..... | 6'7 | 7. 26. 47'84 | 38'13 | 3 | + 1'359 | - 54. 3. 15'68 | 38'13 | 3 | - 7'417 | ... | 2861 | .. |
| 3092 | 3107 | 23 Lynx..... | 7 | 7. 27. 8'47 | 35'13 | 3 | + 5'019 | + 57. 26. 58'64 | 34'43 | 4 | - 7'444 | 1093 | ... | 140 |
| 3093 | 3108 | Piazzi VII. 148..... | 7 | 7. 27. 16'12 | 36'42 | 3 | + 2'406 | - 28. 12. 55'05 | 36'36 | 4 | - 7'454 | ... | ... | 148 |
| 3094 | 3109 | Puppis..... ⁿ¹ | 6 | 7. 27. 20'43 | 32'23 | 6 | + 2'542 | - 23. 7. 12'44 | 32'22 | 5 | - 7'461 | ... | 2849 | 147 |
| 3095 | 3110 | Puppis..... ⁿ² | 6 | 7. 27. 21'17 | 33'11 | 5 | + 2'542 | - 23. 7. 11'91 | 32'24 | 5 | - 7'462 | ... | ... | 149 |
| 3096 | 3111 | Piazzi VII. 144..... | 7 | 7. 27. 23'09 | 32'28 | 8 | + 3'536 | + 20. 31. 17'88 | 32'20 | 5 | - 7'465 | ... | ... | 144 |
| 3097 | 3112 | Brisbane 1652..... | 7 | 7. 27. 38'72 | 38'20 | 3 | + 0'843 | - 60. 54. 2'01 | 38'20 | 3 | - 7'485 | ... | ... | ... |
| 3098 | 3113 | Puppis..... ^g | 6'7 | 7. 27. 40'92 | 34'93 | 4 | + 2'473 | - 25. 45. 36'17 | 34'37 | 4 | - 7'488 | ... | 2854 | 154 |
| 3099 | 3114 | 70 Geminorum..... | 6 | 7. 27. 42'31 | 35'09 | 3 | + 3'954 | + 35. 24. 36'74 | 34'44 | 4 | - 7'490 | 1097 | ... | 145 |
| 3100 | 3115 | Piazzi VII. 150..... | 7 | 7. 27. 47'60 | 36'35 | 5 | + 3'207 | + 6. 13. 14'37 | 36'37 | 4 | - 7'498 | ... | ... | 150 |
| 3101 | 3116 | Lacaille 2860..... | 6 | 7. 27. 53'04 | 35'12 | 3 | + 2'172 | - 35. 59. 1'62 | 34'71 | 4 | - 7'505 | ... | 2860 | 157 |
| 3102 | 3117 | Piazzi VII. 146..... | 6'7 | 7. 27. 53'59 | 34'41 | 4 | + 3'506 | + 19. 16. 59'82 | 34'33 | 4 | - 7'506 | ... | ... | 146 |
| 3103 | 3118 | Lacaille 2865..... | 6'7 | 7. 27. 55'89 | 38'10 | 3 | + 1'926 | - 42. 43. 52'28 | 38'10 | 3 | - 7'509 | ... | 2865 | ... |
| 3104 | 3119 | Piazzi VII. 153..... | 6'7 | 7. 28. 14'64 | 35'17 | 3 | + 3'642 | + 24. 43. 25'69 | 34'48 | 4 | - 7'534 | ... | ... | 153 |
| 3105 | 3120 | Lacaille 2878..... | 7 | 7. 28. 22'27 | 38'08 | 3 | + 1'121 | - 57. 35. 25'33 | 38'08 | 3 | - 7'544 | ... | 2878 | ... |
| 3106 | 3121 | 71 Geminorum..... ^o | 6 | 7. 28. 22'90 | 34'43 | 4 | + 3'938 | + 34. 57. 18'01 | 34'33 | 4 | - 7'546 | 1099 | ... | 152 |
| 3107 | 3122 | Lacaille 2866..... | 6'7 | 7. 28. 32'87 | 38'10 | 3 | + 1'927 | - 42. 45. 27'89 | 38'10 | 3 | - 7'558 | ... | 2866 | ... |
| 3108 | 3123 | Piazzi VII. 158..... | 7'8 | 7. 28. 34'24 | 36'38 | 4 | + 3'197 | + 5. 46. 3'86 | 36'30 | 5 | - 7'559 | ... | ... | 158 |
| 3109 | 3124 | Piazzi VII. 132..... | 7 | 7. 28. 37'40 | 37'13 | 12 | + 10'601 | + 80. 39. 35'53 | 37'36 | 8 | - 7'565 | ... | ... | 132 |
| 3110 | 3125 | Puppis..... ^p | 5'6 | 7. 28. 45'61 | 33'98 | 5 | + 2'413 | - 28. 0. 34'27 | 33'41 | 6 | - 7'575 | ... | 2867 | 163 |
| 3111 | 3126 | Lacaille 2881..... | 7 | 7. 28. 52'89 | 38'21 | 3 | + 1'417 | - 53. 12. 4'79 | 38'21 | 3 | - 7'587 | ... | 2881 | ... |
| 3112 | 3127 | Piazzi VII. 165..... | 8'9 | 7. 28. 55'17 | 36'47 | 3 | + 2'542 | - 23. 11. 19'05 | 36'65 | 2 | - 7'590 | ... | ... | 165 |
| 3113 | 3128 | Lacaille 2871..... | 7 | 7. 28. 58'97 | 38'12 | 3 | + 1'968 | - 41. 42. 56'85 | 38'12 | 3 | - 7'594 | ... | 2871 | ... |
| 3114 | 3129 | Piazzi VII. 156..... | 6'7 | 7. 28. 59'43 | 35'19 | 3 | + 4'471 | + 48. 30. 27'17 | 34'39 | 4 | - 7'594 | ... | ... | 156 |
| 3115 | 3130 | 24 Lynx..... | 7 | 7. 29. 0'29 | 35'11 | 2 | + 5'139 | + 59. 5. 8'16 | 34'57 | 5 | - 7'595 | 1096 | ... | 151 |
| 3116 | 3131 | 25 Monocerotis..... | 6 | 7. 29. 4'57 | 32'13 | 6 | + 2'991 | - 3. 44. 54'00 | 32'14 | 5 | - 7'600 | 1102 | ... | 162 |
| 3117 | 3132 | Lacaille 2880..... | 6'7 | 7. 29. 6'63 | 38'07 | 3 | + 1'585 | - 50. 13. 41'43 | 38'07 | 3 | - 7'604 | ... | 2880 | ... |
| 3118 | 3133 | Piazzi VII. 161..... | 6 | 7. 29. 13'42 | 34'39 | 4 | + 3'638 | + 24. 35. 23'64 | 34'42 | 4 | - 7'612 | ... | ... | 161 |
| 3119 | 3134 | Bradley 1101..... | 7 | 7. 29. 20'22 | 34'83 | 7 | + 3'856 | + 32. 22. 48'41 | 34'44 | 7 | - 7'623 | 1101 | ... | ... |
| 3120 | 3135 | Brisbane 1661..... | 8 | 7. 29. 23'23 | 38'49 | 3 | + 1'318 | - 54. 48. 34'26 | 38'49 | 3 | - 7'627 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------------------|------------|----------------------------------|----------------------|-------------------|----------------------------------|------------------------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 3121 | 3136 | Brisbane 1662 | 7 | ^{h m s} 7. 29. 37.76 | 39.42 | 8 | ^s + 2.180 | ^{° ' "} - 35. 48. 6.72 | 39.42 | 8 | ["] - 7.646 | ... | ... | ... |
| 3122 | 3137 | Lacaille 2874 | 7 | 7. 29. 41.23 | 38.51 | 3 | + 1.881 | - 43. 56. 13.17 | 38.51 | 3 | - 7.650 | ... | 2874 | ... |
| 3123 | 3138 | 74 Geminorum..... ^f | 6 | 7. 29. 56.42 | 33.13 | 5 | + 3.475 | + 18. 2. 35.13 | 32.26 | 6 | - 7.671 | 1103 | ... | 166 |
| 3124 | 3139 | Piazzi VII. 159 | 8.9 | 7. 30. 8.10 | 36.45 | 3 | + 5.787 | + 65. 32. 23.19 | 37.08 | 1 | - 7.687 | ... | ... | 159 |
| 3125 | 3140 | Piazzi VII. 160 | 9 | 7. 30. 8.46 | 36.36 | 4 | + 5.787 | + 65. 32. 30.39 | 36.31 | 7 | - 7.687 | ... | ... | 160 |
| 3126 | 3141 | Lacaille 2882 | 7 | 7. 30. 17.91 | 38.20 | 1 | + 2.458 | - 26. 26. 53.76 | 38.20 | 1 | - 7.701 | ... | 2882 | ... |
| 3127 | 3142 | 10 Canis Minoris..... ^a | 1.2 | 7. 30. 39.71 | 33.73 | 133 | + 3.194 | + 5. 38. 32.95 | 32.70 | 204 | - 7.729 | 1106 | ... | 168 |
| 3128 | 3143 | Brisbane 1667 | 7 | 7. 30. 40.30 | 38.52 | 3 | + 1.032 | - 58. 50. 21.09 | 38.52 | 3 | - 7.729 | ... | ... | ... |
| 3129 | 3144 | 51 Camelopardi | 6.7 | 7. 30. 49.17 | 35.22 | 2 | + 5.821 | + 65. 50. 17.98 | 35.08 | 2 | - 7.742 | 1098 | ... | 164 |
| 3130 | 3145 | Brisbane 1668 | 7 | 7. 31. 7.56 | 38.10 | 4 | + 1.856 | - 44. 35. 32.35 | 38.09 | 4 | - 7.766 | ... | ... | ... |
| 3131 | 3146 | Puppis..... ^f | 6 | 7. 31. 15.86 | 35.18 | 3 | + 2.222 | - 34. 36. 6.36 | 34.39 | 4 | - 7.778 | ... | 2890 | 172 |
| 3132 | 3147 | Bradley 1107 ... | 7 | 7. 31. 21.01 | 34.61 | 6 | + 3.193 | + 5. 36. 18.52 | 34.20 | 3 | - 7.786 | 1107 | ... | 170 |
| 3133 | 3148 | Puppis | 6 | 7. 31. 26.22 | 32.19 | 6 | + 2.498 | - 24. 59. 43.38 | 32.22 | 4 | - 7.793 | ... | 2888 | 173 |
| 3134 | 3149 | 49 Camelopardi | 6.7 | 7. 31. 27.79 | 34.65 | 6 | + 5.518 | + 63. 13. 5.22 | 34.42 | 4 | - 7.795 | 1100 | ... | 167 |
| 3135 | 3150 | Brisbane 1672 | 7 | 7. 31. 32.04 | 38.11 | 4 | + 1.856 | - 44. 37. 18.89 | 38.10 | 3 | - 7.799 | ... | ... | ... |
| 3136 | 3151 | Bradley 1104 | 6.7 | 7. 31. 32.84 | 35.15 | 3 | + 4.583 | + 50. 48. 52.93 | 35.14 | 4 | - 7.801 | 1104 | ... | 169 |
| 3137 | 3152 | Carinae | 5.6 | 7. 31. 35.10 | 38.09 | 3 | + 1.486 | - 52. 10. 7.09 | 38.09 | 3 | - 7.804 | ... | 2902 | ... |
| 3138 | 3153 | Brisbane 1673 | 8 | 7. 31. 35.18 | 38.45 | 3 | + 1.680 | - 48. 28. 52.86 | 38.45 | 3 | - 7.804 | ... | ... | ... |
| 3139 | 3154 | Brisbane 1676 | 8 | 7. 31. 49.64 | 38.11 | 3 | + 1.855 | - 44. 39. 41.00 | 38.10 | 3 | - 7.824 | ... | ... | ... |
| 3140 | 3155 | Brisbane 1678 | 7.8 | 7. 31. 57.01 | 38.22 | 3 | + 2.186 | - 35. 44. 31.62 | 38.22 | 3 | - 7.833 | ... | ... | ... |
| 3141 | 3156 | Puppis | 6.7 | 7. 32. 3.68 | 38.96 | 9 | + 2.461 | - 26. 25. 51.35 | 38.48 | 6 | - 7.842 | ... | 2896 | 175 |
| 3142 | 3157 | Puppis | 5.6 | 7. 32. 4.38 | 40.43 | 4 | + 2.460 | - 26. 25. 57.74 | 38.28 | 8 | - 7.843 | ... | ... | 177 |
| 3143 | 3158 | Puppis | 6 | 7. 32. 7.14 | 38.45 | 3 | + 1.682 | - 48. 27. 44.68 | 38.45 | 3 | - 7.846 | ... | 2904 | ... |
| 3144 | 3159 | Piazzi VII. 174 | 8 | 7. 32. 7.51 | 36.50 | 5 | + 3.168 | + 4. 27. 14.99 | 36.14 | 2 | - 7.847 | ... | ... | 174 |
| 3145 | 3160 | Piazzi VII. 171 | 6.7 | 7. 32. 7.82 | 35.17 | 3 | + 4.268 | + 44. 10. 31.65 | 35.15 | 4 | - 7.848 | ... | ... | 171 |
| 3146 | 3161 | Brisbane 1682 | 7.8 | 7. 32. 22.15 | 38.50 | 3 | + 1.413 | - 53. 27. 14.20 | 38.51 | 3 | - 7.866 | ... | ... | ... |
| 3147 | 3162 | Piazzi VII. 155 | 7.8 | 7. 32. 22.83 | 37.59 | 10 | + 10.246 | + 80. 16. 19.73 | 36.89 | 7 | - 7.868 | ... | ... | 155 |
| 3148 | 3163 | Lacaille 2911 | 6.7 | 7. 32. 31.44 | 38.52 | 3 | + 1.282 | - 55. 31. 16.25 | 38.52 | 3 | - 7.879 | ... | 2911 | ... |
| 3149 | 3164 | Piazzi VII. 176 | 6 | 7. 32. 36.55 | 34.72 | 2 | + 3.375 | + 13. 51. 34.77 | 34.34 | 4 | - 7.887 | ... | ... | 176 |
| 3150 | 3165 | Brisbane 1683 | 6.7 | 7. 32. 41.47 | 37.45 | 7 | + 2.460 | - 26. 29. 20.45 | 38.22 | 3 | - 7.893 | ... | ... | ... |
| 3151 | 3166 | Brisbane 1685 | 7 | 7. 32. 41.59 | 39.11 | 3 | + 2.461 | - 26. 25. 51.50 | 38.23 | 2 | - 7.894 | ... | ... | ... |
| 3152 | 3167 | Brisbane 1686 | 8 | 7. 32. 44.67 | 38.87 | 4 | + 2.458 | - 26. 32. 40.53 | 39.09 | 3 | - 7.897 | ... | ... | ... |
| 3153 | 3169 | Puppis | 6.7 | 7. 32. 45.27 | 35.27 | 2 | + 2.175 | - 36. 7. 27.49 | 34.38 | 5 | - 7.898 | ... | 2903 | 180 |
| 3154 | 3168 | Lacaille 2907 | 7 | 7. 32. 45.30 | 38.52 | 3 | + 2.055 | - 39. 37. 13.29 | 38.52 | 3 | - 7.898 | ... | 2907 | ... |
| 3155 | 3170 | Lacaille 2906 | 7 | 7. 32. 46.25 | 38.23 | 2 | + 2.098 | - 38. 24. 26.89 | 38.53 | 3 | - 7.899 | ... | 2906 | ... |
| 3156 | 3171 | Lacaille 2917 | 7 | 7. 32. 48.88 | 38.46 | 3 | + 1.184 | - 56. 55. 53.70 | 38.46 | 3 | - 7.903 | ... | 2917 | ... |
| 3157 | 3172 | 75 Geminorum | 6 | 7. 32. 59.35 | 32.15 | 6 | + 3.761 | + 29. 16. 31.32 | 32.24 | 5 | - 7.917 | 1108 | ... | 178 |
| 3158 | 3173 | 26 Monocerotis | 4.5 | 7. 33. 21.79 | 31.70 | 11 | + 2.874 | - 9. 10. 17.07 | 31.66 | 9 | - 7.947 | 1110 | ... | 181 |
| 3159 | 3174 | Piazzi VII. 179 | 7 | 7. 33. 32.08 | 32.56 | 8 | + 3.587 | + 22. 46. 54.81 | 32.14 | 5 | - 7.961 | ... | ... | 179 |
| 3160 | 3176 | Puppis | 6 | 7. 33. 38.62 | 35.14 | 4 | + 2.116 | - 37. 55. 59.90 | 34.41 | 4 | - 7.970 | ... | 2909 | 185 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 3161 | 3177 | Puppis.....Y ² | 6 | h m s 7. 33. 38.65 | 38.50 | 3 | + 1.698 | — 48. 13. 45.68 | 38.50 | 3 | — 7.970 | ... | 2918 | ... |
| 3162 | 3175 | Brisbane 1693..... | 8 | 7. 33. 39.30 | 38.11 | 3 | + 1.868 | — 44. 27. 20.74 | 38.12 | 4 | — 7.971 | ... | ... | ... |
| 3163 | 3178 | Puppisd ² | 6 | 7. 33. 54.23 | 37.47 | 9 | + 2.122 | — 37. 45. 48.98 | 36.77 | 11 | — 7.990 | ... | 2912 | 186 |
| 3164 | 3179 | Puppisd ³ | 6 | 7. 33. 58.82 | 37.14 | 8 | + 2.118 | — 37. 53. 3.50 | 36.02 | 6 | — 7.996 | ... | 2913 | 188 |
| 3165 | 3180 | Piazzi VII. 182..... | 9 | 7. 34. 0.41 | 36.43 | 3 | + 3.634 | + 24. 37. 45.54 | 36.36 | 4 | — 7.998 | ... | ... | 182 |
| 3166 | 3181 | 76 Geminorumc | 6 | 7. 34. 2.56 | 32.67 | 6 | + 3.674 | + 26. 10. 10.00 | 32.18 | 5 | — 8.001 | 1109 | ... | 183 |
| 3167 | 3182 | Puppisd ⁴ | 6 | 7. 34. 4.80 | 34.14 | 3 | + 2.141 | — 37. 12. 7.15 | 34.39 | 4 | — 8.005 | ... | 2914 | 190 |
| 3168 | 3183 | Brisbane 1701..... | 8.9 | 7. 34. 18.44 | 39.59 | 7 | + 1.196 | — 56. 50. 38.30 | 39.59 | 7 | — 8.023 | ... | ... | ... |
| 3169 | 3184 | Brisbane 1700..... | 9 | 7. 34. 23.71 | 38.15 | 3 | + 1.269 | — 55. 48. 23.12 | 38.15 | 3 | — 8.030 | ... | ... | ... |
| 3170 | 3185 | 77 Geminorumk | 4 | 7. 34. 28.82 | 31.54 | 8 | + 3.638 | + 24. 47. 14.16 | 31.62 | 10 | — 8.037 | 1111 | ... | 184 |
| 3171 | 3186 | Piazzi VII. 189..... | 8 | 7. 34. 37.09 | 36.35 | 4 | + 3.084 | + 0. 34. 26.04 | 36.38 | 4 | — 8.047 | ... | ... | 189 |
| 3172 | 3187 | Lacaille 2920..... | 7 | 7. 34. 39.99 | 38.50 | 3 | + 1.680 | — 48. 40. 29.24 | 38.50 | 3 | — 8.051 | ... | 2920 | ... |
| 3173 | 3188 | Lacaille 2926..... | 6 | 7. 35. 1.41 | 40.53 | 3 | + 1.454 | — 52. 53. 47.68 | 39.32 | 6 | — 8.079 | ... | 2926 | ... |
| 3174 | 3189 | Lacaille 2930..... | 7.8 | 7. 35. 9.83 | 38.15 | 3 | + 1.268 | — 55. 51. 10.76 | 38.15 | 3 | — 8.091 | ... | 2930 | ... |
| 3175 | 3190 | 78 Geminorumβ | 2 | 7. 35. 12.64 | 33.14 | 98 | + 3.734 | + 28. 25. 3.95 | 32.87 | 164 | — 8.095 | 1112 | ... | 191 |
| 3176 | 3192 | 79 Geminorum..... | 7 | 7. 35. 27.72 | 32.25 | 6 | + 3.534 | + 20. 42. 17.77 | 32.25 | 6 | — 8.115 | 1113 | ... | 192 |
| 3177 | 3191 | Lacaille 2924..... | 6.7 | 7. 35. 27.88 | 37.12 | 8 | + 2.111 | — 38. 9. 7.63 | 36.56 | 12 | — 8.115 | ... | 2924 | 193 |
| 3178 | 3194 | Bradley 1116..... | 6 | 7. 35. 59.52 | 33.08 | 5 | + 2.478 | — 25. 57. 51.07 | 32.23 | 5 | — 8.157 | 1116 | 2923 | 195 |
| 3179 | 3195 | Brisbane 1713..... | 7.8 | 7. 36. 5.87 | 38.18 | 3 | + 0.935 | — 60. 15. 9.50 | 38.17 | 3 | — 8.166 | ... | ... | ... |
| 3180 | 3196 | Lacaille 2928..... | 7.8 | 7. 36. 9.98 | 38.61 | 6 | + 2.113 | — 38. 8. 40.93 | 37.57 | 10 | — 8.171 | ... | 2928 | 197 |
| 3181 | 3197 | Lacaille 2934..... | 6.7 | 7. 36. 11.67 | 38.09 | 3 | + 1.882 | — 44. 14. 56.28 | 38.09 | 3 | — 8.174 | ... | 2934 | ... |
| 3182 | 3198 | Brisbane 1712..... | 9 | 7. 36. 17.94 | 39.33 | 6 | + 1.872 | — 44. 29. 55.63 | 39.33 | 6 | — 8.182 | ... | ... | ... |
| 3183 | 3199 | 81 Geminorumg | 5.6 | 7. 36. 33.93 | 33.23 | 8 | + 3.490 | + 18. 54. 19.52 | 32.21 | 5 | — 8.203 | 1115 | ... | 194 |
| 3184 | 3200 | 80 Geminorumπ | 6 | 7. 36. 51.10 | 34.33 | 4 | + 3.889 | + 33. 48. 47.25 | 34.40 | 4 | — 8.226 | 1114 | ... | 196 |
| 3185 | 3201 | 1 Puppis..... | 5.6 | 7. 36. 52.87 | 32.22 | 6 | + 2.423 | — 28. 1. 23.90 | 32.16 | 5 | — 8.229 | 1118 | 2932 | 200 |
| 3186 | 3202 | Lacaille 2946..... | 7 | 7. 37. 6.50 | 38.20 | 3 | + 1.375 | — 54. 19. 26.38 | 38.20 | 3 | — 8.246 | ... | 2946 | ... |
| 3187 | 3203 | Lacaille 2939..... | 7 | 7. 37. 9.94 | 34.28 | 7 | + 2.197 | — 35. 39. 42.19 | 35.13 | 4 | — 8.251 | ... | 2939 | 203 |
| 3188 | 3204 | 11 Canis Minoris..... | 6 | 7. 37. 11.06 | 32.18 | 6 | + 3.313 | + 11. 9. 49.02 | 32.26 | 5 | — 8.253 | 1117 | ... | 198 |
| 3189 | 3205 | 3 Puppis..... | 5 | 7. 37. 11.16 | 31.78 | 11 | + 2.408 | — 28. 33. 52.34 | 31.59 | 10 | — 8.253 | 1120 | 2938 | 201 |
| 3190 | 3206 | Brisbane 1720..... | 8 | 7. 37. 28.09 | 38.14 | 3 | + 1.466 | — 52. 48. 31.50 | 38.13 | 3 | — 8.275 | ... | ... | ... |
| 3191 | 3207 | Piazzi VII. 202..... | 8.9 | 7. 37. 35.32 | 36.35 | 4 | + 2.959 | — 5. 17. 2.57 | 36.38 | 4 | — 8.285 | ... | ... | 202 |
| 3192 | 3208 | Piazzi VII. 206..... | 7.8 | 7. 37. 46.94 | 36.48 | 3 | + 2.193 | — 35. 49. 38.70 | 36.40 | 4 | — 8.301 | ... | ... | 206 |
| 3193 | 3209 | Puppis.....T | 5.6 | 7. 37. 50.78 | 38.12 | 7 | + 1.865 | — 44. 45. 29.80 | 37.82 | 10 | — 8.306 | ... | 2950 | 211 |
| 3194 | 3210 | Lacaille 2943..... | 6.7 | 7. 37. 52.48 | 34.37 | 4 | + 2.127 | — 37. 48. 42.19 | 34.40 | 4 | — 8.308 | ... | 2943 | 208 |
| 3195 | 3211 | Piazzi VII. 204..... | 8.9 | 7. 37. 53.63 | 36.34 | 4 | + 2.762 | — 14. 17. 26.19 | 36.38 | 4 | — 8.309 | ... | ... | 204 |
| 3196 | 3212 | 2 Puppis..... | 7.8 | 7. 37. 53.83 | 36.38 | 4 | + 2.762 | — 14. 17. 43.03 | 36.40 | 4 | — 8.310 | 1121 | ... | 205 |
| 3197 | 3221 | Piazzi VII. 209..... | 8.9 | 7. 37. 59.73 | 36.11 | 1 | + 2.144 | — 37. 19. 44.93 | 38.19 | 4 | — 8.317 | ... | ... | 209 |
| 3198 | 3213 | Piazzi VII. 199..... | 6.7 | 7. 38. 3.55 | 34.35 | 4 | + 4.780 | + 54. 31. 53.25 | 34.41 | 4 | — 8.323 | ... | ... | 199 |
| 3199 | 3214 | Puppis.....W | 6.7 | 7. 38. 4.84 | 35.15 | 3 | + 2.032 | — 40. 32. 3.90 | 34.43 | 4 | — 8.325 | ... | 2945 | 213 |
| 3200 | 3215 | Lacaille 2944..... | 6.7 | 7. 38. 8.11 | 34.51 | 5 | + 2.199 | — 35. 40. 26.00 | 34.46 | 3 | — 8.329 | ... | 2944 | 212 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|-------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 3201 | 3216 | Lacaille 2963 | 7.8 | h m s . 7. 38. 19'37 | 38'33 | 4 | + 1'274 | — 55. 55. 39'50 | 38'39 | 4 | — 8'343 | ... | 2963 | ... |
| 3202 | 3217 | 4 Puppis..... | 5.6 | 7. 38. 21'01 | 32'15 | 4 | + 2'765 | — 14. 10. 6'37 | 32'20 | 5 | — 8'346 | 1122 | ... | 210 |
| 3203 | 3218 | Piazzi VII. 187 | 6 | 7. 38. 28'81 | 35'40 | 7 | + 9'905 | + 79. 54. 45'31 | 35'75 | 8 | — 8'357 | ... | ... | 187 |
| 3204 | 3219 | Lacaille 2965 | 7.8 | 7. 38. 30'37 | 38'05 | 4 | + 1'350 | — 54. 47. 23'36 | 38'05 | 4 | — 8'358 | ... | 2965 | ... |
| 3205 | 3220 | Brisbane 1727..... | 7 | 7. 38. 34'39 | 38'43 | 4 | + 0'999 | — 59. 36. 53'86 | 38'43 | 4 | — 8'363 | ... | ... | ... |
| 3206 | 3222 | 82 Geminorum..... | 7 | 7. 38. 41'27 | 32'48 | 8 | + 3'602 | + 23. 32. 33'39 | 32'00 | 6 | — 8'373 | 1119 | ... | 207 |
| 3207 | 3223 | Lacaille 2954 | 6.7 | 7. 38. 42'11 | 39'94 | 5 | + 2'138 | — 37. 32. 58'72 | 38'14 | 4 | — 8'374 | ... | 2954 | ... |
| 3208 | 3224 | Lacaille 2970 | 7.8 | 7. 38. 53'22 | 38'42 | 3 | + 1'288 | — 55. 45. 19'66 | 38'42 | 3 | — 8'389 | ... | 2970 | ... |
| 3209 | 3225 | Lacaille 2979 | 6.7 | 7. 39. 8'54 | 38'19 | 3 | + 1'111 | — 58. 14. 25'95 | 38'19 | 3 | — 8'409 | ... | 2979 | ... |
| 3210 | 3226 | Lacaille 2975 | 8 | 7. 39. 10'83 | 38'05 | 4 | + 1'343 | — 54. 55. 17'65 | 38'05 | 4 | — 8'411 | ... | 2975 | ... |
| 3211 | 3227 | Lacaille 2956 | 7 | 7. 39. 12'22 | 38'39 | 4 | + 2'141 | — 37. 29. 32'88 | 38'14 | 3 | — 8'414 | ... | 2956 | ... |
| 3212 | 3228 | Lacaille 2982 | 7 | 7. 39. 19'46 | 38'19 | 3 | + 1'109 | — 58. 16. 43'80 | 38'19 | 3 | — 8'423 | ... | 2982 | ... |
| 3213 | 3229 | Puppis..... | 4 | 7. 39. 22'77 | 32'21 | 13 | + 2'139 | — 37. 34. 17'76 | 32'85 | 12 | — 8'431 | ... | 2958 | 214 |
| 3214 | 3230 | Lacaille 2957 | 6 | 7. 39. 25'92 | 38'22 | 3 | + 2'258 | — 33. 51. 3'01 | 38'06 | 3 | — 8'433 | ... | 2957 | ... |
| 3215 | 3231 | Brisbane 1738..... | 7 | 7. 39. 34'59 | 39'52 | 6 | + 1'494 | — 52. 26. 45'00 | 39'52 | 6 | — 8'442 | ... | ... | ... |
| 3216 | 3232 | Lacaille 2973 | 6 | 7. 39. 45'44 | 38'19 | 3 | + 1'789 | — 46. 36. 45'83 | 38'19 | 3 | — 8'457 | ... | 2973 | ... |
| 3217 | 3233 | Lacaille 2986 | 6 | 7. 39. 46'68 | 38'19 | 3 | + 1'144 | — 57. 50. 18'90 | 38'19 | 3 | — 8'459 | ... | 2986 | ... |
| 3218 | 3234 | Lacaille 2976 | 6.7 | 7. 39. 47'46 | 39'03 | 8 | + 1'624 | — 50. 4. 3'89 | 38'62 | 4 | — 8'460 | ... | 2976 | ... |
| 3219 | 3235 | Brisbane 1741..... | 7.8 | 7. 39. 51'29 | 39'50 | 6 | + 1'623 | — 50. 4. 38'46 | 39'33 | 6 | — 8'465 | ... | ... | ... |
| 3220 | 3236 | 5 Puppis..... | 6 | 7. 40. 13'10 | 36'66 | 16 | + 2'819 | — 11. 47. 33'61 | 36'59 | 12 | — 8'494 | 1124 | ... | 217 |
| 3221 | 3237 | Brisbane 1743 | 7 | 7. 40. 15'26 | 38'10 | 3 | + 1'882 | — 44. 29. 2'93 | 38'10 | 3 | — 8'497 | ... | ... | ... |
| 3222 | 3238 | Lacaille 2972 | 8 | 7. 40. 17'85 | 38'14 | 7 | + 2'142 | — 37. 32. 3'25 | 39'15 | 3 | — 8'501 | ... | 2972 | 218 |
| 3223 | 3239 | Piazzi VII. 215 | 7.8 | 7. 40. 25'24 | 36'39 | 4 | + 3'878 | + 33. 38. 31'57 | 36'36 | 4 | — 8'510 | ... | ... | 215 |
| 3224 | 3240 | Lacaille 2978 | 7 | 7. 40. 40'09 | 38'18 | 3 | + 2'148 | — 37. 22. 10'87 | 38'17 | 3 | — 8'529 | ... | 2978 | ... |
| 3225 | 3241 | Brisbane 1746..... | 7 | 7. 40. 43'15 | 38'10 | 3 | + 1'888 | — 44. 21. 34'54 | 38'10 | 3 | — 8'533 | ... | ... | ... |
| 3226 | 3242 | Piazzi VII. 219 | 8.9 | 7. 40. 45'79 | 36'46 | 5 | + 2'819 | — 11. 48. 48'10 | 35'98 | 3 | — 8'537 | ... | ... | 219 |
| 3227 | 3243 | Brisbane 1749..... | 7.8 | 7. 40. 48'41 | 38'39 | 4 | + 1'492 | — 52. 33. 28'51 | 38'39 | 4 | — 8'540 | ... | ... | ... |
| 3228 | 3244 | Lacaille 2984 | 6.7 | 7. 40. 52'41 | 38'19 | 3 | + 2'069 | — 39. 39. 30'34 | 38'19 | 3 | — 8'545 | ... | 2984 | ... |
| 3229 | 3245 | Piazzi VII. 216 | 7 | 7. 41. 6'12 | 34'41 | 4 | + 4'807 | + 55. 8. 4'49 | 34'35 | 4 | — 8'564 | ... | ... | 216 |
| 3230 | 3246 | Brisbane 1752..... | 8 | 7. 41. 12'34 | 38'67 | 4 | + 1'258 | — 56. 18. 37'08 | 38'66 | 4 | — 8'572 | ... | ... | ... |
| 3231 | 3247 | Brisbane 1751..... | 7.8 | 7. 41. 13'09 | 39'35 | 9 | + 1'876 | — 44. 41. 9'14 | 39'34 | 8 | — 8'573 | ... | ... | ... |
| 3232 | 3248 | Puppis | 5.6 | 7. 41. 13'80 | 32'22 | 6 | + 2'495 | — 25. 31. 55'50 | 31'20 | 10 | — 8'575 | ... | 2981 | 220 |
| 3233 | 3249 | Lacaille 2991 | 6.7 | 7. 41. 34'52 | 34'33 | 4 | + 2'125 | — 38. 6. 24'39 | 34'40 | 4 | — 8'602 | ... | 2991 | 225 |
| 3234 | 3250 | Lacaille 2992 | 7 | 7. 41. 34'71 | 38'11 | 3 | + 2'018 | — 41. 6. 1'78 | 38'11 | 3 | — 8'602 | ... | 2992 | ... |
| 3235 | 3251 | Brisbane 1754..... | 7.8 | 7. 41. 35'10 | 38'11 | 3 | + 2'018 | — 41. 6. 50'40 | 38'11 | 3 | — 8'602 | ... | ... | ... |
| 3236 | 3252 | Lacaille 3000 | 7 | 7. 41. 50'34 | 39'43 | 7 | + 1'573 | — 51. 8. 56'05 | 39'43 | 7 | — 8'608 | ... | 3000 | ... |
| 3237 | 3253 | Puppis.....S | 7 | 7. 41. 56'60 | 38'23 | 3 | + 1'745 | — 47. 42. 33'38 | 38'23 | 3 | — 8'631 | ... | 2999 | ... |
| 3238 | 3256 | Piazzi VII. 226..... | 6.7 | 7. 42. ... | ... | ... | + 2'520 | — 24. 33. 18'23 | 38'30 | 5 | — 8'631 | ... | ... | 226 |
| 3239 | 3254 | Bradley 1130 | 6.7 | 7. 42. 6'07 | 38'50 | 3 | + 2'522 | — 24. 30. 16'40 | 37'18 | 7 | — 8'643 | 1130 | 2990 | ... |
| 3240 | 3255 | Lacaille 3011 | 6 | 7. 42. 8'44 | 38'58 | 5 | + 1'262 | — 56. 19. 15'28 | 38'18 | 3 | — 8'646 | ... | 3011 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 3241 | 3257 | 6 Puppis | 5.6 | 7. 42. 14.07 | 32.19 | 6 | + 2.707 | - 16. 48. 47.51 | 31.21 | 5 | - 8.654 | 1129 | ... | 229 |
| 3242 | 3258 | Piazzi VII. 228 | 8 | 7. 42. 15.00 | 36.56 | 2 | + 2.886 | - 8. 46. 22.31 | 37.12 | 2 | - 8.655 | ... | ... | 228 |
| 3243 | 3260 | Lacaille 2995 | 6.7 | 7. 42. 15.80 | 34.39 | 4 | + 2.341 | - 31. 12. 32.25 | 34.38 | 4 | - 8.656 | ... | 2995 | 231 |
| 3244 | 3259 | Piazzi VII. 227 | 7.8 | 7. 42. 15.94 | 36.57 | 2 | + 3.005 | - 3. 11. 9.93 | 36.35 | 4 | - 8.656 | ... | ... | 227 |
| 3245 | 3261 | Piazzi VII. 224 | 7 | 7. 42. 20.60 | 32.32 | 6 | + 3.505 | + 19. 44. 28.19 | 32.18 | 5 | - 8.662 | ... | ... | 224 |
| 3246 | 3262 | Argus | 4 | 7. 42. 21.42 | 32.71 | 16 | + 2.524 | - 24. 27. 2.05 | 31.58 | 10 | - 8.663 | 1132 | 2994 | 230 |
| 3247 | 3263 | 25 Lynceis | 6.7 | 7. 42. 27.43 | 35.16 | 3 | + 4.402 | + 47. 48. 15.82 | 34.44 | 4 | - 8.672 | 1125 | ... | 221 |
| 3248 | 3264 | Lacaille 3001 | 7 | 7. 42. 30.27 | 38.45 | 4 | + 2.052 | - 40. 14. 38.04 | 38.46 | 4 | - 8.675 | ... | 3001 | ... |
| 3249 | 3265 | Lacaille 3003 | 6.7 | 7. 42. 32.60 | 34.41 | 4 | + 1.815 | - 46. 12. 8.19 | 34.35 | 4 | - 8.677 | ... | 3003 | 235 |
| 3250 | 3266 | Lacaille 3008 | 7.8 | 7. 42. 38.91 | 38.21 | 3 | + 1.797 | - 46. 36. 24.17 | 38.21 | 3 | - 8.686 | ... | 3008 | ... |
| 3251 | 3267 | 26 Lynceis | 6 | 7. 42. 40.12 | 34.51 | 5 | + 4.410 | + 47. 59. 0.32 | 34.38 | 4 | - 8.687 | 1126 | ... | 222 |
| 3252 | 3268 | Brisbane 1767 | 7.8 | 7. 42. 41.29 | 38.21 | 3 | + 1.794 | - 46. 39. 53.75 | 38.21 | 2 | - 8.689 | ... | ... | ... |
| 3253 | 3269 | 52 Camelopardi | 7 | 7. 43. 1.75 | 35.10 | 3 | + 4.921 | + 56. 55. 44.18 | 34.45 | 4 | - 8.717 | 1123 | ... | 223 |
| 3254 | 3270 | Lacaille 3002 | 6.7 | 7. 43. 6.10 | 35.15 | 3 | + 2.234 | - 34. 50. 0.12 | 34.43 | 4 | - 8.722 | ... | 3002 | 237 |
| 3255 | 3271 | 13 Canis Minoris | 5.6 | 7. 43. 8.43 | 32.24 | 5 | + 3.118 | + 2. 10. 55.54 | 32.17 | 5 | - 8.725 | 1131 | ... | 234 |
| 3256 | 3272 | 84 Geminorum | 6.7 | 7. 43. 12.71 | 35.14 | 3 | + 3.577 | + 22. 45. 11.40 | 34.49 | 4 | - 8.731 | 1127 | ... | 232 |
| 3257 | 3273 | Lacaille 3019 | 7 | 7. 43. 20.38 | 38.52 | 3 | + 1.480 | - 52. 55. 31.53 | 38.51 | 3 | - 8.741 | ... | 3019 | ... |
| 3258 | 3274 | 83 Geminorum | 5 | 7. 43. 23.36 | 31.59 | 12 | + 3.690 | + 27. 11. 9.45 | 32.51 | 26 | - 8.745 | 1128 | ... | 233 |
| 3259 | 3275 | Puppis | 5 | 7. 43. 25.34 | 38.21 | 3 | + 1.796 | - 46. 39. 55.05 | 38.21 | 3 | - 8.747 | ... | 3017 | ... |
| 3260 | 3276 | Lacaille 3015 | 6.7 | 7. 43. 35.88 | 38.52 | 3 | + 2.052 | - 40. 17. 24.15 | 38.52 | 3 | - 8.761 | ... | 3015 | ... |
| 3261 | 3277 | 8 Puppis | 6.7 | 7. 43. 57.73 | 34.38 | 4 | + 2.808 | - 12. 24. 8.55 | 34.36 | 4 | - 8.790 | 1133 | ... | 239 |
| 3262 | 3278 | 9 Puppis | 5 | 7. 44. 7.97 | 32.97 | 13 | + 2.784 | - 13. 27. 54.60 | 32.42 | 14 | - 8.804 | 1134 | ... | 240 |
| 3263 | 3279 | Puppis | 4.5 | 7. 44. 12.68 | 33.82 | 10 | + 1.829 | - 45. 57. 40.55 | 33.16 | 13 | - 8.810 | ... | 3022 | 244 |
| 3264 | 3280 | Lacaille 3024 | 6 | 7. 44. 14.28 | 38.21 | 2 | + 1.808 | - 46. 26. 45.68 | 38.21 | 3 | - 8.812 | ... | 3024 | ... |
| 3265 | 3281 | Piazzi VII. 241 | 8 | 7. 44. 23.27 | 36.60 | 2 | + 2.683 | - 17. 56. 23.77 | 36.37 | 4 | - 8.824 | ... | ... | 241 |
| 3266 | 3282 | Piazzi VII. 238 | 8.9 | 7. 44. 23.38 | 36.37 | 4 | + 3.843 | + 32. 42. 34.86 | 36.37 | 4 | - 8.824 | ... | ... | 238 |
| 3267 | 3283 | Piazzi VII. 242 | 7.8 | 7. 44. 39.01 | 36.44 | 3 | + 2.967 | - 5. 0. 26.02 | 36.39 | 4 | - 8.844 | ... | ... | 242 |
| 3268 | 3284 | 10 Puppis | 6 | 7. 44. 43.21 | 32.49 | 7 | + 2.763 | - 14. 25. 39.83 | 32.19 | 5 | - 8.849 | 1136 | ... | 243 |
| 3269 | 3285 | Lacaille 3036 | 7 | 7. 44. 48.40 | 38.97 | 12 | + 1.289 | - 56. 3. 34.28 | 38.97 | 12 | - 8.857 | ... | 3036 | ... |
| 3270 | 3286 | Piazzi VII. 245 | 6 | 7. 44. 48.70 | 36.60 | 4 | + 2.785 | - 13. 26. 20.06 | 35.15 | 1 | - 8.859 | ... | ... | 245 |
| 3271 | 3287 | Piazzi VII. 236 | 8.9 | 7. 45. 1.94 | 36.37 | 4 | + 5.666 | + 65. 10. 52.95 | 36.42 | 3 | - 8.875 | ... | ... | 236 |
| 3272 | 3288 | Lacaille 3033 | 7 | 7. 45. 28.41 | 38.15 | 3 | + 1.908 | - 44. 9. 48.62 | 38.15 | 3 | - 8.909 | ... | 3033 | ... |
| 3273 | 3289 | Lacaille 3046 | 7 | 7. 45. 34.43 | 38.65 | 4 | + 1.296 | - 55. 59. 45.50 | 38.13 | 3 | - 8.915 | ... | 3046 | ... |
| 3274 | 3290 | Lacaille 3045 | 7.8 | 7. 45. 37.90 | 39.64 | 6 | + 1.399 | - 54. 23. 37.97 | 39.15 | 5 | - 8.921 | ... | 3045 | ... |
| 3275 | 3292 | Brisbane 1791 | 7 | 7. 45. 38.51 | 39.13 | 3 | + 1.399 | - 54. 20. 20.95 | 40.13 | 1 | - 8.922 | ... | ... | ... |
| 3276 | 3291 | Brisbane 1792 | 8 | 7. 45. 41.21 | 39.35 | 8 | + 1.394 | - 54. 29. 19.12 | 39.25 | 7 | - 8.925 | ... | ... | ... |
| 3277 | 3293 | Lacaille 3053 | 8 | 7. 45. 51.95 | 38.08 | 3 | + 1.383 | - 54. 39. 49.05 | 38.75 | 3 | - 8.939 | ... | 3053 | ... |
| 3278 | 3294 | Brisbane 1794 | 7.8 | 7. 45. 52.62 | 38.10 | 3 | + 1.813 | - 46. 27. 7.87 | 38.10 | 3 | - 8.941 | ... | ... | ... |
| 3279 | 3295 | Lacaille 3043 | 6.7 | 7. 45. 54.63 | 38.20 | 3 | + 1.641 | - 50. 5. 25.10 | 38.20 | 3 | - 8.943 | ... | 3043 | ... |
| 3280 | 3296 | 85 Geminorum | 6.7 | 7. 46. 1.79 | 32.56 | 10 | + 3.515 | + 20. 18. 47.73 | 31.99 | 5 | - 8.953 | 1137 | ... | 246 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|---------------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 3281 | 3297 | Lacaille 3035 | 6 | ^{h m s} 7. 46. 6'64 | 34'41 | 4 | + 2'256 | — 34. 17. 44'62 | 34'41 | 4 | — 8'959 | ... | 3035 | 250 |
| 3282 | 3298 | Piazzi VII. 247 | 8'9 | 7. 46. 15'42 | 36'42 | 3 | + 3'023 | — 2. 22. 11'13 | 36'52 | 5 | — 8'970 | ... | ... | 247 |
| 3283 | 3299 | Lacaille 3047 | 6'7 | 7. 45. 17'79 | 38'49 | 3 | + 1'798 | — 46. 47. 49'59 | 38'49 | 3 | — 8'973 | ... | 3047 | ... |
| 3284 | 3300 | Lacaille 3060 | 6'7 | 7. 46. 28'91 | 38'52 | 3 | + 1'012 | — 59. 52. 25'92 | 38'51 | 3 | — 8'988 | ... | 3060 | ... |
| 3285 | 3301 | Puppis | 5'6 | 7. 46. 32'60 | 34'35 | 4 | + 2'064 | — 40. 9. 14'87 | 34'36 | 4 | — 8'993 | ... | 3044 | 253 |
| 3286 | 3302 | Piazzi VII. 249 | 6 | 7. 46. 33'41 | 32'17 | 6 | + 3'268 | + 9. 17. 41'33 | 31'20 | 6 | — 8'993 | ... | ... | 249 |
| 3287 | 3303 | Puppis | 5 | 7. 46. 48'40 | 31'54 | 10 | + 2'124 | — 38. 26. 21'28 | 31'62 | 10 | — 9'012 | ... | 3049 | 254 |
| 3288 | 3304 | Lacaille 3052 | 6 | 7. 46. 59'76 | 35'13 | 3 | + 2'207 | — 35. 56. 22'99 | 34'44 | 4 | — 9'028 | ... | 3052 | 256 |
| 3289 | 3305 | 53 Camelopardi | 6 | 7. 47. 33'54 | 36'92 | 10 | + 5'203 | + 60. 45. 55'20 | 37'46 | 8 | — 9'071 | 1135 | ... | 248 |
| 3290 | 3306 | 1 Cancri | 6 | 7. 47. 37'07 | 32'13 | 6 | + 3'419 | + 16. 13. 27'68 | 31'22 | 7 | — 9'076 | 1138 | ... | 255 |
| 3291 | 3307 | Piazzi VII. 257 | 6'7 | 7. 47. 41'06 | 34'35 | 4 | + 3'175 | + 4. 55. 0'68 | 34'38 | 4 | — 9'082 | ... | ... | 257 |
| 3292 | 3308 | Brisbane 1804 | 7'8 | 7. 47. 49'04 | 39'80 | 7 | + 2'544 | — 23. 52. 35'81 | 40'34 | 4 | — 9'091 | ... | ... | ... |
| 3293 | 3309 | Piazzi VII. 251 | 7 | 7. 47. 57'70 | 34'41 | 4 | + 5'261 | + 61. 26. 3'26 | 34'35 | 4 | — 9'103 | ... | ... | 251 |
| 3294 | 3310 | Brisbane 1806 | 7'8 | 7. 48. 1'95 | 39'60 | 7 | + 1'071 | — 59. 13. 27'60 | 39'51 | 6 | — 9'109 | ... | ... | ... |
| 3295 | 3311 | Lacaille 3059 | 6 | 7. 48. 4'09 | 35'15 | 3 | + 2'224 | — 35. 26. 53'53 | 34'40 | 4 | — 9'111 | ... | 3059 | 259 |
| 3296 | 3312 | Lacaille 3070 | 8 | 7. 48. 6'50 | 38'54 | 3 | + 1'353 | — 55. 16. 45'81 | 38'45 | 4 | — 9'114 | ... | 3070 | ... |
| 3297 | 3313 | Piazzi VII. 258 | 7'8 | 7. 48. 18'57 | 36'56 | 2 | + 3'262 | + 9. 4. 35'47 | 36'39 | 4 | — 9'130 | ... | ... | 258 |
| 3298 | 3314 | Lacaille 3067 | 6'7 | 7. 48. 18'94 | 39'40 | 8 | + 1'648 | — 50. 5. 46'85 | 39'40 | 8 | — 9'130 | ... | 3067 | ... |
| 3299 | 3315 | Piazzi VII. 252 | 7'8 | 7. 48. 19'52 | 35'16 | 3 | + 5'208 | + 60. 51. 39'32 | 34'47 | 4 | — 9'131 | ... | ... | 252 |
| 3300 | 3316 | Lacaille 3061 | 7 | 7. 48. 23'12 | 38'50 | 3 | + 2'354 | — 31. 6. 18'35 | 38'50 | 3 | — 9'136 | ... | 3061 | ... |
| 3301 | 3317 | Lacaille 3069 | 6 | 7. 48. 24'75 | 38'54 | 3 | + 1'694 | — 49. 11. 12'15 | 38'54 | 3 | — 9'138 | ... | 3069 | ... |
| 3302 | 3318 | Puppis | 5 | 7. 48. 27'22 | 32'93 | 16 | + 1'765 | — 47. 40. 31'59 | 33'19 | 13 | — 9'141 | ... | 3068 | ... |
| 3303 | 3319 | Lacaille 3063 | 6'7 | 7. 48. 28'04 | 34'56 | 5 | + 2'257 | — 34. 24. 56'06 | 34'39 | 4 | — 9'142 | ... | 3063 | 262 |
| 3304 | 3320 | Lacaille 3074 | 6'7 | 7. 48. 33'57 | 39'59 | 7 | + 1'438 | — 53. 56. 29'36 | 39'59 | 7 | — 9'149 | ... | 3074 | ... |
| 3305 | 3321 | Piazzi VII. 261 | 7 | 7. 49. 6'31 | 32'20 | 6 | + 3'434 | + 16. 57. 24'42 | 32'00 | 9 | — 9'192 | ... | ... | 261 |
| 3306 | 3322 | Piazzi VII. 263 | 6'7 | 7. 49. 13'80 | 35'11 | 3 | + 3'232 | + 7. 39. 5'48 | 34'43 | 4 | — 9'203 | ... | ... | 263 |
| 3307 | 3323 | Brisbane 1816 | 7'8 | 7. 49. 16'80 | 38'97 | 5 | + 1'080 | — 59. 11. 14'20 | 38'44 | 4 | — 9'206 | ... | ... | ... |
| 3308 | 3324 | Brisbane 1818 | 9 | 7. 49. 23'93 | 38'50 | 3 | + 1'090 | — 59. 4. 0'58 | 38'50 | 3 | — 9'215 | ... | ... | ... |
| 3309 | 3325 | Piazzi VII. 264 | 9 | 7. 49. 25'64 | 36'59 | 2 | + 2'578 | — 22. 34. 9'92 | 36'42 | 3 | — 9'218 | ... | ... | 264 |
| 3310 | 3326 | Lacaille 3075 | 7 | 7. 49. 27'23 | 38'36 | 4 | + 1'929 | — 43. 55. 27'30 | 38'36 | 4 | — 9'219 | ... | 3075 | ... |
| 3311 | 3327 | 11 Puppis | 5'6 | 7. 49. 46'17 | 34'15 | 9 | + 2'582 | — 22. 26. 41'20 | 32'20 | 5 | — 9'243 | 1141 | ... | 266 |
| 3312 | 3328 | 14 Canis Minoris | 6 | 7. 49. 47'14 | 31'84 | 9 | + 3'127 | + 2. 39. 33'65 | 32'16 | 4 | — 9'245 | 1139 | ... | 265 |
| 3313 | 3329 | Lacaille 3073 | 7 | 7. 49. 48'60 | 38'08 | 3 | + 2'391 | — 29. 50. 56'14 | 38'08 | 2 | — 9'247 | ... | 3073 | ... |
| 3314 | 3330 | Piazzi VII. 260 | 8 | 7. 49. 51'47 | 36'38 | 4 | + 4'740 | + 54. 34. 39'52 | 36'37 | 4 | — 9'250 | ... | ... | 260 |
| 3315 | 3331 | Piazzi VII. 268 | 8'9 | 7. 50. 15'41 | 36'59 | 2 | + 3'006 | — 3. 11. 53'51 | 36'39 | 4 | — 9'282 | ... | ... | 268 |
| 3316 | 3332 | Brisbane 1822 | 7 | 7. 50. 17'66 | 38'22 | 3 | + 1'653 | — 50. 7. 56'80 | 38'21 | 3 | — 9'285 | ... | ... | ... |
| 3317 | 3333 | Piazzi VII. 267 | 7 | 7. 50. 21'97 | 32'26 | 6 | + 3'360 | + 13. 41. 4'69 | 32'18 | 5 | — 9'290 | ... | ... | 267 |
| 3318 | 3334 | Lacaille 3080 | 6'7 | 7. 50. 25'11 | 35'19 | 3 | + 1'951 | — 43. 24. 35'77 | 34'41 | 4 | — 9'294 | ... | 3080 | 274 |
| 3319 | 3335 | Brisbane 1821 | 7 | 7. 50. 26'37 | 39'36 | 8 | + 1'807 | — 46. 52. 42'55 | 39'54 | 7 | — 9'296 | ... | ... | ... |
| 3320 | 3336 | 2 Canori | 6 | 7. 50. 56'16 | 33'98 | 5 | + 3'645 | + 25. 50. 14'68 | 33'98 | 4 | — 9'335 | 1140 | ... | 270 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------------|------------|---------------------------------|----------------------|-------------------|----------------------------------|------------------------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 3321 | 3337 | Lacaille 3088 | 8 | ^{h m s} 7. 51. 4.20 | 38.08 | 6 | ^s + 1.532 | ^{° ' "} - 52. 28. 9.07 | 38.12 | 2 | ["] - 9.345 | ... | 3088 | ... |
| 3322 | 3338 | Lacaille 3081 | 6 | 7. 51. 5.63 | 32.74 | 7 | + 2.392 | - 29. 53. 43.51 | 32.21 | 5 | - 9.348 | ... | 3081 | 277 |
| 3323 | 3339 | Brisbane 1828 | 8.9 | 7. 51. 9.53 | 38.15 | 3 | + 1.432 | - 54. 12. 24.41 | 38.15 | 2 | - 9.353 | ... | ... | ... |
| 3324 | 3340 | Bradley 1142 | 7 | 7. 51. 10.21 | 34.40 | 4 | + 3.472 | + 18. 41. 28.36 | 34.36 | 4 | - 9.354 | 1142 | ... | 273 |
| 3325 | 3341 | Piazzi VII. 272 | 7.8 | 7. 51. 10.76 | 36.34 | 5 | + 3.509 | + 20. 15. 43.68 | 36.38 | 4 | - 9.355 | ... | ... | 272 |
| 3326 | 3342 | Brisbane 1827 | 8 | 7. 51. 11.96 | 38.09 | 3 | + 1.809 | - 46. 52. 44.60 | 38.09 | 3 | - 9.357 | ... | ... | ... |
| 3327 | 3343 | 3 Cancri | 6 | 7. 51. 19.54 | 32.14 | 9 | + 3.450 | + 17. 45. 14.46 | 31.65 | 7 | - 9.366 | 1143 | ... | 275 |
| 3328 | 3344 | 27 Monocerotis | 6.7 | 7. 51. 29.46 | 34.95 | 6 | + 3.005 | - 3. 14. 7.54 | 34.36 | 4 | - 9.378 | 1145 | ... | 278 |
| 3329 | 3345 | Piazzi VII. 269 | 7 | 7. 51. 38.32 | 37.28 | 11 | + 4.980 | + 58. 13. 51.39 | 36.44 | 6 | - 9.389 | ... | ... | 269 |
| 3330 | 3346 | Piazzi VII. 271 | 7.8 | 7. 51. 39.63 | 35.14 | 3 | + 4.820 | + 55. 56. 15.93 | 34.42 | 4 | - 9.391 | ... | ... | 271 |
| 3331 | 3347 | 4 Cancri ^ω 2 | 6.7 | 7. 51. 46.05 | 33.14 | 6 | + 3.636 | + 25. 32. 11.12 | 32.24 | 5 | - 9.398 | 1144 | ... | 276 |
| 3332 | 3348 | Brisbane 1832 | 7 | 7. 51. 50.62 | 39.37 | 8 | + 1.804 | - 47. 1. 44.49 | 39.37 | 8 | - 9.404 | ... | ... | ... |
| 3333 | 3349 | Puppis ^N | 6 | 7. 51. 57.76 | 34.36 | 4 | + 1.945 | - 43. 40. 10.07 | 34.35 | 4 | - 9.414 | ... | 3089 | 283 |
| 3334 | 3350 | 12 Puppis | 6 | 7. 52. 1.31 | 34.24 | 7 | + 2.573 | - 22. 52. 1.30 | 32.25 | 5 | - 9.418 | 1150 | ... | 281 |
| 3335 | 3351 | 5 Cancri | 6 | 7. 52. 5.61 | 32.19 | 6 | + 3.431 | + 16. 54. 14.20 | 32.27 | 2 | - 9.425 | 1146 | ... | 279 |
| 3336 | 3352 | Brisbane 1833 | 7 | 7. 52. 15.86 | 38.33 | 4 | + 1.723 | - 48. 49. 28.15 | 38.07 | 3 | - 9.438 | ... | ... | ... |
| 3337 | 3353 | Brisbane 1834 | 8 | 7. 52. 16.34 | 38.16 | 3 | + 1.453 | - 53. 55. 32.35 | 38.15 | 3 | - 9.439 | ... | ... | ... |
| 3338 | 3354 | Piazzi VII. 280 | 8 | 7. 52. 28.31 | 36.42 | 3 | + 3.506 | + 20. 11. 16.24 | 36.38 | 4 | - 9.453 | ... | ... | 280 |
| 3339 | 3355 | Argus ^X | 3 | 7. 52. 34.93 | 34.19 | 16 | + 1.534 | - 52. 32. 34.84 | 32.38 | 18 | - 9.462 | ... | 3102 | ... |
| 3340 | 3356 | Puppis ^O | 6 | 7. 52. 40.79 | 35.12 | 3 | + 1.888 | - 45. 8. 10.68 | 34.43 | 4 | - 9.471 | ... | 3099 | 288 |
| 3341 | 3357 | 28 Monocerotis | 5.6 | 7. 52. 49.68 | 32.24 | 6 | + 3.053 | - 0. 56. 23.94 | 32.15 | 5 | - 9.481 | 1151 | ... | 284 |
| 3342 | 3358 | Piazzi VII. 287 | 8 | 7. 52. 58.94 | 36.58 | 4 | + 2.573 | - 22. 54. 15.63 | 36.39 | 4 | - 9.493 | ... | ... | 287 |
| 3343 | 3359 | 6 Cancri | 5.6 | 7. 53. 22.33 | 32.26 | 5 | + 3.704 | + 28. 15. 0.14 | 32.77 | 8 | - 9.522 | 1149 | ... | 285 |
| 3344 | 3360 | Piazzi VII. 286 | 7.8 | 7. 53. 23.74 | 36.39 | 4 | + 3.396 | + 25. 24. 8.15 | 36.38 | 4 | - 9.525 | ... | ... | 286 |
| 3345 | 3361 | Lacaille 3110 | 7.8 | 7. 53. 30.03 | 38.43 | 4 | + 1.261 | - 56. 59. 19.49 | 38.21 | 3 | - 9.533 | ... | 3110 | ... |
| 3346 | 3362 | Lacaille 3105 | 5.6 | 7. 53. 30.31 | 38.07 | 4 | + 1.728 | - 48. 48. 0.66 | 38.07 | 4 | - 9.533 | ... | 3105 | ... |
| 3347 | 3363 | Lacaille 3113 | 6 | 7. 53. 30.84 | 38.23 | 3 | + 1.028 | - 60. 5. 7.89 | 38.22 | 3 | - 9.534 | ... | 3113 | ... |
| 3348 | 3364 | Lacaille 3103 | 6 | 7. 53. 39.21 | 34.41 | 4 | + 2.125 | - 38. 50. 52.89 | 34.37 | 4 | - 9.544 | ... | 3103 | 292 |
| 3349 | 3365 | Bradley 1153 | 5 | 7. 53. 40.89 | 31.52 | 13 | + 3.129 | + 2. 46. 57.28 | 31.61 | 10 | - 9.547 | 1153 | ... | 289 |
| 3350 | 3366 | Brisbane 1843 | 7 | 7. 54. 1.65 | 38.09 | 3 | + 1.825 | - 46. 41. 38.92 | 38.09 | 3 | - 9.574 | ... | ... | ... |
| 3351 | 3367 | Piazzi VII. 282 | 7.8 | 7. 54. 2.00 | 35.14 | 3 | + 5.728 | + 66. 7. 43.07 | 34.40 | 4 | - 9.574 | ... | ... | 282 |
| 3352 | 3368 | 7 Cancri | 6.7 | 7. 54. 5.45 | 34.40 | 4 | + 3.559 | + 22. 31. 38.72 | 34.33 | 4 | - 9.578 | 1152 | ... | 290 |
| 3353 | 3369 | Piazzi VII. 291 | 6.7 | 7. 54. 13.26 | 35.09 | 3 | + 3.288 | + 10. 23. 52.85 | 34.43 | 4 | - 9.588 | ... | ... | 291 |
| 3354 | 3370 | Lacaille 3117 | 7 | 7. 54. 15.64 | 38.48 | 3 | + 1.261 | - 57. 2. 3.67 | 38.48 | 3 | - 9.591 | ... | 3117 | ... |
| 3355 | 3371 | Lacaille 3104 | 7 | 7. 54. 18.09 | 38.08 | 3 | + 2.525 | - 24. 57. 45.62 | 38.08 | 3 | - 9.594 | ... | 3104 | ... |
| 3356 | 3372 | Brisbane 1847 | 7 | 7. 54. 28.39 | 38.24 | 1 | + 1.753 | - 48. 18. 51.86 | 38.24 | 1 | - 9.607 | ... | ... | ... |
| 3357 | 3373 | Brisbane 1849 | 7.8 | 7. 54. 32.42 | 39.22 | 13 | + 1.450 | - 54. 7. 12.95 | 39.16 | 12 | - 9.612 | ... | ... | ... |
| 3358 | 3374 | Brisbane 1848 | 6.7 | 7. 54. 33.00 | 39.51 | 9 | + 1.696 | - 49. 31. 43.47 | 39.46 | 7 | - 9.613 | ... | ... | ... |
| 3359 | 3375 | Lacaille 3112 | 8 | 7. 54. 34.01 | 39.42 | 5 | + 1.697 | - 49. 31. 32.10 | 40.21 | 1 | - 9.614 | ... | 3112 | ... |
| 3360 | 3377 | Brisbane 1850 | 10 | 7. 54. 39.16 | 39.16 | 2 | + 1.746 | - 48. 30. 12.01 | 39.16 | 2 | - 9.621 | ... | ... | ... |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835'0.

{lxxxvii}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|---------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 3361 | 3378 | Lacaille 3122 | 6 | h m s 7. 54. 43'70 | 38'23 | 3 | + 1'051 | — 59. 51. 44'65 | 38'22 | 3 | — 9'628 | ... | 3122 | ... |
| 3362 | 3376 | Brisbane 1851 | 6'7 | 7. 54. 46'23 | 38'12 | 3 | + 1'820 | — 46. 51. 15'60 | 38'11 | 3 | — 9'630 | ... | ... | ... |
| 3363 | 3379 | Brisbane 1853 | 7'8 | 7. 55. 4'67 | 38'52 | 3 | + 1'567 | — 52. 5. 41'38 | 38'52 | 3 | — 9'653 | ... | ... | ... |
| 3364 | 3380 | Brisbane 1854 | 8 | 7. 55. 6'49 | 39'13 | 13 | + 1'453 | — 54. 5. 53'88 | 39'12 | 10 | — 9'656 | ... | ... | ... |
| 3365 | 3381 | Lacaille 3119 | 7'8 | 7. 55. 17'85 | 38'75 | 5 | + 1'750 | — 48. 27. 15'60 | 38'48 | 3 | — 9'671 | ... | 3119 | ... |
| 3366 | 3382 | Lacaille 3120 | 7 | 7. 55. 27'55 | 38'67 | 4 | + 1'747 | — 48. 31. 54'27 | 38'50 | 3 | — 9'682 | ... | 3120 | ... |
| 3367 | 3383 | Lacaille 3118 | 7 | 7. 55. 35'78 | 38'47 | 3 | + 2'195 | — 36. 49. 47'14 | 38'47 | 3 | — 9'694 | ... | 3118 | ... |
| 3368 | 3384 | Lacaille 3123 | 6'7 | 7. 55. 40'42 | 38'19 | 2 | + 1'753 | — 48. 25. 9'85 | 38'52 | 3 | — 9'699 | ... | 3123 | ... |
| 3369 | 3385 | 28 Lyncis | 6'7 | 7. 55. 42'59 | 35'11 | 3 | + 4'191 | + 43. 43. 34'66 | 34'40 | 4 | — 9'702 | 1155 | ... | 293 |
| 3370 | 3386 | 8 Cancri | 6 | 7. 55. 52'68 | 32'04 | 7 | + 3'355 | + 13. 34. 54'96 | 32'19 | 5 | — 9'715 | 1156 | ... | 296 |
| 3371 | 3387 | Piazzi VII. 295 | 7'8 | 7. 55. 53'68 | 34'38 | 4 | + 3'454 | + 18. 4. 59'67 | 34'39 | 4 | — 9'716 | ... | ... | 295 |
| 3372 | 3388 | 27 Lyncis | 5 | 7. 56. 0'74 | 31'57 | 8 | + 4'568 | + 51. 58. 25'72 | 31'63 | 10 | — 9'725 | 1154 | ... | 294 |
| 4373 | 3389 | Lacaille 3121 | 7'8 | 7. 56. 2'90 | 38'47 | 3 | + 2'204 | — 36. 35. 40'02 | 38'47 | 3 | — 9'727 | ... | 3121 | ... |
| 3374 | 3390 | Lacaille 3134 | 8 | 7. 56. 6'29 | 39'16 | 1 | + 1'016 | — 60. 22. 30'12 | 38'67 | 2 | — 9'731 | ... | 3134 | ... |
| 3375 | 3391 | 55 Camelopardi | 5 | 7. 56. 17'42 | 33'23 | 12 | + 6'109 | + 68. 56. 56'24 | 31'64 | 10 | — 9'746 | 1148 | ... | ... |
| 3376 | 3392 | Piazzi VII. 297 | 6'7 | 7. 56. 19'73 | 34'42 | 4 | + 3'363 | + 13. 58. 2'20 | 34'43 | 4 | — 9'750 | ... | ... | 297 |
| 3377 | 3393 | 9 Canori | 6 | 7. 56. 31'33 | 32'22 | 6 | + 3'570 | + 23. 6. 0'05 | 34'04 | 8 | — 9'764 | 1157 | ... | 298 |
| 3378 | 3394 | Lacaille 3125 | 7 | 7. 56. 31'83 | 39'55 | 7 | + 1'939 | — 44. 8. 36'95 | 39'55 | 7 | — 9'766 | ... | 3125 | ... |
| 3379 | 3395 | Brisbane 1867 | 7 | 7. 56. 36'93 | 38'50 | 3 | + 1'721 | — 49. 9. 55'45 | 38'50 | 3 | — 9'772 | ... | ... | ... |
| 3380 | 3396 | Lacaille 3124 | 6'7 | 7. 56. 38'05 | 35'14 | 3 | + 2'342 | — 32. 0. 18'87 | 34'42 | 4 | — 9'773 | ... | 3124 | 301 |
| 3381 | 3397 | Piazzi VII. 300 | 8 | 7. 56. 43'06 | 36'58 | 2 | + 3'010 | — 3. 2. 1'98 | 36'37 | 4 | — 9'779 | ... | ... | 300 |
| 3382 | 3398 | Lacaille 3138 | 6'7 | 7. 56. 45'25 | 38'51 | 3 | + 1'070 | — 59. 45. 17'06 | 38'50 | 3 | — 9'782 | ... | 3138 | ... |
| 3383 | 3399 | Lacaille 3135 | 6'7 | 7. 56. 46'48 | 39'62 | 7 | + 1'483 | — 53. 41. 47'73 | 39'62 | 7 | — 9'783 | ... | 3135 | ... |
| 3384 | 3401 | Lacaille 3140 | 6 | 7. 56. 47'97 | 38'18 | 3 | + 1'039 | — 60. 8. 6'42 | 38'17 | 3 | — 9'786 | ... | 3140 | ... |
| 3385 | 3400 | Brisbane 1871 | 10 | 7. 56. 48'83 | 39'16 | 1 | + 1'046 | — 60. 3. 11'46 | 38'22 | 1 | — 9'787 | ... | ... | ... |
| 3386 | 3402 | Bradley 1158 | 7 | 7. 56. 49'40 | 34'35 | 4 | + 3'566 | + 22. 55. 26'74 | 34'35 | 4 | — 9'788 | 1158 | ... | 299 |
| 3387 | 3403 | Lacaille 3128 | 6'7 | 7. 57. 4'60 | 38'54 | 3 | + 2'063 | — 40. 51. 6'28 | 38'54 | 3 | — 9'808 | ... | 3128 | ... |
| 3388 | 3404 | Lacaille 3130 | 6'7 | 7. 57. 7'92 | 38'50 | 3 | + 1'937 | — 44. 12. 32'93 | 38'50 | 3 | — 9'811 | ... | 3130 | ... |
| 3389 | 3405 | Piazzi VII. 302 | 8'9 | 7. 57. 8'56 | 36'48 | 3 | + 2'663 | — 19. 18. 49'43 | 36'55 | 8 | — 9'812 | ... | ... | 302 |
| 3390 | 3406 | 14 Puppis | 7 | 7. 57. 22'03 | 36'53 | 12 | + 2'665 | — 19. 15. 55'45 | 35'94 | 11 | — 9'829 | 1163 | ... | 303 |
| 3391 | 3407 | Lacaille 3139 | 6 | 7. 57. 22'61 | 39'26 | 8 | + 1'464 | — 54. 3. 31'50 | 39'30 | 6 | — 9'830 | ... | 3139 | ... |
| 3392 | 3408 | O.P.D. — 54°. 147'1 | 8 | 7. 57. 24'31 | 39'12 | 4 | + 1'463 | — 54. 4. 9'99 | 38'79 | 3 | — 9'831 | ... | ... | ... |
| 3393 | 3409 | Lacaille 3144 | 6 | 7. 57. 40'35 | 40'76 | 5 | + 1'409 | — 54. 59. 48'03 | 40'76 | 5 | — 9'851 | ... | 3144 | ... |
| 3394 | 3410 | Argus | 3 | 7. 57. 47'26 | 32'00 | 20 | + 2'111 | — 39. 32. 33'61 | 32'43 | 41 | — 9'861 | ... | 3136 | 306 |
| 3395 | 3411 | Lacaille 3131 | 6 | 7. 57. 50'35 | 34'36 | 4 | + 2'339 | — 32. 12. 43'63 | 34'36 | 4 | — 9'865 | ... | 3131 | 305 |
| 3396 | 3412 | Lacaille 3137 | 7 | 7. 57. 59'16 | 38'98 | 4 | + 2'006 | — 42. 29. 12'37 | 39'70 | 6 | — 9'876 | ... | 3137 | ... |
| 3397 | 3413 | Brisbane 1880 | 7 | 7. 57. 59'76 | 38'52 | 3 | + 1'710 | — 49. 29. 31'56 | 38'52 | 3 | — 9'877 | ... | ... | ... |
| 3398 | 3414 | Lacaille 3145 | 6'7 | 7. 58. 0'73 | 39'20 | 6 | + 1'458 | — 54. 12. 21'40 | 38'88 | 9 | — 9'878 | ... | 3145 | ... |
| 3399 | 3415 | 10 Canori | 6'7 | 7. 58. 2'78 | 32'45 | 8 | + 3'543 | + 22. 3. 17'61 | 31'71 | 4 | — 9'881 | 1161 | ... | 304 |
| 3400 | 3416 | Lacaille 3141 | 6'7 | 7. 58. 42'27 | 38'09 | 6 | + 2'314 | — 33. 7. 33'28 | 38'10 | 6 | — 9'930 | ... | 3141 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Procession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Procession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 3401 | 3417 | 11 Cancri | 7 | h m s 7. 58. 43.33 | 34.68 | 5 | + 3.689 | + 27. 57. 12.85 | 34.25 | 6 | — 9.931 | 1162 | ... | 307 |
| 3402 | 3418 | Lacaille 3148 | 6.7 | 7. 58. 44.67 | 38.22 | 3 | + 1.734 | — 49. 2. 12.75 | 38.21 | 3 | — 9.934 | ... | 3148 | ... |
| 3403 | 3419 | Lacaille 3146 | 6.7 | 7. 59. 23.05 | 38.27 | 6 | + 2.316 | — 33. 6. 2.65 | 38.91 | 5 | — 9.982 | ... | 3146 | ... |
| 3404 | 3420 | Piazzi VII. 308 | 8 | 7. 59. 26.26 | 37.80 | 6 | + 3.913 | + 35. 56. 29.43 | 37.95 | 6 | — 9.986 | ... | ... | 308 |
| 3405 | 3421 | 12 Cancri | 6 | 7. 59. 28.83 | 33.07 | 3 | + 3.364 | + 14. 6. 54.57 | 33.98 | 1 | — 9.990 | 1165 | ... | 310 |
| 3406 | 3422 | Piazzi VII. 313 | 9 | 8. 0. 2.39 | 36.36 | 4 | + 3.297 | + 10. 59. 5.60 | 36.37 | 4 | — 10.032 | ... | ... | 313 |
| 3407 | 3423 | Lacaille 3156 | 6.7 | 8. 0. 4.89 | 39.31 | 7 | + 1.686 | — 50. 7. 22.28 | 38.94 | 5 | — 10.036 | ... | 3156 | ... |
| 3408 | 3424 | Piazzi VII. 309 | 6.7 | 8. 0. 8.31 | 34.53 | 5 | + 4.856 | + 57. 0. 46.94 | 34.33 | 4 | — 10.039 | ... | ... | 309 |
| 3409 | 3425 | Brisbane 1889 | 6.7 | 8. 0. 11.62 | 38.46 | 3 | + 1.478 | — 54. 0. 32.10 | 38.46 | 3 | — 10.044 | ... | ... | ... |
| 3410 | 3426 | 13 Cancri | 6.7 | 8. 0. 14.06 | 34.47 | 3 | + 3.644 | + 26. 19. 22.94 | 34.37 | 4 | — 10.047 | 1166 | ... | 312 |
| 3411 | 3427 | Lacaille 3159 | 6.7 | 8. 0. 15.33 | 38.10 | 3 | + 1.852 | — 46. 30. 37.61 | 38.10 | 2 | — 10.048 | ... | 3159 | ... |
| 3412 | 3428 | 29 Monocerotis | 5.6 | 8. 0. 17.90 | 32.16 | 6 | + 3.022 | — 2. 30. 31.78 | 31.80 | 8 | — 10.052 | 1168 | ... | 316 |
| 3413 | 3429 | Piazzi VII. 315 | 8.9 | 8. 0. 19.71 | 36.37 | 4 | + 3.091 | + 0. 56. 7.06 | 37.09 | 1 | — 10.055 | ... | ... | 315 |
| 3414 | 3430 | Piazzi VII. 318 | 6.7 | 8. 0. 19.85 | 34.41 | 4 | + 2.804 | — 13. 2. 0.09 | 34.37 | 5 | — 10.055 | ... | ... | 318 |
| 3415 | 3431 | Brisbane 1893 | 7.8 | 8. 0. 25.71 | 39.07 | 10 | + 1.448 | — 54. 31. 42.11 | 39.07 | 10 | — 10.062 | ... | ... | ... |
| 3416 | 3432 | 14 Cancri | 7 | 8. 0. 29.96 | 36.78 | 3 | + 3.637 | + 26. 0. 2.11 | 40.13 | 1 | — 10.067 | 1167 | ... | 314 |
| 3417 | 3433 | Brisbane 1894 | 6.7 | 8. 0. 30.31 | 38.43 | 4 | + 1.772 | — 48. 20. 14.93 | 38.43 | 4 | — 10.067 | ... | ... | ... |
| 3418 | 3434 | Argus | 3.4 | 8. 0. 31.16 | 31.75 | 8 | + 2.561 | — 23. 49. 58.79 | 31.59 | 10 | — 10.068 | 1170 | 3153 | 320 |
| 3419 | 3435 | Piazzi VII. 317 | 6.7 | 8. 0. 35.52 | 34.40 | 4 | + 3.436 | + 17. 29. 39.83 | 34.39 | 4 | — 10.074 | ... | ... | 317 |
| 3420 | 3436 | Piazzi VII. 311 | 6.7 | 8. 0. 38.36 | 35.11 | 4 | + 4.848 | + 56. 56. 16.75 | 34.43 | 4 | — 10.077 | ... | ... | 311 |
| 3421 | 3437 | Lacaille 3162 | 6 | 8. 0. 47.14 | 38.52 | 3 | + 1.559 | — 52. 38. 18.75 | 38.52 | 3 | — 10.089 | ... | 3162 | ... |
| 3422 | 3438 | Lacaille 3164 | 7.8 | 8. 0. 53.41 | 39.25 | 12 | + 1.451 | — 54. 31. 20.65 | 39.28 | 8 | — 10.096 | ... | 3164 | ... |
| 3423 | 3439 | Piazzi VII. 321 | 6.7 | 8. 1. 17.03 | 37.45 | 6 | + 3.821 | + 32. 58. 4.36 | 36.93 | 10 | — 10.127 | ... | ... | 321 |
| 3424 | 3440 | Piazzi VII. 322 | 8 | 8. 1. 19.72 | 36.38 | 4 | + 3.268 | + 9. 38. 53.83 | 36.39 | 4 | — 10.131 | ... | ... | 322 |
| 3425 | 3441 | Lacaille 3163 | 6 | 8. 1. 23.11 | 38.15 | 3 | + 1.926 | — 44. 47. 34.75 | 38.15 | 3 | — 10.134 | ... | 3163 | ... |
| 3426 | 3442 | 16 Puppis | 5.6 | 8. 1. 39.73 | 32.26 | 6 | + 2.680 | — 18. 45. 59.86 | 31.57 | 8 | — 10.155 | 1174 | ... | 1 |
| 3427 | 3443 | Lacaille 3161 | 7.8 | 8. 1. 45.64 | 38.17 | 3 | + 2.273 | — 34. 44. 4.67 | 38.17 | 3 | — 10.163 | ... | 3161 | ... |
| 3428 | 3444 | 56 Camelopardi | 6.7 | 8. 1. 52.67 | 34.39 | 4 | + 5.140 | + 60. 52. 12.74 | 34.39 | 4 | — 10.171 | 1164 | ... | 319 |
| 3429 | 3445 | Piazzi VIII. 2 | 8 | 8. 2. 1.34 | 36.38 | 4 | + 2.945 | — 6. 15. 47.83 | 37.07 | 1 | — 10.182 | ... | ... | 2 |
| 3430 | 3446 | Piazzi VIII. 3 | 7 | 8. 2. 16.50 | 37.46 | 13 | + 3.281 | + 10. 18. 16.12 | 36.68 | 10 | — 10.201 | ... | ... | 3 |
| 3431 | 3447 | Lacaille 3173 | 7 | 8. 2. 32.62 | 38.50 | 3 | + 1.627 | — 51. 27. 53.54 | 38.49 | 3 | — 10.221 | ... | 3173 | ... |
| 3432 | 3448 | 16 Cancri | 6 | 8. 2. 44.50 | 36.12 | 7 | + 3.449 | + 18. 8. 20.26 | 37.31 | 4 | — 10.236 | 1175 | ... | 5 |
| 3433 | 3449 | Piazzi VIII. 6 | 8 | 8. 2. 45.03 | 37.48 | 3 | + 3.448 | + 18. 8. 16.16 | 37.12 | 1 | — 10.237 | ... | ... | 6 |
| 3434 | 3450 | Lacaille 3176 | 6.7 | 8. 2. 49.93 | 38.20 | 3 | + 1.771 | — 48. 32. 0.33 | 38.21 | 3 | — 10.244 | ... | 3176 | ... |
| 3435 | 3451 | 15 Cancri | 6 | 8. 2. 54.55 | 38.22 | 6 | + 3.740 | + 30. 8. 39.79 | 38.95 | 7 | — 10.248 | 1173 | ... | 4 |
| 3436 | 3452 | Lacaille 3169 | 7.8 | 8. 2. 56.34 | 38.17 | 3 | + 2.268 | — 34. 58. 31.93 | 38.17 | 3 | — 10.251 | ... | 3169 | ... |
| 3437 | 3453 | 18 Puppis | 6 | 8. 3. 1.05 | 33.98 | 2 | + 2.800 | — 13. 19. 7.86 | 33.98 | 1 | — 10.257 | 1176 | ... | 9 |
| 3438 | 3454 | 19 Puppis | 6 | 8. 3. 31.89 | 32.24 | 6 | + 2.819 | — 12. 26. 33.40 | 31.82 | 5 | — 10.295 | 1177 | ... | 11 |
| 3439 | 3455 | Piazzi VIII. 12 | 9 | 8. 3. 40.41 | 36.37 | 4 | + 2.688 | — 18. 29. 21.76 | 36.39 | 4 | — 10.305 | ... | ... | 12 |
| 3440 | 3456 | Brisbane 1911 | 8 | 8. 3. 40.41 | 38.12 | 3 | + 1.473 | — 54. 20. 52.87 | 38.12 | 3 | — 10.305 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835°0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835°0. | Mean Dec., 1835°0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835°0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 3441 | 3457 | 29 Lyncis | 6.7 | 8. 4. 4.58 | 35.13 | 3 | + 5.062 | + 60. 4. 3.88 | 34.41 | 4 | -10.338 | 1171 | ... | 7 |
| 3442 | 3458 | Lacaille 3186 | 7 | 8. 4. 6.28 | 39.39 | 7 | + 1.598 | - 52. 8. 16.37 | 39.39 | 7 | -10.339 | ... | 3186 | ... |
| 3443 | 3459 | PuppisK | 7 | 8. 4. 12.38 | 34.38 | 4 | + 2.035 | - 42. 9. 27.28 | 34.37 | 4 | -10.346 | ... | 3179 | 16 |
| 3444 | 3460 | Lacaille 3181 | 5.6 | 8. 4. 14.46 | 39.45 | 7 | + 1.791 | - 48. 12. 7.27 | 39.45 | 7 | -10.349 | ... | 3181 | ... |
| 3445 | 3461 | Lacaille 3177 | 6.7 | 8. 4. 22.60 | 38.08 | 3 | + 2.359 | - 31. 53. 47.24 | 38.08 | 3 | -10.360 | ... | 3177 | ... |
| 3446 | 3462 | Brisbane 1916 | 5 | 8. 4. 24.50 | 32.72 | 21 | + 1.850 | - 46. 51. 43.97 | 33.88 | 8 | -10.361 | ... | ... | ... |
| 3447 | 3463 | Argus.....γ | 3 | 8. 4. 26.92 | 32.41 | 30 | + 1.851 | - 46. 51. 13.00 | 32.76 | 44 | -10.365 | ... | 3185 | ... |
| 3448 | 3464 | Brisbane 1918 | 7.8 | 8. 4. 30.33 | 38.12 | 3 | + 1.850 | - 46. 52. 11.10 | 38.12 | 3 | -10.369 | ... | ... | ... |
| 3449 | 3465 | Piazzi VIII. 13 | 8 | 8. 4. 30.85 | 36.43 | 3 | + 3.301 | + 11. 20. 26.92 | 36.39 | 4 | -10.370 | ... | ... | 13 |
| 3450 | 3466 | Lacaille 3190 | 7.8 | 8. 4. 42.16 | 38.09 | 3 | + 1.683 | - 50. 31. 47.94 | 38.09 | 2 | -10.383 | ... | 3190 | ... |
| 3451 | 3467 | Lacaille 3187 | 6 | 8. 4. 42.43 | 38.42 | 4 | + 1.826 | - 47. 27. 12.14 | 38.19 | 3 | -10.383 | ... | 3187 | ... |
| 3452 | 3468 | Piazzi VIII. 14 | 7 | 8. 4. 44.03 | 32.97 | 5 | + 3.447 | + 18. 10. 0.73 | 33.00 | 5 | -10.386 | ... | ... | 14 |
| 3453 | 3469 | Piazzi VIII. 8 | 7 | 8. 4. 49.00 | 34.37 | 4 | + 5.907 | + 68. 1. 50.40 | 34.36 | 4 | -10.392 | ... | ... | 8 |
| 3454 | 3470 | 57 Camelopardi | 6.7 | 8. 4. 51.57 | 35.15 | 3 | + 5.317 | + 63. 0. 27.07 | 34.42 | 4 | -10.396 | 1172 | ... | 10 |
| 3455 | 3471 | Lacaille 3183 | 6.7 | 8. 4. 56.17 | 34.41 | 4 | + 2.217 | - 36. 48. 23.11 | 34.44 | 4 | -10.401 | ... | 3183 | 17 |
| 3456 | 3472 | Lacaille 3198 | 7 | 8. 5. 7.63 | 38.33 | 4 | + 1.605 | - 52. 5. 24.27 | 38.33 | 4 | -10.416 | ... | 3198 | ... |
| 3457 | 3473 | Brisbane 1924 | 7.8 | 8. 5. 13.82 | 38.15 | 3 | + 2.232 | - 36. 18. 45.39 | 38.15 | 2 | -10.424 | ... | ... | ... |
| 3458 | 3474 | Puppisη ¹ | 6 | 8. 5. 28.09 | 35.10 | 3 | + 2.143 | - 39. 7. 50.14 | 35.20 | 8 | -10.441 | ... | 3191 | 21 |
| 3459 | 3475 | Lacaille 3195 | 6.7 | 8. 5. 29.00 | 38.42 | 4 | + 1.770 | - 48. 45. 3.29 | 38.96 | 5 | -10.442 | ... | 3195 | ... |
| 3460 | 3476 | Piazzi VIII. 15 | 7 | 8. 5. 30.98 | 36.39 | 4 | + 4.681 | + 54. 38. 41.47 | 36.39 | 4 | -10.444 | ... | ... | 15 |
| 3461 | 3477 | Brisbane 1927 | 7 | 8. 5. 35.20 | 39.40 | 8 | + 1.774 | - 48. 40. 38.05 | 39.15 | 7 | -10.450 | ... | ... | ... |
| 3462 | 3478 | Lacaille 3208 | 6.7 | 8. 5. 42.63 | 38.22 | 3 | + 1.406 | - 55. 36. 5.52 | 38.22 | 3 | -10.459 | ... | 3208 | ... |
| 3463 | 3479 | 20 Puppis | 5 | 8. 5. 45.12 | 31.66 | 6 | + 2.760 | - 15. 17. 45.52 | 31.65 | 10 | -10.462 | 1179 | ... | 18 |
| 3464 | 3480 | Lacaille 3197 | 5 | 8. 5. 51.75 | 32.24 | 12 | + 2.027 | - 42. 29. 56.03 | 31.68 | 10 | -10.471 | ... | 3197 | 22 |
| 3465 | 3481 | Lacaille 3192 | 6.7 | 8. 6. 5.60 | 38.44 | 4 | + 2.429 | - 29. 25. 13.04 | 38.65 | 4 | -10.489 | ... | 3192 | ... |
| 3466 | 3482 | Lacaille 3205 | 5.6 | 8. 6. 12.80 | 38.23 | 3 | + 1.808 | - 47. 58. 19.83 | 38.22 | 3 | -10.497 | ... | 3205 | ... |
| 3467 | 3483 | Piazzi VIII. 20 | 8 | 8. 6. 13.23 | 36.10 | 2 | + 3.444 | + 18. 4. 13.37 | 36.36 | 4 | -10.497 | ... | ... | 20 |
| 3468 | 3484 | Carinae.....B | 5.6 | 8. 6. 15.75 | 38.52 | 3 | + 1.033 | - 60. 48. 14.64 | 38.52 | 3 | -10.500 | ... | 3222 | ... |
| 3469 | 3485 | Lacaille 3199 | 7 | 8. 6. 19.99 | 38.15 | 3 | + 2.229 | - 36. 29. 54.05 | 38.15 | 3 | -10.507 | ... | 3199 | ... |
| 3470 | 3486 | Lacaille 3207 | 7 | 8. 6. 34.29 | 35.15 | 3 | + 2.014 | - 42. 54. 33.35 | 34.16 | 3 | -10.523 | ... | 3207 | 27 |
| 3471 | 3487 | Piazzi VIII. 25 | 7.8 | 8. 6. 44.14 | 36.83 | 7 | + 2.370 | - 31. 39. 45.76 | 40.10 | 3 | -10.536 | ... | ... | 25 |
| 3472 | 3488 | Lacaille 3213 | 7 | 8. 6. 48.98 | 36.45 | 3 | + 1.888 | - 46. 9. 11.10 | 36.51 | 3 | -10.542 | ... | 3213 | 29 |
| 3473 | 3489 | 30 Lyncis | 6.7 | 8. 7. 3.54 | 34.39 | 4 | + 4.909 | + 58. 14. 54.97 | 34.34 | 4 | -10.560 | 1178 | ... | 19 |
| 3474 | 3490 | Brisbane 1936 | 7 | 8. 7. 7.12 | 38.99 | 6 | + 2.251 | - 35. 50. 51.43 | 39.17 | 6 | -10.565 | ... | ... | ... |
| 3475 | 3491 | Brisbane 1937 | 6.7 | 8. 7. 11.30 | 39.03 | 7 | + 2.252 | - 35. 48. 57.01 | 39.00 | 5 | -10.570 | ... | ... | ... |
| 3476 | 3492 | Puppisγ | 5 | 8. 7. 15.96 | 33.11 | 15 | + 2.265 | - 35. 24. 17.97 | 32.70 | 12 | -10.576 | ... | 3212 | 31 |
| 3477 | 3493 | Piazzi VIII. 26 | 8 | 8. 7. 17.20 | 36.63 | 4 | + 3.270 | + 9. 54. 26.26 | 36.39 | 4 | -10.578 | ... | ... | 26 |
| 3478 | 3494 | Piazzi VIII. 24 | 8 | 8. 7. 20.22 | 36.45 | 3 | + 3.665 | + 27. 33. 5.30 | 36.37 | 4 | -10.582 | ... | ... | 24 |
| 3479 | 3495 | Volantisε | 5 | 8. 7. 22.27 | 35.47 | 10 | + 0.242 | - 68. 7. 56.83 | 38.96 | 7 | -10.584 | ... | 3242 | ... |
| 3480 | 3496 | Piazzi VIII. 23 | 8 | 8. 7. 31.92 | 36.44 | 3 | + 4.618 | + 53. 42. 14.99 | 36.42 | 3 | -10.595 | ... | ... | 23 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|---------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 3481 | 3497 | 17 Cancri | β 4 | 8. 7. 33.73 | 34.05 | 30 | + 3.266 | + 9. 41. 19.05 | 32.75 | 36 | -10.597 | 1180 | ... | 28 |
| 3482 | 3498 | Lacaille 3217 | 6.7 | 8. 7. 39.73 | 35.92 | 5 | + 2.372 | - 31. 38. 38.29 | 35.49 | 11 | -10.604 | ... | 3217 | 32 |
| 3483 | 3499 | Lacaille 3219 | 5.6 | 8. 7. 46.51 | 38.21 | 3 | + 2.253 | - 35. 49. 34.94 | 38.21 | 3 | -10.614 | ... | 3219 | ... |
| 3484 | 3500 | Brisbane 1942 | 6.7 | 8. 7. 46.82 | 38.71 | 4 | + 2.252 | - 35. 50. 40.94 | 38.21 | 3 | -10.614 | ... | ... | ... |
| 3485 | 3501 | Puppis | λ^2 6 | 8. 8. 11.46 | 35.12 | 3 | + 2.126 | - 39. 50. 51.45 | 34.42 | 4 | -10.644 | ... | 3223 | 35 |
| 3486 | 3502 | Lacaille 3233 | 7 | 8. 8. 21.29 | 38.49 | 3 | + 1.532 | - 53. 39. 11.11 | 38.48 | 3 | -10.657 | ... | 3233 | ... |
| 3487 | 3503 | Lacaille 3232 | 7 | 8. 8. 33.45 | 38.88 | 4 | + 1.896 | - 46. 4. 50.90 | 38.14 | 3 | -10.670 | ... | 3232 | ... |
| 3488 | 3504 | Piazzi VIII. 33 | 6.7 | 8. 8. 35.19 | 34.40 | 4 | + 3.259 | + 9. 22. 13.74 | 34.38 | 4 | -10.673 | ... | ... | 33 |
| 3489 | 3505 | Piazzi VIII. 34 | 8 | 8. 8. 43.46 | 36.09 | 2 | + 3.265 | + 9. 40. 15.53 | 36.63 | 4 | -10.682 | ... | ... | 34 |
| 3490 | 3506 | Piazzi VIII. 30 | 6.7 | 8. 8. 48.30 | 34.39 | 4 | + 5.125 | + 61. 8. 37.83 | 34.36 | 4 | -10.689 | ... | ... | 30 |
| 3491 | 3507 | Lacaille 3237 | 6 | 8. 9. 6.27 | 34.47 | 3 | + 1.928 | - 45. 20. 2.36 | 34.15 | 3 | -10.712 | ... | 3237 | 38 |
| 3492 | 3508 | Brisbane 1951 | 8 | 8. 9. 8.99 | 38.10 | 3 | + 1.150 | - 59. 32. 36.91 | 38.10 | 3 | -10.715 | ... | ... | ... |
| 3493 | 3509 | Brisbane 1949 | 7.8 | 8. 9. 15.31 | 39.82 | 7 | + 1.784 | - 48. 44. 5.84 | 39.77 | 6 | -10.723 | ... | ... | ... |
| 3494 | 3510 | Lacaille 3229 | 7.8 | 8. 9. 18.60 | 38.07 | 3 | + 2.428 | - 29. 40. 55.14 | 38.07 | 3 | -10.728 | ... | 3229 | ... |
| 3495 | 3511 | Brisbane 1952 | 8 | 8. 9. 21.44 | 39.12 | 7 | + 1.793 | - 48. 32. 58.98 | 38.95 | 6 | -10.731 | ... | ... | ... |
| 3496 | 3512 | Piazzi VIII. 36 | 8 | 8. 9. 26.83 | 36.42 | 3 | + 3.264 | + 9. 39. 29.06 | 36.16 | 4 | -10.738 | ... | ... | 36 |
| 3497 | 3513 | 21 Puppis | 6 | 8. 9. 49.32 | 33.86 | 10 | + 2.753 | - 15. 46. 43.54 | 32.69 | 6 | -10.764 | 1184 | ... | 39 |
| 3498 | 3514 | 18 Cancri | χ 6 | 8. 10. 1.67 | 32.24 | 6 | + 3.665 | + 27. 44. 46.66 | 32.16 | 4 | -10.781 | 1181 | ... | 37 |
| 3499 | 3515 | Brisbane 1955 | 7.8 | 8. 10. 21.25 | 39.00 | 8 | + 1.790 | - 48. 40. 36.93 | 38.87 | 8 | -10.805 | ... | ... | ... |
| 3500 | 3516 | Lacaille 3241 | 7.8 | 8. 10. 32.48 | 38.14 | 3 | + 2.528 | - 25. 47. 37.52 | 38.14 | 3 | -10.816 | ... | 3241 | ... |
| 3501 | 3517 | Brisbane 1957 | 7.8 | 8. 10. 34.61 | 39.73 | 9 | + 1.797 | - 48. 32. 48.55 | 39.77 | 10 | -10.819 | ... | ... | ... |
| 3502 | 3518 | Lacaille 3250 | 7 | 8. 10. 37.86 | 38.51 | 3 | + 1.914 | - 45. 48. 35.26 | 38.50 | 3 | -10.823 | ... | 3250 | ... |
| 3503 | 3519 | 19 Cancri | λ 6 | 8. 10. 42.78 | 32.26 | 6 | + 3.586 | + 24. 32. 9.88 | 32.14 | 5 | -10.829 | 1182 | ... | 41 |
| 3504 | 3520 | Piazzi VIII. 42 | 6.7 | 8. 10. 42.99 | 32.29 | 8 | + 3.510 | + 21. 15. 42.44 | 32.19 | 5 | -10.829 | ... | ... | 42 |
| 3505 | 3521 | Brisbane 1960 | 7.8 | 8. 10. 49.31 | 38.20 | 3 | + 1.788 | - 48. 45. 35.61 | 38.93 | 4 | -10.837 | ... | ... | ... |
| 3506 | 3522 | Piazzi VIII. 45 | 7.8 | 8. 10. 57.34 | 38.10 | 7 | + 2.791 | - 14. 3. 22.43 | 37.37 | 8 | -10.847 | ... | ... | 45 |
| 3507 | 3523 | Brisbane 1961 | 7.8 | 8. 11. 6.49 | 38.92 | 10 | + 1.793 | - 48. 40. 45.55 | 38.80 | 9 | -10.859 | ... | ... | ... |
| 3508 | 3524 | Piazzi VIII. 44 | 6 | 8. 11. 9.22 | 34.37 | 4 | + 3.160 | + 4. 27. 41.46 | 34.38 | 4 | -10.862 | ... | ... | 44 |
| 3509 | 3525 | Lacaille 3251 | 7 | 8. 11. 15.74 | 38.46 | 4 | + 2.436 | - 29. 29. 44.13 | 38.46 | 4 | -10.871 | ... | 3251 | ... |
| 3510 | 3526 | Piazzi VIII. 40 | 6 | 8. 11. 16.23 | 34.41 | 4 | + 4.605 | + 53. 44. 35.69 | 34.39 | 4 | -10.871 | ... | ... | 40 |
| 3511 | 3527 | Lacaille 3249 | 8 | 8. 11. 23.51 | 38.39 | 4 | + 2.528 | - 25. 49. 55.41 | 38.14 | 3 | -10.881 | ... | 3249 | ... |
| 3512 | 3528 | 31 Lynceis | 5 | 8. 11. 30.71 | 31.52 | 8 | + 4.146 | + 43. 42. 37.08 | 31.60 | 10 | -10.888 | 1183 | ... | 43 |
| 3513 | 3529 | Lacaille 3256 | 7 | 8. 11. 38.07 | 38.16 | 3 | + 2.061 | - 42. 0. 48.53 | 38.16 | 3 | -10.896 | ... | 3256 | ... |
| 3514 | 3530 | Brisbane 1965 | 7.8 | 8. 11. 41.65 | 38.22 | 2 | + 1.940 | - 45. 14. 40.54 | 38.21 | 2 | -10.901 | ... | ... | ... |
| 3515 | 3531 | Lacaille 3260 | 6.7 | 8. 12. 13.99 | 38.22 | 2 | + 1.852 | - 47. 24. 40.29 | 38.21 | 2 | -10.942 | ... | 3260 | ... |
| 3516 | 3532 | Lacaille 3265 | 7.8 | 8. 12. 22.25 | 38.53 | 3 | + 1.362 | - 56. 45. 42.58 | 38.53 | 3 | -10.952 | ... | 3265 | ... |
| 3517 | 3533 | Puppis | η 4.5 | 8. 12. 23.08 | 31.66 | 12 | + 2.254 | - 36. 9. 6.27 | 31.63 | 10 | -10.953 | ... | 3259 | 47 |
| 3518 | 3534 | Brisbane 1970 | 8 | 8. 12. 34.67 | 38.17 | 3 | + 1.168 | - 59. 33. 3.58 | 38.17 | 3 | -10.966 | ... | ... | ... |
| 3519 | 3535 | Piazzi VIII. 48 | 8 | 8. 13. 21.53 | 38.27 | 6 | + 3.293 | + 11. 10. 54.77 | 36.65 | 2 | -11.025 | ... | ... | 48 |
| 3520 | 3536 | Lacaille 3273 | 7 | 8. 13. 28.89 | 38.11 | 3 | + 1.974 | - 44. 31. 18.64 | 38.11 | 3 | -11.033 | ... | 3273 | ... |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{xci}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 3521 | 3537 | Lacaille 3266 | 7 | h m s 8. 13. 34.53 | 38.21 | 3 | + 2.453 | — 29. 1. 30.12 | 38.21 | 3 | —11.039 | ... | 3266 | ... |
| 3522 | 3538 | Piazzi VIII. 49 | 7 | 8. 13. 36.93 | 34.17 | 1 | + 3.124 | + 2. 40. 18.48 | 34.41 | 4 | —11.041 | ... | ... | 49 |
| 3523 | 3539 | Brisbane 1975 | 6.7 | 8. 13. 47.68 | 38.09 | 3 | + 1.888 | — 46. 41. 47.04 | 38.09 | 3 | —11.055 | ... | ... | ... |
| 3524 | 3540 | Brisbane 1976 | 7 | 8. 13. 51.35 | 38.18 | 3 | + 1.930 | — 45. 41. 22.84 | 38.18 | 3 | —11.059 | ... | ... | ... |
| 3525 | 3541 | 20 Canori ^{d1} | 6 | 8. 13. 54.65 | 32.30 | 7 | + 3.453 | + 18. 51. 21.31 | 31.68 | 10 | —11.063 | 1185 | ... | 50 |
| 3526 | 3542 | Piazzi VIII. 51 | 8.9 | 8. 13. 58.80 | 36.13 | 4 | + 3.449 | + 18. 39. 34.75 | 36.37 | 4 | —11.069 | ... | ... | 51 |
| 3527 | 3543 | Lacaille 3276 | 7 | 8. 14. 1.12 | 38.24 | 3 | + 1.847 | — 47. 40. 57.41 | 38.24 | 3 | —11.071 | ... | 3276 | ... |
| 3528 | 3544 | Piazzi VIII. 46 | 6.7 | 8. 14. 6.00 | 34.62 | 4 | + 5.807 | + 67. 49. 46.50 | 34.49 | 5 | —11.078 | ... | ... | 46 |
| 3529 | 3545 | Lacaille 3289 | 6.7 | 8. 14. 32.83 | 38.25 | 3 | + 1.244 | — 58. 39. 5.00 | 38.25 | 3 | —11.110 | ... | 3289 | ... |
| 3530 | 3546 | Lacaille 3285 | 7 | 8. 14. 50.50 | 38.47 | 3 | + 1.792 | — 49. 1. 9.53 | 38.47 | 3 | —11.131 | ... | 3285 | ... |
| 3531 | 3548 | Puppis ^w | 5.6 | 8. 14. 53.43 | 34.63 | 6 | + 2.363 | — 32. 32. 0.01 | 34.36 | 4 | —11.135 | ... | 3277 | 56 |
| 3532 | 3547 | 21 Canori | 7 | 8. 14. 53.47 | 32.18 | 6 | + 3.291 | + 11. 9. 28.04 | 32.83 | 9 | —11.135 | 1187 | ... | 53 |
| 3533 | 3549 | Lacaille 3294 | 7.8 | 8. 14. 55.45 | 39.56 | 7 | + 1.161 | — 59. 47. 55.97 | 39.47 | 6 | —11.136 | ... | 3294 | ... |
| 3534 | 3550 | 22 Puppis | 6 | 8. 15. 1.55 | 32.21 | 5 | + 2.825 | — 12. 31. 43.30 | 31.79 | 5 | —11.144 | 1189 | ... | 55 |
| 3535 | 3551 | Lacaille 3284 | 7 | 8. 15. 3.73 | 38.16 | 3 | + 2.009 | — 43. 44. 7.82 | 38.16 | 3 | —11.148 | ... | 3284 | ... |
| 3536 | 3552 | Lacaille 3281 | 6 | 8. 15. 7.13 | 38.23 | 2 | + 2.265 | — 35. 57. 47.60 | 38.23 | 2 | —11.152 | ... | 3281 | ... |
| 3537 | 3553 | Brisbane 1987 | 7.8 | 8. 15. 13.26 | 39.30 | 6 | + 1.163 | — 59. 47. 43.62 | 38.90 | 4 | —11.159 | ... | ... | ... |
| 3538 | 3555 | Bradley 1188 | 6.7 | 8. 15. 21.61 | 35.11 | 3 | + 3.427 | + 17. 42. 54.20 | 34.41 | 4 | —11.171 | 1188 | ... | 54 |
| 3539 | 3554 | Lacaille 3291 | 6.7 | 8. 15. 21.84 | 38.52 | 3 | + 1.680 | — 51. 25. 30.07 | 38.52 | 3 | —11.171 | ... | 3291 | ... |
| 3540 | 3556 | Lacaille 3287 | 6.7 | 8. 15. 26.34 | 38.44 | 3 | + 2.170 | — 39. 5. 56.90 | 38.44 | 3 | —11.174 | ... | 3287 | ... |
| 3541 | 3557 | Lacaille 3288 | 7 | 8. 15. 33.81 | 38.44 | 3 | + 2.167 | — 39. 11. 37.32 | 38.44 | 3 | —11.185 | ... | 3288 | ... |
| 3542 | 3558 | Lacaille 3295 | 6.7 | 8. 15. 37.49 | 39.27 | 8 | + 1.599 | — 53. 10. 11.15 | 39.27 | 8 | —11.190 | ... | 3295 | ... |
| 3543 | 3559 | Lacaille 3283 | 6 | 8. 15. 51.71 | 32.25 | 6 | + 2.535 | — 25. 49. 26.78 | 32.22 | 5 | —11.206 | ... | 3283 | 60 |
| 3544 | 3560 | Brisbane 1989 | 7 | 8. 15. 58.84 | 38.11 | 3 | + 1.984 | — 44. 28. 2.96 | 38.11 | 3 | —11.215 | ... | ... | ... |
| 3545 | 3561 | Lacaille 3292 | 9 | 8. 16. 1.69 | 38.46 | 3 | + 2.063 | — 42. 18. 47.13 | 38.46 | 3 | —11.218 | ... | 3292 | ... |
| 3546 | 3562 | Lacaille 3290 | 7 | 8. 16. 9.15 | 38.51 | 3 | + 2.404 | — 31. 4. 56.82 | 38.51 | 3 | —11.227 | ... | 3290 | ... |
| 3547 | 3563 | Brisbane 1993 | 7 | 8. 16. 11.43 | 38.11 | 3 | + 1.984 | — 44. 28. 48.70 | 38.11 | 3 | —11.229 | ... | ... | ... |
| 3548 | 3564 | 1 Hydra | 6 | 8. 16. 21.42 | 32.27 | 5 | + 3.010 | — 3. 13. 17.03 | 32.24 | 5 | —11.242 | 1194 | ... | 63 |
| 3549 | 3565 | 22 Canori ^{d1} | 6.7 | 8. 16. 24.74 | 32.58 | 6 | + 3.671 | + 28. 25. 51.20 | 32.18 | 5 | —11.245 | 1190 | ... | 59 |
| 3550 | 3566 | Lacaille 3301 | 7 | 8. 16. 25.89 | 39.51 | 6 | + 1.670 | — 51. 42. 22.14 | 39.60 | 7 | —11.247 | ... | 3301 | ... |
| 3551 | 3567 | Piazzi VIII. 52 | 6 | 8. 16. 26.85 | 34.35 | 4 | + 6.091 | + 69. 51. 47.83 | 34.35 | 4 | —11.248 | ... | ... | 52 |
| 3552 | 3568 | 25 Canori ^{d2} | 6 | 8. 16. 29.01 | 32.82 | 6 | + 3.423 | + 17. 35. 3.67 | 32.29 | 5 | —11.251 | 1192 | ... | 62 |
| 3553 | 3569 | 1 Ursæ Majoris ^o | 4.5 | 8. 16. 29.65 | 31.79 | 6 | + 5.091 | + 61. 15. 40.03 | 32.45 | 23 | —11.251 | 1186 | ... | 57 |
| 3554 | 3570 | Lacaille 3307 | 6.7 | 8. 16. 30.45 | 38.68 | 4 | + 1.186 | — 59. 34. 56.26 | 38.53 | 3 | —11.252 | ... | 3307 | ... |
| 3555 | 3571 | Piazzi VIII. 61 | 9 | 8. 16. 37.45 | 36.51 | 5 | + 3.675 | + 28. 35. 42.42 | 36.38 | 4 | —11.262 | ... | ... | 61 |
| 3556 | 3572 | Lacaille 3305 | 7 | 8. 16. 37.95 | 39.19 | 5 | + 1.652 | — 52. 3. 48.63 | 39.19 | 5 | —11.263 | ... | 3305 | ... |
| 3557 | 3573 | Lacaille 3293 | 7 | 8. 16. 40.75 | 38.54 | 3 | + 2.501 | — 27. 17. 35.72 | 38.53 | 3 | —11.267 | ... | 3293 | ... |
| 3558 | 3574 | 23 Canori ^{d2} | 6 | 8. 16. 47.67 | 38.44 | 11 | + 3.647 | + 27. 28. 3.08 | 38.95 | 7 | —11.275 | 1191 | ... | 64 |
| 3559 | 3575 | 24 Canori ^{v1} | 7 | 8. 16. 50.31 | 33.17 | 6 | + 3.589 | + 25. 4. 13.45 | 33.12 | 7 | —11.277 | 1193 | ... | 65 |
| 3560 | 3576 | Piazzi VIII. 66 | 7.8 | 8. 16. 50.36 | 37.98 | 7 | + 3.589 | + 25. 4. 13.43 | 38.32 | 6 | —11.277 | ... | ... | 66 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 3561 | 3577 | Lacaille 3299 | 7 | 8. 17. 0.38 | 38.14 | 3 | + 2.437 | — 29. 51. 50.83 | 38.14 | 3 | — 11.289 | ... | 3299 | ... |
| 3562 | 3578 | Brisbane 2000 | 7 | 8. 17. 3.38 | 38.54 | 3 | + 1.876 | — 47. 15. 29.06 | 38.54 | 3 | — 11.293 | ... | ... | ... |
| 3563 | 3579 | Piazzi VIII. 67 | 6 | 8. 17. 3.50 | 33.20 | 6 | + 3.229 | + 8. 5. 46.35 | 32.21 | 4 | — 11.293 | ... | ... | 67 |
| 3564 | 3580 | Brisbane 2001 | 7 | 8. 17. 9.86 | 38.11 | 3 | + 1.992 | — 44. 20. 24.06 | 38.11 | 3 | — 11.299 | ... | ... | ... |
| 3565 | 3581 | Bradley 1197 | 5.6 | 8. 17. 24.87 | 33.25 | 6 | + 3.006 | — 3. 22. 23.72 | 32.67 | 4 | — 11.319 | 1197 | ... | 69 |
| 3566 | 3582 | Piazzi VIII. 58 | 7 | 8. 17. 28.42 | 35.12 | 3 | + 5.781 | + 67. 50. 21.35 | 34.41 | 4 | — 11.323 | ... | ... | 58 |
| 3567 | 3583 | Lacaille 3315 | 7 | 8. 17. 31.98 | 38.53 | 3 | + 1.343 | — 57. 26. 55.75 | 38.53 | 3 | — 11.328 | ... | 3315 | ... |
| 3568 | 3584 | Lacaille 3310 | 8.9 | 8. 17. 34.66 | 38.64 | 4 | + 1.862 | — 47. 41. 1.59 | 38.14 | 2 | — 11.332 | ... | 3310 | ... |
| 3569 | 3585 | 27 Canori | 6.7 | 8. 17. 36.09 | 33.22 | 6 | + 3.331 | + 13. 11. 36.38 | 32.25 | 5 | — 11.333 | 1196 | ... | 68 |
| 3570 | 3586 | Brisbane 2006 | 7.8 | 8. 17. 36.64 | 38.83 | 3 | + 1.823 | — 48. 31. 32.87 | 38.83 | 3 | — 11.333 | ... | ... | ... |
| 3571 | 3587 | Brisbane 2009 | 7.8 | 8. 17. 52.16 | 38.09 | 3 | + 1.991 | — 44. 26. 11.20 | 38.09 | 3 | — 11.351 | ... | ... | ... |
| 3572 | 3588 | Piazzi VIII. 70 | 7.8 | 8. 17. 52.39 | 36.43 | 3 | + 3.230 | + 8. 11. 6.10 | 36.40 | 4 | — 11.351 | ... | ... | 70 |
| 3573 | 3589 | Lacaille 3304 | 6 | 8. 17. 56.68 | 33.22 | 8 | + 2.592 | — 23. 30. 56.80 | 32.27 | 5 | — 11.356 | ... | 3304 | 72 |
| 3574 | 3590 | Piazzi VIII. 74 | 6 | 8. 17. 59.68 | 36.80 | 3 | + 2.592 | — 23. 30. 53.38 | 36.39 | 4 | — 11.361 | ... | ... | 74 |
| 3575 | 3591 | Lacaille 3311 | 8 | 8. 18. 4.25 | 38.39 | 4 | + 1.967 | — 45. 4. 59.55 | 38.39 | 4 | — 11.366 | ... | 3311 | ... |
| 3576 | 3592 | 2 Hydra | 6 | 8. 18. 12.46 | 33.12 | 3 | + 3.006 | — 3. 27. 2.70 | 32.15 | 3 | — 11.375 | 1199 | ... | 73 |
| 3577 | 3593 | Lacaille 3317 | 6.7 | 8. 18. 18.36 | 38.51 | 3 | + 1.683 | — 51. 35. 45.32 | 38.51 | 3 | — 11.382 | ... | 3317 | ... |
| 3578 | 3594 | 28 Canori | 6.7 | 8. 18. 49.26 | 32.28 | 9 | + 3.577 | + 24. 41. 13.69 | 32.17 | 6 | — 11.422 | 1198 | ... | 76 |
| 3579 | 3595 | Piazzi VIII. 71 | 6.7 | 8. 18. 57.74 | 34.54 | 5 | + 4.566 | + 53. 39. 56.33 | 34.37 | 4 | — 11.430 | ... | ... | 71 |
| 3580 | 3596 | Argus | 2 | 8. 19. 7.37 | 33.13 | 32 | + 1.246 | — 58. 58. 51.64 | 33.10 | 57 | — 11.441 | ... | 3327 | ... |
| 3581 | 3597 | Lacaille 3318 | 6.7 | 8. 19. 15.21 | 38.16 | 3 | + 2.075 | — 42. 14. 11.69 | 38.16 | 3 | — 11.451 | ... | 3318 | ... |
| 3582 | 3598 | 29 Canori | 6 | 8. 19. 24.45 | 32.14 | 6 | + 3.360 | + 14. 45. 5.31 | 32.22 | 5 | — 11.462 | 1200 | ... | 77 |
| 3583 | 3599 | Lacaille 3328 | 7.8 | 8. 19. 33.21 | 38.92 | 4 | + 1.518 | — 54. 47. 13.11 | 39.18 | 5 | — 11.472 | ... | 3328 | ... |
| 3584 | 3600 | 2 Ursæ Majoris | 6 | 8. 19. 44.19 | 34.64 | 4 | + 5.500 | + 65. 41. 54.75 | 34.57 | 5 | — 11.486 | 1195 | ... | 75 |
| 3585 | 3601 | Piazzi VIII. 79 | 7 | 8. 19. 51.97 | 35.10 | 2 | + 3.580 | + 24. 53. 17.56 | 34.41 | 4 | — 11.495 | ... | ... | 79 |
| 3586 | 3602 | Piazzi VIII. 80 | 7 | 8. 19. 54.45 | 34.38 | 4 | + 3.624 | + 26. 44. 10.50 | 34.37 | 4 | — 11.498 | ... | ... | 80 |
| 3587 | 3603 | Lacaille 3319 | 6.7 | 8. 20. 2.81 | 38.22 | 3 | + 2.473 | — 28. 40. 39.40 | 38.23 | 2 | — 11.509 | ... | 3319 | ... |
| 3588 | 3604 | Lacaille 3323 | 6 | 8. 20. 5.84 | 35.14 | 3 | + 2.099 | — 41. 37. 1.31 | 34.42 | 4 | — 11.512 | ... | 3323 | 82 |
| 3589 | 3605 | Piazzi VIII. 78 | 6.7 | 8. 20. 7.82 | 34.56 | 5 | + 4.561 | + 53. 39. 56.70 | 34.39 | 4 | — 11.515 | ... | ... | 78 |
| 3590 | 3606 | Piazzi VIII. 81 | 8 | 8. 20. 9.41 | 36.45 | 3 | + 3.034 | — 1. 58. 31.32 | 36.37 | 4 | — 11.516 | ... | ... | 81 |
| 3591 | 3607 | Lacaille 3338 | 6.7 | 8. 20. 31.61 | 39.20 | 6 | + 1.520 | — 54. 49. 47.80 | 39.01 | 5 | — 11.542 | ... | 3338 | ... |
| 3592 | 3608 | Brisbane 2020 | 6.7 | 8. 20. 41.75 | 38.51 | 3 | + 2.577 | — 24. 21. 0.43 | 38.51 | 3 | — 11.556 | ... | ... | ... |
| 3593 | 3609 | Lacaille 3326 | 6.7 | 8. 20. 53.68 | 38.53 | 3 | + 2.549 | — 25. 35. 27.86 | 38.53 | 3 | — 11.570 | ... | 3326 | ... |
| 3594 | 3610 | Lacaille 3334 | 7 | 8. 20. 56.35 | 38.86 | 4 | + 2.089 | — 41. 59. 5.51 | 38.76 | 3 | — 11.573 | ... | 3334 | ... |
| 3595 | 3611 | Lacaille 3343 | 6.7 | 8. 21. 0.46 | 39.55 | 8 | + 1.516 | — 54. 56. 8.34 | 39.55 | 8 | — 11.577 | ... | 3343 | ... |
| 3596 | 3612 | Brisbane 2026 | 8 | 8. 21. 1.45 | 38.43 | 4 | + 1.863 | — 47. 53. 45.93 | 38.50 | 3 | — 11.578 | ... | ... | ... |
| 3597 | 3613 | Piazzi VIII. 83 | 6.7 | 8. 21. 5.85 | 34.40 | 4 | + 3.064 | — 0. 24. 54.92 | 34.39 | 4 | — 11.584 | ... | ... | 83 |
| 3598 | 3614 | Lacaille 3339 | 7.8 | 8. 21. 13.03 | 39.57 | 7 | + 1.878 | — 47. 33. 38.22 | 39.57 | 7 | — 11.592 | ... | 3339 | ... |
| 3599 | 3615 | Brisbane 2030 | 7.8 | 8. 21. 32.09 | 38.24 | 2 | + 2.030 | — 43. 41. 25.60 | 38.69 | 2 | — 11.615 | ... | ... | ... |
| 3600 | 3616 | Lacaille 3345 | 8 | 8. 21. 36.22 | 38.44 | 3 | + 1.820 | — 48. 57. 24.47 | 38.44 | 3 | — 11.620 | ... | 3345 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 3601 | 3617 | 30 Cancri | 6.7 | h m s 8. 21. 44.45 | 33.48 | 7 | + 3.572 | + 24. 37. 54.43 | 32.82 | 5 | -11.630 | 1201 | ... | 84 |
| 3602 | 3618 | Lacaille 3352 | 7.8 | 8. 21. 48.17 | 38.52 | 3 | + 1.356 | - 57. 35. 40.31 | 38.52 | 3 | -11.634 | ... | 3352 | ... |
| 3603 | 3619 | Lacaille 3349 | 6 | 8. 21. 52.48 | 38.09 | 3 | + 1.664 | - 52. 16. 2.29 | 38.09 | 3 | -11.638 | ... | 3349 | ... |
| 3604 | 3620 | Brisbane 2035 | 7 | 8. 22. 9.41 | 38.15 | 3 | + 2.136 | - 40. 42. 8.95 | 38.15 | 3 | -11.659 | ... | ... | ... |
| 3605 | 3621 | 31 Cancri | 5.6 | 8. 22. 10.77 | 32.21 | 7 | + 3.439 | + 18. 38. 47.45 | 31.81 | 8 | -11.661 | 1203 | ... | 85 |
| 3606 | 3622 | Piazzi VIII. 86 | 6.7 | 8. 22. 12.72 | 35.17 | 2 | + 3.458 | + 19. 32. 18.85 | 34.43 | 4 | -11.663 | ... | ... | 86 |
| 3607 | 3623 | Lacaille 3350 | 7 | 8. 22. 14.36 | 38.53 | 3 | + 1.748 | - 50. 35. 13.22 | 38.53 | 3 | -11.665 | ... | 3350 | ... |
| 3608 | 3624 | Brisbane 2037 | 7.8 | 8. 22. 18.61 | 38.85 | 3 | + 1.732 | - 50. 55. 57.23 | 38.69 | 4 | -11.669 | ... | ... | ... |
| 3609 | 3626 | Lacaille 3354 | 6 | 8. 22. 24.34 | 39.22 | 11 | + 1.672 | - 52. 9. 37.34 | 39.03 | 10 | -11.676 | ... | 3354 | ... |
| 3610 | 3627 | Brisbane 2042 | 7 | 8. 22. 35.86 | 39.19 | 11 | + 1.530 | - 54. 49. 15.66 | 39.67 | 10 | -11.691 | ... | ... | ... |
| 3611 | 3628 | Brisbane 2041 | 7.8 | 8. 22. 36.57 | 38.53 | 3 | + 2.035 | - 43. 40. 43.81 | 38.53 | 3 | -11.691 | ... | ... | ... |
| 3612 | 3629 | Brisbane 2043 | 7.8 | 8. 22. 44.34 | 38.15 | 3 | + 2.140 | - 40. 37. 46.71 | 38.15 | 3 | -11.700 | ... | ... | ... |
| 3613 | 3630 | 32 Lynxis | 6 | 8. 22. 45.60 | 34.53 | 5 | + 3.890 | + 36. 59. 19.49 | 34.63 | 4 | -11.702 | 1204 | ... | 87 |
| 3614 | 3631 | Lacaille 3358 | 7.8 | 8. 22. 46.75 | 38.73 | 9 | + 1.533 | - 54. 47. 26.18 | 38.54 | 8 | -11.704 | ... | 3358 | ... |
| 3615 | 3632 | Lacaille 3353 | 7 | 8. 23. 7.04 | 38.16 | 3 | + 2.094 | - 42. 2. 29.26 | 38.16 | 3 | -11.727 | ... | 3353 | ... |
| 3616 | 3633 | 33 Cancri | 6 | 8. 23. 9.43 | 32.98 | 8 | + 3.488 | + 20. 59. 45.88 | 32.16 | 5 | -11.730 | 1207 | ... | 88 |
| 3617 | 3634 | Lacaille 3362 | 7 | 8. 23. 12.36 | 39.64 | 7 | + 1.553 | - 54. 28. 2.90 | 39.63 | 7 | -11.733 | ... | 3362 | ... |
| 3618 | 3635 | 32 Cancri | 6.7 | 8. 23. 14.15 | 35.18 | 3 | + 3.569 | + 24. 38. 25.94 | 34.21 | 3 | -11.736 | 1205 | ... | 89 |
| 3619 | 3636 | Volantis | 5 | 8. 23. 29.51 | 31.26 | 7 | - 0.443 | - 72. 51. 58.83 | 31.18 | 5 | -11.754 | ... | 3396 | ... |
| 3620 | 3637 | Lacaille 3360 | 6 | 8. 23. 31.04 | 38.54 | 3 | + 2.040 | - 43. 36. 46.80 | 38.54 | 3 | -11.756 | ... | 3360 | ... |
| 3621 | 3638 | Brisbane 2052 | 7.8 | 8. 23. 32.43 | 39.69 | 6 | + 1.723 | - 51. 13. 29.30 | 39.69 | 6 | -11.758 | ... | ... | ... |
| 3622 | 3639 | 34 Cancri | 6.7 | 8. 23. 40.91 | 34.52 | 10 | + 3.275 | + 10. 37. 10.76 | 32.19 | 5 | -11.768 | 1209 | ... | 91 |
| 3623 | 3640 | Velorum.....A | 6 | 8. 23. 52.33 | 38.71 | 4 | + 1.896 | - 47. 22. 52.71 | 38.55 | 3 | -11.780 | ... | 3367 | ... |
| 3624 | 3641 | Lacaille 3366 | 6 | 8. 23. 54.16 | 39.23 | 5 | + 2.021 | - 44. 10. 35.81 | 38.56 | 3 | -11.782 | ... | 3366 | ... |
| 3625 | 3642 | Volantis.....β | 5 | 8. 23. 55.55 | 34.33 | 12 | + 0.688 | - 65. 35. 12.33 | 33.44 | 14 | -11.784 | ... | 3384 | ... |
| 3626 | 3643 | Piazzi VIII. 94 | 8 | 8. 23. 58.81 | 36.59 | 2 | + 2.701 | - 18. 57. 10.80 | 36.38 | 4 | -11.789 | ... | ... | 94 |
| 3627 | 3644 | Piazzi VIII. 95 | 6 | 8. 24. 6.17 | 33.16 | 8 | + 2.700 | - 19. 1. 30.85 | 32.21 | 5 | -11.797 | ... | ... | 95 |
| 3628 | 3645 | 33 Lynxis | 6.7 | 8. 24. 6.67 | 35.10 | 2 | + 3.886 | + 36. 58. 43.43 | 34.17 | 4 | -11.798 | 1208 | ... | 92 |
| 3629 | 3646 | Piazzi VIII. 97 | 8.9 | 8. 24. 21.09 | 36.44 | 3 | + 3.023 | - 2. 37. 29.46 | 36.39 | 4 | -11.815 | ... | ... | 97 |
| 3630 | 3647 | Lacaille 3368 | 6.7 | 8. 24. 22.72 | 34.44 | 4 | + 1.962 | - 45. 46. 55.41 | 34.38 | 4 | -11.817 | ... | 3368 | 99 |
| 3631 | 3648 | 3 Ursæ Majoris ... | 6.7 | 8. 24. 27.07 | 34.37 | 4 | + 5.452 | + 65. 34. 53.55 | 34.36 | 4 | -11.821 | 1202 | ... | 90 |
| 3632 | 3649 | Brisbane 2060 | 7 | 8. 24. 31.66 | 38.69 | 2 | + 1.895 | - 47. 28. 35.56 | 38.70 | 2 | -11.826 | ... | ... | ... |
| 3633 | 3650 | Piazzi VIII. 98 | 6.7 | 8. 24. 36.21 | 35.13 | 3 | + 3.338 | + 13. 48. 58.07 | 34.42 | 4 | -11.832 | ... | ... | 98 |
| 3634 | 3651 | Brisbane 2062 | 7 | 8. 24. 37.41 | 38.47 | 3 | + 2.167 | - 39. 57. 39.59 | 38.47 | 3 | -11.833 | ... | ... | ... |
| 3635 | 3652 | Lacaille 3369 | 7 | 8. 24. 41.43 | 38.47 | 3 | + 2.168 | - 39. 56. 54.96 | 38.47 | 3 | -11.838 | ... | 3369 | ... |
| 3636 | 3653 | Piazzi VIII. 93 | 7 | 8. 24. 48.04 | 34.53 | 5 | + 4.360 | + 49. 56. 15.69 | 34.36 | 4 | -11.846 | ... | ... | 93 |
| 3637 | 3654 | Lacaille 3373 | 7 | 8. 25. 1.25 | 38.14 | 3 | + 2.214 | - 38. 30. 29.77 | 38.14 | 3 | -11.861 | ... | 3373 | ... |
| 3638 | 3655 | Lacaille 3376 | 7 | 8. 25. 5.52 | 39.06 | 8 | + 2.024 | - 44. 11. 6.42 | 38.88 | 7 | -11.866 | ... | 3376 | ... |
| 3639 | 3656 | Velorum.....G | 7 | 8. 25. 5.71 | 38.53 | 3 | + 1.606 | - 53. 39. 42.62 | 38.53 | 3 | -11.867 | ... | 3380 | ... |
| 3640 | 3657 | Piazzi VIII. 100 | 8.9 | 8. 25. 13.25 | 36.39 | 4 | + 3.027 | - 2. 25. 7.58 | 36.39 | 4 | -11.875 | ... | ... | 100 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 3641 | 3658 | Lacaille 3375 | 6.7 | h m s 8.25.19.71 | 38.75 | 5 | + 2.215 | — 38.30.36.67 | 39.14 | 6 | — 11.884 | .. | 3375 | ... |
| 3642 | 3659 | Lacaille 3387 | 7.8 | 8.25.21.26 | 39.26 | 11 | + 1.554 | — 54.38.22.16 | 39.17 | 10 | — 11.885 | ... | 3387 | ... |
| 3643 | 3660 | Lacaille 3381 | 7.8 | 8.25.25.47 | 38.54 | 3 | + 1.769 | — 50.25.7.41 | 38.55 | 3 | — 11.889 | ... | 3381 | ... |
| 3644 | 3661 | Brisbane 2070 | 7 | 8.25.41.41 | 39.20 | 5 | + 1.576 | — 54.16.30.03 | 39.43 | 4 | — 11.909 | ... | ... | ... |
| 3645 | 3662 | 4 Ursæ Majoris | 5 | 8.25.42.51 | 31.67 | 12 | + 5.369 | + 64.53.44.67 | 31.78 | 8 | — 11.910 | 1206 | ... | 96 |
| 3646 | 3663 | 35 Cancri | 6.7 | 8.25.49.72 | 35.15 | 3 | + 3.467 | + 20.9.3.49 | 34.44 | 4 | — 11.919 | 1210 | ... | 101 |
| 3647 | 3664 | Brisbane 2071 | 7.8 | 8.25.51.79 | 39.42 | 7 | + 2.216 | — 38.30.39.16 | 38.14 | 3 | — 11.921 | ... | ... | ... |
| 3648 | 3665 | Lacaille 3391 | 6.7 | 8.25.56.43 | 38.52 | 3 | + 1.906 | — 47.18.44.10 | 38.52 | 3 | — 11.926 | ... | 3391 | ... |
| 3649 | 3666 | Lacaille 3390 | 7 | 8.26.9.33 | 38.15 | 3 | + 1.989 | — 45.13.43.99 | 38.15 | 3 | — 11.942 | ... | 3390 | ... |
| 3650 | 3667 | Piazzi VIII. 104 | 7.8 | 8.26.15.07 | 34.41 | 4 | + 3.470 | + 20.20.3.02 | 34.40 | 4 | — 11.949 | ... | ... | 104 |
| 3651 | 3668 | Lacaille 3386 | 6.7 | 8.26.24.91 | 38.53 | 3 | + 2.428 | — 30.58.34.35 | 38.53 | 3 | — 11.960 | ... | 3386 | ... |
| 3652 | 3669 | Lacaille 3389 | 7 | 8.26.31.60 | 38.24 | 2 | + 2.346 | — 34.4.34.43 | 38.24 | 2 | — 11.969 | ... | 3389 | ... |
| 3653 | 3670 | Piazzi VIII. 103 | 6.7 | 8.26.41.68 | 35.12 | 3 | + 4.521 | + 53.29.40.97 | 34.44 | 4 | — 11.980 | ... | ... | 103 |
| 3654 | 3671 | Piazzi VIII. 107 | 7.8 | 8.26.49.03 | 36.59 | 4 | + 3.134 | + 3.18.21.73 | 36.37 | 4 | — 11.988 | ... | ... | 107 |
| 3655 | 3672 | Piazzi VIII. 106 | 6.7 | 8.26.52.01 | 35.16 | 3 | + 3.377 | + 15.52.42.70 | 34.42 | 4 | — 11.991 | ... | ... | 106 |
| 3656 | 3673 | Piazzi VIII. 102 | 7.8 | 8.26.59.72 | 34.40 | 4 | + 5.400 | + 65.16.55.37 | 34.54 | 5 | — 12.001 | ... | ... | 102 |
| 3657 | 3674 | Piazzi VIII. 105 | 6 | 8.27.1.48 | 35.11 | 3 | + 4.508 | + 53.16.55.00 | 34.45 | 4 | — 12.002 | ... | ... | 105 |
| 3658 | 3675 | Piazzi VIII. 108 | 6 | 8.27.4.39 | 32.21 | 6 | + 3.207 | + 7.11.26.18 | 32.00 | 6 | — 12.006 | ... | ... | 108 |
| 3659 | 3676 | Lacaille 3403 | 7.8 | 8.27.20.46 | 38.82 | 3 | + 1.839 | — 49.2.32.52 | 38.82 | 3 | — 12.025 | ... | 3403 | ... |
| 3660 | 3677 | 3 Hydræ | 6 | 8.27.25.03 | 35.17 | 3 | + 2.932 | — 7.25.8.88 | 34.69 | 6 | — 12.030 | 1212 | ... | 109 |
| 3661 | 3678 | Lacaille 3410 | 6.7 | 8.27.30.15 | 38.54 | 3 | + 1.670 | — 52.39.14.56 | 38.54 | 3 | — 12.036 | ... | 3410 | ... |
| 3662 | 3679 | Lacaille 3398 | 6 | 8.27.31.46 | 38.48 | 3 | + 2.228 | — 38.17.15.51 | 38.48 | 3 | — 12.038 | ... | 3398 | ... |
| 3663 | 3680 | Lacaille 3409 | 7.8 | 8.27.33.28 | 38.11 | 5 | + 1.995 | — 45.11.35.84 | 38.11 | 5 | — 12.040 | ... | 3409 | ... |
| 3664 | 3681 | Lacaille 3407 | 7.8 | 8.27.37.04 | 38.15 | 3 | + 1.923 | — 47.2.44.59 | 38.15 | 3 | — 12.044 | ... | 3407 | ... |
| 3665 | 3682 | Lacaille 3402 | 7 | 8.27.55.39 | 38.56 | 3 | + 2.286 | — 36.20.46.72 | 38.56 | 3 | — 12.066 | ... | 3402 | ... |
| 3666 | 3683 | Bradley 1211 | 6.7 | 8.27.59.51 | 35.75 | 5 | + 3.775 | + 33.22.17.58 | 34.41 | 4 | — 12.071 | 1211 | ... | 110 |
| 3667 | 3684 | Brisbane 2086 | 7.8 | 8.28.5.43 | 38.55 | 3 | + 1.978 | — 45.41.11.77 | 38.55 | 3 | — 12.078 | ... | ... | ... |
| 3668 | 3685 | 36 Cancri | 7 | 8.28.8.59 | 32.23 | 5 | + 3.264 | + 10.13.28.47 | 32.82 | 6 | — 12.081 | 1213 | ... | 111 |
| 3669 | 3686 | Lacaille 3408 | 6.7 | 8.28.15.42 | 39.70 | 6 | + 2.266 | — 37.2.52.93 | 39.70 | 6 | — 12.089 | ... | 3408 | ... |
| 3670 | 3687 | Brisbane 2089 | 7 | 8.28.17.27 | 38.53 | 3 | + 1.572 | — 54.33.51.24 | 38.53 | 3 | — 12.091 | ... | ... | ... |
| 3671 | 3688 | Piazzi VIII. 112 | 7 | 8.28.18.30 | 35.21 | 3 | + 3.457 | + 19.50.13.17 | 34.48 | 4 | — 12.092 | ... | ... | 112 |
| 3672 | 3689 | Lacaille 3421 | 7 | 8.28.25.64 | 38.55 | 3 | + 1.554 | — 54.54.33.10 | 38.55 | 3 | — 12.100 | ... | 3421 | ... |
| 3673 | 3690 | Brisbane 2092 | 7.8 | 8.28.41.36 | 38.09 | 3 | + 2.003 | — 45.4.22.42 | 38.09 | 3 | — 12.119 | ... | ... | ... |
| 3674 | 3691 | 4 Hydræ | 4 | 8.28.54.97 | 32.13 | 26 | + 3.189 | + 6.16.26.25 | 32.48 | 24 | — 12.135 | 1217 | ... | 114 |
| 3675 | 3692 | Brisbane 2093 | 7 | 8.28.56.78 | 38.54 | 3 | + 2.054 | — 43.42.16.44 | 38.53 | 3 | — 12.137 | ... | ... | ... |
| 3676 | 3693 | 37 Cancri | 7 | 8.29.8.57 | 35.10 | 3 | + 3.262 | + 10.8.43.66 | 34.71 | 2 | — 12.152 | 1218 | ... | 116 |
| 3677 | 3694 | Lacaille 3418 | 6.7 | 8.29.8.98 | 39.42 | 7 | + 2.198 | — 39.24.22.98 | 39.42 | 7 | — 12.152 | ... | 3418 | ... |
| 3678 | 3695 | Bradley 1215 | 7 | 8.29.14.05 | 35.22 | 3 | + 3.765 | + 33.5.21.59 | 34.36 | 4 | — 12.158 | 1215 | ... | 113 |
| 3679 | 3696 | Lacaille 3429 | 6.7 | 8.29.32.02 | 38.52 | 3 | + 1.687 | — 52.30.24.05 | 38.52 | 3 | — 12.179 | ... | 3429 | ... |
| 3680 | 3697 | 34 Lyncis | 6 | 8.29.35.01 | 35.09 | 3 | + 4.188 | + 46.24.21.41 | 34.48 | 4 | — 12.182 | 1214 | ... | 115 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 3681 | 3698 | Lacaille 3427 | 6.7 | 8. 29. 35'44 | 38'52 | 3 | + 1'782 | - 50. 31. 39'63 | 38'52 | 3 | -12'182 | ... | 3427 | ... |
| 3682 | 3699 | Piazzi VIII. 118 | 8 | 8. 29. 37'51 | 36'43 | 3 | + 3'464 | + 20. 15. 1'64 | 35'64 | 4 | -12'184 | ... | ... | 118 |
| 3683 | 3700 | Bradley 1216 | 7.8 | 8. 29. 37'89 | 36'01 | 7 | + 3'770 | + 33. 18. 12'22 | 36'40 | 4 | -12'185 | 1216 | ... | 117 |
| 3684 | 3701 | Piazzi VIII. 119 | 8 | 8. 29. 40'43 | 37'08 | 1 | + 3'462 | + 20. 9. 58'01 | 41'26 | 1 | -12'187 | ... | ... | 119 |
| 3685 | 3702 | Velorum | C 6 | 8. 29. 41'34 | 38'51 | 3 | + 1'834 | - 49. 22. 42'23 | 38'51 | 3 | -12'189 | ... | 3428 | ... |
| 3686 | 3703 | Lacaille 3423 | 7.8 | 8. 30. 1'96 | 36'63 | 2 | + 2'558 | - 25. 50. 39'06 | 37'28 | 1 | -12'213 | ... | 3423 | 125 |
| 3687 | 3704 | Bradley 1219 | 7 | 8. 30. 3'62 | 36'61 | 2 | + 3'748 | + 32. 31. 9'61 | 36'38 | 4 | -12'216 | 1219 | ... | 120 |
| 3688 | 3705 | Brisbane 2101 | 7.8 | 8. 30. 7'93 | 38'49 | 3 | + 1'935 | - 47. 0. 13'63 | 38'48 | 3 | -12'221 | ... | ... | ... |
| 3689 | 3706 | 5 Hydræ | σ 5 | 8. 30. 7'93 | 32'15 | 14 | + 3'145 | + 3. 54. 57'13 | 31'64 | 9 | -12'221 | 1221 | ... | 123 |
| 3690 | 3707 | Piazzi VIII. 121 | 8 | 8. 30. 12'46 | 36'45 | 3 | + 3'472 | + 20. 39. 42'18 | 36'52 | 3 | -12'225 | ... | ... | 121 |
| 3691 | 3708 | 38 Cancri | 7 | 8. 30. 13'31 | 33'21 | 9 | + 3'465 | + 20. 21. 14'43 | 33'21 | 9 | -12'226 | 1220 | ... | 122 |
| 3692 | 3709 | Piazzi VIII. 124 | 7 | 8. 30. 22'10 | 35'01 | 13 | + 3'460 | + 20. 6. 59'38 | 40'10 | 3 | -12'237 | ... | ... | 124 |
| 3693 | 3710 | Brisbane 2103 | 8 | 8. 30. 33'84 | 38'55 | 3 | + 1'753 | - 51. 15. 11'45 | 38'55 | 3 | -12'250 | ... | ... | ... |
| 3694 | 3711 | Brisbane 2104 | 7.8 | 8. 30. 36'18 | 38'55 | 3 | + 1'978 | - 45. 55. 55'73 | 38'55 | 3 | -12'252 | ... | ... | ... |
| 3695 | 3712 | 39 Cancri | 6 | 8. 30. 36'51 | 32'43 | 9 | + 3'470 | + 20. 35. 3'53 | 32'23 | 5 | -12'253 | 1222 | ... | 126 |
| 3696 | 3713 | 40 Cancri | 6 | 8. 30. 41'52 | 34'42 | 5 | + 3'469 | + 20. 32. 52'02 | 32'23 | 5 | -12'259 | 1223 | ... | 127 |
| 3697 | 3714 | Mali | g 6 | 8. 30. 49'38 | 32'28 | 6 | + 2'563 | - 25. 40. 52'09 | 33'13 | 6 | -12'267 | ... | 3431 | 133 |
| 3698 | 3715 | Piazzi VIII. 128 | 8 | 8. 30. 49'76 | 37'97 | 6 | + 3'459 | + 20. 6. 33'31 | 38'54 | 5 | -12'268 | ... | ... | 128 |
| 3699 | 3716 | Bradley 1224 | 7 | 8. 30. 53'22 | 33'53 | 8 | + 3'462 | + 20. 14. 50'86 | 32'83 | 7 | -12'272 | 1224 | ... | 129 |
| 3700 | 3717 | Velorum | E 6 | 8. 30. 56'70 | 38'54 | 3 | + 1'794 | - 50. 23. 59'52 | 38'54 | 3 | -12'275 | ... | 3443 | ... |
| 3701 | 3718 | 41 Cancri | e 6.7 | 8. 30. 58'56 | 35'64 | 14 | + 3'459 | + 20. 7. 20'31 | 34'60 | 19 | -12'279 | 1225 | ... | 130 |
| 3702 | 3719 | Brisbane 2107 | 7.8 | 8. 31. 8'88 | 39'62 | 7 | + 1'589 | - 54. 31. 59'35 | 39'61 | 7 | -12'291 | ... | ... | ... |
| 3703 | 3720 | 42 Cancri | 6.7 | 8. 31. 14'12 | 34'50 | 3 | + 3'463 | + 20. 17. 51'32 | 34'44 | 4 | -12'297 | 1226 | ... | 132 |
| 3704 | 3721 | Brisbane 2108 | 7 | 8. 31. 20'23 | 38'69 | 2 | + 2'068 | - 43. 32. 34'26 | 38'83 | 3 | -12'304 | ... | ... | ... |
| 3705 | 3722 | Brisbane 2109 | 7.8 | 8. 31. 21'18 | 38'15 | 3 | + 1'942 | - 46. 55. 41'20 | 38'15 | 3 | -12'305 | ... | ... | ... |
| 3706 | 3724 | Brisbane 2110 | 7 | 8. 31. 25'68 | 38'26 | 3 | + 1'923 | - 47. 25. 36'13 | 38'25 | 3 | -12'310 | ... | ... | ... |
| 3707 | 3723 | Carinae | e ¹ 6 | 8. 31. 25'77 | 38'54 | 3 | + 1'405 | - 57. 39. 20'19 | 38'45 | 4 | -12'310 | ... | 3452 | ... |
| 3708 | 3725 | Carinae | e ² 6 | 8. 31. 26'05 | 38'22 | 3 | + 1'419 | - 57. 26. 25'93 | 38'22 | 3 | -12'310 | ... | 3451 | ... |
| 3709 | 3726 | Bradley 1227 | 6.7 | 8. 31. 27'96 | 34'48 | 3 | + 3'459 | + 20. 9. 33'51 | 35'13 | 1 | -12'312 | 1227 | ... | 134 |
| 3710 | 3727 | Piazzi VIII. 131 | 7 | 8. 31. 42'00 | 37'66 | 6 | + 4'305 | + 49. 26. 52'89 | 37'18 | 6 | -12'328 | ... | ... | 131 |
| 3711 | 3728 | Piazzi VIII. 135 | 8 | 8. 31. 43'53 | 38'01 | 7 | + 3'478 | + 21. 3. 23'21 | 38'02 | 7 | -12'330 | ... | ... | 135 |
| 3712 | 3729 | Velorum | e 5 | 8. 31. 50'75 | 31'61 | 14 | + 2'109 | - 42. 24. 56'21 | 31'57 | 10 | -12'338 | ... | 3446 | 139 |
| 3713 | 3730 | Lacaille 3455 | 7.8 | 8. 32. 2'54 | 38'41 | 4 | + 1'866 | - 48. 51. 6'32 | 38'41 | 4 | -12'351 | ... | 3455 | ... |
| 3714 | 3731 | 6 Hydræ | 5.6 | 8. 32. 12'49 | 33'19 | 6 | + 2'850 | - 11. 53. 49'84 | 32'25 | 5 | -12'363 | 1229 | ... | 138 |
| 3715 | 3732 | Bradley 1228 | 7 | 8. 32. 20'87 | 33'21 | 7 | + 3'465 | + 20. 27. 23'43 | 32'27 | 5 | -12'374 | 1228 | ... | 136 |
| 3716 | 3733 | Lacaille 3449 | 7 | 8. 32. 48'04 | 39'19 | 6 | + 2'502 | - 28. 30. 9'89 | 39'19 | 6 | -12'403 | ... | 3449 | ... |
| 3717 | 3734 | Mali | f 6 | 8. 32. 51'76 | 33'23 | 5 | + 2'490 | - 28. 58. 39'50 | 32'16 | 5 | -12'408 | ... | 3450 | 140 |
| 3718 | 3735 | Brisbane 2121 | 7.8 | 8. 32. 53'47 | 38'52 | 3 | + 1'842 | - 49. 30. 18'95 | 38'52 | 3 | -12'410 | ... | ... | ... |
| 3719 | 3736 | Lacaille 3456 | 7 | 8. 33. 3'51 | 38'50 | 3 | + 2'308 | - 36. 1. 49'48 | 38'50 | 3 | -12'422 | ... | 3456 | ... |
| 3720 | 3737 | Brisbane 2126 | 7.8 | 8. 33. 18'71 | 38'54 | 3 | + 1'606 | - 54. 25. 7'09 | 38'53 | 3 | -12'438 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 3721 | 3738 | Mali | 5 | h m s 8. 33. 38.79 | 32.37 | 11 | + 2.346 | — 34. 43. 36.07 | 33.39 | 15 | —12.462 | ... | 3462 | 145 |
| 3722 | 3739 | 43 Cancri | 5 | 8. 33. 43.66 | 32.06 | 21 | + 3.496 | + 22. 3. 23.79 | 32.34 | 14 | —12.469 | 1230 | ... | 142 |
| 3723 | 3740 | 44 Cancri | 7.8 | 8. 33. 44.90 | 34.84 | 3 | + 3.427 | + 18. 44. 12.04 | 34.56 | 5 | —12.470 | 1231 | ... | 143 |
| 3724 | 3741 | Piazzi VIII. 137..... | 6.7 | 8. 33. 46.24 | 35.12 | 3 | + 5.576 | + 67. 18. 14.49 | 34.45 | 4 | —12.471 | ... | ... | 137 |
| 3725 | 3742 | Lacaille 3467 | 6.7 | 8. 34. 3.79 | 38.52 | 3 | + 1.708 | — 52. 30. 42.97 | 38.52 | 3 | —12.490 | ... | 3467 | ... |
| 3726 | 3743 | 9 Hydræ | 6 | 8. 34. 4.15 | 32.22 | 6 | + 2.785 | — 15. 21. 17.90 | 32.28 | 5 | —12.491 | 1234 | ... | 146 |
| 3727 | 3744 | Piazzi VIII. 141. | 7 | 8. 34. 4.44 | 35.15 | 5 | + 4.296 | + 49. 28. 6.19 | 34.44 | 4 | —12.492 | ... | ... | 141 |
| 3728 | 3745 | 45 Cancri | 6.7 | 8. 34. 6.11 | 32.27 | 6 | + 3.319 | + 13. 16. 2.89 | 32.17 | 5 | —12.494 | 1232 | ... | 144 |
| 3729 | 3746 | Lacaille 3463 | 6.7 | 8. 34. 16.21 | 38.13 | 7 | + 2.205 | — 39. 40. 55.75 | 37.40 | 8 | —12.505 | ... | 3463 | 148 |
| 3730 | 3747 | Brisbane 2133 | 8.9 | 8. 34. 28.82 | 38.63 | 2 | + 2.139 | — 41. 46. 18.12 | 38.11 | 1 | —12.520 | ... | ... | ... |
| 3731 | 3748 | Lacaille 3466 | 7 | 8. 34. 29.21 | 38.12 | 3 | + 2.138 | — 41. 48. 31.68 | 38.12 | 3 | —12.521 | ... | 3466 | ... |
| 3732 | 3749 | 7 Hydræ | 5 | 8. 34. 35.81 | 31.30 | 9 | + 3.145 | + 3. 59. 10.19 | 32.47 | 20 | —12.528 | 1235 | ... | 147 |
| 3733 | 3750 | Lacaille 3472 | 6.7 | 8. 34. 45.75 | 38.49 | 3 | + 1.694 | — 52. 51. 34.25 | 38.49 | 3 | —12.539 | ... | 3472 | ... |
| 3734 | 3751 | Brisbane 2137..... | 8 | 8. 34. 49.91 | 38.47 | 3 | + 2.140 | — 41. 45. 29.30 | 38.13 | 2 | —12.544 | ... | ... | ... |
| 3735 | 3752 | Brisbane 2139 .. | 7 | 8. 34. 56.28 | 38.55 | 3 | + 1.919 | — 47. 51. 49.14 | 38.54 | 3 | —12.551 | ... | ... | ... |
| 3736 | 3753 | Lacaille 3468 | 6 | 8. 34. 57.94 | 38.55 | 3 | + 2.043 | — 44. 36. 27.64 | 38.55 | 3 | —12.553 | ... | 3468 | ... |
| 3737 | 3754 | Velorum | 5 | 8. 35. 9.20 | 31.68 | 12 | + 1.990 | — 46. 3. 55.95 | 31.66 | 11 | —12.565 | ... | 3470 | 155 |
| 3738 | 3755 | 46 Cancri | 6 | 8. 35. 13.13 | 34.40 | 4 | + 3.705 | + 31. 17. 21.25 | 34.36 | 4 | —12.568 | 1233 | ... | 149 |
| 3739 | 3756 | Lacaille 3476 | 5.6 | 8. 35. 15.53 | 39.29 | 9 | + 1.715 | — 52. 28. 20.43 | 39.27 | 10 | —12.573 | ... | 3476 | ... |
| 3740 | 3757 | Brisbane 214 | 7.8 | 8. 35. 17.54 | 38.20 | 3 | + 1.769 | — 51. 21. 31.36 | 38.20 | 3 | —12.575 | ... | ... | ... |
| 3741 | 3758 | 47 Cancri | 4.5 | 8. 35. 17.90 | 33.95 | 20 | + 3.426 | + 18. 45. 19.87 | 32.21 | 10 | —12.575 | 1236 | ... | 150 |
| 3742 | 3759 | Lacaille 3481 | 7 | 8. 35. 27.20 | 38.56 | 3 | + 1.677 | — 53. 16. 4.23 | 38.56 | 3 | —12.586 | ... | 3481 | ... |
| 3743 | 3760 | Piazzi VIII. 151 | 9 | 8. 35. 30.18 | 36.58 | 2 | + 2.951 | — 6. 37. 49.79 | 36.21 | 1 | —12.589 | ... | ... | 151 |
| 3744 | 3761 | Lacaille 3469 | 7 | 8. 35. 31.73 | 38.24 | 2 | + 2.430 | — 31. 38. 39.49 | 38.25 | 2 | —12.591 | ... | 3469 | ... |
| 3745 | 3762 | Bradley 1238 | 5.6 | 8. 35. 33.83 | 35.09 | 3 | + 2.951 | — 6. 38. 38.51 | 35.30 | 8 | —12.593 | 1238 | ... | 152 |
| 3746 | 3763 | Argus | 4 | 8. 35. 33.94 | 34.36 | 10 | + 1.723 | — 52. 20. 20.26 | 34.06 | 12 | —12.593 | ... | 3482 | ... |
| 3747 | 3764 | Lacaille 3484 | 6 | 8. 35. 34.66 | 38.43 | 4 | + 1.719 | — 52. 25. 56.45 | 38.20 | 3 | —12.594 | ... | 3484 | ... |
| 3748 | 3765 | Lacaille 3477 | 7 | 8. 35. 35.13 | 38.55 | 3 | + 1.931 | — 47. 38. 24.60 | 38.24 | 2 | —12.595 | ... | 3477 | ... |
| 3749 | 3766 | Brisbane 2152 | 7.8 | 8. 35. 42.31 | 38.25 | 2 | + 1.937 | — 47. 28. 53.96 | 38.25 | 2 | —12.603 | ... | ... | ... |
| 3750 | 3767 | Lacaille 3490 | 6.7 | 8. 35. 43.03 | 38.55 | 3 | + 1.289 | — 59. 44. 7.83 | 38.54 | 3 | —12.603 | ... | 3490 | ... |
| 3751 | 3768 | 49 Cancri | 6.7 | 8. 35. 47.38 | 32.18 | 5 | + 3.268 | + 10. 40. 25.43 | 32.23 | 5 | —12.608 | 1237 | ... | 154 |
| 3752 | 3769 | Lacaille 3478 | 6.7 | 8. 35. 48.89 | 38.54 | 3 | + 1.967 | — 46. 43. 55.37 | 38.54 | 3 | —12.610 | ... | 3478 | ... |
| 3753 | 3770 | Lacaille 3483..... | 6 | 8. 35. 51.90 | 39.18 | 3 | + 1.904 | — 48. 20. 14.40 | 39.18 | 3 | —12.614 | ... | 3483 | ... |
| 3754 | 3771 | Brisbane 2156 | 7 | 8. 35. 53.75 | 39.19 | 3 | + 1.958 | — 46. 59. 20.65 | 39.19 | 3 | —12.616 | ... | ... | ... |
| 3755 | 3772 | Lacaille 3480 | 7 | 8. 35. 55.94 | 38.25 | 2 | + 2.054 | — 44. 24. 21.20 | 38.25 | 2 | —12.619 | ... | 3480 | ... |
| 3756 | 3773 | Piazzi VIII. 156..... | 8 | 8. 36. 5.45 | 36.44 | 3 | + 3.438 | + 19. 24. 39.10 | 36.14 | 4 | —12.628 | ... | ... | 156 |
| 3757 | 3774 | 10 Hydræ | 7 | 8. 36. 16.73 | 38.69 | 7 | + 3.186 | + 6. 16. 24.34 | 38.55 | 7 | —12.642 | 1240 | ... | 157 |
| 3758 | 3775 | Lacaille 3486..... | 5.6 | 8. 36. 20.41 | 39.40 | 7 | + 2.040 | — 44. 49. 22.63 | 39.40 | 7 | —12.647 | ... | 3486 | ... |
| 3759 | 3776 | Piazzi VIII. 153..... | 9.10 | 8. 36. 28.73 | 36.36 | 5 | + 4.476 | + 53. 31. 40.26 | 36.41 | 4 | —12.656 | ... | ... | 153 |
| 3760 | 3777 | Lacaille 3497 | 6.7 | 8. 36. 41.19 | 38.17 | 3 | + 1.478 | — 56. 57. 35.51 | 38.17 | 3 | —12.671 | ... | 3497 | ... |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{xcvii}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 3761 | 3778 | 48 Canori | 5.6 | h m s 8. 36. 41.85 | 32.30 | 6 | + 3.656 | + 29. 21. 27.08 | 32.26 | 5 | " | 1239 | ... | 158 |
| 3762 | 3779 | Lacaille 3492 | 6 | 8. 36. 56.27 | 39.20 | 7 | + 1.941 | - 47. 30. 34.81 | 39.21 | 6 | -12.687 | ... | 3492 | ... |
| 3763 | 3780 | Carina | 5 | 8. 36. 58.07 | 34.75 | 8 | + 1.337 | - 59. 10. 27.74 | 34.68 | 8 | -12.689 | ... | 3504 | ... |
| 3764 | 3781 | Mali | 4.5 | 8. 36. 58.07 | 32.14 | 11 | + 2.410 | - 32. 35. 43.02 | 31.66 | 10 | -12.689 | ... | 3487 | 162 |
| 3765 | 3782 | Piazzi VIII. 159 | 8 | 8. 37. 0.52 | 36.54 | 5 | + 3.036 | - 2. 0. 21.52 | 36.40 | 4 | -12.691 | ... | ... | 159 |
| 3766 | 3783 | Piazzi VIII. 160 | 7.8 | 8. 37. 0.66 | 36.47 | 3 | + 3.036 | - 2. 0. 22.77 | 36.49 | 4 | -12.692 | ... | ... | 160 |
| 3767 | 3784 | Brisbane 2162 | 7.8 | 8. 37. 3.40 | 38.52 | 3 | + 1.724 | - 52. 28. 28.17 | 38.18 | 2 | -12.694 | ... | ... | ... |
| 3768 | 3785 | Brisbane 2164 | 7.8 | 8. 37. 15.09 | 38.55 | 3 | + 1.940 | - 47. 34. 26.08 | 38.55 | 3 | -12.708 | ... | ... | ... |
| 3769 | 3786 | Lacaille 3496 | 7 | 8. 37. 20.27 | 38.56 | 3 | + 1.993 | - 46. 13. 11.62 | 38.56 | 3 | -12.714 | ... | 3496 | ... |
| 3770 | 3787 | Brisbane 2166 | 7.8 | 8. 37. 25.54 | 39.17 | 2 | + 1.730 | - 52. 22. 44.98 | 39.17 | 2 | -12.719 | ... | ... | ... |
| 3771 | 3788 | Piazzi VIII. 161 | 8.9 | 8. 37. 25.94 | 36.10 | 2 | + 3.277 | + 11. 11. 24.97 | 36.42 | 4 | -12.720 | ... | ... | 161 |
| 3772 | 3789 | Lacaille 3498 | 7 | 8. 37. 31.09 | 38.44 | 3 | + 2.040 | - 44. 58. 11.03 | 38.44 | 3 | -12.726 | ... | 3498 | ... |
| 3773 | 3790 | Lacaille 3505 | 6.7 | 8. 37. 35.65 | 38.62 | 4 | + 1.725 | - 52. 30. 38.37 | 38.62 | 4 | -12.731 | ... | 3505 | ... |
| 3774 | 3791 | Lacaille 3507 | 6.7 | 8. 37. 41.97 | 38.45 | 3 | + 1.725 | - 52. 31. 27.40 | 38.45 | 3 | -12.739 | ... | 3507 | ... |
| 3775 | 3792 | 50 Canori | 6 | 8. 37. 53.02 | 32.11 | 7 | + 3.305 | + 12. 42. 38.47 | 32.19 | 5 | -12.751 | 1242 | ... | 163 |
| 3776 | 3793 | Brisbane 2170 | 7.8 | 8. 37. 54.31 | 39.75 | 7 | + 1.957 | - 47. 12. 53.05 | 39.75 | 7 | -12.752 | ... | ... | ... |
| 3777 | 3794 | Lacaille 3501 | 7.8 | 8. 38. 0.34 | 38.14 | 3 | + 2.296 | - 36. 55. 54.93 | 38.14 | 3 | -12.759 | ... | 3501 | ... |
| 3778 | 3795 | 11 Hydræ | 4 | 8. 38. 2.01 | 33.76 | 21 | + 3.199 | + 7. 1. 9.16 | 32.21 | 6 | -12.761 | 1243 | ... | 164 |
| 3779 | 3796 | Brisbane 2173 | 9 | 8. 38. 13.80 | 39.18 | 3 | + 1.974 | - 46. 48. 35.82 | 39.19 | 3 | -12.774 | ... | ... | ... |
| 3780 | 3797 | Brisbane 2174 | 7.8 | 8. 38. 14.35 | 39.54 | 6 | + 1.696 | - 53. 9. 31.56 | 39.54 | 6 | -12.775 | ... | ... | ... |
| 3781 | 3798 | Brisbane 2175 | 8 | 8. 38. 18.37 | 38.87 | 3 | + 1.997 | - 46. 12. 21.07 | 38.87 | 3 | -12.779 | ... | ... | ... |
| 3782 | 3799 | Lacaille 3502 | 6.7 | 8. 38. 25.97 | 38.90 | 3 | + 2.437 | - 31. 38. 58.59 | 38.90 | 3 | -12.789 | ... | 3502 | ... |
| 3783 | 3800 | Velorum | 6 | 8. 38. 30.32 | 36.43 | 3 | + 2.143 | - 42. 3. 20.28 | 34.41 | 4 | -12.793 | ... | 3508 | 168 |
| 3784 | 3801 | Lacaille 3506 | 6.7 | 8. 38. 30.72 | 38.20 | 6 | + 2.309 | - 36. 33. 7.36 | 39.23 | 3 | -12.794 | ... | 3506 | ... |
| 3785 | 3802 | Velorum | 6 | 8. 38. 30.96 | 39.24 | 3 | + 1.878 | - 49. 13. 44.25 | 39.24 | 3 | -12.794 | ... | 3514 | ... |
| 3786 | 3803 | Brisbane 2181 | 7.8 | 8. 38. 31.10 | 38.52 | 3 | + 1.772 | - 51. 36. 59.58 | 38.52 | 3 | -12.794 | ... | ... | ... |
| 3787 | 3804 | 12 Hydræ | 6 | 8. 38. 34.97 | 32.17 | 6 | + 2.835 | - 12. 56. 55.69 | 31.65 | 5 | -12.799 | 1244 | ... | 166 |
| 3788 | 3805 | Brisbane 2183 | 7.8 | 8. 38. 40.06 | 38.52 | 3 | + 1.782 | - 51. 24. 41.07 | 38.52 | 3 | -12.804 | ... | ... | ... |
| 3789 | 3806 | Piazzi VIII. 169 | 9 | 8. 38. 50.99 | 36.09 | 4 | + 2.145 | - 42. 1. 33.13 | 36.20 | 3 | -12.817 | ... | ... | 169 |
| 3790 | 3807 | Piazzi VIII. 167 | 6 | 8. 38. 53.11 | 32.23 | 6 | + 3.049 | - 1. 17. 48.57 | 32.17 | 5 | -12.819 | ... | ... | 167 |
| 3791 | 3808 | Brisbane 2185 | 7.8 | 8. 38. 54.41 | 39.77 | 7 | + 1.711 | - 52. 55. 47.21 | 39.77 | 7 | -12.821 | ... | ... | ... |
| 3792 | 3809 | Lacaille 3509 | 7 | 8. 39. 6.21 | 38.89 | 3 | + 2.570 | - 26. 0. 51.98 | 38.70 | 2 | -12.834 | ... | 3509 | ... |
| 3793 | 3810 | Brisbane 2191 | 8 | 8. 39. 9.51 | 39.90 | 11 | + 1.955 | - 47. 23. 23.40 | 39.83 | 12 | -12.838 | ... | ... | ... |
| 3794 | 3811 | Lacaille 3512 | 6.7 | 8. 39. 14.14 | 38.91 | 3 | + 2.441 | - 31. 33. 56.33 | 38.91 | 3 | -12.843 | ... | 3512 | ... |
| 3795 | 3812 | Piazzi VIII. 170 | 7 | 8. 39. 34.99 | 35.00 | 6 | + 3.312 | + 13. 9. 0.80 | 34.97 | 6 | -12.865 | ... | ... | 170 |
| 3796 | 3813 | Piazzi VIII. 171 | 8 | 8. 39. 40.47 | 36.49 | 3 | + 3.313 | + 13. 11. 58.51 | 35.82 | 3 | -12.871 | ... | ... | 171 |
| 3797 | 3814 | 13 Hydræ | 5 | 8. 39. 41.27 | 31.51 | 12 | + 3.188 | + 6. 26. 32.51 | 31.60 | 11 | -12.872 | 1248 | ... | 172 |
| 3798 | 3815 | 5 Ursæ Majoris | 6 | 8. 39. 42.02 | 34.39 | 4 | + 5.048 | + 62. 34. 18.15 | 34.38 | 4 | -12.873 | 1241 | ... | 165 |
| 3799 | 3816 | Brisbane 2192 | 8 | 8. 40. 3.44 | 38.49 | 3 | + 1.738 | - 52. 28. 52.92 | 38.49 | 3 | -12.896 | ... | ... | ... |
| 3800 | 3817 | Argus | 3 | 8. 40. 8.80 | 31.84 | 11 | + 1.657 | - 54. 6. 23.80 | 31.55 | 10 | -12.903 | ... | 3532 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|---------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 3801 | 3818 | Lacaille 3521 | 7 | h m s 8. 40. 16.51 | 38.84 | 3 | + 2.381 | - 34. 1. 18.23 | 38.84 | 3 | -12.911 | ... | 3521 | ... |
| 3802 | 3819 | Bradley 1245 | 6.7 | 8. 40. 16.65 | 35.11 | 3 | + 3.760 | + 33. 53. 44.52 | 34.41 | 4 | -12.911 | 1245 | ... | 173 |
| 3803 | 3820 | Lacaille 3524 | 6.7 | 8. 40. 21.61 | 38.14 | 3 | + 2.198 | - 40. 31. 29.98 | 38.15 | 3 | -12.917 | ... | 3524 | ... |
| 3804 | 3821 | Velorum | 5 | 8. 40. 26.19 | 33.17 | 17 | + 2.033 | - 45. 26. 28.72 | 33.20 | 13 | -12.922 | ... | 3526 | 176 |
| 3805 | 3822 | Piazzi VIII. 174 | 8 | 8. 40. 35.30 | 36.45 | 4 | + 4.214 | + 48. 10. 57.82 | 36.41 | 4 | -12.932 | ... | ... | 174 |
| 3806 | 3823 | Lacaille 3528 | 7.8 | 8. 40. 38.07 | 38.55 | 3 | + 2.153 | - 41. 57. 55.41 | 38.68 | 2 | -12.935 | ... | 3528 | ... |
| 3807 | 3824 | 35 Lynx | 6 | 8. 40. 50.54 | 34.41 | 4 | + 4.070 | + 44. 20. 4.25 | 34.40 | 4 | -12.949 | 1247 | ... | 175 |
| 3808 | 3825 | Brisbane 2201 | 7.8 | 8. 40. 53.01 | 38.24 | 3 | + 1.979 | - 46. 56. 55.41 | 38.26 | 2 | -12.952 | ... | ... | ... |
| 3809 | 3826 | Lacaille 3530 | 6.7 | 8. 40. 54.08 | 39.79 | 9 | + 2.040 | - 45. 18. 37.49 | 39.79 | 9 | -12.953 | ... | 3530 | ... |
| 3810 | 3827 | Brisbane 2203 | 7.8 | 8. 40. 55.88 | 38.54 | 3 | + 1.748 | - 52. 22. 17.78 | 38.54 | 3 | -12.955 | ... | ... | ... |
| 3811 | 3828 | 14 Hydra | 5.6 | 8. 41. 4.21 | 32.29 | 6 | + 3.022 | - 2. 50. 8.54 | 32.15 | 5 | -12.964 | 1249 | ... | 177 |
| 3812 | 3829 | Lacaille 3545 | 7.8 | 8. 41. 10.95 | 38.17 | 3 | + 1.432 | - 58. 7. 27.01 | 38.17 | 3 | -12.973 | ... | 3545 | ... |
| 3813 | 3830 | Lacaille 3531 | 7 | 8. 41. 12.74 | 38.57 | 3 | + 2.415 | - 32. 47. 38.01 | 38.57 | 3 | -12.975 | ... | 3531 | ... |
| 3814 | 3831 | Piazzi VIII. 179 | 7 | 8. 41. 19.07 | 33.60 | 9 | + 3.415 | + 18. 36. 41.45 | 32.27 | 5 | -12.981 | ... | ... | 179 |
| 3815 | 3833 | Piazzi VIII. 180 | 7 | 8. 41. 21.12 | 32.48 | 5 | + 3.432 | + 19. 26. 31.63 | 32.25 | 4 | -12.983 | ... | ... | 180 |
| 3816 | 3832 | Lacaille 3544 | 7 | 8. 41. 21.30 | 38.58 | 3 | + 1.602 | - 55. 15. 29.62 | 38.58 | 3 | -12.983 | ... | 3544 | ... |
| 3817 | 3834 | Brisbane 2208 | 6.7 | 8. 41. 30.27 | 39.10 | 8 | + 2.160 | - 41. 50. 57.41 | 39.13 | 5 | -12.994 | ... | ... | ... |
| 3818 | 3835 | Piazzi VIII. 181 | 9 | 8. 41. 36.22 | 36.47 | 3 | + 3.416 | + 18. 38. 36.81 | 36.62 | 2 | -13.000 | ... | ... | 181 |
| 3819 | 3836 | Lacaille 3542 | 6.7 | 8. 41. 43.54 | 38.47 | 3 | + 2.034 | - 45. 33. 3.22 | 38.47 | 3 | -13.008 | ... | 3542 | ... |
| 3820 | 3837 | 54 Cancri | 6.7 | 8. 41. 49.74 | 32.81 | 6 | + 3.363 | + 15. 57. 26.46 | 32.20 | 3 | -13.016 | 1250 | ... | 182 |
| 3821 | 3838 | 52 Cancri | 7 | 8. 41. 56.22 | 34.38 | 4 | + 3.375 | + 16. 36. 33.63 | 34.38 | 4 | -13.023 | 1251 | ... | 183 |
| 3822 | 3839 | Lacaille 3543 | 8 | 8. 42. 2.67 | 38.87 | 3 | + 2.132 | - 42. 44. 59.72 | 38.87 | 3 | -13.030 | ... | 3543 | ... |
| 3823 | 3840 | Piazzi VIII. 187 | 7 | 8. 42. 12.35 | 38.12 | 10 | + 2.162 | - 41. 51. 27.93 | 38.34 | 6 | -13.041 | ... | ... | 187 |
| 3824 | 3841 | Brisbane 2215 | 7.8 | 8. 42. 17.93 | 38.55 | 3 | + 1.803 | - 51. 18. 54.25 | 38.55 | 3 | -13.047 | ... | ... | ... |
| 3825 | 3842 | 51 Cancri | 6 | 8. 42. 22.14 | 35.09 | 3 | + 3.734 | + 33. 5. 11.36 | 34.42 | 4 | -13.051 | 1252 | ... | 184 |
| 3826 | 3843 | 6 Ursæ Majoris | 6 | 8. 42. 23.32 | 35.14 | 3 | + 5.272 | + 65. 13. 37.06 | 34.42 | 4 | -13.053 | 1246 | ... | 178 |
| 3827 | 3844 | Carinae..... ^f | 6 | 8. 42. 26.64 | 38.55 | 3 | + 1.557 | - 56. 9. 57.49 | 38.26 | 2 | -13.057 | ... | 3554 | ... |
| 3828 | 3845 | 53 Cancri | 6.7 | 8. 42. 32.61 | 34.38 | 4 | + 3.631 | + 28. 52. 20.79 | 34.45 | 3 | -13.062 | 1253 | ... | 185 |
| 3829 | 3846 | Brisbane 2220 | 7.8 | 8. 42. 33.87 | 38.17 | 3 | + 2.165 | - 41. 47. 37.65 | 38.17 | 3 | -13.064 | ... | ... | ... |
| 3830 | 3847 | Lacaille 3546 | 7.8 | 8. 42. 39.70 | 39.17 | 6 | + 2.479 | - 30. 19. 23.79 | 39.17 | 6 | -13.071 | ... | 3546 | ... |
| 3831 | 3848 | 55 Cancri | 6 | 8. 42. 45.46 | 32.73 | 6 | + 3.633 | + 28. 57. 20.34 | 32.19 | 5 | -13.076 | 1254 | ... | 186 |
| 3832 | 3849 | Lacaille 3548 | 6 | 8. 43. 7.61 | 34.03 | 9 | + 2.514 | - 28. 51. 9.92 | 33.34 | 7 | -13.102 | ... | 3548 | 188 |
| 3833 | 3850 | Lacaille 3549 | 6.7 | 8. 43. 9.48 | 36.37 | 4 | + 2.433 | - 32. 10. 4.33 | 36.41 | 4 | -13.104 | ... | 3549 | 190 |
| 3834 | 3851 | Lacaille 3560 | 7 | 8. 43. 9.98 | 38.50 | 3 | + 1.765 | - 52. 14. 35.94 | 38.50 | 3 | -13.104 | ... | 3560 | ... |
| 3835 | 3852 | 15 Hydra | 6 | 8. 43. 27.73 | 35.15 | 3 | + 2.956 | - 6. 33. 49.61 | 34.57 | 5 | -13.124 | 1256 | ... | 189 |
| 3836 | 3853 | Lacaille 3558 | 7 | 8. 43. 28.74 | 39.19 | 7 | + 2.137 | - 42. 45. 39.73 | 39.03 | 6 | -13.125 | ... | 3558 | ... |
| 3837 | 3854 | Velorum | 7.8 | 8. 43. 30.83 | 36.35 | 4 | + 2.233 | - 39. 42. 34.08 | 36.12 | 2 | -13.127 | ... | 3556 | 194 |
| 3838 | 3855 | Mali | 6 | 8. 43. 31.94 | 32.17 | 5 | + 2.555 | - 27. 6. 8.32 | 31.42 | 6 | -13.128 | ... | 3553 | 193 |
| 3839 | 3856 | Lacaille 3557 | 7.8 | 8. 43. 39.01 | 38.51 | 3 | + 2.267 | - 38. 31. 57.05 | 38.51 | 3 | -13.136 | ... | 3557 | ... |
| 3840 | 3857 | Lacaille 3561 | 7.8 | 8. 43. 44.78 | 39.70 | 8 | + 2.156 | - 42. 12. 46.26 | 39.63 | 7 | -13.141 | ... | 3561 | ... |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{xcix}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|----------------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 3841 | 3858 | Piazzi VIII. 191 | 7 | ^{h m s} 8. 43. 53.69 | 32.10 | 7 | + 3.400 | + 17. 59. 12.08 | 32.22 | 5 | -13.152 | ... | ... | 191 |
| 3842 | 3859 | Velorum | 6 | 8. 44. 5.46 | 35.16 | 3 | + 2.074 | - 44. 41. 48.86 | 34.42 | 4 | -13.166 | ... | 3565 | 198 |
| 3843 | 3860 | 57 Cancri | 6 | 8. 44. 9.56 | 34.37 | 4 | + 3.683 | + 31. 11. 55.01 | 34.39 | 4 | -13.170 | 1255 | ... | 192 |
| 3844 | 3861 | Piazzi VIII. 195 | 8 | 8. 44. 28.32 | 36.46 | 3 | + 3.450 | + 20. 35. 9.33 | 36.38 | 4 | -13.190 | ... | ... | 195 |
| 3845 | 3862 | Piazzi VIII. 196 | 7.8 | 8. 44. 31.63 | 36.41 | 8 | + 3.402 | + 18. 9. 50.84 | 36.63 | 6 | -13.193 | ... | ... | 196 |
| 3846 | 3863 | Brisbane 2236 | 7.8 | 8. 44. 33.23 | 38.53 | 3 | + 2.096 | - 44. 6. 31.98 | 38.53 | 3 | -13.195 | ... | ... | ... |
| 3847 | 3864 | Piazzi VIII. 197 | 9 | 8. 44. 34.47 | 36.40 | 4 | + 3.342 | + 15. 1. 40.60 | 36.42 | 4 | -13.196 | ... | ... | 197 |
| 3848 | 3865 | Brisbane 2237 | 7.8 | 8. 44. 37.26 | 39.45 | 7 | + 2.143 | - 42. 41. 59.77 | 38.98 | 5 | -13.200 | ... | ... | ... |
| 3849 | 3866 | Lacaille 3570 | 7.8 | 8. 44. 56.81 | 38.24 | 3 | + 2.286 | - 38. 1. 5.74 | 38.24 | 3 | -13.222 | ... | 3570 | ... |
| 3850 | 3867 | Lacaille 3567 | 8 | 8. 44. 56.97 | 38.15 | 3 | + 2.559 | - 27. 1. 32.01 | 38.15 | 3 | -13.222 | ... | 3567 | ... |
| 3851 | 3868 | Velorum | 6 | 8. 44. 58.01 | 35.18 | 3 | + 2.034 | - 45. 54. 55.04 | 34.59 | 5 | -13.223 | ... | 3572 | 205 |
| 3852 | 3869 | Piazzi VIII. 200 | 8 | 8. 45. 6.73 | 36.39 | 4 | + 3.232 | + 9. 2. 24.57 | 36.43 | 4 | -13.233 | ... | ... | 200 |
| 3853 | 3870 | Piazzi VIII. 201 | 9 | 8. 45. 6.94 | 36.43 | 4 | + 3.232 | + 9. 2. 18.05 | 36.20 | 3 | -13.233 | ... | ... | 201 |
| 3854 | 3871 | Piazzi VIII. 203 | 7.8 | 8. 45. 18.44 | 34.41 | 4 | + 3.338 | + 14. 51. 50.14 | 34.40 | 4 | -13.246 | ... | ... | 203 |
| 3855 | 3872 | Piazzi VIII. 199 | 7 | 8. 45. 19.08 | 35.12 | 3 | + 4.126 | + 46. 23. 13.70 | 34.39 | 4 | -13.247 | ... | ... | 199 |
| 3856 | 3873 | Brisbane 2242 | 8 | 8. 45. 26.81 | 38.13 | 3 | + 1.820 | - 51. 16. 55.06 | 38.12 | 2 | -13.255 | ... | ... | ... |
| 3857 | 3874 | Piazzi VIII. 202 | 6 | 8. 45. 37.66 | 35.12 | 3 | + 4.120 | + 46. 15. 29.29 | 34.43 | 4 | -13.267 | ... | ... | 202 |
| 3858 | 3875 | 58 Cancri | 6.7 | 8. 45. 45.75 | 31.91 | 8 | + 3.617 | + 28. 33. 7.24 | 32.15 | 5 | -13.275 | 1258 | ... | 204 |
| 3859 | 3876 | Lacaille 3577 | 6.7 | 8. 45. 49.57 | 38.17 | 3 | + 2.220 | - 40. 22. 9.45 | 38.17 | 3 | -13.280 | ... | 3577 | ... |
| 3860 | 3877 | Piazzi VIII. 206 | 7 | 8. 46. 4.77 | 32.30 | 9 | + 3.395 | + 17. 51. 14.30 | 32.19 | 5 | -13.296 | ... | ... | 206 |
| 3861 | 3878 | Brisbane 2247 | 6.7 | 8. 46. 11.41 | 38.54 | 3 | + 2.347 | - 35. 55. 33.98 | 38.54 | 3 | -13.303 | ... | ... | ... |
| 3862 | 3879 | Lacaille 3580 | 7.8 | 8. 46. 30.18 | 38.53 | 3 | + 2.288 | - 38. 6. 19.17 | 38.21 | 2 | -13.324 | ... | 3580 | ... |
| 3863 | 3880 | Piazzi VIII. 208 | 7 | 8. 46. 30.51 | 35.14 | 3 | + 3.336 | + 14. 48. 22.97 | 34.57 | 5 | -13.324 | ... | ... | 208 |
| 3864 | 3881 | Brisbane 2246 | 8.9 | 8. 46. 30.68 | 39.44 | 7 | + 2.168 | - 42. 7. 58.99 | 39.33 | 6 | -13.324 | ... | ... | ... |
| 3865 | 3882 | 16 Hydræ | 4 | 8. 46. 40.05 | 34.35 | 45 | + 3.187 | + 6. 34. 7.12 | 32.49 | 29 | -13.335 | 1261 | ... | 210 |
| 3866 | 3883 | 59 Cancri | 6 | 8. 46. 44.77 | 34.52 | 5 | + 3.734 | + 33. 32. 23.69 | 34.36 | 4 | -13.340 | 1259 | ... | 209 |
| 3867 | 3884 | 60 Cancri | 6 | 8. 46. 54.55 | 32.23 | 6 | + 3.289 | + 12. 15. 6.41 | 32.18 | 5 | -13.351 | 1262 | ... | 211 |
| 3868 | 3885 | Lacaille 3584 | 7 | 8. 47. 13.30 | 38.14 | 3 | + 1.975 | - 47. 44. 19.04 | 38.14 | 3 | -13.372 | ... | 3584 | ... |
| 3869 | 3886 | Lacaille 3585 | 6.7 | 8. 47. 16.19 | 38.12 | 3 | + 2.012 | - 46. 46. 25.89 | 38.12 | 3 | -13.375 | ... | 3585 | ... |
| 3870 | 3887 | Lacaille 3594 | 6 | 8. 47. 24.04 | 38.51 | 3 | + 1.537 | - 57. 0. 54.68 | 38.51 | 3 | -13.384 | ... | 3594 | ... |
| 3871 | 3888 | 17 Hydræ | 5 | 8. 47. 24.30 | 35.15 | 3 | + 2.944 | - 7. 20. 39.34 | 34.41 | 4 | -13.384 | 1264 | ... | 214 |
| 3872 | 3889 | Piazzi VIII. 215 | 9 | 8. 47. 24.47 | 36.34 | 4 | + 2.944 | - 7. 20. 36.52 | 36.42 | 4 | -13.385 | ... | ... | 215 |
| 3873 | 3890 | Piazzi VIII. 213 | 7 | 8. 47. 27.04 | 40.44 | 4 | + 3.398 | + 18. 6. 32.93 | 38.62 | 7 | -13.387 | ... | ... | 213 |
| 3874 | 3891 | 8 Ursæ Majoris | 6 | 8. 47. 32.82 | 35.19 | 3 | + 5.569 | + 68. 15. 50.91 | 34.37 | 4 | -13.393 | 1257 | ... | 207 |
| 3875 | 3892 | Lacaille 3587 | 7 | 8. 47. 40.78 | 38.45 | 4 | + 2.242 | - 39. 49. 30.87 | 38.45 | 4 | -13.401 | ... | 3587 | ... |
| 3876 | 3893 | Lacaille 3593 | 7 | 8. 47. 41.29 | 38.11 | 3 | + 1.821 | - 51. 30. 28.89 | 38.12 | 3 | -13.402 | ... | 3593 | ... |
| 3877 | 3894 | Piazzi VIII. 217 | 7 | 8. 47. 51.08 | 35.17 | 3 | + 3.391 | + 17. 46. 23.86 | 34.42 | 4 | -13.412 | ... | ... | 217 |
| 3878 | 3895 | 9 Ursæ Majoris | 3.4 | 8. 47. 52.61 | 32.02 | 11 | + 4.203 | + 48. 41. 0.49 | 32.40 | 22 | -13.413 | 1260 | ... | 212 |
| 3879 | 3896 | 61 Cancri | 6 | 8. 47. 56.14 | 35.10 | 3 | + 3.666 | + 30. 51. 43.24 | 34.38 | 4 | -13.417 | 1263 | ... | 216 |
| 3880 | 3897 | 62 Cancri | 6 | 8. 48. 2.39 | 32.26 | 4 | + 3.356 | + 15. 57. 1.97 | 32.22 | 5 | -13.424 | 1265 | ... | 218 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 3881 | 3898 | Lacaille 3596 | 6 | h m s 8. 48. 19'05 | 38'12 | 3 | + 2'012 | — 46. 53. 47'14 | 38'12 | 3 | —13'443 | ... | 3596 | ... |
| 3882 | 3899 | 63 Cancri ^{o2} | 6 | 8. 48. 21'92 | 32'18 | 5 | + 3'360 | + 16. 12. 33'54 | 31'22 | 3 | —13'446 | 1266 | ... | 219 |
| 3883 | 3900 | Lacaille 3591 | 7'8 | 8. 48. 23'06 | 38'49 | 3 | + 2'415 | — 33. 30. 52'23 | 38'50 | 3 | —13'448 | ... | 3591 | ... |
| 3884 | 3901 | Mali ^d | 6 | 8. 48. 27'42 | 32'23 | 3 | + 2'565 | — 27. 3. 2'39 | 31'55 | 7 | —13'453 | ... | 3589 | 220 |
| 3885 | 3902 | Lacaille 3603 | 7 | 8. 48. 40'80 | 38'51 | 3 | + 1'601 | — 56. 1. 40'53 | 38'51 | 3 | —13'466 | ... | 3603 | ... |
| 3886 | 3903 | Brisbane 2266 | 8 | 8. 49. 3'66 | 38'15 | 3 | + 1'847 | — 51. 4. 28'98 | 38'15 | 3 | —13'491 | ... | ... | ... |
| 3887 | 3904 | 64 Cancri | 5'6 | 8. 49. 23'49 | 35'16 | 4 | + 3'715 | + 33. 3. 13'37 | 34'38 | 4 | —13'514 | 1267 | ... | 221 |
| 3888 | 3905 | 65 Cancri ^a | 5 | 8. 49. 27'35 | 34'27 | 14 | + 3'291 | + 12. 29. 30'14 | 32'57 | 19 | —13'518 | 1269 | ... | 222 |
| 3889 | 3906 | Lacaille 3604 | 7 | 8. 49. 32'01 | 38'52 | 3 | + 2'104 | — 44. 24. 50'72 | 38'52 | 3 | —13'522 | ... | 3604 | ... |
| 3890 | 3907 | Piazzi VIII. 224 | 7 | 8. 49. 51'12 | 32'46 | 7 | + 3'407 | + 18. 46. 19'08 | 31'47 | 5 | —13'542 | ... | ... | 224 |
| 3891 | 3908 | Bradley 1268 | 5'6 | 8. 49. 54'25 | 38'91 | 7 | + 3'974 | + 42. 25. 47'86 | 37'44 | 8 | —13'545 | 1268 | ... | 223 |
| 3892 | 3909 | Lacaille 3605 | 7 | 8. 49. 55'79 | 38'12 | 3 | + 2'343 | — 36. 29. 33'33 | 38'12 | 3 | —13'547 | ... | 3605 | ... |
| 3893 | 3910 | Lacaille 3613 | 6'7 | 8. 50. 2'16 | 38'53 | 3 | + 1'383 | — 59. 43. 40'60 | 38'53 | 3 | —13'554 | ... | 3613 | ... |
| 3894 | 3911 | Piazzi VIII. 225 | 6'7 | 8. 50. 22'08 | 34'37 | 4 | + 3'312 | + 13. 42. 34'64 | 34'39 | 4 | —13'576 | ... | ... | 225 |
| 3895 | 3912 | Lacaille 3615 | 9 | 8. 50. 40'87 | 39'16 | 1 | + 2'167 | — 42. 37. 25'24 | 39'32 | 5 | —13'595 | ... | 3615 | ... |
| 3896 | 3913 | Brisbane 2278 | 7'8 | 8. 50. 43'78 | 38'15 | 3 | + 1'860 | — 50. 57. 28'90 | 38'15 | 3 | —13'598 | ... | ... | ... |
| 3897 | 3914 | Lacaille 3618 | 6'7 | 8. 50. 44'26 | 39'59 | 7 | + 1'522 | — 57. 36. 40'34 | 39'50 | 6 | —13'598 | ... | 3618 | ... |
| 3898 | 3915 | Piazzi VIII. 227 | 6 | 8. 50. 59'51 | 34'39 | 4 | + 2'800 | — 15. 30. 27'99 | 34'36 | 4 | —13'615 | ... | ... | 227 |
| 3899 | 3916 | 66 Cancri | 6 | 8. 51. 15'98 | 35'13 | 4 | + 3'706 | + 32. 53. 28'42 | 34'41 | 4 | —13'633 | 1270 | ... | 226 |
| 3900 | 3917 | Carine ^c | 5'6 | 8. 51. 18'36 | 38'52 | 3 | + 1'372 | — 60. 0. 59'84 | 38'52 | 3 | —13'635 | ... | 3626 | ... |
| 3901 | 3918 | Velorum ^H | 6 | 8. 51. 20'59 | 38'53 | 3 | + 1'813 | — 52. 5. 32'79 | 38'53 | 3 | —13'637 | ... | 3620 | ... |
| 3902 | 3919 | Brisbane 2282 | 8 | 8. 51. 35'64 | 38'51 | 3 | + 2'138 | — 43. 37. 55'62 | 38'51 | 3 | —13'653 | ... | ... | ... |
| 3903 | 3920 | Piazzi VIII. 228 | 9 | 8. 51. 37'09 | 36'36 | 4 | + 3'039 | — 1. 54. 36'52 | 36'39 | 4 | —13'654 | ... | ... | 228 |
| 3904 | 3921 | Brisbane 2285 | 7'8 | 8. 51. 37'94 | 38'53 | 3 | + 1'943 | — 49. 2. 52'34 | 38'23 | 2 | —13'655 | ... | ... | ... |
| 3905 | 3922 | Lacaille 3634 | 8'9 | 8. 51. 55'15 | 39'41 | 8 | + 1'338 | — 60. 34. 28'17 | 39'41 | 8 | —13'674 | ... | 3634 | ... |
| 3906 | 3923 | 67 Cancri | 6'7 | 8. 51. 57'64 | 34'65 | 4 | + 3'604 | + 28. 32. 49'31 | 34'41 | 4 | —13'678 | 1273 | ... | 229 |
| 3907 | 3924 | Lacaille 3619 | 6'7 | 8. 52. 15'65 | 38'25 | 3 | + 2'549 | — 28. 10. 9'63 | 38'25 | 3 | —13'697 | ... | 3619 | ... |
| 3908 | 3925 | 12 Ursæ Majoris ^K | 4'5 | 8. 52. 19'38 | 32'21 | 10 | + 4'149 | + 47. 48. 9'55 | 32'35 | 18 | —13'701 | 1272 | ... | 230 |
| 3909 | 3926 | 68 Cancri | 7 | 8. 52. 27'55 | 34'34 | 5 | + 3'384 | + 17. 43. 22'88 | 34'37 | 4 | —13'710 | 1274 | ... | 231 |
| 3910 | 3927 | Lacaille 3628 | 6 | 8. 52. 27'65 | 38'17 | 3 | + 1'990 | — 47. 56. 14'81 | 38'16 | 3 | —13'710 | ... | 3628 | ... |
| 3911 | 3928 | Piazzi VIII. 233 | 6'7 | 8. 52. 48'33 | 34'98 | 7 | + 3'179 | + 6. 16. 58'04 | 34'38 | 4 | —13'732 | ... | ... | 233 |
| 3912 | 3929 | Piazzi VIII. 235 | 9 | 8. 52. 55'73 | 36'31 | 5 | + 3'039 | — 1. 55. 2'31 | 36'40 | 4 | —13'740 | ... | ... | 235 |
| 3913 | 3930 | Carine ^{b1} | 5 | 8. 52. 56'15 | 33'31 | 15 | + 1'476 | — 58. 35. 41'41 | 33'50 | 15 | —13'741 | ... | 3639 | ... |
| 3914 | 3931 | Brisbane 2294 | 8 | 8. 53. 1'26 | 38'44 | 4 | + 1'477 | — 58. 35. 29'28 | 38'44 | 6 | —13'745 | ... | ... | ... |
| 3915 | 3932 | 69 Cancri ^v | 6 | 8. 53. 4'82 | 31'75 | 8 | + 3'528 | + 25. 5. 45'95 | 31'24 | 5 | —13'749 | 1275 | ... | 234 |
| 3916 | 3933 | Piazzi VIII. 236 | 8'9 | 8. 53. 6'52 | 36'47 | 3 | + 3'179 | + 6. 17. 43'13 | 36'41 | 4 | —13'751 | ... | ... | 236 |
| 3917 | 3934 | Lacaille 3637 | 7'8 | 8. 53. 13'41 | 39'43 | 7 | + 1'928 | — 49. 36. 47'60 | 39'43 | 7 | —13'759 | ... | 3637 | ... |
| 3918 | 3935 | Piazzi VIII. 237 | 8 | 8. 53. 14'87 | 36'39 | 4 | + 3'058 | — 0. 49. 58'25 | 36'42 | 4 | —13'760 | ... | ... | 237 |
| 3919 | 3936 | Lacaille 3635 | 5'6 | 8. 53. 16'69 | 38'11 | 3 | + 2'043 | — 46. 35. 55'27 | 38'11 | 3 | —13'762 | ... | 3635 | ... |
| 3920 | 3937 | 11 Ursæ Majoris ^{o1} | 6 | 8. 53. 47'84 | 35'14 | 3 | + 5'419 | + 67. 31. 40'01 | 34'43 | 4 | —13'795 | 1271 | ... | 232 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{ci}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 3921 | 3938 | Lacaille 3641 | 7.8 | h m s 8. 53. 51.27 | 39.46 | 7 | + 2.008 | — 47. 39. 2.53 | 39.46 | 7 | — 13.798 | ... | 3641 | ... |
| 3922 | 3939 | Piazzi VIII. 238 | 8.9 | 8. 53. 53.18 | 36.44 | 3 | + 2.940 | — 7. 43. 39.72 | 36.42 | 4 | — 13.800 | ... | ... | 238 |
| 3923 | 3940 | Lacaille 3638 | 6 | 8. 53. 56.13 | 34.38 | 4 | + 2.240 | — 40. 36. 53.69 | 34.35 | 4 | — 13.804 | ... | 3638 | 242 |
| 3924 | 3941 | Lacaille 3647 | 8.9 | 8. 54. 9.93 | 38.23 | 3 | + 1.738 | — 53. 59. 45.33 | 38.23 | 3 | — 13.819 | ... | 3647 | ... |
| 3925 | 3942 | Piazzi VIII. 240 | 9 | 8. 54. 11.19 | 38.41 | 8 | + 3.329 | + 14. 49. 50.83 | 38.40 | 8 | — 13.820 | ... | ... | 240 |
| 3926 | 3943 | Lacaille 3642 | 6.7 | 8. 54. 19.02 | 38.54 | 3 | + 2.321 | — 37. 46. 38.70 | 38.54 | 3 | — 13.828 | ... | 3642 | ... |
| 3927 | 3944 | 70 Canori | 8 | 8. 54. 19.08 | 36.45 | 3 | + 3.599 | + 28. 32. 45.87 | 36.40 | 4 | — 13.828 | 1278 | ... | 239 |
| 3928 | 3945 | Lacaille 3646 | 7 | 8. 54. 22.23 | 38.20 | 3 | + 2.184 | — 42. 31. 54.47 | 38.20 | 3 | — 13.831 | ... | 3646 | ... |
| 3929 | 3946 | Lacaille 3650 | 7.8 | 8. 54. 35.87 | 38.39 | 4 | + 1.883 | — 50. 51. 49.19 | 38.39 | 4 | — 13.845 | ... | 3650 | ... |
| 3930 | 3947 | Lacaille 3648 | 7 | 8. 54. 37.53 | 38.52 | 3 | + 1.962 | — 48. 55. 0.17 | 38.52 | 3 | — 13.846 | ... | 3648 | ... |
| 3931 | 3948 | Lacaille 3651 | 6.7 | 8. 55. 13.88 | 38.13 | 4 | + 2.225 | — 41. 13. 11.46 | 38.13 | 4 | — 13.885 | ... | 3651 | ... |
| 3932 | 3950 | Piazzi VIII. 243 | 9.10 | 8. 55. 21.07 | 37.32 | 1 | + 3.855 | + 39. 5. 32.96 | 37.32 | 1 | — 13.893 | ... | ... | 243 |
| 3933 | 3949 | Carinae | 5 | 8. 55. 21.16 | 33.61 | 18 | + 1.501 | — 58. 27. 16.89 | 33.63 | 14 | — 13.893 | ... | 3661 | ... |
| 3934 | 3951 | Lacaille 3658 | 7.8 | 8. 55. 27.68 | 38.15 | 3 | + 1.885 | — 50. 54. 41.02 | 38.15 | 3 | — 13.899 | ... | 3658 | ... |
| 3935 | 3952 | Brisbane 2313 | 8 | 8. 55. 36.27 | 39.63 | 8 | + 1.933 | — 49. 47. 31.47 | 39.42 | 7 | — 13.908 | ... | ... | ... |
| 3936 | 3953 | Piazzi VIII. 244 | 7 | 8. 55. 38.65 | 35.12 | 3 | + 3.268 | + 11. 30. 3.81 | 34.57 | 5 | — 13.910 | ... | ... | 244 |
| 3937 | 3954 | 13 Ursae Majoris | 6 | 8. 55. 45.99 | 35.15 | 3 | + 5.431 | + 67. 47. 47.00 | 34.40 | 4 | — 13.919 | 1276 | ... | 241 |
| 3938 | 3955 | Lacaille 3655 | 7.8 | 8. 55. 47.41 | 39.48 | 7 | + 2.299 | — 38. 45. 25.59 | 39.48 | 7 | — 13.920 | ... | 3655 | ... |
| 3939 | 3956 | Piazzi VIII. 246 | 8 | 8. 55. 49.31 | 36.47 | 3 | + 2.836 | — 13. 47. 19.58 | 36.44 | 4 | — 13.922 | ... | ... | 246 |
| 3940 | 3957 | Lacaille 3652 | 7 | 8. 55. 55.51 | 38.46 | 4 | + 2.626 | — 24. 51. 20.55 | 38.46 | 4 | — 13.928 | ... | 3652 | ... |
| 3941 | 3958 | Piazzi VIII. 245 | 6 | 8. 56. 0.60 | 32.07 | 12 | + 3.854 | + 39. 6. 22.02 | 31.66 | 10 | — 13.934 | ... | ... | 245 |
| 3942 | 3959 | Lacaille 3663 | 7.8 | 8. 56. 6.88 | 39.07 | 7 | + 1.969 | — 48. 55. 59.19 | 38.88 | 9 | — 13.941 | ... | 3663 | ... |
| 3943 | 3960 | 71 Canori | 7 | 8. 56. 29.32 | 35.14 | 3 | + 3.385 | + 18. 2. 33.71 | 34.44 | 4 | — 13.965 | 1281 | ... | 248 |
| 3944 | 3951 | Lacaille 3662 | 7.8 | 8. 56. 31.37 | 38.53 | 3 | + 2.206 | — 42. 3. 30.67 | 38.53 | 3 | — 13.966 | ... | 3662 | ... |
| 3945 | 3962 | Lacaille 3667 | 6.7 | 8. 56. 37.84 | 38.16 | 3 | + 1.864 | — 51. 32. 31.77 | 38.16 | 3 | — 13.973 | ... | 3667 | ... |
| 3946 | 3963 | Lacaille 3673 | 6.7 | 8. 56. 57.93 | 38.52 | 3 | + 1.391 | — 60. 19. 5.13 | 38.52 | 3 | — 13.995 | ... | 3673 | ... |
| 3947 | 3964 | 15 Ursae Majoris | 6 | 8. 57. 11.18 | 36.85 | 7 | + 4.309 | + 52. 15. 51.47 | 36.84 | 7 | — 14.009 | 1280 | ... | 249 |
| 3948 | 3965 | Bradley 1283 | 7 | 8. 57. 11.64 | 35.16 | 3 | + 3.345 | + 15. 55. 46.67 | 34.43 | 4 | — 14.010 | 1283 | ... | 250 |
| 3949 | 3966 | 14 Ursae Majoris | 5.6 | 8. 57. 13.60 | 34.38 | 4 | + 5.050 | + 64. 10. 38.69 | 34.38 | 4 | — 14.012 | 1279 | ... | 247 |
| 3950 | 3967 | 12 Hydrae | 6 | 8. 57. 17.16 | 31.98 | 9 | + 3.168 | + 5. 44. 48.42 | 31.25 | 5 | — 14.015 | 1284 | ... | 251 |
| 3951 | 3968 | Piazzi VIII. 252 | 7 | 8. 57. 35.86 | 34.42 | 4 | + 3.343 | + 15. 52. 26.12 | 34.39 | 4 | — 14.033 | ... | ... | 252 |
| 3952 | 3969 | Lacaille 3672 | 7 | 8. 57. 45.36 | 38.15 | 3 | + 1.972 | — 49. 2. 47.92 | 38.15 | 3 | — 14.043 | ... | 3672 | ... |
| 3953 | 3970 | 72 Canori | 6 | 8. 58. 4.69 | 35.11 | 3 | + 3.629 | + 30. 18. 43.59 | 34.41 | 4 | — 14.064 | 1285 | ... | 253 |
| 3954 | 3971 | Velorum | 6 | 8. 58. 28.11 | 33.00 | 26 | + 2.071 | — 46. 26. 39.09 | 33.19 | 13 | — 14.088 | ... | 3677 | ... |
| 3955 | 3972 | Piazzi VIII. 254 | 6 | 8. 58. 42.25 | 34.38 | 4 | + 3.725 | + 34. 32. 52.19 | 34.37 | 4 | — 14.102 | ... | ... | 254 |
| 3956 | 3973 | 76 Canori | 5.6 | 8. 58. 48.28 | 32.15 | 6 | + 3.262 | + 11. 19. 40.02 | 32.16 | 6 | — 14.108 | 1287 | ... | 255 |
| 3957 | 3974 | Piazzi VIII. 257 | 9 | 8. 59. 0.55 | 39.57 | 7 | + 3.333 | + 15. 22. 17.59 | 38.40 | 8 | — 14.122 | ... | ... | 257 |
| 3958 | 3975 | 75 Canori | 6.7 | 8. 59. 3.73 | 32.19 | 5 | + 3.562 | + 27. 18. 24.76 | 32.19 | 5 | — 14.125 | 1286 | ... | 256 |
| 3959 | 3976 | Lacaille 3681 | 7 | 8. 59. 6.83 | 39.42 | 8 | + 2.083 | — 46. 9. 42.90 | 39.42 | 8 | — 14.128 | ... | 3681 | ... |
| 3960 | 3977 | Brisbane 2329 | 7.8 | 8. 59. 21.85 | 38.15 | 3 | + 1.865 | — 51. 51. 5.41 | 38.15 | 3 | — 14.144 | ... | ... | .. |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 3961 | 3978 | Lacaille 3691 | 8 | h m s 8. 59. 38.19 | 38.20 | 3 | + 1.313 | — 61. 42. 2.55 | 38.20 | 3 | —14.160 | ... | 3691 | ... |
| 3962 | 3979 | Piazzi VIII. 260 | 8.9 | 8. 59. 40.48 | 36.39 | 4 | + 3.042 | — 1. 48. 51.13 | 36.40 | 4 | —14.162 | ... | ... | 260 |
| 3963 | 3980 | 78 Cancri | 7 | 8. 59. 46.90 | 32.41 | 10 | + 3.382 | + 18. 7. 59.65 | 32.20 | 5 | —14.168 | 1290 | ... | 258 |
| 3964 | 3981 | Volantis | 5 | 8. 59. 49.51 | 31.35 | 8 | + 0.972 | — 65. 44. 18.22 | 31.64 | 10 | —14.171 | ... | 3696 | ... |
| 3965 | 3983 | 77 Cancri | 5.6 | 8. 59. 51.66 | 31.98 | 7 | + 3.468 | + 22. 42. 29.46 | 31.32 | 5 | —14.173 | 1289 | ... | 259 |
| 3966 | 3982 | 79 Cancri | 6 | 8. 59. 51.74 | 32.29 | 5 | + 3.467 | + 22. 39. 42.29 | 32.24 | 4 | —14.173 | 1291 | ... | 262 |
| 3967 | 3984 | Lacaille 3689 | 8 | 8. 59. 55.32 | 38.23 | 3 | + 1.686 | — 55. 41. 8.07 | 38.23 | 3 | —14.177 | ... | 3689 | ... |
| 3968 | 3985 | Lacaille 3686 | 8.9 | 9. 0. 7.85 | 38.46 | 4 | + 1.960 | — 49. 37. 45.41 | 38.40 | 4 | —14.191 | ... | 3686 | ... |
| 3969 | 3986 | Lacaille 3687 | 8.9 | 9. 0. 18.54 | 38.22 | 3 | + 1.967 | — 49. 29. 11.47 | 38.14 | 3 | —14.202 | ... | 3687 | ... |
| 3970 | 3987 | Lacaille 3693 | 7 | 9. 0. 23.99 | 38.24 | 3 | + 1.607 | — 57. 11. 48.54 | 38.24 | 3 | —14.207 | ... | 3693 | ... |
| 3971 | 3988 | Piazzi VIII. 266 | 8.9 | 9. 0. 35.35 | 36.39 | 4 | + 2.198 | — 42. 50. 24.61 | 36.41 | 4 | —14.219 | ... | ... | 266 |
| 3972 | 3989 | 19 Hydræ | 6 | 9. 0. 37.69 | 38.81 | 9 | + 2.941 | — 7. 55. 34.60 | 38.22 | 10 | —14.222 | 1292 | ... | 264 |
| 3973 | 3990 | Piazzi VIII. 263 | 6.7 | 9. 0. 47.98 | 36.13 | 6 | + 3.276 | + 12. 13. 54.35 | 34.40 | 4 | —14.232 | ... | ... | 263 |
| 3974 | 3991 | Lacaille 3685 | 5.6 | 9. 0. 48.40 | 35.14 | 11 | + 2.629 | — 25. 11. 46.32 | 36.61 | 5 | —14.232 | ... | 3685 | 265 |
| 3975 | 3992 | Brisbane 2340 | 7.8 | 9. 0. 55.84 | 38.22 | 3 | + 2.052 | — 47. 15. 36.08 | 38.22 | 3 | —14.240 | ... | ... | ... |
| 3976 | 3993 | 16 Ursæ Majoris | 6 | 9. 1. 13.69 | 35.14 | 3 | + 4.848 | + 62. 5. 45.21 | 34.42 | 4 | —14.259 | 1288 | ... | 261 |
| 3977 | 3994 | Lacaille 3690 | 7 | 9. 1. 26.83 | 36.46 | 3 | + 2.631 | — 25. 10. 29.19 | 36.83 | 6 | —14.272 | ... | 3690 | 268 |
| 3978 | 3995 | 20 Hydræ | 6 | 9. 1. 31.75 | 32.33 | 4 | + 2.938 | — 8. 7. 16.36 | 32.27 | 4 | —14.277 | 1294 | ... | 267 |
| 3979 | 3996 | Lacaille 3692 | 7 | 9. 1. 32.86 | 38.20 | 3 | + 2.612 | — 26. 6. 15.42 | 38.21 | 3 | —14.278 | ... | 3692 | ... |
| 3980 | 3997 | Brisbane 2344 | 8 | 9. 1. 34.82 | 38.15 | 3 | + 1.876 | — 51. 52. 9.33 | 38.15 | 3 | —14.280 | ... | ... | ... |
| 3981 | 3998 | Lacaille 3695 | 7 | 9. 1. 35.79 | 38.17 | 3 | + 2.372 | — 36. 41. 46.04 | 38.17 | 3 | —14.281 | ... | 3695 | ... |
| 3982 | 3999 | Lacaille 3697 | 7 | 9. 1. 45.09 | 38.18 | 3 | + 2.167 | — 43. 58. 11.84 | 38.18 | 3 | —14.290 | ... | 3697 | ... |
| 3983 | 4006 | Lacaille 3701 | 7 | 9. 1. 55.94 | 40.41 | 4 | + 1.927 | — 50. 32. 58.10 | 39.31 | 6 | —14.302 | ... | 3701 | ... |
| 3984 | 4000 | Argûs | 3.4 | 9. 1. 56.09 | 31.56 | 12 | + 2.205 | — 42. 46. 12.73 | 31.60 | 9 | —14.302 | ... | 3699 | 1 |
| 3985 | 4001 | Brisbane 2349 | 8 | 9. 2. 9.92 | 38.46 | 3 | + 1.540 | — 58. 32. 40.71 | 38.38 | 4 | —14.316 | ... | ... | ... |
| 3986 | 4002 | Lacaille 3698 | 8 | 9. 2. 31.53 | 36.43 | 4 | + 2.633 | — 25. 8. 10.97 | 36.44 | 4 | —14.338 | ... | 3698 | 5 |
| 3987 | 4003 | 80 Cancri | 6.7 | 9. 2. 40.23 | 35.09 | 3 | + 3.389 | + 18. 42. 55.42 | 34.43 | 4 | —14.346 | 1296 | ... | 3 |
| 3988 | 4004 | Lacaille 3706 | 6.7 | 9. 2. 48.29 | 38.52 | 3 | + 1.645 | — 56. 48. 4.38 | 38.52 | 3 | —14.355 | ... | 3706 | ... |
| 3989 | 4005 | Lacaille 3707 | 7.8 | 9. 2. 48.52 | 38.50 | 3 | + 1.480 | — 59. 35. 56.17 | 38.50 | 3 | —14.355 | ... | 3707 | ... |
| 3990 | 4007 | Mali | 6 | 9. 2. 57.08 | 33.98 | 6 | + 2.540 | — 29. 41. 45.00 | 31.49 | 7 | —14.364 | ... | 3702 | 7 |
| 3991 | 4008 | 36 Lynceis | 6 | 9. 2. 58.97 | 34.41 | 4 | + 3.970 | + 43. 53. 32.73 | 34.38 | 4 | —14.366 | 1295 | ... | 2 |
| 3992 | 4009 | O.P.D. — 53°.2150 | 7.8 | 9. 3. 5.76 | 39.20 | 5 | + 1.805 | — 53. 37. 41.28 | 39.19 | 5 | —14.373 | ... | ... | ... |
| 3993 | 4010 | Brisbane 2359 | 7.8 | 9. 3. 10.13 | 38.94 | 5 | + 1.551 | — 58. 29. 9.31 | 38.13 | 3 | —14.378 | ... | ... | ... |
| 3994 | 4011 | 81 Cancri | 6.7 | 9. 3. 15.46 | 32.38 | 11 | + 3.333 | + 15. 39. 21.04 | 31.99 | 5 | —14.383 | 1298 | ... | 6 |
| 3995 | 4012 | Brisbane 2361 | 8 | 9. 3. 25.83 | 39.34 | 6 | + 1.551 | — 58. 31. 12.90 | 39.34 | 6 | —14.393 | ... | ... | ... |
| 3996 | 4013 | 17 Ursæ Majoris | 6 | 9. 3. 32.69 | 34.80 | 3 | + 4.528 | + 57. 25. 9.08 | 34.38 | 4 | —14.400 | 1293 | ... | 4 |
| 3997 | 4014 | Piazzi IX. 9 | 7 | 9. 3. 41.98 | 35.16 | 3 | + 2.969 | — 6. 18. 30.25 | 34.24 | 2 | —14.409 | ... | ... | 9 |
| 3998 | 4015 | Bradley 1299 | 6 | 9. 4. 11.04 | 32.19 | 5 | + 3.446 | + 21. 57. 29.98 | 32.21 | 5 | —14.439 | 1299 | ... | ... |
| 3999 | 4016 | Lacaille 3715 | 7 | 9. 4. 12.67 | 38.50 | 3 | + 2.014 | — 48. 45. 13.36 | 38.50 | 3 | —14.441 | ... | 3715 | ... |
| 4000 | 4017 | 18 Ursæ Majoris | 5 | 9. 4. 15.88 | 31.53 | 12 | + 4.382 | + 54. 41. 49.38 | 31.72 | 11 | —14.444 | 1297 | ... | 8 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{ciii}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 4001 | 4018 | Piazzi IX. 10 | 8 | h m s 9. 4. 16.34 | 36.38 | 4 | + 2.970 | — 6. 15. 26.10 | 35.82 | 6 | —14.445 | ... | ... | 10 |
| 4002 | 4019 | 21 Hydra | 6 | 9. 4. 17.10 | 32.22 | 5 | + 2.968 | — 6. 26. 17.69 | 32.00 | 5 | —14.446 | 1301 | ... | 11 |
| 4003 | 4020 | Piazzi IX. 13 | 7 | 9. 4. 25.62 | 36.40 | 4 | + 2.751 | — 19. 4. 36.98 | 36.42 | 4 | —14.454 | ... | ... | 13 |
| 4004 | 4021 | Lacaille 3719 | 6.7 | 9. 4. 33.04 | 39.61 | 7 | + 2.020 | — 48. 37. 12.58 | 39.61 | 7 | —14.462 | ... | 3719 | ... |
| 4005 | 4022 | Carinae | 5 | 9. 4. 39.94 | 32.68 | 9 | + 0.232 | — 71. 56. 23.80 | 31.81 | 9 | —14.469 | ... | 3736 | ... |
| 4006 | 4023 | Lacaille 3722 | 6.7 | 9. 4. 43.04 | 39.10 | 2 | + 1.912 | — 51. 24. 55.74 | 40.20 | 1 | —14.473 | ... | 3722 | ... |
| 4007 | 4024 | Piazzi IX. 15 | 9 | 9. 4. 47.02 | 37.32 | 1 | + 3.145 | + 4. 29. 59.53 | 36.46 | 3 | —14.476 | ... | ... | 15 |
| 4008 | 4025 | Piazzi IX. 12 | 9 | 9. 4. 50.43 | 36.35 | 5 | + 3.517 | + 25. 41. 25.31 | 36.41 | 4 | —14.480 | ... | ... | 12 |
| 4009 | 4026 | Lacaille 3720 | 7.8 | 9. 4. 50.73 | 39.23 | 6 | + 2.221 | — 42. 35. 40.10 | 38.72 | 4 | —14.480 | ... | 3720 | ... |
| 4010 | 4027 | Lacaille 3728 | 7 | 9. 5. 0.13 | 39.00 | 7 | + 1.557 | — 58. 36. 7.11 | 39.00 | 7 | —14.489 | ... | 3728 | ... |
| 4011 | 4028 | Brisbane 2373 | 8 | 9. 5. 0.86 | 39.22 | 7 | + 2.221 | — 42. 35. 55.14 | 39.05 | 6 | —14.490 | ... | ... | ... |
| 4012 | 4029 | Bradley 1300 | 6 | 9. 5. 4.26 | 34.40 | 4 | + 3.727 | + 35. 18. 30.97 | 34.37 | 4 | —14.493 | 1300 | ... | 14 |
| 4013 | 4030 | Lacaille 3723 | 6 | 9. 5. 5.58 | 35.17 | 3 | + 2.173 | — 44. 11. 45.43 | 34.41 | 4 | —14.494 | ... | 3723 | 17 |
| 4014 | 4031 | Piazzi IX. 16 | 7.8 | 9. 5. 11.27 | 36.42 | 4 | + 2.829 | — 14. 44. 39.23 | 36.41 | 4 | —14.500 | ... | ... | 16 |
| 4015 | 4032 | Lacaille 3721 | 6 | 9. 5. 15.82 | 38.15 | 3 | + 2.335 | — 38. 35. 9.71 | 38.15 | 3 | —14.505 | ... | 3721 | ... |
| 4016 | 4033 | Lacaille 3727 | 6.7 | 9. 5. 43.44 | 38.47 | 4 | + 2.121 | — 45. 54. 38.27 | 38.47 | 4 | —14.533 | ... | 3727 | ... |
| 4017 | 4034 | 22 Hydra | 4.5 | 9. 5. 46.52 | 34.17 | 22 | + 3.120 | + 3. 0. 23.19 | 33.15 | 33 | —14.536 | 1303 | ... | 18 |
| 4018 | 4035 | Lacaille 3725 | 7 | 9. 5. 58.20 | 38.23 | 3 | + 2.532 | — 30. 23. 26.06 | 38.23 | 3 | —14.548 | ... | 3725 | ... |
| 4019 | 4036 | 82 Cancri | 6 | 9. 6. 6.74 | 32.51 | 8 | + 3.329 | + 15. 37. 16.90 | 32.14 | 6 | —14.557 | 1304 | ... | 20 |
| 4020 | 4037 | Piazzi IX. 21 | 8 | 9. 6. 14.45 | 36.44 | 4 | + 2.843 | — 14. 0. 58.77 | 36.42 | 4 | —14.565 | ... | ... | 21 |
| 4021 | 4038 | Brisbane 2385 | 6.7 | 9. 6. 20.06 | 38.26 | 3 | + 2.148 | — 45. 10. 21.11 | 38.26 | 3 | —14.570 | ... | ... | ... |
| 4022 | 4039 | Lacaille 3729 | 6.7 | 9. 6. 24.49 | 38.27 | 3 | + 2.217 | — 42. 56. 16.10 | 38.27 | 3 | —14.574 | ... | 3729 | ... |
| 4023 | 4040 | Piazzi IX. 19 | 6 | 9. 6. 24.51 | 34.38 | 4 | + 4.075 | + 47. 29. 56.42 | 34.39 | 4 | —14.574 | ... | ... | 19 |
| 4024 | 4041 | Piazzi IX. 22 | 8 | 9. 6. 28.55 | 36.45 | 4 | + 3.010 | — 3. 51. 37.54 | 36.42 | 4 | —14.578 | ... | ... | 22 |
| 4025 | 4042 | Carinae | 5 | 9. 6. 37.69 | 34.63 | 12 | + 1.586 | — 58. 17. 36.68 | 34.56 | 14 | —14.588 | ... | 3738 | ... |
| 4026 | 4043 | Piazzi IX. 24 | 7 | 9. 6. 48.06 | 34.81 | 6 | + 2.942 | — 8. 4. 40.12 | 34.44 | 4 | —14.598 | ... | ... | 24 |
| 4027 | 4044 | Lacaille 3731 | 7.8 | 9. 6. 56.48 | 36.51 | 3 | + 2.358 | — 37. 56. 17.11 | 36.43 | 4 | —14.606 | ... | 3731 | 26 |
| 4028 | 4045 | Lacaille 3742 | 6.7 | 9. 7. 2.11 | 38.56 | 3 | + 1.645 | — 57. 17. 36.96 | 38.56 | 3 | —14.612 | ... | 3742 | ... |
| 4029 | 4046 | Lacaille 3732 | 6 | 9. 7. 5.74 | 38.55 | 3 | + 2.259 | — 41. 35. 53.32 | 38.55 | 3 | —14.616 | ... | 3732 | ... |
| 4030 | 4047 | Piazzi IX. 25 | 8 | 9. 7. 10.86 | 36.43 | 4 | + 3.396 | + 19. 29. 36.64 | 36.44 | 4 | —14.621 | ... | ... | 25 |
| 4031 | 4048 | Piazzi IX. 27 | 7 | 9. 7. 27.97 | 36.18 | 2 | + 2.942 | — 8. 3. 35.60 | 36.42 | 4 | —14.638 | ... | ... | 27 |
| 4032 | 4049 | Carinae | 5 | 9. 7. 31.20 | 34.98 | 16 | + 1.379 | — 61. 38. 29.18 | 35.49 | 17 | —14.642 | ... | 3753 | ... |
| 4033 | 4050 | 20 Ursae Majoris | 7 | 9. 7. 47.47 | 35.13 | 3 | + 4.683 | + 60. 28. 10.72 | 34.42 | 4 | —14.658 | 1302 | ... | 23 |
| 4034 | 4051 | Lacaille 3743 | 7 | 9. 7. 47.58 | 38.48 | 3 | + 2.105 | — 46. 39. 34.91 | 38.48 | 3 | —14.658 | ... | 3743 | ... |
| 4035 | 4052 | Brisbane 2398 | 7.8 | 9. 8. 0.60 | 38.21 | 3 | + 1.869 | — 52. 49. 34.88 | 38.21 | 3 | —14.671 | ... | ... | ... |
| 4036 | 4053 | Lacaille 3744 | 6.7 | 9. 8. 4.03 | 38.14 | 3 | + 2.208 | — 43. 27. 56.32 | 38.13 | 3 | —14.674 | ... | 3744 | ... |
| 4037 | 4054 | Lacaille 3741 | 7 | 9. 8. 5.98 | 38.27 | 3 | + 2.427 | — 35. 16. 51.28 | 38.27 | 3 | —14.676 | ... | 3741 | ... |
| 4038 | 4055 | Velorum | 6.7 | 9. 8. 15.50 | 36.37 | 5 | + 2.236 | — 42. 32. 48.92 | 34.26 | 3 | —14.686 | ... | 3749 | 33 |
| 4039 | 4056 | Velorum | 6 | 9. 8. 22.76 | 35.15 | 6 | + 2.388 | — 36. 55. 11.54 | 35.14 | 6 | —14.693 | ... | 3748 | 34 |
| 4040 | 4057 | 23 Hydra | 6 | 9. 8. 30.22 | 32.27 | 4 | + 2.982 | — 5. 40. 7.73 | 31.66 | 5 | —14.700 | 1307 | ... | 30 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|---------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 4041 | 4058 | 38 Lyncis..... | 4 | 9. 8. 33.22 | 31.40 | 7 | + 3.770 | + 37. 29. 43.42 | 32.32 | 13 | -14.703 | 1305 | ... | 29 |
| 4042 | 4059 | Brisbane 2403 | 7 | 9. 8. 35.84 | 38.26 | 3 | + 2.230 | - 42. 47. 6.22 | 38.26 | 3 | -14.706 | ... | ... | ... |
| 4043 | 4060 | 24 Hydra..... | 6 | 9. 8. 36.47 | 33.06 | 6 | + 2.943 | - 8. 3. 35.83 | 32.20 | 5 | -14.707 | 1308 | ... | 32 |
| 4044 | 4061 | Lacaille 3760 | 6 | 9. 8. 36.76 | 39.33 | 6 | + 1.574 | - 58. 44. 7.32 | 39.33 | 6 | -14.707 | ... | 3760 | ... |
| 4045 | 4062 | Lacaille 3750 | 6.7 | 9. 8. 43.50 | 38.56 | 3 | + 2.490 | - 32. 38. 21.98 | 38.56 | 3 | -14.713 | ... | 3750 | ... |
| 4046 | 4063 | Piazzi IX. 28 | 6.7 | 9. 8. 50.60 | 35.11 | 3 | + 4.284 | + 53. 8. 24.64 | 34.45 | 4 | -14.720 | ... | ... | 28 |
| 4047 | 4064 | Piazzi IX. 35 | 7 | 9. 8. 53.74 | 32.19 | 6 | + 3.268 | + 12. 11. 16.69 | 32.17 | 5 | -14.723 | ... | ... | 35 |
| 4048 | 4065 | Lacaille 3751 | 7.8 | 9. 9. 1.35 | 39.60 | 8 | + 2.585 | - 28. 12. 8.21 | 39.60 | 8 | -14.731 | ... | 3751 | ... |
| 4049 | 4066 | Velorum | 5 | 9. 9. 6.98 | 31.69 | 12 | + 2.366 | - 37. 53. 11.76 | 31.26 | 4 | -14.736 | ... | 3756 | 40 |
| 4050 | 4067 | Velorum | 6 | 9. 9. 9.25 | 35.16 | 3 | + 2.395 | - 36. 43. 45.26 | 34.51 | 4 | -14.738 | ... | 3755 | 41 |
| 4051 | 4068 | Bradley 1306 | 6.7 | 9. 9. 13.86 | 34.90 | 4 | + 4.230 | + 51. 57. 0.02 | 34.33 | 8 | -14.743 | 1306 | ... | 31 |
| 4052 | 4069 | Lacaille 3758 | 7 | 9. 9. 16.75 | 38.15 | 3 | + 2.170 | - 44. 52. 18.99 | 38.15 | 3 | -14.746 | ... | 3758 | ... |
| 4053 | 4070 | Lacaille 3757 | 7.8 | 9. 9. 17.53 | 37.10 | 1 | + 2.389 | - 36. 56. 44.08 | 36.21 | 1 | -14.746 | ... | 3757 | 44 |
| 4054 | 4071 | Piazzi IX. 39 | 7 | 9. 9. 18.46 | 36.38 | 4 | + 2.848 | - 13. 53. 15.24 | 36.38 | 4 | -14.747 | ... | ... | 39 |
| 4055 | 4072 | Lacaille 3762 | 6 | 9. 9. 24.74 | 38.99 | 5 | + 1.784 | - 54. 53. 19.41 | 39.19 | 6 | -14.754 | ... | 3762 | ... |
| 4056 | 4073 | 25 Hydra..... | 7 | 9. 9. 32.70 | 35.09 | 2 | + 2.892 | - 11. 16. 22.57 | 34.45 | 4 | -14.762 | 1311 | ... | 43 |
| 4057 | 4074 | Piazzi IX. 36 | 7 | 9. 9. 33.44 | 35.14 | 3 | + 4.230 | + 51. 59. 25.39 | 35.15 | 2 | -14.763 | ... | ... | 36 |
| 4058 | 4075 | Piazzi IX. 38 | 6.7 | 9. 9. 35.60 | 36.87 | 7 | + 3.532 | + 26. 56. 31.04 | 36.86 | 7 | -14.765 | ... | ... | 38 |
| 4059 | 4076 | 83 Cancri | 6 | 9. 9. 45.80 | 32.51 | 9 | + 3.373 | + 18. 24. 1.28 | 32.22 | 5 | -14.774 | 1309 | ... | 42 |
| 4060 | 4077 | Lacaille 3764 | 6.7 | 9. 10. 17.62 | 38.13 | 3 | + 2.213 | - 43. 34. 46.13 | 38.13 | 3 | -14.806 | ... | 3764 | ... |
| 4061 | 4078 | Piazzi IX. 45 | 8.9 | 9. 10. 21.46 | 36.43 | 4 | + 3.549 | + 27. 51. 24.52 | 36.40 | 4 | -14.810 | ... | ... | 45 |
| 4062 | 4079 | Lacaille 3765 | 6.7 | 9. 10. 29.21 | 38.19 | 3 | + 2.349 | - 38. 42. 46.15 | 38.19 | 3 | -14.818 | ... | 3765 | ... |
| 4063 | 4080 | Piazzi IX. 46 | 7 | 9. 10. 37.84 | 35.14 | 3 | + 3.239 | + 10. 28. 50.64 | 34.47 | 4 | -14.825 | ... | ... | 46 |
| 4064 | 4081 | Lacaille 3776 | 6.7 | 9. 10. 46.50 | 38.22 | 3 | + 1.648 | - 57. 42. 7.17 | 38.22 | 3 | -14.834 | ... | 3776 | ... |
| 4065 | 4083 | Lacaille 3771 | 7 | 9. 10. 55.83 | 38.26 | 3 | + 2.194 | - 44. 19. 27.24 | 38.26 | 3 | -14.843 | ... | 3771 | ... |
| 4066 | 4082 | Lacaille 3777 | 7 | 9. 10. 56.06 | 38.53 | 3 | + 1.693 | - 56. 53. 30.45 | 38.53 | 3 | -14.843 | ... | 3777 | ... |
| 4067 | 4084 | 40 Lyncis | 4.5 | 9. 10. 59.03 | 32.34 | 7 | + 3.703 | + 35. 5. 6.09 | 32.32 | 15 | -14.846 | 1312 | ... | 48 |
| 4068 | 4085 | Lacaille 3773 | 7 | 9. 11. 2.72 | 38.26 | 3 | + 2.042 | - 48. 53. 29.21 | 38.26 | 3 | -14.850 | ... | 3773 | ... |
| 4069 | 4086 | Piazzi IX. 49 | 7.8 | 9. 11. 10.61 | 36.46 | 3 | + 3.165 | + 5. 54. 32.41 | 36.40 | 4 | -14.858 | ... | ... | 49 |
| 4070 | 4087 | Bradley 1310 | 7 | 9. 11. 14.56 | 34.39 | 4 | + 4.151 | + 50. 14. 25.28 | 34.41 | 4 | -14.862 | 1310 | ... | 47 |
| 4071 | 4088 | Piazzi IX. 50 | 7 | 9. 11. 20.21 | 34.39 | 4 | + 3.395 | + 19. 47. 4.48 | 34.43 | 4 | -14.868 | ... | ... | 50 |
| 4072 | 4089 | Argus | 2 | 9. 11. 21.72 | 34.03 | 15 | + 0.729 | - 69. 2. 19.09 | 33.79 | 7 | -14.869 | ... | 3791 | ... |
| 4073 | 4090 | Carina | 5.6 | 9. 11. 32.56 | 38.23 | 3 | + 1.699 | - 56. 51. 12.02 | 38.23 | 3 | -14.879 | ... | 3782 | ... |
| 4074 | 4091 | Bradley 1313 | 7 | 9. 11. 33.93 | 36.56 | 13 | + 3.507 | + 25. 51. 52.45 | 36.36 | 8 | -14.880 | 1313 | ... | ... |
| 4075 | 4092 | Piazzi IX. 52 | 6.7 | 9. 11. 46.00 | 36.47 | 3 | + 2.830 | - 15. 8. 22.16 | 36.40 | 4 | -14.892 | ... | ... | 52 |
| 4076 | 4093 | 26 Hydra..... | 5.6 | 9. 11. 49.67 | 32.76 | 6 | + 2.893 | - 11. 16. 56.50 | 32.21 | 5 | -14.896 | 1314 | ... | 53 |
| 4077 | 4094 | Brisbane 2426 | 7 | 9. 12. 0.15 | 39.21 | 6 | + 2.179 | - 44. 56. 44.71 | 38.99 | 5 | -14.906 | ... | ... | ... |
| 4078 | 4095 | Piazzi IX. 54 | 7 | 9. 12. 8.49 | 36.64 | 4 | + 3.086 | + 0. 52. 37.21 | 36.40 | 4 | -14.914 | ... | ... | 54 |
| 4079 | 4096 | Piazzi IX. 55 | 7.8 | 9. 12. 17.72 | 36.42 | 4 | + 3.292 | + 13. 48. 38.33 | 36.41 | 4 | -14.923 | ... | ... | 55 |
| 4080 | 4097 | Bradley 1316 | 7 | 9. 12. 18.04 | 36.41 | 4 | + 2.932 | - 8. 54. 51.55 | 36.41 | 4 | -14.923 | 1316 | ... | 56 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 4081 | 4098 | Piazzi IX. 51 | 6.7 | h m s 9. 12. 21'24 | 35'20 | 3 | + 4'957 | + 64. 38. 38'90 | 34'43 | 4 | -14'926 | ... | ... | 51 |
| 4082 | 4099 | 27 Hydræ..... | 5.6 | 9. 12. 25'66 | 33'13 | 5 | + 2'933 | - 8. 51. 35'73 | 32'19 | 5 | -14'930 | 1317 | ... | 57 |
| 4083 | 4100 | VelorumK | 6.7 | 9. 12. 36'57 | 38'21 | 3 | + 1'995 | - 50. 21. 36'62 | 38'21 | 3 | -14'941 | ... | 3786 | ... |
| 4084 | 4101 | Argûs | 2 | 9. 12. 40'48 | 35'17 | 20 | + 1'611 | - 58. 35. 8'03 | 35'92 | 15 | -14'945 | ... | 3792 | ... |
| 4085 | 4102 | Piazzi IX. 37 | 5 | 9. 12. 55'31 | 35'85 | 13 | + 9'450 | + 82. 3. 0'92 | 35'30 | 10 | -14'959 | ... | ... | 37 |
| 4086 | 4103 | Lacaille 3784 | 7.8 | 9. 12. 58'06 | 38'16 | 3 | + 2'485 | - 33. 24. 30'19 | 38'16 | 3 | -14'962 | ... | 3784 | ... |
| 4087 | 4104 | Piazzi IX. 59 | 8.9 | 9. 13. 7'23 | 38'33 | 6 | + 2'835 | - 14. 55. 1'20 | 38'76 | 5 | -14'971 | ... | ... | 59 |
| 4088 | 4105 | Brisbane 2431 | 8 | 9. 13. 15'34 | 38'16 | 3 | + 2'109 | - 47. 16. 58'75 | 38'16 | 3 | -14'980 | ... | ... | ... |
| 4089 | 4106 | Lacaille 3790 | 6 | 9. 13. 45'59 | 34'39 | 4 | + 2'538 | - 31. 3. 47'58 | 34'38 | 4 | -15'008 | ... | 3790 | 61 |
| 4090 | 4107 | Lacaille 3795 | 6.7 | 9. 13. 52'21 | 38'26 | 1 | + 2'407 | - 36. 53. 1'80 | 38'26 | 1 | -15'014 | ... | 3795 | ... |
| 4091 | 4108 | 21 Ursæ Majoris | 7 | 9. 13. 53'57 | 34'39 | 4 | + 4'325 | + 54. 43. 12'64 | 34'37 | 4 | -15'015 | 1315 | ... | 58 |
| 4092 | 4109 | Bradley 1318 | 7.8 | 9. 13. 58'14 | 35'12 | 3 | + 3'502 | + 25. 52. 59'71 | 33'73 | 2 | -15'020 | 1318 | ... | 60 |
| 4093 | 4110 | Brisbane 2435 | 7.8 | 9. 14. 6'64 | 38'72 | 4 | + 2'147 | - 46. 15. 19'36 | 38'22 | 3 | -15'029 | ... | ... | ... |
| 4094 | 4111 | Brisbane 2437 | 7 | 9. 14. 11'08 | 39'39 | 6 | + 2'203 | - 44. 28. 36'98 | 39'50 | 7 | -15'033 | ... | ... | ... |
| 4095 | 4112 | Mali | 5 | 9. 14. 11'63 | 31'58 | 15 | + 2'654 | - 25. 16. 0'57 | 31'53 | 7 | -15'033 | ... | 3793 | 63 |
| 4096 | 4113 | Lacaille 3800 | 7 | 9. 14. 30'75 | 38'17 | 3 | + 1'833 | - 54. 29. 27'98 | 38'17 | 3 | -15'052 | ... | 3800 | ... |
| 4097 | 4114 | Bradley 1319 | 6.7 | 9. 14. 30'79 | 35'14 | 3 | + 3'515 | + 26. 37. 19'92 | 34'43 | 4 | -15'052 | 1319 | ... | 62 |
| 4098 | 4115 | Piazzi IX. 64 | 9 | 9. 14. 38'88 | 36'63 | 2 | + 3'137 | + 4. 12. 11'35 | 37'33 | 1 | -15'060 | ... | ... | 64 |
| 4099 | 4116 | Piazzi IX. 65 | 7 | 9. 14. 40'10 | 37'14 | 11 | + 3'137 | + 4. 12. 6'45 | 37'07 | 12 | -15'061 | ... | ... | 65 |
| 4100 | 4117 | Piazzi IX. 66 | 6.7 | 9. 14. 42'47 | 35'10 | 3 | + 3'203 | + 8. 25. 0'91 | 34'45 | 4 | -15'063 | ... | ... | 66 |
| 4101 | 4118 | Piazzi IX. 68 | 6.7 | 9. 14. 48'02 | 34'40 | 4 | + 2'930 | - 9. 8. 14'30 | 34'40 | 4 | -15'068 | ... | ... | 68 |
| 4102 | 4119 | Piazzi IX. 69 | 7 | 9. 14. 59'42 | 32'22 | 6 | + 3'163 | + 5. 55. 20'62 | 31'83 | 5 | -15'079 | ... | ... | 69 |
| 4103 | 4120 | 1 LeonisK | 5 | 9. 15. 1'90 | 31'41 | 11 | + 3'519 | + 26. 53. 15'88 | 32'39 | 10 | -15'082 | 1320 | ... | 67 |
| 4104 | 4121 | Brisbane 2443 | 8 | 9. 15. 4'51 | 38'17 | 3 | + 1'834 | - 54. 33. 23'46 | 38'17 | 3 | -15'085 | ... | ... | ... |
| 4105 | 4122 | Bradley 1321 | 7 | 9. 15. 27'52 | 35'45 | 10 | + 3'401 | + 20. 29. 42'12 | 36'31 | 8 | -15'107 | 1321 | ... | ... |
| 4106 | 4123 | Lacaille 3803 | 6.7 | 9. 15. 31'07 | 38'13 | 3 | + 2'294 | - 41. 29. 32'64 | 38'13 | 3 | -15'110 | ... | 3803 | ... |
| 4107 | 4124 | Piazzi IX. 71 | 9.10 | 9. 15. 40'36 | 36'48 | 3 | + 3'001 | - 4. 39. 29'29 | 36'41 | 4 | -15'119 | ... | ... | 71 |
| 4108 | 4125 | Piazzi IX. 70 | 8.9 | 9. 15. 57'76 | 36'39 | 4 | + 4'063 | + 48. 28. 49'66 | 36'41 | 4 | -15'136 | ... | ... | 70 |
| 4109 | 4126 | Lacaille 3804 | 5.6 | 9. 16. 4'22 | 32'28 | 5 | + 2'603 | - 28. 7. 54'77 | 32'20 | 5 | -15'142 | ... | 3804 | 75 |
| 4110 | 4127 | Lacaille 3808 | 6.7 | 9. 16. 22'89 | 38'19 | 3 | + 2'186 | - 45. 20. 47'31 | 38'19 | 3 | -15'161 | ... | 3808 | ... |
| 4111 | 4129 | Brisbane 2455 | 8.9 | 9. 16. 23'27 | 38'18 | 3 | + 1'835 | - 54. 42. 3'09 | 38'18 | 3 | -15'161 | ... | ... | ... |
| 4112 | 4128 | Piazzi IX. 74 | 7 | 9. 16. 23'90 | 32'21 | 3 | + 3'345 | + 17. 17. 34'34 | 32'17 | 5 | -15'162 | ... | ... | 74 |
| 4113 | 4130 | Lacaille 3818 | 7.8 | 9. 16. 30'33 | 38'41 | 4 | + 1'474 | - 61. 17. 35'31 | 38'41 | 4 | -15'167 | ... | 3818 | ... |
| 4114 | 4131 | Piazzi IX. 76 | 9 | 9. 16. 44'28 | 36'47 | 3 | + 3'149 | + 4. 59. 32'89 | 36'40 | 4 | -15'180 | ... | ... | 76 |
| 4115 | 4132 | Lacaille 3813 | 6.7 | 9. 16. 49'41 | 38'17 | 3 | + 1'833 | - 54. 48. 57'37 | 38'17 | 3 | -15'185 | ... | 3813 | ... |
| 4116 | 4133 | CarinæK | 6 | 9. 16. 59'00 | 38'19 | 3 | + 1'451 | - 61. 42. 12'86 | 38'19 | 3 | -15'194 | ... | 3823 | ... |
| 4117 | 4134 | Argûs | 3 | 9. 17. 0'37 | 32'04 | 10 | + 1'857 | - 54. 18. 33'76 | 31'50 | 7 | -15'196 | ... | 3816 | ... |
| 4118 | 4135 | Lacaille 3812 | 7 | 9. 17. 7'63 | 38'14 | 3 | + 2'414 | - 37. 3. 9'37 | 38'14 | 3 | -15'203 | ... | 3812 | ... |
| 4119 | 4136 | 28 HydræA | 6 | 9. 17. 9'00 | 32'32 | 5 | + 3'005 | - 4. 24. 36'72 | 32'25 | 5 | -15'205 | 1326 | ... | 77 |
| 4120 | 4137 | Piazzi IX. 80 | 9 | 9. 17. 15'64 | 36'48 | 3 | + 2'985 | - 5. 41. 46'98 | 36'40 | 4 | -15'210 | ... | ... | 80 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 4121 | 4138 | Brisbane 2463 | 8 | h m s 9. 17. 18'86 | 38'20 | 3 | + 1'555 | - 60. 7. 42'30 | 38'20 | 3 | -15'213 | ... | ... | ... |
| 4122 | 4139 | Piazzi IX. 79 | 8 | 9. 17. 28'15 | 36'47 | 3 | + 3'345 | + 17. 24. 29'58 | 36'42 | 4 | -15'222 | ... | ... | 79 |
| 4123 | 4140 | Lacaille 3820 | 6'7 | 9. 17. 35'42 | 38'21 | 3 | + 2'120 | - 47. 34. 56'25 | 38'21 | 3 | -15'229 | ... | 3820 | ... |
| 4124 | 4141 | Lacaille 3821 | 6'7 | 9. 17. 42'31 | 38'22 | 3 | + 2'164 | - 46. 12. 12'81 | 38'22 | 3 | -15'235 | ... | 3821 | ... |
| 4125 | 4142 | Lacaille 3815 | 7'8 | 9. 17. 44'13 | 38'15 | 3 | + 2'375 | - 38. 43. 4'24 | 38'15 | 3 | -15'237 | ... | 3815 | ... |
| 4126 | 4143 | Brisbane 2468 | 7 | 9. 17. 45'86 | 40'43 | 4 | + 1'952 | - 52. 10. 51'73 | 39'55 | 8 | -15'239 | ... | ... | ... |
| 4127 | 4144 | 41 Lyneis | 6 | 9. 17. 49'09 | 35'14 | 3 | + 3'982 | + 46. 19. 9'49 | 34'41 | 4 | -15'242 | 1325 | ... | 78 |
| 4128 | 4145 | Piazzi IX. 84 | 7'8 | 9. 17. 53'45 | 35'12 | 3 | + 3'305 | + 15. 0. 54'00 | 34'42 | 4 | -15'245 | ... | ... | 84 |
| 4129 | 4146 | Piazzi IX. 85 | 6'7 | 9. 17. 58'09 | 35'16 | 3 | + 3'061 | - 0. 45. 15'82 | 34'37 | 4 | -15'250 | ... | ... | 85 |
| 4130 | 4147 | Brisbane 2473 | 8 | 9. 18. 8'94 | 39'48 | 7 | + 2'605 | - 28. 16. 16'49 | 39'48 | 7 | -15'260 | ... | ... | ... |
| 4131 | 4148 | Brisbane 2472 | 8 | 9. 18. 10'84 | 38'91 | 4 | + 2'258 | - 43. 10. 35'35 | 39'14 | 3 | -15'262 | ... | ... | ... |
| 4132 | 4149 | 23 Ursæ Majoris | 4 | 9. 18. 26'40 | 33'47 | 12 | + 4'832 | + 63. 46. 37'94 | 32'95 | 13 | -15'276 | 1323 | ... | 81 |
| 4133 | 4150 | Lacaille 3830 | 6'7 | 9. 18. 28'61 | 38'26 | 3 | + 2'001 | - 51. 1. 50'69 | 38'26 | 3 | -15'278 | ... | 3830 | ... |
| 4134 | 4151 | Lacaille 3831 | 7 | 9. 18. 55'39 | 38'56 | 3 | + 2'259 | - 43. 16. 10'07 | 38'48 | 4 | -15'304 | ... | 3831 | ... |
| 4135 | 4152 | Lacaille 3829 | 7 | 9. 19. 4'11 | 38'55 | 3 | + 2'587 | - 29. 19. 26'55 | 38'55 | 3 | -15'313 | ... | 3829 | ... |
| 4136 | 4153 | 22 Ursæ Majoris | 6 | 9. 19. 8'58 | 34'38 | 4 | + 5'884 | + 72. 55. 49'47 | 34'31 | 8 | -15'317 | 1322 | ... | 83 |
| 4137 | 4154 | 29 Hydræ | 6'7 | 9. 19. 9'92 | 35'13 | 3 | + 2'943 | - 8. 30. 40'80 | 34'43 | 4 | -15'318 | 1327 | ... | 87 |
| 4138 | 4155 | 30 Hydræ | 2 | 9. 19. 28'79 | 33'36 | 78 | + 2'952 | - 7. 56. 48'84 | 32'84 | 121 | -15'330 | 1330 | ... | 89 |
| 4139 | 4156 | Lacaille 3833 | 6'7 | 9. 19. 33'84 | 38'51 | 3 | + 2'612 | - 28. 4. 33'89 | 38'51 | 3 | -15'341 | ... | 3833 | ... |
| 4140 | 4157 | 2 Leonis | 6'7 | 9. 19. 37'00 | 32'23 | 5 | + 3'220 | + 9. 46. 17'06 | 32'17 | 5 | -15'344 | 1328 | ... | 88 |
| 4141 | 4158 | Lacaille 3834 | 7'8 | 9. 19. 41'26 | 38'56 | 3 | + 2'509 | - 33. 11. 3'07 | 38'56 | 3 | -15'347 | ... | 3834 | ... |
| 4142 | 4159 | 3 Leonis | 6'7 | 9. 19. 41'77 | 32'27 | 6 | + 3'207 | + 8. 54. 13'42 | 32'22 | 5 | -15'348 | 1329 | ... | 90 |
| 4143 | 4160 | 24 Ursæ Majoris | 5 | 9. 19. 45'30 | 34'71 | 7 | + 5'509 | + 70. 32. 53'52 | 31'19 | 5 | -15'351 | 1324 | ... | 86 |
| 4144 | 4161 | Lacaille 3847 | 7 | 9. 19. 54'94 | 39'48 | 7 | + 1'521 | - 60. 56. 15'88 | 39'39 | 10 | -15'360 | ... | 3847 | ... |
| 4145 | 4162 | Lacaille 3836 | 6'7 | 9. 19. 58'98 | 35'15 | 3 | + 2'356 | - 39. 47. 25'17 | 34'40 | 4 | -15'364 | ... | 3836 | 93 |
| 4146 | 4163 | Lacaille 3839 | 7 | 9. 20. 2'99 | 38'55 | 3 | + 2'311 | - 41. 32. 21'17 | 38'55 | 3 | -15'368 | ... | 3839 | ... |
| 4147 | 4164 | Lacaille 3842 | 7 | 9. 20. 6'05 | 38'13 | 3 | + 1'900 | - 53. 45. 12'39 | 38'13 | 3 | -15'371 | ... | 3842 | ... |
| 4148 | 4165 | Brisbane 2488 | 7 | 9. 20. 13'84 | 38'57 | 3 | + 2'150 | - 47. 2. 50'79 | 38'57 | 3 | -15'378 | ... | ... | ... |
| 4149 | 4166 | Brisbane 2490 | 7'8 | 9. 20. 27'91 | 38'55 | 3 | + 2'257 | - 43. 31. 37'32 | 38'55 | 3 | -15'391 | ... | ... | ... |
| 4150 | 4167 | Lacaille 3849 | 7'8 | 9. 20. 39'43 | 38'59 | 3 | + 1'930 | - 53. 7. 39'15 | 38'59 | 3 | -15'402 | ... | 3849 | ... |
| 4151 | 4168 | 7 Leonis Minoris | 6 | 9. 20. 43'69 | 35'17 | 3 | + 3'658 | + 34. 22. 33'26 | 34'45 | 4 | -15'406 | 1331 | ... | 92 |
| 4152 | 4169 | 31 Hydræ | 5'6 | 9. 20. 46'49 | 32'18 | 5 | + 3'041 | - 2. 3. 6'99 | 33'33 | 7 | -15'409 | 1334 | ... | 94 |
| 4153 | 4170 | Piazzi IX. 95 | 8'9 | 9. 20. 46'60 | 36'15 | 3 | + 3'042 | - 2. 2. 1'38 | 36'64 | 2 | -15'409 | ... | ... | 95 |
| 4154 | 4171 | Lacaille 3841 | 7 | 9. 20. 47'96 | 39'37 | 6 | + 2'488 | - 34. 17. 32'55 | 39'37 | 6 | -15'410 | ... | 3841 | ... |
| 4155 | 4172 | Lacaille 3851 | 7'8 | 9. 20. 52'07 | 39'38 | 6 | + 2'035 | - 50. 27. 41'63 | 39'38 | 6 | -15'414 | ... | 3851 | ... |
| 4156 | 4173 | Velorum | 6 | 9. 20. 56'46 | 38'53 | 3 | + 1'950 | - 52. 39. 57'58 | 38'53 | 3 | -15'417 | ... | 3854 | ... |
| 4157 | 4174 | Piazzi IX. 96 | 6'7 | 9. 21. 2'52 | 35'17 | 3 | + 3'050 | - 1. 29. 16'93 | 34'47 | 4 | -15'424 | ... | ... | 96 |
| 4158 | 4175 | Lacaille 3852 | 7'8 | 9. 21. 8'88 | 38'48 | 3 | + 2'124 | - 47. 58. 47'73 | 38'48 | 3 | -15'430 | ... | 3852 | ... |
| 4159 | 4176 | Lacaille 3866 | 7 | 9. 21. 20'50 | 38'21 | 3 | + 1'517 | - 61. 14. 26'71 | 38'21 | 3 | -15'440 | ... | 3866 | ... |
| 4160 | 4177 | 8 Leonis Minoris | 6 | 9. 21. 28'60 | 35'19 | 3 | + 3'688 | + 35. 49. 41'04 | 34'40 | 4 | -15'448 | 1333 | ... | 97 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 4161 | 4178 | Lacaille 3862 | 7 | h m s 9. 21. 37.93 | 38.13 | 3 | + 1.915 | — 53. 38. 15.52 | 38.13 | 3 | —15.457 | ... | 3862 | ... |
| 4162 | 4179 | Piazzi IX. 91 | Var. | 9. 21. 40.57 | 34.39 | 4 | + 5.833 | + 72. 48. 44.57 | 35.26 | 1 | —15.459 | ... | ... | 91 |
| 4163 | 4180 | 25 Ursæ Majoris | 3 | 9. 21. 47.00 | 31.44 | 6 | + 4.179 | + 52. 25. 29.68 | 31.88 | 8 | —15.465 | 1332 | ... | 98 |
| 4164 | 4181 | Piazzi IX. 99 | 7 | 9. 22. 0.35 | 35.14 | 3 | + 4.091 | + 50. 9. 38.37 | 34.50 | 4 | —15.477 | ... | ... | 99 |
| 4165 | 4182 | Lacaille 3877 | 7 | 9. 22. 13.39 | 38.72 | 4 | + 1.666 | — 58. 51. 52.06 | 38.72 | 4 | —15.489 | ... | 3877 | ... |
| 4166 | 4183 | 4 Leonis | 4.5 | 9. 22. 17.74 | 32.44 | 12 | + 3.444 | + 23. 41. 28.64 | 31.92 | 7 | —15.494 | 1335 | ... | 100 |
| 4167 | 4184 | Lacaille 3859 | 7 | 9. 22. 22.38 | 35.13 | 4 | + 2.660 | — 25. 52. 24.41 | 34.41 | 4 | —15.498 | ... | 3859 | 101 |
| 4168 | 4185 | Lacaille 3867 | 8 | 9. 22. 25.94 | 38.20 | 3 | + 2.230 | — 44. 46. 48.94 | 38.20 | 3 | —15.501 | ... | 3867 | ... |
| 4169 | 4186 | Antlie | 6 | 9. 22. 26.45 | 35.11 | 3 | + 2.473 | — 35. 13. 57.83 | 34.64 | 5 | —15.501 | ... | 3861 | 103 |
| 4170 | 4187 | Brisbane 2507 | 8 | 9. 22. 31.55 | 38.20 | 3 | + 2.230 | — 44. 46. 58.15 | 38.20 | 3 | —15.506 | ... | ... | ... |
| 4171 | 4188 | Lacaille 3876 | 7.8 | 9. 22. 35.05 | 38.24 | 3 | + 1.955 | — 52. 47. 59.31 | 38.27 | 3 | —15.509 | ... | 3876 | ... |
| 4172 | 4189 | Lacaille 3860 | 6 | 9. 22. 35.55 | 35.13 | 4 | + 2.661 | — 25. 52. 10.70 | 34.59 | 5 | —15.510 | ... | 3860 | 105 |
| 4173 | 4190 | Piazzi IX. 102 | 8.9 | 9. 22. 40.97 | 36.40 | 4 | + 2.999 | — 4. 56. 33.43 | 36.17 | 3 | —15.515 | ... | ... | 102 |
| 4174 | 4191 | 5 Leonis | 5 | 9. 23. 2.78 | 32.59 | 12 | + 3.253 | + 12. 1. 35.17 | 32.69 | 14 | —15.536 | 1338 | ... | 106 |
| 4175 | 4192 | 6 Leonis | 6 | 9. 23. 6.48 | 34.16 | 9 | + 3.228 | + 10. 26. 20.70 | 31.86 | 5 | —15.539 | 1339 | ... | 108 |
| 4176 | 4193 | Carina | 5 | 9. 23. 9.29 | 34.76 | 13 | + 1.322 | — 64. 13. 0.43 | 35.67 | 9 | —15.542 | ... | 3890 | ... |
| 4177 | 4194 | 9 Leonis Minoris | 6 | 9. 23. 21.30 | 35.21 | 2 | + 3.713 | + 37. 12. 47.54 | 34.44 | 4 | —15.552 | 1337 | ... | 107 |
| 4178 | 4195 | 26 Ursæ Majoris | 5.6 | 9. 23. 28.28 | 35.16 | 3 | + 4.183 | + 52. 46. 48.07 | 34.46 | 4 | —15.559 | 1336 | ... | 104 |
| 4179 | 4196 | 32 Hydræ | 6 | 9. 23. 34.20 | 32.17 | 7 | + 3.066 | — 0. 27. 38.88 | 32.18 | 6 | —15.564 | 1341 | ... | 110 |
| 4180 | 4197 | Brisbane 2514 | 7 | 9. 23. 34.63 | 38.19 | 3 | + 2.279 | — 43. 14. 18.01 | 38.19 | 3 | —15.565 | ... | ... | ... |
| 4181 | 4198 | Piazzi IX. 109 | 5 | 9. 23. 37.68 | 36.41 | 4 | + 3.541 | + 29. 5. 39.67 | 36.58 | 5 | —15.568 | ... | ... | 109 |
| 4182 | 4199 | Lacaille 3883 | 8 | 9. 23. 40.59 | 39.42 | 8 | + 2.136 | — 47. 59. 35.76 | 39.42 | 8 | —15.571 | ... | 3883 | ... |
| 4183 | 4200 | Antlie | 6.7 | 9. 23. 42.36 | 35.13 | 7 | + 2.562 | — 31. 9. 57.76 | 34.39 | 4 | —15.572 | ... | 3880 | 113 |
| 4184 | 4201 | 10 Leonis Minoris | 5 | 9. 24. 5.47 | 32.34 | 6 | + 3.709 | + 37. 7. 31.38 | 32.20 | 10 | —15.593 | 1340 | ... | 111 |
| 4185 | 4202 | Piazzi IX. 114 | 8 | 9. 24. 9.44 | 36.41 | 4 | + 3.110 | + 2. 35. 28.72 | 36.49 | 3 | —15.597 | ... | ... | 114 |
| 4186 | 4203 | Argus | 4.5 | 9. 24. 12.56 | 32.24 | 11 | + 2.373 | — 39. 44. 53.99 | 31.55 | 8 | —15.600 | ... | 3885 | 116 |
| 4187 | 4204 | Brisbane 2520 | 7 | 9. 24. 23.82 | 38.22 | 3 | + 2.237 | — 44. 50. 58.38 | 38.22 | 3 | —15.610 | ... | ... | ... |
| 4188 | 4205 | Lacaille 3894 | 6.7 | 9. 24. 27.74 | 38.21 | 3 | + 2.043 | — 50. 47. 43.49 | 38.21 | 3 | —15.614 | ... | 3894 | ... |
| 4189 | 4206 | Antlie | 6.7 | 9. 24. 28.94 | 36.64 | 4 | + 2.565 | — 31. 8. 52.69 | 34.33 | 5 | —15.615 | ... | 3884 | 117 |
| 4190 | 4207 | Lacaille 3901 | 6.7 | 9. 24. 38.44 | 39.14 | 9 | + 1.524 | — 61. 33. 12.00 | 39.13 | 9 | —15.623 | ... | 3901 | ... |
| 4191 | 4208 | Piazzi IX. 115 | 5.6 | 9. 24. 44.59 | 34.42 | 4 | + 3.784 | + 40. 20. 56.81 | 34.49 | 4 | —15.629 | ... | ... | 115 |
| 4192 | 4209 | Lacaille 3892 | 6.7 | 9. 25. 5.32 | 38.25 | 1 | + 2.629 | — 27. 54. 14.72 | 38.25 | 3 | —15.648 | ... | 3892 | ... |
| 4193 | 4210 | Lacaille 3897 | 7.8 | 9. 25. 21.34 | 38.18 | 3 | + 2.169 | — 47. 13. 42.38 | 38.18 | 3 | —15.662 | ... | 3897 | ... |
| 4194 | 4211 | Lacaille 3896 | 7 | 9. 25. 22.19 | 38.21 | 3 | + 2.414 | — 38. 12. 46.25 | 38.21 | 3 | —15.663 | ... | 3896 | ... |
| 4195 | 4212 | Lacaille 3907 | 6.7 | 9. 25. 24.32 | 39.13 | 10 | + 1.524 | — 61. 38. 20.82 | 39.13 | 10 | —15.665 | ... | 3907 | ... |
| 4196 | 4213 | 11 Leonis Minoris | 6 | 9. 25. 44.26 | 38.19 | 7 | + 3.692 | + 36. 33. 4.97 | 37.47 | 8 | —15.683 | 1343 | ... | 118 |
| 4197 | 4214 | Lacaille 3900 | 6 | 9. 25. 46.68 | 35.18 | 3 | + 2.375 | — 39. 55. 21.78 | 34.40 | 4 | —15.686 | ... | 3900 | 122 |
| 4198 | 4215 | Piazzi IX. 119 | 9 | 9. 25. 54.55 | 36.41 | 4 | + 3.203 | + 8. 55. 2.59 | 36.40 | 4 | —15.693 | ... | ... | 119 |
| 4199 | 4216 | Piazzi IX. 120 | 7 | 9. 26. 1.77 | 34.41 | 4 | + 3.270 | + 13. 23. 8.71 | 34.39 | 4 | —15.700 | ... | ... | 120 |
| 4200 | 4217 | Brisbane 2534 | 8 | 9. 26. 4.16 | 38.23 | 3 | + 2.165 | — 47. 28. 6.52 | 38.23 | 3 | —15.702 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 4201 | 4218 | Velorum.....N | 5 | 9. 26. 12'70 | 34'31 | 19 | + 1'822 | - 56. 18. 32'42 | 34'08 | 18 | -15'710 | ... | 3910 | ... |
| 4202 | 4219 | 33 Hydræ..... | 6 | 9. 26. 18'66 | 32'27 | 5 | + 2'996 | - 5. 10. 56'90 | 31'97 | 5 | -15'716 | 1344 | ... | 123 |
| 4203 | 4220 | Piazzi IX. 112 | 6'7 | 9. 26. 25'67 | 35'22 | 3 | + 7'296 | + 78. 52. 42'80 | 34'44 | 4 | -15'722 | ... | ... | 112 |
| 4204 | 4221 | 7 Leonis | 6'7 | 9. 26. 51'49 | 32'17 | 8 | + 3'296 | + 15. 6. 43'68 | 32'00 | 5 | -15'744 | 1345 | ... | 125 |
| 4205 | 4222 | Lacaille 3912..... | 8 | 9. 26. 51'87 | 39'17 | 5 | + 1'830 | - 56. 15. 42'02 | 39'01 | 6 | -15'744 | ... | 3912 | ... |
| 4206 | 4223 | Piazzi IX. 124..... | 6'7 | 9. 26. 54'23 | 36'42 | 4 | + 3'588 | + 31. 53. 48'90 | 36'40 | 4 | -15'746 | ... | ... | 124 |
| 4207 | 4224 | Lacaille 3916..... | 7 | 9. 27. 22'57 | 38'26 | 3 | + 1'931 | - 54. 6. 10'06 | 38'26 | 3 | -15'772 | ... | 3916 | ... |
| 4208 | 4225 | 27 Ursæ Majoris | 6 | 9. 27. 34'95 | 35'56 | 7 | + 5'770 | + 72. 59. 42'11 | 34'42 | 4 | -15'783 | 1342 | ... | 121 |
| 4209 | 4226 | Lacaille 3921..... | 7'8 | 9. 27. 45'03 | 39'08 | 9 | + 1'832 | - 56. 21. 54'26 | 39'21 | 6 | -15'792 | ... | 3921 | ... |
| 4210 | 4227 | Lacaille 3919..... | 8'9 | 9. 27. 48'30 | 39'69 | 8 | + 2'123 | - 49. 1. 32'63 | 39'48 | 7 | -15'796 | ... | 3919 | ... |
| 4211 | 4228 | 8 Leonis | 6'7 | 9. 27. 55'86 | 32'39 | 9 | + 3'326 | + 17. 10. 23'50 | 32'22 | 5 | -15'802 | 1347 | ... | 127 |
| 4212 | 4229 | Lacaille 3927..... | 7'8 | 9. 27. 59'51 | 38'22 | 3 | + 1'658 | - 59. 47. 38'98 | 38'22 | 3 | -15'806 | ... | 3927 | ... |
| 4213 | 4230 | Lacaille 3913..... | 7 | 9. 28. 0'28 | 38'23 | 3 | + 2'525 | - 33. 38. 4'49 | 38'23 | 3 | -15'806 | ... | 3913 | ... |
| 4214 | 4231 | 42 Lynceis | 6 | 9. 28. 2'05 | 35'13 | 3 | + 3'787 | + 40. 58. 33'44 | 34'44 | 4 | -15'808 | 1346 | ... | 126 |
| 4215 | 4232 | 9 Leonis | 7 | 9. 28. 22'81 | 32'23 | 6 | + 3'462 | + 25. 24. 24'84 | 32'26 | 5 | -15'826 | 1348 | ... | 128 |
| 4216 | 4233 | Velorum.....L | 6'7 | 9. 28. 25'88 | 38'21 | 3 | + 2'075 | - 50. 31. 25'53 | 38'21 | 3 | -15'829 | ... | 3925 | ... |
| 4217 | 4234 | 10 Leonis | 5'6 | 9. 28. 29'83 | 32'32 | 6 | + 3'181 | + 7. 34. 18'18 | 31'84 | 5 | -15'833 | 1349 | ... | 130 |
| 4218 | 4235 | Piazzi IX. 129 | 6'7 | 9. 28. 39'85 | 35'14 | 3 | + 3'861 | + 43. 53. 6'80 | 34'28 | 4 | -15'842 | ... | ... | 129 |
| 4219 | 4236 | Lacaille 3920..... | 7'8 | 9. 28. 44'59 | 38'23 | 3 | + 2'658 | - 26. 47. 16'39 | 38'23 | 3 | -15'846 | ... | 3920 | ... |
| 4220 | 4237 | 11 Leonis | 7 | 9. 29. 0'45 | 32'23 | 5 | + 3'293 | + 15. 5. 21'23 | 32'20 | 5 | -15'861 | 1350 | ... | 132 |
| 4221 | 4238 | Brisbane 2558 | 8'9 | 9. 29. 4'55 | 39'34 | 13 | + 2'158 | - 48. 9. 21'08 | 39'13 | 14 | -15'865 | ... | ... | ... |
| 4222 | 4239 | Piazzi IX. 131 | 8'9 | 9. 29. 4'96 | 36'38 | 4 | + 3'561 | + 30. 53. 28'57 | 36'41 | 4 | -15'865 | ... | ... | 131 |
| 4223 | 4240 | Piazzi IX. 134 | 8'9 | 9. 29. 10'13 | 36'53 | 5 | + 3'107 | + 2. 25. 56'19 | 36'42 | 4 | -15'869 | ... | ... | 134 |
| 4224 | 4241 | Lacaille 3943 | 7'8 | 9. 29. 10'99 | 38'22 | 3 | + 1'661 | - 59. 53. 49'71 | 38'22 | 3 | -15'870 | ... | 3943 | ... |
| 4225 | 4242 | Brisbane 2560 | 8'9 | 9. 29. 21'07 | 39'39 | 10 | + 2'152 | - 48. 23. 48'76 | 39'30 | 9 | -15'879 | ... | ... | ... |
| 4226 | 4243 | Lacaille 3935..... | 7'8 | 9. 29. 22'20 | 38'25 | 3 | + 2'298 | - 43. 27. 12'33 | 38'25 | 3 | -15'880 | ... | 3935 | ... |
| 4227 | 4244 | Piazzi IX. 133 | 7 | 9. 29. 28'38 | 34'42 | 4 | + 3'665 | + 35. 58. 57'32 | 34'45 | 4 | -15'885 | ... | ... | 133 |
| 4228 | 4245 | Piazzi IX. 135 | 6'7 | 9. 29. 38'64 | 34'43 | 4 | + 3'386 | + 21. 2. 14'15 | 34'40 | 4 | -15'894 | ... | ... | 135 |
| 4229 | 4246 | Carinæ.....h | 5 | 9. 29. 39'71 | 32'81 | 16 | + 1'741 | - 58. 29. 47'31 | 33'36 | 11 | -15'895 | ... | 3949 | ... |
| 4230 | 4247 | 12 Leonis | 6'7 | 9. 29. 42'80 | 35'19 | 3 | + 3'471 | + 26. 6. 21'54 | 34'48 | 4 | -15'898 | 1351 | ... | 136 |
| 4231 | 4248 | 34 Hydræ | 7 | 9. 29. 46'23 | 35'21 | 3 | + 2'948 | - 8. 41. 9'25 | 34'50 | 4 | -15'901 | 1353 | ... | 140 |
| 4232 | 4249 | Piazzi IX. 138 | 8 | 9. 29. 47'03 | 36'40 | 4 | + 3'109 | + 2. 34. 37'85 | 36'18 | 3 | -15'902 | ... | ... | 138 |
| 4233 | 4250 | 2 Sextantis..... | 5'6 | 9. 29. 50'70 | 32'24 | 6 | + 3'149 | + 5. 23. 25'60 | 31'45 | 6 | -15'905 | 1352 | ... | 139 |
| 4234 | 4251 | Piazzi IX. 137 | 7 | 9. 29. 57'90 | 34'42 | 4 | + 3'665 | + 36. 4. 34'65 | 34'41 | 4 | -15'911 | ... | ... | 137 |
| 4235 | 4252 | Lacaille 3938 | 7'8 | 9. 30. 2'78 | 38'24 | 3 | + 2'612 | - 29. 28. 20'00 | 38'24 | 3 | -15'916 | ... | 3938 | ... |
| 4236 | 4253 | Lacaille 3939 | 6 | 9. 30. 4'03 | 35'10 | 2 | + 2'575 | - 31. 26. 24'19 | 34'61 | 5 | -15'917 | ... | 3939 | 142 |
| 4237 | 4254 | Lacaille 3942 | 7 | 9. 30. 16'38 | 38'26 | 3 | + 2'631 | - 29. 3. 49'31 | 38'26 | 3 | -15'928 | ... | 3942 | ... |
| 4238 | 4255 | Piazzi IX. 141 | 7 | 9. 30. 19'38 | 34'41 | 4 | + 3'275 | + 14. 3. 10'41 | 34'42 | 4 | -15'930 | ... | ... | 141 |
| 4239 | 4256 | Lacaille 3950 | 7 | 9. 30. 26'96 | 38'21 | 3 | + 2'170 | - 48. 0. 47'59 | 38'21 | 3 | -15'937 | ... | 3950 | ... |
| 4240 | 4257 | Brisbane 2574 | 8 | 9. 30. 35'10 | 38'21 | 3 | + 2'078 | - 50. 46. 36'15 | 38'21 | 3 | -15'944 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 4241 | 4258 | Lacaille 3946 | 7 | 9. 30. 36.65 | 38.13 | 3 | + 2.497 | - 35. 21. 26.81 | 38.13 | 2 | -15.945 | ... | 3946 | ... |
| 4242 | 4259 | VelorumM | 5.6 | 9. 30. 55.49 | 38.25 | 3 | + 2.153 | - 48. 37. 5.79 | 38.25 | 3 | -15.962 | ... | 3952 | ... |
| 4243 | 4260 | 35 Hydræ.....t | 5 | 9. 31. 25.69 | 31.70 | 13 | + 3.066 | - 0. 23. 51.02 | 32.39 | 12 | -15.989 | 1356 | ... | 144 |
| 4244 | 4261 | Velorum.....y | 6 | 9. 31. 34.76 | 35.23 | 3 | + 2.333 | - 42. 26. 56.54 | 34.44 | 4 | -15.997 | ... | 3956 | 149 |
| 4245 | 4262 | Lacaille 3961 | 7.8 | 9. 31. 42.40 | 39.18 | 3 | + 2.005 | - 52. 55. 42.79 | 39.18 | 3 | -16.003 | ... | 3961 | ... |
| 4246 | 4263 | Piazzi IX. 146 | 6.7 | 9. 31. 42.95 | 38.64 | 6 | + 2.930 | - 9. 58. 11.76 | 38.99 | 7 | -16.004 | ... | ... | 146 |
| 4247 | 4264 | 37 Hydræ..... | 6.7 | 9. 31. 43.99 | 35.16 | 3 | + 2.932 | - 9. 49. 39.47 | 34.39 | 4 | -16.005 | 1358 | ... | 147 |
| 4248 | 4265 | 43 Lyncis | 6.7 | 9. 31. 45.13 | 35.12 | 3 | + 3.760 | + 40. 30. 18.76 | 34.38 | 4 | -16.006 | 1354 | ... | 143 |
| 4249 | 4266 | Piazzi IX. 145..... | 7 | 9. 31. 48.35 | 36.43 | 4 | + 3.576 | + 32. 1. 23.74 | 36.67 | 2 | -16.009 | ... | ... | 145 |
| 4250 | 4267 | Lacaille 3959 | 7 | 9. 32. 0.76 | 38.51 | 3 | + 2.423 | - 38. 52. 10.92 | 38.51 | 3 | -16.020 | ... | 3959 | ... |
| 4251 | 4268 | Lacaille 3964 | 8 | 9. 32. 7.32 | 38.21 | 3 | + 2.178 | - 48. 1. 52.35 | 38.21 | 3 | -16.026 | ... | 3964 | ... |
| 4252 | 4269 | 13 Leonis | 6 | 9. 32. 7.92 | 32.19 | 6 | + 3.476 | + 26. 39. 35.35 | 31.66 | 5 | -16.027 | 1357 | ... | 148 |
| 4253 | 4270 | Lacaille 3973 | 7.8 | 9. 32. 14.84 | 39.37 | 6 | + 1.408 | - 64. 12. 48.16 | 39.48 | 7 | -16.033 | ... | 3973 | ... |
| 4254 | 4271 | Bradley 1361 | 7 | 9. 32. 17.06 | 35.21 | 4 | + 2.930 | - 10. 1. 30.13 | 34.46 | 8 | -16.035 | 1361 | ... | 152 |
| 4255 | 4272 | 14 Leonis | 4 | 9. 32. 20.28 | 33.38 | 15 | + 3.223 | + 10. 38. 20.61 | 32.48 | 21 | -16.038 | 1360 | ... | 151 |
| 4256 | 4273 | 38 Hydræ | 5 | 9. 32. 23.90 | 32.32 | 11 | + 2.878 | - 13. 35. 13.54 | 31.59 | 8 | -16.041 | 1362 | ... | 154 |
| 4257 | 4274 | 13 Leonis Minoris..... | 6.7 | 9. 32. 44.72 | 35.18 | 3 | + 3.651 | + 35. 50. 34.80 | 34.40 | 4 | -16.058 | 1359 | ... | 153 |
| 4258 | 4275 | Piazzi IX. 155..... | 8 | 9. 33. 2.39 | 36.40 | 4 | + 3.550 | + 30. 51. 34.20 | 36.42 | 4 | -16.074 | ... | ... | 155 |
| 4259 | 4276 | Lacaille 3967 | 7 | 9. 33. 6.59 | 38.24 | 3 | + 2.607 | - 30. 10. 37.92 | 38.24 | 3 | -16.078 | ... | 3967 | ... |
| 4260 | 4277 | 28 Ursæ Majoris | 6.7 | 9. 33. 8.18 | 35.24 | 3 | + 4.741 | + 64. 24. 23.26 | 34.38 | 4 | -16.079 | 1355 | ... | 150 |
| 4261 | 4278 | Piazzi IX. 156..... | 7 | 9. 33. 24.26 | 35.21 | 3 | + 2.935 | - 9. 45. 20.96 | 34.50 | 4 | -16.094 | ... | ... | 156 |
| 4262 | 4279 | Brisbane 2595 | 7 | 9. 33. 37.42 | 38.54 | 3 | + 2.202 | - 47. 29. 35.30 | 38.54 | 3 | -16.105 | ... | ... | ... |
| 4263 | 4280 | Brisbane 2596 | 7.8 | 9. 33. 45.54 | 38.53 | 3 | + 2.045 | - 52. 11. 56.73 | 38.23 | 2 | -16.113 | ... | ... | ... |
| 4264 | 4281 | 15 Leonis.....f | 6 | 9. 33. 51.95 | 34.40 | 4 | + 3.545 | + 30. 43. 43.99 | 34.41 | 4 | -16.119 | 1365 | ... | 157 |
| 4265 | 4282 | Lacaille 3979 | 7 | 9. 34. 0.27 | 38.56 | 3 | + 1.977 | - 54. 0. 31.72 | 38.56 | 3 | -16.125 | ... | 3979 | ... |
| 4266 | 4283 | Brisbane 2599 | 7.8 | 9. 34. 4.69 | 38.25 | 3 | + 1.822 | - 57. 32. 10.88 | 38.25 | 2 | -16.129 | ... | ... | ... |
| 4267 | 4284 | Piazzi IX. 158..... | 7 | 9. 34. 7.63 | 32.51 | 9 | + 3.376 | + 20. 56. 36.52 | 32.00 | 5 | -16.132 | ... | ... | 158 |
| 4268 | 4285 | Lacaille 3975 | 7 | 9. 34. 21.28 | 38.25 | 3 | + 2.563 | - 32. 38. 54.42 | 38.29 | 3 | -16.143 | ... | 3975 | ... |
| 4269 | 4286 | Lacaille 3976 | 6.7 | 9. 34. 39.54 | 38.58 | 3 | + 2.623 | - 29. 33. 19.64 | 38.58 | 3 | -16.160 | ... | 3976 | ... |
| 4270 | 4287 | 16 Leonis | 6 | 9. 34. 44.44 | 31.93 | 7 | + 3.281 | + 14. 46. 20.93 | 31.26 | 5 | -16.165 | 1366 | ... | 160 |
| 4271 | 4288 | Bradley 1364 | 6 | 9. 34. 46.67 | 34.42 | 4 | + 4.333 | + 57. 52. 49.73 | 34.43 | 4 | -16.167 | 1364 | ... | 159 |
| 4272 | 4289 | Carina.....m | 5.6 | 9. 34. 46.75 | 38.21 | 3 | + 1.668 | - 60. 34. 59.71 | 38.21 | 3 | -16.167 | ... | 3987 | ... |
| 4273 | 4290 | Lacaille 3989 | 7.8 | 9. 34. 48.38 | 38.23 | 3 | + 1.467 | - 63. 44. 44.37 | 38.22 | 3 | -16.168 | ... | 3989 | ... |
| 4274 | 4291 | Piazzi IX. 161 | 9 | 9. 34. 53.26 | 36.39 | 4 | + 3.119 | + 3. 22. 41.99 | 36.43 | 4 | -16.171 | ... | ... | 161 |
| 4275 | 4292 | Lacaille 3988 | 7 | 9. 35. 30.11 | 38.13 | 3 | + 1.978 | - 54. 14. 7.64 | 38.13 | 3 | -16.203 | ... | 3988 | ... |
| 4276 | 4293 | Stone 5251 | 8.9 | 9. 35. 37.65 | 40.39 | 4 | + 2.277 | - 45. 14. 46.24 | 40.39 | 4 | -16.210 | ... | ... | ... |
| 4277 | 4294 | Lacaille 3990 | 6 | 9. 35. 38.16 | 39.59 | 8 | + 1.848 | - 57. 14. 7.95 | 39.50 | 7 | -16.210 | ... | 3990 | ... |
| 4278 | 4295 | Lacaille 3983 | 7 | 9. 35. 44.34 | 38.57 | 3 | + 2.526 | - 34. 45. 5.02 | 38.56 | 3 | -16.215 | ... | 3983 | ... |
| 4279 | 4296 | Piazzi IX. 163..... | 7 | 9. 35. 52.30 | 34.78 | 3 | + 3.426 | + 24. 13. 46.24 | 34.42 | 4 | -16.221 | ... | ... | 163 |
| 4280 | 4297 | 14 Leonis Minoris | 6.7 | 9. 36. 7.04 | 34.38 | 4 | + 3.882 | + 45. 52. 31.85 | 34.38 | 4 | -16.233 | 1367 | ... | 162 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|----------------------------------|----------------------|----------------|----------------------------------|------------------------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 4281 | 4298 | Brisbane 2623 | 8 | ^{h m s} 9. 36. 19.72 | 38.24 | 3 | ^s + 2.013 | ^{° ' "} - 53. 28. 2.65 | 38.23 | 3 | ["] -16.244 | ... | ... | ... |
| 4282 | 4299 | Lacaille 3994 | 7 | 9. 36. 22.38 | 38.13 | 3 | + 1.974 | - 54. 27. 49.87 | 38.13 | 3 | -16.246 | ... | 3994 | ... |
| 4283 | 4300 | 17 Leonis | 3 | 9. 36. 28.34 | 32.75 | 22 | + 3.430 | + 24. 31. 49.24 | 32.82 | 39 | -16.251 | 1368 | ... | 164 |
| 4284 | 4301 | Antilæ | 6 | 9. 36. 51.22 | 32.22 | 5 | + 2.673 | - 27. 1. 2.62 | 31.27 | 5 | -16.272 | ... | 3991 | 166 |
| 4285 | 4302 | Piazzi IX. 165 | 7 | 9. 36. 58.85 | 35.85 | 7 | + 3.376 | + 21. 14. 42.41 | 36.41 | 4 | -16.278 | ... | ... | 165 |
| 4286 | 4303 | Piazzi IX. 167 | 8 | 9. 37. 2.07 | 36.65 | 2 | + 2.756 | - 21. 59. 52.80 | 36.18 | 3 | -16.281 | ... | ... | 167 |
| 4287 | 4304 | Lacaille 4000 | 8 | 9. 37. 20.87 | 38.17 | 3 | + 1.955 | - 55. 4. 55.72 | 38.17 | 3 | -16.296 | ... | 4000 | ... |
| 4288 | 4305 | Lacaille 3995 | 7.8 | 9. 37. 25.81 | 36.43 | 4 | + 2.677 | - 26. 52. 27.63 | 36.47 | 3 | -16.300 | ... | 3995 | 170 |
| 4289 | 4306 | 18 Leonis | 6 | 9. 37. 29.64 | 32.19 | 6 | + 3.246 | + 12. 33. 59.54 | 32.20 | 5 | -16.303 | 1370 | ... | 168 |
| 4290 | 4307 | Lacaille 3998 | 7 | 9. 37. 35.97 | 38.51 | 3 | + 2.129 | - 50. 28. 28.56 | 38.51 | 3 | -16.309 | ... | 3998 | ... |
| 4291 | 4308 | Lacaille 4001 | 7.8 | 9. 37. 38.45 | 38.21 | 3 | + 2.027 | - 53. 19. 21.39 | 38.23 | 3 | -16.311 | ... | 4001 | ... |
| 4292 | 4309 | Piazzi IX. 171 | 7 | 9. 37. 52.50 | 36.50 | 3 | + 3.107 | + 2. 32. 43.24 | 36.44 | 4 | -16.324 | ... | ... | 171 |
| 4293 | 4310 | 15 Leonis Minoris | 6.7 | 9. 37. 54.68 | 34.39 | 4 | + 3.899 | + 46. 47. 5.53 | 34.38 | 4 | -16.326 | 1369 | ... | 169 |
| 4294 | 4311 | Piazzi IX. 172 | 7.8 | 9. 38. 2.82 | 36.40 | 5 | + 3.106 | + 2. 28. 38.28 | 36.59 | 5 | -16.332 | ... | ... | 172 |
| 4295 | 4312 | Velorum | 7 | 9. 38. 6.67 | 38.22 | 3 | + 2.037 | - 53. 8. 18.05 | 38.22 | 3 | -16.336 | ... | 4003 | ... |
| 4296 | 4313 | Lacaille 3997 | 7.8 | 9. 38. 7.25 | 38.16 | 3 | + 2.634 | - 29. 26. 47.30 | 38.16 | 3 | -16.336 | ... | 3997 | ... |
| 4297 | 4314 | Brisbane 2638 | 9 | 9. 38. 11.29 | 39.59 | 5 | + 2.127 | - 50. 36. 45.94 | 40.51 | 3 | -16.339 | ... | ... | ... |
| 4298 | 4315 | Piazzi IX. 173 | 6.7 | 9. 38. 27.49 | 38.28 | 8 | + 3.375 | + 21. 21. 53.09 | 37.03 | 7 | -16.354 | ... | ... | 173 |
| 4299 | 4316 | Lacaille 4004 | 7.8 | 9. 38. 30.81 | 38.24 | 3 | + 2.219 | - 47. 47. 34.84 | 38.24 | 3 | -16.357 | ... | 4004 | ... |
| 4300 | 4317 | 19 Leonis | 7 | 9. 38. 33.45 | 33.10 | 10 | + 3.241 | + 12. 19. 39.14 | 32.97 | 9 | -16.359 | 1372 | ... | 175 |
| 4301 | 4318 | Bradley 1373 | 7 | 9. 38. 40.73 | 35.12 | 2 | + 3.239 | + 12. 11. 24.17 | 34.42 | 4 | -16.365 | 1373 | ... | 176 |
| 4302 | 4319 | Lacaille 4002 | 7 | 9. 38. 58.38 | 38.22 | 3 | + 2.687 | - 26. 30. 52.99 | 38.22 | 3 | -16.380 | ... | 4002 | ... |
| 4303 | 4320 | 29 Ursæ Majoris | 4.5 | 9. 39. 11.61 | 31.82 | 5 | + 4.397 | + 59. 48. 35.27 | 33.12 | 16 | -16.390 | 1371 | ... | 174 |
| 4304 | 4321 | Lacaille 4011 | 7.8 | 9. 39. 19.31 | 38.21 | 3 | + 2.298 | - 45. 9. 13.79 | 38.21 | 3 | -16.397 | ... | 4011 | ... |
| 4305 | 4322 | Brisbane 2650 | 7.8 | 9. 39. 26.45 | 38.24 | 3 | + 2.357 | - 42. 55. 15.61 | 38.24 | 3 | -16.402 | ... | ... | ... |
| 4306 | 4323 | Lacaille 4024 | 7 | 9. 39. 39.90 | 38.22 | 3 | + 1.897 | - 56. 48. 36.21 | 38.22 | 3 | -16.415 | ... | 4024 | ... |
| 4307 | 4324 | Lacaille 4023 | 7.8 | 9. 39. 41.88 | 38.20 | 3 | + 2.034 | - 53. 29. 24.03 | 38.20 | 3 | -16.416 | ... | 4023 | ... |
| 4308 | 4325 | Lacaille 4014 | 7.8 | 9. 39. 49.00 | 39.48 | 7 | + 2.300 | - 45. 9. 29.84 | 39.48 | 7 | -16.422 | ... | 4014 | ... |
| 4309 | 4326 | Lacaille 4012 | 7 | 9. 39. 51.47 | 38.25 | 3 | + 2.620 | - 30. 30. 27.63 | 38.25 | 3 | -16.424 | ... | 4012 | ... |
| 4310 | 4327 | 3 Sextantis | 7 | 9. 40. 0.94 | 35.13 | 3 | + 2.985 | - 6. 29. 0.46 | 34.43 | 4 | -16.432 | 1376 | ... | 178 |
| 4311 | 4328 | Lacaille 4016 | 8.9 | 9. 40. 2.29 | 38.24 | 3 | + 2.461 | - 38. 33. 41.20 | 38.24 | 3 | -16.433 | ... | 4016 | ... |
| 4312 | 4329 | 16 Leonis Minoris | 7 | 9. 40. 4.17 | 34.39 | 4 | + 3.725 | + 40. 23. 43.19 | 34.39 | 4 | -16.435 | 1374 | ... | 177 |
| 4313 | 4330 | Lacaille 4022 | 6 | 9. 40. 4.94 | 34.39 | 4 | + 2.332 | - 43. 59. 42.45 | 34.40 | 4 | -16.435 | ... | 4022 | 182 |
| 4314 | 4331 | Piazzi IX. 180 | 8 | 9. 40. 21.74 | 36.43 | 4 | + 2.984 | - 6. 33. 20.13 | 36.43 | 4 | -16.449 | ... | ... | 180 |
| 4315 | 4332 | 20 Leonis | 7 | 9. 40. 35.32 | 32.05 | 7 | + 3.380 | + 21. 56. 40.83 | 32.01 | 5 | -16.460 | 1377 | ... | 181 |
| 4316 | 4333 | Carinæ | 5 | 9. 40. 42.87 | 34.50 | 15 | + 1.651 | - 61. 44. 56.44 | 34.49 | 15 | -16.467 | ... | 4033 | ... |
| 4317 | 4334 | Piazzi IX. 183 | 8 | 9. 40. 47.32 | 36.43 | 4 | + 3.433 | + 25. 19. 30.60 | 36.44 | 4 | -16.470 | ... | ... | 183 |
| 4318 | 4335 | 30 Ursæ Majoris | 5 | 9. 40. 49.59 | 32.16 | 13 | + 4.155 | + 54. 49. 50.94 | 32.07 | 12 | -16.473 | 1375 | ... | 179 |
| 4319 | 4336 | Lacaille 4032 | 7 | 9. 40. 52.86 | 38.14 | 3 | + 1.850 | - 58. 2. 11.96 | 38.14 | 3 | -16.476 | ... | 4032 | ... |
| 4320 | 4337 | Brisbane 2668 | 8 | 9. 40. 58.97 | 38.14 | 3 | + 1.838 | - 58. 17. 18.53 | 38.14 | 3 | -16.480 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 4321 | 4338 | Piazzi IX. 184 | 7 | h m s 9. 41. 0.67 | 36.42 | 4 | + 3.232 | + 11. 52. 27.28 | 36.40 | 4 | -16.482 | ... | ... | 184 |
| 4322 | 4339 | 4 Sextantis | 6 | 9. 41. 54.85 | 35.47 | 10 | + 3.140 | + 5. 6. 45.54 | 35.85 | 9 | -16.527 | 1380 | ... | 186 |
| 4323 | 4340 | 21 Leonis | 7 | 9. 41. 56.19 | 35.15 | 3 | + 3.242 | + 12. 36. 35.21 | 34.45 | 4 | -16.528 | 1379 | ... | 185 |
| 4324 | 4341 | 23 Leonis | 7 | 9. 42. 5.94 | 38.01 | 7 | + 3.258 | + 13. 50. 1.77 | 37.42 | 8 | -16.536 | 1381 | ... | 188 |
| 4325 | 4342 | Piazzi IX. 189 | 7 | 9. 42. 20.09 | 35.16 | 3 | + 3.677 | + 38. 41. 3.70 | 34.46 | 4 | -16.547 | ... | ... | 189 |
| 4326 | 4343 | 5 Sextantis | 6.7 | 9. 42. 29.03 | 35.14 | 3 | + 2.984 | - 6. 36. 46.87 | 34.48 | 4 | -16.555 | ... | ... | 191 |
| 4327 | 4344 | 22 Leonis | 6 | 9. 42. 30.26 | 32.21 | 5 | + 3.427 | + 25. 10. 16.31 | 31.68 | 5 | -16.556 | 1382 | ... | 190 |
| 4328 | 4345 | Lacaille 4037 | 6.7 | 9. 42. 36.35 | 38.22 | 3 | + 2.375 | - 42. 43. 2.71 | 38.22 | 3 | -16.560 | ... | 4037 | ... |
| 4329 | 4346 | Brisbane 2681 | 7 | 9. 42. 52.98 | 38.16 | 3 | + 2.535 | - 35. 30. 5.79 | 38.16 | 3 | -16.574 | ... | ... | ... |
| 4330 | 4347 | Piazzi IX. 192 | 8.9 | 9. 42. 54.81 | 36.40 | 4 | + 3.058 | - 1. 5. 4.16 | 36.39 | 4 | -16.576 | ... | ... | 192 |
| 4331 | 4348 | 6 Sextantis | 6 | 9. 42. 55.17 | 32.24 | 6 | + 3.026 | - 3. 28. 24.82 | 31.82 | 5 | -16.576 | 1385 | ... | 193 |
| 4332 | 4349 | Argus | 3.4 | 9. 42. 58.52 | 32.01 | 9 | + 1.508 | - 64. 18. 32.99 | 31.18 | 6 | -16.579 | ... | 4051 | ... |
| 4333 | 4350 | Piazzi IX. 195 | 6.7 | 9. 43. 8.31 | 34.40 | 4 | + 3.001 | - 5. 24. 56.90 | 34.38 | 4 | -16.587 | ... | ... | 195 |
| 4334 | 4351 | Lacaille 4049 | 7 | 9. 43. 15.35 | 38.17 | 3 | + 1.973 | - 55. 38. 48.11 | 38.17 | 3 | -16.593 | ... | 4049 | ... |
| 4335 | 4352 | Lacaille 4045 | 7.8 | 9. 43. 16.22 | 39.19 | 6 | + 2.455 | - 39. 24. 8.33 | 39.19 | 6 | -16.594 | ... | 4045 | ... |
| 4336 | 4353 | 24 Leonis | 3 | 9. 43. 22.02 | 32.09 | 11 | + 3.451 | + 26. 46. 48.50 | 32.50 | 21 | -16.598 | 1384 | ... | 194 |
| 4337 | 4354 | Piazzi IX. 187 | 7 | 9. 43. 26.56 | 36.87 | 7 | + 5.631 | + 73. 39. 27.89 | 37.45 | 8 | -16.601 | ... | ... | 187 |
| 4338 | 4355 | 39 Hydæ | 5 | 9. 43. 32.54 | 32.08 | 10 | + 2.884 | - 14. 4. 33.32 | 31.47 | 6 | -16.607 | 1388 | ... | 196 |
| 4339 | 4356 | Velorum | 6 | 9. 43. 33.04 | 35.11 | 3 | + 2.323 | - 44. 57. 54.60 | 34.43 | 4 | -16.607 | ... | 4047 | 198 |
| 4340 | 4357 | Brisbane 2687 | 8 | 9. 43. 33.16 | 38.16 | 3 | + 2.537 | - 35. 29. 38.18 | 38.18 | 3 | -16.607 | ... | ... | ... |
| 4341 | 4358 | 7 Sextantis | 7 | 9. 43. 41.49 | 32.27 | 5 | + 3.114 | + 3. 13. 13.62 | 32.23 | 5 | -16.613 | 1386 | ... | 197 |
| 4342 | 4359 | Brisbane 2690 | 8.9 | 9. 43. 46.56 | 38.22 | 3 | + 1.808 | - 59. 22. 4.56 | 38.22 | 3 | -16.618 | ... | ... | ... |
| 4343 | 4360 | Lacaille 4046 | 8 | 9. 43. 49.78 | 38.19 | 3 | + 2.627 | - 30. 44. 28.16 | 38.19 | 3 | -16.621 | ... | 4046 | ... |
| 4344 | 4361 | Brisbane 2691 | 8 | 9. 44. 1.51 | 38.23 | 3 | + 2.186 | - 49. 51. 17.73 | 38.23 | 3 | -16.630 | ... | ... | ... |
| 4345 | 4362 | Brisbane 2692 | 7.8 | 9. 44. 3.99 | 38.24 | 4 | + 2.217 | - 48. 50. 58.78 | 38.24 | 4 | -16.632 | ... | ... | ... |
| 4346 | 4363 | 8 Sextantis | 6 | 9. 44. 20.45 | 32.31 | 6 | + 2.976 | - 7. 19. 51.81 | 32.19 | 5 | -16.645 | 1389 | ... | 200 |
| 4347 | 4364 | Lacaille 4053 | 7 | 9. 44. 22.90 | 38.23 | 3 | + 2.295 | - 46. 9. 57.25 | 38.24 | 3 | -16.647 | ... | 4053 | ... |
| 4348 | 4365 | Brisbane 2698 | 8.9 | 9. 44. 40.75 | 38.20 | 3 | + 1.808 | - 59. 29. 39.37 | 38.20 | 3 | -16.662 | ... | ... | ... |
| 4349 | 4366 | 31 Ursæ Majoris | 6 | 9. 44. 54.22 | 34.39 | 4 | + 3.977 | + 50. 35. 40.14 | 34.46 | 3 | -16.673 | 1387 | ... | 199 |
| 4350 | 4367 | Lacaille 4055 | 6.7 | 9. 44. 56.93 | 38.26 | 3 | + 2.318 | - 45. 25. 28.88 | 38.26 | 3 | -16.676 | ... | 4055 | ... |
| 4351 | 4368 | Piazzi IX. 203 | 7 | 9. 45. 15.22 | 36.40 | 4 | + 2.953 | - 9. 7. 47.22 | 36.40 | 4 | -16.690 | ... | ... | 203 |
| 4352 | 4369 | Brisbane 2703 | 7.8 | 9. 45. 17.37 | 38.15 | 3 | + 2.311 | - 45. 44. 28.01 | 38.15 | 2 | -16.692 | ... | ... | ... |
| 4353 | 4370 | Lacaille 4057 | 6 | 9. 45. 19.14 | 38.15 | 3 | + 2.310 | - 45. 46. 34.75 | 38.15 | 2 | -16.693 | ... | 4057 | ... |
| 4354 | 4371 | Piazzi IX. 202 | 7 | 9. 45. 22.18 | 34.53 | 5 | + 3.187 | + 8. 50. 59.18 | 34.39 | 4 | -16.696 | ... | ... | 202 |
| 4355 | 4372 | Piazzi IX. 204 | 8 | 9. 45. 26.04 | 38.96 | 5 | + 3.146 | + 5. 43. 28.41 | 41.25 | 1 | -16.699 | ... | ... | 204 |
| 4356 | 4373 | 9 Sextantis | 7 | 9. 45. 29.16 | 35.00 | 14 | + 3.146 | + 5. 43. 8.36 | 35.59 | 12 | -16.701 | 1390 | ... | 205 |
| 4357 | 4374 | Lacaille 4056 | 7 | 9. 45. 35.26 | 35.14 | 3 | + 2.702 | - 26. 33. 45.98 | 38.14 | 3 | -16.705 | ... | 4056 | ... |
| 4358 | 4375 | Piazzi IX. 201 | 6.7 | 9. 45. 39.75 | 35.12 | 3 | + 4.265 | + 58. 11. 55.87 | 34.42 | 4 | -16.709 | ... | ... | 201 |
| 4359 | 4376 | Brisbane 2706 | 7.8 | 9. 45. 40.59 | 38.24 | 3 | + 1.804 | - 59. 45. 30.08 | 38.24 | 3 | -16.710 | ... | ... | ... |
| 4360 | 4377 | Brisbane 2707 | 8 | 9. 46. 0.68 | 38.21 | 3 | + 2.033 | - 54. 36. 44.12 | 38.21 | 3 | -16.727 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 4361 | 4378 | Lacaille 4060 | 7 | h m s 9. 46. 0.89 | 38.26 | 3 | + 2.061 | — 53. 52. 55.49 | 38.26 | 3 | —16.727 | ... | 4060 | ... |
| 4362 | 4379 | Lacaille 4061 | 7 | 9. 46. 3.95 | 38.57 | 3 | + 1.861 | — 58. 39. 8.43 | 38.49 | 4 | —16.729 | ... | 4061 | ... |
| 4363 | 4380 | Piazzi IX. 206 | 8.9 | 9. 46. 11.22 | 36.42 | 4 | + 3.175 | + 7. 56. 50.90 | 36.41 | 4 | —16.735 | ... | ... | 206 |
| 4364 | 4381 | Lacaille 4066 | 6.7 | 9. 46. 17.29 | 39.22 | 6 | + 1.688 | — 61. 58. 25.14 | 39.22 | 6 | —16.740 | ... | 4066 | ... |
| 4365 | 4382 | Lacaille 4058 | 6.7 | 9. 46. 40.41 | 38.29 | 3 | + 2.694 | — 27. 13. 22.70 | 38.29 | 3 | —16.758 | ... | 4058 | ... |
| 4366 | 4383 | Brisbane 2717 | 7.8 | 9. 46. 42.25 | 38.89 | 4 | + 2.314 | — 45. 54. 43.83 | 38.81 | 3 | —16.759 | ... | ... | ... |
| 4367 | 4384 | Lacaille 4059 | 5.6 | 9. 46. 44.08 | 38.31 | 3 | + 2.727 | — 25. 9. 32.13 | 38.31 | 3 | —16.761 | ... | 4059 | ... |
| 4368 | 4385 | Brisbane 2716 | 7.8 | 9. 46. 45.77 | 38.17 | 3 | + 2.605 | — 32. 27. 35.43 | 38.17 | 3 | —16.762 | ... | ... | ... |
| 4369 | 4386 | 18 Leonis Minoris | 6.7 | 9. 46. 49.61 | 35.09 | 3 | + 3.552 | + 33. 9. 43.98 | 34.58 | 5 | —16.766 | 1391 | ... | 207 |
| 4370 | 4387 | Brisbane 2719 | 7.8 | 9. 46. 57.06 | 38.59 | 3 | + 2.422 | — 41. 32. 2.32 | 38.58 | 3 | —16.771 | ... | ... | ... |
| 4371 | 4388 | Brisbane 2718 | 7.8 | 9. 47. 2.61 | 39.61 | 7 | + 2.433 | — 41. 4. 20.99 | 40.50 | 3 | —16.776 | ... | ... | ... |
| 4372 | 4389 | Brisbane 2721 | 8.9 | 9. 47. 3.26 | 38.21 | 3 | + 2.038 | — 54. 40. 46.82 | 38.21 | 3 | —16.777 | ... | ... | ... |
| 4373 | 4390 | Piazzi IX. 210 | 7.8 | 9. 47. 9.22 | 36.48 | 3 | + 2.940 | — 10. 15. 25.05 | 36.44 | 4 | —16.781 | ... | ... | 210 |
| 4374 | 4391 | Piazzi IX. 208 | 7.8 | 9. 47. 11.65 | 36.43 | 4 | + 3.181 | + 8. 27. 24.56 | 36.41 | 4 | —16.784 | ... | ... | 208 |
| 4375 | 4392 | Lacaille 4067 | 7 | 9. 47. 22.43 | 38.21 | 3 | + 2.043 | — 54. 35. 54.18 | 38.21 | 3 | —16.792 | ... | 4067 | ... |
| 4376 | 4393 | 19 Leonis Minoris | 5.6 | 9. 47. 32.99 | 34.42 | 4 | + 3.726 | + 41. 50. 14.02 | 34.40 | 4 | —16.801 | 1392 | ... | 209 |
| 4377 | 4394 | Bradley 1393 | 6 | 9. 47. 40.86 | 32.16 | 6 | + 3.197 | + 9. 42. 42.91 | 31.99 | 5 | —16.806 | 1393 | ... | 212 |
| 4378 | 4395 | Lacaille 4070 | 6.7 | 9. 47. 47.88 | 38.54 | 3 | + 2.192 | — 50. 22. 12.14 | 38.54 | 3 | —16.812 | ... | 4070 | ... |
| 4379 | 4396 | Lacaille 4068 | 6.7 | 9. 47. 48.42 | 34.67 | 4 | + 2.355 | — 44. 30. 23.02 | 34.40 | 4 | —16.813 | ... | 4068 | 213 |
| 4380 | 4397 | Lacaille 4069 | 7.8 | 9. 47. 59.82 | 38.19 | 5 | + 2.321 | — 45. 51. 36.20 | 38.15 | 3 | —16.822 | ... | 4069 | ... |
| 4381 | 4398 | Brisbane 2727 | 7.8 | 9. 48. 1.42 | 38.50 | 3 | + 2.601 | — 32. 54. 45.75 | 38.50 | 3 | —16.823 | ... | ... | ... |
| 4382 | 4399 | Brisbane 2725 | 7.8 | 9. 48. 2.06 | 38.17 | 3 | + 2.607 | — 32. 35. 2.81 | 38.17 | 3 | —16.824 | ... | ... | ... |
| 4383 | 4400 | Piazzi IX. 211 | 7 | 9. 48. 11.94 | 35.14 | 3 | + 4.203 | + 57. 15. 27.13 | 34.45 | 4 | —16.832 | ... | ... | 211 |
| 4384 | 4401 | Brisbane 2730 | 9 | 9. 48. 18.64 | 39.34 | 6 | + 1.730 | — 61. 33. 33.95 | 39.34 | 6 | —16.837 | ... | ... | ... |
| 4385 | 4402 | Lacaille 4073 | 8 | 9. 48. 42.24 | 39.69 | 6 | + 2.471 | — 39. 39. 21.77 | 39.59 | 5 | —16.855 | ... | 4073 | ... |
| 4386 | 4403 | Lacaille 4075 | 6.7 | 9. 48. 43.74 | 38.21 | 3 | + 2.225 | — 49. 27. 55.93 | 38.21 | 3 | —16.856 | ... | 4075 | ... |
| 4387 | 4404 | Piazzi IX. 214 | 8.9 | 9. 48. 56.27 | 36.42 | 4 | + 3.495 | + 30. 19. 3.81 | 36.44 | 4 | —16.866 | ... | ... | 214 |
| 4388 | 4405 | Lacaille 4072 | 7 | 9. 48. 57.83 | 38.51 | 3 | + 2.649 | — 30. 18. 40.61 | 38.51 | 3 | —16.867 | ... | 4072 | ... |
| 4389 | 4406 | Brisbane 2736 | 8.9 | 9. 49. 10.25 | 39.62 | 7 | + 1.750 | — 61. 20. 26.57 | 39.53 | 9 | —16.877 | ... | ... | ... |
| 4390 | 4407 | 26 Leonis | 7 | 9. 49. 13.05 | 35.19 | 3 | + 3.278 | + 16. 0. 17.05 | 34.46 | 4 | —16.879 | 1394 | ... | 215 |
| 4391 | 4408 | Brisbane 2737 | 6.7 | 9. 49. 14.70 | 38.60 | 3 | + 1.933 | — 57. 38. 35.88 | 38.60 | 3 | —16.880 | ... | ... | ... |
| 4392 | 4409 | Piazzi IX. 219 | 7.8 | 9. 49. 20.09 | 36.54 | 5 | + 3.057 | — 1. 9. 33.59 | 36.21 | 3 | —16.884 | ... | ... | 219 |
| 4393 | 4410 | 27 Leonis | 5.6 | 9. 49. 20.37 | 32.29 | 10 | + 3.242 | + 13. 13. 42.04 | 31.61 | 5 | —16.884 | 1395 | ... | 216 |
| 4394 | 4411 | Bradley 1396 | 6 | 9. 49. 23.01 | 32.22 | 6 | + 3.187 | + 9. 5. 53.04 | 31.48 | 7 | —16.886 | 1396 | ... | 218 |
| 4395 | 4412 | Lacaille 4077 | 6.7 | 9. 49. 23.86 | 38.17 | 3 | + 2.610 | — 32. 38. 17.54 | 38.17 | 3 | —16.887 | ... | 4077 | ... |
| 4396 | 4413 | Piazzi IX. 220 | 8 | 9. 49. 24.91 | 36.42 | 4 | + 3.057 | — 1. 9. 47.17 | 36.45 | 4 | —16.888 | ... | ... | 220 |
| 4397 | 4414 | Lacaille 4076 | 6.7 | 9. 49. 27.38 | 38.61 | 3 | + 2.709 | — 26. 41. 40.80 | 38.61 | 3 | —16.890 | ... | 4076 | ... |
| 4398 | 4415 | Brisbane 2740 | 8.9 | 9. 49. 35.42 | 38.22 | 3 | + 1.907 | — 58. 16. 21.79 | 38.22 | 3 | —16.897 | ... | ... | ... |
| 4399 | 4416 | Piazzi IX. 217 | 7.8 | 9. 49. 51.03 | 35.17 | 3 | + 4.058 | + 53. 54. 45.84 | 34.38 | 4 | —16.909 | ... | ... | 217 |
| 4400 | 4417 | Lacaille 4082 | 7.8 | 9. 49. 51.71 | 38.61 | 3 | + 2.586 | — 34. 2. 38.93 | 38.61 | 3 | —16.909 | ... | 4082 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|---------------------------------|-------------------------|-------------------|----------------------------------|-------------------------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 4401 | 4418 | Piazzi IX. 221 | 6 | ^{h m s} 9. 50. 4.42 | 35.13 | 3 | ^s + 3.494 | ^{° ' "} + 30. 25. 55.04 | 34.43 | 4 | " -16.919 | ... | ... | 221 |
| 4402 | 4419 | Piazzi IX. 222 | 7.8 | 9. 50. 11.49 | 36.41 | 4 | + 3.145 | + 5. 35. 40.91 | 36.40 | 4 | -16.925 | ... | ... | 222 |
| 4403 | 4420 | Brisbane 2744 | 7.8 | 9. 50. 15.18 | 38.55 | 3 | + 1.926 | - 57. 57. 36.35 | 38.55 | 3 | -16.927 | ... | ... | ... |
| 4404 | 4421 | Lacaille 4085 | 7 | 9. 50. 17.78 | 38.24 | 3 | + 2.201 | - 50. 33. 14.39 | 38.24 | 3 | -16.929 | ... | 4085 | ... |
| 4405 | 4422 | Brisbane 2746 | 7.8 | 9. 50. 26.55 | 38.22 | 3 | + 1.911 | - 58. 19. 33.37 | 38.22 | 3 | -16.937 | ... | ... | ... |
| 4406 | 4423 | Brisbane 2747 | 7 | 9. 50. 40.50 | 38.14 | 3 | + 2.748 | - 24. 20. 48.53 | 38.14 | 3 | -16.948 | ... | ... | ... |
| 4407 | 4424 | Brisbane 2750 | 8 | 9. 51. 0.67 | 38.47 | 3 | + 2.079 | - 54. 17. 59.39 | 38.47 | 3 | -16.963 | ... | ... | ... |
| 4408 | 4425 | Lacaille 4090 | 7.8 | 9. 51. 1.01 | 38.19 | 3 | + 2.249 | - 49. 5. 16.57 | 38.19 | 3 | -16.964 | ... | 4090 | ... |
| 4409 | 4426 | Argus | 4 | 9. 51. 4.79 | 33.41 | 16 | + 2.098 | - 53. 47. 6.55 | 33.52 | 14 | -16.967 | ... | 4093 | ... |
| 4410 | 4427 | Lacaille 4091 | 7.8 | 9. 51. 8.43 | 38.27 | 3 | + 2.259 | - 48. 46. 22.00 | 38.27 | 3 | -16.970 | ... | 4091 | ... |
| 4411 | 4428 | 12 Sextantis | 6.7 | 9. 51. 9.46 | 35.52 | 10 | + 3.124 | + 4. 10. 13.03 | 36.15 | 13 | -16.971 | ... | ... | 223 |
| 4412 | 4429 | Lacaille 4094 | 7 | 9. 51. 13.01 | 38.55 | 3 | + 2.165 | - 51. 51. 19.08 | 38.55 | 3 | -16.973 | ... | 4094 | ... |
| 4413 | 4430 | Lacaille 4089 | 7 | 9. 51. 19.96 | 38.31 | 3 | + 2.685 | - 28. 31. 9.87 | 38.30 | 3 | -16.978 | ... | 4089 | ... |
| 4414 | 4431 | Lacaille 4092 | 6.7 | 9. 51. 23.68 | 38.58 | 3 | + 2.292 | - 47. 37. 45.70 | 38.58 | 3 | -16.981 | ... | 4092 | ... |
| 4415 | 4432 | 20 Leonis Minoris | 6 | 9. 51. 28.63 | 36.86 | 7 | + 3.529 | + 32. 43. 53.11 | 36.89 | 7 | -16.985 | 1397 | ... | 224 |
| 4416 | 4433 | 29 Leonis | 4.5 | 9. 51. 29.28 | 33.10 | 18 | + 3.182 | + 8. 49. 56.47 | 32.20 | 10 | -16.986 | 1398 | ... | 225 |
| 4417 | 4434 | Antlia | 6 | 9. 51. 47.91 | 34.36 | 4 | + 2.573 | - 35. 6. 14.15 | 34.41 | 4 | -17.001 | ... | 4095 | 227 |
| 4418 | 4435 | Lacaille 4100 | 9 | 9. 52. 3.64 | 38.19 | 3 | + 2.019 | - 56. 4. 46.48 | 38.19 | 3 | -17.013 | ... | 4100 | ... |
| 4419 | 4436 | Piazzi IX. 226 | 7 | 9. 52. 7.16 | 34.40 | 4 | + 3.936 | + 50. 40. 11.15 | 34.43 | 4 | -17.016 | ... | ... | 226 |
| 4420 | 4437 | Lacaille 4098 | 8 | 9. 52. 38.14 | 38.50 | 3 | + 2.655 | - 30. 33. 42.41 | 38.50 | 3 | -17.041 | ... | 4098 | ... |
| 4421 | 4438 | Piazzi IX. 228 | 7.8 | 9. 52. 38.18 | 36.41 | 4 | + 3.043 | - 2. 24. 1.22 | 36.40 | 4 | -17.041 | ... | ... | 228 |
| 4422 | 4439 | Lacaille 4101 | 7.8 | 9. 52. 51.38 | 38.23 | 3 | + 2.388 | - 44. 10. 3.84 | 38.23 | 3 | -17.050 | ... | 4101 | ... |
| 4423 | 4440 | Lacaille 4104 | 7.8 | 9. 52. 53.93 | 38.45 | 4 | + 1.794 | - 61. 8. 48.96 | 38.53 | 3 | -17.052 | ... | 4104 | ... |
| 4424 | 4441 | Brisbane 2768 | 8.9 | 9. 53. 6.52 | 38.18 | 3 | + 2.724 | - 26. 21. 58.89 | 38.18 | 2 | -17.063 | ... | ... | ... |
| 4425 | 4442 | Lacaille 4109 | 7.8 | 9. 53. 17.02 | 38.52 | 3 | + 1.762 | - 61. 47. 57.16 | 38.52 | 3 | -17.070 | ... | 4109 | ... |
| 4426 | 4443 | Piazzi IX. 229 | 6 | 9. 53. 35.69 | 35.11 | 3 | + 4.061 | + 54. 41. 9.45 | 34.44 | 4 | -17.085 | ... | ... | 229 |
| 4427 | 4444 | Piazzi IX. 230 | 6.7 | 9. 53. 36.18 | 32.16 | 6 | + 3.366 | + 22. 44. 31.19 | 32.21 | 5 | -17.085 | ... | ... | 230 |
| 4428 | 4445 | Lacaille 4108 | 8 | 9. 53. 46.11 | 38.54 | 3 | + 1.981 | - 57. 20. 23.03 | 38.54 | 3 | -17.093 | ... | 4108 | ... |
| 4429 | 4446 | Piazzi IX. 231 | 7 | 9. 53. 49.78 | 34.40 | 4 | + 2.922 | - 12. 6. 25.34 | 34.48 | 3 | -17.095 | ... | ... | 231 |
| 4430 | 4447 | Lacaille 4112 | 8.9 | 9. 54. 4.14 | 39.09 | 9 | + 1.784 | - 61. 31. 45.76 | 39.10 | 10 | -17.106 | ... | 4112 | ... |
| 4431 | 4448 | Brisbane 2777 | 7.8 | 9. 54. 19.48 | 39.76 | 7 | + 2.514 | - 38. 39. 36.32 | 39.76 | 7 | -17.118 | ... | ... | ... |
| 4432 | 4449 | Piazzi IX. 232 | 6 | 9. 54. 33.44 | 33.88 | 10 | + 2.918 | - 12. 30. 15.55 | 34.21 | 8 | -17.129 | ... | ... | 232 |
| 4433 | 4450 | Lacaille 4114 | 7.8 | 9. 54. 45.52 | 38.29 | 3 | + 2.253 | - 49. 41. 12.04 | 38.29 | 3 | -17.139 | ... | 4114 | ... |
| 4434 | 4451 | Piazzi IX. 234 | 8 | 9. 54. 46.52 | 36.40 | 4 | + 3.203 | + 10. 41. 37.47 | 36.43 | 4 | -17.140 | ... | ... | 234 |
| 4435 | 4452 | Brisbane 2784 | 7.8 | 9. 54. 48.40 | 38.57 | 3 | + 1.883 | - 59. 42. 18.29 | 38.57 | 3 | -17.141 | ... | ... | ... |
| 4436 | 4453 | Lacaille 4111 | 7 | 9. 54. 49.19 | 38.13 | 3 | + 2.614 | - 33. 22. 55.41 | 38.13 | 1 | -17.142 | ... | 4111 | ... |
| 4437 | 4454 | Lacaille 4118 | 7 | 9. 54. 58.93 | 38.15 | 3 | + 2.037 | - 56. 9. 21.01 | 38.15 | 3 | -17.148 | ... | 4118 | ... |
| 4438 | 4455 | Piazzi IX. 235 | 7.8 | 9. 55. 3.59 | 36.40 | 4 | + 3.130 | + 4. 45. 53.42 | 36.43 | 4 | -17.152 | ... | ... | 235 |
| 4439 | 4456 | Piazzi IX. 237 | 7 | 9. 55. 18.02 | 32.36 | 8 | + 3.224 | + 12. 25. 24.53 | 32.19 | 5 | -17.162 | ... | ... | 237 |
| 4440 | 4457 | Piazzi IX. 233 | 7 | 9. 55. 18.57 | 35.63 | 4 | + 4.120 | + 56. 33. 57.74 | 34.43 | 4 | -17.162 | ... | ... | 233 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 4441 | 4458 | Lacaille 4115 | 7 | 9. 55. 27'38 | 38'17 | 3 | + 2'676 | - 29. 47. 4'54 | 38'17 | 3 | -17'169 | ... | 4115 | ... |
| 4442 | 4459 | Lacaille 4129 | 6'7 | 9. 55. 29'30 | 38'20 | 3 | + 2'073 | - 55. 18. 15'77 | 38'20 | 3 | -17'171 | ... | 4129 | ... |
| 4443 | 4460 | Brisbane 2797 | 8'9 | 9. 55. 34'40 | 39'48 | 7 | + 1'832 | - 60. 58. 20'86 | 39'53 | 6 | -17'175 | ... | ... | ... |
| 4444 | 4461 | 13 Sextantis | 7 | 9. 55. 35'59 | 32'24 | 6 | + 3'120 | + 4. 0. 4'57 | 32'24 | 5 | -17'176 | 1400 | ... | 238 |
| 4445 | 4462 | Brisbane 2791 | 8 | 9. 55. 39'99 | 38'22 | 3 | + 1'903 | - 59. 26. 5'91 | 38'22 | 2 | -17'180 | ... | ... | ... |
| 4446 | 4463 | Lacaille 4123 | 7 | 9. 55. 41'92 | 38'54 | 3 | + 2'170 | - 52. 34. 16'10 | 38'54 | 3 | -17'181 | ... | 4123 | ... |
| 4447 | 4464 | Piazzi IX. 236 | 8 | 9. 55. 42'21 | 36'42 | 4 | + 4'113 | + 56. 27. 23'77 | 36'44 | 4 | -17'181 | ... | ... | 236 |
| 4448 | 4465 | Brisbane 2792 | 8'9 | 9. 55. 49'63 | 39'22 | 6 | + 1'901 | - 59. 30. 5'90 | 39'22 | 6 | -17'186 | ... | ... | ... |
| 4449 | 4466 | Lacaille 4130 | 8 | 9. 56. 6'20 | 38'21 | 3 | + 2'117 | - 54. 12. 37'43 | 38'21 | 3 | -17'198 | ... | 4130 | ... |
| 4450 | 4467 | Lacaille 4120 | 7'8 | 9. 56. 8'22 | 38'24 | 3 | + 2'635 | - 32. 26. 35'23 | 38'24 | 3 | -17'199 | ... | 4120 | ... |
| 4451 | 4468 | Lacaille 4119 | 7'8 | 9. 56. 8'74 | 38'18 | 3 | + 2'735 | - 26. 6. 52'37 | 38'18 | 3 | -17'200 | ... | 4119 | ... |
| 4452 | 4469 | Lacaille 4127 | 8 | 9. 56. 11'52 | 40'19 | 3 | + 2'306 | - 48. 4. 4'50 | 40'19 | 3 | -17'203 | ... | 4127 | ... |
| 4453 | 4470 | Brisbane 2800 | 8'9 | 9. 56. 14'20 | 38'21 | 3 | + 2'119 | - 54. 11. 16'02 | 38'21 | 3 | -17'204 | ... | ... | ... |
| 4454 | 4471 | Piazzi IX. 239 | 7 | 9. 56. 21'19 | 35'68 | 6 | + 3'178 | + 8. 47. 14'53 | 34'38 | 4 | -17'209 | ... | ... | 239 |
| 4455 | 4472 | Lacaille 4133 | 7'8 | 9. 56. 22'74 | 38'54 | 3 | + 2'032 | - 56. 33. 24'31 | 38'24 | 2 | -17'210 | ... | 4133 | ... |
| 4456 | 4473 | Piazzi IX. 240 | 7 | 9. 56. 43'25 | 32'13 | 7 | + 3'276 | + 16. 33. 23'69 | 32'22 | 5 | -17'227 | ... | ... | 240 |
| 4457 | 4474 | Lacaille 4138 | 6'7 | 9. 56. 45'54 | 38'23 | 4 | + 1'903 | - 59. 37. 37'74 | 38'22 | 3 | -17'229 | ... | 4138 | ... |
| 4458 | 4475 | Lacaille 4131 | 6'7 | 9. 56. 49'53 | 38'57 | 3 | + 2'367 | - 45. 50. 24'37 | 38'57 | 3 | -17'231 | ... | 4131 | ... |
| 4459 | 4476 | Brisbane 2808 | 8 | 9. 56. 51'51 | 39'23 | 6 | + 2'078 | - 55. 27. 42'38 | 39'23 | 6 | -17'233 | ... | ... | ... |
| 4460 | 4477 | Lacaille 4137 | 9 | 9. 57. 4'63 | 38'49 | 3 | + 2'221 | - 51. 15. 8'18 | 38'49 | 3 | -17'242 | ... | 4137 | ... |
| 4461 | 4478 | 40 Hydra | 5'6 | 9. 57. 5'59 | 32'30 | 3 | + 2'923 | - 12. 16. 2'43 | 32'16 | 5 | -17'243 | 1402 | ... | 241 |
| 4462 | 4479 | Lacaille 4132 | 6'7 | 9. 57. 20'31 | 39'45 | 5 | + 2'719 | - 27. 23. 28'30 | 39'58 | 6 | -17'253 | ... | 4132 | ... |
| 4463 | 4480 | Brisbane 2810 | 9 | 9. 57. 27'76 | 38'27 | 2 | + 1'980 | - 58. 2. 2'03 | 38'58 | 3 | -17'260 | ... | ... | ... |
| 4464 | 4481 | 21 Leonis Minoris | 5 | 9. 57. 40'47 | 31'60 | 12 | + 3'567 | + 36. 2. 42'07 | 31'61 | 5 | -17'269 | 1401 | ... | 242 |
| 4465 | 4482 | Lacaille 4145 | 7'8 | 9. 57. 42'41 | 39'37 | 7 | + 1'923 | - 59. 22. 57'08 | 39'80 | 5 | -17'270 | ... | 4145 | ... |
| 4466 | 4483 | Lacaille 4134 | 7 | 9. 57. 43'06 | 39'58 | 6 | + 2'720 | - 27. 23. 55'25 | 39'67 | 7 | -17'271 | ... | 4134 | ... |
| 4467 | 4484 | Lacaille 4148 | 7 | 9. 57. 47'40 | 38'60 | 3 | + 1'827 | - 61. 21. 37'46 | 38'60 | 3 | -17'273 | ... | 4148 | ... |
| 4468 | 4485 | Brisbane 2818 | 7 | 9. 57. 56'57 | 38'93 | 3 | + 2'327 | - 47. 38. 59'04 | 38'92 | 3 | -17'280 | ... | ... | ... |
| 4469 | 4486 | Piazzi IX. 243 | 8 | 9. 57. 57'12 | 36'46 | 3 | + 3'123 | + 4. 16. 39'85 | 36'43 | 4 | -17'281 | ... | ... | 243 |
| 4470 | 4487 | Lacaille 4140 | 6'7 | 9. 58. 7'66 | 38'93 | 3 | + 2'587 | - 35. 35. 5'52 | 38'93 | 3 | -17'288 | ... | 4140 | ... |
| 4471 | 4488 | 14 Sextantis | 6 | 9. 58. 9'68 | 32'33 | 2 | + 3'148 | + 6. 24. 46'66 | 32'19 | 5 | -17'289 | 1404 | ... | 244 |
| 4472 | 4489 | Lacaille 4141 | 6'7 | 9. 58. 14'36 | 34'41 | 4 | + 2'614 | - 34. 5. 0'82 | 34'41 | 4 | -17'293 | ... | 4141 | 247 |
| 4473 | 4490 | Lacaille 4142 | 7 | 9. 58. 18'02 | 38'95 | 3 | + 2'639 | - 32. 35. 28'65 | 38'95 | 3 | -17'295 | ... | 4142 | ... |
| 4474 | 4491 | Lacaille 4147 | 7 | 9. 58. 18'28 | 39'74 | 4 | + 2'236 | - 51. 0. 0'86 | 40'27 | 3 | -17'296 | ... | 4147 | ... |
| 4475 | 4492 | 30 Leonis | 3'4 | 9. 58. 19'73 | 32'07 | 7 | + 3'286 | + 17. 33. 51'51 | 32'40 | 7 | -17'297 | 1403 | ... | 245 |
| 4476 | 4493 | Lacaille 4151 | 7'8 | 9. 58. 20'93 | 38'70 | 2 | + 1'927 | - 59. 24. 8'07 | 38'70 | 2 | -17'298 | ... | 4151 | ... |
| 4477 | 4494 | Lacaille 4144 | 7 | 9. 58. 22'73 | 39'69 | 5 | + 2'476 | - 41. 22. 24'91 | 39'69 | 5 | -17'299 | ... | 4144 | ... |
| 4478 | 4495 | Lacaille 4143 | 7 | 9. 58. 22'73 | 38'92 | 3 | + 2'680 | - 30. 5. 26'69 | 38'92 | 3 | -17'299 | ... | 4143 | ... |
| 4479 | 4496 | Lacaille 4153 | 6'7 | 9. 58. 30'05 | 39'19 | 1 | + 1'847 | - 61. 5. 11'76 | 39'19 | 1 | -17'305 | ... | 4153 | ... |
| 4480 | 4497 | Piazzi IX. 246 | 6 | 9. 58. 42'85 | 34'67 | 4 | + 3'501 | + 32. 24. 37'22 | 34'46 | 4 | -17'315 | ... | ... | 246 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1885.0.

1627

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|--------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 4481 | 4498 | Lacaille 4150 | 6.7 | 9. 58. 44.94 | 38.54 | 3 | + 2.232 | - 51. 13. 35.47 | 38.44 | 4 | -17.316 | ... | 4150 | ... |
| 4482 | 4499 | Lacaille 4152 | 7 | 9. 58. 49.35 | 38.57 | 3 | + 2.252 | - 50. 30. 54.45 | 38.57 | 3 | -17.319 | ... | 4152 | ... |
| 4483 | 4500 | Brisbane 2835 | 7.8 | 9. 58. 52.70 | 39.30 | 2 | + 2.139 | - 54. 9. 6.25 | 39.30 | 2 | -17.322 | ... | ... | ... |
| 4484 | 4501 | 31 LeonisA | 5 | 9. 59. 8.64 | 32.17 | 12 | + 3.200 | + 10. 48. 15.47 | 31.33 | 4 | -17.333 | 1405 | ... | 248 |
| 4485 | 4502 | Lacaille 4155 | 6.7 | 9. 59. 19.20 | 39.16 | 6 | + 2.072 | - 56. 5. 55.30 | 39.16 | 6 | -17.341 | ... | 4155 | ... |
| 4486 | 4503 | ... Piazzi IX. 249 | 7.8 | 9. 59. 25.25 | 35.15 | 3 | + 3.225 | + 12. 47. 58.33 | 34.44 | 4 | -17.345 | ... | ... | 249 |
| 4487 | 4504 | 15 Sextantis | 5 | 9. 59. 29.50 | 34.12 | 15 | + 3.077 | + 0. 25. 53.58 | 36.74 | 6 | -17.348 | 1407 | ... | 250 |
| 4488 | 4505 | 32 Leonisa | 1 | 9. 59. 34.74 | 33.44 | 94 | + 3.224 | + 12. 46. 13.94 | 33.13 | 161 | -17.353 | 1406 | ... | 251 |
| 4489 | 4506 | Lacaille 4156 | 6.7 | 9. 59. 58.78 | 38.91 | 3 | + 2.235 | - 51. 23. 13.79 | 38.60 | 5 | -17.370 | ... | 4156 | ... |
| 4490 | 4507 | 16 Sextantis | 6 | 10. 0. 36.09 | 32.23 | 6 | + 3.154 | + 6. 58. 35.30 | 31.31 | 5 | -17.398 | 1409 | ... | 253 |
| 4491 | 4508 | Lacaille 4161 | 7 | 10. 0. 36.72 | 38.47 | 3 | + 2.271 | - 50. 16. 29.65 | 38.47 | 3 | -17.399 | ... | 4161 | ... |
| 4492 | 4509 | Piazzi IX. 255 | 7 | 10. 0. 46.40 | 35.18 | 3 | + 3.194 | + 10. 23. 53.92 | 34.51 | 4 | -17.404 | ... | ... | 253 |
| 4493 | 4510 | Lacaille 4160 | 7 | 10. 0. 55.05 | 38.22 | 3 | + 2.580 | - 36. 31. 46.19 | 38.22 | 3 | -17.412 | ... | 4160 | ... |
| 4494 | 4511 | Piazzi IX. 254 | 6.7 | 10. 1. 0.38 | 35.16 | 3 | + 3.658 | + 41. 28. 8.70 | 34.55 | 4 | -17.415 | ... | ... | 254 |
| 4495 | 4512 | Brisbane 2847 | 8 | 10. 1. 2.09 | 39.36 | 6 | + 2.231 | - 51. 43. 55.95 | 39.36 | 6 | -17.416 | ... | ... | ... |
| 4496 | 4513 | Lacaille 4159 | 6.7 | 10. 1. 7.13 | 38.23 | 3 | + 2.350 | - 47. 27. 24.55 | 38.23 | 3 | -17.420 | ... | 4159 | ... |
| 4497 | 4516 | Lacaille 4162 | 7.8 | 10. 1. 10.20 | 38.53 | 3 | + 2.621 | - 34. 12. 32.84 | 38.53 | 3 | -17.421 | ... | 4162 | ... |
| 4498 | 4514 | 33 Leonis | 7 | 10. 1. 47.04 | 35.16 | 3 | + 3.268 | + 16. 30. 55.97 | 34.63 | 3 | -17.448 | ... | ... | 256 |
| 4499 | 4515 | 17 Sextantis | 6 | 10. 1. 55.74 | 33.21 | 4 | + 2.984 | - 7. 36. 1.13 | 32.35 | 10 | -17.455 | 1410 | ... | 1 |
| 4500 | 4517 | Lacaille 4165 | 7.8 | 10. 2. 14.52 | 38.51 | 3 | + 2.661 | - 32. 2. 27.29 | 38.51 | 3 | -17.469 | ... | 4165 | ... |
| 4501 | 4518 | Lacaille 4167 | 6.7 | 10. 2. 25.56 | 38.31 | 3 | + 2.612 | - 35. 3. 0.80 | 38.31 | 3 | -17.477 | ... | 4167 | ... |
| 4502 | 4519 | 41 Hydraλ | 4.5 | 10. 2. 32.83 | 32.15 | 11 | + 2.939 | - 11. 32. 29.49 | 31.48 | 7 | -17.481 | 1412 | ... | 2 |
| 4503 | 4520 | Lacaille 4171 | 7 | 10. 2. 36.57 | 38.23 | 3 | + 2.357 | - 47. 30. 3.53 | 38.23 | 3 | -17.485 | ... | 4171 | ... |
| 4504 | 4521 | Lacaille 4174 | 7 | 10. 2. 39.74 | 38.48 | 3 | + 2.048 | - 57. 23. 29.30 | 38.48 | 3 | -17.486 | ... | 4174 | ... |
| 4505 | 4522 | VelorumQ | 5.6 | 10. 2. 41.74 | 38.22 | 3 | + 2.263 | - 51. 0. 17.75 | 38.22 | 3 | -17.488 | ... | 4172 | ... |
| 4506 | 4523 | 18 Sextantis | 6 | 10. 2. 43.71 | 33.19 | 6 | + 2.984 | - 7. 36. 25.39 | 33.31 | 3 | -17.489 | 1413 | ... | 5 |
| 4507 | 4524 | 34 Leonis | 6 | 10. 2. 45.21 | 32.28 | 6 | + 3.237 | + 14. 10. 0.32 | 34.09 | 8 | -17.490 | 1411 | ... | 3 |
| 4508 | 4525 | Piazzi X. 4 | 8 | 10. 2. 45.68 | 36.40 | 4 | + 3.221 | + 12. 50. 47.99 | 36.40 | 4 | -17.491 | ... | ... | 4 |
| 4509 | 4526 | Lacaille 4179 | 7 | 10. 2. 47.71 | 38.31 | 3 | + 1.871 | - 61. 24. 54.86 | 38.31 | 3 | -17.492 | ... | 4179 | ... |
| 4510 | 4527 | Bradley 1414 | 6 | 10. 3. 3.45 | 32.25 | 6 | + 2.996 | - 6. 30. 22.24 | 32.24 | 5 | -17.503 | 1414 | ... | 6 |
| 4511 | 4528 | Lacaille 4176 | 7 | 10. 3. 14.47 | 38.59 | 3 | + 2.382 | - 46. 38. 18.66 | 38.59 | 3 | -17.511 | ... | 4176 | ... |
| 4512 | 4529 | Brisbane 2864 | 8 | 10. 3. 26.46 | 39.61 | 7 | + 2.060 | - 57. 13. 58.01 | 39.48 | 10 | -17.520 | ... | ... | ... |
| 4513 | 4530 | Lacaille 4177 | 6.7 | 10. 3. 38.62 | 38.63 | 3 | + 2.562 | - 38. 6. 4.69 | 38.54 | 3 | -17.529 | ... | 4177 | ... |
| 4514 | 4531 | Lacaille 4180 | 7 | 10. 3. 42.76 | 38.58 | 3 | + 2.370 | - 47. 12. 15.38 | 38.58 | 3 | -17.532 | ... | 4180 | ... |
| 4515 | 4532 | .. Brisbane 2867 | 8 | 10. 3. 44.62 | 38.57 | 3 | + 1.965 | - 59. 36. 27.80 | 38.56 | 3 | -17.533 | ... | ... | ... |
| 4516 | 4533 | 19 Sextantis | 7 | 10. 4. 13.03 | 32.20 | 7 | + 3.133 | + 5. 25. 39.15 | 32.16 | 4 | -17.554 | 1417 | ... | 7 |
| 4517 | 4534 | Piazzi IX. 252 | 6 | 10. 4. 22.62 | 36.02 | 5 | + 10.585 | + 85. 4. 56.07 | 34.45 | 4 | -17.559 | ... | ... | 252 |
| 4518 | 4535 | Lacaille 4185 | 7 | 10. 4. 30.83 | 38.17 | 3 | + 2.644 | - 33. 31. 13.99 | 38.17 | 3 | -17.566 | ... | 4185 | ... |
| 4519 | 4536 | .. Lacaille 4183 | 6.7 | 10. 4. 31.68 | 38.24 | 3 | + 2.732 | - 27. 47. 37.83 | 38.24 | 3 | -17.566 | ... | 4183 | ... |
| 4520 | 4537 | .. Brisbane 2874 | 7 | 10. 4. 39.09 | 38.49 | 3 | + 2.629 | - 34. 30. 48.41 | 38.19 | 2 | -17.571 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 4521 | 4538 | Lacaille 4188 | 8 | h m s 10. 4. 55.90 | 39.47 | 7 | + 2.547 | — 39. 10. 55.35 | 39.69 | 6 | —17.583 | ... | 4188 | ... |
| 4522 | 4539 | Piazzi X. 8 | 6.7 | 10. 5. 3.99 | 35.19 | 3 | + 2.986 | — 7. 37. 49.57 | 35.23 | 1 | —17.589 | ... | ... | 8 |
| 4523 | 4540 | Piazzi X. 11 | 8 | 10. 5. 13.43 | 35.09 | 3 | + 3.024 | — 4. 16. 18.55 | 35.21 | 1 | —17.596 | ... | ... | 11 |
| 4524 | 4541 | Lacaille 4190 | 8 | 10. 5. 18.95 | 38.51 | 3 | + 2.721 | — 28. 41. 13.56 | 38.51 | 3 | —17.600 | ... | 4190 | ... |
| 4525 | 4542 | Piazzi X. 10 | 7 | 10. 5. 24.43 | 32.23 | 6 | + 3.331 | + 21. 59. 12.44 | 32.22 | 5 | —17.603 | ... | ... | 10 |
| 4526 | 4543 | Piazzi X. 15 | 7.8 | 10. 5. 28.18 | 35.09 | 3 | + 3.023 | — 4. 24. 19.46 | 34.56 | 4 | —17.606 | ... | ... | 15 |
| 4527 | 4544 | 20 Sextantis | 7 | 10. 5. 32.40 | 37.65 | 6 | + 2.998 | — 6. 34. 15.33 | 36.92 | 7 | —17.608 | 1419 | ... | 16 |
| 4528 | 4545 | Piazzi X. 13 | 7 | 10. 5. 34.50 | 35.17 | 3 | + 3.267 | + 16. 57. 14.37 | 34.51 | 4 | —17.610 | ... | ... | 13 |
| 4529 | 4546 | 22 Leonis Minoris | 6 | 10. 5. 36.55 | 35.11 | 3 | + 3.476 | + 32. 17. 0.84 | 34.54 | 4 | —17.611 | 1418 | ... | 12 |
| 4530 | 4547 | Lacaille 4193 | 6 | 10. 5. 44.51 | 39.17 | 2 | + 2.757 | — 26. 13. 3.57 | 39.16 | 2 | —17.618 | ... | 4193 | ... |
| 4531 | 4548 | 21 Sextantis | 6 | 10. 5. 55.15 | 31.72 | 8 | + 2.992 | — 7. 10. 39.93 | 31.67 | 5 | —17.623 | 1420 | ... | 17 |
| 4532 | 4549 | Lacaille 4197 | 7.8 | 10. 5. 56.43 | 38.18 | 3 | + 2.188 | — 54. 10. 19.18 | 38.18 | 3 | —17.625 | ... | 4197 | ... |
| 4533 | 4550 | Brisbane 2886 | 8.9 | 10. 5. 56.76 | 38.21 | 3 | + 1.922 | — 60. 57. 22.37 | 38.21 | 3 | —17.626 | ... | ... | ... |
| 4534 | 4551 | 32 Ursæ Majoris | 6.7 | 10. 5. 57.44 | 38.04 | 7 | + 4.501 | + 65. 55. 39.10 | 36.96 | 7 | —17.627 | 1415 | ... | 9 |
| 4535 | 4552 | Lacaille 4201 | 6.7 | 10. 6. 2.63 | 38.48 | 3 | + 2.080 | — 57. 14. 52.43 | 38.48 | 3 | —17.630 | ... | 4201 | ... |
| 4536 | 4553 | Lacaille 4196 | 7 | 10. 6. 7.88 | 37.97 | 9 | + 2.670 | — 32. 13. 11.24 | 37.00 | 7 | —17.633 | ... | 4196 | 18 |
| 4537 | 4554 | Brisbane 2890 | 7.8 | 10. 6. 29.46 | 38.22 | 3 | + 2.388 | — 47. 6. 18.15 | 38.23 | 3 | —17.648 | ... | ... | ... |
| 4538 | 4555 | Lacaille 4207 | 8 | 10. 6. 29.70 | 38.21 | 3 | + 1.938 | — 60. 43. 42.18 | 38.21 | 3 | —17.649 | ... | 4207 | ... |
| 4539 | 4556 | Lacaille 4202 | 7.8 | 10. 6. 45.31 | 38.21 | 3 | + 2.548 | — 39. 31. 52.43 | 38.21 | 3 | —17.659 | ... | 4202 | ... |
| 4540 | 4557 | 23 Leonis Minoris | 6 | 10. 6. 50.81 | 35.21 | 3 | + 3.440 | + 30. 7. 44.59 | 34.43 | 4 | —17.663 | 1422 | ... | 19 |
| 4541 | 4558 | Lacaille 4204 | 7.8 | 10. 6. 55.02 | 38.21 | 3 | + 2.550 | — 39. 29. 41.79 | 38.21 | 3 | —17.666 | ... | 4204 | ... |
| 4542 | 4559 | Velorum | 6 | 10. 7. 1.57 | 38.57 | 3 | + 2.307 | — 50. 25. 0.74 | 38.57 | 3 | —17.670 | ... | 4206 | ... |
| 4543 | 4560 | 24 Leonis Minoris | 7 | 10. 7. 6.15 | 35.16 | 3 | + 3.430 | + 29. 30. 16.57 | 34.77 | 4 | —17.673 | 1423 | ... | 21 |
| 4544 | 4561 | 33 Ursæ Majoris | 3.4 | 10. 7. 6.95 | 31.59 | 11 | + 3.677 | + 43. 44. 5.29 | 33.18 | 50 | —17.674 | 1421 | ... | 20 |
| 4545 | 4562 | Lacaille 4208 | 7 | 10. 7. 9.31 | 38.24 | 3 | + 2.293 | — 50. 56. 27.74 | 38.24 | 2 | —17.676 | ... | 4208 | ... |
| 4546 | 4563 | Piazzi X. 23 | 6 | 10. 7. 16.46 | 32.40 | 6 | + 3.284 | + 18. 33. 30.89 | 32.24 | 5 | —17.680 | ... | ... | 23 |
| 4547 | 4564 | 35 Leonis | 6.7 | 10. 7. 23.25 | 35.15 | 3 | + 3.357 | + 24. 19. 12.20 | 35.21 | 3 | —17.684 | 1424 | ... | 24 |
| 4548 | 4566 | Brisbane 2898 | 7 | 10. 7. 27.17 | 38.58 | 3 | + 2.504 | — 41. 59. 30.75 | 38.58 | 3 | —17.687 | ... | ... | ... |
| 4549 | 4565 | Lacaille 4217 | 6.7 | 10. 7. 27.26 | 38.58 | 3 | + 2.019 | — 59. 6. 11.08 | 38.58 | 3 | —17.687 | ... | 4217 | ... |
| 4550 | 4567 | Lacaille 4215 | 7 | 10. 7. 27.58 | 38.23 | 3 | + 2.145 | — 55. 46. 15.15 | 38.23 | 3 | —17.687 | ... | 4215 | ... |
| 4551 | 4568 | 36 Leonis | 4.5 | 10. 7. 30.04 | 32.37 | 14 | + 3.356 | + 24. 14. 11.79 | 32.27 | 13 | —17.690 | 1425 | ... | 25 |
| 4552 | 4569 | 37 Leonis | 6 | 10. 7. 48.72 | 32.42 | 7 | + 3.235 | + 14. 32. 54.03 | 31.85 | 5 | —17.703 | 1426 | ... | 27 |
| 4553 | 4570 | Velorum | 4 | 10. 7. 49.35 | 31.75 | 12 | + 2.519 | — 41. 18. 25.94 | 32.24 | 10 | —17.703 | ... | 4212 | 29 |
| 4554 | 4571 | Brisbane 2906 | 7 | 10. 7. 57.72 | 38.21 | 3 | + 2.515 | — 41. 33. 58.69 | 38.21 | 3 | —17.709 | ... | ... | ... |
| 4555 | 4572 | Lacaille 4224 | 7 | 10. 7. 59.44 | 38.21 | 3 | + 1.947 | — 60. 50. 34.40 | 38.21 | 3 | —17.710 | ... | 4224 | ... |
| 4556 | 4573 | Lacaille 4216 | 6.7 | 10. 8. 7.93 | 38.17 | 3 | + 2.621 | — 35. 41. 59.09 | 38.17 | 3 | —17.715 | ... | 4216 | ... |
| 4557 | 4574 | Lacaille 4221 | 8 | 10. 8. 8.26 | 38.46 | 4 | + 2.298 | — 50. 59. 49.67 | 38.46 | 4 | —17.715 | ... | 4221 | ... |
| 4558 | 4575 | 39 Leonis | 6 | 10. 8. 9.14 | 35.26 | 3 | + 3.350 | + 23. 55. 49.81 | 34.63 | 3 | —17.716 | 1427 | ... | 28 |
| 4559 | 4576 | Piazzi X. 26 | 6 | 10. 8. 20.95 | 35.16 | 3 | + 4.753 | + 69. 34. 22.23 | 34.46 | 4 | —17.724 | ... | ... | 26 |
| 4560 | 4577 | Lacaille 4222 | 6.7 | 10. 8. 36.77 | 35.28 | 3 | + 2.504 | — 42. 17. 28.84 | 34.54 | 4 | —17.736 | ... | 4222 | 32 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 4561 | 4578 | Piazzi X. 31 | 6.7 | h m s 10. 8. 47.35 | 37.71 | 6 | + 3.693 | + 44. 53. 1.92 | 36.94 | 7 | -17.742 | ... | ... | 31 |
| 4562 | 4579 | Lacaille 4229 | 7 | 10. 9. 10.53 | 39.22 | 6 | + 2.211 | - 54. 9. 19.77 | 39.22 | 6 | -17.758 | ... | 4229 | ... |
| 4563 | 4580 | Lacaille 4228 | 7.8 | 10. 9. 19.29 | 38.28 | 3 | + 2.348 | - 49. 21. 25.10 | 38.28 | 3 | -17.764 | ... | 4228 | ... |
| 4564 | 4581 | Piazzi X. 30 | 8 | 10. 9. 24.46 | 36.62 | 2 | + 4.754 | + 69. 45. 6.99 | 36.71 | 2 | -17.767 | ... | ... | 30 |
| 4565 | 4582 | 22 Sextantis | 6 | 10. 9. 26.05 | 32.21 | 6 | + 2.993 | - 7. 14. 50.72 | 32.19 | 5 | -17.768 | 1428 | ... | 33 |
| 4566 | 4583 | Piazzi X. 34 | 7.8 | 10. 9. 34.74 | 36.40 | 4 | + 3.220 | + 13. 26. 41.62 | 36.43 | 4 | -17.775 | ... | ... | 34 |
| 4567 | 4584 | Argus | 4.5 | 10. 9. 48.52 | 34.09 | 11 | + 1.442 | - 69. 13. 12.63 | 35.24 | 9 | -17.784 | ... | 4243 | ... |
| 4568 | 4585 | Piazzi X. 35 | 8 | 10. 9. 51.06 | 35.17 | 3 | + 3.068 | - 0. 25. 15.16 | 34.52 | 4 | -17.786 | ... | ... | 35 |
| 4569 | 4586 | Piazzi X. 14 | 8 | 10. 10. 0.78 | 37.73 | 6 | + 10.479 | + 85. 14. 5.54 | 36.46 | 4 | -17.791 | ... | ... | 14 |
| 4570 | 4587 | Piazzi X. 22 | 6 | 10. 10. 13.34 | 36.78 | 6 | + 8.391 | + 83. 23. 29.51 | 36.41 | 6 | -17.801 | ... | ... | 22 |
| 4571 | 4588 | Lacaille 4241 | 7 | 10. 10. 25.44 | 39.53 | 7 | + 2.044 | - 59. 4. 58.77 | 39.53 | 7 | -17.809 | ... | 4241 | ... |
| 4572 | 4589 | Lacaille 4234 | 6 | 10. 10. 34.47 | 34.23 | 13 | + 2.743 | - 28. 10. 10.94 | 32.22 | 5 | -17.815 | ... | 4234 | 39 |
| 4573 | 4590 | Lacaille 4237 | 6.7 | 10. 10. 37.43 | 38.65 | 4 | + 2.436 | - 46. 0. 46.56 | 38.65 | 4 | -17.817 | ... | 4237 | ... |
| 4574 | 4591 | 40 Leonis | 6 | 10. 10. 44.92 | 32.32 | 5 | + 3.299 | + 20. 18. 18.93 | 32.24 | 5 | -17.822 | 1431 | ... | 36 |
| 4575 | 4592 | Piazzi X. 37 | 8 | 10. 10. 50.59 | 36.43 | 4 | + 3.310 | + 21. 13. 44.90 | 36.84 | 3 | -17.826 | ... | ... | 37 |
| 4576 | 4593 | 41 Leonis | 2 | 10. 10. 51.90 | 32.76 | 28 | + 3.303 | + 20. 40. 23.41 | 33.00 | 40 | -17.827 | 1432 | ... | 38 |
| 4577 | 4594 | Brisbane 2931 | 7.8 | 10. 11. 0.67 | 38.47 | 3 | + 2.402 | - 47. 35. 43.51 | 38.47 | 3 | -17.833 | ... | ... | ... |
| 4578 | 4595 | Bradley 1430 | 6.7 | 10. 11. 8.96 | 35.31 | 3 | + 3.636 | + 42. 40. 30.08 | 34.43 | 4 | -17.838 | 1430 | ... | 40 |
| 4579 | 4596 | Piazzi X. 41 | 6.7 | 10. 11. 13.72 | 35.09 | 3 | + 3.026 | - 4. 16. 42.15 | 34.55 | 4 | -17.841 | ... | ... | 41 |
| 4580 | 4597 | Lacaille 4242 | 6.7 | 10. 11. 23.53 | 38.17 | 3 | + 2.629 | - 35. 58. 51.65 | 38.17 | 3 | -17.848 | ... | 4242 | ... |
| 4581 | 4598 | Lacaille 4244 | 7 | 10. 11. 27.45 | 38.21 | 3 | + 2.545 | - 40. 50. 41.65 | 38.21 | 3 | -17.850 | ... | 4244 | ... |
| 4582 | 4599 | Piazzi X. 43 | 8.9 | 10. 11. 33.37 | 36.70 | 2 | + 2.746 | - 28. 8. 8.83 | 36.45 | 4 | -17.854 | ... | ... | 43 |
| 4583 | 4600 | Carina | 5 | 10. 11. 35.28 | 33.98 | 15 | + 1.995 | - 60. 30. 35.56 | 34.33 | 12 | -17.855 | ... | 4249 | ... |
| 4584 | 4601 | Lacaille 4245 | 7 | 10. 11. 50.50 | 38.25 | 3 | + 2.665 | - 33. 47. 35.39 | 38.25 | 3 | -17.866 | ... | 4245 | ... |
| 4585 | 4602 | Bradley 1429 | 6 | 10. 12. 8.31 | 35.21 | 3 | + 4.460 | + 66. 23. 48.63 | 34.45 | 4 | -17.877 | 1429 | ... | 42 |
| 4586 | 4603 | Brisbane 2937 | 8.9 | 10. 12. 9.08 | 38.22 | 3 | + 2.325 | - 50. 55. 16.95 | 38.22 | 3 | -17.878 | ... | ... | ... |
| 4587 | 4604 | Bradley 1433 | 6.7 | 10. 12. 20.50 | 35.12 | 3 | + 3.618 | + 42. 3. 50.10 | 34.53 | 4 | -17.885 | 1433 | ... | 44 |
| 4588 | 4605 | 34 Ursæ Majoris | 3 | 10. 12. 28.22 | 32.12 | 7 | + 3.623 | + 42. 19. 33.69 | 32.71 | 14 | -17.891 | 1434 | ... | 45 |
| 4589 | 4606 | 23 Sextantis | 6 | 10. 12. 31.03 | 32.25 | 4 | + 3.105 | + 3. 7. 0.73 | 32.19 | 5 | -17.892 | 1435 | ... | 46 |
| 4590 | 4607 | Lacaille 4251 | 7 | 10. 12. 32.75 | 38.55 | 3 | + 2.355 | - 49. 53. 27.39 | 38.55 | 3 | -17.893 | ... | 4251 | ... |
| 4591 | 4608 | Lacaille 4256 | 7 | 10. 12. 38.21 | 39.48 | 7 | + 2.200 | - 55. 17. 26.75 | 39.31 | 9 | -17.897 | ... | 4256 | ... |
| 4592 | 4609 | Brisbane 2942 | 8 | 10. 12. 40.09 | 38.57 | 3 | + 2.472 | - 44. 49. 16.09 | 38.56 | 3 | -17.898 | ... | ... | ... |
| 4593 | 4610 | Brisbane 2946 | 8.9 | 10. 12. 43.59 | 38.23 | 3 | + 2.204 | - 55. 12. 23.66 | 38.63 | 5 | -17.900 | ... | ... | ... |
| 4594 | 4611 | Lacaille 4250 .. | 7 | 10. 12. 48.99 | 38.28 | 2 | + 2.691 | - 32. 18. 7.77 | 38.56 | 3 | -17.904 | ... | 4250 | ... |
| 4595 | 4612 | 42 Leonis | 6 | 10. 12. 57.53 | 31.79 | 6 | + 3.242 | + 15. 48. 17.44 | 31.93 | 7 | -17.909 | 1436 | ... | 47 |
| 4596 | 4613 | Brisbane 2947 | 7.8 | 10. 12. 57.99 | 38.76 | 9 | + 2.206 | - 55. 11. 47.10 | 38.42 | 5 | -17.909 | ... | ... | ... |
| 4597 | 4614 | Lacaille 4252 | 6.7 | 10. 13. 7.79 | 38.57 | 3 | + 2.711 | - 30. 59. 18.22 | 38.57 | 3 | -17.916 | ... | 4252 | ... |
| 4598 | 4615 | Lacaille 4258 | 6.7 | 10. 13. 10.18 | 38.58 | 3 | + 2.425 | - 47. 8. 2.69 | 38.58 | 3 | -17.917 | ... | 4258 | ... |
| 4599 | 4617 | Lacaille 4261 | 7.8 | 10. 13. 25.59 | 38.53 | 3 | + 2.338 | - 50. 44. 29.04 | 38.45 | 4 | -17.928 | ... | 4261 | ... |
| 4600 | 4616 | Velorum | 6.7 | 10. 13. 25.62 | 38.57 | 3 | + 2.240 | - 54. 12. 9.77 | 38.57 | 3 | -17.928 | ... | 4263 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 4601 | 4618 | 26 Leonis Minoris | 6.7 | 10. 13. 31.08 | 35.20 | 3 | + 3.508 | + 36. 2. 51.04 | 34.48 | 4 | -17.931 | 1437 | ... | 48 |
| 4602 | 4619 | ... Piazzi X. 50 | 8.9 | 10. 13. 31.51 | 36.42 | 4 | + 3.271 | + 18. 20. 41.67 | 36.45 | 4 | -17.931 | ... | ... | 50 |
| 4603 | 4620 | ... Piazzi X. 51 | 6.7 | 10. 13. 31.81 | 35.16 | 3 | + 3.176 | + 9. 47. 38.02 | 34.43 | 4 | -17.932 | ... | ... | 51 |
| 4604 | 4621 | ... Lacaille 4260 | 6.7 | 10. 13. 33.94 | 38.24 | 3 | + 2.433 | - 46. 52. 17.46 | 38.24 | 3 | -17.933 | ... | 4260 | ... |
| 4605 | 4622 | 27 Leonis Minoris | 6.7 | 10. 13. 35.01 | 35.15 | 2 | + 3.487 | + 34. 44. 16.92 | 34.54 | 4 | -17.934 | 1438 | ... | 49 |
| 4606 | 4623 | ... Piazzi X. 52 | 7 | 10. 13. 37.57 | 35.17 | 3 | + 3.072 | + 0. 4. 40.49 | 34.55 | 4 | -17.935 | ... | ... | 52 |
| 4607 | 4624 | ... Lacaille 4257 | 7 | 10. 13. 39.30 | 38.60 | 3 | + 2.799 | - 24. 32. 40.77 | 38.60 | 3 | -17.936 | ... | 4257 | ... |
| 4608 | 4625 | Brisbane 2959 | 7.8 | 10. 13. 54.60 | 39.60 | 8 | + 2.164 | - 56. 40. 47.68 | 39.65 | 7 | -17.946 | ... | ... | ... |
| 4609 | 4626 | Brisbane 2960 | 8 | 10. 14. 0.29 | 38.16 | 3 | + 2.740 | - 29. 6. 36.15 | 38.16 | 3 | -17.950 | ... | ... | ... |
| 4610 | 4627 | ... Lacaille 4264 | 7 | 10. 14. 4.19 | 38.24 | 3 | + 2.438 | - 46. 44. 16.34 | 38.24 | 3 | -17.952 | ... | 4264 | ... |
| 4611 | 4628 | ... Piazzi X. 53 | 7 | 10. 14. 20.47 | 35.23 | 3 | + 3.422 | + 30. 26. 50.01 | 34.45 | 4 | -17.963 | ... | ... | 53 |
| 4612 | 4629 | 43 Leonis | 6 | 10. 14. 22.24 | 35.43 | 9 | + 3.149 | + 7. 22. 39.12 | 35.22 | 8 | -17.964 | 1441 | ... | 54 |
| 4613 | 4630 | Brisbane 2965 | 8 | 10. 14. 23.71 | 40.29 | 3 | + 2.081 | - 59. 3. 28.37 | 40.29 | 3 | -17.965 | ... | ... | ... |
| 4614 | 4631 | Brisbane 2964 | 7 | 10. 14. 26.25 | 38.98 | 8 | + 2.089 | - 58. 49. 39.72 | 38.97 | 8 | -17.967 | ... | ... | ... |
| 4615 | 4632 | Brisbane 2968 | 8 | 10. 14. 36.01 | 38.55 | 3 | + 2.181 | - 56. 20. 27.27 | 38.55 | 3 | -17.973 | ... | ... | ... |
| 4616 | 4633 | 28 Leonis Minoris | 5.6 | 10. 14. 38.20 | 35.17 | 3 | + 3.481 | + 34. 33. 0.81 | 34.55 | 4 | -17.974 | 1440 | ... | 55 |
| 4617 | 4634 | Velorum | 5 | 10. 14. 47.28 | 35.22 | 20 | + 2.219 | - 55. 12. 52.98 | 35.57 | 18 | -17.980 | ... | 4272 | ... |
| 4618 | 4635 | ... Lacaille 4266 | 8 | 10. 14. 48.09 | 37.50 | 6 | + 2.747 | - 28. 43. 41.93 | 37.16 | 5 | -17.981 | ... | 4266 | 56 |
| 4619 | 4636 | 24 Sextantis | 7 | 10. 15. 1.62 | 37.74 | 6 | + 3.072 | - 0. 4. 8.85 | 36.92 | 7 | -17.990 | 1442 | ... | 57 |
| 4620 | 4637 | 25 Sextantis | 6.7 | 10. 15. 5.97 | 35.28 | 3 | + 3.038 | - 3. 14. 33.24 | 34.44 | 4 | -17.993 | 1443 | ... | 59 |
| 4621 | 4638 | Brisbane 2975 | 8 | 10. 15. 13.96 | 38.21 | 3 | + 2.140 | - 57. 39. 15.08 | 38.21 | 2 | -17.998 | ... | ... | ... |
| 4622 | 4639 | Velorum | 4.5 | 10. 15. 15.78 | 32.14 | 11 | + 2.562 | - 40. 49. 21.17 | 32.39 | 11 | -17.999 | ... | 4271 | 61 |
| 4623 | 4640 | ... Piazzi X. 58 | 7.8 | 10. 15. 31.30 | 35.26 | 3 | + 3.866 | + 53. 27. 26.62 | 34.55 | 4 | -18.009 | ... | ... | 58 |
| 4624 | 4641 | ... Piazzi X. 60 | 7 | 10. 15. 34.45 | 35.10 | 3 | + 3.191 | + 11. 25. 13.82 | 34.54 | 4 | -18.011 | ... | ... | 60 |
| 4625 | 4642 | ... Lacaille 4273 | 6.7 | 10. 15. 39.85 | 37.92 | 4 | + 2.742 | - 29. 19. 48.29 | 38.48 | 3 | -18.015 | ... | 4273 | ... |
| 4626 | 4643 | 29 Leonis Minoris | 6.7 | 10. 16. 12.51 | 35.20 | 3 | + 3.501 | + 36. 15. 44.06 | 34.48 | 4 | -18.037 | 1444 | ... | 62 |
| 4627 | 4644 | ... Lacaille 4282 | 7.8 | 10. 16. 14.15 | 40.27 | 6 | + 2.156 | - 57. 26. 7.15 | 40.93 | 9 | -18.038 | ... | 4282 | ... |
| 4628 | 4645 | ... Lacaille 4278 | 6.7 | 10. 16. 16.39 | 35.29 | 3 | + 2.629 | - 37. 10. 30.16 | 34.54 | 4 | -18.039 | ... | 4278 | 66 |
| 4629 | 4646 | Antlia | 6.7 | 10. 16. 21.03 | 37.98 | 6 | + 2.750 | - 28. 49. 1.37 | 37.39 | 11 | -18.042 | ... | 4277 | 65 |
| 4630 | 4647 | 30 Leonis Minoris | 4.5 | 10. 16. 26.20 | 32.08 | 10 | + 3.475 | + 34. 38. 1.70 | 32.47 | 21 | -18.045 | 1445 | ... | 63 |
| 4631 | 4648 | Brisbane 2985 | 9 | 10. 16. 32.51 | 39.24 | 7 | + 2.104 | - 58. 55. 26.77 | 39.14 | 11 | -18.048 | ... | ... | ... |
| 4632 | 4649 | 44 Leonis | 6 | 10. 16. 33.20 | 35.18 | 17 | + 3.171 | + 9. 37. 14.88 | 35.43 | 14 | -18.048 | ... | ... | 64 |
| 4633 | 4650 | Brisbane 2983 | 8.9 | 10. 16. 33.59 | 39.39 | 5 | + 2.019 | - 61. 1. 3.37 | 39.35 | 7 | -18.049 | ... | ... | ... |
| 4634 | 4651 | ... Piazzi X. 68 | Neb. | 10. 16. 49.91 | 36.44 | 4 | + 2.885 | - 17. 48. 30.90 | 38.34 | 6 | -18.053 | ... | ... | 68 |
| 4635 | 4652 | ... Piazzi X. 67 | 6.7 | 10. 16. 53.68 | 36.60 | 7 | + 3.171 | + 9. 36. 41.62 | 36.46 | 4 | -18.062 | ... | ... | 67 |
| 4636 | 4653 | Brisbane 2988 | 8.9 | 10. 17. 4.13 | 38.24 | 3 | + 2.014 | - 61. 14. 28.96 | 38.24 | 3 | -18.069 | ... | ... | ... |
| 4637 | 4654 | Bradley 1447 | 6 | 10. 17. 29.89 | 35.13 | 3 | + 3.009 | - 6. 13. 52.49 | 34.43 | 4 | -18.085 | 1447 | ... | 71 |
| 4638 | 4655 | ... Piazzi X. 70 | 6.7 | 10. 17. 40.07 | 35.16 | 3 | + 3.600 | + 42. 26. 29.36 | 34.57 | 4 | -18.093 | ... | ... | 70 |
| 4639 | 4656 | Brisbane 2996 | 9 | 10. 17. 46.14 | 40.27 | 6 | + 2.036 | - 60. 53. 0.48 | 39.86 | 5 | -18.095 | ... | ... | ... |
| 4640 | 4657 | ... Lacaille 4286 | 7 | 10. 17. 47.88 | 38.47 | 4 | + 2.761 | - 28. 21. 31.89 | 38.52 | 3 | -18.096 | ... | 4286 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|--------------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 4641 | 4658 | Lacaille 4292 | 8 | h m s 10. 17. 49'55 | 38'54 | 3 | + 2'136 | — 58. 22. 24'70 | 38'54 | 3. | —18'097 | ... | 4292 | ... |
| 4642 | 4659 | Lacaille 4291 | 7.8 | 10. 17. 50'16 | 38'60 | 3 | + 2'180 | — 57. 7. 11'90 | 38'60 | 3.. | —18'097 | ... | 4291 | ... |
| 4643 | 4660 | Brisbane 2997 | 9 | 10. 18. 3'00 | 38'53 | 3 | + 2'127 | — 58. 40. 45'21 | 38'53 | 3 | —18'106 | ... | ... | ... |
| 4644 | 4661 | 35 Ursæ Majoris | 7 | 10. 18. 5'30 | 35'21 | 3 | + 4'393 | + 66. 28. 6'57 | 34'45 | 4 | —18'107 | ... | ... | 69 |
| 4645 | 4662 | 42. Hydræ | 4 | 10. 18. 6'91 | 32'78 | 9 | + 2'907 | — 15. 59. 47'04 | 32'26 | 10.. | —18'109 | 1451 | ... | 74 |
| 4646 | 4663 | 26 Sextantis | 6 | 10. 18. 11'56 | 35'19 | 16 | + 3'070 | — 0. 9. 5'01 | 32'71 | 6. | —18'112 | 1450 | ... | 73 |
| 4647 | 4664 | Lacaille 4289 | 6 | 10. 18. 13'07 | 38'60 | 3 | + 2'561 | — 41. 37. 48'43 | 38'60 | 3 | —18'113 | ... | 4289 | ... |
| 4648 | 4665 | 31 Leonis Minoris | 4.5 | 10. 18. 19'20 | 34'16 | 12 | + 3'513 | + 37. 32. 59'23 | 34'05 | 13.. | —18'117 | 1448 | ... | 72 |
| 4649 | 4666 | Lacaille 4294 | 7.8 | 10. 18. 19'32 | 38'58 | 3 | + 2'297 | — 53. 29. 14'64 | 38'58 | 3 | —18'117 | ... | 4294 | ... |
| 4650 | 4667 | 27 Sextantis | 6 | 10. 18. 26'90 | 31'98 | 7 | + 3'036 | — 3. 33. 3'71 | 32'23 | 5. | —18'121 | 1452 | ... | 75 |
| 4651 | 4668 | Lacaille 4293 | 7 | 10. 18. 27'16 | 38'61 | 3 | + 2'406 | — 49. 16. 11'80 | 38'61 | 3 | —18'121 | ... | 4293 | ... |
| 4652 | 4669 | Brisbane 3003 | 7.8 | 10. 18. 36'63 | 38'62 | 3 | + 2'106 | — 59. 21. 23'32 | 38'62 | 3.. | —18'127 | ... | ... | ... |
| 4653 | 4670 | Brisbane 3004 | 7.8 | 10. 18. 43'01 | 38'23 | 2 | + 2'052 | — 60. 43. 2'04 | 38'70 | 2. | —18'131 | ... | ... | ... |
| 4654 | 4671 | 45. Leonis | 6 | 10. 18. 55'79 | 32'25 | 6 | + 3'181 | + 10. 36. 4'41 | 32'16 | 5 | —18'139 | 1453 | ... | 76 |
| 4655 | 4672 | Lacaille 4300 | 6.7 | 10. 19. 1'64 | 38'48 | 3 | + 2'168 | — 57. 44. 28'49 | 38'40 | 4 | —18'144 | ... | 4300 | ... |
| 4656 | 4673 | Piazzi X. 77 | 7 | 10. 19. 9'59 | 36'65 | 10 | + 3'072 | — 0. 7. 29'83 | 34'32 | 3 | —18'149 | ... | ... | 77 |
| 4657 | 4674 | Lacaille 4295 | 7 | 10. 19. 12'37 | 38'60 | 3 | + 2'619 | — 38. 31. 27'85 | 38'60 | 3 | —18'150 | ... | 4295 | ... |
| 4658 | 4675 | Brisbane 3009 | 7 | 10. 19. 19'05 | 38'68 | 2 | + 2'161 | — 58. 2. 10'42 | 38'68 | 2 | —18'155 | ... | ... | ... |
| 4659 | 4676 | Lacaille 4302 | 7.8 | 10. 19. 28'41 | 38'24 | 3 | + 2'286 | — 54. 9. 16'49 | 38'24 | 3 | —18'160 | ... | 4302 | ... |
| 4660 | 4677 | Piazzi X. 81 | 8.9 | 10. 19. 34'10 | 36'18 | 3 | + 3'054 | — 1. 52. 29'04 | 36'43 | 4 | —18'162 | ... | ... | 81 |
| 4661 | 4678 | Antliæ | 4.5 | 10. 19. 36'62 | 32'10 | 9 | + 2'741 | — 30. 13. 47'87 | 32'25 | 12 | —18'164 | ... | 4298 | 82 |
| 4662 | 4679 | Piazzi X. 79 | 6.7 | 10. 19. 42'61 | 35'26 | 3 | + 3'407 | + 30. 34. 6'91 | 34'54 | 4 | —18'168 | ... | ... | 79 |
| 4663 | 4680 | Brisbane 3013 | 7 | 10. 19. 51'12 | 38'26 | 3 | + 2'320 | — 53. 3. 15'42 | 38'26 | 3 | —18'173 | ... | ... | ... |
| 4664 | 4681 | Brisbane 3014 | 7 | 10. 19. 54'66 | 38'62 | 3 | + 2'470 | — 46. 49. 10'27 | 38'62 | 3 | —18'176 | ... | ... | ... |
| 4665 | 4682 | Piazzi X. 83 | 6.7 | 10. 19. 58'86 | 35'18 | 3 | + 3'225 | + 15. 11. 2'88 | 34'59 | 5 | —18'178 | ... | ... | 83 |
| 4666 | 4683 | 36 Ursæ Majoris | 5 | 10. 20. 0'80 | 31'69 | 9 | + 3'936 | + 56. 49. 24'37 | 32'49 | 13 | —18'180 | 1454 | ... | 80 |
| 4667 | 4684 | Bradley 1456 | 6 | 10. 20. 22'38 | 34'75 | 9 | + 3'044 | — 2. 54. 3'77 | 35'20 | 8 | —18'195 | 1456 | ... | ... |
| 4668 | 4685 | 32. Leonis Minoris | 6.7 | 10. 20. 27'11 | 35'20 | 3 | + 3'540 | + 39. 45. 59'34 | 34'55 | 4 | —18'196 | 1455 | ... | 84 |
| 4669 | 4686 | Piazzi X. 85 | 7 | 10. 20. 27'43 | 34'78 | 3 | + 3'181 | + 10. 59. 51'95 | 34'59 | 5 | —18'196 | ... | ... | 85 |
| 4670 | 4687 | Brisbane 3017 | 6.7 | 10. 20. 28'18 | 38'23 | 3 | + 2'297 | — 54. 2. 23'09 | 38'23 | 3 | —18'197 | ... | ... | ... |
| 4671 | 4688 | Lacaille 4303 | 7 | 10. 20. 40'76 | 38'63 | 3 | + 2'539 | — 43. 30. 8'41 | 38'63 | 3 | —18'203 | ... | 4303 | ... |
| 4672 | 4689 | Brisbane 3019 | 7.8 | 10. 20. 48'65 | 39'58 | 8 | + 2'216 | — 56. 46. 3'86 | 39'49 | 7 | —18'209 | ... | ... | ... |
| 4673 | 4690 | Bradley 1446 | 6 | 10. 20. 50'79 | 35'23 | 3 | + 5'417 | + 76. 33. 32'40 | 34'43 | 4 | —18'210 | 1446 | ... | 78 |
| 4674 | 4691 | 29 Sextantis | 6 | 10. 21. 5'90 | 35'64 | 10 | + 3'054 | — 1. 53. 49'46 | 32'25 | 5 | —18'219 | 1457 | ... | 86 |
| 4675 | 4692 | Carinæ | 5 | 10. 21. 6'74 | 32'23 | 6 | + 1'221 | — 73. 11. 37'46 | 31'25 | 4 | —18'220 | ... | 4319 | ... |
| 4676 | 4693 | Brisbane 3021 | 8.9 | 10. 21. 14'26 | 40'39 | 9 | + 2'442 | — 48. 25. 45'82 | 40'85 | 12 | —18'225 | ... | ... | ... |
| 4677 | 4694 | Velorum | 6 | 10. 21. 16'94 | 38'49 | 3 | + 2'219 | — 56. 47. 56'48 | 38'92 | 4 | —18'227 | ... | 4310 | ... |
| 4678 | 4695 | Lacaille 4305 | 6.7 | 10. 21. 17'57 | 38'58 | 3 | + 2'440 | — 48. 33. 47'81 | 38'58 | 3 | —18'228 | ... | 4305 | ... |
| 4679 | 4696 | Brisbane 3026 | 8 | 10. 21. 31'61 | 38'52 | 3 | + 2'060 | — 61. 10. 31'70 | 38'52 | 3 | —18'233 | ... | ... | ... |
| 4680 | 4697 | Lacaille 4307 | 7 | 10. 21. 48'21 | 39'47 | 6 | + 2'650 | — 37. 13. 1'36 | 39'47 | 6 | —18'244 | ... | 4307 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 4681 | 4698 | Carinae | 5 | h m s 10. 21. 50.22 | 38.17 | 5 | + 2.187 | — 57. 53. 55.37 | 38.19 | 3 | —18.245 | ... | 4314 | ... |
| 4682 | 4699 | 30 Sextantis | 6 | 10. 21. 51.57 | 32.38 | 4 | + 3.074 | + 0. 12. 24.16 | 31.71 | 5 | —18.246 | 1459 | ... | 87 |
| 4683 | 4700 | Lacaille 4306 | 5.6 | 10. 21. 52.27 | 33.21 | 6 | + 2.767 | — 28. 49. 20.40 | 32.24 | 5 | —18.247 | ... | 4306 | 90 |
| 4684 | 4701 | 31 Sextantis | 7 | 10. 21. 59.45 | 33.24 | 6 | + 3.101 | + 2. 59. 42.83 | 32.23 | 5 | —18.251 | 1460 | ... | 89 |
| 4685 | 4702 | Piazzi X. 92 | 9 | 10. 22. 0.07 | 37.33 | 7 | + 2.718 | — 32. 33. 57.24 | 36.45 | 4 | —18.252 | ... | ... | 92 |
| 4686 | 4703 | Antliae | 6 | 10. 22. 0.14 | 33.26 | 6 | + 2.755 | — 29. 45. 53.25 | 34.61 | 8 | —18.252 | ... | 4309 | 91 |
| 4687 | 4704 | Piazzi X. 88 | 8 | 10. 22. 24.55 | 36.48 | 3 | + 3.845 | + 54. 25. 56.00 | 36.44 | 4 | —18.267 | ... | ... | 88 |
| 4688 | 4705 | 33 Leonis Minoris | 6.7 | 10. 22. 28.19 | 35.16 | 3 | + 3.433 | + 33. 13. 23.88 | 34.54 | 4 | —18.269 | 1461 | ... | 93 |
| 4689 | 4706 | Lacaille 4320 | 7 | 10. 22. 36.52 | 39.39 | 6 | + 2.243 | — 56. 23. 28.86 | 39.38 | 6 | —18.274 | ... | 4320 | ... |
| 4690 | 4707 | Bradley 1462 | 6.7 | 10. 22. 43.19 | 35.10 | 3 | + 3.007 | — 6. 47. 37.93 | 34.43 | 4 | —18.278 | 1462 | ... | 94 |
| 4691 | 4708 | Brisbane 3036 | 7.8 | 10. 22. 58.10 | 38.24 | 3 | + 2.118 | — 60. 3. 8.79 | 38.27 | 2 | —18.286 | ... | ... | ... |
| 4692 | 4709 | Lacaille 4323 | 9 | 10. 23. 6.85 | 38.21 | 3 | + 2.167 | — 58. 46. 9.16 | 38.21 | 3 | —18.293 | ... | 4323 | ... |
| 4693 | 4710 | Lacaille 4317 | 7.8 | 10. 23. 7.95 | 38.30 | 3 | + 2.809 | — 25. 38. 24.09 | 38.30 | 3 | —18.294 | ... | 4317 | ... |
| 4694 | 4711 | Lacaille 4328 | 8.9 | 10. 23. 9.59 | 39.19 | 4 | + 2.053 | — 61. 42. 25.85 | 38.17 | 2 | —18.296 | ... | 4328 | ... |
| 4695 | 4712 | Piazzi X. 95 | 7 | 10. 23. 20.11 | 35.38 | 4 | + 3.835 | + 54. 20. 41.98 | 34.53 | 4 | —18.300 | ... | ... | 95 |
| 4696 | 4713 | 46 Leonis | 6 | 10. 23. 23.08 | 32.26 | 5 | + 3.218 | + 14. 58. 54.00 | 32.78 | 5 | —18.302 | 1463 | ... | 97 |
| 4697 | 4714 | Lacaille 4325 | 8 | 10. 23. 30.97 | 38.55 | 3 | + 2.316 | — 54. 8. 3.24 | 38.55 | 3 | —18.307 | ... | 4325 | ... |
| 4698 | 4715 | Piazzi X. 96 | 8 | 10. 23. 38.61 | 36.19 | 5 | + 3.723 | + 50. 1. 36.89 | 36.59 | 5 | —18.311 | ... | ... | 96 |
| 4699 | 4716 | 32 Sextantis | 7 | 10. 23. 44.19 | 32.23 | 6 | + 3.124 | + 5. 29. 21.35 | 32.25 | 4 | —18.314 | 1466 | ... | 98 |
| 4700 | 4717 | Lacaille 4327 | 7 | 10. 23. 54.29 | 38.61 | 3 | + 2.555 | — 43. 31. 24.21 | 38.76 | 2 | —18.320 | ... | 4327 | ... |
| 4701 | 4718 | Brisbane 3048 | 7.8 | 10. 23. 57.40 | 38.56 | 3 | + 2.593 | — 41. 22. 33.23 | 38.56 | 3 | —18.322 | ... | ... | ... |
| 4702 | 4719 | Lacaille 4326 | 7 | 10. 24. 3.72 | 38.60 | 3 | + 2.701 | — 34. 16. 48.81 | 38.60 | 3 | —18.327 | ... | 4326 | ... |
| 4703 | 4720 | 34 Leonis Minoris | 6 | 10. 24. 3.91 | 35.18 | 3 | + 3.464 | + 35. 50. 8.40 | 34.44 | 4 | —18.327 | 1465 | ... | 99 |
| 4704 | 4721 | Lacaille 4329 | 7 | 10. 24. 4.26 | 38.56 | 3 | + 2.593 | — 41. 23. 2.33 | 38.56 | 3 | —18.327 | ... | 4329 | ... |
| 4705 | 4722 | 47 Leonis | 4 | 10. 24. 7.10 | 33.00 | 13 | + 3.169 | + 10. 9. 10.94 | 32.21 | 10 | —18.329 | 1467 | ... | 102 |
| 4706 | 4723 | Piazzi X. 100 | 7 | 10. 24. 14.44 | 35.21 | 2 | + 3.718 | + 49. 57. 21.37 | 34.55 | 4 | —18.332 | ... | ... | 100 |
| 4707 | 4724 | 37 Ursae Majoris | 5 | 10. 24. 28.44 | 32.27 | 8 | + 3.936 | + 57. 55. 44.77 | 32.34 | 11 | —18.341 | 1464 | ... | 101 |
| 4708 | 4725 | Piazzi X. 103 | 8 | 10. 24. 35.24 | 36.52 | 3 | + 2.845 | — 22. 45. 18.47 | 36.52 | 3 | —18.344 | ... | ... | 103 |
| 4709 | 4726 | 43 Hydrae | 7 | 10. 24. 40.05 | 35.23 | 3 | + 2.916 | — 16. 6. 29.92 | 34.55 | 4 | —18.347 | ... | ... | 104 |
| 4710 | 4727 | Lacaille 4333 | 7 | 10. 24. 40.51 | 39.66 | 5 | + 2.557 | — 43. 38. 20.31 | 39.66 | 5 | —18.347 | ... | 4333 | ... |
| 4711 | 4728 | Lacaille 4337 | 7.8 | 10. 24. 47.94 | 38.21 | 3 | + 2.118 | — 60. 30. 43.94 | 38.21 | 3 | —18.352 | ... | 4337 | ... |
| 4712 | 4729 | Velorum | 6.7 | 10. 24. 54.39 | 37.18 | 5 | + 2.548 | — 44. 13. 26.98 | 40.23 | 2 | —18.355 | ... | 4334 | 106 |
| 4713 | 4730 | Piazzi X. 107 | 6.7 | 10. 24. 55.64 | 37.71 | 6 | + 2.548 | — 44. 13. 13.59 | 36.80 | 11 | —18.356 | ... | ... | 107 |
| 4714 | 4731 | Velorum | 7 | 10. 24. 58.10 | 38.49 | 3 | + 2.360 | — 52. 52. 43.20 | 38.49 | 3 | —18.358 | ... | 4336 | ... |
| 4715 | 4732 | Brisbane 3061 | 8 | 10. 24. 58.36 | 40.42 | 6 | + 2.236 | — 57. 12. 13.11 | 40.87 | 8 | —18.358 | ... | ... | ... |
| 4716 | 4733 | Piazzi X. 108 | 8 | 10. 25. 19.39 | 36.43 | 4 | + 2.730 | — 32. 31. 16.98 | 36.19 | 3 | —18.371 | ... | ... | 108 |
| 4717 | 4734 | Piazzi X. 105 | 7 | 10. 25. 24.53 | 35.16 | 3 | + 3.568 | + 42. 45. 30.87 | 34.45 | 4 | —18.374 | ... | ... | 105 |
| 4718 | 4735 | Lacaille 4339 | 6.7 | 10. 25. 29.82 | 38.58 | 3 | + 2.559 | — 43. 46. 13.01 | 38.51 | 4 | —18.377 | ... | 4339 | ... |
| 4719 | 4736 | Brisbane 3065 | 8 | 10. 25. 39.99 | 38.61 | 3 | + 2.577 | — 42. 46. 49.29 | 38.61 | 3 | —18.382 | ... | ... | ... |
| 4720 | 4737 | Velorum | 6 | 10. 25. 59.76 | 35.10 | 3 | + 2.517 | — 46. 9. 20.46 | 34.47 | 4 | —18.394 | ... | 4344 | 113 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{cxi}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 4721 | 4738 | Piazzi X. 109 | 7 | h m s 10. 26. 3.00 | 35.21 | 3 | + 3.778 | + 52. 57. 34.24 | 34.46 | 4 | -18.396 | ... | ... | 109 |
| 4722 | 4739 | Lacaille 4340 | 8 | 10. 26. 7.78 | 38.54 | 3 | + 2.806 | - 26. 29. 59.84 | 38.54 | 3 | -18.399 | ... | 4340 | ... |
| 4723 | 4740 | Carina | 4 | 10. 26. 10.33 | 32.02 | 11 | + 2.118 | - 60. 50. 19.07 | 31.84 | 12 | -18.400 | ... | 4348 | ... |
| 4724 | 4741 | 44 Hydre | 6 | 10. 26. 10.59 | 32.23 | 5 | + 2.847 | - 22. 53. 49.51 | 32.19 | 5 | -18.400 | 1471 | ... | 111 |
| 4725 | 4742 | 48 Leonis | 5.6 | 10. 26. 11.54 | 31.59 | 7 | + 3.145 | + 7. 48. 2.30 | 32.23 | 5 | -18.401 | 1468 | ... | 110 |
| 4726 | 4743 | Brisbane 3063 | 8 | 10. 26. 11.77 | 39.25 | 5 | + 2.230 | - 57. 41. 53.71 | 39.24 | 5 | -18.401 | ... | ... | ... |
| 4727 | 4744 | Lacaille 4345 | 7 | 10. 26. 14.45 | 38.56 | 3 | + 2.635 | - 39. 23. 18.23 | 38.56 | 3 | -18.402 | ... | 4345 | ... |
| 4728 | 4745 | 49 Leonis | 6 | 10. 26. 22.58 | 32.33 | 5 | + 3.161 | + 9. 30. 2.76 | 32.21 | 4 | -18.407 | 1469 | ... | 112 |
| 4729 | 4746 | Brisbane 3075 | 9 | 10. 26. 25.20 | 38.21 | 3 | + 2.187 | - 59. 1. 4.83 | 38.21 | 3 | -18.409 | ... | ... | ... |
| 4730 | 4747 | Brisbane 3077 | 9 | 10. 26. 33.34 | 39.42 | 6 | + 2.503 | - 47. 0. 38.17 | 39.42 | 6 | -18.413 | ... | ... | ... |
| 4731 | 4748 | Brisbane 3076 | 6.7 | 10. 26. 38.21 | 40.07 | 13 | + 2.230 | - 57. 49. 6.88 | 40.36 | 15 | -18.415 | ... | ... | ... |
| 4732 | 4749 | 35 Leonis Minoris | 6.7 | 10. 26. 51.97 | 35.19 | 3 | + 3.473 | + 37. 10. 46.14 | 34.53 | 4 | -18.424 | 1470 | ... | 114 |
| 4733 | 4750 | Lacaille 4347 | 6.7 | 10. 26. 53.45 | 38.63 | 3 | + 2.681 | - 36. 32. 15.35 | 38.63 | 3 | -18.425 | ... | 4347 | ... |
| 4734 | 4751 | Lacaille 4355 | 8 | 10. 26. 56.04 | 38.18 | 3 | + 2.184 | - 59. 15. 55.25 | 38.18 | 3 | -18.427 | ... | 4355 | ... |
| 4735 | 4752 | Piazzi X. 115 | 8 | 10. 27. 8.68 | 36.44 | 4 | + 2.731 | - 32. 54. 52.76 | 36.44 | 4 | -18.434 | ... | ... | 115 |
| 4736 | 4753 | Lacaille 4349 | 7 | 10. 27. 11.50 | 39.10 | 5 | + 2.762 | - 30. 29. 32.55 | 39.31 | 6 | -18.435 | ... | 4349 | ... |
| 4737 | 4754 | Lacaille 4356 | 7 | 10. 27. 12.47 | 40.44 | 6 | + 2.250 | - 57. 20. 26.93 | 40.04 | 5 | -18.436 | ... | 4356 | ... |
| 4738 | 4755 | Brisbane 3084 | 8 | 10. 27. 21.14 | 38.57 | 3 | + 2.211 | - 58. 34. 10.72 | 38.57 | 3 | -18.441 | ... | ... | ... |
| 4739 | 4756 | Piazzi X. 116 | 7 | 10. 27. 27.55 | 35.24 | 3 | + 3.145 | + 7. 53. 31.23 | 34.48 | 4 | -18.446 | ... | ... | 116 |
| 4740 | 4757 | Lacaille 4358 | 6 | 10. 27. 53.77 | 38.61 | 3 | + 2.653 | - 38. 42. 43.31 | 38.61 | 3 | -18.460 | ... | 4358 | ... |
| 4741 | 4758 | Lacaille 4362 | 8.9 | 10. 28. 2.84 | 38.49 | 3 | + 2.549 | - 45. 2. 45.77 | 38.65 | 2 | -18.466 | ... | 4362 | ... |
| 4742 | 4759 | Hydre | 6 | 10. 28. 13.65 | 32.25 | 6 | + 2.927 | - 15. 29. 31.60 | 31.69 | 5 | -18.473 | 1474 | ... | 118 |
| 4743 | 4760 | Lacaille 4366 | 6.7 | 10. 28. 14.08 | 38.17 | 3 | + 2.164 | - 60. 8. 11.96 | 38.17 | 3 | -18.473 | ... | 4366 | ... |
| 4744 | 4762 | 36 Leonis Minoris | 6.7 | 10. 28. 29.59 | 35.12 | 2 | + 3.435 | + 34. 55. 54.09 | 34.55 | 4 | -18.481 | 1473 | ... | 117 |
| 4745 | 4763 | Brisbane 3093 | 7 | 10. 28. 47.17 | 39.33 | 6 | + 2.279 | - 56. 49. 29.93 | 39.16 | 5 | -18.490 | ... | ... | ... |
| 4746 | 4764 | Lacaille 4363 | 7 | 10. 28. 53.19 | 38.26 | 2 | + 2.798 | - 27. 55. 9.51 | 38.26 | 2 | -18.493 | ... | 4363 | ... |
| 4747 | 4765 | Piazzi X. 119 | 7 | 10. 28. 54.77 | 35.18 | 3 | + 3.242 | + 18. 8. 0.83 | 34.69 | 6 | -18.495 | ... | ... | 119 |
| 4748 | 4766 | Lacaille 4364 | 8.9 | 10. 28. 58.18 | 37.18 | 7 | + 2.811 | - 26. 48. 12.67 | 37.33 | 7 | -18.497 | ... | 4364 | 120 |
| 4749 | 4767 | Lacaille 4369 | 7 | 10. 28. 59.25 | 38.54 | 3 | + 2.490 | - 48. 22. 40.25 | 38.54 | 3 | -18.497 | ... | 4369 | ... |
| 4750 | 4768 | Lacaille 4365 | 7 | 10. 29. 2.21 | 38.30 | 3 | + 2.744 | - 32. 25. 5.39 | 38.30 | 3 | -18.499 | ... | 4365 | ... |
| 4751 | 4761 | Gould 14473 | 8 | 10. 29. ... | ... | ... | + 2.443 | - 50. 34. 35.30 | 39.22 | 4 | -18.499 | ... | ... | ... |
| 4752 | 4769 | Carina | 6.7 | 10. 29. 16.17 | 38.90 | 4 | + 2.287 | - 56. 42. 17.91 | 38.89 | 4 | -18.507 | ... | 4373 | ... |
| 4753 | 4770 | 37 Leonis Minoris | 4 | 10. 29. 24.87 | 31.82 | 14 | + 3.404 | + 32. 49. 50.53 | 33.25 | 16 | -18.513 | 1475 | ... | 121 |
| 4754 | 4771 | Brisbane 3105 | 7 | 10. 29. 25.69 | 38.14 | 2 | + 2.269 | - 57. 20. 24.94 | 38.14 | 3 | -18.513 | ... | ... | ... |
| 4755 | 4772 | Lacaille 4370 | 6 | 10. 29. 29.85 | 32.28 | 6 | + 2.815 | - 26. 33. 33.51 | 32.21 | 5 | -18.515 | ... | 4370 | 123 |
| 4756 | 4773 | Lacaille 4375 | 7 | 10. 29. 32.96 | 38.18 | 4 | + 2.269 | - 57. 22. 17.02 | 38.18 | 4 | -18.516 | ... | 4375 | ... |
| 4757 | 4774 | Lacaille 4371 | 7 | 10. 29. 36.16 | 38.55 | 3 | + 2.764 | - 30. 54. 31.52 | 38.55 | 3 | -18.518 | ... | 4371 | ... |
| 4758 | 4775 | 38 Leonis Minoris | 6.7 | 10. 29. 39.82 | 35.18 | 2 | + 3.484 | + 38. 46. 1.75 | 34.53 | 4 | -18.520 | 1477 | ... | 122 |
| 4759 | 4776 | Brisbane 3108 | 7.8 | 10. 29. 44.13 | 38.56 | 3 | + 2.533 | - 46. 24. 5.58 | 38.56 | 3 | -18.522 | ... | ... | ... |
| 4760 | 4777 | 50 Leonis | 6.7 | 10. 30. 3.11 | 32.37 | 7 | + 3.228 | + 16. 59. 1.82 | 32.19 | 5 | -18.534 | 1478 | ... | 125 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 4761 | 4778 | Carinae ¹ | 7 | h m s 10. 30. 10.92 | 38.21 | 3 | + 2.232 | — 58. 42. 31.83 | 38.21 | 3 | —18.538 | ... | 4380 | ... |
| 4762 | 4779 | Lacaille 4374 | 7 | 10. 30. 12.63 | 38.57 | 3 | + 2.716 | — 34. 51. 55.18 | 38.57 | 3 | —18.540 | ... | 4374 | ... |
| 4763 | 4780 | Lacaille 4377 | 7.8 | 10. 30. 13.38 | 38.57 | 3 | + 2.601 | — 42. 40. 9.87 | 38.57 | 3 | —18.540 | ... | 4377 | ... |
| 4764 | 4781 | Lacaille 4383 | 8 | 10. 30. 20.60 | 38.22 | 3 | + 2.245 | — 58. 20. 10.83 | 38.22 | 3 | —18.544 | ... | 4383 | ... |
| 4765 | 4782 | Velorum ² | 5 | 10. 30. 23.37 | 32.23 | 12 | + 2.519 | — 47. 22. 14.59 | 31.42 | 5 | —18.545 | ... | 4378 | ... |
| 4766 | 4783 | Brisbane 3117 | 8 | 10. 30. 27.69 | 38.22 | 3 | + 2.247 | — 58. 18. 49.36 | 38.22 | 3 | —18.547 | ... | ... | ... |
| 4767 | 4784 | Hydra ³ | 5 | 10. 30. 32.97 | 32.01 | 11 | + 2.926 | — 16. 1. 20.78 | 32.34 | 11 | —18.549 | 1479 | ... | 127 |
| 4768 | 4785 | 38 Ursae Majoris | 6 | 10. 30. 35.89 | 37.75 | 6 | + 4.246 | + 66. 34. 38.83 | 36.95 | 7 | —18.551 | 1476 | ... | 124 |
| 4769 | 4786 | Lacaille 4381 | 6.7 | 10. 30. 38.33 | 38.23 | 3 | + 2.398 | — 53. 0. 2.08 | 38.23 | 3 | —18.552 | ... | 4381 | ... |
| 4770 | 4787 | Piazzi X. 128 | 7 | 10. 31. 2.99 | 35.09 | 3 | + 3.158 | + 9. 41. 59.72 | 34.48 | 5 | —18.567 | ... | ... | 128 |
| 4771 | 4788 | Piazzi X. 130 | 8 | 10. 31. 6.67 | 36.42 | 4 | + 2.920 | — 16. 43. 14.00 | 36.43 | 4 | —18.569 | ... | ... | 130 |
| 4772 | 4789 | Piazzi X. 126 | 5 | 10. 31. 8.13 | 32.64 | 5 | + 4.456 | + 69. 56. 8.89 | 31.29 | 5 | —18.570 | ... | ... | 126 |
| 4773 | 4790 | Lacaille 4388 | 6.7 | 10. 31. 10.82 | 38.32 | 3 | + 2.267 | — 57. 52. 42.12 | 38.32 | 3 | —18.571 | ... | 4388 | ... |
| 4774 | 4791 | 39 Leonis Minoris | 6.7 | 10. 31. 12.33 | 35.20 | 3 | + 3.345 | + 28. 22. 56.79 | 34.64 | 5 | —18.572 | 1480 | ... | 129 |
| 4775 | 4792 | Lacaille 4386 | 6.7 | 10. 31. 36.37 | 38.33 | 3 | + 2.621 | — 41. 53. 47.96 | 38.33 | 3 | —18.584 | ... | 4386 | ... |
| 4776 | 4793 | Lacaille 4390 | 6.7 | 10. 31. 38.78 | 38.60 | 3 | + 2.315 | — 56. 24. 3.12 | 38.60 | 3 | —18.586 | ... | 4390 | ... |
| 4777 | 4794 | Lacaille 4387 | 7 | 10. 31. 48.14 | 38.35 | 3 | + 2.710 | — 35. 49. 13.76 | 38.35 | 3 | —18.591 | ... | 4387 | ... |
| 4778 | 4795 | Brisbane 3125 | 7.8 | 10. 32. 13.75 | 38.62 | 3 | + 2.124 | — 62. 11. 55.42 | 38.62 | 3 | —18.606 | ... | ... | ... |
| 4779 | 4796 | Carinae ² | 5.6 | 10. 32. 29.12 | 38.22 | 3 | + 2.264 | — 58. 19. 33.58 | 38.22 | 3 | —18.614 | ... | 4396 | ... |
| 4780 | 4797 | Lacaille 4397 | 7.8 | 10. 32. 30.25 | 39.37 | 8 | + 2.262 | — 58. 24. 19.07 | 39.22 | 9 | —18.614 | ... | 4397 | ... |
| 4781 | 4798 | Brisbane 3134 | 8.9 | 10. 32. 41.96 | 38.81 | 5 | + 2.264 | — 58. 24. 43.73 | 38.94 | 4 | —18.620 | ... | ... | ... |
| 4782 | 4799 | Lacaille 4401 | 7 | 10. 32. 42.85 | 38.62 | 3 | + 2.278 | — 57. 57. 35.71 | 38.62 | 3 | —18.620 | ... | 4401 | ... |
| 4783 | 4800 | Velorum ^X | 5.6 | 10. 32. 45.70 | 38.27 | 3 | + 2.369 | — 54. 44. 50.14 | 38.27 | 3 | —18.622 | ... | 4398 | ... |
| 4784 | 4801 | Piazzi X. 132 | 9 | 10. 32. 50.31 | 36.42 | 4 | + 3.203 | + 14. 50. 15.31 | 36.44 | 4 | —18.624 | ... | ... | 132 |
| 4785 | 4802 | Brisbane 3136 | 7.8 | 10. 32. 51.51 | 38.27 | 3 | + 2.370 | — 54. 45. 3.31 | 38.27 | 3 | —18.625 | ... | ... | ... |
| 4786 | 4803 | Piazzi X. 131 | 6 | 10. 32. 55.30 | 35.15 | 3 | + 3.389 | + 32. 33. 29.69 | 34.54 | 4 | —18.628 | ... | ... | 131 |
| 4787 | 4804 | 33 Sextantis | 6 | 10. 33. 0.77 | 32.23 | 6 | + 3.064 | — 0. 52. 34.65 | 31.69 | 5 | —18.631 | 1482 | ... | 134 |
| 4788 | 4805 | Lacaille 4404 | 7.8 | 10. 33. 11.77 | 38.54 | 3 | + 2.452 | — 51. 25. 33.62 | 38.54 | 3 | —18.636 | ... | 4404 | ... |
| 4789 | 4806 | Brisbane 3139 | 7.8 | 10. 33. 11.97 | 38.21 | 3 | + 2.555 | — 46. 18. 7.61 | 38.21 | 3 | —18.636 | ... | ... | ... |
| 4790 | 4807 | 39 Ursae Majoris | 6.7 | 10. 33. 14.95 | 35.19 | 4 | + 3.864 | + 58. 3. 45.57 | 35.18 | 3 | —18.638 | 1481 | ... | 133 |
| 4791 | 4808 | Lacaille 4399 | 7 | 10. 33. 20.43 | 38.24 | 3 | + 2.728 | — 34. 52. 59.16 | 38.24 | 3 | —18.642 | ... | 4399 | ... |
| 4792 | 4809 | Lacaille 4408 | 8.9 | 10. 33. 22.32 | 38.17 | 3 | + 2.213 | — 60. 7. 39.91 | 38.18 | 2 | —18.643 | ... | 4408 | ... |
| 4793 | 4810 | Piazzi X. 135 | 6.7 | 10. 33. 49.01 | 35.14 | 6 | + 3.600 | + 47. 4. 6.70 | 34.54 | 4 | —18.656 | ... | ... | 135 |
| 4794 | 4812 | 40 Leonis Minoris | 5.6 | 10. 33. 57.54 | 31.60 | 7 | + 3.324 | + 27. 11. 24.70 | 32.22 | 5 | —18.660 | 1483 | ... | 136 |
| 4795 | 4813 | Lacaille 4407 | 7 | 10. 33. 58.48 | 38.24 | 3 | + 2.731 | — 34. 52. 14.79 | 38.24 | 3 | —18.661 | ... | 4407 | ... |
| 4796 | 4814 | 34 Sextantis | 6 | 10. 34. 5.96 | 35.89 | 15 | + 3.110 | + 4. 26. 35.30 | 35.86 | 9 | —18.665 | 1484 | ... | 138 |
| 4797 | 4815 | Piazzi X. 137 | 7.8 | 10. 34. 17.22 | 35.15 | 5 | + 3.597 | + 47. 4. 18.25 | 34.47 | 4 | —18.671 | ... | ... | 137 |
| 4798 | 4816 | Brisbane 3152 | 9.10 | 10. 34. 17.55 | 38.22 | 2 | + 2.269 | — 58. 41. 2.68 | 38.54 | 3 | —18.672 | ... | ... | ... |
| 4799 | 4817 | Bradley 1485 | 5.6 | 10. 34. 26.08 | 32.26 | 5 | + 3.290 | + 24. 3. 0.51 | 32.23 | 5 | —18.675 | 1485 | ... | 139 |
| 4800 | 4818 | Brisbane 3154 | 7 | 10. 34. 28.35 | 38.47 | 3 | + 2.319 | — 57. 4. 30.21 | 38.47 | 3 | —18.677 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 4801 | 4819 | Lacaille 4413..... | 7 | h m s 10. 34. 33.88 | 39.66 | 7 | + 2.586 | — 44. 54. 34.33 | 39.66 | 7 | —18.680 | ... | 4413 | ... |
| 4802 | 4820 | Piazzi X. 140..... | 8 | 10. 34. 36.11 | 36.44 | 4 | + 3.119 | + 5. 31. 44.95 | 36.47 | 4 | —18.681 | ... | ... | 140 |
| 4803 | 4821 | 35 Sextantis..... | 7 | 10. 34. 46.66 | 32.30 | 5 | + 3.120 | + 5. 36. 40.91 | 32.25 | 5 | —18.687 | 1487 | ... | 141 |
| 4804 | 4822 | Brisbane 3155..... | 9 | 10. 34. 48.41 | 40.56 | 3 | + 2.681 | — 38. 50. 1.57 | 39.71 | 6 | —18.688 | ... | ... | ... |
| 4805 | 4823 | Lacaille 4420..... | 7.8 | 10. 34. 57.39 | 38.69 | 4 | + 2.261 | — 59. 6. 46.02 | 38.59 | 5 | —18.692 | ... | 4420 | ... |
| 4806 | 4824 | Lacaille 4422..... | 7.8 | 10. 35. 0.44 | 38.22 | 3 | + 2.271 | — 58. 48. 58.66 | 38.22 | 3 | —18.694 | ... | 4422 | ... |
| 4807 | 4825 | Lacaille 4415..... | 6 | 10. 35. 4.62 | 35.09 | 3 | + 2.771 | — 31. 51. 13.54 | 34.46 | 4 | —18.697 | ... | 4415 | 143 |
| 4808 | 4826 | Brisbane 3163..... | 7.8 | 10. 35. 16.65 | 38.21 | 3 | + 2.566 | — 46. 21. 30.07 | 38.21 | 3 | —18.703 | ... | ... | ... |
| 4809 | 4827 | 40 Ursæ Majoris..... | 7 | 10. 35. 36.16 | 35.21 | 3 | + 3.836 | + 57. 47. 4.29 | 34.55 | 4 | —18.713 | 1486 | ... | 142 |
| 4810 | 4828 | Lacaille 4419..... | 7 | 10. 35. 37.06 | 38.56 | 3 | + 2.784 | — 30. 53. 41.14 | 38.56 | 3 | —18.713 | ... | 4419 | ... |
| 4811 | 4829 | 41 Ursæ Majoris..... | 6.7 | 10. 35. 58.65 | 35.13 | 3 | + 3.846 | + 58. 14. 1.84 | 34.52 | 4 | —18.726 | 1488 | ... | 144 |
| 4812 | 4830 | Lacaille 4426..... | 7.8 | 10. 36. 9.61 | 38.57 | 3 | + 2.696 | — 38. 11. 44.41 | 38.57 | 3 | —18.731 | ... | 4426 | ... |
| 4813 | 4831 | Lacaille 4433..... | 7.8 | 10. 36. 9.98 | 38.61 | 3 | + 2.362 | — 56. 0. 54.32 | 38.61 | 3 | —18.731 | ... | 4433 | ... |
| 4814 | 4832 | Lacaille 4435..... | 6.7 | 10. 36. 18.84 | 38.30 | 6 | + 2.297 | — 58. 21. 11.69 | 38.28 | 5 | —18.736 | ... | 4435 | ... |
| 4815 | 4833 | Lacaille 4440..... | 5 | 10. 36. 24.18 | 35.07 | 13 | + 2.111 | — 63. 36. 16.33 | 35.35 | 9 | —18.738 | ... | 4440 | ... |
| 4816 | 4834 | 36 Sextantis..... | 6 | 10. 36. 39.43 | 35.17 | 6 | + 3.100 | + 3. 21. 14.36 | 32.26 | 5 | —18.746 | 1491 | ... | 147 |
| 4817 | 4835 | 42 Leonis Minoris..... | 4.5 | 10. 36. 40.33 | 32.20 | 6 | + 3.364 | + 31. 32. 56.74 | 33.16 | 25 | —18.747 | 1490 | ... | 145 |
| 4818 | 4836 | Piazzi X. 146..... | 8 | 10. 36. 42.54 | 36.43 | 4 | + 3.363 | + 31. 29. 35.39 | 36.20 | 2 | —18.748 | ... | ... | 146 |
| 4819 | 4837 | Brisbane 3179..... | 8.9 | 10. 36. 45.16 | 38.37 | 1 | + 2.727 | — 35. 57. 45.55 | 38.37 | 1 | —18.749 | ... | ... | ... |
| 4820 | 4838 | Lacaille 4443..... | 7.8 | 10. 36. 51.41 | 38.18 | 3 | + 2.246 | — 60. 7. 25.77 | 38.18 | 3 | —18.752 | ... | 4443 | ... |
| 4821 | 4839 | Piazzi X. 148..... | 7 | 10. 36. 56.68 | 35.19 | 3 | + 3.142 | + 8. 22. 46.94 | 34.58 | 3 | —18.755 | ... | ... | 148 |
| 4822 | 4840 | Lacaille 4445..... | 7.8 | 10. 36. 58.07 | 38.18 | 3 | + 2.241 | — 60. 18. 19.64 | 38.18 | 3 | —18.756 | ... | 4445 | ... |
| 4823 | 4841 | Argûs..... | 2.3 | 10. 37. 5.46 | 32.55 | 18 | + 2.121 | — 63. 31. 54.04 | 33.91 | 14 | —18.760 | ... | 4447 | ... |
| 4824 | 4842 | Lacaille 4437..... | 7 | 10. 37. 6.75 | 38.23 | 4 | + 2.727 | — 36. 3. 54.26 | 38.28 | 4 | —18.761 | ... | 4437 | ... |
| 4825 | 4843 | Lacaille 4438..... | 8 | 10. 37. 10.70 | 38.28 | 2 | + 2.712 | — 37. 16. 41.14 | 38.28 | 2 | —18.763 | ... | 4438 | ... |
| 4826 | 4844 | Lacaille 4446..... | 5.6 | 10. 37. 16.50 | 38.32 | 3 | + 2.264 | — 59. 42. 11.92 | 38.32 | 3 | —18.765 | ... | 4446 | ... |
| 4827 | 4845 | Piazzi X. 151..... | 8 | 10. 37. 19.64 | 36.42 | 4 | + 2.812 | — 28. 49. 10.05 | 36.48 | 4 | —18.767 | ... | ... | 151 |
| 4828 | 4846 | 37 Sextantis..... | 6 | 10. 37. 30.07 | 32.46 | 12 | + 3.132 | + 7. 14. 27.24 | 33.29 | 13 | —18.772 | 1493 | ... | 150 |
| 4829 | 4847 | 51 Leonis..... | 6 | 10. 37. 30.66 | 35.65 | 10 | + 3.241 | + 19. 45. 33.55 | 39.12 | 7 | —18.773 | 1492 | ... | 149 |
| 4830 | 4848 | Brisbane 3186..... | 9 | 10. 37. 31.25 | 38.55 | 3 | + 2.402 | — 54. 55. 22.54 | 38.55 | 3 | —18.773 | ... | ... | ... |
| 4831 | 4849 | Lacaille 4448..... | 7.8 | 10. 37. 33.92 | 40.35 | 9 | + 2.281 | — 59. 15. 11.97 | 39.37 | 6 | —18.774 | ... | 4448 | ... |
| 4832 | 4850 | Lacaille 4449..... | 8 | 10. 37. 35.94 | 38.54 | 3 | + 2.299 | — 58. 41. 2.08 | 38.24 | 2 | —18.775 | ... | 4449 | ... |
| 4833 | 4851 | 52 Leonis..... | 6 | 10. 37. 40.21 | 34.13 | 12 | + 3.199 | + 15. 3. 50.76 | 38.70 | 6 | —18.778 | 1494 | ... | 152 |
| 4834 | 4852 | Brisbane 3190..... | 8.9 | 10. 37. 47.33 | 38.54 | 3 | + 2.300 | — 58. 42. 43.46 | 38.24 | 2 | —18.781 | ... | ... | ... |
| 4835 | 4853 | Lacaille 4451..... | 7.8 | 10. 38. 2.78 | 39.25 | 6 | + 2.289 | — 59. 7. 42.49 | 39.25 | 6 | —18.790 | ... | 4451 | ... |
| 4836 | 4854 | Piazzi X. 153..... | 7.8 | 10. 38. 15.16 | 35.13 | 3 | + 3.824 | + 58. 10. 57.90 | 34.58 | 5 | —18.796 | ... | ... | 153 |
| 4837 | 4855 | Lacaille 4453..... | 7 | 10. 38. 33.23 | 38.51 | 3 | + 2.580 | — 46. 35. 37.00 | 38.51 | 3 | —18.805 | ... | 4453 | ... |
| 4838 | 4856 | Argûs..... | 2 | 10. 38. 40.98 | 32.28 | 12 | + 2.304 | — 58. 49. 7.81 | 31.33 | 5 | —18.809 | ... | 4457 | ... |
| 4839 | 4857 | 38 Sextantis..... | 7 | 10. 38. 44.30 | 40.48 | 4 | + 3.131 | + 7. 12. 54.14 | 40.48 | 4 | —18.811 | 1495 | ... | 154 |
| 4840 | 4858 | Hydra..... | 6 | 10. 38. 47.43 | 32.23 | 6 | + 2.935 | — 16. 25. 42.76 | 32.25 | 5 | —18.813 | 1496 | ... | 155 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|----------------|-----------------------------------|-------------------------|-------------------|----------------------------------|-------------------------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 4841 | 4859 | Brisbane 3199 | 7.8 | ^{h m s} 10. 38. 49.65 | 38.53 | 3 | ^s + 2.411 | ^{° ' "} - 54. 55. 32.30 | 38.53 | 3 | ["] -18.814 | ... | ... | ... |
| 4842 | 4860 | Piazzi X. 156 | 8 | 10. 38. 51.95 | 36.19 | 5 | + 2.949 | - 14. 51. 52.49 | 36.44 | 4 | -18.815 | ... | ... | 156 |
| 4843 | 4861 | Brisbane 3200 | 6.7 | 10. 38. 52.86 | 38.47 | 3 | + 2.854 | - 25. 10. 58.46 | 38.47 | 3 | -18.815 | ... | ... | ... |
| 4844 | 4862 | Lacaille 4459 | 7 | 10. 39. 17.60 | 36.81 | 6 | + 2.652 | - 42. 19. 21.91 | 36.23 | 7 | -18.828 | ... | 4459 | 158 |
| 4845 | 4863 | Brisbane 3202 | 8.9 | 10. 39. 19.19 | 38.21 | 3 | + 2.318 | - 58. 32. 28.69 | 38.21 | 3 | -18.828 | ... | ... | ... |
| 4846 | 4864 | Piazzi X. 157 | 7.8 | 10. 39. 20.83 | 35.20 | 3 | + 3.530 | + 44. 47. 54.25 | 34.44 | 4 | -18.829 | ... | ... | 157 |
| 4847 | 4865 | Brisbane 3204 | 8 | 10. 39. 26.07 | 38.22 | 3 | + 2.317 | - 58. 37. 19.08 | 38.22 | 3 | -18.832 | ... | ... | ... |
| 4848 | 4866 | Piazzi X. 159 | 7.8 | 10. 39. 30.85 | 35.23 | 2 | + 2.948 | - 14. 45. 23.21 | 34.45 | 4 | -18.834 | ... | ... | 159 |
| 4849 | 4867 | Lacaille 4462 | 7.8 | 10. 39. 39.51 | 38.54 | 3 | + 2.521 | - 50. 11. 2.20 | 38.54 | 3 | -18.839 | ... | 4462 | ... |
| 4850 | 4868 | Argus | ^μ 3 | 10. 39. 41.38 | 33.49 | 16 | + 2.552 | - 48. 33. 1.57 | 34.26 | 9 | -18.839 | ... | 4461 | ... |
| 4851 | 4869 | Brisbane 3207 | 8.9 | 10. 39. 47.79 | 38.21 | 3 | + 2.325 | - 58. 27. 11.79 | 38.21 | 3 | -18.843 | ... | ... | ... |
| 4852 | 4870 | 43 Leonis Minoris | 6 | 10. 39. 50.25 | 35.24 | 3 | + 3.339 | + 30. 17. 12.96 | 34.55 | 4 | -18.844 | 1497 | ... | 160 |
| 4853 | 4871 | Lacaille 4464 | 7 | 10. 39. 58.16 | 38.47 | 4 | + 2.287 | - 59. 44. 7.88 | 38.47 | 4 | -18.848 | ... | 4464 | ... |
| 4854 | 4872 | Lacaille 4465 | 8.9 | 10. 40. 0.41 | 38.57 | 3 | + 2.244 | - 61. 4. 26.64 | 38.57 | 3 | -18.849 | ... | 4465 | ... |
| 4855 | 4873 | Velorum | ^Z 6 | 10. 40. 19.39 | 38.33 | 3 | + 2.400 | - 55. 53. 21.37 | 38.33 | 3 | -18.858 | ... | 4468 | ... |
| 4856 | 4874 | 53 Leonis | ^Z 6 | 10. 40. 34.84 | 33.07 | 10 | + 3.164 | + 11. 25. 0.02 | 32.24 | 5 | -18.866 | 1500 | ... | 162 |
| 4857 | 4875 | 39 Sextantis | 7 | 10. 40. 41.76 | 35.09 | 2 | + 3.006 | - 8. 13. 44.96 | 34.46 | 4 | -18.870 | 1502 | ... | 165 |
| 4858 | 4876 | Brisbane 3217 | 7.8 | 10. 40. 42.48 | 38.32 | 3 | + 2.388 | - 56. 27. 26.12 | 38.31 | 3 | -18.871 | ... | ... | ... |
| 4859 | 4877 | 44 Leonis Minoris | 6 | 10. 40. 48.76 | 33.14 | 6 | + 3.322 | + 28. 50. 35.18 | 32.02 | 5 | -18.874 | 1501 | ... | 164 |
| 4860 | 4878 | 40 Sextantis | 6 | 10. 40. 55.38 | 33.09 | 6 | + 3.047 | - 3. 9. 11.80 | 32.20 | 4 | -18.876 | 1503 | ... | 166 |
| 4861 | 4879 | 42 Ursæ Majoris | 6 | 10. 40. 57.59 | 35.25 | 3 | + 3.861 | + 60. 11. 38.61 | 34.47 | 4 | -18.878 | 1498 | ... | 161 |
| 4862 | 4880 | 43 Ursæ Majoris | 6 | 10. 40. 57.77 | 35.21 | 3 | + 3.780 | + 57. 27. 12.83 | 34.53 | 4 | -18.878 | 1499 | ... | 163 |
| 4863 | 4881 | Brisbane 3220 | 7 | 10. 41. 2.01 | 38.75 | 4 | + 2.387 | - 56. 35. 58.10 | 38.61 | 3 | -18.880 | ... | ... | ... |
| 4864 | 4882 | Lacaille 4469 | 7 | 10. 41. 8.37 | 38.61 | 3 | + 2.842 | - 27. 2. 52.82 | 38.61 | 3 | -18.883 | ... | 4469 | ... |
| 4865 | 4883 | Brisbane 3224 | 9 | 10. 41. 16.80 | 38.27 | 2 | + 2.300 | - 59. 44. 56.43 | 38.27 | 2 | -18.887 | ... | ... | ... |
| 4866 | 4884 | Lacaille 4479 | 7.8 | 10. 41. 19.00 | 38.54 | 3 | + 2.323 | - 59. 0. 22.32 | 38.54 | 3 | -18.888 | ... | 4479 | ... |
| 4867 | 4885 | Hydræ | ^V 4 | 10. 41. 29.36 | 32.29 | 7 | + 2.949 | - 15. 19. 56.01 | 31.31 | 5 | -18.894 | 1504 | ... | 167 |
| 4868 | 4886 | Lacaille 4478 | 7 | 10. 41. 32.76 | 38.52 | 3 | + 2.593 | - 46. 52. 52.57 | 38.52 | 3 | -18.896 | ... | 4478 | ... |
| 4869 | 4887 | Lacaille 4484 | 6.7 | 10. 41. 39.22 | 38.21 | 3 | + 2.325 | - 59. 2. 58.26 | 38.21 | 3 | -18.900 | ... | 4484 | ... |
| 4870 | 4888 | Lacaille 4480 | 7.8 | 10. 41. 51.47 | 38.58 | 3 | + 2.719 | - 38. 18. 1.95 | 38.58 | 3 | -18.905 | ... | 4480 | ... |
| 4871 | 4889 | Piazzi X. 168 | 8 | 10. 41. 57.82 | 36.44 | 4 | + 3.008 | - 8. 7. 8.37 | 36.55 | 3 | -18.907 | ... | ... | 168 |
| 4872 | 4890 | Brisbane 3233 | 7 | 10. 42. 1.44 | 38.62 | 3 | + 2.390 | - 56. 48. 9.72 | 38.34 | 2 | -18.908 | ... | ... | ... |
| 4873 | 4891 | 41 Sextantis | 6 | 10. 42. 1.70 | 34.29 | 10 | + 3.009 | - 8. 1. 32.02 | 34.10 | 9 | -18.908 | 1505 | ... | 169 |
| 4874 | 4892 | Lacaille 4481 | 7.8 | 10. 42. 2.90 | 38.29 | 3 | + 2.677 | - 41. 29. 51.87 | 38.29 | 3 | -18.909 | ... | 4481 | ... |
| 4875 | 4893 | Brisbane 3236 | 7.8 | 10. 42. 12.44 | 38.32 | 3 | + 2.321 | - 59. 21. 12.44 | 38.32 | 3 | -18.914 | ... | ... | ... |
| 4876 | 4894 | Lacaille 4483 | 6.7 | 10. 42. 17.21 | 35.29 | 3 | + 2.781 | - 33. 11. 13.62 | 34.52 | 4 | -18.916 | ... | 4483 | 173 |
| 4877 | 4895 | Piazzi X. 172 | 7 | 10. 42. 25.41 | 35.28 | 3 | + 3.107 | + 4. 27. 46.49 | 34.55 | 4 | -18.921 | ... | ... | 172 |
| 4878 | 4896 | Brisbane 3238 | 8.9 | 10. 42. 25.58 | 38.23 | 3 | + 2.345 | - 58. 34. 33.50 | 38.23 | 3 | -18.921 | ... | ... | ... |
| 4879 | 4897 | Piazzi X. 170 | 7.8 | 10. 42. 32.90 | 35.16 | 2 | + 3.670 | + 53. 26. 22.97 | 34.65 | 8 | -18.923 | ... | ... | 170 |
| 4880 | 4898 | Piazzi X. 171 | 7 | 10. 42. 35.45 | 35.11 | 3 | + 3.668 | + 53. 22. 46.03 | 34.26 | 1 | -18.924 | ... | ... | 171 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|------------------|-------------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 4881 | 4899 | Piazzi X. 174 | 7 | 10. 42. 40'80 | 38'03 | 7 | + 3'010 | - 8. 1. 1'07 | 41'20 | 1 | -18'927 | ... | ... | 174 |
| 4882 | 4900 | Lacaille 4488 | 7 | 10. 42. 46'48 | 35'31 | 3 | + 2'785 | - 32. 58. 0'84 | 34'72 | 5 | -18'930 | ... | 4488 | 175 |
| 4883 | 4901 | Lacaille 4493 | 7.8 | 10. 42. 53'86 | 38'56 | 3 | + 2'353 | - 58. 27. 7'51 | 38'56 | 3 | -18'934 | ... | 4493 | ... |
| 4884 | 4902 | Hydra | 7 | 10. 43. 1'88 | 35'32 | 3 | + 2'933 | - 17. 27. 33'64 | 34'68 | 5 | -18'938 | 1507 | ... | 176 |
| 4885 | 4903 | Piazzi X. 178 | 8 | 10. 43. 22'33 | 36'42 | 4 | + 3'010 | - 7. 59. 33'14 | 36'45 | 4 | -18'948 | ... | ... | 178 |
| 4886 | 4904 | 44 Ursa Majoris | 6 | 10. 43. 31'92 | 35'19 | 3 | + 3'708 | + 55. 27. 33'00 | 34'58 | 4 | -18'953 | 1506 | ... | 177 |
| 4887 | 4905 | Piazzi X. 179 | 8.9 | 10. 43. 34'54 | 36'43 | 4 | + 3'136 | + 8. 20. 10'35 | 36'53 | 3 | -18'954 | ... | ... | 179 |
| 4888 | 4906 | 45 Leonis Minoris | 7 | 10. 43. 46'00 | 35'18 | 3 | + 3'311 | + 28. 44. 13'49 | 34'45 | 4 | -18'958 | ... | ... | 180 |
| 4889 | 4907 | 46 Leonis Minoris | 4.5 | 10. 44. 3'77 | 31'93 | 12 | + 3'378 | + 35. 6. 7'43 | 33'38 | 15 | -18'968 | 1509 | ... | 181 |
| 4890 | 4908 | 45 Ursa Majoris | 5 | 10. 44. 27'22 | 31'93 | 12 | + 3'491 | + 44. 3. 58'56 | 31'72 | 5 | -18'979 | 1510 | ... | 182 |
| 4891 | 4909 | Brisbane 3248 | 7.8 | 10. 44. 28'16 | 38'18 | 3 | + 2'349 | - 59. 5. 2'30 | 38'20 | 2 | -18'979 | ... | ... | ... |
| 4892 | 4910 | Lacaille 4496 | 6.7 | 10. 44. 42'95 | 38'18 | 3 | + 2'588 | - 48. 16. 54'23 | 38'18 | 3 | -18'986 | ... | 4496 | ... |
| 4893 | 4911 | Brisbane 3251 | 8.9 | 10. 44. 49'02 | 38'21 | 3 | + 2'359 | - 58. 52. 13'59 | 38'21 | 3 | -18'989 | ... | ... | ... |
| 4894 | 4912 | Lacaille 4501 | 6.7 | 10. 45. 4'76 | 38'27 | 3 | + 2'426 | - 56. 23. 53'03 | 38'27 | 3 | -18'996 | ... | 4501 | ... |
| 4895 | { 4913 4914 } | Lacaille 4500 | 7 | 10. 45. 8'75 | 39'41 | 10 | + 2'476 | - 54. 15. 51'69 | 39'41 | 10 | -18'997 | ... | 4500 | ... |
| 4896 | 4915 | Lacaille 4499 | 8.9 | 10. 45. 16'17 | 38'51 | 3 | + 2'639 | - 45. 20. 31'60 | 38'51 | 3 | -19'000 | ... | 4499 | ... |
| 4897 | 4916 | Brisbane 3257 | 7.8 | 10. 45. 17'85 | 39'15 | 10 | + 2'399 | - 57. 32. 28'38 | 39'49 | 7 | -19'002 | ... | ... | ... |
| 4898 | 4917 | Lacaille 4498 | 6.7 | 10. 45. 21'76 | 38'46 | 3 | + 2'776 | - 34. 36. 49'35 | 38'46 | 3 | -19'003 | ... | 4498 | ... |
| 4899 | 4918 | Hydra | 5.6 | 10. 45. 25'64 | 38'12 | 11 | + 2'923 | - 19. 15. 8'60 | 37'28 | 13 | -19'006 | 1513 | ... | 183 |
| 4900 | 4919 | 48 Leonis Minoris | 6.7 | 10. 45. 43'52 | 35'20 | 2 | + 3'283 | + 26. 22. 1'82 | 34'63 | 3 | -19'015 | 1512 | ... | 185 |
| 4901 | 4920 | Brisbane 3262 | 7.8 | 10. 45. 45'01 | 38'19 | 3 | + 2'407 | - 57. 22. 37'91 | 38'19 | 3 | -19'016 | ... | ... | ... |
| 4902 | 4922 | 47 Leonis Minoris | 6.7 | 10. 45. 46'73 | 35'21 | 4 | + 3'369 | + 34. 54. 48'10 | 34'45 | 4 | -19'017 | 1511 | ... | 184 |
| 4903 | 4921 | Lacaille 4507 | 6 | 10. 45. 46'77 | 38'27 | 3 | + 2'432 | - 56. 21. 55'27 | 38'27 | 3 | -19'017 | ... | 4507 | ... |
| 4904 | 4923 | Lacaille 4506 | 7.8 | 10. 46. 2'43 | 38'29 | 3 | + 2'813 | - 31. 27. 0'26 | 38'29 | 3 | -19'023 | ... | 4506 | ... |
| 4905 | 4924 | Lacaille 4505 | 7.8 | 10. 46. 4'82 | 38'30 | 3 | + 2'866 | - 25. 52. 11'70 | 38'30 | 3 | -19'024 | ... | 4505 | ... |
| 4906 | 4925 | Piazzi X. 186 | 7 | 10. 46. 11'87 | 35'22 | 3 | + 3'122 | + 6. 43. 26'73 | 34'55 | 4 | -19'027 | ... | ... | 186 |
| 4907 | 4926 | Brisbane 3268 | 6.7 | 10. 46. 19'80 | 38'53 | 3 | + 2'770 | - 35. 34. 49'00 | 38'53 | 3 | -19'030 | ... | ... | ... |
| 4908 | 4928 | Piazzi X. 189 | 7.8 | 10. 46. 25'67 | 36'60 | 7 | + 2'924 | - 19. 21. 28'37 | 34'27 | 3 | -19'034 | ... | ... | 189 |
| 4909 | 4927 | Brisbane 3270 | 7.8 | 10. 46. 25'86 | 38'51 | 3 | + 2'423 | - 56. 56. 48'55 | 38'51 | 3 | -19'034 | ... | ... | ... |
| 4910 | 4929 | Bradley 1514 | 6 | 10. 46. 34'85 | 35'24 | 3 | + 3'360 | + 34. 23. 7'90 | 34'69 | 5 | -19'038 | 1514 | ... | 187 |
| 4911 | 4930 | Lacaille 4511 | 7.8 | 10. 46. 36'72 | 39'45 | 5 | + 2'559 | - 50. 37. 22'76 | 39'26 | 4 | -19'040 | ... | 4511 | ... |
| 4912 | 4931 | 54 Leonis | 4.5 | 10. 46. 40'06 | 32'17 | 11 | + 3'274 | + 25. 37. 38'73 | 32'25 | 17 | -19'041 | 1515 | ... | 190 |
| 4913 | 4932 | Piazzi X. 188 | 7 | 10. 46. 41'02 | 35'23 | 3 | + 3'517 | + 46. 38. 51'43 | 34'46 | 4 | -19'041 | ... | ... | 188 |
| 4914 | 4933 | Brisbane 3272 | 7.8 | 10. 46. 42'69 | 39'35 | 5 | + 2'399 | - 58. 1. 3'38 | 40'25 | 3 | -19'042 | ... | ... | ... |
| 4915 | 4934 | Piazzi X. 191 | 7 | 10. 46. 47'89 | 36'45 | 4 | + 3'462 | + 42. 53. 25'31 | 36'45 | 4 | -19'045 | ... | ... | 191 |
| 4916 | 4935 | Carinae | 5 | 10. 46. 49'11 | 33'73 | 15 | + 2'401 | - 57. 58. 44'67 | 31'22 | 5 | -19'046 | ... | 4515 | ... |
| 4917 | 4936 | Lacaille 4517 | 7 | 10. 47. 0'90 | 38'60 | 3 | + 2'746 | - 37. 52. 40'49 | 38'60 | 3 | -19'050 | ... | 4517 | ... |
| 4918 | 4937 | 49 Leonis Minoris | 7 | 10. 47. 8'38 | 35'14 | 2 | + 3'216 | + 19. 1. 50'70 | 34'58 | 4 | -19'053 | 1516 | ... | 192 |
| 4919 | 4938 | 55 Leonis | 5 | 10. 47. 13'23 | 32'21 | 5 | + 3'084 | + 1. 36. 54'35 | 32'21 | 5 | -19'055 | 1517 | ... | 193 |
| 4920 | 4939 | Piazzi X. 195 | 8.9 | 10. 47. 21'17 | 36'44 | 4 | + 3'135 | + 8. 33. 29'07 | 36'52 | 3 | -19'059 | ... | ... | 195 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 4921 | 4940 | Piazzi X. 194 | 6.7 | 10. 47. 22.91 | 35.97 | 5 | + 3.251 | + 23. 13. 46.48 | 34.52 | 4 | -19.061 | ... | ... | 194 |
| 4922 | 4941 | 56 Leonis | 7 | 10. 47. 27.27 | 32.35 | 5 | + 3.124 | + 7. 3. 51.18 | 32.32 | 5 | -19.063 | 1519 | ... | 196 |
| 4923 | 4942 | 50 Leonis Minoris | 6 | 10. 47. 36.60 | 32.39 | 3 | + 3.278 | + 26. 22. 45.40 | 33.41 | 6 | -19.066 | 1518 | ... | 197 |
| 4924 | 4943 | Brisbane 3282 | 8.9 | 10. 47. 41.30 | 38.53 | 3 | + 2.318 | - 61. 9. 54.37 | 38.53 | 3 | -19.069 | ... | ... | ... |
| 4925 | 4944 | 57 Leonis | 7 | 10. 47. 42.67 | 33.21 | 5 | + 3.081 | + 1. 18. 41.55 | 33.24 | 3 | -19.070 | 1520 | ... | 198 |
| 4926 | 4945 | Lacaille 4522 | 7 | 10. 47. 43.88 | 38.55 | 3 | + 2.485 | - 54. 44. 30.12 | 38.54 | 3 | -19.071 | ... | 4522 | ... |
| 4927 | 4946 | Lacaille 4523 | 7 | 10. 47. 45.42 | 38.62 | 3 | + 2.508 | - 53. 40. 58.19 | 38.77 | 2 | -19.072 | ... | 4523 | ... |
| 4928 | 4947 | Lacaille 4520 | 7.8 | 10. 48. 0.46 | 38.35 | 3 | + 2.698 | - 42. 8. 34.20 | 38.35 | 3 | -19.077 | ... | 4520 | ... |
| 4929 | 4948 | Lacaille 4524 | 6.7 | 10. 48. 2.24 | 38.20 | 3 | + 2.329 | - 60. 56. 55.67 | 38.20 | 3 | -19.077 | ... | 4524 | ... |
| 4930 | 4949 | Lacaille 4519 | 6.7 | 10. 48. 4.01 | 38.78 | 4 | + 2.825 | - 30. 54. 25.95 | 38.35 | 2 | -19.078 | ... | 4519 | ... |
| 4931 | 4950 | Brisbane 3287 | 8 | 10. 48. 14.91 | 38.73 | 2 | + 2.549 | - 51. 46. 30.16 | 38.73 | 2 | -19.083 | ... | ... | ... |
| 4932 | 4951 | Lacaille 4525 | 7.8 | 10. 48. 27.11 | 38.61 | 3 | + 2.523 | - 53. 12. 5.49 | 38.61 | 3 | -19.089 | ... | 4525 | ... |
| 4933 | 4952 | Lacaille 4530 | 6.7 | 10. 48. 43.44 | 38.48 | 3 | + 2.373 | - 59. 38. 32.96 | 38.48 | 3 | -19.097 | ... | 4530 | ... |
| 4934 | 4953 | Brisbane 3292 | 7 | 10. 48. 55.53 | 38.51 | 3 | + 2.631 | - 47. 12. 43.25 | 38.51 | 3 | -19.102 | ... | ... | ... |
| 4935 | 4954 | Lacaille 4527 | 5 | 10. 49. 2.55 | 32.26 | 12 | + 2.773 | - 36. 15. 6.18 | 31.27 | 5 | -19.105 | ... | 4527 | 199 |
| 4936 | 4955 | Brisbane 3294 | 7 | 10. 49. 30.41 | 38.48 | 3 | + 2.445 | - 57. 10. 19.38 | 38.48 | 3 | -19.117 | ... | ... | ... |
| 4937 | 4956 | Brisbane 3296 | 7.8 | 10. 49. 35.55 | 38.13 | 2 | + 2.384 | - 59. 34. 23.91 | 38.49 | 3 | -19.119 | ... | ... | ... |
| 4938 | 4957 | Piazzi X. 200 | 6.7 | 10. 49. 47.68 | 35.18 | 3 | + 3.223 | + 20. 30. 13.00 | 34.55 | 4 | -19.125 | ... | ... | 200 |
| 4939 | 4958 | Piazzi X. 201 | 8 | 10. 49. 49.73 | 36.44 | 4 | + 3.238 | + 22. 23. 23.99 | 36.44 | 4 | -19.126 | ... | ... | 201 |
| 4940 | 4959 | Lacaille 4537 | 7.8 | 10. 49. 51.45 | 38.48 | 3 | + 2.769 | - 36. 57. 43.59 | 38.48 | 3 | -19.126 | ... | 4537 | ... |
| 4941 | 4960 | Lacaille 4536 | 8 | 10. 50. 4.69 | 38.23 | 3 | + 2.352 | - 60. 49. 44.49 | 38.23 | 3 | -19.132 | ... | 4536 | ... |
| 4942 | 4961 | 47 Ursæ Majoris | 6 | 10. 50. 12.04 | 35.19 | 3 | + 3.424 | + 41. 18. 35.26 | 34.47 | 4 | -19.135 | 1522 | ... | 202 |
| 4943 | 4962 | Lacaille 4534 | 7.8 | 10. 50. 15.46 | 38.25 | 3 | + 2.671 | - 44. 59. 43.66 | 38.22 | 3 | -19.136 | ... | 4534 | ... |
| 4944 | 4963 | Piazzi X. 203 | 7 | 10. 50. 18.93 | 35.20 | 3 | + 3.373 | + 36. 58. 36.48 | 34.56 | 4 | -19.138 | ... | ... | 203 |
| 4945 | 4964 | Lacaille 4535 | 7.8 | 10. 50. 27.62 | 38.22 | 3 | + 2.723 | - 41. 9. 28.38 | 38.22 | 3 | -19.142 | ... | 4535 | ... |
| 4946 | 4965 | Piazzi X. 204 | 8 | 10. 50. 55.59 | 36.43 | 4 | + 3.148 | + 10. 48. 46.59 | 36.45 | 4 | -19.155 | ... | ... | 204 |
| 4947 | 4966 | Brisbane 3305 | 7.8 | 10. 50. 57.95 | 38.53 | 3 | + 2.769 | - 37. 19. 14.27 | 38.53 | 3 | -19.155 | ... | ... | ... |
| 4948 | 4967 | Piazzi X. 205 | 7 | 10. 51. 3.59 | 35.21 | 3 | + 3.160 | + 12. 35. 9.21 | 34.45 | 4 | -19.157 | ... | ... | 205 |
| 4949 | 4968 | Lacaille 4542 | 7 | 10. 51. 6.49 | 38.18 | 3 | + 2.417 | - 58. 51. 4.89 | 38.18 | 3 | -19.158 | ... | 4542 | ... |
| 4950 | 4969 | Lacaille 4541 | 7.8 | 10. 51. 7.87 | 38.20 | 3 | + 2.509 | - 54. 54. 7.60 | 38.20 | 3 | -19.159 | ... | 4541 | ... |
| 4951 | 4970 | Brisbane 3309 | 8 | 10. 51. 20.03 | 38.26 | 2 | + 2.806 | - 33. 59. 38.24 | 38.26 | 2 | -19.164 | ... | ... | ... |
| 4952 | 4971 | Lacaille 4540 | 6 | 10. 51. 26.88 | 35.09 | 3 | + 2.818 | - 32. 51. 10.53 | 34.46 | 4 | -19.168 | ... | 4540 | 208 |
| 4953 | 4972 | 49 Ursæ Majoris | 6 | 10. 51. 34.24 | 35.22 | 3 | + 3.403 | + 40. 5. 46.18 | 34.52 | 4 | -19.170 | 1524 | ... | 206 |
| 4954 | 4973 | 7 Crateris | 4 | 10. 51. 44.63 | 32.28 | 12 | + 2.949 | - 17. 25. 19.20 | 31.33 | 5 | -19.176 | 1525 | ... | 209 |
| 4955 | 4974 | Brisbane 3316 | 7.8 | 10. 51. 44.74 | 38.13 | 2 | + 2.465 | - 57. 6. 34.76 | 38.13 | 2 | -19.176 | ... | ... | ... |
| 4956 | 4975 | 48 Ursæ Majoris | 2 | 10. 51. 50.05 | 32.91 | 5 | + 3.682 | + 57. 15. 53.47 | 32.37 | 11 | -19.178 | 1523 | ... | 207 |
| 4957 | 4976 | Lacaille 4547 | 6.7 | 10. 52. 1.09 | 39.21 | 7 | + 2.560 | - 52. 39. 27.43 | 39.21 | 7 | -19.182 | ... | 4547 | ... |
| 4958 | 4977 | 58 Leonis | 5 | 10. 52. 2.24 | 32.28 | 11 | + 3.103 | + 4. 30. 5.91 | 31.29 | 5 | -19.183 | 1526 | ... | 210 |
| 4959 | 4978 | Lacaille 4543 | 7 | 10. 52. 3.02 | 38.56 | 3 | + 2.806 | - 34. 15. 37.35 | 38.56 | 3 | -19.183 | ... | 4543 | ... |
| 4960 | 4979 | 59 Leonis | 5.6 | 10. 52. 11.61 | 32.11 | 7 | + 3.120 | + 6. 59. 9.46 | 32.22 | 5 | -19.187 | 1527 | ... | 211 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 4961 | 4980 | Brisbane 3319 | 8 | 10. 52. 19.91 | 38.24 | 3 | + 2.442 | - 58. 17. 10.85 | 38.24 | 3 | -19.190 | ... | ... | ... |
| 4962 | 4981 | Lacaille 4549 | 6.7 | 10. 52. 30.47 | 38.30 | 3 | + 2.711 | - 42. 55. 26.72 | 38.30 | 3 | -19.195 | ... | 4549 | ... |
| 4963 | 4982 | Lacaille 4550 | 6 | 10. 52. 35.98 | 35.11 | 3 | + 2.731 | - 41. 20. 30.09 | 34.57 | 4 | -19.196 | ... | 4550 | 215 |
| 4964 | 4983 | Piazzi X. 212 | 7 | 10. 52. 36.99 | 35.24 | 3 | + 3.078 | + 0. 55. 51.24 | 34.55 | 4 | -19.196 | ... | ... | 212 |
| 4965 | 4984 | Lacaille 4556 | 7 | 10. 52. 37.17 | 38.24 | 3 | + 2.389 | - 60. 26. 16.29 | 38.24 | 3 | -19.196 | ... | 4556 | ... |
| 4966 | 4985 | Lacaille 4554 | 7.8 | 10. 52. 40.50 | 38.23 | 3 | + 2.562 | - 52. 48. 19.12 | 38.27 | 2 | -19.198 | ... | 4554 | ... |
| 4967 | 4986 | Piazzi X. 213 | 8.9 | 10. 52. 42.36 | 38.45 | 8 | + 3.182 | + 15. 54. 30.47 | 38.30 | 9 | -19.199 | ... | ... | 213 |
| 4968 | 4987 | Lacaille 4552 | 6.7 | 10. 52. 51.57 | 35.26 | 3 | + 2.840 | - 30. 57. 36.40 | 34.51 | 4 | -19.204 | ... | 4552 | 216 |
| 4969 | 4988 | Lacaille 4557 | 7 | 10. 52. 58.09 | 38.31 | 3 | + 2.597 | - 50. 56. 2.94 | 38.31 | 3 | -19.206 | ... | 4557 | ... |
| 4970 | 4989 | Lacaille 4560 | 7.8 | 10. 53. 5.57 | 38.74 | 2 | + 2.360 | - 61. 36. 1.93 | 38.60 | 3 | -19.209 | ... | 4560 | ... |
| 4971 | 4990 | Piazzi X. 214 | 7 | 10. 53. 6.90 | 35.23 | 3 | + 3.812 | + 62. 32. 35.58 | 34.49 | 4 | -19.209 | ... | ... | 214 |
| 4972 | 4991 | Lacaille 4558 | 7 | 10. 53. 17.90 | 38.60 | 3 | + 2.754 | - 39. 36. 53.21 | 38.60 | 3 | -19.215 | ... | 4558 | ... |
| 4973 | 4992 | Lacaille 4561 | 7.8 | 10. 53. 22.57 | 39.17 | 1 | + 2.598 | - 51. 3. 46.61 | 38.27 | 2 | -19.217 | ... | 4561 | ... |
| 4974 | 4993 | 61 Leonis | 5.6 | 10. 53. 24.97 | 32.30 | 6 | + 3.061 | - 1. 35. 51.64 | 31.81 | 8 | -19.218 | 1530 | ... | 218 |
| 4975 | 4994 | 50 Ursæ Majoris | 1.2 | 10. 53. 28.68 | 32.80 | 31 | + 3.812 | + 62. 38. 23.25 | 33.02 | 66 | -19.220 | 1528 | ... | 217 |
| 4976 | 4995 | Lacaille 4562 | 7 | 10. 53. 29.40 | 38.61 | 3 | + 2.578 | - 52. 13. 41.49 | 38.61 | 3 | -19.220 | ... | 4562 | ... |
| 4977 | 4996 | 60 Leonis | 5 | 10. 53. 30.61 | 32.95 | 14 | + 3.219 | + 21. 3. 46.95 | 31.35 | 6 | -19.220 | 1529 | ... | 219 |
| 4978 | 4997 | Brisbane 3335 | 8.9 | 10. 53. 34.98 | 39.23 | 6 | + 2.458 | - 58. 5. 56.93 | 39.23 | 6 | -19.222 | ... | ... | ... |
| 4979 | 4998 | Lacaille 4563 | 7.8 | 10. 53. 39.05 | 38.57 | 3 | + 2.597 | - 51. 11. 25.99 | 38.27 | 2 | -19.223 | ... | 4563 | ... |
| 4980 | 4999 | Piazzi X. 220 | 7.8 | 10. 53. 56.80 | 36.44 | 4 | + 3.139 | + 10. 3. 30.99 | 36.45 | 4 | -19.231 | ... | ... | 220 |
| 4981 | 5000 | Piazzi X. 221 | 8 | 10. 54. 6.10 | 36.46 | 4 | + 3.077 | + 0. 47. 27.21 | 36.45 | 4 | -19.234 | ... | ... | 221 |
| 4982 | 5001 | Brisbane 3341 | 8 | 10. 54. 22.02 | 38.57 | 3 | + 2.514 | - 55. 52. 54.38 | 38.57 | 3 | -19.241 | ... | ... | ... |
| 4983 | 5002 | Bradley 1531 | 6 | 10. 54. 26.06 | 32.23 | 6 | + 2.888 | - 25. 56. 23.56 | 32.27 | 5 | -19.242 | 1531 | 4565 | 222 |
| 4984 | 5003 | Piazzi X. 223 | 7.8 | 10. 54. 33.74 | 35.19 | 3 | + 3.061 | - 1. 44. 54.73 | 34.57 | 4 | -19.245 | ... | ... | 223 |
| 4985 | 5004 | Brisbane 3343 | 8 | 10. 54. 37.93 | 38.59 | 3 | + 2.738 | - 41. 36. 43.50 | 38.59 | 3 | -19.248 | ... | ... | ... |
| 4986 | 5005 | Piazzi X. 225 | 7 | 10. 54. 48.19 | 34.93 | 9 | + 3.072 | + 0. 8. 19.95 | 35.23 | 8 | -19.252 | ... | ... | 225 |
| 4987 | 5006 | Piazzi X. 224 | 7 | 10. 54. 50.92 | 35.17 | 3 | + 3.260 | + 26. 39. 39.26 | 34.52 | 4 | -19.254 | ... | ... | 224 |
| 4988 | 5007 | Brisbane 3345 | 7 | 10. 54. 53.31 | 38.22 | 3 | + 2.418 | - 60. 9. 48.81 | 38.22 | 3 | -19.255 | ... | ... | ... |
| 4989 | 5008 | 62 Leonis | 6 | 10. 55. 9.94 | 35.05 | 7 | + 3.078 | + 0. 53. 8.66 | 33.27 | 9 | -19.260 | 1533 | ... | 227 |
| 4990 | 5009 | 51 Ursæ Majoris | 6 | 10. 55. 19.44 | 35.76 | 4 | + 3.375 | + 39. 7. 42.48 | 35.00 | 4 | -19.265 | 1532 | ... | 226 |
| 4991 | 5010 | Lacaille 4570 | 7 | 10. 55. 20.05 | 38.61 | 3 | + 2.885 | - 26. 37. 52.21 | 38.61 | 3 | -19.266 | ... | 4570 | ... |
| 4992 | 5011 | Lacaille 4571 | 7.8 | 10. 55. 25.13 | 38.56 | 3 | + 2.848 | - 31. 4. 21.12 | 38.56 | 3 | -19.268 | ... | 4571 | ... |
| 4993 | 5012 | Piazzi X. 229 | 6.7 | 10. 55. 28.50 | 35.21 | 3 | + 3.101 | + 4. 31. 33.63 | 34.21 | 3 | -19.269 | ... | ... | 229 |
| 4994 | 5013 | Piazzi X. 228 | 8 | 10. 55. 32.25 | 36.45 | 4 | + 3.374 | + 39. 8. 2.52 | 36.54 | 3 | -19.269 | ... | ... | 228 |
| 4995 | 5014 | Piazzi X. 230 | 8 | 10. 55. 34.32 | 36.52 | 3 | + 3.077 | + 0. 51. 24.44 | 36.48 | 4 | -19.270 | ... | ... | 230 |
| 4996 | 5015 | Brisbane 3352 | 9 | 10. 55. 37.70 | 38.21 | 3 | + 2.551 | - 54. 33. 33.83 | 38.21 | 3 | -19.272 | ... | ... | ... |
| 4997 | 5016 | Piazzi X. 232 | 7 | 10. 55. 53.04 | 35.26 | 3 | + 3.070 | - 0. 23. 23.97 | 34.56 | 4 | -19.279 | ... | ... | 232 |
| 4998 | 5017 | Piazzi X. 231 | 7.8 | 10. 55. 53.19 | 36.95 | 4 | + 3.161 | + 13. 33. 17.56 | 36.51 | 4 | -19.279 | ... | ... | 231 |
| 4999 | 5018 | Lacaille 4572 | 7 | 10. 56. 3.61 | 38.64 | 3 | + 2.837 | - 32. 33. 20.11 | 38.64 | 3 | -19.282 | ... | 4572 | ... |
| 5000 | 5019 | Piazzi X. 233 | 8 | 10. 56. 18.99 | 35.09 | 3 | + 3.062 | - 1. 37. 27.01 | 34.51 | 4 | -19.289 | ... | ... | 233 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 5001 | 5020 | Brisbane 3356 | 7.8 | 10. 56. 19.24 | 39.44 | 6 | + 2.438 | - 59. 56. 15.22 | 39.68 | 5 | -19.289 | ... | ... | ... |
| 5002 | 5021 | Lacaille 4579 | 7 | 10. 56. 21.16 | 38.55 | 3 | + 2.436 | - 60. 1. 25.42 | 38.71 | 2 | -19.290 | ... | 4579 | ... |
| 5003 | 5022 | 51 Leonis Minoris | 7.8 | 10. 56. 26.36 | 35.81 | 3 | + 3.251 | + 26. 5. 36.20 | 34.64 | 3 | -19.292 | 1534 | ... | 234 |
| 5004 | 5023 | Gould 15137 | 7 | 10. 56. 27.79 | 42.33 | 3 | + 2.415 | - 60. 52. 55.54 | 40.66 | 5 | -19.292 | ... | ... | ... |
| 5005 | 5024 | Lacaille 4577 | 7.8 | 10. 56. 29.50 | 38.58 | 3 | + 2.629 | - 50. 27. 55.58 | 38.58 | 3 | -19.293 | ... | 4577 | ... |
| 5006 | 5025 | 63 Leonis | 4.5 | 10. 56. 30.25 | 34.09 | 15 | + 3.125 | + 8. 13. 34.28 | 32.01 | 15 | -19.293 | 1535 | ... | 236 |
| 5007 | 5026 | Lacaille 4575 | 7.8 | 10. 56. 32.49 | 38.98 | 3 | + 2.808 | - 35. 50. 3.32 | 38.98 | 3 | -19.294 | ... | 4575 | ... |
| 5008 | 5027 | Brisbane 3363 | 8 | 10. 56. 33.84 | 38.65 | 3 | + 2.634 | - 50. 8. 33.00 | 38.65 | 3 | -19.294 | ... | ... | ... |
| 5009 | 5028 | Brisbane 3365 | 7 | 10. 56. 48.57 | 39.49 | 6 | + 2.747 | - 41. 47. 22.89 | 39.49 | 6 | -19.300 | ... | ... | ... |
| 5010 | 5029 | Piazzi X. 235 | 7.8 | 10. 56. 49.48 | 35.33 | 3 | + 3.632 | + 56. 58. 51.70 | 34.54 | 4 | -19.301 | ... | ... | 235 |
| 5011 | 5030 | Lacaille 4581 | 7 | 10. 56. 53.57 | 38.70 | 3 | + 2.584 | - 53. 18. 36.60 | 38.70 | 3 | -19.303 | ... | 4581 | ... |
| 5012 | 5031 | Brisbane 3369 | 7.8 | 10. 56. 58.93 | 39.76 | 4 | + 2.494 | - 57. 52. 40.22 | 39.76 | 4 | -19.305 | ... | ... | ... |
| 5013 | 5032 | Lacaille 4585 | 6 | 10. 57. 2.75 | 38.47 | 3 | + 2.512 | - 57. 4. 3.00 | 38.47 | 3 | -19.306 | ... | 4585 | ... |
| 5014 | 5033 | Lacaille 4584 | 6 | 10. 57. 7.25 | 39.02 | 3 | + 2.686 | - 46. 47. 32.68 | 39.02 | 3 | -19.307 | ... | 4584 | ... |
| 5015 | 5034 | Lacaille 4580 | 6 | 10. 57. 7.57 | 39.01 | 3 | + 2.819 | - 34. 55. 0.17 | 39.01 | 3 | -19.307 | ... | 4580 | ... |
| 5016 | 5035 | Brisbane 3373 | 7.8 | 10. 57. 16.84 | 39.63 | 6 | + 2.606 | - 52. 13. 14.05 | 39.63 | 6 | -19.311 | ... | ... | ... |
| 5017 | 5036 | Lacaille 4582 | 7 | 10. 57. 18.18 | 38.55 | 3 | + 2.867 | - 29. 32. 50.02 | 38.55 | 3 | -19.312 | ... | 4582 | ... |
| 5018 | 5037 | Hydrae | 5 | 10. 57. 23.75 | 32.20 | 16 | + 2.893 | - 26. 24. 17.31 | 31.46 | 5 | -19.314 | 1536 | 4583 | 237 |
| 5019 | 5038 | Hydrae | 5.6 | 10. 57. 58.51 | 32.23 | 3 | + 2.895 | - 26. 23. 50.49 | 31.86 | 5 | -19.328 | 1538 | 4587 | 240 |
| 5020 | 5039 | Piazzi X. 238 | 7.8 | 10. 58. 1.39 | 35.95 | 7 | + 3.175 | + 16. 4. 21.78 | 35.38 | 4 | -19.329 | ... | ... | 238 |
| 5021 | 5040 | Piazzi X. 239 | 8 | 10. 58. ... | ... | ... | + 3.123 | + 8. 1. 37.22 | 37.37 | 3 | -19.329 | ... | ... | 239 |
| 5022 | 5041 | Piazzi X. 241 | 7 | 10. 58. 6.61 | 35.25 | 3 | + 3.089 | + 2. 46. 17.95 | 34.78 | 2 | -19.331 | ... | ... | 241 |
| 5023 | 5042 | 52 Leonis Minoris | 7 | 10. 58. 12.01 | 35.11 | 3 | + 3.249 | + 26. 25. 40.97 | 34.57 | 4 | -19.334 | 1537 | ... | 242 |
| 5024 | 5043 | Brisbane 3386 | 7 | 10. 58. 14.56 | 38.59 | 3 | + 2.762 | - 41. 1. 1.86 | 38.59 | 3 | -19.335 | ... | ... | ... |
| 5025 | 5044 | Lacaille 4591 | 7 | 10. 58. 18.52 | 38.61 | 3 | + 2.697 | - 46. 33. 8.89 | 38.61 | 3 | -19.336 | ... | 4591 | ... |
| 5026 | 5045 | 65 Leonis | 5.6 | 10. 58. 29.29 | 31.64 | 7 | + 3.090 | + 2. 50. 59.50 | 31.37 | 5 | -19.340 | 1539 | ... | 243 |
| 5027 | 5046 | Piazzi X. 244 | 7.8 | 10. 58. 36.25 | 36.45 | 4 | + 3.141 | + 11. 6. 10.58 | 36.44 | 4 | -19.343 | ... | ... | 244 |
| 5028 | 5047 | Lacaille 4593 | 7 | 10. 58. 42.16 | 38.85 | 2 | + 2.885 | - 27. 50. 9.74 | 38.85 | 2 | -19.345 | ... | 4593 | ... |
| 5029 | 5048 | 64 Leonis | 6.7 | 10. 58. 49.10 | 35.23 | 3 | + 3.231 | + 24. 12. 52.10 | 34.52 | 4 | -19.348 | 1540 | ... | 245 |
| 5030 | 5049 | Lacaille 4596 | 7 | 10. 58. 57.55 | 38.96 | 3 | + 2.871 | - 29. 39. 44.36 | 38.96 | 3 | -19.351 | ... | 4596 | ... |
| 5031 | 5050 | Lacaille 4601 | 7 | 10. 59. 7.79 | 38.25 | 3 | + 2.653 | - 50. 4. 1.98 | 38.25 | 3 | -19.355 | ... | 4601 | ... |
| 5032 | 5051 | Brisbane 3394 | 8 | 10. 59. 14.84 | 40.28 | 6 | + 2.617 | - 52. 22. 53.48 | 40.76 | 8 | -19.358 | ... | ... | ... |
| 5033 | 5052 | Piazzi X. 246 | 7.8 | 10. 59. 18.90 | 38.46 | 8 | + 3.572 | + 55. 2. 35.96 | 38.77 | 7 | -19.359 | ... | ... | 246 |
| 5034 | 5053 | Brisbane 3398 | 9.10 | 10. 59. 26.65 | 38.64 | 3 | + 2.624 | - 52. 3. 37.06 | 38.64 | 3 | -19.363 | ... | ... | ... |
| 5035 | 5054 | Lacaille 4604 | 7 | 10. 59. 30.55 | 38.57 | 3 | + 2.518 | - 57. 47. 6.51 | 38.57 | 3 | -19.364 | ... | 4604 | ... |
| 5036 | 5055 | Lacaille 4603 | 6 | 10. 59. 39.57 | 35.15 | 3 | + 2.761 | - 41. 44. 59.86 | 34.23 | 3 | -19.367 | ... | 4603 | 248 |
| 5037 | 5056 | Carinae | 6 | 10. 59. 48.76 | 38.58 | 3 | + 2.432 | - 61. 32. 1.12 | 40.05 | 5 | -19.372 | ... | 4611 | ... |
| 5038 | 5057 | Piazzi X. 250 | 7 | 10. 59. 51.24 | 37.40 | 6 | + 3.072 | - 1. 0. 39.53 | 36.42 | 4 | -19.372 | ... | ... | 250 |
| 5039 | 5058 | 67 Leonis | 6 | 10. 59. 57.08 | 33.19 | 9 | + 3.238 | + 25. 32. 59.48 | 33.27 | 9 | -19.374 | 1541 | ... | 249 |
| 5040 | 5059 | ... Piazzi X. 251 | 7 | 10. 59. 57.37 | 36.41 | 4 | + 3.185 | + 18. 5. 59.90 | 36.43 | 4 | -19.374 | ... | ... | 251 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|--------------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 5041 | 5060 | Lacaille 4606 | 6.7 | h m s II. 0. 4.45 | 40.24 | 3 | + 2.878 | — 29. 16. 37.19 | 40.24 | 3 | —19.376 | ... | 4606 | ... |
| 5042 | 5061 | Piazzi X. 247 | 6.7 | II. 0. 6.90 | 35.80 | 5 | + 3.565 | + 54. 59. 54.12 | 34.56 | 4 | —19.377 | ... | ... | 247 |
| 5043 | 5062 | Lacaille 4610 | 7 | II. 0. 7.41 | 39.87 | 5 | + 2.692 | — 47. 44. 59.30 | 40.78 | 8 | —19.377 | ... | 4610 | ... |
| 5044 | 5063 | Piazzi X. 252 | 6.7 | II. 0. 13.50 | 35.21 | 3 | + 3.334 | + 37. 12. 9.84 | 34.47 | 4 | —19.380 | ... | ... | 252 |
| 5045 | 5064 | Lacaille 4609 | 7 | II. 0. 18.97 | 38.65 | 3 | + 2.881 | — 29. 4. 48.18 | 38.65 | 3 | —19.382 | ... | 4609 | ... |
| 5046 | 5065 | 52 Ursæ Majoris | 3.4 | II. 0. 21.48 | 31.70 | 7 | + 3.421 | + 45. 23. 30.98 | 33.00 | 18 | —19.383 | 1542 | ... | 253 |
| 5047 | 5066 | Piazzi X. 254 | 7 | II. 0. 22.52 | 35.22 | 3 | + 3.405 | + 44. 6. 2.44 | 34.57 | 4 | —19.384 | ... | ... | 254 |
| 5048 | 5067 | Lacaille 4614 | 7 | II. 0. 42.74 | 38.25 | 2 | + 2.884 | — 28. 51. 15.57 | 38.25 | 2 | —19.390 | ... | 4614 | ... |
| 5049 | 5068 | Bradley 1544 | 5 | II. 0. 45.65 | 32.27 | 12 | + 2.896 | — 27. 11. 16.30 | 31.29 | 5 | —19.391 | 1544 | 4615 | 256 |
| 5050 | 5069 | 66 Leonis | 7 | II. 0. 48.45 | 32.10 | 7 | + 3.069 | — 0. 26. 24.80 | 32.20 | 5 | —19.392 | 1543 | ... | 255 |
| 5051 | 5070 | Lacaille 4619 | 7 | II. 0. 55.14 | 38.48 | 3 | + 2.643 | — 51. 30. 55.16 | 38.48 | 3 | —19.395 | ... | 4619 | ... |
| 5052 | 5071 | Carinæ | 6 | II. 1. 34.16 | 38.26 | 2 | + 2.531 | — 58. 4. 59.90 | 38.26 | 2 | —19.409 | ... | 4627 | ... |
| 5053 | 5072 | Lacaille 4626 | 7.8 | II. 1. 35.55 | 38.57 | 3 | + 2.569 | — 56. 10. 24.81 | 38.57 | 3 | —19.410 | ... | 4626 | ... |
| 5054 | 5073 | Carinæ | 6.7 | II. 1. 44.12 | 38.84 | 3 | + 2.464 | — 61. 3. 17.22 | 39.20 | 2 | —19.413 | ... | 4629 | ... |
| 5055 | 5074 | Piazzi X. 257 | 7 | II. 1. 53.94 | 35.69 | 4 | + 3.552 | + 55. 2. 29.04 | 35.81 | 5 | —19.417 | ... | ... | 257 |
| 5056 | 5075 | Piazzi XI. 1 | 7.8 | II. 1. 56.10 | 35.24 | 3 | + 3.124 | + 8. 47. 7.80 | 34.56 | 4 | —19.418 | ... | ... | 1 |
| 5057 | 5076 | Brisbane 3423 | 8 | II. 1. 57.75 | 38.55 | 3 | + 2.476 | — 60. 40. 0.25 | 38.55 | 3 | —19.418 | ... | ... | ... |
| 5058 | 5077 | Lacaille 4623 | 6.7 | II. 1. 58.07 | 35.09 | 3 | + 2.867 | — 31. 28. 23.19 | 34.52 | 4 | —19.419 | ... | 4623 | 2 |
| 5059 | 5078 | Brisbane 3421 | 6 | II. 2. 1.66 | 38.49 | 3 | + 2.887 | — 28. 54. 3.04 | 38.49 | 3 | —19.420 | ... | ... | ... |
| 5060 | 5079 | Lacaille 4634 | 7 | II. 2. 26.17 | 38.53 | 3 | + 2.618 | — 53. 49. 19.10 | 38.53 | 3 | —19.429 | ... | 4634 | ... |
| 5061 | 5080 | Brisbane 3428 | 7 | II. 2. 31.88 | 39.52 | 7 | + 2.838 | — 35. 12. 7.18 | 39.72 | 6 | —19.431 | ... | ... | ... |
| 5062 | 5081 | Brisbane 3429 | 8 | II. 2. 37.99 | 38.26 | 3 | + 2.543 | — 57. 56. 41.20 | 38.26 | 3 | —19.433 | ... | ... | ... |
| 5063 | 5082 | Lacaille 4633 | 7.8 | II. 2. 40.38 | 35.10 | 3 | + 2.868 | — 31. 40. 9.81 | 34.58 | 4 | —19.433 | ... | 4633 | 3 |
| 5064 | 5083 | Piazzi XI. 4 | 7 | II. 3. 4.46 | 32.10 | 8 | + 3.162 | + 15. 17. 42.67 | 31.38 | 5 | —19.442 | ... | ... | 4 |
| 5065 | 5084 | Piazzi XI. 5 | 7 | II. 3. 10.52 | 36.42 | 4 | + 3.326 | + 37. 47. 13.72 | 36.59 | 5 | —19.446 | ... | ... | 5 |
| 5066 | 5085 | Lacaille 4636 | 7 | II. 3. 11.34 | 38.55 | 3 | + 2.698 | — 48. 45. 31.95 | 38.55 | 3 | —19.446 | ... | 4636 | ... |
| 5067 | 5086 | Brisbane 3432 | 7.8 | II. 3. 11.87 | 38.22 | 3 | + 2.839 | — 35. 19. 49.75 | 38.22 | 3 | —19.446 | ... | ... | ... |
| 5068 | 5087 | II Crateris | 4 | II. 3. 33.15 | 32.45 | 10 | + 2.941 | — 21. 55. 36.63 | 32.28 | 10 | —19.452 | 1545 | ... | 6 |
| 5069 | 5088 | Brisbane 3437 | 8 | II. 3. 42.24 | 38.30 | 3 | + 2.519 | — 59. 29. 24.91 | 38.30 | 3 | —19.455 | ... | ... | ... |
| 5070 | 5089 | Brisbane 3439 | 7 | II. 3. 49.10 | 39.51 | 7 | + 2.561 | — 57. 33. 39.86 | 40.47 | 4 | —19.457 | ... | ... | ... |
| 5071 | 5090 | Lacaille 4639 | 6.7 | II. 3. 55.97 | 39.39 | 6 | + 2.915 | — 25. 54. 41.27 | 39.38 | 6 | —19.461 | ... | 4639 | ... |
| 5072 | 5091 | Brisbane 3440 | 8 | II. 3. 57.51 | 39.40 | 7 | + 2.696 | — 49. 16. 27.50 | 39.44 | 6 | —19.461 | ... | ... | ... |
| 5073 | 5092 | Brisbane 3441 | 8 | II. 4. 3.03 | 38.59 | 3 | + 2.633 | — 53. 39. 45.67 | 38.59 | 3 | —19.463 | ... | ... | ... |
| 5074 | 5093 | Piazzi XI. 7 | 7.8 | II. 4. 3.64 | 35.13 | 2 | + 3.513 | + 53. 44. 50.43 | 34.48 | 4 | —19.463 | ... | ... | 7 |
| 5075 | 5094 | Lacaille 4642 | 7 | II. 4. 18.68 | 39.42 | 6 | + 2.875 | — 31. 32. 18.93 | 39.42 | 6 | —19.469 | ... | 4642 | ... |
| 5076 | 5095 | Lacaille 4641 | 7 | II. 4. 20.14 | 38.21 | 3 | + 2.895 | — 28. 53. 12.84 | 38.24 | 3 | —19.470 | ... | 4641 | ... |
| 5077 | 5096 | O. P. D.—59°. 3156 | 7 | II. 4. 31.75 | 39.28 | 6 | + 2.528 | — 59. 28. 56.76 | 39.28 | 6 | —19.473 | ... | ... | ... |
| 5078 | 5097 | Lacaille 4644 | 6.7 | II. 4. 35.13 | 38.49 | 3 | + 2.748 | — 45. 22. 16.62 | 38.49 | 3 | —19.474 | ... | 4644 | ... |
| 5079 | 5098 | Brisbane 3447 | 7 | II. 4. 38.62 | 40.47 | 6 | + 2.528 | — 59. 32. 53.84 | 40.72 | 7 | —19.475 | ... | ... | ... |
| 5080 | 5099 | Brisbane 3450 | 7 | II. 4. 56.17 | 38.24 | 3 | + 2.572 | — 57. 31. 40.32 | 38.24 | 3 | —19.482 | ... | ... | ... |

{cxxx}

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|---------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 5081 | 5100 | Piazzi XI. 9 | 7 | h m s 11. 5. 0'40 | 35'21 | 3 | + 3'194 | + 21. 1. 50'29 | 34'49 | 4 | -19'483 | ... | ... | 9 |
| 5082 | 5101 | Piazzi XI. 8 | 7.8 | 11. 5. 1'33 | 36'68 | 4 | + 3'507 | + 53. 50. 42'81 | 34'57 | 4 | -19'483 | ... | ... | 8 |
| 5083 | 5102 | Lacaille 4649 | 6 | 11. 5. 3'31 | 38'55 | 3 | + 2'717 | - 48. 12. 23'44 | 38'55 | 3 | -19'484 | ... | 4649 | ... |
| 5084 | 5103 | Lacaille 4646 | 7 | 11. 5. 9'53 | 38'25 | 3 | + 2'920 | - 25. 34. 9'94 | 38'29 | 3 | -19'486 | ... | 4646 | ... |
| 5085 | 5104 | 69 Leonis | 5.6 | 11. 5. 18'81 | 31'38 | 9 | + 3'076 | + 0. 49. 37'37 | 32'22 | 5 | -19'490 | 1547 | ... | 11 |
| 5086 | 5105 | 68 Leonis | 3 | 11. 5. 19'49 | 32'01 | 7 | + 3'196 | + 21. 25. 35'67 | 32'75 | 33 | -19'491 | 1546 | ... | 10 |
| 5087 | 5106 | Lacaille 4650 | 6.7 | 11. 5. 26'66 | 38'56 | 3 | + 2'711 | - 48. 50. 24'16 | 38'56 | 3 | -19'492 | ... | 4650 | ... |
| 5088 | 5107 | Piazzi XI. 12 | 6.7 | 11. 5. 27'28 | 32'24 | 7 | + 3'122 | + 8. 57. 45'66 | 32'24 | 5 | -19'493 | ... | ... | 12 |
| 5089 | 5108 | Carina | 6 | 11. 5. 32'61 | 38'36 | 2 | + 2'539 | - 59. 25. 16'82 | 38'36 | 2 | -19'494 | ... | 4652 | ... |
| 5090 | 5109 | 70 Leonis | 3 | 11. 5. 34'46 | 33'26 | 13 | + 3'164 | + 16. 19. 49'34 | 33'01 | 15 | -19'495 | 1548 | ... | 13 |
| 5091 | 5110 | Lacaille 4653 | 7 | 11. 5. 48'12 | 38'73 | 4 | + 2'709 | - 49. 13. 33'80 | 38'73 | 4 | -19'499 | ... | 4653 | ... |
| 5092 | 5111 | Piazzi XI. 15 | 8.9 | 11. 5. 52'58 | 36'38 | 5 | + 3'082 | + 1. 47. 2'84 | 36'49 | 4 | -19'502 | ... | ... | 15 |
| 5093 | 5112 | Piazzi XI. 16 | 7.8 | 11. 5. 58'24 | 35'15 | 2 | + 2'983 | - 15. 59. 28'29 | 34'52 | 4 | -19'503 | ... | ... | 16 |
| 5094 | 5113 | Piazzi XI. 14 | 7 | 11. 5. 59'45 | 35'16 | 3 | + 3'320 | + 38. 28. 33'84 | 34'55 | 4 | -19'504 | ... | ... | 14 |
| 5095 | 5114 | Piazzi XI. 17 | 8 | 11. 6. 4'53 | 36'51 | 3 | + 3'147 | + 13. 31. 9'69 | 36'23 | 1 | -19'506 | ... | ... | 17 |
| 5096 | 5115 | Taylor 5115 | 12 | 11. 6. 11'28 | 42'33 | 3 | + 2'524 | - 60. 25. 0'24 | 42'33 | 2 | -19'509 | ... | ... | ... |
| 5097 | 5116 | Lacaille 4656 | 7 | 11. 6. 16'05 | 38'57 | 3 | + 2'669 | - 52. 20. 11'33 | 38'57 | 3 | -19'510 | ... | 4656 | ... |
| 5098 | 5117 | Brisbane 3472 | 7.8 | 11. 6. 21'30 | 38'63 | 3 | + 2'690 | - 50. 54. 17'53 | 38'63 | 3 | -19'511 | ... | ... | ... |
| 5099 | 5118 | Lacaille 4661 | 6.7 | 11. 6. 24'27 | 38'61 | 3 | + 2'562 | - 58. 43. 20'43 | 38'61 | 3 | -19'512 | ... | 4661 | ... |
| 5100 | 5119 | 72 Leonis | 5.6 | 11. 6. 25'09 | 32'24 | 6 | + 3'210 | + 23. 59. 36'92 | 32'25 | 5 | -19'512 | 1549 | ... | 18 |
| 5101 | 5120 | Lacaille 4659 | 7 | 11. 6. 26'12 | 38'63 | 3 | + 2'676 | - 51. 57. 22'50 | 38'63 | 3 | -19'513 | ... | 4659 | ... |
| 5102 | 5121 | Lacaille 4660 | 7 | 11. 6. 31'89 | 38'68 | 3 | + 2'732 | - 47. 42. 13'72 | 38'68 | 3 | -19'515 | ... | 4660 | ... |
| 5103 | 5122 | Lacaille 4665 | 7 | 11. 7. 7'38 | 38'62 | 3 | + 2'878 | - 32. 25. 18'93 | 38'62 | 3 | -19'526 | ... | 4665 | ... |
| 5104 | 5123 | 73 Leonis | 5.6 | 11. 7. 13'65 | 32'31 | 4 | + 3'149 | + 14. 12. 24'18 | 32'26 | 5 | -19'529 | 1550 | ... | 20 |
| 5105 | 5124 | Piazzi XI. 21 | 7 | 11. 7. 19'00 | 35'56 | 3 | + 3'145 | + 13. 30. 45'39 | 35'33 | 9 | -19'530 | ... | ... | 21 |
| 5106 | 5125 | Piazzi XI. 22 | 6 | 11. 7. 20'49 | 32'42 | 7 | + 3'146 | + 13. 44. 48'45 | 32'20 | 5 | -19'531 | ... | ... | 22 |
| 5107 | 5126 | Piazzi XI. 19 | 6.7 | 11. 7. 21'88 | 35'22 | 3 | + 3'440 | + 50. 22. 28'84 | 34'56 | 4 | -19'531 | ... | ... | 19 |
| 5108 | 5127 | Lacaille 4670 | 7.8 | 11. 7. 42'24 | 39'21 | 6 | + 2'817 | - 40. 9. 34'36 | 39'21 | 6 | -19'538 | ... | 4670 | ... |
| 5109 | 5128 | Lacaille 4671 | 7.8 | 11. 7. 48'47 | 38'58 | 3 | + 2'803 | - 41. 43. 8'99 | 38'58 | 3 | -19'540 | ... | 4671 | ... |
| 5110 | 5129 | Brisbane 3485 | 8 | 11. 7. 53'44 | 38'27 | 2 | + 2'601 | - 57. 21. 40'78 | 38'27 | 2 | -19'542 | ... | ... | ... |
| 5111 | 5130 | Brisbane 3487 | 8 | 11. 8. 3'38 | 39'64 | 3 | + 2'604 | - 57. 16. 58'26 | 40'69 | 5 | -19'545 | ... | ... | ... |
| 5112 | 5131 | 74 Leonis | 5 | 11. 8. 16'62 | 32'22 | 13 | + 3'058 | - 2. 45. 6'76 | 31'59 | 6 | -19'549 | 1551 | ... | 23 |
| 5113 | 5132 | Lacaille 4673 | 6.7 | 11. 8. 20'13 | 39'05 | 7 | + 2'820 | - 40. 7. 21'54 | 38'71 | 4 | -19'551 | ... | 4673 | ... |
| 5114 | 5145 | Brisbane 3505 | 8.9 | 11. 8. 21'40 | 40'31 | 2 | + 2'847 | - 36. 55. 39'33 | 39'29 | 4 | -19'551 | ... | ... | ... |
| 5115 | 5133 | Lacaille 4674 | 7 | 11. 8. 24'60 | 38'54 | 3 | + 2'873 | - 33. 46. 9'41 | 38'53 | 3 | -19'552 | ... | 4674 | ... |
| 5116 | 5134 | Lacaille 4677 | 7.8 | 11. 8. 27'15 | 38'63 | 3 | + 2'622 | - 56. 27. 25'79 | 38'63 | 3 | -19'553 | ... | 4677 | ... |
| 5117 | 5135 | Brisbane 3495 | 7.8 | 11. 8. 29'08 | 38'64 | 3 | + 2'611 | - 57. 5. 34'01 | 38'64 | 3 | -19'553 | ... | ... | ... |
| 5118 | 5136 | Brisbane 3496 | 7.8 | 11. 8. 29'91 | 38'65 | 3 | + 2'919 | - 27. 13. 52'68 | 38'65 | 3 | -19'554 | ... | ... | ... |
| 5119 | 5137 | Brisbane 3499 | 7.8 | 11. 8. 37'44 | 38'66 | 3 | + 2'658 | - 54. 18. 37'67 | 38'66 | 3 | -19'556 | ... | ... | ... |
| 5120 | 5138 | Brisbane 3500 | 8 | 11. 8. 45'12 | 38'57 | 3 | + 2'663 | - 54. 3. 8'73 | 38'57 | 3 | -19'558 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 5121 | 5139 | 75 Leonis | 5.6 | h m s 11. 8. 48.04 | 32.37 | 7 | + 3.087 | + 2. 55. 1.30 | 32.22 | 5 | -19.559 | 1552 | ... | 24 |
| 5122 | 5140 | Lacaille 4678 | 6.7 | 11. 8. 48.61 | 38.67 | 3 | + 2.776 | - 44. 59. 1.08 | 38.67 | 3 | -19.559 | ... | 4678 | ... |
| 5123 | 5141 | Piazzi XI. 25 | 7 | 11. 8. 53.65 | 35.09 | 2 | + 3.231 | + 28. 15. 43.74 | 34.57 | 4 | -19.561 | ... | ... | 25 |
| 5124 | 5142 | Piazzi XI. 26 | 7.8 | 11. 9. 1.27 | 36.20 | 3 | + 3.289 | + 36. 20. 34.29 | 36.41 | 4 | -19.563 | ... | ... | 26 |
| 5125 | 5143 | Lacaille 4680 | 7 | 11. 9. 1.72 | 38.54 | 3 | + 2.846 | - 37. 30. 1.02 | 38.54 | 3 | -19.564 | ... | 4680 | ... |
| 5126 | 5144 | Piazzi XI. 27 | 7 | 11. 9. 19.95 | 37.72 | 6 | + 3.347 | + 43. 13. 4.32 | 36.94 | 7 | -19.570 | ... | ... | 27 |
| 5127 | 5146 | 53 Ursæ Majoris | 4 | 11. 9. 22.17 | 32.27 | 6 | + 3.258 | + 32. 27. 23.76 | 33.19 | 20 | -19.570 | 1553 | ... | 28 |
| 5128 | 5147 | 54 Ursæ Majoris | 4 | 11. 9. 32.88 | 32.23 | 4 | + 3.269 | + 33. 59. 36.08 | 32.68 | 10 | -19.573 | 1554 | ... | 29 |
| 5129 | 5148 | Lacaille 4691 | 7 | 11. 9. 34.44 | 38.53 | 3 | + 2.672 | - 53. 52. 28.16 | 38.53 | 3 | -19.573 | ... | 4691 | ... |
| 5130 | 5149 | Lacaille 4687 | 7 | 11. 9. 40.16 | 38.65 | 3 | + 2.885 | - 32. 37. 54.73 | 38.65 | 3 | -19.575 | ... | 4687 | ... |
| 5131 | 5150 | Lacaille 4688 | 7.8 | 11. 9. 42.82 | 38.19 | 3 | + 2.881 | - 33. 50. 14.54 | 38.19 | 3 | -19.576 | ... | 4688 | ... |
| 5132 | 5151 | Piazzi XI. 31 | 7 | 11. 9. 44.36 | 36.42 | 4 | + 3.138 | + 12. 53. 12.30 | 36.43 | 4 | -19.577 | ... | ... | 31 |
| 5133 | 5152 | Piazzi XI. 30 | 7 | 11. 9. 49.66 | 35.21 | 3 | + 3.286 | + 36. 23. 22.09 | 34.59 | 4 | -19.579 | ... | ... | 30 |
| 5134 | 5153 | Piazzi XI. 32 | 7 | 11. 9. 50.16 | 37.73 | 6 | + 3.051 | - 4. 9. 36.77 | 36.94 | 7 | -19.579 | ... | ... | 32 |
| 5135 | 5154 | Lacaille 4695 | 7 | 11. 10. 3.66 | 38.82 | 2 | + 2.593 | - 58. 52. 13.02 | 38.82 | 2 | -19.583 | ... | 4695 | ... |
| 5136 | 5155 | 55 Ursæ Majoris | 5 | 11. 10. 7.11 | 33.05 | 14 | + 3.306 | + 39. 5. 21.22 | 33.26 | 6 | -19.584 | 1555 | ... | 33 |
| 5137 | 5156 | Piazzi XI. 35 | 8 | 11. 10. 22.99 | 36.49 | 3 | + 3.042 | - 6. 0. 29.10 | 36.54 | 3 | -19.590 | ... | ... | 35 |
| 5138 | 5157 | 76 Leonis | 6 | 11. 10. 26.96 | 32.13 | 7 | + 3.085 | + 2. 33. 15.33 | 31.89 | 5 | -19.591 | 1556 | ... | 36 |
| 5139 | 5158 | Lacaille 4696 | 7.8 | 11. 10. 34.37 | 40.46 | 7 | + 2.608 | - 58. 18. 27.28 | 40.72 | 7 | -19.593 | ... | 4696 | ... |
| 5140 | 5159 | Lacaille 4699 | 7.8 | 11. 10. 39.90 | 40.69 | 8 | + 2.608 | - 58. 20. 10.92 | 40.87 | 9 | -19.595 | ... | 4699 | ... |
| 5141 | 5160 | Piazzi XI. 37 | 7 | 11. 10. 40.89 | 37.20 | 5 | + 3.305 | + 39. 0. 18.12 | 36.46 | 6 | -19.595 | ... | ... | 37 |
| 5142 | 5161 | Lacaille 4697 | 7 | 11. 10. 42.75 | 38.47 | 3 | + 2.756 | - 47. 53. 13.11 | 38.47 | 3 | -19.596 | ... | 4697 | ... |
| 5143 | 5162 | Piazzi XI. 34 | 7 | 11. 10. 42.96 | 35.26 | 3 | + 3.778 | + 68. 0. 15.33 | 34.58 | 4 | -19.596 | ... | ... | 34 |
| 5144 | 5163 | 12 Crateris | 3.4 | 11. 11. 5.90 | 32.77 | 6 | + 3.002 | - 13. 53. 13.23 | 31.94 | 6 | -19.603 | 1557 | ... | 38 |
| 5145 | 5164 | Lacaille 4703 | 7 | 11. 11. 19.55 | 40.07 | 5 | + 2.839 | - 39. 35. 57.30 | 40.07 | 5 | -19.607 | ... | 4703 | ... |
| 5146 | 5165 | Lacaille 4702 | 7 | 11. 11. 22.45 | 38.34 | 3 | + 2.925 | - 27. 34. 26.10 | 38.34 | 3 | -19.608 | ... | 4702 | ... |
| 5147 | 5166 | Piazzi XI. 39 | 8 | 11. 11. 22.93 | 36.42 | 4 | + 3.043 | - 5. 59. 48.63 | 36.41 | 6 | -19.609 | ... | ... | 39 |
| 5148 | 5167 | Brisbane 3524 | 7.8 | 11. 11. 26.20 | 38.62 | 3 | + 2.634 | - 57. 17. 8.77 | 39.86 | 7 | -19.610 | ... | ... | ... |
| 5149 | 5168 | Brisbane 3526 | 7.8 | 11. 11. ... | ... | ... | + 2.636 | - 57. 15. 9.86 | 42.27 | 2 | -19.612 | ... | ... | ... |
| 5150 | 5169 | Lacaille 4705 | 6.7 | 11. 11. 43.78 | 38.32 | 2 | + 2.928 | - 27. 17. 9.75 | 38.67 | 3 | -19.615 | ... | 4705 | ... |
| 5151 | 5170 | Piazzi XI. 40 | 7 | 11. 11. 45.75 | 35.11 | 2 | + 3.164 | + 18. 12. 50.17 | 34.57 | 4 | -19.615 | ... | ... | 40 |
| 5152 | 5171 | Lacaille 4707 | 6.7 | 11. 12. 16.94 | 38.34 | 3 | + 2.929 | - 27. 25. 51.63 | 38.36 | 2 | -19.626 | ... | 4707 | ... |
| 5153 | 5172 | Piazzi XI. 41 | 7 | 11. 12. 29.07 | 35.14 | 3 | + 3.100 | + 5. 47. 2.35 | 34.54 | 4 | -19.629 | ... | ... | 41 |
| 5154 | 5173 | Lacaille 4709 | 7.8 | 11. 12. 30.19 | 38.34 | 3 | + 2.905 | - 31. 11. 59.67 | 38.35 | 3 | -19.629 | ... | 4709 | ... |
| 5155 | 5174 | Brisbane 3532 | 8 | 11. 12. 35.21 | 38.88 | 5 | + 2.645 | - 57. 15. 10.54 | 38.66 | 3 | -19.630 | ... | ... | ... |
| 5156 | 5175 | 77 Leonis | 4 | 11. 12. 37.63 | 34.25 | 12 | + 3.105 | + 6. 55. 56.50 | 32.30 | 10 | -19.631 | 1558 | ... | 42 |
| 5157 | 5176 | Brisbane 3534 | 7.8 | 11. 12. 43.29 | 38.62 | 3 | + 2.629 | - 58. 17. 10.16 | 38.62 | 3 | -19.633 | ... | ... | ... |
| 5158 | 5177 | Lacaille 4711 | 7 | 11. 12. 44.77 | 38.31 | 3 | + 2.800 | - 44. 49. 33.08 | 38.31 | 3 | -19.634 | ... | 4711 | ... |
| 5159 | 5178 | Piazzi XI. 44 | 7 | 11. 12. 57.82 | 35.09 | 3 | + 3.108 | + 7. 32. 16.62 | 34.53 | 4 | -19.637 | ... | ... | 44 |
| 5160 | 5179 | Piazzi XI. 43 | 6.7 | 11. 12. 59.07 | 35.22 | 3 | + 3.662 | + 65. 13. 53.95 | 34.56 | 4 | -19.638 | ... | ... | 43 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 5161 | 5180 | Piazzi XI. 45 | 8 | h m s 11. 12. 59.39 | 36.46 | 4 | + 3.095 | + 4. 50. 25.63 | 36.51 | 4 | -19.638 | ... | ... | 45 |
| 5162 | 5181 | Lacaille 4713 | 7.8 | 11. 13. 11.62 | 38.33 | 3 | + 2.885 | - 34. 37. 21.34 | 38.33 | 3 | -19.641 | ... | 4713 | ... |
| 5163 | 5182 | Lacaille 4715 | 8 | 11. 13. 21.43 | 38.55 | 3 | + 2.802 | - 44. 59. 1.40 | 38.55 | 3 | -19.645 | ... | 4715 | ... |
| 5164 | 5183 | Centauri | 4 | 11. 13. 30.72 | 32.38 | 12 | + 2.706 | - 53. 35. 19.47 | 32.28 | 10 | -19.647 | ... | 4717 | ... |
| 5165 | 5184 | 56 Ursæ Majoris | 6 | 11. 13. 44.68 | 35.22 | 3 | + 3.334 | + 44. 23. 11.76 | 34.58 | 4 | -19.652 | 1559 | ... | 46 |
| 5166 | 5185 | Brisbane 3549 | 7 | 11. 14. 21.35 | 39.40 | 6 | + 2.607 | - 60. 19. 29.28 | 39.40 | 6 | -19.663 | ... | ... | ... |
| 5167 | 5186 | Piazzi XI. 47 | 7.8 | 11. 14. 33.93 | 36.21 | 3 | + 3.095 | + 5. 2. 26.24 | 36.43 | 4 | -19.666 | ... | ... | 47 |
| 5168 | 5187 | Lacaille 4723 | 6.7 | 11. 14. 35.63 | 38.58 | 3 | + 2.820 | - 43. 44. 25.61 | 38.58 | 3 | -19.667 | ... | 4723 | ... |
| 5169 | 5188 | Piazzi XI. 48 | 7 | 11. 14. 43.16 | 35.09 | 3 | + 3.106 | + 7. 29. 27.01 | 34.47 | 4 | -19.668 | ... | ... | 48 |
| 5170 | 5189 | Piazzi XI. 49 | 7.8 | 11. 14. 45.53 | 35.22 | 3 | + 2.978 | - 19. 43. 16.75 | 34.58 | 4 | -19.669 | ... | ... | 49 |
| 5171 | 5190 | Piazzi XI. 51 | 8 | 11. 14. 50.74 | 36.49 | 3 | + 2.886 | - 35. 20. 16.68 | 36.70 | 5 | -19.671 | ... | ... | 51 |
| 5172 | 5191 | Piazzi XI. 50 | 7 | 11. 14. 51.08 | 31.37 | 7 | + 3.077 | + 1. 2. 12.15 | 32.22 | 4 | -19.671 | ... | ... | 50 |
| 5173 | 5192 | Brisbane 3552 | 6 | 11. 14. 51.91 | 38.14 | 2 | + 2.659 | - 57. 40. ... | ... | ... | -19.672 | ... | ... | ... |
| 5174 | 5193 | Brisbane 3553 | 7.8 | 11. 14. 52.29 | 38.27 | 3 | + 2.661 | - 57. 28. 48.58 | 38.23 | 6 | -19.672 | ... | ... | ... |
| 5175 | 5194 | 13 Crateris | 6 | 11. 15. 11.55 | 32.09 | 6 | + 2.988 | - 17. 52. 27.70 | 32.20 | 4 | -19.676 | 1561 | ... | 53 |
| 5176 | 5195 | Lacaille 4728 | 5.6 | 11. 15. 14.29 | 36.51 | 3 | + 2.889 | - 35. 15. 37.58 | 34.49 | 4 | -19.677 | ... | 4728 | 55 |
| 5177 | 5196 | 78 Leonis | 4 | 11. 15. 19.24 | 33.40 | 14 | + 3.124 | + 11. 26. 14.76 | 32.49 | 18 | -19.679 | 1560 | ... | 54 |
| 5178 | 5197 | Piazzi XI. 52 | 7 | 11. 15. 23.42 | 36.43 | 4 | + 3.375 | + 49. 30. 37.10 | 36.48 | 4 | -19.680 | ... | ... | 52 |
| 5179 | 5198 | Lacaille 4733 | 7.8 | 11. 15. 24.18 | 38.55 | 3 | + 2.668 | - 57. 24. 40.22 | 38.70 | 4 | -19.680 | ... | 4733 | ... |
| 5180 | 5199 | 79 Leonis | 5.6 | 11. 15. 34.44 | 32.40 | 7 | + 3.082 | + 2. 18. 45.11 | 32.23 | 5 | -19.683 | 1562 | ... | 56 |
| 5181 | 5200 | Lacaille 4734 | 6.7 | 11. 15. 39.82 | 38.35 | 2 | + 2.693 | - 55. 52. 32.06 | 38.35 | 2 | -19.684 | ... | 4734 | ... |
| 5182 | 5201 | Lacaille 4732 | 7.8 | 11. 15. 46.02 | 38.37 | 3 | + 2.947 | - 26. 3. 16.06 | 38.36 | 3 | -19.686 | ... | 4732 | ... |
| 5183 | 5202 | Piazzi XI. 57 | 7 | 11. 15. 48.72 | 36.04 | 8 | + 2.891 | - 35. 11. 2.69 | 36.94 | 4 | -19.687 | ... | ... | 57 |
| 5184 | 5203 | Brisbane 3559 | 9.10 | 11. 15. 53.66 | 38.26 | 2 | + 2.664 | - 57. 53. 0.12 | 38.26 | 2 | -19.688 | ... | ... | ... |
| 5185 | 5204 | Brisbane 3561 | 7.8 | 11. 16. 13.52 | 38.63 | 5 | + 2.675 | - 57. 21. 42.07 | 38.29 | 3 | -19.693 | ... | ... | ... |
| 5186 | 5205 | 14 Crateris | 5 | 11. 16. 16.92 | 34.40 | 15 | + 3.028 | - 9. 57. 18.96 | 35.10 | 10 | -19.695 | 1563 | ... | 58 |
| 5187 | 5206 | Piazzi XI. 60 | 6.7 | 11. 16. 25.43 | 32.14 | 17 | + 3.128 | + 12. 20. 9.61 | 32.11 | 6 | -19.697 | ... | ... | 60 |
| 5188 | 5207 | Lacaille 4736 | 7 | 11. 16. 29.77 | 39.39 | 6 | + 2.847 | - 41. 45. 51.11 | 39.39 | 6 | -19.698 | ... | 4736 | ... |
| 5189 | 5208 | Lacaille 4735 | 7.8 | 11. 16. 29.82 | 38.35 | 3 | + 2.906 | - 33. 22. 48.83 | 38.36 | 3 | -19.698 | ... | 4735 | ... |
| 5190 | 5209 | Piazzi XI. 59 | 6.7 | 11. 16. 36.00 | 35.21 | 3 | + 3.456 | + 56. 45. 14.02 | 34.57 | 4 | -19.701 | ... | ... | 59 |
| 5191 | 5210 | 15 Crateris | 4 | 11. 16. 38.85 | 32.27 | 7 | + 2.996 | - 16. 46. 44.11 | 31.91 | 10 | -19.701 | 1564 | ... | 62 |
| 5192 | 5211 | Piazzi XI. 61 | 7 | 11. 16. 40.56 | 35.93 | 7 | + 3.101 | + 6. 38. 44.02 | 35.04 | 5 | -19.702 | ... | ... | 61 |
| 5193 | 5212 | Brisbane 3570 | 8.9 | 11. 16. 59.02 | 38.46 | 3 | + 2.683 | - 57. 16. 34.94 | 38.57 | 3 | -19.707 | ... | ... | ... |
| 5194 | 5214 | 81 Leonis | 6 | 11. 16. 59.92 | 32.34 | 6 | + 3.150 | + 17. 21. 45.64 | 32.26 | 6 | -19.707 | 1565 | ... | 64 |
| 5195 | 5213 | Piazzi XI. 63 | 7.8 | 11. 16. 59.98 | 35.16 | 3 | + 3.203 | + 27. 39. 9.48 | 34.59 | 4 | -19.707 | ... | ... | 63 |
| 5196 | 5215 | 82 Leonis | 7 | 11. 17. 10.52 | 32.38 | 5 | + 3.090 | + 4. 12. 31.94 | 32.28 | 5 | -19.709 | 1566 | ... | 65 |
| 5197 | 5216 | Piazzi XI. 66 | 8 | 11. 17. 11.57 | 36.68 | 2 | + 3.101 | + 6. 39. 19.44 | 36.25 | 3 | -19.710 | ... | ... | 66 |
| 5198 | 5217 | 80 Leonis | 7 | 11. 17. 21.35 | 32.24 | 4 | + 3.093 | + 4. 46. 4.26 | 32.50 | 5 | -19.713 | 1567 | ... | 67 |
| 5199 | 5218 | Lacaille 4739 | 6 | 11. 17. 30.61 | 35.12 | 2 | + 2.898 | - 35. 9. 29.55 | 34.53 | 4 | -19.715 | ... | 4739 | 68 |
| 5200 | 5219 | Lacaille 4740 | 7 | 11. 17. 34.79 | 38.28 | 3 | + 2.888 | - 36. 50. 28.05 | 38.28 | 3 | -19.716 | ... | 4740 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 5201 | 5220 | Brisbane 3569 | 8 | h m s 11. 17. 38'05 | 39'41 | 6 | + 2'853 | — 41. 45. 59'45 | 39'41 | 6 | —19'717 | ... | ... | ... |
| 5202 | 5221 | Piazzi XI. 69 | 7 | 11. 17. 45'37 | 35'28 | 3 | + 3'113 | + 9. 33. 59'39 | 34'60 | 4 | —19'719 | ... | ... | 69 |
| 5203 | 5222 | Lacaille 4743 | 7.8 | 11. 17. 52'79 | 38'56 | 3 | + 2'828 | — 44. 58. 27'06 | 38'56 | 3 | —19'721 | ... | 4743 | ... |
| 5204 | 5223 | 83 Leonis | 6.7 | 11. 18. 24'03 | 37'76 | 6 | + 3'088 | + 3. 54. 41'34 | 36'39 | 11 | —19'729 | 1568 | ... | 70 |
| 5205 | 5224 | Piazzi XI. 71 | 7 | 11. 18. 25'14 | 37'76 | 6 | + 3'088 | + 3. 54. 17'40 | 39'10 | 5 | —19'730 | ... | ... | 71 |
| 5206 | 5225 | Brisbane 3578 | 8.9 | 11. 18. 35'12 | 39'33 | 9 | + 2'681 | — 58. 26. 47'63 | 39'34 | 9 | —19'732 | ... | ... | ... |
| 5207 | 5226 | Brisbane 3580 | 9.10 | 11. 18. 45'45 | 38'21 | 3 | + 2'703 | — 57. 1. 9'55 | 38'21 | 3 | —19'734 | ... | ... | ... |
| 5208 | 5227 | 16 Crateris | 6 | 11. 18. 51'38 | 34'38 | 10 | + 3'024 | — 11. 27. 2'68 | 32'22 | 5 | —19'737 | 1569 | ... | 72 |
| 5209 | 5228 | Lacaille 4748 | 6.7 | 11. 19. 7'62 | 38'27 | 3 | + 2'766 | — 52. 15. 15'38 | 38'27 | 3 | —19'741 | ... | 4748 | ... |
| 5210 | 5229 | Piazzi XI. 73 | 6.7 | 11. 19. 11'92 | 36'60 | 3 | + 3'024 | — 11. 31. 34'73 | 34'61 | 3 | —19'742 | ... | ... | 73 |
| 5211 | 5230 | Lacaille 4751 | 6.7 | 11. 19. 12'43 | 39'24 | 9 | + 2'658 | — 60. 12. 30'74 | 39'25 | 9 | —19'742 | ... | 4751 | ... |
| 5212 | 5231 | 84 Leonis | 4 | 11. 19. 27'18 | 31'94 | 13 | + 3'087 | + 3. 45. 50'18 | 32'27 | 18 | —19'746 | 1570 | ... | 76 |
| 5213 | 5232 | Piazzi XI. 75 | 6.7 | 11. 19. 27'22 | 35'24 | 3 | + 3'126 | + 12. 52. 50'39 | 34'50 | 4 | —19'746 | ... | ... | 75 |
| 5214 | 5233 | Piazzi XI. 77 | 7 | 11. 19. 28'12 | 32'40 | 6 | + 3'069 | — 0. 47. 33'30 | 32'54 | 4 | —19'746 | ... | ... | 77 |
| 5215 | 5234 | Lacaille 4749 | 7 | 11. 19. 28'32 | 38'30 | 2 | + 2'963 | — 24. 57. 18'73 | 38'33 | 3 | —19'746 | ... | 4749 | ... |
| 5216 | 5235 | Piazzi XI. 74 | 6.7 | 11. 19. 35'19 | 35'30 | 3 | + 3'526 | + 62. 40. 28'48 | 34'61 | 4 | —19'747 | ... | ... | 74 |
| 5217 | 5236 | Brisbane 3586 | 7.8 | 11. 19. 36'39 | 38'24 | 3 | + 2'658 | — 60. 27. 45'08 | 38'24 | 3 | —19'748 | ... | ... | ... |
| 5218 | 5237 | Piazzi XI. 78 | 7 | 11. 19. 36'92 | 35'26 | 4 | + 3'072 | + 0. 0. 37'71 | 34'60 | 4 | —19'748 | ... | ... | 78 |
| 5219 | 5238 | Piazzi XI. 79 | 7.8 | 11. 19. 57'60 | 35'28 | 2 | + 3'087 | + 3. 41. 37'04 | 34'55 | 4 | —19'753 | ... | ... | 79 |
| 5220 | 5239 | Brisbane 3588 | 7.8 | 11. 20. 7'55 | 38'34 | 3 | + 2'903 | — 36. 10. 42'68 | 38'34 | 3 | —19'756 | ... | ... | ... |
| 5221 | 5240 | 57 Ursæ Majoris | 6 | 11. 20. 9'71 | 35'29 | 3 | + 3'268 | + 40. 14. 37'77 | 34'59 | 4 | —19'756 | 1571 | ... | 80 |
| 5222 | 5241 | Brisbane 3590 | 8 | 11. 20. 16'39 | 38'27 | 3 | + 2'678 | — 59. 35. 21'40 | 38'27 | 3 | —19'758 | ... | ... | ... |
| 5223 | 5242 | Brisbane 3591 | 7 | 11. 20. 20'30 | 38'49 | 3 | + 2'707 | — 57. 46. 14'73 | 38'49 | 3 | —19'759 | ... | ... | ... |
| 5224 | 5243 | Brisbane 3592 | 7.8 | 11. 20. 31'80 | 39'42 | 6 | + 2'788 | — 51. 8. 37'64 | 39'42 | 6 | —19'762 | ... | ... | ... |
| 5225 | 5244 | Brisbane 3593 | 7.8 | 11. 20. 33'84 | 38'59 | 3 | + 2'844 | — 44. 52. 2'71 | 38'59 | 3 | —19'763 | ... | ... | ... |
| 5226 | 5245 | Lacaille 4754 | 6 | 11. 20. 39'28 | 35'88 | 4 | + 2'868 | — 41. 46. 0'96 | 35'31 | 5 | —19'764 | ... | 4754 | 81 |
| 5227 | 5246 | Piazzi XI. 82 | 7 | 11. 20. 58'10 | 35'23 | 4 | + 3'072 | + 0. 3. 29'91 | 34'61 | 4 | —19'769 | ... | ... | 82 |
| 5228 | 5247 | Lacaille 4756 | 7 | 11. 20. 58'76 | 38'30 | 3 | + 2'760 | — 53. 58. 30'12 | 38'30 | 3 | —19'769 | ... | 4756 | ... |
| 5229 | 5248 | Brisbane 3597 | 7.8 | 11. 21. 1'44 | 38'21 | 3 | + 2'720 | — 57. 14. 4'01 | 38'21 | 3 | —19'769 | ... | ... | ... |
| 5230 | 5249 | 85 Leonis | 6 | 11. 21. 5'85 | 32'06 | 8 | + 3'138 | + 16. 19. 26'61 | 32'24 | 5 | —19'771 | 1573 | ... | 83 |
| 5231 | 5250 | Piazzi XI. 84 | 7.8 | 11. 21. 7'31 | 35'32 | 2 | + 3'090 | + 4. 41. 15'99 | 34'59 | 4 | —19'771 | ... | ... | 84 |
| 5232 | 5251 | Piazzi XI. 85 | 7 | 11. 21. 8'69 | 35'32 | 3 | + 3'106 | + 8. 30. 30'24 | 35'28 | 4 | —19'771 | ... | ... | 85 |
| 5233 | 5252 | Brisbane 3598 | 9.10 | 11. 21. 12'52 | 40'60 | 7 | + 2'719 | — 57. 29. 9'89 | 41'10 | 10 | —19'772 | ... | ... | ... |
| 5234 | 5253 | Lacaille 4758 | 6.7 | 11. 21. 28'18 | 38'52 | 4 | + 2'957 | — 27. 7. 18'53 | 38'52 | 4 | —19'775 | ... | 4758 | ... |
| 5235 | 5254 | 1 Draconis | 3.4 | 11. 21. 31'03 | 33'66 | 11 | + 3'694 | + 70. 14. 26'70 | 32'77 | 10 | —19'776 | 1572 | ... | 86 |
| 5236 | 5255 | Brisbane 3601 | 7 | 11. 21. 31'46 | 38'13 | 3 | + 2'716 | — 57. 53. 1'81 | 38'13 | 2 | —19'776 | ... | ... | ... |
| 5237 | 5256 | 58 Ursæ Majoris | 6 | 11. 21. 34'89 | 35'34 | 3 | + 3'288 | + 44. 4. 40'29 | 34'55 | 4 | —19'777 | 1574 | ... | 87 |
| 5238 | 5257 | Lacaille 4760 | 6.7 | 11. 21. 40'88 | 38'22 | 3 | + 2'901 | — 37. 32. 53'24 | 38'22 | 3 | —19'778 | ... | 4760 | ... |
| 5239 | 5258 | Brisbane 3605 | 7.8 | 11. 21. 46'10 | 38'21 | 3 | + 2'731 | — 56. 55. 28'22 | 38'21 | 3 | —19'779 | ... | ... | ... |
| 5240 | 5259 | 86 Leonis | 6 | 11. 21. 52'09 | 32'25 | 5 | + 3'150 | + 19. 19. 3'84 | 31'41 | 3 | —19'781 | 1575 | ... | 88 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 5241 | 5260 | 87 Leonis | 4'5 | h m s 11. 21. 53'17 | 32'14 | 12 | + 3'064 | — 2. 5. 40'11 | 32'26 | 11 | —19'781 | 1576 | ... | 89 |
| 5242 | 5261 | Brisbane 3607 | 7'8 | 11. 22. 5'87 | 38'30 | 3 | + 2'861 | — 43. 46. 58'18 | 38'30 | 3 | —19'785 | ... | ... | ... |
| 5243 | 5262 | Lacaille 4764 | 7'8 | 11. 22. 8'03 | 38'32 | 3 | + 2'803 | — 50. 45. 31'48 | 38'32 | 3 | —19'785 | ... | 4764 | ... |
| 5244 | 5263 | Piazzi XI. 90 | 7'8 | 11. 22. 11'32 | 35'30 | 3 | + 3'195 | + 29. 21. 36'25 | 34'63 | 4 | —19'786 | ... | ... | 90 |
| 5245 | 5264 | Brisbane 3611 | 8 | 11. 22. 18'80 | 38'59 | 3 | + 2'767 | — 54. 21. 16'02 | 38'59 | 3 | —19'787 | ... | ... | ... |
| 5246 | 5265 | Piazzi XI. 91 | 8 | 11. 22. 27'29 | 36'42 | 4 | + 3'050 | — 5. 48. 35'87 | 36'42 | 4 | —19'789 | ... | ... | 91 |
| 5247 | 5266 | Piazzi XI. 92 | 7 | 11. 22. 54'67 | 35'22 | 3 | + 3'087 | + 3. 58. 17'87 | 34'51 | 4 | —19'795 | ... | ... | 92 |
| 5248 | 5267 | Lacaille 4768 | 7'8 | 11. 22. 57'88 | 38'61 | 3 | + 2'885 | — 41. 1. 0'86 | 38'61 | 3 | —19'796 | ... | 4768 | ... |
| 5249 | 5268 | Brisbane 3617 | 7'8 | 11. 23. 10'97 | 38'13 | 3 | + 2'731 | — 57. 54. 7'46 | 38'13 | 3 | —19'800 | ... | ... | ... |
| 5250 | 5269 | 88 Leonis | 7 | 11. 23. 13'17 | 38'27 | 7 | + 3'130 | + 15. 16. 57'65 | 37'53 | 8 | —19'800 | 1577 | ... | 93 |
| 5251 | 5270 | Brisbane 3623 | 7'8 | 11. 23. 14'24 | 39'45 | 5 | + 2'865 | — 44. 3. 31'03 | 39'28 | 6 | —19'801 | ... | ... | ... |
| 5252 | 5271 | Brisbane 3624 | 7'8 | 11. 23. 28'39 | 38'33 | 2 | + 2'869 | — 43. 43. 6'61 | 38'35 | 3 | —19'803 | ... | ... | ... |
| 5253 | 5272 | Piazzi XI. 94 | 7 | 11. 23. 33'25 | 32'30 | 8 | + 3'051 | — 5. 33. 23'83 | 31'38 | 5 | —19'805 | ... | ... | 94 |
| 5254 | 5273 | Brisbane 3626 | 7'8 | 11. 23. 39'51 | 38'34 | 3 | + 2'867 | — 43. 49. 46'45 | 38'31 | 3 | —19'806 | ... | ... | ... |
| 5255 | 5274 | Lacaille 4771 | 7 | 11. 23. 44'37 | 39'11 | 8 | + 2'702 | — 60. 22. 7'86 | 39'11 | 8 | —19'807 | ... | 4771 | ... |
| 5256 | 5275 | Piazzi XI. 95 | 6'7 | 11. 24. 6'11 | 36'75 | 5 | + 2'959 | — 28. 21. 34'46 | 36'44 | 4 | —19'813 | ... | ... | 95 |
| 5257 | 5276 | Bradley 1578 | 5'6 | 11. 24. 6'54 | 33'12 | 7 | + 2'959 | — 28. 21. 28'41 | 32'21 | 5 | —19'813 | 1578 | 4770 | 96 |
| 5258 | 5277 | Lacaille 4774 | 6 | 11. 24. 10'24 | 38'60 | 6 | + 2'732 | — 58. 31. 56'55 | 38'60 | 6 | —19'814 | ... | 4774 | ... |
| 5259 | 5278 | Lacaille 4772 | 7 | 11. 24. 12'50 | 38'26 | 3 | + 2'971 | — 25. 50. 15'82 | 38'26 | 3 | —19'814 | ... | 4772 | ... |
| 5260 | 5279 | Brisbane 3634 | 8 | 11. 24. 14'87 | 38'26 | 3 | + 2'716 | — 59. 41. 47'64 | 38'26 | 3 | —19'815 | ... | ... | ... |
| 5261 | 5280 | Piazzi XI. 97 | 8 | 11. 24. 19'92 | 36'42 | 4 | + 2'952 | — 30. 3. 40'91 | 36'45 | 4 | —19'816 | ... | ... | 97 |
| 5262 | 5281 | Piazzi XI. 98 | 7 | 11. 24. 24'67 | 34'45 | 8 | + 3'047 | — 6. 55. 0'61 | 31'41 | 5 | —19'817 | ... | ... | 98 |
| 5263 | 5282 | Bradley 1579 | 5'6 | 11. 24. 45'51 | 35'21 | 3 | + 2'953 | — 30. 10. 36'91 | 34'49 | 4 | —19'821 | 1579 | 4776 | 99 |
| 5264 | 5283 | Lacaille 4778 | 6 | 11. 24. 46'96 | 35'09 | 3 | + 2'903 | — 39. 31. 43'91 | 34'53 | 4 | —19'821 | ... | 4778 | 101 |
| 5265 | 5284 | Piazzi XI. 100 | 7'8 | 11. 24. 51'10 | 35'12 | 3 | + 3'087 | + 4. 16. 23'00 | 34'61 | 4 | —19'823 | ... | ... | 100 |
| 5266 | 5285 | Hydra | 4 | 11. 24. 54'21 | 32'08 | 12 | + 2'950 | — 30. 56. 43'02 | 32'33 | 17 | —19'823 | 1580 | 4779 | 103 |
| 5267 | 5286 | Lacaille 4781 | 7 | 11. 24. 57'07 | 41'17 | 8 | + 2'736 | — 58. 48. 25'75 | 40'99 | 7 | —19'824 | ... | 4781 | ... |
| 5268 | 5287 | Piazzi XI. 102 | 8 | 11. 25. 6'45 | 35'23 | 3 | + 3'309 | + 49. 28. 46'71 | 34'59 | 4 | —19'827 | ... | ... | 102 |
| 5269 | 5288 | Piazzi XI. 104 | 8 | 11. 25. 14'47 | 36'20 | 3 | + 3'052 | — 5. 37. 36'34 | 36'45 | 4 | —19'828 | ... | ... | 104 |
| 5270 | 5289 | Lacaille 4783 | 7'8 | 11. 25. 19'97 | 38'29 | 3 | + 2'801 | — 53. 24. 53'33 | 38'28 | 3 | —19'830 | ... | 4783 | ... |
| 5271 | 5290 | Lacaille 4785 | 6 | 11. 25. 35'63 | 35'09 | 3 | + 2'906 | — 39. 40. 39'00 | 34'53 | 4 | —19'832 | ... | 4785 | 105 |
| 5272 | 5291 | 89 Leonis | 6 | 11. 25. 55'30 | 32'06 | 11 | + 3'086 | + 3. 58. 35'76 | 31'96 | 6 | —19'836 | 1582 | ... | 106 |
| 5273 | 5293 | Piazzi XI. 108 | 7'8 | 11. 25. 58'11 | 36'53 | 3 | + 3'056 | — 4. 37. 0'82 | 36'88 | 3 | —19'837 | ... | ... | 108 |
| 5274 | 5292 | Brisbane 3650 | 8'9 | 11. 25. 58'18 | 38'21 | 3 | + 2'770 | — 56. 44. 3'67 | 38'21 | 3 | —19'837 | ... | ... | ... |
| 5275 | 5294 | 90 Leonis | 6 | 11. 26. 6'94 | 32'26 | 5 | + 3'135 | + 17. 42. 29'19 | 32'24 | 5 | —19'840 | 1583 | ... | 109 |
| 5276 | 5295 | 2 Draconis | 6 | 11. 26. 17'02 | 37'71 | 3 | + 3'618 | + 70. 14. 22'63 | 38'44 | 8 | —19'841 | 1581 | ... | 107 |
| 5277 | 5296 | Bradley 1584 | 6 | 11. 26. 29'27 | 37'09 | 8 | + 2'950 | — 31. 57. 26'86 | 36'95 | 7 | —19'844 | 1584 | 4788 | 110 |
| 5278 | 5297 | Brisbane 3653 | 7'8 | 11. 26. 29'56 | 40'47 | 5 | + 2'750 | — 58. 46. 15'61 | 40'47 | 5 | —19'844 | ... | ... | ... |
| 5279 | 5298 | Brisbane 3654 | 8'9 | 11. 26. 37'96 | 38'21 | 3 | + 2'776 | — 56. 42. 57'37 | 38'21 | 3 | —19'846 | ... | ... | ... |
| 5280 | 5299 | Lacaille 4790 | 7'8 | 11. 26. 53'44 | 38'29 | 3 | + 2'962 | — 29. 48. 48'08 | 38'27 | 3 | —19'849 | ... | 4790 | ... |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{cxxxv}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|------------------------|-------------------------|-------------------|----------------------------------|--------------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 5281 | 5300 | Lacaille 4794 | 6 | h m s II. 26. 57.85 | 38.29 | 3 | + 2.814 | ° ' " - 53. 21. 14.54 | 38.28 | 3 | - 19.850 | ... | 4794 | ... |
| 5282 | 5301 | Brisbane 3658 | 7.8 | II. 27. 13.18 | 38.29 | 3 | + 2.825 | - 52. 19. 53.32 | 38.29 | 3 | - 19.852 | ... | .. | ... |
| 5283 | 5302 | Lacaille 4796 | 6.7 | II. 27. 17.28 | 38.31 | 2 | + 2.872 | - 46. 27. 40.04 | 38.28 | 3 | - 19.853 | ... | 4796 | ... |
| 5284 | 5303 | Piazzi XI. 111 | 6 | II. 27. 36.03 | 31.57 | 5 | + 3.175 | + 28. 41. 33.97 | 32.28 | 6 | - 19.857 | ... | ... | 111 |
| 5285 | 5304 | Lacaille 4798 | 8 | II. 27. 39.24 | 38.27 | 3 | + 2.747 | - 59. 58. 55.49 | 38.27 | 3 | - 19.858 | ... | 4798 | ... |
| 5286 | 5305 | Piazzi XI. 112 | 9 | II. 27. 40.44 | 36.44 | 4 | + 2.946 | - 33. 52. 30.54 | 36.42 | 4 | - 19.858 | ... | ... | 112 |
| 5287 | 5306 | Brisbane 3662 | 8 | II. 27. 44.69 | 38.31 | 3 | + 2.850 | - 49. 48. 42.96 | 38.34 | 3 | - 19.859 | ... | ... | ... |
| 5288 | 5307 | Brisbane 3663 | 6 | II. 27. 57.41 | 38.25 | 3 | + 2.874 | - 46. 43. 40.38 | 38.25 | 3 | - 19.862 | ... | ... | ... |
| 5289 | 5308 | Lacaille 4801 | 6 | II. 28. 4.32 | 38.13 | 2 | + 2.746 | - 60. 22. 28.11 | 38.13 | 2 | - 19.863 | ... | 4801 | ... |
| 5290 | 5309 | Lacaille 4799 | 8 | II. 28. 4.93 | 38.34 | 3 | + 2.852 | - 49. 49. 52.56 | 38.34 | 3 | - 19.863 | ... | 4799 | ... |
| 5291 | 5310 | Piazzi XI. 113 | 7 | II. 28. 5.31 | 35.13 | 3 | + 3.095 | + 7. 1. 25.91 | 34.60 | 4 | - 19.863 | ... | ... | 113 |
| 5292 | 5311 | Lacaille 4809 | 8 | II. 28. 7.31 | 39.43 | 6 | + 2.742 | - 60. 39. 58.43 | 39.24 | 8 | - 19.864 | ... | 4809 | ... |
| 5293 | 5312 | Brisbane 3667 | 7.8 | II. 28. 9.07 | 38.25 | 3 | + 2.871 | - 47. 19. 3.86 | 38.31 | 3 | - 19.864 | ... | ... | ... |
| 5294 | 5313 | Brisbane 3668 | 8 | II. 28. 9.72 | 40.38 | 2 | + 2.742 | - 60. 39. ... | ... | ... | - 19.864 | ... | ... | ... |
| 5295 | 5314 | Centauri | λ 4 | II. 28. 12.83 | 33.54 | 17 | + 2.723 | - 62. 6. 30.44 | 34.08 | 11 | - 19.865 | ... | 4804 | ... |
| 5296 | 5315 | 21 Crateris | θ 4 | II. 28. 19.02 | 32.03 | 11 | + 3.043 | - 8. 53. 25.89 | 32.13 | 11 | - 19.866 | 1585 | ... | 114 |
| 5297 | 5316 | Bradley 1587 | 6 | II. 28. 24.76 | 35.64 | 4 | + 2.954 | - 32. 39. 19.79 | 34.37 | 3 | - 19.867 | 1587 | 4800 | 115 |
| 5298 | 5317 | Lacaille 4802 | 7.8 | II. 28. 27.18 | 38.60 | 3 | + 2.943 | - 35. 12. 32.96 | 38.60 | 3 | - 19.867 | ... | 4802 | ... |
| 5299 | 5318 | 91 Leonis | v 4.5 | II. 28. 30.17 | 32.32 | 6 | + 3.072 | + 0. 5. 10.88 | 32.29 | 14 | - 19.868 | 1586 | ... | 116 |
| 5300 | 5319 | Lacaille 4805 | 7 | II. 28. 31.79 | 37.72 | 6 | + 2.950 | - 33. 44. 22.18 | 37.01 | 7 | - 19.868 | ... | 4805 | 117 |
| 5301 | 5320 | Lacaille 4810 | 6.7 | II. 28. 42.82 | 38.47 | 3 | + 2.755 | - 60. 8. 26.60 | 38.47 | 3 | - 19.871 | ... | 4810 | ... |
| 5302 | 5321 | Piazzi XI. 118 | 6.7 | II. 28. 44.43 | 35.29 | 3 | + 2.998 | - 22. 2. 17.38 | 34.52 | 4 | - 19.871 | ... | ... | 118 |
| 5303 | 5322 | Piazzi XI. 119 | 7 | II. 28. 48.21 | 35.29 | 3 | + 3.095 | + 7. 10. 55.26 | 34.62 | 4 | - 19.872 | ... | ... | 119 |
| 5304 | 5323 | Brisbane 3679 | 7.8 | II. 28. 49.63 | 38.59 | 3 | + 2.748 | - 60. 45. 10.38 | 39.30 | 5 | - 19.872 | ... | ... | ... |
| 5305 | 5324 | Lacaille 4808 | 6 | II. 28. 51.01 | 35.31 | 3 | + 2.958 | - 32. 4. 21.50 | 34.55 | 4 | - 19.872 | ... | 4808 | 120 |
| 5306 | 5325 | Lacaille 4807 .. | 7 | II. 28. 52.17 | 39.85 | 7 | + 2.930 | - 38. 2. 49.24 | 40.06 | 5 | - 19.872 | ... | 4807 | ... |
| 5307 | 5326 | Brisbane 3680 | 8 | II. 28. 57.60 | 38.24 | 2 | + 2.930 | - 38. 4. 59.48 | 38.95 | 3 | - 19.874 | ... | ... | ... |
| 5308 | 5327 | Piazzi XI. 121 | 6.7 | II. 29. 22.97 | 35.28 | 3 | + 3.187 | + 32. 47. 39.80 | 35.22 | 4 | - 19.879 | ... | ... | 121 |
| 5309 | 5328 | Lacaille 4816 | 6 | II. 29. 25.11 | 39.38 | 6 | + 2.759 | - 60. 22. 16.20 | 39.38 | 6 | - 19.879 | ... | 4816 | ... |
| 5310 | 5329 | 59 Ursæ Majoris | 5.6 | II. 29. 31.57 | 35.29 | 3 | + 3.246 | + 44. 32. 22.90 | 34.71 | 5 | - 19.880 | 1588 | ... | 122 |
| 5311 | 5330 | Brisbane 3683 | 8 | II. 29. 32.10 | 38.35 | 2 | + 2.838 | - 52. 49. 29.67 | 38.35 | 2 | - 19.880 | ... | ... | ... |
| 5312 | 5331 | Brisbane 3682 | 7.8 | II. 29. 32.80 | 38.61 | 3 | + 2.886 | - 46. 23. 31.98 | 38.61 | 3 | - 19.880 | ... | ... | ... |
| 5313 | 5332 | Lacaille 4812 | 7 | II. 29. 35.98 | 35.32 | 3 | + 2.969 | - 30. 18. 11.77 | 34.55 | 4 | - 19.881 | ... | 4812 | 124 |
| 5314 | 5333 | Lacaille 4815 | 7 | II. 29. 36.01 | 38.55 | 4 | + 2.884 | - 46. 50. 9.95 | 38.63 | 3 | - 19.881 | ... | 4815 | ... |
| 5315 | 5334 | 60 Ursæ Majoris | 6 | II. 29. 40.18 | 35.24 | 3 | + 3.266 | + 47. 44. 52.75 | 35.27 | 2 | - 19.882 | 1589 | ... | 123 |
| 5316 | 5335 | Lacaille 4817 | 7 | II. 29. 50.94 | 38.66 | 3 | + 2.775 | - 59. 27. 8.07 | 38.66 | 3 | - 19.884 | ... | 4817 | ... |
| 5317 | 5336 | Brisbane 3686 | 7.8 | II. 29. 51.82 | 38.62 | 3 | + 2.761 | - 60. 34. 19.82 | 38.62 | 3 | - 19.884 | ... | ... | ... |
| 5318 | 5337 | Brisbane 3687 | 7.8 | II. 29. 56.34 | 38.50 | 3 | + 2.768 | - 60. 4. 12.85 | 38.50 | 3 | - 19.885 | ... | ... | ... |
| 5319 | 5338 | 1 Virginis | ω 6.7 | II. 29. 57.08 | 32.34 | 10 | + 3.100 | + 9. 2. 48.67 | 31.41 | 4 | - 19.885 | 1590 | ... | 125 |
| 5320 | 5339 | Piazzi XI. 126 | 7 | II. 29. 58.59 | 32.24 | 6 | + 3.067 | - 1. 31. 24.09 | 31.73 | 5 | - 19.886 | ... | ... | 126 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 5321 | 5340 | Lacaille 4818 | 7 | h m s II. 30. 10.87 | 36.42 | 4 | + 2.961 | — 32. 41. 33.17 | 36.43 | 4 | —19.888 | ... | 4818 | 127 |
| 5322 | 5341 | 24 Crateris | 5.6 | II. 30. 17.73 | 33.26 | 9 | + 3.034 | — 12. 17. 38.19 | 32.97 | 8 | —19.890 | 1591 | ... | 128 |
| 5323 | 5342 | Brisbane 3688 | 7 | II. 30. ... | ... | ... | + 2.935 | — 38. 26. 42.71 | 40.12 | 5 | —19.890 | ... | ... | ... |
| 5324 | 5343 | Lacaille 4834 | 6 | II. 30. 27.13 | 38.25 | 5 | + 2.763 | — 60. 54. 50.26 | 38.28 | 3 | —19.891 | ... | 4834 | ... |
| 5325 | 5344 | Lacaille 4825 | 7.8 | II. 30. 41.30 | 38.68 | 3 | + 2.932 | — 39. 23. 22.71 | 38.68 | 3 | —19.894 | ... | 4825 | ... |
| 5326 | 5345 | Brisbane 3694 | 8 | II. 30. 48.21 | 38.55 | 4 | + 2.890 | — 46. 56. 15.78 | 38.63 | 3 | —19.895 | ... | ... | ... |
| 5327 | 5346 | Piazzi XI. 130 | 7 | II. 31. 7.78 | 35.23 | 2 | + 3.036 | — 12. 15. 50.73 | 36.73 | 4 | —19.899 | ... | ... | 130 |
| 5328 | 5347 | Piazzi XI. 129 | 7.8 | II. 31. 8.95 | 35.22 | 3 | + 3.406 | + 63. 18. 41.01 | 34.62 | 4 | —19.899 | ... | ... | 129 |
| 5329 | 5348 | Lacaille 4832 | 7.8 | II. 31. 21.40 | 38.59 | 3 | + 2.817 | — 56. 49. 35.12 | 38.59 | 3 | —19.901 | ... | 4832 | ... |
| 5330 | 5349 | Brisbane 3697 | 8.9 | II. 31. 25.91 | 38.61 | 3 | + 2.870 | — 50. 30. 41.27 | 38.61 | 3 | —19.902 | ... | ... | ... |
| 5331 | 5350 | Lacaille 4833 | 7.8 | II. 31. 34.99 | 35.32 | 3 | + 2.960 | — 34. 4. 4.78 | 34.61 | 4 | —19.904 | ... | 4833 | 131 |
| 5332 | 5351 | Brisbane 3701 | 8 | II. 31. 51.23 | 38.19 | 3 | + 2.778 | — 60. 53. 8.26 | 38.19 | 3 | —19.906 | ... | ... | ... |
| 5333 | 5352 | Lacaille 4841 | 7.8 | II. 31. 55.25 | 38.22 | 3 | + 2.880 | — 49. 34. 22.59 | 38.22 | 3 | —19.907 | ... | 4841 | ... |
| 5334 | 5353 | Piazzi XI. 132 | 7 | II. 31. 56.51 | 35.32 | 3 | + 3.077 | + 1. 51. 58.17 | 34.52 | 4 | —19.907 | ... | ... | 132 |
| 5335 | 5354 | Bradley 1594 | 6 | II. 32. 1.92 | 37.49 | 7 | + 2.963 | — 33. 49. 50.37 | 36.31 | 7 | —19.908 | 1594 | 4839 | 133 |
| 5336 | 5355 | Gould 15949 | 10 | II. 32. 4.27 | 39.27 | 3 | + 2.911 | — 44. 39. 57.25 | 39.27 | 3 | —19.909 | ... | ... | ... |
| 5337 | 5356 | 92 Leonis | 5.6 | II. 32. 11.92 | 31.83 | 6 | + 3.138 | + 22. 16. 7.25 | 31.38 | 5 | —19.910 | 1592 | ... | 134 |
| 5338 | 5357 | 61 Ursæ Majoris | 6 | II. 32. 20.75 | 37.79 | 6 | + 3.185 | + 35. 7. 57.16 | 37.27 | 6 | —19.912 | 1593 | ... | 135 |
| 5339 | 5358 | Lacaille 4846 | 7 | II. 32. 46.19 | 38.58 | 3 | + 2.861 | — 53. 3. 13.76 | 38.75 | 2 | —19.916 | ... | 4846 | ... |
| 5340 | 5359 | Piazzi XI. 136 | 7 | II. 32. 50.09 | 35.09 | 2 | + 3.027 | — 15. 46. 3.84 | 34.60 | 4 | —19.917 | ... | ... | 136 |
| 5341 | 5360 | 62 Ursæ Majoris | 7 | II. 32. 57.38 | 37.69 | 6 | + 3.173 | + 32. 39. 32.34 | 37.58 | 6 | —19.918 | 1596 | ... | 138 |
| 5342 | 5361 | Lacaille 4845 | 7.8 | II. 32. 57.59 | 39.01 | 4 | + 2.987 | — 28. 17. 30.15 | 39.67 | 5 | —19.918 | ... | 4845 | ... |
| 5343 | 5362 | Piazzi XI. 137 | 7.8 | II. 32. 59.34 | 38.66 | 5 | + 3.214 | + 42. 9. 10.63 | 38.39 | 6 | —19.919 | ... | ... | 137 |
| 5344 | 5363 | Lacaille 4851 | 7.8 | II. 33. 4.25 | 38.54 | 3 | + 2.859 | — 53. 38. 4.75 | 38.54 | 3 | —19.920 | ... | 4851 | ... |
| 5345 | 5364 | Lacaille 4856 | 6 | II. 33. 7.78 | 38.25 | 3 | + 2.788 | — 61. 10. 33.64 | 38.25 | 3 | —19.921 | ... | 4856 | ... |
| 5346 | 5365 | 3 Draconis | 6 | II. 33. 11.82 | 35.34 | 3 | + 3.452 | + 67. 39. 27.34 | 34.56 | 4 | —19.921 | 1595 | ... | 139 |
| 5347 | 5366 | Lacaille 4849 | 7 | II. 33. 12.06 | 38.57 | 3 | + 2.964 | — 34. 41. 21.89 | 38.57 | 3 | —19.921 | ... | 4849 | ... |
| 5348 | 5367 | Lacaille 4853 | 7.8 | II. 33. 15.53 | 38.32 | 3 | + 2.941 | — 40. 5. 55.40 | 38.32 | 3 | —19.921 | ... | 4853 | ... |
| 5349 | 5368 | Bradley 1597 | 6 | II. 33. 30.71 | 38.11 | 7 | + 2.977 | — 31. 34. 57.62 | 37.01 | 7 | —19.924 | 1597 | 4857 | 141 |
| 5350 | 5369 | Piazzi XI. 142 | 8 | II. 33. 31.37 | 36.42 | 4 | + 3.011 | — 21. 44. 19.72 | 36.41 | 4 | —19.924 | ... | ... | 142 |
| 5351 | 5370 | Piazzi XI. 140 | 7 | II. 33. 32.07 | 35.26 | 3 | + 3.108 | + 13. 12. 18.36 | 34.55 | 4 | —16.925 | ... | ... | 140 |
| 5352 | 5371 | Piazzi XI. 143 | 7.8 | II. 33. 34.54 | 37.71 | 6 | + 2.978 | — 31. 34. 11.28 | 38.51 | 5 | —19.925 | ... | ... | 143 |
| 5353 | 5372 | Piazzi XI. 144 | 6 | II. 33. 41.24 | 35.27 | 3 | + 3.087 | + 5. 39. 36.37 | 34.70 | 5 | —19.926 | ... | ... | 144 |
| 5354 | 5373 | Piazzi XI. 145 | 7 | II. 33. 44.65 | 35.21 | 3 | + 3.018 | — 19. 22. 36.95 | 34.60 | 4 | —19.927 | ... | ... | 145 |
| 5355 | 5374 | Lacaille 4860 | 7.8 | II. 34. 3.85 | 38.31 | 3 | + 2.817 | — 59. 18. 59.78 | 38.31 | 3 | —19.930 | ... | 4860 | ... |
| 5356 | 5375 | Lacaille 4861 | 7.8 | II. 34. 22.89 | 38.31 | 3 | + 2.845 | — 56. 39. 3.90 | 38.31 | 3 | —19.933 | ... | 4861 | ... |
| 5357 | 5376 | Brisbane 3731 | 8 | II. 34. 46.99 | 38.31 | 2 | + 2.823 | — 59. 30. 24.98 | 38.31 | 3 | —19.937 | ... | ... | ... |
| 5358 | 5377 | Piazzi XI. 146 | 7 | II. 34. 51.65 | 35.16 | 4 | + 3.207 | + 42. 38. 15.21 | 34.56 | 4 | —19.937 | ... | ... | 146 |
| 5359 | 5378 | Piazzi XI. 147 | 7.8 | II. 35. 11.36 | 37.68 | 6 | + 3.139 | + 24. 55. 32.13 | 37.02 | 7 | —19.941 | ... | ... | 147 |
| 5360 | 5379 | Lacaille 4863 | 6 | II. 35. 15.39 | 38.17 | 3 | + 2.966 | — 36. 16. 26.69 | 38.17 | 3 | —19.941 | ... | 4863 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 5361 | 5380 | Piazzi XI. 148 | 6.7 | 11. 35. 29.64 | 31.38 | 7 | + 3.058 | - 5. 45. 35.77 | 32.06 | 5 | -19.944 | ... | ... | 148 |
| 5362 | 5381 | Brisbane 3736 | 7.8 | 11. 35. 32.63 | 38.22 | 3 | + 2.892 | - 51. 42. 18.51 | 38.22 | 3 | -19.944 | ... | ... | ... |
| 5363 | 5382 | Brisbane 3738 | 7 | 11. 35. 37.17 | 39.34 | 6 | + 2.874 | - 54. 16. 52.18 | 39.54 | 5 | -19.945 | ... | ... | ... |
| 5364 | 5383 | Piazzi XI. 149 | 7.8 | 11. 35. 37.23 | 35.24 | 3 | + 3.142 | + 26. 7. 56.19 | 34.55 | 4 | -19.945 | ... | ... | 149 |
| 5365 | 5384 | Lacaille 4868 | 6 | 11. 35. 41.26 | 38.25 | 3 | + 2.810 | - 61. 34. 27.11 | 38.25 | 3 | -19.946 | ... | 4868 | ... |
| 5366 | 5385 | Lacaille 4869 | 7 | 11. 36. 2.75 | 38.57 | 3 | + 2.810 | - 61. 57. 44.96 | 38.57 | 3 | -19.949 | ... | 4869 | ... |
| 5367 | 5386 | 27 Crateris | 4 | 11. 36. 24.60 | 31.71 | 14 | + 3.029 | - 17. 26. 1.57 | 32.10 | 20 | -19.952 | 1598 | ... | 150 |
| 5368 | 5387 | Lacaille 4872 | 6.7 | 11. 36. 32.83 | 39.63 | 7 | + 2.919 | - 48. 13. 40.36 | 39.63 | 7 | -19.953 | ... | 4872 | ... |
| 5369 | 5388 | 2 Virginis | 5 | 11. 36. 46.67 | 32.01 | 13 | + 3.094 | + 9. 10. 27.95 | 32.07 | 8 | -19.955 | 1599 | ... | 151 |
| 5370 | 5389 | Brisbane 3747 | 8 | 11. 36. 52.01 | 38.61 | 3 | + 2.883 | - 54. 32. 47.63 | 38.61 | 3 | -19.956 | ... | ... | ... |
| 5371 | 5390 | Lacaille 4875 | 7 | 11. 36. 53.79 | 38.13 | 2 | + 2.907 | - 50. 39. 20.46 | 38.46 | 3 | -19.956 | ... | 4875 | ... |
| 5372 | 5391 | Lacaille 4876 | 6 | 11. 37. 7.10 | 38.18 | 3 | + 2.923 | - 48. 9. 16.11 | 38.18 | 3 | -19.958 | ... | 4876 | ... |
| 5373 | 5392 | 63 Ursæ Majoris | 4 | 11. 37. 18.63 | 31.79 | 6 | + 3.223 | + 48. 41. 38.11 | 31.31 | 5 | -19.959 | 1600 | ... | 152 |
| 5374 | 5393 | 3 Virginis | 4.5 | 11. 37. 22.54 | 32.23 | 13 | + 3.089 | + 7. 27. 14.90 | 33.57 | 8 | -19.960 | 1601 | ... | 153 |
| 5375 | 5394 | Brisbane 3751 | 8 | 11. 37. 35.42 | 39.27 | 6 | + 2.922 | - 48. 56. 2.64 | 39.27 | 6 | -19.962 | ... | ... | ... |
| 5376 | 5395 | Lacaille 4878 | 6 | 11. 37. 35.69 | 36.89 | 6 | + 2.943 | - 44. 46. 29.01 | 36.29 | 7 | -19.963 | ... | 4878 | 154 |
| 5377 | 5396 | Brisbane 3752 | 9 | 11. 37. 41.62 | 38.22 | 3 | + 2.907 | - 51. 46. 26.75 | 38.22 | 3 | -19.964 | ... | ... | ... |
| 5378 | 5397 | Brisbane 3753 | 7.8 | 11. 37. 47.36 | 40.33 | 6 | + 2.923 | - 49. 1. 57.63 | 40.61 | 7 | -19.965 | ... | ... | ... |
| 5379 | 5398 | Lacaille 4881 | 7 | 11. 38. 4.19 | 38.25 | 2 | + 3.007 | - 27. 2. 51.30 | 38.30 | 3 | -19.967 | ... | 4881 | ... |
| 5380 | 5399 | Piazzi XI. 155 | 9 | 11. 38. 18.89 | 36.21 | 2 | + 3.108 | + 15. 55. 2.63 | 36.42 | 4 | -19.969 | ... | ... | 155 |
| 5381 | 5400 | Piazzi XI. 156 | 6.7 | 11. 38. 27.74 | 35.17 | 2 | + 3.129 | + 24. 38. 11.95 | 34.52 | 4 | -19.970 | ... | ... | 156 |
| 5382 | 5401 | Brisbane 3764 | 10 | 11. 38. 34.04 | 39.26 | 3 | + 2.862 | - 50. 18. 26.02 | 39.26 | 3 | -19.971 | ... | ... | ... |
| 5383 | 5402 | Lacaille 4885 | 5.6 | 11. 38. 34.21 | 38.26 | 2 | + 2.853 | - 60. 15. 42.40 | 38.59 | 3 | -19.971 | ... | 4885 | ... |
| 5384 | 5404 | Lacaille 4887 | 7 | 11. 38. 39.64 | 38.35 | 3 | + 2.969 | - 39. 36. 9.46 | 38.36 | 3 | -19.972 | ... | 4887 | ... |
| 5385 | 5403 | Lacaille 4888 | 8 | 11. 38. 39.74 | 38.64 | 3 | + 2.846 | - 61. 9. 48.63 | 38.64 | 3 | -19.972 | ... | 4888 | ... |
| 5386 | 5405 | Brisbane 3767 | 7 | 11. 38. 46.11 | 39.43 | 6 | + 2.845 | - 61. 22. 43.07 | 39.43 | 6 | -19.973 | ... | ... | ... |
| 5387 | 5406 | Piazzi XI. 157 | 8 | 11. 39. 4.78 | 35.28 | 3 | + 3.221 | + 50. 44. 15.46 | 35.30 | 3 | -19.975 | ... | ... | 157 |
| 5388 | 5407 | Brisbane 3770 | 7 | 11. 39. 9.23 | 38.51 | 3 | + 3.001 | - 30. 20. 17.02 | 38.51 | 3 | -19.975 | ... | ... | ... |
| 5389 | 5408 | Lacaille 4892 | 6.7 | 11. 39. 17.93 | 38.59 | 3 | + 2.887 | - 56. 46. 52.49 | 38.59 | 3 | -19.976 | ... | 4892 | ... |
| 5390 | 5409 | 4 Virginis | 5.6 | 11. 39. 26.28 | 32.09 | 6 | + 3.091 | + 9. 9. 42.65 | 32.08 | 5 | -19.978 | 1602 | ... | 158 |
| 5391 | 5410 | 93 Leonis | 4 | 11. 39. 28.20 | 32.62 | 12 | + 3.118 | + 21. 8. 6.71 | 31.41 | 4 | -19.978 | 1603 | ... | 159 |
| 5392 | 5411 | Lacaille 4895 | 7.8 | 11. 39. 49.55 | 38.36 | 3 | + 2.992 | - 34. 18. 21.46 | 38.36 | 3 | -19.980 | ... | 4895 | ... |
| 5393 | 5412 | Bradley 1604 | 6 | 11. 40. 8.80 | 35.09 | 4 | + 3.103 | + 15. 12. 1.56 | 34.54 | 4 | -19.983 | 1604 | ... | 160 |
| 5394 | 5413 | Lacaille 4898 | 6 | 11. 40. 26.18 | 32.27 | 6 | + 3.017 | - 25. 49. 56.10 | 32.22 | 5 | -19.985 | ... | 4898 | 161 |
| 5395 | 5414 | Piazzi XI. 162 | 8 | 11. 40. 28.93 | 36.67 | 4 | + 3.103 | + 15. 25. 23.20 | 34.55 | 4 | -19.985 | ... | ... | 162 |
| 5396 | 5415 | 94 Leonis | 2.3 | 11. 40. 38.39 | 33.08 | 32 | + 3.103 | + 15. 29. 39.56 | 33.19 | 64 | -19.986 | 1605 | ... | 163 |
| 5397 | 5416 | Brisbane 3782 | 9 | 11. 41. 3.00 | 39.44 | 6 | + 2.960 | - 45. 18. 21.48 | 39.55 | 7 | -19.989 | ... | ... | ... |
| 5398 | 5417 | Piazzi XI. 164 | 6 | 11. 41. 6.26 | 35.24 | 3 | + 3.152 | + 35. 50. 53.26 | 34.53 | 4 | -19.990 | ... | ... | 164 |
| 5399 | 5418 | Lacaille 4901 | 7.8 | 11. 41. 8.53 | 38.26 | 3 | + 2.904 | - 56. 46. 30.84 | 38.26 | 3 | -19.990 | ... | 4901 | ... |
| 5400 | 5419 | Brisbane 3785 | 6.7 | 11. 41. 16.40 | 38.36 | 2 | + 2.962 | - 45. 9. 3.01 | 38.36 | 2 | -19.991 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|-----------------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 5401 | 5420 | Brisbane 3786 | 7.8 | ^{h m s} II. 41. 22.59 | 38.31 | 3 | + 2.888 | — 59. 30. 35.46 | 38.31 | 3 | —19.992 | ... | ... | ... |
| 5402 | 5421 | Brisbane 3789 | 8 | II. 41. 44.64 | 38.30 | 3 | + 2.985 | — 39. 21. 34.40 | 38.30 | 3 | —19.994 | ... | ... | ... |
| 5403 | 5422 | Lacaille 4904 | 6.7 | II. 41. 55.16 | 38.49 | 3 | + 2.943 | — 50. 47. 0.16 | 38.49 | 3 | —19.995 | ... | 4904 | ... |
| 5404 | 5423 | Piazzi XI. 165 | 8 | II. 41. 56.35 | 36.42 | 4 | + 3.176 | + 44. 34. 37.23 | 36.42 | 4 | —19.996 | ... | ... | 165 |
| 5405 | 5424 | 5 Virginis | 3.4 | II. 42. 6.00 | 32.91 | 16 | + 3.077 | + 2. 41. 41.68 | 32.19 | 20 | —19.997 | 1606 | ... | 166 |
| 5406 | 5425 | Lacaille 4905 | 7 | II. 42. 18.00 | 38.49 | 3 | + 3.021 | — 26. 21. 38.99 | 38.49 | 3 | —19.998 | ... | 4905 | ... |
| 5407 | 5426 | Lacaille 4908 | 6.7 | II. 42. 25.29 | 38.22 | 3 | + 2.881 | — 61. 43. 57.78 | 38.22 | 3 | —19.999 | ... | 4908 | ... |
| 5408 | 5427 | Piazzi XI. 167 | 6 | II. 42. 36.29 | 31.39 | 6 | + 3.064 | — 4. 24. 58.67 | 31.56 | 5 | —20.000 | ... | ... | 167 |
| 5409 | 5428 | Brisbane 3795 | 9 | II. 42. 37.73 | 38.68 | 5 | + 2.916 | — 56. 54. 52.05 | 38.26 | 3 | —20.001 | ... | ... | ... |
| 5410 | 5429 | Lacaille 4910 | 5.6 | II. 42. 55.50 | 35.22 | 3 | + 2.975 | — 44. 15. 20.55 | 34.59 | 4 | —20.003 | ... | 4910 | 168 |
| 5411 | 5430 | Lacaille 4911 | 6.7 | II. 42. 58.47 | 38.63 | 3 | + 2.980 | — 43. 0. 55.40 | 38.63 | 3 | —20.003 | ... | 4911 | ... |
| 5412 | 5431 | Lacaille 4914 | 7 | II. 43. 8.81 | 39.36 | 7 | + 2.895 | — 60. 55. 45.35 | 39.46 | 5 | —20.004 | ... | 4914 | ... |
| 5413 | 5432 | Lacaille 4913 | 6 | II. 43. 21.82 | 38.37 | 3 | + 3.016 | — 29. 54. 15.88 | 38.37 | 3 | —20.005 | ... | 4913 | ... |
| 5414 | 5433 | Brisbane 3803 | 7.8 | II. 43. 25.17 | 38.75 | 2 | + 2.993 | — 39. 23. 22.54 | 38.75 | 2 | —20.005 | ... | ... | ... |
| 5415 | 5434 | Lacaille 4918 | 8 | II. 43. 51.94 | 38.61 | 3 | + 2.945 | — 53. 29. 32.30 | 38.61 | 3 | —20.008 | ... | 4918 | ... |
| 5416 | 5435 | Piazzi XI. 169 | 8 | II. 43. 59.86 | 36.42 | 4 | + 3.100 | + 16. 46. 7.71 | 36.41 | 4 | —20.009 | ... | ... | 169 |
| 5417 | 5436 | Brisbane 3806 | 9 | II. 44. 1.89 | 38.26 | 3 | + 2.929 | — 56. 52. 59.59 | 39.10 | 5 | —20.009 | ... | ... | ... |
| 5418 | 5437 | Lacaille 4922 | 5.6 | II. 44. 2.55 | 39.28 | 6 | + 2.934 | — 56. 4. 17.05 | 38.15 | 2 | —20.009 | ... | 4922 | ... |
| 5419 | 5438 | Lacaille 4921 | 7.8 | II. 44. 5.57 | 38.62 | 3 | + 2.960 | — 50. 23. 46.51 | 38.62 | 3 | —20.009 | ... | 4921 | ... |
| 5420 | 5439 | Piazzi XI. 170 | 7 | II. 44. 15.93 | 35.21 | 3 | + 3.099 | + 16. 21. 24.56 | 34.52 | 4 | —20.011 | ... | ... | 170 |
| 5421 | 5440 | Piazzi XI. 171 | 7.8 | II. 44. 26.83 | 35.23 | 3 | + 3.095 | + 14. 20. 21.03 | 34.62 | 4 | —20.012 | ... | ... | 171 |
| 5422 | 5441 | Bradley 1607 | 4 | II. 44. 35.59 | 31.85 | 11 | + 3.014 | — 32. 59. 25.59 | 31.32 | 6 | —20.013 | 1607 | 4923 | 172 |
| 5423 | 5443 | Piazzi XI. 173 | 8 | II. 45. 1.26 | 36.43 | 4 | + 3.068 | — 2. 57. 59.36 | 36.42 | 4 | —20.015 | ... | ... | 173 |
| 5424 | 5444 | 64 Ursæ Majoris | 2 | II. 45. 6.93 | 32.79 | 32 | + 3.194 | + 54. 36. 42.95 | 32.95 | 54 | —20.016 | 1608 | ... | 174 |
| 5425 | 5445 | Lacaille 4926 | 6 | II. 45. 8.31 | 37.91 | 6 | + 3.014 | — 34. 8. 52.15 | 37.11 | 7 | —20.016 | ... | 4926 | 175 |
| 5426 | 5446 | Piazzi XI. 176 | 7.8 | II. 45. 13.83 | 35.29 | 3 | + 3.131 | + 34. 32. 2.14 | 35.29 | 3 | —20.016 | ... | ... | 176 |
| 5427 | 5447 | Piazzi XI. 177 | 8 | II. 45. 22.39 | 36.47 | 4 | + 3.095 | + 14. 56. 52.12 | 36.24 | 4 | —20.017 | ... | ... | 177 |
| 5428 | 5448 | Piazzi XI. 178 | 7 | II. 45. 23.89 | 35.24 | 3 | + 3.074 | + 1. 28. 11.52 | 34.54 | 4 | —20.017 | ... | ... | 178 |
| 5429 | 5449 | Piazzi XI. 179 | 7 | II. 45. 26.37 | 35.31 | 3 | + 3.068 | — 2. 51. 25.35 | 34.97 | 3 | —20.017 | ... | ... | 179 |
| 5430 | 5450 | Piazzi XI. 180 | 7 | II. 45. 36.83 | 36.47 | 4 | + 3.080 | + 5. 47. 46.50 | 36.57 | 3 | —20.018 | ... | ... | 180 |
| 5431 | 5442 | Lacaille 4931 | 6.7 | II. 45. 59.43 | 38.23 | 3 | + 2.948 | — 56. 29. 32.84 | 38.23 | 3 | —20.020 | ... | 4931 | ... |
| 5432 | 5451 | Piazzi XI. 181 | 7.8 | II. 46. 4.72 | 35.31 | 3 | + 3.168 | + 49. 51. 17.55 | 34.56 | 4 | —20.020 | ... | ... | 181 |
| 5433 | 5452 | Lacaille 4932 | 7 | II. 46. 10.55 | 38.29 | 3 | + 3.012 | — 36. 50. 1.88 | 38.29 | 3 | —20.021 | ... | 4932 | ... |
| 5434 | 5453 | Brisbane 3821 | 7 | II. 46. 11.65 | 39.56 | 7 | + 3.002 | — 41. 7. 39.00 | 39.56 | 7 | —20.021 | ... | ... | ... |
| 5435 | 5454 | Lacaille 4933 | 7 | II. 46. 19.28 | 38.34 | 3 | + 3.035 | — 24. 47. 56.63 | 38.34 | 3 | —20.022 | ... | 4933 | ... |
| 5436 | 5455 | Piazzi XI. 182 | 7 | II. 46. 23.74 | 36.29 | 3 | + 3.071 | — 0. 31. 11.08 | 36.92 | 7 | —20.022 | ... | ... | 182 |
| 5437 | 5456 | 65 Ursæ Majoris | 7.8 | II. 46. 29.28 | 36.94 | 9 | + 3.158 | + 47. 23. 40.53 | 37.02 | 8 | —20.022 | 1609 | ... | 183 |
| 5438 | 5457 | Bradley 1610 | Var. | II. 46. 34.93 | 37.78 | 6 | + 3.157 | + 47. 23. 16.32 | 38.37 | 7 | —20.023 | 1610 | ... | 184 |
| 5439 | 5458 | 6 Virginis | 6 | II. 46. 35.08 | 31.61 | 8 | + 3.085 | + 9. 21. 41.37 | 31.75 | 5 | —20.023 | 1611 | ... | 185 |
| 5440 | 5459 | Lacaille 4936 | 7 | II. 46. 43.30 | 38.58 | 3 | + 2.961 | — 55. 10. 10.19 | 38.58 | 3 | —20.024 | ... | 4936 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 5441 | 5460 | Piazzi XI. 186 | 9'10 | h m s 11. 46. 53'50 | 36'53 | 4 | + 3'094 | + 16. 1. 43'03 | 36'32 | 3 | -20'024 | ... | ... | 186 |
| 5442 | 5461 | Piazzi XI. 187 | 8 | 11. 46. 57'54 | 36'31 | 3 | + 3'075 | + 2. 0. 57'32 | 36'28 | 3 | -20'025 | ... | ... | 187 |
| 5443 | 5462 | Piazzi XI. 188 | 7 | 11. 47. 0'49 | 35'28 | 3 | + 3'067 | - 4. 12. 57'59 | 34'58 | 4 | -20'025 | ... | ... | 188 |
| 5444 | 5463 | 95 Leonis | Var. | 11. 47. 10'86 | 35'15 | 3 | + 3'094 | + 16. 33. 53'64 | 34'65 | 4 | -20'026 | 1613 | ... | 189 |
| 5445 | 5464 | Brisbane 3831 | 7'8 | 11. 47. 13'56 | 38'51 | 3 | + 2'975 | - 52. 19. 14'73 | 38'51 | 3 | -20'026 | ... | ... | ... |
| 5446 | 5465 | Bradley 1614 | 6 | 11. 47. 17'65 | 34'23 | 9 | + 3'033 | - 27. 33. 28'51 | 33'94 | 8 | -20'027 | 1614 | 4940 | 191 |
| 5447 | 5466 | 66 Ursa Majoris | 6'7 | 11. 47. 18'67 | 35'22 | 3 | + 3'188 | + 57. 31. 0'36 | 34'60 | 4 | -20'027 | 1612 | ... | 190 |
| 5448 | 5467 | Piazzi XI. 192 | 6'7 | 11. 47. 27'83 | 35'10 | 4 | + 3'126 | + 36. 15. 31'95 | 35'25 | 3 | -20'027 | ... | ... | 192 |
| 5449 | 5468 | Lacaille 4941 | 7 | 11. 47. 33'78 | 38'34 | 3 | + 3'014 | - 38. 46. 12'85 | 38'34 | 3 | -20'028 | ... | 4941 | ... |
| 5450 | 5469 | 30 Crateris | 6 | 11. 47. 37'01 | 32'29 | 5 | + 3'051 | - 16. 13. 55'49 | 31'39 | 1 | -20'028 | 1615 | ... | 193 |
| 5451 | 5470 | Piazzi XI. 194 | 7'8 | 11. 47. 43'10 | 36'51 | 4 | + 3'093 | + 16. 38. 56'20 | 37'28 | 3 | -20'029 | ... | ... | 194 |
| 5452 | 5471 | Piazzi XI. 195 | 6'7 | 11. 47. 45'97 | 35'09 | 2 | + 3'125 | + 36. 21. 56'15 | 34'56 | 4 | -20'029 | ... | ... | 195 |
| 5453 | 5472 | Piazzi XI. 196 | 7 | 11. 47. 58'04 | 35'21 | 3 | + 3'091 | + 15. 6. 19'21 | 34'63 | 4 | -20'030 | ... | ... | 196 |
| 5454 | 5473 | Lacaille 4942 | 7'8 | 11. 48. 22'27 | 39'65 | 3 | + 3'031 | - 31. 20. 57'56 | 39'65 | 3 | -20'032 | ... | 4942 | ... |
| 5455 | 5474 | Gould 16300 | 8 | 11. 48. 23'92 | 39'65 | 3 | + 3'031 | - 31. 20. 57'26 | 40'28 | 2 | -20'032 | ... | ... | ... |
| 5456 | 5475 | Piazzi XI. 197 | 7'8 | 11. 48. 25'80 | 36'42 | 4 | + 3'086 | + 11. 26. 47'02 | 36'54 | 4 | -20'032 | ... | ... | 197 |
| 5457 | 5476 | Lacaille 4943 | 7 | 11. 48. 26'67 | 38'62 | 3 | + 3'002 | - 46. 9. 17'39 | 38'56 | 3 | -20'032 | ... | 4943 | ... |
| 5458 | 5477 | Lacaille 4945 | 7 | 11. 48. 41'92 | 38'65 | 3 | + 3'030 | - 32. 23. 49'61 | 38'65 | 3 | -20'034 | ... | 4945 | ... |
| 5459 | 5478 | Lacaille 4944 | 7'8 | 11. 48. 45'22 | 38'59 | 3 | + 2'990 | - 51. 10. 52'32 | 38'59 | 3 | -20'034 | ... | 4944 | ... |
| 5460 | 5479 | Lacaille 4948 | 7'8 | 11. 49. 8'05 | 38'24 | 3 | + 3'041 | - 26. 8. 4'10 | 38'24 | 2 | -20'036 | ... | 4948 | ... |
| 5461 | 5480 | Lacaille 4950 | 7'8 | 11. 49. 9'05 | 38'65 | 3 | + 3'023 | - 37. 34. 42'33 | 38'65 | 3 | -20'036 | ... | 4950 | ... |
| 5462 | 5481 | Piazzi XI. 198 | 9'10 | 11. 49. 10'21 | 36'47 | 4 | + 3'092 | + 17. 20. 57'44 | 36'51 | 4 | -20'036 | ... | ... | 198 |
| 5463 | 5482 | Piazzi XI. 199 | 7 | 11. 49. 14'50 | 35'22 | 3 | + 3'093 | + 18. 23. 10'32 | 34'53 | 4 | -20'036 | ... | ... | 199 |
| 5464 | 5483 | Piazzi XI. 201 | 7 | 11. 49. 17'86 | 36'53 | 4 | + 3'081 | + 7. 53. 45'05 | 36'44 | 4 | -20'037 | ... | ... | 201 |
| 5465 | 5484 | Piazzi XI. 200 | 7'8 | 11. 49. 21'93 | 35'23 | 3 | + 3'083 | + 9. 54. 26'19 | 34'62 | 4 | -20'037 | ... | ... | 200 |
| 5466 | 5485 | Lacaille 4951 | 7 | 11. 49. 25'63 | 38'63 | 3 | + 2'958 | - 61. 31. 47'58 | 38'63 | 3 | -20'037 | ... | 4951 | ... |
| 5467 | 5486 | Lacaille 4952 | 7'8 | 11. 49. 31'10 | 38'62 | 3 | + 2'968 | - 59. 32. 1'14 | 38'62 | 3 | -20'037 | ... | 4952 | ... |
| 5468 | 5487 | Piazzi XI. 202 | 7 | 11. 49. 37'64 | 35'27 | 3 | + 3'112 | + 33. 11. 42'26 | 34'53 | 4 | -20'037 | ... | ... | 202 |
| 5469 | 5488 | Lacaille 4954 | 7'8 | 11. 49. 42'72 | 38'66 | 3 | + 2'984 | - 55. 56. 47'42 | 38'66 | 3 | -20'038 | ... | 4954 | ... |
| 5470 | 5489 | Bradley 1616 | 7 | 11. 49. 46'51 | 32'46 | 7 | + 3'077 | + 4. 24. 2'55 | 32'24 | 5 | -20'038 | 1616 | ... | 203 |
| 5471 | 5490 | Lacaille 4959 | 6 | 11. 49. 57'09 | 38'63 | 3 | + 2'987 | - 55. 23. 56'17 | 38'63 | 3 | -20'039 | ... | 4959 | ... |
| 5472 | 5491 | Lacaille 4957 | 7 | 11. 49. 59'05 | 38'36 | 1 | + 3'023 | - 40. 1. 47'82 | 38'38 | 2 | -20'039 | ... | 4957 | ... |
| 5473 | 5492 | Piazzi XI. 204 | 7 | 11. 50. 0'80 | 35'28 | 3 | + 3'138 | + 48. 40. 58'26 | 34'61 | 4 | -20'039 | ... | ... | 204 |
| 5474 | 5493 | Piazzi XI. 205 | 8'9 | 11. 50. 3'12 | 36'88 | 3 | + 3'077 | + 5. 15. 40'70 | 36'42 | 4 | -20'039 | ... | ... | 205 |
| 5475 | 5494 | Brisbane 3852 | 9 | 11. 50. 19'47 | 38'65 | 3 | + 3'000 | - 51. 50. 58'31 | 38'65 | 3 | -20'040 | ... | ... | ... |
| 5476 | 5495 | Piazzi XI. 206 | 7'8 | 11. 50. 21'79 | 35'29 | 3 | + 3'058 | - 13. 56. 41'10 | 35'29 | 2 | -20'040 | ... | ... | 206 |
| 5477 | 5496 | Lacaille 4961 | 7'8 | 11. 50. 30'57 | 38'64 | 3 | + 3'046 | - 24. 59. 22'66 | 38'64 | 3 | -20'041 | ... | 4961 | ... |
| 5478 | 5497 | Piazzi XI. 207 | 6'7 | 11. 50. 37'00 | 35'24 | 3 | + 3'073 | + 1. 26. 53'29 | 34'58 | 4 | -20'041 | ... | ... | 207 |
| 5479 | 5498 | Lacaille 4966 | 6 | 11. 50. 50'48 | 38'66 | 3 | + 3'007 | - 50. 46. 42'02 | 38'66 | 3 | -20'041 | ... | 4966 | ... |
| 5480 | 5499 | Lacaille 4967 | 7'8 | 11. 50. 58'47 | 38'59 | 3 | + 3'043 | - 29. 8. 33'01 | 38'59 | 3 | -20'042 | ... | 4967 | ... |

{cxl}

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0 | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|-----------------------|-------------------------|-------------------|---------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 5481 | 5500 | Lacaille 4969 | 7 | h m s 11. 51. 4.98 | 38.57 | 3 | + 2.994 | — 56. 14. 56.92 | 38.57 | 3 | —20.042 | ... | 4969 | ... |
| 5482 | 5501 | Lacaille 4972 | 7 | 11. 51. 7.70 | 38.68 | 3 | + 2.975 | — 61. 54. 46.66 | 38.68 | 3 | —20.042 | ... | 4972 | ... |
| 5483 | 5502 | Brisbane 3860 | 7.8 | 11. 51. 8.70 | 39.70 | 7 | + 3.037 | — 34. 23. 25.31 | 39.70 | 7 | —20.042 | ... | ... | ... |
| 5484 | 5503 | Lacaille 4971 | 7.8 | 11. 51. 12.41 | 38.39 | 2 | + 3.019 | — 45. 42. 49.81 | 38.39 | 2 | —20.043 | ... | 4971 | ... |
| 5485 | 5504 | Brisbane 3864 | 8 | 11. 51. 22.10 | 38.27 | 3 | + 2.986 | — 59. 53. 5.73 | 38.27 | 3 | —20.043 | ... | ... | ... |
| 5486 | 5505 | 7 Virginis | 5.6 | 11. 51. 30.03 | 32.14 | 8 | + 3.076 | + 4. 34. 28.10 | 32.38 | 7 | —20.043 | 1617 | ... | 208 |
| 5487 | 5506 | Piazzi XI. 209 | 7 | 11. 51. 37.50 | 35.30 | 3 | + 3.090 | + 20. 20. 19.94 | 34.55 | 4 | —20.044 | ... | ... | 209 |
| 5488 | 5507 | Brisbane 3869 | 7 | 11. 51. 47.16 | 39.64 | 7 | + 3.026 | — 43. 56. 30.45 | 39.64 | 7 | —20.044 | ... | ... | ... |
| 5489 | 5508 | Piazzi XI. 210 | 8.9 | 11. 52. 8.00 | 36.48 | 4 | + 3.152 | + 60. 16. 16.42 | 36.47 | 4 | —20.045 | ... | ... | 210 |
| 5490 | 5509 | 8 Virginis | 5 | 11. 52. 25.03 | 31.73 | 22 | + 3.078 | + 7. 32. 3.66 | 32.95 | 19 | —20.046 | 1618 | ... | 211 |
| 5491 | 5510 | Brisbane 3873 | 7.8 | 11. 52. 25.37 | 39.68 | 7 | + 3.022 | — 48. 38. 59.90 | 39.68 | 7 | —20.046 | ... | ... | ... |
| 5492 | 5511 | 31 Crateris | 5.6 | 11. 52. 25.52 | 33.35 | 6 | + 3.057 | — 18. 44. 26.25 | 31.42 | 2 | —20.046 | 1619 | ... | 212 |
| 5493 | 5512 | Piazzi XI. 213 | 7 | 11. 52. 35.04 | 34.54 | 10 | + 3.071 | — 0. 50. 38.92 | 32.25 | 4 | —20.046 | ... | ... | 213 |
| 5494 | 5513 | Piazzi XI. 214 | 7 | 11. 52. 43.64 | 35.22 | 3 | + 3.075 | + 4. 33. 7.12 | 34.40 | 2 | —20.047 | ... | ... | 214 |
| 5495 | 5514 | Piazzi XI. 215 | 8 | 11. 53. 1.18 | 36.26 | 3 | + 3.077 | + 7. 25. 28.58 | 36.47 | 4 | —20.048 | ... | ... | 215 |
| 5496 | 5515 | Lacaille 4977 | 7 | 11. 53. 7.48 | 38.23 | 3 | + 3.011 | — 56. 35. 3.77 | 38.23 | 3 | —20.048 | ... | 4977 | ... |
| 5497 | 5516 | 1 Comæ | 6 | 11. 53. 16.71 | 31.56 | 5 | + 3.089 | + 23. 0. 49.92 | 32.26 | 4 | —20.049 | 1620 | ... | 216 |
| 5498 | 5517 | Lacaille 4978 | 7 | 11. 53. 20.02 | 38.59 | 3 | + 3.038 | — 40. 54. 36.16 | 38.59 | 3 | —20.049 | ... | 4978 | ... |
| 5499 | 5518 | Lacaille 4979 | 7 | 11. 53. 23.56 | 38.60 | 3 | + 3.046 | — 33. 43. 56.56 | 38.60 | 3 | —20.049 | ... | 4979 | ... |
| 5500 | 5519 | 67 Ursæ Majoris | 6 | 11. 53. 42.37 | 35.13 | 3 | + 3.107 | + 43. 57. 38.46 | 34.54 | 4 | —20.050 | 1621 | ... | 217 |
| 5501 | 5520 | Brisbane 3879 | 8 | 11. 53. 51.48 | 38.65 | 3 | + 3.027 | — 51. 36. 40.91 | 38.63 | 3 | —20.051 | ... | ... | ... |
| 5502 | 5521 | Lacaille 4982 | 7.8 | 11. 54. 1.31 | 38.31 | 3 | + 3.008 | — 61. 29. 42.80 | 38.31 | 3 | —20.051 | ... | 4982 | ... |
| 5503 | 5522 | Piazzi XI. 218 | 7 | 11. 54. 5.70 | 37.72 | 6 | + 3.106 | + 44. 1. 31.99 | 37.05 | 7 | —20.051 | ... | ... | 218 |
| 5504 | 5523 | Lacaille 4983 | 8 | 11. 54. 7.52 | 38.74 | 2 | + 3.022 | — 55. 38. 30.62 | 38.62 | 3 | —20.051 | ... | 4983 | ... |
| 5505 | 5524 | Lacaille 4986 | 8 | 11. 54. 32.21 | 38.31 | 3 | + 3.014 | — 61. 15. 27.13 | 38.31 | 3 | —20.052 | ... | 4986 | ... |
| 5506 | 5525 | Piazzi XI. 219 | 7.8 | 11. 54. 33.59 | 36.68 | 4 | + 3.060 | — 21. 14. 4.07 | 34.53 | 4 | —20.052 | ... | ... | 219 |
| 5507 | 5526 | Brisbane 3888 | 8 | 11. 54. 35.71 | 38.66 | 3 | + 3.053 | — 30. 46. 19.37 | 38.66 | 3 | —20.052 | ... | ... | ... |
| 5508 | 5527 | Lacaille 4987 | 7 | 11. 54. 36.19 | 38.23 | 3 | + 3.025 | — 56. 20. 29.49 | 38.23 | 3 | —20.052 | ... | 4987 | ... |
| 5509 | 5528 | Lacaille 4988 | 7.8 | 11. 54. 38.70 | 38.56 | 3 | + 3.036 | — 48. 44. 7.22 | 38.56 | 3 | —20.053 | ... | 4988 | ... |
| 5510 | 5529 | Lacaille 4989 | 7 | 11. 54. 41.17 | 38.67 | 3 | + 3.038 | — 47. 16. 33.44 | 38.67 | 3 | —20.053 | ... | 4989 | ... |
| 5511 | 5530 | Lacaille 4992 | 6 | 11. 55. 8.54 | 37.93 | 6 | + 3.047 | — 41. 30. 35.58 | 32.19 | 7 | —20.054 | ... | 4992 | 220 |
| 5512 | 5531 | Piazzi XI. 221 | 7 | 11. 55. 9.60 | 35.26 | 3 | + 3.070 | — 4. 33. 36.46 | 34.53 | 4 | —20.054 | ... | ... | 221 |
| 5513 | 5532 | Piazzi XI. 222 | 7 | 11. 55. 19.18 | 32.03 | 10 | + 3.074 | + 6. 28. 50.50 | 32.24 | 5 | —20.054 | ... | ... | 222 |
| 5514 | 5533 | Brisbane 3895 | 8 | 11. 55. 21.15 | 39.44 | 5 | + 3.030 | — 56. 49. 25.19 | 39.44 | 5 | —20.054 | ... | ... | ... |
| 5515 | 5534 | Lacaille 4994 | 7.8 | 11. 55. 21.83 | 38.66 | 3 | + 3.035 | — 53. 47. 37.42 | 38.66 | 3 | —20.054 | ... | 4994 | ... |
| 5516 | 5535 | Piazzi XI. 223 | 7.8 | 11. 55. 34.36 | 35.24 | 3 | + 3.081 | + 19. 44. 15.39 | 34.61 | 4 | —20.055 | ... | ... | 223 |
| 5517 | 5537 | 2 Comæ | 6 | 11. 55. 49.19 | 32.27 | 6 | + 3.082 | + 22. 22. 41.89 | 32.07 | 5 | —20.055 | 1622 | ... | 224 |
| 5518 | 5536 | Lacaille 4998 | 7 | 11. 55. 49.24 | 38.18 | 3 | + 3.035 | — 56. 29. 42.24 | 38.18 | 3 | —20.055 | ... | 4998 | ... |
| 5519 | 5538 | Piazzi XI. 225 | 8 | 11. 55. 50.30 | 36.42 | 4 | + 3.063 | — 20. 7. 9.90 | 36.41 | 4 | —20.055 | ... | ... | 225 |
| 5520 | 5539 | Piazzi XI. 226 | 7 | 11. 56. 15.51 | 35.27 | 3 | + 3.079 | + 17. 11. 17.22 | 34.55 | 4 | —20.055 | ... | ... | 226 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 5521 | 5540 | Piazzi X. 227 | 7 | 11. 56. 16.27 | 35.28 | 3 | + 3.074 | + 4. 29. 35.76 | 34.63 | 4 | -20.055 | ... | ... | 227 |
| 5522 | 5541 | Lacaille 5001 | 7 | 11. 56. 18.24 | 38.31 | 3 | + 3.037 | - 58. 20. 3.79 | 38.31 | 3 | -20.055 | ... | 5001 | ... |
| 5523 | 5542 | 9 Virginis | 4.5 | 11. 56. 48.27 | 33.89 | 11 | + 3.075 | + 9. 38. 58.58 | 32.74 | 29 | -20.055 | 1623 | ... | 228 |
| 5524 | 5543 | Lacaille 5008 | 7.8 | 11. 56. 52.16 | 38.57 | 3 | + 3.051 | - 49. 21. 6.79 | 38.57 | 3 | -20.055 | ... | 5008 | ... |
| 5525 | 5544 | Lacaille 5007 | 8 | 11. 56. 53.05 | 38.64 | 3 | + 3.052 | - 48. 5. 16.84 | 38.64 | 3 | -20.055 | ... | 5007 | ... |
| 5526 | 5545 | Piazzi XI. 229 | 8 | 11. 56. 59.27 | 36.42 | 4 | + 3.078 | + 18. 12. 35.10 | 36.42 | 4 | -20.055 | ... | ... | 229 |
| 5527 | 5546 | Lacaille 5014 | 7 | 11. 57. 31.52 | 38.50 | 3 | + 3.053 | - 53. 20. 24.70 | 38.50 | 3 | -20.055 | ... | 5014 | ... |
| 5528 | 5547 | Piazzi XI. 230 | 7 | 11. 57. 33.18 | 32.03 | 4 | + 3.072 | - 2. 12. 43.44 | 31.41 | 3 | -20.055 | ... | ... | 230 |
| 5529 | 5548 | Lacaille 5022 | 7 | 11. 57. 38.33 | 38.60 | 3 | + 3.064 | - 32. 2. 0.81 | 38.60 | 3 | -20.055 | ... | 5022 | ... |
| 5530 | 5549 | Piazzi XI. 231 | 7 | 11. 57. 49.10 | 35.21 | 3 | + 3.067 | - 21. 52. 41.63 | 34.57 | 4 | -20.055 | ... | ... | 231 |
| 5531 | 5550 | Piazzi XI. 232 | 7.8 | 11. 57. 55.37 | 35.22 | 3 | + 3.085 | + 47. 12. 13.69 | 34.64 | 4 | -20.056 | ... | ... | 232 |
| 5532 | 5551 | Lacaille 5021 | 7.8 | 11. 58. 9.98 | 39.77 | 6 | + 3.064 | - 36. 56. 29.31 | 39.77 | 6 | -20.057 | ... | 5021 | ... |
| 5533 | 5552 | Orucis | 4.5 | 11. 58. 20.20 | 31.29 | 5 | + 3.053 | - 63. 41. 34.92 | 31.36 | 6 | -20.057 | ... | 5023 | ... |
| 5534 | 5553 | Piazzi XI. 233 | 7 | 11. 58. 23.05 | 35.28 | 3 | + 3.087 | + 58. 31. 10.95 | 34.57 | 4 | -20.057 | ... | ... | 233 |
| 5535 | 5554 | Piazzi XI. 234 | 7 | 11. 58. 34.17 | 35.13 | 2 | + 3.069 | - 22. 50. 54.85 | 34.61 | 4 | -20.057 | ... | ... | 234 |
| 5536 | 5555 | Piazzi XI. 235 | 7 | 11. 58. 44.38 | 35.31 | 3 | + 3.074 | + 13. 54. 21.40 | 34.55 | 4 | -20.057 | ... | ... | 235 |
| 5537 | 5556 | Piazzi XI. 236 | 7 | 11. 58. 45.20 | 35.31 | 3 | + 3.073 | + 10. 34. 55.05 | 34.96 | 5 | -20.057 | ... | ... | 236 |
| 5538 | 5557 | Piazzi XI. 237 | 7 | 11. 58. 48.29 | 35.32 | 3 | + 3.072 | - 5. 50. 51.33 | 34.54 | 4 | -20.057 | ... | ... | 237 |
| 5539 | 5558 | Lacaille 5025 | 8 | 11. 58. 53.32 | 38.30 | 3 | + 3.066 | - 42. 19. 41.07 | 38.30 | 3 | -20.057 | ... | 5025 | ... |
| 5540 | 5559 | Lacaille 5027 | 8 | 11. 59. 3.36 | 38.31 | 3 | + 3.067 | - 44. 39. 47.84 | 38.31 | 3 | -20.058 | ... | 5027 | ... |
| 5541 | 5560 | Piazzi XI. 238 | 7 | 11. 59. 10.21 | 35.33 | 3 | + 3.073 | + 14. 26. 9.07 | 35.27 | 3 | -20.058 | ... | ... | 238 |
| 5542 | 5561 | Piazzi XI. 239 | 6.7 | 11. 59. 33.95 | 35.35 | 3 | + 3.072 | + 1. 32. 28.72 | 34.54 | 4 | -20.058 | ... | ... | 239 |
| 5543 | 5562 | Lacaille 5030 | 7.8 | 11. 59. 34.19 | 39.51 | 7 | + 3.069 | - 49. 50. 42.15 | 39.44 | 10 | -20.058 | ... | 5030 | ... |
| 5544 | 5563 | Lacaille 5029 | 6 | 11. 59. 34.31 | 38.23 | 3 | + 3.069 | - 49. 44. 32.85 | 38.23 | 3 | -20.058 | ... | 5029 | ... |
| 5545 | 5564 | Lacaille 5031 | 7 | 11. 59. 43.82 | 38.34 | 3 | + 3.070 | - 47. 46. 24.48 | 38.34 | 3 | -20.058 | ... | 5031 | ... |
| 5546 | 5565 | Centauri | 3 | 11. 59. 50.48 | 33.49 | 15 | + 3.071 | - 49. 48. 13.78 | 32.66 | 21 | -20.058 | ... | 5033 | ... |
| 5547 | 5566 | Lacaille 5034 | 7.8 | 11. 59. 50.95 | 37.46 | 6 | + 3.072 | - 33. 45. 21.78 | 36.44 | 4 | -20.058 | ... | 5034 | 240 |
| 5548 | 5567 | Lacaille 5032 | 7.8 | 11. 59. 51.44 | 39.76 | 5 | + 3.070 | - 59. 55. 43.63 | 39.35 | 8 | -20.058 | ... | 5032 | ... |
| 5549 | 5568 | 1 Corvi | 4.5 | 11. 59. 55.03 | 32.67 | 25 | + 3.072 | - 23. 48. 30.00 | 32.54 | 19 | -20.058 | 1624 | 5035 | 241 |
| 5550 | 5569 | Piazzi XI. 242 | 8.9 | 12. 0. 3.86 | 37.74 | 6 | + 3.072 | + 49. 53. 12.39 | 37.67 | 7 | -20.058 | ... | ... | 242 |
| 5551 | 5570 | Lacaille 5036 | 6.7 | 12. 0. 23.43 | 36.94 | 6 | + 3.074 | - 43. 24. 18.97 | 36.19 | 8 | -20.058 | ... | 5036 | 243 |
| 5552 | 5571 | Lacaille 5037 | 6 | 12. 0. 24.24 | 38.50 | 3 | + 3.074 | - 40. 18. 44.61 | 38.50 | 3 | -20.058 | ... | 5037 | ... |
| 5553 | 5572 | Piazzi XI. 244 | 6.7 | 12. 0. 32.03 | 35.29 | 3 | + 3.068 | + 50. 6. 13.02 | 34.56 | 4 | -20.058 | ... | ... | 244 |
| 5554 | 5573 | Piazzi XI. 245 | 7 | 12. 0. 47.48 | 35.24 | 3 | + 3.071 | + 18. 6. 19.30 | 35.28 | 3 | -20.058 | ... | ... | 245 |
| 5555 | 5574 | Brisbane 3942 | 6 | 12. 1. 13.40 | 40.02 | 5 | + 3.080 | - 50. 51. 55.92 | 39.70 | 4 | -20.058 | ... | ... | ... |
| 5556 | 5575 | 10 Virginis | 6 | 12. 1. 14.22 | 32.04 | 8 | + 3.072 | + 2. 49. 30.64 | 32.23 | 5 | -20.058 | 1625 | ... | 246 |
| 5557 | 5576 | Lacaille 5043 | 6.7 | 12. 1. 32.64 | 35.11 | 3 | + 3.078 | - 33. 47. 8.01 | 34.67 | 3 | -20.057 | ... | 5043 | 247 |
| 5558 | 5577 | 11 Virginis | 7 | 12. 1. 38.93 | 32.53 | 8 | + 3.071 | + 6. 43. 28.65 | 32.24 | 5 | -20.057 | 1627 | ... | 249 |
| 5559 | 5578 | 2 Corvi | 4 | 12. 1. 39.15 | 32.22 | 9 | + 3.076 | - 21. 42. 7.60 | 33.30 | 6 | -20.057 | 1626 | ... | 248 |
| 5560 | 5579 | Piazzi XII. 1 | 7 | 12. 1. 59.32 | 35.15 | 3 | + 3.077 | - 24. 2. 23.87 | 34.65 | 4 | -20.057 | ... | ... | 1 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 5561 | 5580 | Lacaille 5045 | 6.7 | 12. 2. 1.67 | 38.25 | 3 | + 3.081 | - 36. 57. 1.39 | 38.25 | 3 | -20.057 | ... | 5045 | ... |
| 5562 | 5581 | Brisbane 3946 | 8 | 12. 2. 5.35 | 38.32 | 3 | + 3.081 | - 35. 55. 0.47 | 38.32 | 3 | -20.057 | ... | ... | ... |
| 5563 | 5582 | 3 Comæ | 6.7 | 12. 2. 6.76 | 35.28 | 3 | + 3.068 | + 17. 43. 39.96 | 34.58 | 4 | -20.057 | 1628 | ... | 2 |
| 5564 | 5583 | Lacaille 5048 | 7 | 12. 2. 22.31 | 38.34 | 3 | + 3.079 | - 27. 8. 54.83 | 38.34 | 3 | -20.057 | ... | 5048 | ... |
| 5565 | 5584 | Piazzi XII. 3 | 6.7 | 12. 2. 22.49 | 35.21 | 3 | + 3.065 | + 28. 12. 1.35 | 34.60 | 4 | -20.057 | ... | ... | 3 |
| 5566 | 5585 | Lacaille 5051 | 7 | 12. 2. 29.68 | 38.31 | 4 | + 3.097 | - 60. 21. 30.02 | 38.32 | 3 | -20.057 | ... | 5051 | ... |
| 5567 | 5586 | Lacaille 5049 | 7 | 12. 2. 29.71 | 38.31 | 3 | + 3.086 | - 44. 30. 18.20 | 38.31 | 3 | -20.057 | ... | 5049 | ... |
| 5568 | 5587 | 3 Corvi | 6 | 12. 2. 35.05 | 35.57 | 7 | + 3.078 | - 22. 41. 1.04 | 32.26 | 6 | -20.056 | 1629 | ... | 4 |
| 5569 | 5588 | Brisbane 3951 | 6 | 12. 2. 52.94 | 38.23 | 3 | + 3.088 | - 43. 21. 43.99 | 38.23 | 3 | -20.056 | ... | ... | ... |
| 5570 | 5589 | Lacaille 5053 | 7.8 | 12. 2. 59.48 | 39.59 | 7 | + 3.093 | - 50. 26. 17.91 | 39.59 | 7 | -20.056 | ... | 5053 | ... |
| 5571 | 5590 | Centauri.....p | 4 | 12. 3. 3.87 | 33.48 | 14 | + 3.094 | - 51. 26. 58.90 | 33.96 | 7 | -20.056 | ... | 5055 | ... |
| 5572 | 5591 | Piazzi XII. 5 | 7 | 12. 3. 11.60 | 35.31 | 3 | + 3.082 | - 29. 41. 12.17 | 34.56 | 4 | -20.056 | ... | ... | 5 |
| 5573 | 5592 | Piazzi XII. 6 | 6.7 | 12. 3. 13.93 | 35.29 | 3 | + 3.071 | + 4. 58. 26.53 | 35.06 | 4 | -20.056 | ... | ... | 6 |
| 5574 | 5593 | 4 Comæ | 6 | 12. 3. 28.49 | 32.39 | 6 | + 3.062 | + 26. 47. 24.43 | 32.29 | 5 | -20.056 | 1630 | ... | 7 |
| 5575 | 5594 | 68 Ursæ Majoris | 7 | 12. 3. 29.24 | 35.31 | 3 | + 3.040 | + 57. 58. 22.08 | 34.54 | 4 | -20.056 | 1631 | ... | 8 |
| 5576 | 5595 | 5 Comæ | 6 | 12. 3. 45.67 | 32.29 | 4 | + 3.064 | + 21. 27. 41.28 | 32.40 | 5 | -20.055 | 1632 | ... | 9 |
| 5577 | 5596 | Lacaille 5058 | 7.8 | 12. 3. 47.29 | 38.34 | 3 | + 3.109 | - 59. 9. 0.31 | 38.34 | 3 | -20.055 | ... | 5058 | ... |
| 5578 | 5597 | Brisbane 3960 | 8 | 12. 4. 11.88 | 38.63 | 3 | + 3.112 | - 58. 44. 14.53 | 38.63 | 3 | -20.055 | ... | ... | ... |
| 5579 | 5598 | Brisbane 3961 | 8 | 12. 4. 14.81 | 38.30 | 3 | + 3.090 | - 36. 36. 32.14 | 38.30 | 3 | -20.055 | ... | ... | ... |
| 5580 | 5599 | Bradley 1634 | 5 | 12. 4. 22.13 | 32.40 | 8 | + 2.946 | + 78. 32. 0.43 | 32.31 | 5 | -20.055 | 1634 | ... | 10 |
| 5581 | 5600 | Piazzi XII. 11 | 7 | 12. 4. 49.25 | 35.32 | 3 | + 3.066 | + 12. 26. 4.90 | 34.51 | 4 | -20.054 | ... | ... | 11 |
| 5582 | 5601 | Lacaille 5065 | 7.8 | 12. 4. 51.64 | 38.33 | 3 | + 3.094 | - 38. 0. 38.96 | 38.33 | 3 | -20.054 | ... | 5065 | ... |
| 5583 | 5602 | Piazzi XII. 12 | 7 | 12. 4. 56.01 | 35.25 | 3 | + 3.055 | + 31. 11. 58.25 | 34.54 | 4 | -20.054 | ... | ... | 12 |
| 5584 | 5603 | 12 Virginis..... | 6 | 12. 5. 1.72 | 32.00 | 6 | + 3.066 | + 11. 10. 57.76 | 32.23 | 5 | -20.053 | 1635 | ... | 13 |
| 5585 | 5604 | Piazzi XII. 14 | 7.8 | 12. 5. 7.03 | 36.44 | 4 | + 3.083 | - 20. 42. 59.62 | 36.44 | 4 | -20.053 | ... | ... | 14 |
| 5586 | 5605 | Lacaille 5067 | 8 | 12. 5. 9.55 | 39.53 | 6 | + 3.086 | - 26. 24. 12.10 | 39.53 | 6 | -20.053 | ... | 5067 | ... |
| 5587 | 5606 | Lacaille 5068 | 7.8 | 12. 5. 21.79 | 38.28 | 3 | + 3.116 | - 54. 33. 49.75 | 38.28 | 3 | -20.052 | ... | 5068 | ... |
| 5588 | 5607 | Lacaille 5069 | 5.6 | 12. 5. 26.87 | 35.13 | 3 | + 3.104 | - 44. 48. 22.07 | 34.61 | 4 | -20.052 | ... | 5069 | 15 |
| 5589 | 5608 | Piazzi XII. 16 | 7 | 12. 5. 30.34 | 35.22 | 3 | + 3.070 | + 3. 10. 44.92 | 34.56 | 4 | -20.052 | ... | ... | 16 |
| 5590 | 5609 | Brisbane 3970 | 8 | 12. 5. 32.48 | 38.29 | 3 | + 3.124 | - 57. 57. 32.25 | 38.29 | 3 | -20.052 | ... | ... | ... |
| 5591 | 5610 | Brisbane 3971 | 7.8 | 12. 5. 35.93 | 38.57 | 3 | + 3.115 | - 53. 0. 18.26 | 38.57 | 3 | -20.052 | ... | ... | ... |
| 5592 | 5611 | Piazzi XII. 17 | 7 | 12. 5. 48.45 | 36.44 | 4 | + 3.075 | - 4. 48. 14.91 | 36.45 | 4 | -20.051 | ... | ... | 17 |
| 5593 | 5612 | Crucis.....8 | 3 | 12. 6. 26.06 | 34.91 | 21 | + 3.132 | - 57. 49. 51.32 | 34.37 | 16 | -20.050 | ... | 5075 | ... |
| 5594 | 5613 | Lacaille 5076 | 7.8 | 12. 6. 26.39 | 38.20 | 3 | + 3.104 | - 40. 13. 4.91 | 38.20 | 3 | -20.050 | ... | 5076 | ... |
| 5595 | 5614 | Piazzi XII. 18 | 6.7 | 12. 6. 29.01 | 35.23 | 3 | + 3.086 | - 19. 55. 32.54 | 34.61 | 4 | -20.050 | ... | ... | 18 |
| 5596 | 5615 | 1 Canum Venaticum | 6 | 12. 6. 30.66 | 35.37 | 3 | + 3.019 | + 54. 21. 9.64 | 34.31 | 3 | -20.050 | 1636 | ... | 19 |
| 5597 | 5616 | Brisbane 3977 | 7 | 12. 6. 34.33 | 38.46 | 4 | + 3.092 | - 28. 19. 5.69 | 38.46 | 4 | -20.050 | ... | ... | ... |
| 5598 | 5617 | Piazzi XII. 20 | 7 | 12. 6. 50.13 | 35.11 | 3 | + 3.059 | + 17. 49. 29.33 | 34.63 | 4 | -20.049 | ... | ... | 20 |
| 5599 | 5618 | Lacaille 5077 | 7 | 12. 6. 58.71 | 38.29 | 3 | + 3.107 | - 40. 59. 16.15 | 38.29 | 3 | -20.048 | ... | 5077 | ... |
| 5600 | 5619 | Piazzi XII. 21 | 7 | 12. 7. 1.32 | 35.15 | 2 | + 3.081 | - 13. 9. 13.95 | 34.57 | 4 | -20.048 | ... | ... | 21 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 5601 | 5620 | 69 Ursæ Majoris..... | 3 | h m s 12. 7. 13.34 | 32.31 | 8 | + 3.005 | + 57. 56. 58.39 | 32.37 | 12 | -20.048 | 1637 | ... | 22 |
| 5602 | 5621 | Lacaille 5078 | 7 | 12. 7. 14.07 | 38.21 | 3 | + 3.128 | - 53. 8. 15.83 | 38.21 | 3 | -20.048 | ... | 5078 | ... |
| 5603 | 5622 | Piazzi XII. 23 | 9.10 | 12. 7. 17.96 | 36.45 | 4 | + 3.063 | + 11. 47. 7.10 | 36.47 | 4 | -20.047 | ... | ... | 23 |
| 5604 | 5623 | 4 Corvi | 3 | 12. 7. 19.84 | 32.69 | 9 | + 3.085 | - 16. 37. 30.95 | 32.09 | 5 | -20.047 | 1638 | ... | 24 |
| 5605 | 5624 | Piazzi XII. 25 | 7.8 | 12. 7. 20.65 | 35.21 | 3 | + 3.082 | - 12. 53. 55.84 | 34.64 | 4 | -20.047 | ... | ... | 25 |
| 5606 | 5625 | 6 Comæ | 5 | 12. 7. 37.27 | 32.72 | 12 | + 3.060 | + 15. 49. 5.47 | 33.30 | 9 | -20.046 | 1639 | ... | 26 |
| 5607 | 5626 | 2 Canum Venaticum | 6.7 | 12. 7. 50.33 | 35.28 | 3 | + 3.032 | + 41. 34. 44.31 | 34.64 | 4 | -20.045 | 1640 | ... | 27 |
| 5608 | 5627 | 7 Comæ | 5 | 12. 7. 59.29 | 32.76 | 9 | + 3.051 | + 24. 51. 48.46 | 33.43 | 10 | -20.045 | 1641 | ... | 28 |
| 5609 | 5628 | Piazzi XII. 29 | 5 | 12. 8. 11.74 | 35.35 | 3 | + 3.040 | + 33. 59. 1.17 | 35.26 | 3 | -20.045 | ... | ... | 29 |
| 5610 | 5629 | Lacaille 5086 | 7.8 | 12. 8. 54.96 | 39.55 | 5 | + 3.130 | - 48. 0. 22.98 | 40.34 | 7 | -20.042 | ... | 5086 | ... |
| 5611 | 5630 | Lacaille 5087 | 7.8 | 12. 9. 8.27 | 38.29 | 3 | + 3.154 | - 56. 56. 0.02 | 38.29 | 3 | -20.042 | ... | 5087 | ... |
| 5612 | 5631 | Lacaille 5088 | 7 | 12. 9. 11.78 | 38.33 | 3 | + 3.110 | - 35. 10. 35.62 | 38.33 | 3 | -20.041 | ... | 5088 | ... |
| 5613 | 5632 | Piazzi XII. 30 | 8 | 12. 9. 13.88 | 36.47 | 4 | + 3.057 | + 15. 21. 41.10 | 36.48 | 4 | -20.041 | ... | ... | 30 |
| 5614 | 5633 | Brisbane 3991 | 7.8 | 12. 9. 16.34 | 38.27 | 3 | + 3.168 | - 60. 33. 9.34 | 38.27 | 3 | -20.041 | ... | ... | ... |
| 5615 | 5634 | Lacaille 5089 | 7 | 12. 9. 27.46 | 38.34 | 3 | + 3.141 | - 51. 23. 22.46 | 38.34 | 3 | -20.041 | ... | 5089 | ... |
| 5616 | 5635 | Piazzi XII. 31 | 7.8 | 12. 9. 31.73 | 35.31 | 3 | + 3.070 | + 2. 29. 34.53 | 34.53 | 4 | -20.040 | ... | ... | 31 |
| 5617 | 5636 | Piazzi XII. 32 | 7 | 12. 9. 41.78 | 35.87 | 10 | + 3.075 | - 3. 2. 18.02 | 36.45 | 4 | -20.040 | ... | ... | 32 |
| 5618 | 5637 | Piazzi XII. 34 | 8 | 12. 9. 41.94 | 36.46 | 4 | + 3.052 | + 19. 21. 9.54 | 36.47 | 4 | -20.040 | ... | ... | 34 |
| 5619 | 5638 | Piazzi XII. 33 | 7 | 12. 9. 42.01 | 37.06 | 1 | + 3.075 | - 3. 1. 56.66 | 34.61 | 4 | -20.040 | ... | ... | 33 |
| 5620 | 5639 | Piazzi XII. 36 | 7.8 | 12. 10. 3.36 | 35.43 | 2 | + 3.063 | + 8. 58. 53.51 | 34.62 | 4 | -20.039 | ... | ... | 36 |
| 5621 | 5640 | Piazzi XII. 35 | 7 | 12. 10. 3.51 | 35.40 | 2 | + 3.080 | - 7. 58. 58.55 | 35.40 | 1 | -20.039 | ... | ... | 35 |
| 5622 | 5641 | Piazzi XII. 37 | 7 | 12. 10. 11.33 | 39.31 | 6 | + 3.033 | + 33. 39. 57.19 | 37.75 | 7 | -20.038 | ... | ... | 37 |
| 5623 | 5642 | 13 Virginis | 6 | 12. 10. 12.96 | 33.38 | 18 | + 3.072 | + 0. 7. 49.96 | 32.24 | 5 | -20.038 | 1643 | ... | 38 |
| 5624 | 5643 | Lacaille 5092 | 7 | 12. 10. 13.96 | 38.34 | 3 | + 3.155 | - 54. 13. 32.59 | 38.34 | 3 | -20.038 | ... | 5092 | ... |
| 5625 | 5644 | Piazzi XII. 39 | 7 | 12. 10. 42.42 | 35.24 | 3 | + 3.040 | + 26. 55. 32.21 | 34.63 | 4 | -20.036 | ... | ... | 39 |
| 5626 | 5645 | Piazzi XII. 40 | 7 | 12. 10. 45.91 | 38.20 | 5 | + 3.052 | + 17. 28. 18.52 | 37.02 | 7 | -20.036 | ... | ... | 40 |
| 5627 | 5646 | 14 Virginis | 6.7 | 12. 10. 51.08 | 33.09 | 8 | + 3.081 | - 7. 59. 46.62 | 33.55 | 12 | -20.035 | 1644 | ... | 41 |
| 5628 | 5647 | Lacaille 5097 | 7.8 | 12. 10. 56.25 | 38.36 | 3 | + 3.111 | - 31. 40. 20.48 | 38.36 | 3 | -20.035 | ... | 5097 | ... |
| 5629 | 5648 | Lacaille 5094 | 8 | 12. 10. 58.45 | 38.31 | 3 | + 3.192 | - 61. 56. 17.48 | 38.31 | 3 | -20.035 | ... | 5094 | ... |
| 5630 | 5649 | 8 Comæ | 6 | 12. 10. 58.88 | 32.39 | 6 | + 3.044 | + 23. 57. 6.50 | 32.27 | 3 | -20.035 | 1645 | ... | 42 |
| 5631 | 5650 | 9 Comæ | 6.7 | 12. 11. 13.17 | 36.82 | 4 | + 3.036 | + 29. 4. 45.64 | 34.60 | 4 | -20.034 | 1646 | ... | 43 |
| 5632 | 5651 | Bradley 1650 | 6.7 | 12. 11. 22.17 | 39.85 | 6 | + 2.804 | + 76. 4. 37.40 | 38.94 | 9 | -20.034 | 1650 | ... | 45 |
| 5633 | 5652 | 15 Virginis | 3.4 | 12. 11. 27.99 | 33.53 | 10 | + 3.072 | + 0. 15. 3.05 | 32.34 | 22 | -20.033 | 1647 | ... | 44 |
| 5634 | 5653 | Lacaille 5102 | 7 | 12. 11. 28.51 | 38.22 | 3 | + 3.122 | - 36. 52. 50.76 | 38.22 | 3 | -20.033 | ... | 5102 | ... |
| 5635 | 5654 | 10 Comæ | 6 | 12. 11. 32.18 | 33.50 | 8 | + 3.035 | + 29. 22. 52.50 | 33.32 | 9 | -20.032 | 1648 | ... | 46 |
| 5636 | 5655 | Bradley 1649 | 6.7 | 12. 11. 38.95 | 36.74 | 4 | + 3.111 | - 21. 15. 25.35 | 34.43 | 3 | -20.032 | 1649 | ... | 47 |
| 5637 | 5656 | 3 Canum Venaticum | 5.6 | 12. 11. 39.44 | 35.28 | 3 | + 2.991 | + 49. 54. 0.76 | 34.32 | 3 | -20.032 | 1651 | ... | 48 |
| 5638 | 5657 | Piazzi XII. 49 | 7.8 | 12. 11. 42.37 | 35.30 | 3 | + 3.054 | + 16. 46. 20.63 | 34.44 | 2 | -20.031 | ... | ... | 49 |
| 5639 | 5658 | 16 Virginis | 5.6 | 12. 11. 58.40 | 32.87 | 10 | + 3.067 | + 4. 13. 57.93 | 32.36 | 7 | -20.030 | 1652 | ... | 50 |
| 5640 | 5659 | Piazzi XII. 52 | 6.7 | 12. 12. 0.42 | 35.24 | 2 | + 3.037 | + 26. 55. 1.61 | 34.56 | 4 | -20.030 | ... | ... | 52 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 5641 | 5660 | 5 Corvi | 5.6 | h m s 12. 12. 1.54 | 35.35 | 8 | + 3.099 | — 21. 17. 52.39 | 32.42 | 5 | —20.030 | 1653 | ... | 51 |
| 5642 | 5661 | Lacaille 5106 | 8 | 12. 12. 11.16 | 38.27 | 2 | + 3.147 | — 46. 32. 19.45 | 38.27 | 2 | —20.029 | ... | 5106 | ... |
| 5643 | 5662 | 11 Comæ | 5 | 12. 12. 22.64 | 32.42 | 11 | + 3.048 | + 18. 42. 17.92 | 31.41 | 5 | —20.028 | 1654 | ... | 53 |
| 5644 | 5663 | Lacaille 5108 | 7.8 | 12. 12. 24.61 | 38.60 | 3 | + 3.204 | — 61. 21. 57.07 | 38.60 | 3 | —20.028 | ... | 5108 | ... |
| 5645 | 5664 | Piazzi XII. 54 | 6 | 12. 12. 25.16 | 33.13 | 6 | + 3.088 | — 12. 38. 59.19 | 33.28 | 5 | —20.028 | ... | ... | 54 |
| 5646 | 5665 | Lacaille 5109 | 7 | 12. 12. 25.16 | 38.67 | 3 | + 3.136 | — 41. 38. 42.91 | 38.66 | 3 | —20.028 | ... | 5109 | ... |
| 5647 | 5666 | Piazzi XII. 55 | 7 | 12. 12. 26.91 | 35.21 | 3 | + 3.051 | + 16. 27. 26.44 | 35.27 | 3 | —20.028 | ... | ... | 55 |
| 5648 | 5667 | Orionis | 4 | 12. 12. 30.64 | 35.13 | 13 | + 3.196 | — 59. 29. 21.84 | 35.41 | 9 | —20.027 | ... | 5110 | ... |
| 5649 | 5668 | 70 Ursæ Majoris | 6 | 12. 12. 49.56 | 35.27 | 2 | + 2.949 | + 58. 47. 0.44 | 34.54 | 4 | —20.026 | 1655 | ... | 56 |
| 5650 | 5669 | Lacaille 5114 | 8 | 12. 13. 1.19 | 38.62 | 3 | + 3.159 | — 49. 1. 58.72 | 38.62 | 3 | —20.025 | ... | 5114 | ... |
| 5651 | 5670 | Piazzi XII. 57 | 7 | 12. 13. 52.89 | 35.31 | 3 | + 3.033 | + 25. 41. 23.40 | 35.30 | 3 | —20.021 | ... | ... | 57 |
| 5652 | 5671 | Lacaille 5120 | 6 | 12. 13. 55.89 | 39.62 | 6 | + 3.196 | — 56. 45. 34.21 | 40.30 | 11 | —20.021 | ... | 5120 | ... |
| 5653 | 5672 | 17 Virginis | 6 | 12. 14. 8.87 | 32.42 | 7 | + 3.064 | + 6. 13. 25.70 | 32.24 | 5 | —20.019 | 1657 | ... | 58 |
| 5654 | 5673 | 12 Comæ | 5 | 12. 14. 12.18 | 32.25 | 15 | + 3.030 | + 26. 45. 43.82 | 31.98 | 5 | —20.019 | 1658 | ... | 59 |
| 5655 | 5674 | Piazzi XII. 60 | 7.8 | 12. 14. 22.23 | 35.24 | 3 | + 3.040 | + 21. 3. 55.05 | 34.27 | 3 | —20.018 | ... | ... | 60 |
| 5656 | 5675 | Lacaille 5125 | 7.8 | 12. 14. 25.66 | 35.13 | 2 | + 3.109 | — 23. 57. 22.95 | 34.67 | 4 | —20.018 | ... | 5125 | 61 |
| 5657 | 5676 | Piazzi XII. 62 | 9 | 12. 14. 37.74 | 36.45 | 4 | + 3.046 | + 17. 9. 36.36 | 36.44 | 4 | —20.017 | ... | ... | 62 |
| 5658 | 5677 | Brisbane 4030 | 7 | 12. 14. 37.77 | 38.18 | 3 | + 3.224 | — 63. 42. 49.03 | 38.18 | 3 | —20.017 | ... | ... | ... |
| 5659 | 5678 | Piazzi XII. 63 | 7 | 12. 14. 40.99 | 35.32 | 3 | + 3.081 | — 6. 23. 1.65 | 34.57 | 4 | —20.017 | ... | ... | 63 |
| 5660 | 5679 | Brisbane 4033 | 8 | 12. 14. 42.76 | 38.62 | 3 | + 3.146 | — 40. 55. 52.36 | 38.62 | 3 | —20.017 | ... | ... | ... |
| 5661 | 5680 | 6 Corvi | 5.6 | 12. 14. 46.60 | 32.32 | 6 | + 3.110 | — 23. 55. 27.11 | 32.26 | 6 | —20.016 | 1659 | 5127 | 64 |
| 5662 | 5681 | Piazzi XII. 65 | 7 | 12. 14. 46.86 | 35.34 | 3 | + 3.078 | — 4. 3. 26.64 | 34.64 | 4 | —20.016 | ... | ... | 65 |
| 5663 | 5682 | Lacaille 5128 | 7 | 12. 14. 55.22 | 38.34 | 3 | + 3.141 | — 38. 23. 10.31 | 38.34 | 3 | —20.015 | ... | 5128 | ... |
| 5664 | 5683 | Centauri | 5.6 | 12. 14. 55.59 | 35.15 | 3 | + 3.132 | — 34. 29. 49.37 | 34.31 | 3 | —20.015 | ... | 5129 | 66 |
| 5665 | 5684 | Lacaille 5130 | 6.7 | 12. 15. 3.87 | 38.34 | 2 | + 3.140 | — 37. 59. 46.19 | 38.34 | 2 | —20.015 | ... | 5130 | ... |
| 5666 | 5685 | Lacaille 5131 | 7 | 12. 15. 9.94 | 38.34 | 3 | + 3.122 | — 29. 25. 9.98 | 38.34 | 3 | —20.014 | ... | 5131 | ... |
| 5667 | 5686 | Lacaille 5135 | 7.8 | 12. 15. 34.56 | 38.61 | 3 | + 3.168 | — 46. 27. 27.86 | 38.61 | 3 | —20.011 | ... | 5135 | ... |
| 5668 | 5687 | 4 Canum Venaticum | 6.7 | 12. 15. 38.74 | 35.39 | 2 | + 2.976 | + 43. 27. 25.85 | 34.38 | 3 | —20.011 | 1660 | ... | 67 |
| 5669 | 5688 | Piazzi XII. 68 | 7 | 12. 15. 46.16 | 39.09 | 6 | + 3.026 | + 26. 46. 0.38 | 37.72 | 8 | —20.010 | ... | ... | 68 |
| 5670 | 5689 | Piazzi XII. 69 | 7 | 12. 15. 51.60 | 35.43 | 2 | + 3.087 | — 9. 33. 42.80 | 34.38 | 3 | —20.010 | ... | ... | 69 |
| 5671 | 5690 | 5 Canum Venaticum | 5.6 | 12. 15. 58.63 | 35.39 | 2 | + 2.951 | + 52. 28. 37.22 | 34.33 | 3 | —20.009 | 1662 | ... | 71 |
| 5672 | 5691 | 13 Comæ | 5 | 12. 16. 1.49 | 32.40 | 11 | + 3.025 | + 27. 0. 52.36 | 31.59 | 6 | —20.009 | 1661 | ... | 70 |
| 5673 | 5692 | Piazzi XII. 72 | 7.8 | 12. 16. 7.14 | 36.57 | 5 | + 3.064 | + 5. 14. 49.11 | 36.46 | 4 | —20.009 | ... | ... | 72 |
| 5674 | 5693 | Piazzi XII. 73 | 8 | 12. 16. 14.89 | 38.72 | 7 | + 3.062 | + 5. 57. 44.06 | 38.72 | 7 | —20.008 | ... | ... | 73 |
| 5675 | 5694 | Lacaille 5140 | 7.8 | 12. 16. 19.95 | 38.30 | 3 | + 3.175 | — 47. 23. 39.08 | 38.30 | 3 | —20.007 | ... | 5140 | ... |
| 5676 | 5695 | Lacaille 5141 | 7 | 12. 16. 25.47 | 38.31 | 3 | + 3.157 | — 41. 35. 54.84 | 38.31 | 3 | —20.007 | ... | 5141 | ... |
| 5677 | 5696 | Centauri | 6.7 | 12. 16. 42.19 | 35.18 | 3 | + 3.138 | — 34. 16. 15.92 | 34.62 | 4 | —20.004 | ... | 5142 | 74 |
| 5678 | 5697 | Piazzi XII. 75 | 6 | 12. 16. 56.60 | 35.26 | 2 | + 3.026 | + 24. 50. 35.65 | 34.60 | 4 | —20.003 | ... | ... | 75 |
| 5679 | 5698 | 71 Ursæ Majoris | 6.7 | 12. 17. 8.05 | 35.29 | 3 | + 2.914 | + 57. 41. 34.39 | 34.42 | 3 | —20.002 | 1663 | ... | 76 |
| 5680 | 5699 | Lacaille 5147 | 4 | 12. 17. 24.12 | 33.02 | 7 | + 3.264 | — 62. 12. 24.10 | 37.21 | 3 | —20.000 | ... | 5147 | ... |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{cxlv}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 5681 | 5700 | Crucis | 1 | h m s 12. 17. 28.91 | 34.26 | 16 | + 3.265 | — 62. 11. 4.36 | 33.95 | 19 | —20.000 | ... | 5148 | ... |
| 5682 | 5701 | Piazzi XII. 77 | 7.8 | 12. 17. 29.90 | 36.27 | 3 | + 3.063 | + 5. 6. 50.61 | 36.47 | 4 | —20.000 | ... | ... | 77 |
| 5683 | 5702 | Lacaille 5150 | 6.7 | 12. 17. 39.44 | 38.34 | 3 | + 3.197 | — 50. 32. 8.55 | 38.34 | 3 | —19.998 | ... | 5150 | ... |
| 5684 | 5703 | 6 Canum Venaticum .. | 5.6 | 12. 17. 42.17 | 35.21 | 3 | + 2.986 | + 39. 56. 5.11 | 35.27 | 3 | —19.998 | 1664 | ... | 79 |
| 5685 | 5704 | Piazzi XII. 78 | 6.7 | 12. 17. 42.60 | 35.30 | 3 | + 3.041 | + 16. 46. 40.46 | 34.57 | 4 | —19.998 | ... | ... | 78 |
| 5686 | 5705 | Lacaille 5151 | 7.8 | 12. 18. 6.01 | 38.61 | 3 | + 3.206 | — 51. 47. 18.25 | 38.61 | 3 | —19.995 | ... | 5151 | ... |
| 5687 | 5706 | Lacaille 5153 | 7.8 | 12. 18. 7.00 | 38.37 | 3 | + 3.189 | — 47. 49. 42.87 | 38.37 | 3 | —19.995 | ... | 5153 | ... |
| 5688 | 5707 | 14 Comæ | 5 | 12. 18. 8.48 | 32.34 | 5 | + 3.016 | + 28. 10. 57.72 | 32.31 | 5 | —19.995 | 1665 | ... | 81 |
| 5689 | 5708 | Lacaille 5154 | 6.7 | 12. 18. 11.13 | 35.79 | 4 | + 3.138 | — 31. 54. 52.77 | 34.55 | 4 | —19.994 | ... | 5154 | 80 |
| 5690 | 5709 | Lacaille 5155 | 7.8 | 12. 18. 18.56 | 38.65 | 3 | + 3.223 | — 54. 49. 15.58 | 38.65 | 3 | —19.994 | ... | 5155 | ... |
| 5691 | 5710 | Lacaille 5156 | 7 | 12. 18. 27.56 | 38.62 | 3 | + 3.240 | — 57. 24. 12.31 | 38.62 | 3 | —19.993 | ... | 5156 | ... |
| 5692 | 5711 | 72 Ursæ Majoris | 7 | 12. 18. 37.10 | 35.28 | 3 | + 2.911 | + 56. 4. 21.30 | 35.13 | 5 | —19.992 | 1668 | ... | 83 |
| 5693 | 5712 | Piazzi XII. 82 | 8 | 12. 18. 41.44 | 36.48 | 4 | + 3.138 | — 31. 51. 45.87 | 36.69 | 2 | —19.991 | ... | ... | 82 |
| 5694 | 5713 | 15 Comæ | 5 | 12. 18. 42.58 | 32.25 | 6 | + 3.011 | + 29. 11. 11.16 | 32.33 | 5 | —19.991 | 1666 | ... | 84 |
| 5695 | 5714 | 16 Comæ | 4.5 | 12. 18. 43.75 | 32.17 | 9 | + 3.015 | + 27. 44. 24.57 | 32.72 | 16 | —19.990 | 1667 | ... | 85 |
| 5696 | 5715 | Lacaille 5161 | 7.8 | 12. 19. 7.38 | 38.60 | 3 | + 3.272 | — 60. 50. 44.59 | 38.60 | 3 | —19.988 | ... | 5161 | ... |
| 5697 | 5716 | Centauri | 5 | 12. 19. 9.26 | 35.28 | 17 | + 3.202 | — 49. 18. 57.73 | 37.18 | 18 | —19.988 | ... | 5162 | ... |
| 5698 | 5717 | Piazzi XII. 86 | 9 | 12. 19. 14.52 | 37.33 | 3 | + 3.062 | + 5. 19. 51.52 | 38.61 | 4 | —19.987 | ... | ... | 86 |
| 5699 | 5718 | Piazzi XII. 87 | 6 | 12. 19. 16.36 | 35.31 | 3 | + 3.104 | — 15. 43. 6.59 | 34.54 | 4 | —19.987 | ... | ... | 87 |
| 5700 | 5719 | Piazzi XII. 90 | 7 | 12. 19. 17.50 | 37.19 | 3 | + 3.010 | + 29. 1. 27.35 | 37.76 | 7 | —19.987 | ... | ... | 90 |
| 5701 | 5720 | Lacaille 5163 | 7.8 | 12. 19. 18.00 | 38.60 | 3 | + 3.274 | — 60. 52. 53.24 | 38.60 | 3 | —19.987 | ... | 5163 | ... |
| 5702 | 5721 | Piazzi XII. 88 | 6.7 | 12. 19. 18.71 | 35.32 | 3 | + 3.053 | + 9. 31. 31.04 | 34.69 | 4 | —19.987 | ... | ... | 88 |
| 5703 | 5722 | Piazzi XII. 89 | 8 | 12. 19. 19.58 | 38.14 | 6 | + 3.078 | — 1. 27. 49.36 | 39.70 | 3 | —19.987 | ... | ... | 89 |
| 5704 | 5723 | Piazzi XII. 91 | 6.7 | 12. 19. 24.01 | 32.31 | 4 | + 3.079 | — 3. 42. 4.51 | 32.24 | 5 | —19.986 | ... | ... | 91 |
| 5705 | 5724 | Brisbane 4066 | 7.8 | 12. 19. 27.78 | 38.65 | 3 | + 3.087 | — 7. 45. 43.47 | 38.82 | 2 | —19.986 | ... | ... | ... |
| 5706 | 5725 | Lacaille 5175 | 7 | 12. 19. 37.15 | 38.61 | 3 | + 3.238 | — 55. 29. 2.78 | 38.61 | 3 | —19.985 | ... | 5175 | ... |
| 5707 | 5726 | Lacaille 5164 | 4 | 12. 19. 37.71 | 32.15 | 6 | + 3.162 | — 38. 7. 36.48 | 31.85 | 4 | —19.985 | ... | 5164 | 92 |
| 5708 | 5727 | 73 Ursæ Majoris | 7 | 12. 19. 41.96 | 35.15 | 3 | + 2.898 | + 56. 37. 34.12 | 34.71 | 3 | —19.984 | 1670 | ... | 93 |
| 5709 | 5728 | Lacaille 5165 | 8 | 12. 19. 46.17 | 38.60 | 3 | + 3.279 | — 60. 57. 27.25 | 38.60 | 3 | —19.984 | ... | 5165 | ... |
| 5710 | 5729 | Piazzi XII. 94 | 8.9 | 12. 19. 50.89 | 36.50 | 4 | + 3.038 | + 16. 31. 54.20 | 38.09 | 4 | —19.983 | ... | ... | 94 |
| 5711 | 5730 | Piazzi XII. 95 | 7 | 12. 19. 54.18 | 32.91 | 9 | + 3.061 | + 5. 18. 39.89 | 32.26 | 6 | —19.983 | ... | ... | 95 |
| 5712 | 5731 | Brisbane 4070 | 8 | 12. 20. 5.92 | 38.65 | 3 | + 3.210 | — 49. 44. 4.03 | 38.65 | 3 | —19.981 | ... | ... | ... |
| 5713 | 5732 | Lacaille 5167 | 7.8 | 12. 20. 24.93 | 38.30 | 3 | + 3.152 | — 33. 55. 11.70 | 38.30 | 3 | —19.979 | ... | 5167 | ... |
| 5714 | 5733 | Bradley 1671 | 8 | 12. 20. 29.69 | 36.46 | 4 | + 3.012 | + 26. 48. 49.09 | 36.32 | 2 | —19.978 | 1671 | ... | 96 |
| 5715 | 5734 | Brisbane 4072 | 8.9 | 12. 20. 38.43 | 38.37 | 2 | + 3.265 | — 58. 6. 34.97 | 38.37 | 2 | —19.977 | ... | ... | ... |
| 5716 | 5735 | 17 Comæ | 5.6 | 12. 20. 39.85 | 34.18 | 9 | + 3.011 | + 26. 49. 36.61 | 32.28 | 5 | —19.977 | 1673 | ... | 97 |
| 5717 | 5736 | Piazzi XII. 98 | 7 | 12. 20. 42.29 | 35.61 | 4 | + 3.075 | — 1. 30. 54.84 | 35.95 | 3 | —19.976 | ... | ... | 98 |
| 5718 | 5737 | Lacaille 5178 | 7 | 12. 20. 51.16 | 38.62 | 3 | + 3.250 | — 55. 36. 44.34 | 38.62 | 3 | —19.975 | ... | 5178 | ... |
| 5719 | 5738 | Piazzi XII. 99 | 7.8 | 12. 21. 5.07 | 35.24 | 2 | + 3.060 | + 5. 44. 59.35 | 34.62 | 4 | —19.973 | ... | ... | 99 |
| 5720 | 5739 | Lacaille 5173 | 6.7 | 12. 21. 9.50 | 38.60 | 3 | + 3.178 | — 40. 49. 19.86 | 38.60 | 3 | —19.973 | ... | 5173 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 5721 | 5740 | Lacaille 5172 | 7 | h m s 12. 21. 9.73 | 38.52 | 3 | + 3.286 | — 60. 4. 37.00 | 38.52 | 3 | — 19.973 | ... | 5172 | ... |
| 5722 | 5742 | Lacaille 5174 | 7.8 | 12. 21. 11.65 | 38.61 | 3 | + 3.183 | — 42. 0. 59.80 | 38.61 | 3 | — 19.972 | ... | 5174 | ... |
| 5723 | 5741 | 18 Comæ | 6 | 12. 21. 11.78 | 35.63 | 9 | + 3.014 | + 25. 1. 19.27 | 35.61 | 8 | — 19.972 | 1674 | ... | 100 |
| 5724 | 5743 | 7 Corvi | 3 | 12. 21. 20.19 | 31.63 | 3 | + 3.107 | — 15. 35. 46.19 | 32.17 | 15 | — 19.971 | 1675 | ... | 101 |
| 5725 | 5744 | 20 Comæ | 6.7 | 12. 21. 25.53 | 35.32 | 3 | + 3.022 | + 21. 48. 38.74 | 34.65 | 3 | — 19.970 | 1676 | ... | 102 |
| 5726 | 5745 | Piazzi XII. 103 | 7 | 12. 21. 27.15 | 35.29 | 3 | + 3.037 | + 15. 33. 47.34 | 34.65 | 4 | — 19.970 | ... | ... | 103 |
| 5727 | 5746 | Piazzi XII. 104 | 6.7 | 12. 21. 34.93 | 33.35 | 6 | + 3.100 | — 12. 28. 38.85 | 32.40 | 5 | — 19.969 | ... | ... | 104 |
| 5728 | 5747 | Piazzi XII. 105 | 6 | 12. 21. 40.26 | 36.47 | 4 | + 3.125 | — 22. 46. 59.80 | 36.51 | 4 | — 19.969 | ... | ... | 105 |
| 5729 | 5748 | Crucis | 2.3 | 12. 22. 3.85 | 35.69 | 11 | + 3.264 | — 56. 11. 19.74 | 35.58 | 9 | — 19.965 | ... | 5180 | ... |
| 5730 | 5749 | B. A. C. 4218 | 6 | 12. 22. 10.87 | 33.35 | 5 | + 3.048 | + 10. 37. 49.86 | 33.29 | 5 | — 19.964 | ... | ... | ... |
| 5731 | 5751 | 74. Ursæ Majoris | 6 | 12. 22. 12.97 | 35.39 | 3 | + 2.854 | + 59. 18. 52.97 | 34.77 | 5 | — 19.964 | 1678 | ... | 107 |
| 5732 | 5750 | 7 Canum Venaticum | 6.7 | 12. 22. 13.12 | 35.30 | 2 | + 2.904 | + 52. 26. 50.95 | 34.54 | 4 | — 19.964 | 1677 | ... | 106 |
| 5733 | 5752 | Piazzi XII. 108 | 7 | 12. 22. 22.77 | 35.33 | 3 | + 3.079 | — 3. 8. 54.71 | 34.30 | 3 | — 19.963 | ... | ... | 108 |
| 5734 | 5753 | Brisbane 4084 | 7.8 | 12. 22. 30.16 | 38.59 | 3 | + 3.184 | — 40. 35. 33.49 | 38.59 | 3 | — 19.962 | ... | ... | ... |
| 5735 | 5754 | Lacaille 5185 | 7 | 12. 22. 30.58 | 38.67 | 3 | + 3.286 | — 58. 30. 41.37 | 38.67 | 3 | — 19.962 | ... | 5185 | ... |
| 5736 | 5755 | Musæ | 4 | 12. 22. 42.91 | 33.20 | 5 | + 3.461 | — 71. 13. 16.46 | 33.17 | 4 | — 19.959 | ... | 5184 | ... |
| 5737 | 5756 | 21 Comæ | 5.6 | 12. 22. 45.70 | 33.83 | 8 | + 3.009 | + 25. 28. 47.09 | 32.24 | 5 | — 19.959 | 1679 | ... | 109 |
| 5738 | 5757 | Brisbane 4087 | 7.8 | 12. 22. 48.35 | 38.62 | 3 | + 3.279 | — 57. 22. 43.38 | 38.62 | 3 | — 19.959 | ... | ... | ... |
| 5739 | 5758 | 4 Draconis | 6 | 12. 22. 49.63 | 35.40 | 2 | + 2.704 | + 70. 6. 58.79 | 34.61 | 4 | — 19.958 | 1680 | ... | 110 |
| 5740 | 5759 | Lacaille 5190 | 7.8 | 12. 23. 4.02 | 39.58 | 8 | + 3.265 | — 55. 13. 5.64 | 39.45 | 9 | — 19.956 | ... | 5190 | ... |
| 5741 | 5760 | Lacaille 5189 | 7 | 12. 23. 9.32 | 38.36 | 3 | + 3.186 | — 40. 8. 31.67 | 38.36 | 3 | — 19.955 | ... | 5189 | ... |
| 5742 | 5761 | Piazzi XII. 111 | 6.7 | 12. 23. 10.29 | 32.59 | 5 | + 3.082 | — 4. 8. 32.33 | 33.32 | 5 | — 19.955 | ... | ... | 111 |
| 5743 | 5762 | Piazzi XII. 112 | 6.7 | 12. 23. 14.44 | 35.39 | 3 | + 3.108 | — 14. 48. 5.4 | 34.59 | 4 | — 19.955 | ... | ... | 112 |
| 5744 | 5763 | Piazzi XII. 113 | 7.8 | 12. 23. 17.37 | 36.28 | 2 | + 3.045 | + 11. 11. 2.82 | 37.37 | 2 | — 19.954 | ... | ... | 113 |
| 5745 | 5764 | Piazzi XII. 114 | 8 | 12. 23. 19.18 | 36.51 | 4 | + 3.040 | + 13. 2. 22.78 | 36.26 | 3 | — 19.954 | ... | ... | 114 |
| 5746 | 5765 | Lacaille 5192 | 7.8 | 12. 23. 29.46 | 38.67 | 3 | + 3.141 | — 26. 39. 16.35 | 38.67 | 3 | — 19.953 | ... | 5192 | ... |
| 5747 | 5766 | 8 Corvi | 4.5 | 12. 23. 34.92 | 31.35 | 5 | + 3.110 | — 15. 16. 52.82 | 31.72 | 6 | — 19.952 | 1681 | ... | 115 |
| 5748 | 5767 | Brisbane 4095 | 7.8 | 12. 24. 11.29 | 38.66 | 3 | + 3.288 | — 56. 48. 18.37 | 38.66 | 3 | — 19.946 | ... | ... | ... |
| 5749 | 5768 | Lacaille 5199 | 8 | 12. 24. 14.82 | 38.32 | 3 | + 3.239 | — 49. 44. 27.14 | 38.33 | 2 | — 19.946 | ... | 5199 | ... |
| 5750 | 5769 | Lacaille 5197 | 8 | 12. 24. 15.14 | 38.64 | 3 | + 3.267 | — 54. 4. 8.98 | 38.64 | 3 | — 19.946 | ... | 5197 | ... |
| 5751 | 5770 | Lacaille 5200 | 7.8 | 12. 24. 38.21 | 39.50 | 7 | + 3.195 | — 40. 30. 6.66 | 39.34 | 6 | — 19.942 | ... | 5200 | ... |
| 5752 | 5771 | 20 Virginis | 6 | 12. 24. 41.61 | 34.81 | 10 | + 3.044 | + 11. 12. 25.75 | 32.29 | 4 | — 19.942 | 1682 | ... | 116 |
| 5753 | 5772 | Brisbane 4100 | 8 | 12. 24. 53.54 | 38.80 | 2 | + 3.280 | — 55. 13. 2.29 | 38.66 | 3 | — 19.940 | ... | ... | ... |
| 5754 | 5773 | Piazzi XII. 117 | 8 | 12. 25. 9.26 | 36.70 | 2 | + 3.133 | — 22. 35. 55.93 | 36.28 | 3 | — 19.937 | ... | ... | 117 |
| 5755 | 5774 | Piazzi XII. 118 | 7 | 12. 25. 10.50 | 35.13 | 3 | + 3.050 | + 8. 35. 16.22 | 34.61 | 4 | — 19.937 | ... | ... | 118 |
| 5756 | 5775 | 21 Virginis | 5.6 | 12. 25. 16.27 | 32.16 | 6 | + 3.094 | — 8. 32. 26.32 | 32.26 | 6 | — 19.936 | 1683 | ... | 119 |
| 5757 | 5776 | 22 Comæ | 6 | 12. 25. 20.54 | 33.78 | 8 | + 3.003 | + 25. 11. 38.50 | 33.33 | 5 | — 19.936 | 1684 | ... | 120 |
| 5758 | 5777 | Piazzi XII. 121 | 7 | 12. 25. 26.14 | 36.05 | 6 | + 3.134 | — 22. 38. 9.69 | 35.06 | 5 | — 19.935 | ... | ... | 121 |
| 5759 | 5778 | Piazzi XII. 122 | 6.7 | 12. 25. 30.13 | 35.15 | 3 | + 2.971 | + 34. 9. 35.52 | 34.64 | 4 | — 19.934 | ... | ... | 122 |
| 5760 | 5779 | Piazzi XII. 124 | 7 | 12. 25. 39.44 | 36.51 | 4 | + 2.970 | + 34. 17. 45.31 | 36.47 | 4 | — 19.932 | ... | ... | 124 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{cxlvii}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------------|------------|------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 5761 | 5780 | 9 Corvi β | 2.3 | h m s 12. 25. 44.16 | 31.31 | 5 | + 3.134 | - 22. 29. 0.63 | 31.94 | 7 | -19.931 | 1685 | ... | 123 |
| 5762 | 5781 | Lacaille 5207 | 5.6 | 12. 25. 48.73 | 38.18 | 3 | + 3.216 | - 43. 45. 9.90 | 38.18 | 3 | -19.931 | ... | 5207 | ... |
| 5763 | 5782 | 8 Canum Venaticum ... β | 4.5 | 12. 25. 53.79 | 31.60 | 4 | + 2.935 | + 42. 15. 15.77 | 32.33 | 5 | -19.930 | 1686 | ... | 126 |
| 5764 | 5783 | Piazzi XII. 125 | 7 | 12. 25. 56.48 | 35.22 | 2 | + 3.073 | - 0. 29. 50.38 | 34.58 | 4 | -19.930 | ... | ... | 125 |
| 5765 | 5784 | Piazzi XII. 127 | 7 | 12. 26. 6.83 | 35.13 | 3 | + 3.049 | + 8. 38. 50.20 | 34.63 | 4 | -19.927 | ... | ... | 127 |
| 5766 | 5785 | Lacaille 5208 | 7 | 12. 26. 9.77 | 38.18 | 3 | + 3.345 | - 60. 49. 45.58 | 38.18 | 3 | -19.927 | ... | 5208 | ... |
| 5767 | 5786 | Lacaille 5209 | 7 | 12. 26. 14.97 | 38.18 | 3 | + 3.347 | - 60. 55. 39.08 | 38.18 | 3 | -19.926 | ... | 5209 | ... |
| 5768 | 5787 | 5 Draconis κ | 3.4 | 12. 26. 23.69 | 31.93 | 3 | + 2.633 | + 70. 41. 53.84 | 31.35 | 6 | -19.925 | 1689 | ... | 129 |
| 5769 | 5788 | Piazzi XII. 128 | 7 | 12. 26. 32.55 | 36.68 | 4 | + 3.000 | + 25. 8. 2.96 | 34.33 | 2 | -19.924 | ... | ... | 128 |
| 5770 | 5789 | 23 Comæ | 4.5 | 12. 26. 37.57 | 32.79 | 9 | + 3.005 | + 23. 32. 18.80 | 32.19 | 5 | -19.923 | ... | ... | 130 |
| 5771 | 5790 | Bradley 1687 | 7 | 12. 26. 49.56 | 36.47 | 4 | + 3.017 | + 19. 17. 10.68 | 36.49 | 4 | -19.921 | 1687 | ... | 132 |
| 5772 | 5791 | 24 Comæ | 5.6 | 12. 26. 50.88 | 33.59 | 7 | + 3.017 | + 19. 17. 11.08 | 32.24 | 5 | -19.921 | 1688 | ... | 133 |
| 5773 | 5792 | Lacaille 5211 | 6 | 12. 26. 54.55 | 35.25 | 3 | + 3.204 | - 40. 6. 41.37 | 34.61 | 4 | -19.920 | ... | 5211 | 131 |
| 5774 | 5793 | Lacaille 5212 | 7.8 | 12. 27. 6.50 | 38.30 | 3 | + 3.270 | - 51. 30. 27.95 | 38.30 | 3 | -19.918 | ... | 5212 | ... |
| 5775 | 5794 | Musæ α | 4 | 12. 27. 26.27 | 31.96 | 6 | + 3.472 | - 68. 13. 30.47 | 31.66 | 6 | -19.914 | ... | 5213 | ... |
| 5776 | 5795 | 6 Draconis | 6 | 12. 27. 42.45 | 35.28 | 5 | + 2.606 | + 70. 55. 54.88 | 34.54 | 4 | -19.912 | 1691 | ... | 135 |
| 5777 | 5796 | Lacaille 5216 | 7 | 12. 27. 43.68 | 38.30 | 3 | + 3.260 | - 49. 25. 29.49 | 38.30 | 3 | -19.911 | ... | 5216 | ... |
| 5778 | 5797 | Lacaille 5218 | 7 | 12. 27. 46.75 | 38.28 | 3 | + 3.200 | - 38. 24. 58.96 | 38.28 | 3 | -19.910 | ... | 5218 | ... |
| 5779 | 5798 | Piazzi XII. 134 | 8 | 12. 27. 57.90 | 36.48 | 4 | + 3.117 | - 15. 28. 30.95 | 36.52 | 4 | -19.908 | ... | ... | 134 |
| 5780 | 5799 | 25 Virginis..... f | 6.7 | 12. 28. 17.82 | 31.97 | 5 | + 3.086 | - 4. 55. 16.89 | 32.95 | 5 | -19.904 | 1690 | ... | 136 |
| 5781 | 5800 | Brisbane 4117..... | 8 | 12. 28. 18.40 | 38.30 | 3 | + 3.327 | - 57. 10. 46.40 | 38.30 | 3 | -19.904 | ... | ... | ... |
| 5782 | 5801 | Brisbane 4118..... | 7.8 | 12. 28. 35.48 | 38.30 | 3 | + 3.328 | - 56. 57. 26.57 | 38.30 | 3 | -19.902 | ... | ... | ... |
| 5783 | 5802 | 25 Comæ..... | 6 | 12. 28. 41.77 | 33.18 | 6 | + 3.018 | + 17. 59. 59.21 | 33.33 | 5 | -19.901 | 1692 | ... | 137 |
| 5784 | 5803 | Centauri τ | 5 | 12. 28. 42.94 | 32.36 | 10 | + 3.255 | - 47. 37. 55.25 | 31.40 | 5 | -19.900 | ... | 5222 | ... |
| 5785 | 5804 | Piazzi XII. 138 | 9 | 12. 28. 43.85 | 36.50 | 4 | + 3.027 | + 15. 9. 42.92 | 36.45 | 4 | -19.900 | ... | ... | 138 |
| 5786 | 5805 | Bradley 1693 | 7 | 12. 28. 45.76 | 35.15 | 3 | + 3.043 | + 9. 42. 23.44 | 34.61 | 4 | -19.900 | 1693 | ... | 139 |
| 5787 | 5806 | Lacaille 5223 | 7.8 | 12. 28. 54.75 | 39.61 | 7 | + 3.312 | - 55. 1. 20.48 | 39.48 | 6 | -19.898 | ... | 5223 | ... |
| 5788 | 5808 | Lacaille 5225 | 5.6 | 12. 28. 58.33 | 32.28 | 6 | + 3.155 | - 26. 13. 32.31 | 32.27 | 5 | -19.897 | ... | 5225 | 140 |
| 5789 | 5809 | Brisbane 4127..... | 8.9 | 12. 29. 16.02 | 38.30 | 3 | + 3.250 | - 46. 12. 23.34 | 38.31 | 3 | -19.894 | ... | ... | ... |
| 5790 | 5810 | Piazzi XII. 141 | 7.8 | 12. 29. 24.79 | 35.21 | 3 | + 3.054 | + 5. 53. 43.41 | 34.56 | 4 | -19.892 | ... | ... | 141 |
| 5791 | 5811 | Brisbane 4130..... | 7.8 | 12. 29. 48.75 | 38.28 | 3 | + 3.210 | - 38. 29. 2.21 | 38.28 | 3 | -19.888 | ... | ... | ... |
| 5792 | 5812 | Piazzi XII. 144 | 7 | 12. 29. 56.92 | 35.28 | 3 | + 2.564 | + 71. 5. 37.63 | 34.63 | 4 | -19.887 | ... | ... | 144 |
| 5793 | 5807 | Piazzi XII. 142 | 7 | 12. 29. 57.66 | 32.53 | 7 | + 3.063 | + 2. 45. 51.82 | 33.36 | 6 | -19.887 | ... | ... | 142 |
| 5794 | 5813 | Piazzi XII. 143 | 6.7 | 12. 30. 14.78 | 32.53 | 6 | + 3.083 | - 3. 27. 53.28 | 33.44 | 5 | -19.883 | ... | ... | 143 |
| 5795 | 5814 | Piazzi XII. 145 | 7 | 12. 30. 16.78 | 35.11 | 3 | + 3.026 | + 14. 42. 56.44 | 34.57 | 4 | -19.883 | ... | ... | 145 |
| 5796 | 5815 | Lacaille 5229..... | 6 | 12. 30. 17.54 | 39.32 | 6 | + 3.172 | - 29. 30. 48.49 | 40.43 | 3 | -19.882 | ... | 5229 | ... |
| 5797 | 5816 | Lacaille 5230 | 6.7 | 12. 30. 39.12 | 38.26 | 2 | + 3.169 | - 28. 37. 43.49 | 38.37 | 1 | -19.878 | ... | 5230 | ... |
| 5798 | 5817 | 26 Virginis..... χ | 4 | 12. 30. 44.31 | 35.51 | 13 | + 3.094 | - 7. 5. 9.94 | 38.74 | 6 | -19.877 | 1694 | ... | 146 |
| 5799 | 5818 | 9 Canum Venaticum | 6.7 | 12. 30. 48.81 | 39.19 | 7 | + 2.912 | + 41. 46. 59.15 | 39.13 | 10 | -19.876 | 1696 | ... | 150 |
| 5800 | 5819 | Piazzi XII. 148 | 7 | 12. 30. 50.21 | 35.26 | 3 | + 2.994 | + 23. 34. 7.82 | 34.61 | 4 | -19.876 | ... | ... | 148 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 5801 | 5820 | Piazzi XII. 147 | 6 | 12. 30. 52.04 | 36.24 | 1 | + 3.094 | - 7. 7. 20.14 | 36.47 | 4 | -19.876 | ... | ... | 147 |
| 5802 | 5821 | 26 Oomæ | 6 | 12. 30. 54.56 | 33.29 | 6 | + 3.000 | + 21. 58. 14.08 | 32.25 | 5 | -19.875 | 1695 | ... | 151 |
| 5803 | 5822 | Lacaille 5231 | 5 | 12. 30. 58.36 | 31.53 | 10 | + 3.218 | - 39. 4. 42.23 | 31.66 | 4 | -19.874 | ... | 5231 | 140 |
| 5804 | 5823 | Piazzi XII. 152 | 7 | 12. 31. 0.42 | 35.25 | 3 | + 3.088 | - 5. 11. 31.59 | 34.59 | 4 | -19.874 | ... | ... | 152 |
| 5805 | 5824 | Lacaille 5238 | 7.8 | 12. 32. 10.60 | 38.34 | 3 | + 3.248 | - 43. 11. 40.07 | 38.33 | 2 | -19.860 | ... | 5238 | ... |
| 5806 | 5825 | Lacaille 5242 | 6.7 | 12. 32. 20.98 | 35.13 | 3 | + 3.262 | - 45. 14. 29.87 | 34.57 | 4 | -19.858 | ... | 5242 | 153 |
| 5807 | 5826 | Piazzi XII. 154 | 7.8 | 12. 32. 25.45 | 37.67 | 8 | + 3.026 | + 13. 37. 22.18 | 37.78 | 6 | -19.857 | ... | ... | 154 |
| 5808 | 5827 | Centauri | 3 | 12. 32. 27.44 | 31.34 | 7 | + 3.282 | - 48. 3. 9.02 | 31.92 | 7 | -19.850 | ... | 5243 | ... |
| 5809 | 5828 | Lacaille 5244 | 7.8 | 12. 32. 29.08 | 38.66 | 3 | + 3.168 | - 27. 0. 4.27 | 38.66 | 3 | -19.850 | ... | 5244 | ... |
| 5810 | 5829 | Lacaille 5241 | 5.6 | 12. 32. 30.32 | 39.60 | 4 | + 3.384 | - 58. 46. 44.62 | 40.32 | 10 | -19.850 | ... | 5241 | ... |
| 5811 | 5830 | Lacaille 5246 | 7.8 | 12. 32. 50.27 | 38.66 | 3 | + 3.333 | - 53. 51. 19.27 | 38.66 | 3 | -19.852 | ... | 5246 | ... |
| 5812 | 5831 | Brisbane 4155 | 7.8 | 12. 32. 50.52 | 39.97 | 5 | + 3.275 | - 46. 41. 58.95 | 40.36 | 6 | -19.852 | ... | ... | ... |
| 5813 | 5832 | Lacaille 5245 | 7.8 | 12. 32. 57.85 | 38.60 | 3 | + 3.405 | - 60. 6. 43.28 | 38.60 | 3 | -19.850 | ... | 5245 | ... |
| 5814 | 5833 | Piazzi XII. 155 | 7 | 12. 33. 2.38 | 35.28 | 3 | + 2.955 | + 31. 20. 34.78 | 34.61 | 4 | -19.849 | ... | ... | 155 |
| 5815 | 5834 | 27 Virginis | 6 | 12. 33. 15.70 | 33.40 | 6 | + 3.033 | + 11. 19. 57.80 | 32.26 | 5 | -19.847 | 1697 | ... | 156 |
| 5816 | 5835 | 29 Virginis | 4 | 12. 33. 18.20 | 35.04 | 15 | + 3.074 | - 0. 32. 37.39 | 32.33 | 5 | -19.846 | 1698 | ... | 157 |
| 5817 | 5836 | 29 Virginis | 4 | 12. 33. 18.35 | 32.30 | 4 | + 3.074 | - 0. 32. 34.27 | 32.39 | 3 | -19.846 | 1699 | ... | 158 |
| 5818 | 5837 | Lacaille 5248 | 7.8 | 12. 33. 22.94 | 38.31 | 3 | + 3.336 | - 53. 37. 58.26 | 38.31 | 3 | -19.845 | ... | 5248 | ... |
| 5819 | 5838 | 28 Virginis | 6 | 12. 33. 26.29 | 32.56 | 5 | + 3.094 | - 6. 35. 30.26 | 32.29 | 5 | -19.845 | 1700 | ... | 159 |
| 5820 | 5839 | Lacaille 5250 | 5.6 | 12. 33. 29.69 | 38.68 | 3 | + 3.287 | - 47. 54. 22.68 | 38.39 | 2 | -19.844 | ... | 5250 | ... |
| 5821 | 5840 | Lacaille 5249 | 6.7 | 12. 33. 30.62 | 38.28 | 3 | + 3.350 | - 55. 2. 26.96 | 38.28 | 3 | -19.844 | ... | 5249 | ... |
| 5822 | 5841 | 30 Virginis | 5 | 12. 33. 31.90 | 32.35 | 6 | + 3.034 | + 11. 8. 46.18 | 32.89 | 6 | -19.844 | 1701 | ... | 160 |
| 5823 | 5842 | 31 Virginis | 6 | 12. 33. 35.60 | 36.22 | 8 | + 3.046 | + 7. 42. 49.28 | 36.22 | 8 | -19.843 | 1702 | ... | 161 |
| 5824 | 5843 | Lacaille 5251 | 6.7 | 12. 33. 49.12 | 38.28 | 3 | + 3.355 | - 55. 16. 13.23 | 38.28 | 3 | -19.840 | ... | 5251 | ... |
| 5825 | 5844 | Lacaille 5253 | 7 | 12. 34. 2.68 | 38.70 | 3 | + 3.389 | - 57. 59. 49.32 | 38.70 | 3 | -19.837 | ... | 5253 | ... |
| 5826 | 5845 | Piazzi XII. 162 | 7 | 12. 34. 18.56 | 37.74 | 6 | + 2.935 | + 34. 35. 57.80 | 37.02 | 7 | -19.834 | ... | ... | 162 |
| 5827 | 5846 | Piazzi XII. 163 | 6.7 | 12. 34. 19.56 | 35.32 | 3 | + 2.670 | + 63. 37. 10.22 | 34.63 | 4 | -19.834 | ... | ... | 163 |
| 5828 | 5847 | Piazzi XII. 164 | 7 | 12. 34. 27.33 | 36.48 | 4 | + 2.859 | + 46. 46. 59.98 | 36.49 | 4 | -19.833 | ... | ... | 164 |
| 5829 | 5848 | Lacaille 5254 | 7 | 12. 34. 28.11 | 38.83 | 2 | + 3.236 | - 39. 16. 18.64 | 38.69 | 3 | -19.832 | ... | 5254 | ... |
| 5830 | 5849 | Piazzi XII. 165 | 7.8 | 12. 34. 32.78 | 36.29 | 3 | + 2.960 | + 29. 16. 2.24 | 36.46 | 4 | -19.831 | ... | ... | 165 |
| 5831 | 5850 | Lacaille 5258 | 7 | 12. 34. 55.96 | 38.73 | 3 | + 3.224 | - 36. 47. 37.86 | 38.90 | 2 | -19.826 | ... | 5258 | ... |
| 5832 | 5851 | Piazzi XII. 166 | 7 | 12. 34. 56.45 | 35.31 | 3 | + 3.032 | + 11. 0. 30.19 | 35.64 | 4 | -19.826 | ... | ... | 166 |
| 5833 | 5852 | Lacaille 5260 | 7 | 12. 35. 4.57 | 38.99 | 3 | + 3.217 | - 35. 26. 38.91 | 38.99 | 3 | -19.824 | ... | 5260 | ... |
| 5834 | 5853 | Piazzi XII. 167 | 8.9 | 12. 35. 7.50 | 36.59 | 3 | + 3.059 | + 3. 31. 33.66 | 36.33 | 3 | -19.823 | ... | ... | 167 |
| 5835 | 5854 | B. D. + 26° 2383 | 6.7 | 12. 35. 10.07 | 38.32 | 7 | + 2.968 | + 27. 1. 56.42 | 37.63 | 8 | -19.822 | ... | ... | ... |
| 5836 | 5855 | Lacaille 5259 | 7.8 | 12. 35. 10.97 | 38.98 | 3 | + 3.380 | - 56. 22. 52.56 | 38.82 | 2 | -19.822 | ... | 5259 | ... |
| 5837 | 5856 | Lacaille 5263 | 6 | 12. 35. 14.11 | 32.44 | 5 | + 3.178 | - 27. 25. 0.98 | 32.25 | 5 | -19.821 | ... | 5263 | 168 |
| 5838 | 5857 | Lacaille 5262 | 7.8 | 12. 35. 22.67 | 39.03 | 3 | + 3.347 | - 53. 10. 51.49 | 39.03 | 3 | -19.820 | ... | 5262 | ... |
| 5839 | 5858 | Lacaille 5264 | 7.8 | 12. 35. 34.73 | 38.53 | 3 | + 3.418 | - 59. 10. 17.11 | 38.53 | 3 | -19.817 | ... | 5264 | ... |
| 5840 | 5859 | Brisbane 4175 | 8 | 12. 35. 35.26 | 40.29 | 4 | + 3.335 | - 51. 51. 2.80 | 40.29 | 4 | -19.817 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|--------------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 5841 | 5860 | Piazzi XII. 170 | 7.8 | h m s 12. 35. 43.33 | 36.60 | 5 | + 3.079 | — 1. 56. 14.49 | 36.47 | 4 | —19.814 | ... | ... | 170 |
| 5842 | 5861 | Crucis | 6.7 | 12. 36. 0.03 | 38.60 | 3 | + 3.435 | — 60. 4. 27.33 | 38.60 | 3 | —19.811 | ... | 5265 | ... |
| 5843 | 5862 | Muscae | 4 | 12. 36. 15.44 | 31.73 | 7 | + 3.573 | — 67. 12. 15.86 | 31.32 | 6 | —19.808 | ... | 5267 | ... |
| 5844 | 5863 | Lacaille 5272 | 7.8 | 12. 36. 44.40 | 39.34 | 5 | + 3.363 | — 53. 42. 31.01 | 39.34 | 5 | —19.800 | ... | 5272 | ... |
| 5845 | 5864 | Lacaille 5273 | 6.7 | 12. 36. 57.23 | 38.37 | 3 | + 3.385 | — 55. 35. 3.70 | 38.36 | 3 | —19.798 | ... | 5273 | ... |
| 5846 | 5865 | 10 Canum Venaticum | 6 | 12. 37. 9.94 | 35.24 | 3 | + 2.890 | + 40. 10. 34.53 | 34.57 | 4 | —19.795 | 1705 | ... | 171 |
| 5847 | 5866 | 32 Virginis | 6.7 | 12. 37. 16.98 | 35.27 | 3 | + 3.039 | + 8. 34. 35.16 | 34.62 | 4 | —19.793 | 1704 | .. | 172 |
| 5848 | 5867 | Brisbane 4185 | 8.9 | 12. 37. 33.58 | 38.32 | 3 | + 3.301 | — 46. 22. 37.91 | 38.32 | 3 | —19.789 | ... | ... | ... |
| 5849 | 5868 | Lacaille 5274 | 7.8 | 12. 37. 58.67 | 38.37 | 3 | + 3.441 | — 59. 10. 43.49 | 38.36 | 3 | —19.783 | ... | 5274 | ... |
| 5850 | 5869 | 33 Virginis | 6 | 12. 37. 59.77 | 32.99 | 8 | + 3.031 | + 10. 27. 49.21 | 31.60 | 5 | —19.783 | 1706 | ... | 173 |
| 5851 | 5870 | Piazzi XII. 174 | 8.9 | 12. 38. 5.62 | 36.46 | 4 | + 3.072 | + 0. 4. 54.06 | 36.50 | 4 | —19.782 | ... | ... | 174 |
| 5852 | 5871 | Piazzi XII. 175 | 7 | 12. 38. 7.17 | 36.74 | 4 | + 3.032 | + 10. 11. 22.32 | 34.58 | 4 | —19.781 | ... | ... | 175 |
| 5853 | 5872 | Crucis | 2 | 12. 38. 8.36 | 33.34 | 12 | + 3.437 | — 58. 47. 7.60 | 33.22 | 17 | —19.781 | ... | 5277 | ... |
| 5854 | 5873 | Piazzi XII. 176 | 8 | 12. 38. 13.42 | 36.47 | 4 | + 3.071 | + 0. 14. 25.94 | 36.47 | 4 | —19.780 | ... | ... | 176 |
| 5855 | 5874 | 27 Comae | 6 | 12. 38. 24.14 | 31.40 | 7 | + 3.002 | + 17. 28. 48.71 | 32.29 | 5 | —19.777 | ... | ... | 177 |
| 5856 | 5875 | Piazzi XII. 179 | 7 | 12. 38. 25.73 | 37.78 | 6 | + 2.968 | + 25. 3. 25.59 | 37.02 | 7 | —19.777 | ... | ... | 179 |
| 5857 | 5876 | Brisbane 4192 | 8 | 12. 38. 26.39 | 38.34 | 3 | + 3.439 | — 58. 41. 27.15 | 38.34 | 3 | —19.777 | ... | ... | ... |
| 5858 | 5877 | Piazzi XII. 178 | 7.8 | 12. 38. 27.90 | 35.22 | 3 | + 3.099 | — 6. 53. 41.13 | 34.91 | 4 | —19.776 | ... | ... | 178 |
| 5859 | 5878 | Piazzi XII. 180 | 6 | 12. 38. 39.73 | 35.29 | 3 | + 3.045 | + 6. 51. 20.44 | 35.30 | 4 | —19.774 | ... | ... | 180 |
| 5860 | 5879 | Piazzi XII. 181 | 7 | 12. 38. 42.23 | 35.35 | 3 | + 3.032 | + 9. 58. 1.98 | 34.57 | 4 | —19.774 | ... | ... | 181 |
| 5861 | 5880 | 34 Virginis | 6 | 12. 38. 55.26 | 32.02 | 6 | + 3.020 | + 12. 51. 41.14 | 32.28 | 5 | —19.770 | 1707 | ... | 182 |
| 5862 | 5881 | Piazzi XII. 183 | 6.7 | 12. 39. 2.26 | 31.95 | 8 | + 3.093 | — 5. 23. 51.59 | 32.34 | 5 | —19.769 | ... | ... | 183 |
| 5863 | 5882 | Lacaille 5281 | 7.8 | 12. 39. 9.23 | 38.34 | 3 | + 3.290 | — 43. 49. 1.15 | 38.34 | 3 | —19.767 | ... | 5281 | ... |
| 5864 | 5883 | 35 Virginis | 6 | 12. 39. 27.50 | 31.88 | 7 | + 3.054 | + 4. 28. 30.54 | 32.38 | 5 | —19.762 | 1708 | ... | 184 |
| 5865 | 5884 | Lacaille 5285 | 6.7 | 12. 39. 39.37 | 38.36 | 3 | + 3.188 | — 26. 41. 34.53 | 38.36 | 3 | —19.759 | ... | 5285 | ... |
| 5866 | 5885 | Piazzi XII. 185 | 7 | 12. 39. 52.00 | 35.31 | 3 | + 2.964 | + 24. 59. 52.00 | 35.33 | 2 | —19.756 | ... | ... | 185 |
| 5867 | 5886 | 28 Comae | 6.7 | 12. 39. 58.28 | 35.15 | 3 | + 3.011 | + 14. 27. 23.41 | 34.56 | 4 | —19.754 | 1709 | ... | 186 |
| 5868 | 5887 | Piazzi XII. 187 | 7.8 | 12. 40. 6.31 | 35.35 | 3 | + 2.986 | + 20. 13. 26.35 | 34.67 | 4 | —19.753 | ... | ... | 187 |
| 5869 | 5888 | Lacaille 5287 | 7 | 12. 40. 17.28 | 38.31 | 3 | + 3.369 | — 52. 27. 39.70 | 38.34 | 3 | —19.750 | ... | 5287 | ... |
| 5870 | 5889 | Lacaille 5289 | 7.8 | 12. 40. 19.55 | 38.30 | 3 | + 3.268 | — 39. 52. 30.68 | 38.30 | 3 | —19.749 | ... | 5289 | ... |
| 5871 | 5890 | Lacaille 5286 | 7.8 | 12. 40. 25.42 | 38.30 | 3 | + 3.508 | — 61. 44. 30.54 | 38.34 | 3 | —19.748 | ... | 5286 | ... |
| 5872 | 5891 | Lacaille 5288 | 7.8 | 12. 40. 30.45 | 38.20 | 3 | + 3.471 | — 59. 29. 55.68 | 38.24 | 2 | —19.746 | ... | 5288 | ... |
| 5873 | 5892 | Piazzi XII. 188 | 7 | 12. 40. 32.51 | 38.17 | 7 | + 3.018 | + 13. 0. 16.01 | 37.93 | 7 | —19.745 | ... | ... | 188 |
| 5874 | 5893 | 29 Comae | 6 | 12. 40. 38.02 | 32.06 | 6 | + 3.009 | + 15. 1. 31.36 | 32.26 | 6 | —19.744 | 1710 | ... | 189 |
| 5875 | 5894 | 7 Draconis | 6 | 12. 40. 47.93 | 39.21 | 7 | + 2.495 | + 67. 41. 30.85 | 39.45 | 11 | —19.742 | 1713 | ... | 190 |
| 5876 | 5895 | Brisbane 4206 | 7.8 | 12. 41. 4.19 | 38.31 | 3 | + 3.443 | — 57. 16. 4.04 | 38.35 | 3 | —19.738 | ... | ... | ... |
| 5877 | 5896 | 11 Canum Venaticum | 7 | 12. 41. 5.10 | 35.37 | 3 | + 2.794 | + 49. 22. 1.71 | 34.64 | 4 | —19.738 | 1712 | ... | 191 |
| 5878 | 5897 | Brisbane 4207 | 7.8 | 12. 41. 13.12 | 38.32 | 3 | + 3.322 | — 46. 19. 15.45 | 38.32 | 3 | —19.736 | ... | ... | ... |
| 5879 | 5898 | 30 Comae | 6 | 12. 41. 14.50 | 32.42 | 5 | + 2.942 | + 28. 27. 8.51 | 32.44 | 5 | —19.735 | 1711 | ... | 192 |
| 5880 | 5899 | Lacaille 5294 | 7 | 12. 41. 34.65 | 38.62 | 3 | + 3.380 | — 51. 53. 12.97 | 38.62 | 3 | —19.729 | ... | 5294 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 5881 | 5900 | Lacaille 5293 | 6 | 12. 41. 34'99 | 38'20 | 3 | + 3'481 | - 59. 25. 45'84 | 38'24 | 3 | -19'729 | ... | 5293 | ... |
| 5882 | 5901 | Piazzi XII. 193 | 7 | 12. 41. 35'51 | 35'28 | 3 | + 3'100 | - 6. 43. 55'93 | 35'32 | 4 | -19'729 | ... | ... | 193 |
| 5883 | 5902 | Lacaille 5296 | 6 | 12. 41. 45'42 | 35'36 | 3 | + 3'230 | - 33. 5. 53'52 | 34'62 | 4 | -19'727 | ... | 5296 | 194 |
| 5884 | 5903 | Piazzi XII. 195 | 7 | 12. 41. 58'35 | 35'27 | 3 | + 3'042 | + 7. 7. 40'92 | 35'31 | 3 | -19'723 | ... | ... | 195 |
| 5885 | 5904 | Piazzi XII. 196 | 6'7 | 12. 42. 48'54 | 32'12 | 6 | + 3'113 | - 9. 26. 19'36 | 32'29 | 4 | -19'710 | ... | ... | 196 |
| 5886 | 5905 | Lacaille 5298 | 7 | 12. 42. 50'01 | 38'61 | 3 | + 3'340 | - 47. 11. 44'90 | 38'61 | 3 | -19'709 | ... | 5298 | ... |
| 5887 | 5906 | Lacaille 5300 | 7 | 12. 42. 53'48 | 38'67 | 3 | + 3'272 | - 38. 46. 49'02 | 38'82 | 2 | -19'708 | ... | 5300 | ... |
| 5888 | 5907 | Piazzi XII. 197 | 7 | 12. 42. 58'90 | 35'15 | 3 | + 3'241 | - 34. 11. 0'51 | 34'59 | 4 | -19'707 | ... | ... | 197 |
| 5889 | 5908 | Piazzi XII. 198 | 7 | 12. 43. 2'90 | 35'11 | 3 | + 2'982 | + 20. 3. 35'12 | 34'76 | 5 | -19'706 | ... | ... | 198 |
| 5890 | 5909 | Lacaille 5304 | 6'7 | 12. 43. 9'88 | 38'66 | 3 | + 3'193 | - 25. 50. 26'04 | 38'66 | 3 | -19'705 | ... | 5304 | ... |
| 5891 | 5910 | 37 Virginis | 6 | 12. 43. 13'18 | 32'29 | 6 | + 3'055 | + 3. 57. 18'30 | 32'36 | 5 | -19'704 | 1714 | ... | 199 |
| 5892 | 5911 | Brisbane 4220 | 8 | 12. 43. 23'59 | 38'63 | 3 | + 3'390 | - 51. 37. 56'49 | 38'63 | 3 | -19'700 | ... | ... | ... |
| 5893 | 5912 | Lacaille 5305 | 7 | 12. 43. 34'54 | 38'64 | 3 | + 3'420 | - 54. 3. 17'14 | 38'64 | 3 | -19'697 | ... | 5305 | ... |
| 5894 | 5913 | Lacaille 5303 | 7'8 | 12. 43. 35'48 | 38'32 | 4 | + 3'500 | - 59. 25. 50'25 | 38'32 | 3 | -19'697 | ... | 5303 | ... |
| 5895 | 5914 | Brisbane 4221 | 8 | 12. 43. 36'28 | 39'24 | 1 | + 3'505 | - 59. 42. 31'49 | 38'15 | 1 | -19'697 | ... | ... | ... |
| 5896 | 5915 | 31 Comæ | 5'6 | 12. 43. 39'26 | 32'33 | 6 | + 2'935 | + 28. 26. 24'06 | 32'37 | 5 | -19'696 | 1715 | ... | 200 |
| 5897 | 5916 | Piazzi XII. 201 | 8 | 12. 43. 44'68 | 36'11 | 8 | + 2'979 | + 20. 3. 57'94 | 36'78 | 7 | -19'694 | ... | ... | 201 |
| 5898 | 5917 | Piazzi XII. 202 | 7 | 12. 43. 44'84 | 37'36 | 1 | + 2'979 | + 20. 4. 14'73 | 34'42 | 1 | -19'694 | ... | ... | 202 |
| 5899 | 5918 | Lacaille 5308 | 6 | 12. 43. 49'10 | 38'63 | 3 | + 3'355 | - 48. 2. 38'71 | 38'63 | 3 | -19'693 | ... | 5308 | ... |
| 5900 | 5919 | Lacaille 5306 | 7 | 12. 43. 51'54 | 39'25 | 2 | + 3'593 | - 59. 27. 32'22 | 39'24 | 1 | -19'692 | ... | 5306 | ... |
| 5901 | 5920 | Piazzi XII. 203 | 10 | 12. 43. 52'83 | 36'48 | 4 | + 2'974 | + 21. 4. 8'68 | 36'46 | 4 | -19'692 | ... | ... | 203 |
| 5902 | 5921 | 32 Comæ | 7 | 12. 43. 59'82 | 35'30 | 4 | + 2'989 | + 17. 58. 22'93 | 35'29 | 2 | -19'690 | 1716 | ... | 204 |
| 5903 | 5922 | Orucis | 7 | 12. 44. 1'84 | 38'13 | 1 | + 3'505 | - 59. 28. 40'33 | 38'13 | 2 | -19'690 | ... | 5309 | ... |
| 5904 | 5923 | 33 Comæ | 7 | 12. 44. 10'22 | 35'30 | 3 | + 2'989 | + 18. 0. 30'16 | 34'66 | 3 | -19'688 | 1717 | ... | 206 |
| 5905 | 5924 | Brisbane 4231 | 8'9 | 12. 44. 12'84 | 38'56 | 4 | + 3'506 | - 59. 26. 16'92 | 38'63 | 3 | -19'687 | ... | ... | ... |
| 5906 | 5925 | Lacaille 5312 | 5 | 12. 44. 19'66 | 31'93 | 13 | + 3'282 | - 39. 16. 47'84 | 31'41 | 3 | -19'684 | ... | 5312 | 205 |
| 5907 | 5926 | Lacaille 5313 | 8 | 12. 44. 24'70 | 38'73 | 3 | + 3'305 | - 42. 10. 40'48 | 38'73 | 3 | -19'683 | ... | 5313 | ... |
| 5908 | 5927 | Piazzi XII. 207 | 7 | 12. 44. 30'98 | 35'34 | 3 | + 3'137 | - 14. 4. 8'45 | 35'34 | 1 | -19'681 | ... | ... | 207 |
| 5909 | 5928 | Lacaille 5314 | 7 | 12. 44. 40'17 | 39'04 | 3 | + 3'479 | - 57. 31. 59'72 | 39'04 | 3 | -19'679 | ... | 5314 | ... |
| 5910 | 5929 | Piazzi XII. 209 | 10 | 12. 44. 44'12 | 36'48 | 4 | + 2'787 | + 47. 40. 27'34 | 36'48 | 4 | -19'678 | ... | ... | 209 |
| 5911 | 5930 | 38 Virginis | 6 | 12. 44. 44'67 | 32'28 | 7 | + 3'084 | - 2. 39. 17'31 | 32'26 | 5 | -19'677 | 1718 | ... | 208 |
| 5912 | 5931 | Brisbane 4235 | 8 | 12. 44. 48'05 | 38'63 | 3 | + 3'387 | - 50. 28. 8'50 | 38'63 | 3 | -19'676 | ... | ... | ... |
| 5913 | 5932 | Lacaille 5317 | 5 | 12. 44. 57'51 | 33'48 | 14 | + 3'462 | - 56. 16. 48'92 | 34'01 | 8 | -19'674 | ... | 5317 | ... |
| 5914 | 5933 | Brisbane 4238 | 6'7 | 12. 44. 58'77 | 38'55 | 3 | + 3'463 | - 56. 16. 15'20 | 38'55 | 3 | -19'673 | ... | ... | ... |
| 5915 | 5934 | Piazzi XII. 211 | 7'8 | 12. 45. 1'54 | 35'25 | 3 | + 2'935 | + 27. 41. 44'91 | 34'41 | 2 | -19'672 | ... | ... | 211 |
| 5916 | 5935 | 39 Virginis | 7 | 12. 45. 3'04 | 35'31 | 3 | + 3'109 | - 8. 9. 53'24 | 34'57 | 4 | -19'672 | ... | ... | 210 |
| 5917 | 5936 | 35 Comæ | 5 | 12. 45. 10'07 | 32'35 | 11 | + 2'965 | + 22. 8. 35'54 | 31'97 | 5 | -19'670 | 1719 | ... | 212 |
| 5918 | 5937 | 41 Virginis | 6 | 12. 45. 33'11 | 32'39 | 3 | + 3'010 | + 13. 18. 59'89 | 32'28 | 5 | -19'664 | 1720 | ... | 213 |
| 5919 | 5938 | 40 Virginis | 5'6 | 12. 45. 46'85 | 32'36 | 5 | + 3'112 | - 8. 38. 28'12 | 32'33 | 6 | -19'660 | 1721 | ... | 214 |
| 5920 | 5939 | Lacaille 5319 | 6 | 12. 45. 49'04 | 39'06 | 3 | + 3'322 | - 43. 14. 42'87 | 39'06 | 3 | -19'659 | ... | 5319 | ... |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{cli}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 5921 | 5940 | Piazzi XII. 217 | 7 | 12. 45. 53.47 | 35.25 | 3 | + 2.933 | + 27. 40. 38.38 | 34.60 | 5... | -19.658 | ... | ... | 217 |
| 5922 | 5941 | Piazzi XII. 216 | 9.10 | 12. 45. 53.95 | 36.51 | 4 | + 3.103 | - 6. 42. 44.77 | 36.30 | 3 | -19.658 | ... | ... | 216 |
| 5923 | 5942 | Lacaille 5320 | 7 | 12. 45. 56.69 | 35.28 | 3 | + 3.307 | - 41. 23. 39.68 | 34.57 | 4 | -19.657 | ... | 5320 | 215 |
| 5924 | 5943 | Lacaille 5322 | 6 | 12. 46. 8.83 | 35.28 | 3 | + 3.313 | - 42. 1. 6.25 | 34.60 | 4 | -19.653 | ... | 5322 | 218 |
| 5925 | 5944 | Lacaille 5321 | 7 | 12. 46. 17.43 | 38.89 | 2 | + 3.469 | - 55. 56. 23.61 | 38.89 | 2 | -19.650 | ... | 5321 | ... |
| 5926 | 5945 | Lacaille 5324 | 10 | 12. 46. 41.71 | 40.42 | 3 | + 3.453 | - 54. 39. 57.24 | 38.40 | 1 | -19.644 | ... | 5324 | ... |
| 5927 | 5946 | 77 Urse Majoris | 3 | 12. 46. 44.65 | 31.57 | 6 | + 2.657 | + 56. 51. 22.67 | 31.39 | 5 | -19.643 | 1722 | ... | 220 |
| 5928 | 5947 | B. A. O. 4336 | 7 | 12. 46. 50.70 | 33.35 | 1 | + 3.030 | + 8. 46. 56.53 | 33.35 | 2 | -19.641 | ... | ... | ... |
| 5929 | 5948 | Piazzi XII. 219 | 7 | 12. 46. 53.87 | 35.28 | 2 | + 3.089 | - 3. 36. 38.36 | 34.62 | 4 | -19.640 | ... | ... | 219 |
| 5930 | 5949 | Taylor 5949 | 10 | 12. 47. 4.64 | 38.40 | 1 | + 3.457 | - 54. 44. 30.18 | 41.37 | 2 | -19.636 | ... | ... | ... |
| 5931 | 5950 | Piazzi XII. 221 | 7.8 | 12. 47. 14.16 | 36.31 | 3 | + 3.012 | + 12. 23. 32.69 | 36.51 | 4 | -19.634 | ... | ... | 221 |
| 5932 | 5951 | Piazzi XII. 222 | 8.9 | 12. 47. 14.30 | 36.54 | 6 | + 3.006 | + 13. 35. 52.47 | 36.53 | 4 | -19.634 | ... | ... | 222 |
| 5933 | 5952 | 43 Virginis | 3.4 | 12. 47. 17.70 | 34.40 | 10 | + 3.051 | + 4. 17. 44.85 | 32.76 | 8 | -19.633 | 1723 | ... | 223 |
| 5934 | 5953 | Brisbane 4251 | 7 | 12. 47. 19.95 | 38.65 | 3 | + 3.364 | - 46. 47. 28.29 | 38.65 | 3 | -19.632 | ... | ... | ... |
| 5935 | 5954 | Lacaille 5331 | 7 | 12. 47. 37.01 | 38.68 | 3 | + 3.404 | - 50. 18. 13.17 | 38.68 | 3 | -19.627 | ... | 5331 | ... |
| 5936 | 5955 | Lacaille 5332 | 7 | 12. 47. 38.62 | 38.45 | 1 | + 3.204 | - 25. 33. 45.75 | 38.45 | 1 | -19.626 | ... | 5332 | ... |
| 5937 | 5956 | Bradley 1730 | 6.7 | 12. 47. 52.89 | 36.52 | 5 | + 0.286 | + 84. 18. 54.34 | 34.59 | 4 | -19.622 | 1730 | ... | 230 |
| 5938 | 5957 | Bradley 1731 | 6 | 12. 48. 1.34 | 36.52 | 5 | + 0.280 | + 84. 18. 37.80 | 34.61 | 4 | -19.619 | 1731 | ... | 232 |
| 5939 | 5958 | Piazzi XII. 224 | 6.7 | 12. 48. 17.78 | 35.33 | 3 | + 3.022 | + 10. 12. 35.88 | 34.31 | 1 | -19.614 | ... | ... | 224 |
| 5940 | 5959 | 12 Canum Venaticum ... | 2.3 | 12. 48. 18.01 | 31.86 | 5 | + 2.844 | + 39. 12. 38.36 | 31.56 | 9 | -19.614 | 1725 | ... | 226 |
| 5941 | 5960 | Piazzi XII. 225 | 7.8 | 12. 48. 23.95 | 36.47 | 4 | + 3.181 | - 21. 16. 35.88 | 36.54 | 4 | -19.612 | ... | ... | 225 |
| 5942 | 5961 | Lacaille 5336 | 7 | 12. 48. 34.28 | 38.32 | 2 | + 3.449 | - 53. 17. 30.95 | 38.32 | 2 | -19.610 | ... | 5336 | ... |
| 5943 | 5962 | Brisbane 4262 | 7.8 | 12. 48. 50.53 | 38.27 | 3 | + 3.367 | - 46. 10. 14.62 | 38.27 | 3 | -19.604 | ... | ... | ... |
| 5944 | 5963 | 8. Draconis | 6 | 12. 48. 52.73 | 35.34 | 3 | + 2.426 | + 66. 20. 4.45 | 34.56 | 4 | -19.603 | 1727 | ... | 228 |
| 5945 | 5964 | Lacaille 5342 | 7 | 12. 48. 54.23 | 39.47 | 2 | + 3.294 | - 38. 1. 24.26 | 39.47 | 2 | -19.603 | ... | 5342 | ... |
| 5946 | 5965 | Piazzi XII. 227 | 7 | 12. 48. 55.40 | 35.19 | 3 | + 3.026 | + 9. 11. 14.28 | 34.64 | 4 | -19.603 | ... | ... | 227 |
| 5947 | 5966 | Lacaille 5341 | 8 | 12. 48. 57.00 | 38.32 | 3 | + 3.417 | - 50. 36. 58.95 | 38.32 | 3 | -19.602 | ... | 5341 | ... |
| 5948 | 5967 | Piazzi XII. 229 | 7 | 12. 49. 23.34 | 35.33 | 3 | + 3.189 | - 22. 9. 39.18 | 34.64 | 4 | -19.594 | ... | ... | 229 |
| 5949 | 5968 | Piazzi XII. 231 | 6.7 | 12. 49. 34.26 | 35.30 | 4 | + 3.020 | + 10. 13. 59.57 | 34.97 | 6 | -19.591 | ... | ... | 231 |
| 5950 | 5969 | Lacaille 5344 | 7 | 12. 49. 36.75 | 38.41 | 2 | + 3.276 | - 35. 22. 55.68 | 38.41 | 2 | -19.590 | ... | 5344 | ... |
| 5951 | 5970 | Lacaille 5346 | 7 | 12. 49. 45.27 | 39.07 | 3 | + 3.299 | - 38. 12. 42.55 | 39.07 | 3 | -19.587 | ... | 5346 | ... |
| 5952 | 5971 | Piazzi XII. 233 | 8 | 12. 49. 52.62 | 36.28 | 3 | + 3.256 | - 32. 29. 47.51 | 36.48 | 4 | -19.584 | ... | ... | 233 |
| 5953 | 5972 | Brisbane 4268 | 8 | 12. 50. 6.08 | 39.91 | 2 | + 3.486 | - 55. 1. 14.21 | 39.91 | 2 | -19.580 | ... | ... | ... |
| 5954 | 5973 | Piazzi XII. 234 | 6.7 | 12. 50. 10.23 | 35.15 | 3 | + 3.182 | - 20. 39. 9.55 | 35.33 | 4 | -19.579 | ... | ... | 234 |
| 5955 | 5974 | Brisbane 4273 | 8 | 12. 50. 14.63 | 39.36 | 2 | + 3.465 | - 53. 29. 8.27 | 39.35 | 2 | -19.577 | ... | ... | ... |
| 5956 | 5975 | Piazzi XII. 235 | 7 | 12. 50. 34.66 | 38.47 | 6 | + 2.948 | + 22. 56. 48.40 | 38.67 | 9 | -19.569 | ... | ... | 235 |
| 5957 | 5976 | 36 Comæ | 4.5 | 12. 50. 45.76 | 32.69 | 18 | + 2.975 | + 18. 18. 3.21 | 32.46 | 11 | -19.568 | 1728 | ... | 236 |
| 5958 | 5977 | Brisbane 4278 | 8 | 12. 50. 47.70 | 39.37 | 2 | + 3.323 | - 40. 29. 53.86 | 39.36 | 2 | -19.567 | ... | ... | ... |
| 5959 | 5978 | Lacaille 5352 | 7 | 12. 50. 50.78 | 39.31 | 2 | + 3.396 | - 47. 42. 44.14 | 39.31 | 2 | -19.566 | ... | 5352 | ... |
| 5960 | 5979 | Brisbane 4282 | 7 | 12. 50. 58.02 | 38.70 | 3 | + 3.281 | - 35. 17. 20.93 | 38.70 | 3 | -19.564 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 5961 | 5980 | Muscae | 4 | 12. 51. 3.07 | 32.15 | 6 | + 3.914 | - 70. 39. 25.30 | 31.37 | 5 | -19.562 | ... | 5349 | ... |
| 5962 | 5981 | 44 Virginis..... | 6 | 12. 51. 9.93 | 32.02 | 7 | + 3.087 | - 2. 55. 12.56 | 32.26 | 5 | -19.560 | 1729 | ... | 237 |
| 5963 | 5982 | Lacaille 5357 | 6.7 | 12. 51. 31.93 | 35.97 | 8 | + 3.263 | - 32. 36. 36.61 | 35.58 | 10 | -19.553 | ... | 5357 | 238 |
| 5964 | 5983 | Lacaille 5360 | 6 | 12. 52. 1.00 | 36.16 | 6 | + 3.265 | - 32. 43. 55.80 | 34.32 | 3 | -19.544 | ... | 5360 | 239 |
| 5965 | 5984 | 46 Virginis | 6 | 12. 52. 6.49 | 32.34 | 6 | + 3.085 | - 2. 29. 47.17 | 32.29 | 5 | -19.542 | 1732 | ... | 241 |
| 5966 | 5985 | 37 Comae | 5 | 12. 52. 22.26 | 31.80 | 13 | + 2.885 | + 31. 39. 37.45 | 31.40 | 5 | -19.537 | 1733 | ... | 242 |
| 5967 | 5986 | Piazzi XII. 244 | 7 | 12. 52. 32.17 | 35.28 | 3 | + 2.877 | + 32. 40. 12.71 | 34.62 | 4 | -19.533 | ... | ... | 244 |
| 5968 | 5987 | Piazzi XII. 243 | 6.7 | 12. 52. 32.70 | 35.20 | 3 | + 2.966 | + 19. 15. 40.39 | 34.56 | 4 | -19.533 | ... | ... | 243 |
| 5969 | 5988 | Brisbane 4291..... | 8 | 12. 52. 45.32 | 38.31 | 3 | + 3.597 | - 59. 51. 13.15 | 38.30 | 3 | -19.529 | ... | ... | ... |
| 5970 | 5989 | 38 Comae | 6 | 12. 52. 59.89 | 32.38 | 5 | + 2.972 | + 18. 0. 54.75 | 32.34 | 5 | -19.524 | 1734 | ... | 245 |
| 5971 | 5990 | Piazzi XII. 246 | 7 | 12. 53. 5.48 | 36.47 | 4 | + 3.059 | + 2. 24. 39.89 | 36.47 | 4 | -19.522 | ... | ... | 246 |
| 5972 | 5991 | Lacaille 5367 | 7.8 | 12. 53. 27.29 | 39.37 | 5 | + 3.232 | - 27. 23. 49.82 | 39.37 | 5 | -19.515 | ... | 5367 | ... |
| 5973 | 5992 | 78 Ursae Majoris | 5.6 | 12. 53. 37.84 | 35.33 | 3 | + 2.590 | + 57. 15. 25.11 | 34.56 | 4 | -19.511 | 1736 | ... | 248 |
| 5974 | 5993 | 9 Draconis | 5.6 | 12. 53. 39.28 | 35.35 | 3 | + 2.323 | + 67. 29. 18.17 | 34.62 | 4 | -19.511 | 1737 | ... | 250 |
| 5975 | 5994 | Lacaille 5366 | 8 | 12. 53. 47.22 | 38.65 | 3 | + 3.529 | - 55. 45. 21.57 | 38.65 | 3 | -19.508 | ... | 5366 | ... |
| 5976 | 5995 | 47 Virginis | 3.4 | 12. 53. 57.88 | 35.13 | 14 | + 3.007 | + 11. 50. 52.00 | 32.74 | 14 | -19.505 | 1735 | ... | 249 |
| 5977 | 5996 | Lacaille 5371 | 8 | 12. 53. 58.00 | 36.41 | 6 | + 3.278 | - 33. 24. 7.80 | 36.49 | 4 | -19.505 | ... | 5371 | 247 |
| 5978 | 5997 | Centauri | 6 | 12. 54. 3.21 | 38.30 | 2 | + 3.417 | - 48. 38. 16.71 | 38.63 | 3 | -19.503 | ... | 5370 | ... |
| 5979 | 5998 | Lacaille 5375 | 7.8 | 12. 54. 33.02 | 38.68 | 3 | + 3.336 | - 39. 57. 45.09 | 38.68 | 3 | -19.493 | ... | 5375 | ... |
| 5980 | 5999 | Lacaille 5376 | 6.7 | 12. 54. 41.56 | 36.93 | 5 | + 3.280 | - 33. 21. 42.96 | 34.58 | 4 | -19.489 | ... | 5376 | 251 |
| 5981 | 6000 | Piazzi XII. 252 | 7 | 12. 55. 0.63 | 36.48 | 4 | + 2.930 | + 24. 5. 25.99 | 36.56 | 3 | -19.483 | ... | ... | 252 |
| 5982 | 6001 | Brisbane 4304..... | 7.8 | 12. 55. 1.16 | 38.69 | 3 | + 3.416 | - 47. 14. 43.54 | 38.69 | 3 | -19.483 | ... | ... | ... |
| 5983 | 6002 | Piazzi XII. 253 | 6.7 | 12. 55. 9.38 | 35.21 | 3 | + 2.925 | + 24. 42. 53.15 | 34.63 | 4 | -19.480 | ... | ... | 253 |
| 5984 | 6003 | Piazzi XII. 255 | 6 | 12. 55. 18.90 | 35.29 | 3 | + 2.402 | + 64. 29. 54.91 | 34.57 | 4 | -19.477 | ... | ... | 255 |
| 5985 | 6004 | 48 Virginis | 6 | 12. 55. 24.75 | 31.61 | 9 | + 3.087 | - 2. 46. 24.98 | 32.26 | 4 | -19.475 | 1738 | ... | 254 |
| 5986 | 6005 | Brisbane 4308 | 8 | 12. 55. 24.81 | 38.70 | 3 | + 3.455 | - 50. 9. 10.31 | 38.70 | 3 | -19.475 | ... | ... | ... |
| 5987 | 6006 | Lacaille 5380 | 7 | 12. 55. 32.45 | 38.71 | 3 | + 3.344 | - 40. 18. 31.76 | 38.71 | 3 | -19.471 | ... | 5380 | ... |
| 5988 | 6007 | Lacaille 5383 | 7 | 12. 55. 39.54 | 38.27 | 2 | + 3.408 | - 46. 13. 43.00 | 38.27 | 3 | -19.469 | ... | 5383 | ... |
| 5989 | 6008 | Piazzi XII. 256 | 9 | 12. 55. 44.27 | 36.59 | 3 | + 3.038 | + 6. 4. 33.67 | 36.51 | 4 | -19.467 | ... | ... | 256 |
| 5990 | 6009 | Piazzi XII. 257 | 7.8 | 12. 55. 44.72 | 36.31 | 4 | + 3.003 | + 12. 7. 10.15 | 36.54 | 4 | -19.467 | ... | ... | 257 |
| 5991 | 6010 | Lacaille 5384 | 7 | 12. 55. 51.95 | 38.70 | 3 | + 3.474 | - 51. 13. 47.86 | 38.69 | 3 | -19.465 | ... | 5384 | ... |
| 5992 | 6011 | Piazzi XII. 258 | 8 | 12. 56. 19.28 | 36.58 | 4 | + 3.065 | + 1. 11. 13.98 | 36.80 | 4 | -19.455 | ... | ... | 258 |
| 5993 | 6012 | Lacaille 5385 | 7 | 12. 56. 25.02 | 38.73 | 3 | + 3.533 | - 54. 43. 34.01 | 38.72 | 3 | -19.454 | ... | 5385 | ... |
| 5994 | 6013 | Lacaille 5390 | 6 | 12. 56. 45.53 | 38.67 | 3 | + 3.431 | - 47. 34. 36.29 | 38.67 | 3 | -19.446 | ... | 5390 | ... |
| 5995 | 6014 | Piazzi XII. 259 | 9 | 12. 56. 46.74 | 36.64 | 4 | + 3.114 | - 7. 15. 43.04 | 36.77 | 4 | -19.446 | ... | ... | 259 |
| 5996 | 6015 | Piazzi XII. 261 | 8 | 12. 57. 13.83 | 36.65 | 4 | + 2.603 | + 54. 50. 26.57 | 36.88 | 4 | -19.436 | ... | ... | 261 |
| 5997 | 6016 | Lacaille 5397 | 6 | 12. 57. 16.53 | 38.62 | 3 | + 3.356 | - 40. 42. 9.54 | 38.62 | 3 | -19.434 | ... | 5397 | ... |
| 5998 | 6017 | Lacaille 5392 | 7 | 12. 57. 18.09 | 38.65 | 3 | + 3.622 | - 58. 58. 31.67 | 38.65 | 3 | -19.434 | ... | 5392 | ... |
| 5999 | 6018 | Centauri | 5 | 12. 57. 19.17 | 33.32 | 5 | + 3.453 | - 49. 1. 13.09 | 33.34 | 5 | -19.434 | ... | 5396 | ... |
| 6000 | 6019 | Piazzi XII. 260 | 8.9 | 12. 57. 22.53 | 38.76 | 7 | + 3.043 | + 4. 58. 49.62 | 39.00 | 9 | -19.433 | ... | ... | 260 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|--------------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 6001 | 6020 | Piazzi XII. 264 | 8 | h m s 12. 57. 34.17 | 35.28 | 3 | + 2.602 | + 54. 44. 32.76 | 34.64 | 4 | -19.429 | ... | ... | 264 |
| 6002 | 6021 | Brisbane 4326 | 8 | 12. 57. 43.98 | 40.07 | 4 | + 3.496 | - 51. 51. 55.83 | 40.08 | 4 | -19.427 | ... | ... | ... |
| 6003 | 6022 | Lacaille 5400 | 6.7 | 12. 57. 44.83 | 38.66 | 3 | + 3.305 | - 34. 58. 25.12 | 38.66 | 3 | -19.426 | ... | 5400 | ... |
| 6004 | 6023 | Piazzi XII. 262 | 6.7 | 12. 57. 45.29 | 32.35 | 6 | + 3.155 | - 14. 1. 55.04 | 32.36 | 5 | -19.425 | ... | ... | 262 |
| 6005 | 6024 | Piazzi XII. 265 | 9 | 12. 57. 51.86 | 38.39 | 4 | + 3.044 | + 4. 50. 0.29 | 39.15 | 5 | -19.422 | ... | ... | 265 |
| 6006 | 6026 | Lacaille 5398 | 7 | 12. 57. 52.96 | 38.66 | 3 | + 3.508 | - 52. 34. 29.08 | 38.66 | 3 | -19.422 | ... | 5398 | ... |
| 6007 | 6025 | Lacaille 5403 | 7.8 | 12. 57. 53.04 | 36.28 | 3 | + 3.291 | - 33. 13. 57.90 | 36.74 | 3 | -19.422 | ... | 5403 | 263 |
| 6008 | 6027 | 14 Canum Venaticum | 5 | 12. 58. 1.01 | 35.97 | 10 | + 2.823 | + 36. 40. 59.61 | 35.22 | 8 | -19.419 | 1739 | ... | 266 |
| 6009 | 6028 | Lacaille 5402 | 7 | 12. 58. 5.86 | 38.32 | 3 | + 3.560 | - 55. 30. 2.87 | 38.32 | 3 | -19.417 | ... | 5402 | ... |
| 6010 | 6029 | Piazzi XII. 268 | 6.7 | 12. 58. 17.58 | 35.31 | 3 | + 2.878 | + 29. 54. 52.88 | 34.57 | 4 | -19.413 | ... | ... | 268 |
| 6011 | 6030 | 39 Comæ | 5 | 12. 58. 18.60 | 33.30 | 6 | + 2.936 | + 22. 2. 25.34 | 32.32 | 5 | -19.413 | 1740 | ... | 267 |
| 6012 | 6031 | 40 Comæ | 6 | 12. 58. 20.46 | 33.46 | 3 | + 2.926 | + 23. 30. 13.63 | 32.39 | 5 | -19.412 | 1741 | ... | 269 |
| 6013 | 6032 | Piazzi XII. 270 | 7 | 12. 58. 20.51 | 35.26 | 2 | + 2.928 | + 23. 9. 48.93 | 34.62 | 4 | -19.412 | ... | ... | 270 |
| 6014 | 6033 | Piazzi XII. 271 | 8.9 | 12. 58. 39.10 | 36.54 | 4 | + 3.103 | - 5. 11. 49.39 | 36.76 | 4 | -19.404 | ... | ... | 271 |
| 6015 | 6034 | Lacaille 5407 | 7 | 12. 59. 13.10 | 39.70 | 5 | + 3.314 | - 35. 20. 30.90 | 39.70 | 5 | -19.392 | ... | 5407 | ... |
| 6016 | 6035 | 41 Comæ | 4 | 12. 59. 15.37 | 33.35 | 5 | + 2.886 | + 28. 30. 43.39 | 32.93 | 17 | -19.391 | 1743 | ... | 273 |
| 6017 | 6036 | 49 Virginis | 5.6 | 12. 59. 15.57 | 33.50 | 2 | + 3.131 | - 9. 51. 23.17 | 33.13 | 5 | -19.391 | 1742 | ... | 272 |
| 6018 | 6037 | Piazzi XII. 275 | 8 | 12. 59. 31.39 | 36.67 | 4 | + 2.524 | + 57. 54. 34.40 | 36.84 | 4 | -19.386 | ... | ... | 275 |
| 6019 | 6038 | Piazzi XII. 274 | 7 | 12. 59. 48.53 | 35.36 | 3 | + 3.213 | - 22. 13. 17.77 | 34.56 | 4 | -19.379 | ... | ... | 274 |
| 6020 | 6039 | Piazzi XII. 278 | 6.7 | 12. 59. 50.73 | 35.38 | 3 | + 2.397 | + 62. 55. 40.07 | 34.64 | 4 | -19.378 | ... | ... | 278 |
| 6021 | 6040 | Lacaille 5408 | 7.8 | 12. 59. 52.84 | 38.27 | 3 | + 3.451 | - 47. 38. 34.62 | 38.27 | 3 | -19.377 | ... | 5408 | ... |
| 6022 | 6041 | Bradley 1745 | 6 | 12. 59. 59.49 | 33.35 | 6 | + 2.884 | + 28. 26. 29.56 | 33.33 | 4 | -19.375 | 1745 | ... | ... |
| 6023 | 6042 | 45 Hydræ | 4.5 | 13. 0. 11.04 | 32.08 | 3 | + 3.214 | - 22. 14. 3.36 | 32.35 | 5 | -19.370 | 1744 | ... | 276 |
| 6024 | 6043 | Piazzi XII. 277 | 8 | 13. 0. 16.89 | 36.44 | 3 | + 3.149 | - 12. 33. 28.88 | 36.64 | 3 | -19.368 | ... | ... | 277 |
| 6025 | 6049 | Gould 17898 | 8 | 13. 0. 20.65 | 38.69 | 3 | + 3.605 | - 56. 51. 42.70 | 40.46 | 6 | -19.366 | ... | ... | ... |
| 6026 | 6044 | Brisbane 4343 | 7.8 | 13. 0. 58.02 | 38.68 | 3 | + 3.170 | - 15. 38. 1.96 | 38.67 | 3 | -19.353 | ... | ... | ... |
| 6027 | 6045 | Piazzi XII. 279 | 7 | 13. 0. 59.99 | 35.21 | 2 | + 2.947 | + 19. 30. 25.17 | 34.55 | 4 | -19.352 | ... | ... | 279 |
| 6028 | 6046 | Lacaille 5412 | 7.8 | 13. 1. 2.07 | 39.81 | 4 | + 3.523 | - 52. 1. 38.72 | 39.81 | 4 | -19.351 | ... | 5412 | ... |
| 6029 | 6047 | 50 Virginis | 6 | 13. 1. 7.69 | 33.44 | 4 | + 3.131 | - 9. 26. 49.26 | 33.36 | 5 | -19.349 | 1746 | ... | 280 |
| 6030 | 6048 | Lacaille 5413 | 7.8 | 13. 1. 11.65 | 38.67 | 3 | + 3.518 | - 51. 41. 8.35 | 38.67 | 3 | -19.347 | ... | 5413 | ... |
| 6031 | 6050 | 51 Virginis | 4.5 | 13. 1. 24.79 | 35.10 | 3 | + 3.101 | - 4. 39. 22.07 | 32.31 | 4 | -19.343 | 1747 | ... | 281 |
| 6032 | 6051 | Piazzi XII. 282 | 4.5 | 13. 1. 24.88 | 36.27 | 3 | + 2.954 | + 18. 21. 57.17 | 36.75 | 4 | -19.343 | ... | ... | 282 |
| 6033 | 6052 | Lacaille 5415 | 7.8 | 13. 1. 34.31 | 40.20 | 5 | + 3.599 | - 56. 1. 42.55 | 40.81 | 7 | -19.339 | ... | 5415 | ... |
| 6034 | 6053 | Piazzi XII. 283 | 6.7 | 13. 1. 41.01 | 35.39 | 3 | + 2.958 | + 17. 43. 49.61 | 35.27 | 3 | -19.336 | ... | ... | 283 |
| 6035 | 6054 | Lacaille 5420 | 7 | 13. 1. 47.03 | 38.64 | 3 | + 3.386 | - 41. 21. 5.96 | 38.64 | 3 | -19.334 | ... | 5420 | ... |
| 6036 | 6055 | 42 Comæ | 4.5 | 13. 1. 57.54 | 34.19 | 4 | + 2.953 | + 18. 24. 14.45 | 32.85 | 5 | -19.330 | 1748 | ... | 2 |
| 6037 | 6056 | Lacaille 5422 | 5 | 13. 1. 59.45 | 33.30 | 5 | + 3.399 | - 42. 29. 13.52 | 31.43 | 5 | -19.329 | ... | 5422 | 1 |
| 6038 | 6057 | Lacaille 5418 | 6 | 13. 2. 3.99 | 38.55 | 4 | + 3.668 | - 59. 2. 26.50 | 38.62 | 3 | -19.328 | ... | 5418 | ... |
| 6039 | 6058 | 15 Canum Venaticum | 6.7 | 13. 2. 5.72 | 35.11 | 2 | + 2.778 | + 39. 24. 50.85 | 35.30 | 3 | -19.327 | 1749 | ... | 4 |
| 6040 | 6059 | Brisbane 4355 | 9 | 13. 2. 9.11 | 38.85 | 2 | + 3.661 | - 58. 41. 47.99 | 38.85 | 2 | -19.326 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|--------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 6041 | 6060 | Piazzi XIII. 3 | 6 | h m s 13. 2. 12.95 | 36.65 | 3 | + 3.130 | - 9. 13. 23.34 | 34.57 | 4 | -19.324 | ... | ... | 3 |
| 6042 | 6061 | Brisbane 4356 | 9 | 13. 2. 16.16 | 39.43 | 4 | + 3.686 | - 59. 40. 52.96 | 39.41 | 5 | -19.322 | ... | ... | ... |
| 6043 | 6062 | Brisbane 4358 | 7 | 13. 2. 25.59 | 38.91 | 2 | + 3.488 | - 49. 11. 12.36 | 38.91 | 2 | -19.318 | ... | ... | ... |
| 6044 | 6063 | 16 Canum Venaticum | 7 | 13. 2. 26.00 | 35.11 | 2 | + 2.774 | + 39. 36. 15.98 | 34.84 | 2 | -19.318 | 1750 | ... | 5 |
| 6045 | 6064 | 17 Canum Venaticum | 6.7 | 13. 2. 27.77 | 35.11 | 2 | + 2.776 | + 39. 22. 40.03 | 35.05 | 3 | -19.317 | 1751 | ... | 6 |
| 6046 | 6065 | Lacaille 5425 | 7 | 13. 2. 41.36 | 39.29 | 3 | + 3.672 | - 58. 56. 0.03 | 39.29 | 3 | -19.312 | ... | 5425 | ... |
| 6047 | 6066 | Lacaille 5428 | 7 | 13. 2. 42.21 | 39.40 | 3 | + 3.246 | - 25. 40. 18.79 | 39.40 | 3 | -19.312 | ... | 5428 | ... |
| 6048 | 6067 | Piazzi XIII. 8 | 7.8 | 13. 2. 45.73 | 35.33 | 3 | + 2.500 | + 57. 42. 42.39 | 34.72 | 3 | -19.311 | ... | ... | 8 |
| 6049 | 6068 | Lacaille 5429 | 5.6 | 13. 2. 52.64 | 38.70 | 8 | + 3.344 | - 36. 55. 31.94 | 37.59 | 8 | -19.307 | ... | 5429 | 7 |
| 6050 | 6069 | 53 Virginis | 5 | 13. 3. 17.47 | 31.34 | 7 | + 3.172 | - 15. 18. 22.14 | 31.75 | 5 | -19.298 | 1752 | ... | 9 |
| 6051 | 6070 | Piazzi XIII. 11 | 7.8 | 13. 3. 22.81 | 35.31 | 3 | + 2.466 | + 58. 55. 27.75 | 34.40 | 2 | -19.296 | ... | ... | 11 |
| 6052 | 6071 | Piazzi XIII. 12 | 7 | 13. 3. 26.27 | 35.32 | 3 | + 2.345 | + 63. 6. 34.09 | 34.70 | 4 | -19.294 | ... | ... | 12 |
| 6053 | 6072 | Piazzi XIII. 10 | 8 | 13. 3. 33.86 | 36.28 | 3 | + 2.883 | + 27. 15. 58.36 | 36.48 | 4 | -19.292 | ... | ... | 10 |
| 6054 | 6073 | Lacaille 5435 | 7 | 13. 3. 39.42 | 39.42 | 2 | + 3.506 | - 49. 49. 16.48 | 39.42 | 2 | -19.289 | ... | 5435 | ... |
| 6055 | 6074 | Lacaille 5440 | 8 | 13. 3. 56.55 | 38.85 | 2 | + 3.270 | - 28. 13. 19.42 | 38.85 | 2 | -19.282 | ... | 5440 | ... |
| 6056 | 6075 | 18 Canum Venaticum | 7.8 | 13. 3. 57.60 | 35.29 | 3 | + 2.744 | + 41. 40. 16.83 | 37.17 | 6 | -19.282 | 1753 | ... | 13 |
| 6057 | 6076 | Lacaille 5436 | 7.8 | 13. 4. 1.17 | 39.36 | 2 | + 3.657 | - 57. 48. 22.80 | 39.36 | 2 | -19.281 | ... | 5436 | ... |
| 6058 | 6077 | Lacaille 5437 | 6 | 13. 4. 5.58 | 38.63 | 3 | + 3.667 | - 58. 13. 9.34 | 38.63 | 3 | -19.279 | ... | 5437 | ... |
| 6059 | 6078 | 43 Comae | 6 | 13. 4. 10.31 | 32.39 | 6 | + 2.869 | + 28. 42. 57.83 | 32.43 | 3 | -19.277 | 1755 | ... | 15 |
| 6060 | 6079 | Piazzi XIII. 14 | 7 | 13. 4. 11.58 | 35.28 | 3 | + 2.898 | + 25. 8. 14.96 | 34.40 | 3 | -19.276 | ... | ... | 14 |
| 6061 | 6080 | Piazzi XIII. 16 | 6 | 13. 4. 20.35 | 31.71 | 6 | + 2.990 | + 12. 26. 7.14 | 32.36 | 5 | -19.273 | ... | ... | 16 |
| 6062 | 6081 | Lacaille 5442 | 7.8 | 13. 4. 22.29 | 38.66 | 3 | + 3.434 | - 44. 18. 13.87 | 38.66 | 3 | -19.273 | ... | 5442 | ... |
| 6063 | 6082 | Piazzi XIII. 18 | 7 | 13. 4. 32.38 | 37.05 | 4 | + 2.939 | + 19. 37. 47.31 | 38.88 | 2 | -19.268 | ... | ... | 18 |
| 6064 | 6083 | Lacaille 5443 | 7.8 | 13. 4. 32.55 | 38.66 | 3 | + 3.410 | - 42. 15. 48.25 | 38.66 | 3 | -19.268 | ... | 5443 | ... |
| 6065 | 6084 | 54 Virginis | 6.7 | 13. 4. 39.43 | 35.13 | 2 | + 3.193 | - 17. 56. 52.87 | 34.67 | 3 | -19.265 | 1754 | ... | 17 |
| 6066 | 6085 | Piazzi XIII. 19 | 7 | 13. 4. 40.85 | 36.59 | 5 | + 3.155 | - 12. 35. 27.89 | 36.50 | 4 | -19.264 | ... | ... | 19 |
| 6067 | 6086 | Lacaille 5448 | 6.7 | 13. 5. 3.60 | 38.27 | 3 | + 3.489 | - 48. 4. 36.66 | 38.27 | 3 | -19.256 | ... | 5448 | ... |
| 6068 | 6087 | 55 Virginis | 6 | 13. 5. 22.06 | 32.28 | 6 | + 3.202 | - 19. 3. 44.50 | 32.36 | 4 | -19.249 | 1756 | ... | 20 |
| 6069 | 6088 | Piazzi XIII. 21 | 7 | 13. 5. 33.33 | 32.61 | 5 | + 3.057 | + 2. 20. 7.12 | 32.30 | 5 | -19.246 | ... | ... | 21 |
| 6070 | 6089 | Piazzi XIII. 24 | 6.7 | 13. 5. 47.53 | 36.49 | 4 | + 2.573 | + 52. 46. 34.81 | 36.55 | 4 | -19.237 | ... | ... | 24 |
| 6071 | 6090 | Piazzi XIII. 22 | 6.7 | 13. 5. 53.44 | 35.28 | 3 | + 2.847 | + 30. 41. 40.82 | 34.56 | 4 | -19.234 | ... | ... | 22 |
| 6072 | 6091 | Lacaille 5453 | 7.8 | 13. 5. 58.11 | 38.67 | 3 | + 3.639 | - 56. 11. 13.25 | 38.67 | 3 | -19.232 | ... | 5453 | ... |
| 6073 | 6092 | 56 Virginis | 7 | 13. 6. 6.45 | 35.13 | 3 | + 3.136 | - 9. 29. 31.62 | 34.64 | 4 | -19.230 | 1757 | ... | 23 |
| 6074 | 6093 | Piazzi XIII. 27 | 5 | 13. 6. 13.22 | 35.29 | 3 | + 2.740 | + 41. 1. 42.10 | 34.56 | 4 | -19.227 | ... | ... | 27 |
| 6075 | 6094 | Piazzi XIII. 25 | 7 | 13. 6. 18.14 | 39.13 | 8 | + 3.143 | - 10. 28. 46.13 | 38.41 | 8 | -19.225 | ... | ... | 25 |
| 6076 | 6095 | Lacaille 5458 | 8 | 13. 6. 19.71 | 38.30 | 3 | + 3.552 | - 51. 32. 22.68 | 38.30 | 3 | -19.224 | ... | 5458 | ... |
| 6077 | 6096 | Piazzi XIII. 26 | 8 | 13. 6. 20.99 | 38.65 | 7 | + 3.142 | - 10. 28. 21.70 | 36.66 | 3 | -19.224 | ... | ... | 26 |
| 6078 | 6097 | Piazzi XIII. 28 | 8 | 13. 6. 54.34 | 36.52 | 4 | + 3.120 | - 7. 10. 58.04 | 36.73 | 5 | -19.209 | ... | ... | 28 |
| 6079 | 6098 | 57 Virginis | 6 | 13. 7. 4.26 | 32.12 | 5 | + 3.205 | - 19. 3. 46.75 | 31.96 | 5 | -19.206 | 1758 | ... | 29 |
| 6080 | 6099 | Piazzi XIII. 30 | 7 | 13. 7. 10.16 | 35.35 | 3 | + 3.055 | + 3. 55. 29.56 | 34.62 | 4 | -19.204 | ... | ... | 30 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|--------------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 6081 | 6100 | Lacaille 5464 | 7.8 | 13. 7. 42.05 | 38.64 | 3 | + 3.436 | - 43. 6. 19.89 | 38.64 | 3 | -19.189 | ... | 5464 | ... |
| 6082 | 6101 | Lacaille 5466 | 5.6 | 13. 7. 44.49 | 35.32 | 3 | + 3.303 | - 30. 37. 46.95 | 34.60 | 4 | -19.188 | ... | 5466 | 31 |
| 6083 | 6102 | Lacaille 5467 | 8 | 13. 7. 46.86 | 38.67 | 3 | + 3.294 | - 29. 43. 7.20 | 38.67 | ...3 | -19.187 | ... | 5467 | ... |
| 6084 | 6103 | Piazzi XIII. 32 | 7 | 13. 7. 58.42 | 35.30 | 3 | + 2.912 | + 22. 15. 23.71 | 34.63 | 4 | -19.183 | ... | ... | 32 |
| 6085 | 6104 | Lacaille 5468 | 8 | 13. 8. 4.22 | 38.66 | 3 | + 3.488 | - 46. 43. 4.16 | 38.66 | 3 | -19.181 | ... | 5468 | ... |
| 6086 | 6105 | Lacaille 5465 | 7.8 | 13. 8. 5.79 | 38.68 | 3 | + 3.662 | - 56. 25. 41.32 | 38.67 | 3 | -19.180 | ... | 5465 | ... |
| 6087 | 6106 | 19 Canum Venaticum | 6.7 | 13. 8. 6.48 | 35.20 | 3 | + 2.723 | + 41. 43. 44.46 | 34.59 | 4 | -19.180 | 1759 | ... | 35 |
| 6088 | 6107 | Piazzi XIII. 34 | 8.9 | 13. 8. 15.03 | 36.60 | 3 | + 3.114 | - 6. 3. 39.85 | 36.61 | .. 3 | -19.176 | ... | ... | 34 |
| 6089 | 6108 | Piazzi XIII. 33 | 7.8 | 13. 8. 16.36 | 36.54 | 4 | + 3.157 | - 12. 17. 5.61 | 36.73 | 3 | -19.175 | ... | ... | 33 |
| 6090 | 6109 | Piazzi XIII. 39 | 8.9 | 13. 8. 24.85 | 38.10 | 4 | + 2.386 | + 60. 10. 7.11 | 39.04 | 7 | -19.173 | ... | ... | 39 |
| 6091 | 6110 | ..Piazzi XIII. 36 | 7 | 13. 8. 31.82 | 37.73 | 6 | + 2.924 | + 20. 39. 25.78 | 36.28 | 12 | -19.168 | ... | ... | 36 |
| 6092 | 6111 | Lacaille 5471 | 7 | 13. 8. 32.80 | 38.64 | 3 | + 3.442 | - 43. 10. 56.28 | 38.64 | 3 | -19.168 | ... | 5471 | ... |
| 6093 | 6112 | 59 Virginis | 6 | 13. 8. 35.34 | 33.31 | 6 | + 3.001 | + 10. 17. 19.90 | 32.35 | 5 | -19.166 | 1760 | ... | 37 |
| 6094 | 6113 | Lacaille 5472 | 7.8 | 13. 8. 42.91 | 38.64 | 3 | + 3.550 | - 50. 24. 49.05 | 38.64 | 3 | -19.163 | ... | 5472 | ... |
| 6095 | 6114 | Brisbane 4391 | 7 | 13. 8. 43.43 | 39.54 | 5 | + 3.484 | - 46. 13. 51.68 | 39.32 | 4 | -19.162 | ... | ... | ... |
| 6096 | 6115 | Piazzi XIII. 40 | 7 | 13. 8. 44.05 | 36.44 | 4 | + 2.923 | + 20. 41. 13.23 | 37.18 | ...2 | -19.162 | ... | ... | 40 |
| 6097 | 6116 | Brisbane 4396 | 7 | 13. 8. 46.72 | 38.69 | 3 | + 3.176 | - 14. 40. 23.46 | 38.69 | 3 | -19.161 | ... | ... | ... |
| 6098 | 6117 | 58 Virginis | 6 | 13. 8. 49.13 | 32.37 | 6 | + 3.139 | - 9. 40. 29.72 | 33.16 | 5 | -19.161 | 1761 | ... | 38 |
| 6099 | 6118 | Lacaille 5475 | 8 | 13. 8. 55.35 | 38.82 | 2 | + 3.528 | - 49. 0. 22.62 | 38.81 | 2 | -19.158 | ... | 5475 | ... |
| 6100 | 6119 | Piazzi XIII. 41 | 6 | 13. 9. 5.97 | 35.13 | 3 | + 2.969 | + 14. 32. 46.31 | 35.03 | 3 | -19.154 | ... | ... | 41 |
| 6101 | 6120 | Brisbane 4399 | 8.9 | 13. 9. 8.36 | 38.64 | 3 | + 3.717 | - 58. 22. 18.08 | 38.64 | .. 3 | -19.153 | ... | ... | ... |
| 6102 | 6121 | 60 Virginis | 6 | 13. 9. 16.53 | 32.44 | 5 | + 3.028 | + 6. 20. 29.37 | 32.38 | 5 | -19.148 | 1762 | ... | 42 |
| 6103 | 6122 | Piazzi XIII. 43 | 8 | 13. 9. 29.50 | 36.50 | 4 | + 2.968 | + 14. 38. 6.46 | 36.48 | 4 | -19.143 | ... | ... | 43 |
| 6104 | 6123 | 61 Virginis | 4.5 | 13. 9. 47.55 | 31.61 | 14 | + 3.197 | - 17. 23. 22.35 | 31.42 | 6 | -19.135 | 1763 | ... | 44 |
| 6105 | 6124 | 46 Hydra | 4.5 | 13. 9. 58.08 | 32.22 | 7 | + 3.237 | - 22. 17. 56.21 | 31.72 | 9 | -19.131 | 1764 | ... | 45 |
| 6106 | 6125 | Piazzi XIII. 46 | 8 | 13. 9. 59.72 | 36.51 | 4 | + 3.110 | - 5. 23. 41.44 | 36.47 | 4 | -19.130 | ... | ... | 46 |
| 6107 | 6126 | 20 Canum Venaticum | 5 | 13. 10. 8.17 | 32.27 | 7 | + 2.716 | + 41. 26. 34.25 | 31.96 | 5.. | -19.127 | 1765 | ... | 48 |
| 6108 | 6127 | Lacaille 5479 | 7 | 13. 10. 9.00 | 38.31 | 3 | + 3.740 | - 58. 54. 11.45 | 38.31 | 3 | -19.127 | ... | 5479 | ... |
| 6109 | 6128 | Piazzi XIII. 47 | 8 | 13. 10. 17.67 | 36.54 | 4 | + 3.156 | - 11. 46. 38.54 | 36.49 | 4 | -19.122 | ... | ... | 47 |
| 6110 | 6129 | Lacaille 5485 | 7 | 13. 10. 34.88 | 38.70 | 3 | + 3.416 | - 40. 19. 17.42 | 38.70 | 3 | -19.115 | ... | 5485 | ... |
| 6111 | 6130 | Lacaille 5483 | 7 | 13. 10. 38.16 | 38.71 | 3 | + 3.650 | - 54. 56. 0.79 | 38.71 | ..3 | -19.113 | ... | 5483 | ... |
| 6112 | 6131 | Lacaille 5484 | 7 | 13. 10. 39.05 | 38.31 | 3 | + 3.589 | - 51. 52. 40.08 | 38.31 | 3 | -19.113 | ... | 5484 | ... |
| 6113 | 6132 | Piazzi XIII. 49 | 8 | 13. 10. 47.05 | 36.61 | 3 | + 3.146 | - 10. 16. 40.58 | 36.52 | 4 | -19.109 | ... | ... | 49 |
| 6114 | 6133 | Piazzi XIII. 51 | 6 | 13. 10. 48.69 | 35.24 | 3 | + 2.788 | + 34. 58. 5.21 | 34.55 | 4 | -19.108 | ... | ... | 51 |
| 6115 | 6134 | ...Piazzi XIII. 50 | 8 | 13. 10. 55.55 | 36.56 | 4 | + 3.156 | - 11. 36. 50.71 | 36.63 | 4 | -19.105 | ... | ... | 50 |
| 6116 | 6135 | Piazzi XIII. 52 | 7 | 13. 11. 3.71 | 35.16 | 3 | + 3.150 | - 10. 48. 7.65 | 34.63 | .. 4.. | -19.103 | ... | ... | 52 |
| 6117 | 6136 | 21 Canum Venaticum | 5 | 13. 11. 12.51 | 31.60 | 5 | + 2.575 | + 50. 33. 5.16 | 31.61 | ..5 | -19.099 | 1767 | ... | 54 |
| 6118 | 6137 | Lacaille 5489 | 6.7 | 13. 11. 16.82 | 38.63 | 3 | + 3.496 | - 46. 0. 41.07 | 38.63 | ...3 | -19.096 | ... | 5489 | ... |
| 6119 | 6138 | Centauri | 3 | 13. 11. 20.99 | 32.84 | 12 | + 3.368 | - 35. 50. 23.86 | 32.30 | 4 | -19.095 | ... | 5491 | 53 |
| 6120 | 6139 | ...Lacaille 5488 | 7.8 | 13. 11. 36.67 | 39.01 | 3 | + 3.765 | - 59. 19. 2.66 | 39.01 | 3 | -19.087 | ... | 5488 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 6121 | 6140 | Brisbane 4419 | 8 | 13. 11. 39'09 | 38'67 | 3 | + 3'650 | - 54. 32. 58'71 | 38'67 | 3 | -19'086 | .. | ... | ... |
| 6122 | 6141 | 62 Virginis... .. | 7 | 13. 11. 40'64 | 32'95 | 7 | + 3'148 | - 10. 26. 5'49 | 33'14 | 5 | -19'085 | 1766 | ... | 55 |
| 6123 | 6142 | Piazzi XIII. 56 | 7'8 | 13. 11. 48'92 | 35'25 | 3 | + 3'139 | - 9. 19. 19'91 | 34'58 | 4 | -19'081 | ... | ... | 56 |
| 6124 | 6143 | Lacaille 5490 | 7'8 | 13. 11. 59'97 | 40'51 | 6 | + 3'791 | - 60. 6. 15'00 | 40'51 | 6 | -19'077 | ... | 5490 | ... |
| 6125 | 6144 | Lacaille 5493 | 7'8 | 13. 12. 1'64 | 38'65 | 3 | + 3'572 | - 50. 24. 50'86 | 38'66 | 3 | -19'076 | ... | 5493 | ... |
| 6126 | 6145 | Lacaille 5492 | 7 | 13. 12. 2'38 | 40'51 | 6 | + 3'791 | - 60. 7. 16'17 | 38'68 | 3 | -19'076 | ... | 5492 | ... |
| 6127 | 6146 | Piazzi XIII. 57 | 7'8 | 13. 12. 12'79 | 35'70 | 4 | + 2'932 | + 18. 38. 16'48 | 34'69 | 3 | -19'072 | ... | ... | 57 |
| 6128 | 6147 | Lacaille 5498 | 7 | 13. 12. 17'10 | 38'66 | 3 | + 3'590 | - 51. 18. 57'58 | 38'66 | 3 | -19'070 | ... | 5498 | ... |
| 6129 | 6148 | Lacaille 5502 | 8 | 13. 12. 33'54 | 38'71 | 3 | + 3'397 | - 37. 59. 5'58 | 38'70 | 3 | -19'062 | ... | 5502 | ... |
| 6130 | 6149 | Piazzi XIII. 58 | 7'8 | 13. 12. 34'11 | 36'52 | 4 | + 3'139 | - 9. 8. 0'51 | 36'57 | 4 | -19'062 | ... | ... | 58 |
| 6131 | 6150 | Piazzi XIII. 59 | 6 | 13. 12. 38'54 | 36'67 | 3 | + 3'212 | - 18. 37. 18'16 | 36'60 | 4 | -19'059 | ... | ... | 59 |
| 6132 | 6151 | Piazzi XIII. 60 | 8 | 13. 12. 54'47 | 36'70 | 3 | + 3'152 | - 10. 52. 45'37 | 36'60 | 4 | -19'052 | ... | ... | 60 |
| 6133 | 6152 | 23 Canum Venaticum..... | 6'7 | 13. 12. 54'78 | 35'28 | 3 | + 2'708 | + 41. 1. 7'06 | 34'59 | 4 | -19'052 | 1769 | ... | 61 |
| 6134 | 6153 | Lacaille 5505 | 7'8 | 13. 13. 5'05 | 38'34 | 3 | + 3'523 | - 47. 4. 39'15 | 38'34 | 3 | -19'048 | ... | 5505 | ... |
| 6135 | 6154 | Lacaille 5507 | 7 | 13. 13. 13'47 | 37'98 | 3 | + 3'533 | - 47. 41. 49'78 | 38'69 | 3 | -19'044 | ... | 5507 | ... |
| 6136 | 6155 | Piazzi XIII. 62 | 7 | 13. 13. 25'72 | 35'38 | 3 | + 3'159 | - 11. 42. 45'16 | 34'67 | 4 | -19'038 | ... | ... | 62 |
| 6137 | 6156 | Piazzi XIII. 65 | 6'7 | 13. 13. 37'54 | 35'39 | 3 | + 2'652 | + 44. 51. 21'69 | 34'60 | 4 | -19'031 | ... | ... | 65 |
| 6138 | 6157 | Piazzi XIII. 63 | 8 | 13. 13. 46'04 | 36'72 | 2 | + 2'929 | + 18. 37. 58'55 | 36'37 | 2 | -19'028 | ... | ... | 63 |
| 6139 | 6158 | 64 Virginis | 6 | 13. 13. 50'67 | 32'43 | 6 | + 3'027 | + 6. 1. 21'42 | 33'18 | 5 | -19'025 | 1770 | ... | 66 |
| 6140 | 6159 | Piazzi XIII. 64 | 8'9 | 13. 13. 55'23 | 36'30 | 3 | + 3'203 | - 17. 9. 48'51 | 36'55 | 4 | -19'024 | ... | ... | 64 |
| 6141 | 6160 | Lacaille 5513 | 7'8 | 13. 13. 56'72 | 39'41 | 2 | + 3'413 | - 38. 45. 40'97 | 39'41 | 2 | -19'023 | ... | 5513 | ... |
| 6142 | 6161 | Piazzi XIII. 67 | 7 | 13. 13. 57'39 | 38'15 | 7 | + 3'111 | - 5. 19. 49'18 | 38'14 | 7 | -19'023 | ... | ... | 67 |
| 6143 | 6162 | Lacaille 5511 | 7 | 13. 13. 59'81 | 38'66 | 3 | + 3'571 | - 48. 57. 24'01 | 38'66 | 3 | -19'022 | ... | 5511 | ... |
| 6144 | 6163 | Lacaille 5512 | 8'9 | 13. 14. 5'49 | 38'68 | 3 | + 3'528 | - 47. 1. 30'36 | 38'68 | 3 | -19'019 | ... | 5512 | ... |
| 6145 | 6164 | Piazzi XIII. 69 | 7'8 | 13. 14. 8'54 | 35'35 | 3 | + 2'867 | + 25. 44. 55'86 | 34'70 | 4 | -19'018 | ... | ... | 69 |
| 6146 | 6165 | 63 Virginis | 6 | 13. 14. 11'72 | 32'36 | 5 | + 3'201 | - 16. 52. 9'30 | 32'36 | 5 | -19'016 | 1771 | ... | 68 |
| 6147 | 6166 | Brisbane 4439 | 7'8 | 13. 14. 14'31 | 40'08 | 5 | + 3'639 | - 53. 8. 6'24 | 40'42 | 6 | -19'015 | ... | ... | ... |
| 6148 | 6167 | Lacaille 5515 | 7'8 | 13. 14. 25'86 | 38'62 | 3 | + 3'599 | - 51. 0. 40'94 | 38'62 | 3 | -19'010 | ... | 5515 | ... |
| 6149 | 6168 | Brisbane 4442 | 7'8 | 13. 14. 28'77 | 39'45 | 5 | + 3'640 | - 53. 3. 4'88 | 38'79 | 4 | -19'009 | ... | ... | ... |
| 6150 | 6169 | Lacaille 5517 | 7'8 | 13. 14. 37'21 | 38'84 | 2 | + 3'593 | - 50. 38. 24'04 | 38'67 | 3 | -19'004 | ... | 5517 | ... |
| 6151 | 6170 | 65 Virginis | 6 | 13. 14. 46'33 | 31'54 | 5 | + 3'102 | - 4. 3. 32'74 | 32'29 | 5 | -19'001 | 1772 | ... | 70 |
| 6152 | 6171 | Piazzi XIII. 71 | 6'7 | 13. 14. 50'21 | 35'39 | 3 | + 2'647 | + 44. 46. 4'08 | 34'59 | 4 | -18'999 | ... | ... | 71 |
| 6153 | 6172 | Lacaille 5522 | 7'8 | 13. 14. 58'57 | 38'69 | 3 | + 3'398 | - 37. 10. 11'76 | 38'69 | 3 | -18'994 | ... | 5522 | ... |
| 6154 | 6173 | Lacaille 5521 | 7'8 | 13. 15. 11'69 | 38'78 | 2 | + 3'604 | - 50. 58. 46'36 | 38'31 | 3 | -18'988 | ... | 5521 | ... |
| 6155 | 6174 | Piazzi XIII. 72 | 7'8 | 13. 15. 16'68 | 35'30 | 3 | + 3'148 | - 10. 0. 21'28 | 34'64 | 4 | -18'986 | ... | ... | 72 |
| 6156 | 6175 | Lacaille 5523 | 7'8 | 13. 15. 19'85 | 38'62 | 3 | + 3'606 | - 51. 1. 35'37 | 38'30 | 2 | -18'984 | ... | 5523 | ... |
| 6157 | 6176 | Lacaille 5525 | 7'8 | 13. 15. 31'00 | 38'40 | 2 | + 3'358 | - 33. 25. 35'41 | 38'40 | 2 | -18'980 | ... | 5525 | ... |
| 6158 | 6177 | Lacaille 5526 | 8 | 13. 15. 55'74 | 38'69 | 3 | + 3'538 | - 46. 57. 22'93 | 38'76 | 5 | -18'968 | ... | 5526 | ... |
| 6159 | 6178 | 66 Virginis | 6 | 13. 15. 58'37 | 32'38 | 6 | + 3'105 | - 4. 17. 57'82 | 32'37 | 5 | -18'967 | 1773 | ... | 73 |
| 6160 | 6179 | Lacaille 5527 | 7'8 | 13. 16. 1'95 | 38'67 | 3 | + 3'603 | - 50. 37. 3'66 | 38'72 | 3 | -18'965 | ... | 5527 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 6161 | 6180 | Lacaille 5530 | 6 | h m s 13. 16. 24.50 | 40.64 | 4 | + 3.557 | — 47. 55. 27.04 | 40.64 | 4 | —18.954 | ... | 5530 | ... |
| 6162 | 6181 | 67 Virginia | 1 | 13. 16. 30.66 | 34.06 | 68 | + 3.152 | — 10. 17. 51.11 | 32.86 | 77 | —18.951 | 1774 | ... | 75 |
| 6163 | 6182 | Brisbane 4456 | 9 | 13. 16. 32.35 | 38.88 | 2 | + 3.889 | — 61. 47. 19.12 | 38.88 | 2 | —18.950 | ... | ... | ... |
| 6164 | 6183 | Lacaille 5531 | 5.6 | 13. 16. 35.36 | 35.13 | 3 | + 3.426 | — 38. 53. 27.45 | 34.59 | 4 | —18.949 | ... | 5531 | 74 |
| 6165 | 6184 | Lacaille 5532 | 7 | 13. 16. 38.35 | 38.96 | 2 | + 3.371 | — 34. 12. 51.63 | 38.96 | 2 | —18.948 | ... | 5532 | ... |
| 6166 | 6185 | Brisbane 4462 | 9 | 13. 16. 57.73 | 40.20 | 6 | + 3.536 | — 46. 28. 4.14 | 39.06 | 4 | —18.938 | ... | ... | ... |
| 6167 | 6186 | Brisbane 4463 | 7 | 13. 17. ... | ... | ... | + 3.536 | — 46. 28. 10.14 | 42.37 | 3 | —18.936 | ... | ... | ... |
| 6168 | 6187 | Lacaille 5539 | 7 | 13. 17. 8.84 | 38.92 | 2 | + 3.360 | — 33. 8. 27.95 | 38.92 | 2 | —18.933 | ... | 5539 | ... |
| 6169 | 6188 | Lacaille 5535 | 7 | 13. 17. 11.87 | 38.94 | 2 | + 3.579 | — 48. 16. 58.93 | 38.94 | 2 | —18.931 | ... | 5535 | ... |
| 6170 | 6189 | Piazzi XIII. 77 | 6.7 | 13. 17. 14.15 | 35.25 | 4 | + 2.868 | + 24. 42. 58.89 | 34.58 | 4 | —18.930 | ... | ... | 77 |
| 6171 | 6190 | 79 Ursæ Majoris | 3 | 13. 17. 16.12 | 32.92 | 9 | + 2.421 | + 55. 47. 17.59 | 32.63 | 8 | —18.929 | 1776 | ... | 78 |
| 6172 | 6191 | Piazzi XIII. 76 | 6.7 | 13. 17. 16.26 | 35.13 | 3 | + 3.199 | — 15. 59. 58.47 | 34.65 | 4 | —18.929 | ... | ... | 76 |
| 6173 | 6192 | Brisbane 4466 | 8 | 13. 17. 16.53 | 38.36 | 2 | + 3.844 | — 60. 12. 10.48 | 38.36 | 2 | —18.929 | ... | ... | ... |
| 6174 | 6193 | Bradley 1777 | 6.7 | 13. 17. 17.17 | 36.48 | 4 | + 2.421 | + 55. 47. 7.94 | 37.61 | 4 | —18.929 | 1777 | ... | 79 |
| 6175 | 6194 | Lacaille 5543 | 6 | 13. 17. 22.00 | 38.48 | 1 | + 3.452 | — 40. 38. 13.94 | 38.48 | 1 | —18.926 | ... | 5543 | ... |
| 6176 | 6195 | Lacaille 5537 | 8 | 13. 17. 24.74 | 38.36 | 1 | + 3.573 | — 48. 31. 16.75 | 38.36 | 1 | —18.925 | ... | 5537 | ... |
| 6177 | 6208 | Lacaille 5540 | 7 | 13. 17. 44.92 | 39.35 | 1 | + 3.803 | — 58. 40. 17.96 | 39.35 | 1 | —18.914 | ... | 5540 | ... |
| 6178 | 6196 | 68 Virginia | 4 | 13. 18. 0.98 | 31.40 | 6 | + 3.166 | — 11. 50. 48.49 | 31.72 | 7 | —18.908 | 1775 | ... | 80 |
| 6179 | 6197 | Lacaille 5547 | 8 | 13. 18. 3.48 | 39.33 | 2 | + 3.708 | — 54. 55. 11.56 | 39.33 | 2 | —18.906 | ... | 5547 | ... |
| 6180 | 6198 | Piazzi XIII. 83 | 7.8 | 13. 18. 16.51 | 35.70 | 5 | + 2.414 | + 55. 45. 31.66 | 34.67 | 4 | —18.900 | ... | ... | 83 |
| 6181 | 6199 | Piazzi XIII. 81 | 7.8 | 13. 18. 19.43 | 36.50 | 4 | + 3.112 | — 5. 4. 14.08 | 36.52 | 4 | —18.899 | ... | ... | 81 |
| 6182 | 6200 | Brisbane 4471 | 9 | 13. 18. 20.06 | 38.36 | 2 | + 3.850 | — 60. 3. 53.12 | 38.36 | 2 | —18.898 | ... | ... | ... |
| 6183 | 6201 | 80 Ursæ Majoris | 5.6 | 13. 18. 36.15 | 32.31 | 4 | + 2.409 | + 55. 50. 56.19 | 32.33 | 5 | —18.891 | 1779 | ... | 85 |
| 6184 | 6202 | Brisbane 4473 | 8 | 13. 18. 37.70 | 41.27 | 4 | + 3.573 | — 48. 6. 41.30 | 41.27 | 4 | —18.890 | ... | ... | ... |
| 6185 | 6203 | 69 Virginia ... | 5 | 13. 18. 40.04 | 31.90 | 6 | + 3.193 | — 15. 6. 56.59 | 32.36 | 5 | —18.889 | 1778 | ... | 82 |
| 6186 | 6204 | Lacaille 5553 | 7 | 13. 18. 56.82 | 38.38 | 2 | + 3.288 | — 25. 32. 36.92 | 38.38 | 2 | —18.880 | ... | 5553 | ... |
| 6187 | 6205 | Piazzi XIII. 86 | 8 | 13. 19. 15.27 | 36.59 | 3 | + 3.251 | — 21. 32. 24.16 | 36.32 | 3 | —18.872 | ... | ... | 86 |
| 6188 | 6206 | Lacaille 5552 | 6 | 13. 19. 21.29 | 38.63 | 3 | + 3.618 | — 50. 18. 28.08 | 38.78 | 2 | —18.869 | ... | 5552 | ... |
| 6189 | 6207 | Lacaille 5558 | 6.7 | 13. 19. 24.05 | 35.98 | 7 | + 3.278 | — 24. 21. 18.26 | 35.53 | 8 | —18.867 | ... | 5558 | 87 |
| 6190 | 6209 | Lacaille 5559 | 7.8 | 13. 19. 26.70 | 38.98 | 3 | + 3.299 | — 26. 32. 37.05 | 38.98 | 3 | —18.865 | ... | 5559 | ... |
| 6191 | 6211 | Brisbane 4478 | 7 | 13. 19. 29.48 | 39.47 | 1 | + 3.652 | — 51. 54. 1.51 | 39.47 | 1 | —18.864 | ... | ... | ... |
| 6192 | 6210 | Lacaille 5556 | 7 | 13. 19. 29.58 | 38.39 | 2 | + 3.522 | — 44. 40. 51.77 | 38.39 | 2 | —18.864 | ... | 5556 | ... |
| 6193 | 6212 | Lacaille 5557 | 7.8 | 13. 19. 43.24 | 38.33 | 3 | + 3.561 | — 47. 1. 7.80 | 38.33 | 3 | —18.857 | ... | 5557 | ... |
| 6194 | 6214 | Piazzi XIII. 89 | 7 | 13. 19. 48.88 | 38.46 | 6 | + 3.072 | + 0. 2. 9.24 | 38.46 | 6 | —18.854 | ... | ... | 89 |
| 6195 | 6213 | Piazzi XIII. 88 | 8 | 13. 19. 48.90 | 36.56 | 4 | + 3.143 | — 8. 53. 12.82 | 36.48 | 4 | —18.854 | ... | ... | 88 |
| 6196 | 6215 | Lacaille 5555 | 7.8 | 13. 19. 50.65 | 39.46 | 1 | + 3.797 | — 57. 48. 31.33 | 39.46 | 1 | —18.853 | ... | 5555 | ... |
| 6197 | 6216 | Brisbane 4489 | 9 | 13. 20. 21.22 | 38.70 | 3 | + 3.513 | — 43. 51. 21.38 | 38.70 | 3 | —18.839 | ... | ... | ... |
| 6198 | 6217 | Piazzi XIII. 96 | 7 | 13. 20. 21.37 | 35.32 | 3 | + 2.126 | + 64. 6. 38.40 | 34.91 | 2 | —18.838 | ... | ... | 96 |
| 6199 | 6218 | 70 Virginia | 5.6 | 13. 20. 21.62 | 32.41 | 6 | + 2.952 | + 14. 39. 46.63 | 33.35 | 5 | —18.838 | 1780 | ... | 90 |
| 6200 | 6219 | Piazzi XIII. 92 | 7 | 13. 20. 23.45 | 36.75 | 2 | + 2.935 | + 16. 33. 54.70 | 36.58 | 4 | —18.837 | ... | ... | 92 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Procession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Procession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|--------------------------------|------------|--|----------------------|-------------------|--|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | ^h ^m ^s | | | [°] ['] ["] | | | | ["] | | | |
| 6201 | 6220 | Piazzi XIII. 91..... | 7.8 | 13. 20. 28.93 | 35.30 | 3 | + 3.113 | - 5. 5. 57.29 | 34.69 | 4 | -18.835 | ... | ... | 91 |
| 6202 | 6221 | Piazzi XIII. 93..... | 7 | 13. 20. 34.29 | 35.13 | 3 | + 3.220 | - 17. 52. 19.02 | 34.58 | 4 | -18.832 | ... | ... | 93 |
| 6203 | 6222 | Lacaille 5561..... | 8 | 13. 20. 39.82 | 38.49 | 2 | + 3.895 | - 60. 43. 42.63 | 38.49 | 2 | -18.829 | ... | 5561 | ... |
| 6204 | 6223 | Piazzi XIII. 94..... | Var. | 13. 20. 42.76 | 32.39 | 5 | + 3.263 | - 22. 25. 32.65 | 33.42 | 5 | -18.827 | ... | ... | 94 |
| 6205 | 6224 | Piazzi XIII. 95..... | 7 | 13. 20. 47.18 | 32.19 | 9 | + 3.076 | - 0. 30. 18.79 | 34.51 | 7 | -18.825 | ... | ... | 95 |
| 6206 | 6225 | 71 Virginis..... | 6 | 13. 21. 2.74 | 33.36 | 9 | + 2.976 | + 11. 40. 33.34 | 32.33 | 6 | -18.818 | 1781 | ... | 98 |
| 6207 | 6226 | Piazzi XIII. 97..... | 7 | 13. 21. 5.70 | 36.61 | 4 | + 3.236 | - 19. 27. 25.01 | 36.64 | 4 | -18.816 | ... | ... | 97 |
| 6208 | 6227 | Piazzi XIII. 100..... | 7 | 13. 21. 25.17 | 35.29 | 3 | + 2.489 | + 51. 26. 29.80 | 34.60 | 4 | -18.807 | ... | ... | 100 |
| 6209 | 6228 | Lacaille 5569..... | 4 | 13. 21. 30.32 | 31.75 | 10 | + 3.443 | - 38. 33. 9.36 | 31.39 | 4 | -18.804 | ... | 5569 | 99 |
| 6210 | 6229 | Lacaille 5564..... | 8 | 13. 21. 32.53 | 38.65 | 3 | + 3.929 | - 61. 29. 26.25 | 38.65 | 3 | -18.801 | ... | 5564 | ... |
| 6211 | 6230 | Brisbane 4498..... | 8.9 | 13. 21. 39.61 | 38.66 | 3 | + 3.577 | - 47. 17. 54.20 | 38.66 | 3 | -18.798 | ... | ... | ... |
| 6212 | 6231 | 72 Virginis..... ⁷¹ | 7 | 13. 21. 49.11 | 35.11 | 3 | + 3.118 | - 5. 36. 57.12 | 34.66 | 4 | -18.793 | 1782 | ... | 101 |
| 6213 | 6232 | Brisbane 4503..... | 8 | 13. 21. 52.01 | 38.70 | 3 | + 3.475 | - 40. 43. 53.14 | 38.70 | 3 | -18.792 | ... | ... | ... |
| 6214 | 6233 | Piazzi XIII. 109..... | 7 | 13. 21. 55.81 | 36.66 | 4 | + 1.517 | + 73. 14. 58.56 | 36.90 | 4 | -18.790 | ... | ... | 109 |
| 6215 | 6234 | Piazzi XIII. 105..... | 7.8 | 13. 21. 57.58 | 35.24 | 3 | + 2.482 | + 51. 34. 40.44 | 34.65 | 4 | -18.789 | ... | ... | 105 |
| 6216 | 6235 | Piazzi XIII. 102..... | Var. | 13. 22. 2.58 | 35.15 | 3 | + 2.902 | + 19. 54. 43.92 | 34.62 | 4 | -18.787 | ... | ... | 102 |
| 6217 | 6236 | Piazzi XIII. 104..... | 8 | 13. 22. 12.58 | 42.47 | 1 | + 3.084 | - 1. 25. 14.66 | 38.36 | 4 | -18.782 | ... | ... | 104 |
| 6218 | 6237 | Piazzi XIII. 103..... | 8 | 13. 22. 13.48 | 36.70 | 3 | + 3.145 | - 8. 50. 15.82 | 36.96 | 5 | -18.782 | ... | ... | 103 |
| 6219 | 6238 | Lacaille 5571..... | 7.8 | 13. 22. 18.23 | 38.99 | 3 | + 3.357 | - 31. 17. 11.94 | 38.99 | 3 | -18.779 | ... | 5571 | ... |
| 6220 | 6239 | Piazzi XIII. 106..... | 7 | 13. 22. 21.02 | 35.27 | 3 | + 3.090 | - 2. 11. 52.12 | 34.59 | 4 | -18.778 | ... | ... | 106 |
| 6221 | 6240 | Piazzi XIII. 110..... | 6 | 13. 22. 23.07 | 35.83 | 4 | + 2.230 | + 60. 47. 58.00 | 35.25 | 6 | -18.776 | ... | ... | 110 |
| 6222 | 6241 | Brisbane 4511..... | 7 | 13. 22. 28.56 | 38.67 | 3 | + 3.177 | - 12. 35. 42.82 | 38.34 | 2 | -18.773 | ... | ... | ... |
| 6223 | 6242 | Brisbane 4510..... | 7 | 13. 22. 31.12 | 38.30 | 2 | + 3.567 | - 46. 24. 47.64 | 38.30 | 2 | -18.772 | ... | ... | ... |
| 6224 | 6243 | Lacaille 5572..... | 7 | 13. 22. 33.88 | 38.70 | 3 | + 3.434 | - 37. 32. 40.52 | 38.69 | 3 | -18.770 | ... | 5572 | ... |
| 6225 | 6244 | Piazzi XIII. 108..... | 9 | 13. 22. 41.23 | 39.46 | 6 | + 3.083 | - 1. 24. 29.50 | 38.56 | 6 | -18.766 | ... | ... | 108 |
| 6226 | 6245 | Piazzi XIII. 113..... | 8 | 13. 22. 46.25 | 36.17 | 5 | + 2.227 | + 60. 46. 54.59 | 37.03 | 3 | -18.764 | ... | ... | 113 |
| 6227 | 6246 | Piazzi XIII. 107..... | 8 | 13. 22. 46.60 | 36.48 | 4 | + 3.295 | - 25. 15. 42.99 | 36.52 | 4 | -18.764 | ... | ... | 107 |
| 6228 | 6247 | Lacaille 5574..... | 7.8 | 13. 22. 53.16 | 38.38 | 2 | + 3.522 | - 43. 35. 50.89 | 38.38 | 2 | -18.760 | ... | 5574 | ... |
| 6229 | 6249 | 73 Virginis..... | 6 | 13. 23. 9.85 | 33.34 | 5 | + 3.225 | - 17. 52. 33.53 | 31.44 | 5 | -18.752 | 1783 | ... | 111 |
| 6230 | 6248 | Brisbane 4517..... | 9 | 13. 23. 9.99 | 38.71 | 3 | + 3.814 | - 57. 22. 36.95 | 38.71 | 3 | -18.752 | ... | ... | ... |
| 6231 | 6250 | Brisbane 4516..... | 7 | 13. 23. 10.60 | 39.78 | 5 | + 3.580 | - 46. 55. 11.54 | 39.78 | 5 | -18.752 | ... | ... | ... |
| 6232 | 6251 | Piazzi XIII. 114..... | 7 | 13. 23. 19.34 | 37.96 | 8 | + 3.084 | - 1. 28. 37.10 | 37.56 | 7 | -18.747 | ... | ... | 114 |
| 6233 | 6252 | Lacaille 5578..... | 6 | 13. 23. 22.56 | 33.35 | 5 | + 3.333 | - 28. 42. 52.12 | 32.36 | 5 | -18.745 | ... | 5578 | 112 |
| 6234 | 6253 | 74 Virginis..... ⁷³ | 6 | 13. 23. 23.75 | 31.93 | 9 | + 3.117 | - 5. 24. 6.34 | 32.38 | 5 | -18.745 | 1784 | ... | 115 |
| 6235 | 6254 | Lacaille 5580..... | 6.7 | 13. 23. 25.64 | 38.41 | 2 | + 3.323 | - 27. 50. 24.77 | 38.41 | 2 | -18.744 | ... | 5580 | ... |
| 6236 | 6255 | Brisbane 4520..... | 7.8 | 13. 23. 26.59 | 38.66 | 3 | + 3.459 | - 39. 7. 9.76 | 38.66 | 3 | -18.743 | ... | ... | ... |
| 6237 | 6256 | Piazzi XIII. 116..... | 8.9 | 13. 23. 44.98 | 36.80 | 4 | + 2.989 | + 9. 49. 42.72 | 37.19 | 4 | -18.733 | ... | ... | 116 |
| 6238 | 6257 | Lacaille 5575..... | 7.8 | 13. 23. 45.86 | 39.36 | 2 | + 3.856 | - 58. 39. 14.91 | 39.36 | 2 | -18.732 | ... | 5575 | ... |
| 6239 | 6258 | Lacaille 5581..... | 7.8 | 13. 23. 47.07 | 39.39 | 2 | + 3.511 | - 42. 34. 15.60 | 39.47 | 1 | -18.732 | ... | 5581 | ... |
| 6240 | 6259 | Lacaille 5582..... | 7 | 13. 23. 47.45 | 39.30 | 1 | + 3.303 | - 25. 44. 9.71 | 39.30 | 1 | -18.732 | ... | 5582 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|----------------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 6241 | 6260 | Brisbane 4527..... | 8 | ^{h m s} 13. 24. 2.62 | 38.70 | 3 | + 3.481 | — 40. 28. 6.45 | 38.70 | 3 | —18.724 | ... | ... | ... |
| 6242 | 6261 | 75 Virginis | 6 | 13. 24. 3.46 | 31.70 | 6 | + 3.196 | — 14. 30. 42.36 | 32.36 | 4 | —18.724 | 1785 | ... | 117 |
| 6243 | 6262 | ..Lacaille 5576 | 7.8 | 13. 24. 4.68 | 38.32 | 3 | + 3.966 | — 61. 46. 51.48 | 38.32 | 2 | —18.723 | ... | 5576 | ... |
| 6244 | 6263 | ..Lacaille 5583 | 7.8 | 13. 24. 12.83 | 38.66 | 3 | + 3.462 | — 39. 5. 43.59 | 38.66 | 3 | —18.719 | ... | 5583 | ... |
| 6245 | 6264 | 76 Virginis | 6 | 13. 24. 17.28 | 32.39 | 6 | + 3.151 | — 9. 18. 44.89 | 33.34 | 6 | —18.717 | 1786 | ... | 118 |
| 6246 | 6265 | Piazzi XIII. 119..... | 7 | 13. 24. 27.69 | 35.11 | 3 | + 3.085 | — 1. 34. 21.97 | 34.92 | 4 | —18.711 | ... | ... | 119 |
| 6247 | 6266 | Lacaille 5584 | 7 | 13. 24. 29.70 | 38.36 | 1 | + 3.596 | — 47. 25. 20.54 | 38.37 | 2 | —18.710 | ... | 5584 | ... |
| 6248 | 6267 | ..Piazzi XIII. 120..... | 7.8 | 13. 24. 32.39 | 35.21 | 3 | + 2.941 | + 15. 14. 39.24 | 34.64 | 4 | —18.709 | ... | ... | 120 |
| 6249 | 6268 | ..Brisbane 4533..... | 7.8 | 13. 24. 41.67 | 39.48 | 1 | + 3.646 | — 49. 56. 31.12 | 39.48 | 1 | —18.703 | ... | ... | ... |
| 6250 | 6269 | 77 Virginis | 7 | 13. 24. 47.93 | 33.26 | 8 | + 3.129 | — 6. 46. 20.69 | 32.13 | 5 | —18.700 | 1787 | ... | 121 |
| 6251 | 6270 | Piazzi XIII. 122 | 7 | 13. 24. 50.78 | 35.28 | 3 | + 3.015 | + 6. 42. 7.60 | 35.32 | 4 | —18.699 | ... | ... | 122 |
| 6252 | 6271 | Piazzi XIII. 123 | 7 | 13. 24. 59.95 | 35.36 | 3 | + 2.532 | + 48. 5. 7.19 | 34.64 | 4 | —18.694 | ... | ... | 123 |
| 6253 | 6272 | Lacaille 5586 | 8 | 13. 25. 26.77 | 38.82 | 3 | + 3.969 | — 61. 29. 54.05 | 38.32 | 3 | —18.680 | ... | 5586 | ... |
| 6254 | 6273 | ..Piazzi XIII. 124..... | 7.8 | 13. 25. 35.48 | 35.32 | 3 | + 3.164 | — 10. 41. 6.82 | 34.68 | 4 | —18.675 | ... | ... | 124 |
| 6255 | 6274 | Brisbane 4537..... | 7.8 | 13. 25. 36.60 | 40.36 | 6 | + 3.608 | — 47. 40. 11.16 | 40.66 | 7 | —18.674 | ... | ... | ... |
| 6256 | 6275 | ..Piazzi XIII. 133..... | 7 | 13. 25. 37.71 | 37.31 | 4 | + 0.439 | + 79. 29. 49.58 | 36.66 | 4 | —18.673 | ... | ... | 133 |
| 6257 | 6276 | 78 Virginis | 6 | 13. 25. 46.51 | 32.22 | 6 | + 3.033 | + 4. 30. 32.75 | 32.43 | 5 | —18.669 | 1788 | ... | 125 |
| 6258 | 6277 | Piazzi XIII. 127..... | 7 | 13. 25. 52.02 | 36.55 | 4 | + 3.068 | + 0. 31. 59.11 | 35.32 | 3 | —18.666 | ... | ... | 127 |
| 6259 | 6278 | ..Piazzi XIII. 126..... | 6 | 13. 25. 55.14 | 35.37 | 3 | + 3.179 | — 12. 21. 54.96 | 34.59 | 4 | —18.665 | ... | ... | 126 |
| 6260 | 6279 | Brisbane 4539..... | 7.8 | 13. 25. 55.26 | 38.37 | 1 | + 3.845 | — 57. 39. 3.63 | 38.37 | 1 | —18.665 | ... | ... | ... |
| 6261 | 6280 | ..Lacaille 5589 | 6.7 | 13. 26. 6.71 | 39.32 | 1 | + 3.952 | — 60. 50. 24.85 | 39.32 | 1 | —18.659 | ... | 5589 | ... |
| 6262 | 6281 | Lacaille 5591 | 8 | 13. 26. 9.80 | 39.29 | 2 | + 3.616 | — 47. 57. 16.80 | 39.29 | 2 | —18.657 | ... | 5591 | ... |
| 6263 | 6282 | 79 Virginis | 4 | 13. 26. 17.46 | 36.19 | 18 | + 3.070 | + 0. 15. 0.38 | 32.63 | 15 | —18.653 | 1789 | ... | 128 |
| 6264 | 6283 | Brisbane 4547..... | 7 | 13. 26. 42.51 | 39.29 | 1 | + 3.510 | — 41. 34. 11.25 | 39.29 | 1 | —18.639 | ... | ... | ... |
| 6265 | 6284 | ..Piazzi XIII. 129..... | 8 | 13. 26. 51.48 | 36.52 | 4 | + 3.107 | — 4. 5. 3.31 | 36.53 | 3 | —18.634 | ... | ... | 129 |
| 6266 | 6285 | Piazzi XIII. 131..... | 6.7 | 13. 26. 54.60 | 38.58 | 3 | + 2.955 | + 13. 21. 39.77 | 37.03 | 6 | —18.633 | ... | ... | 131 |
| 6267 | 6286 | 80 Virginis | 6 | 13. 26. 56.78 | 32.19 | 12 | + 3.111 | — 4. 33. 11.80 | 32.39 | 5 | —18.632 | 1790 | ... | 130 |
| 6268 | 6287 | ..Piazzi XIII. 132..... | 8 | 13. 27. 13.97 | 36.51 | 4 | + 3.150 | — 8. 56. 15.52 | 36.48 | 5 | —18.623 | ... | ... | 132 |
| 6269 | 6288 | Brisbane 4549..... | 8 | 13. 27. 14.31 | 39.87 | 2 | + 3.848 | — 57. 21. 56.07 | 39.81 | 2 | —18.623 | ... | ... | ... |
| 6270 | 6289 | Lacaille 5598 | 6.7 | 13. 27. 17.24 | 38.38 | 2 | + 3.540 | — 43. 17. 51.56 | 38.38 | 2 | —18.622 | ... | 5598 | ... |
| 6271 | 6290 | Lacaille 5596..... | 7 | 13. 27. 22.90 | 39.36 | 1 | + 3.855 | — 57. 34. 9.08 | 39.36 | 1 | —18.619 | ... | 5596 | ... |
| 6272 | 6291 | Lacaille 5601 | 7 | 13. 27. 23.20 | 38.49 | 1 | + 3.519 | — 41. 56. 7.01 | 38.49 | 1 | —18.619 | ... | 5601 | ... |
| 6273 | 6292 | Piazzi XIII. 134..... | 7 | 13. 27. 23.28 | 35.15 | 2 | + 2.857 | + 23. 20. 28.90 | 35.37 | 3 | —18.618 | ... | ... | 134 |
| 6274 | 6293 | Piazzi XIII. 136..... | 5.6 | 13. 27. 25.41 | 35.29 | 3 | + 2.682 | + 38. 1. 46.25 | 34.65 | 4 | —18.617 | ... | ... | 136 |
| 6275 | 6294 | ..Lacaille 5600 | 6.7 | 13. 27. 27.26 | 38.40 | 2 | + 3.580 | — 45. 34. 56.05 | 38.40 | 2 | —18.616 | ... | 5600 | ... |
| 6276 | 6295 | ..Piazzi XIII. 137..... | 7.8 | 13. 27. 38.99 | 35.27 | 3 | + 2.992 | + 9. 8. 19.56 | 35.47 | 3 | —18.609 | ... | ... | 137 |
| 6277 | 6296 | Lacaille 5608 | 6 | 13. 27. 40.29 | 33.02 | 6 | + 3.312 | — 25. 39. 2.67 | 32.36 | 4 | —18.609 | ... | 5608 | 135 |
| 6278 | 6297 | Brisbane 4555..... | 8.9 | 13. 27. 40.39 | 39.36 | 1 | + 3.854 | — 57. 28. 3.72 | 39.36 | 1 | —18.609 | ... | ... | ... |
| 6279 | 6298 | 24 Canum Venaticum..... | 5 | 13. 27. 42.40 | 35.31 | 3 | + 2.480 | + 49. 51. 40.58 | 34.38 | 3 | —18.607 | 1791 | ... | 138 |
| 6280 | 6299 | 81 Ursae Majoris | 5.6 | 13. 27. 45.93 | 35.43 | 3 | + 2.326 | + 56. 11. 43.71 | 34.34 | 3 | —18.605 | 1792 | ... | 141 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 6281 | 6300 | Lacaille 5604 | 7.8 | h m s 13. 27. 46.45 | 39.37 | 1 | + 3.662 | — 49. 45. 19.74 | 39.37 | 1 | —18.605 | ... | 5604 | ... |
| 6282 | 6301 | Piazzi XIII. 140 | 8 | 13. 27. 55.95 | 35.39 | 3 | + 2.691 | + 37. 13. 50.98 | 34.48 | 2 | —18.600 | ... | ... | 140 |
| 6283 | 6302 | Lacaille 5607 | 7 | 13. 27. 59.54 | 38.33 | 1 | + 3.659 | — 49. 30. 18.89 | 38.92 | 2 | —18.598 | ... | 5607 | ... |
| 6284 | 6303 | Lacaille 5605 | 7.8 | 13. 28. 6.64 | 38.38 | 2 | + 3.838 | — 56. 46. 45.86 | 38.38 | 2 | —18.595 | ... | 5605 | ... |
| 6285 | 6304 | Lacaille 5613 | 8 | 13. 28. 8.21 | 39.04 | 3 | + 3.413 | — 34. 12. 15.02 | 38.34 | 2 | —18.594 | ... | 5613 | ... |
| 6286 | 6305 | Piazzi XIII. 139 | 8 | 13. 28. 11.70 | 36.47 | 4 | + 3.212 | — 15. 36. 5.21 | 36.52 | 4 | —18.591 | ... | ... | 139 |
| 6287 | 6306 | Lacaille 5612 | 7.8 | 13. 28. 17.06 | 38.49 | 1 | + 3.523 | — 41. 55. 16.66 | 38.49 | 1 | —18.589 | ... | 5612 | ... |
| 6288 | 6307 | Lacaille 5615 | 8 | 13. 28. 22.00 | 39.04 | 3 | + 3.414 | — 34. 13. 13.25 | 38.34 | 2 | —18.586 | ... | 5615 | ... |
| 6289 | 6308 | Brisbane 4564 | 7.8 | 13. 28. 42.07 | 41.47 | 3 | + 3.645 | — 48. 39. 4.54 | 41.47 | 3 | —18.575 | ... | ... | ... |
| 6290 | 6309 | 81 Virginia | 7 | 13. 28. 57.00 | 35.27 | 3 | + 3.134 | — 7. 1. 41.94 | 35.30 | 3 | —18.567 | 1793 | ... | 142 |
| 6291 | 6310 | Piazzi XIII. 144 | 9 | 13. 29. 2.89 | 36.51 | 4 | + 3.124 | — 5. 48. 33.54 | 36.49 | 4 | —18.563 | ... | ... | 144 |
| 6292 | 6311 | Lacaille 5620 | 6.7 | 13. 29. 7.25 | 36.55 | 5 | + 3.353 | — 28. 59. 50.61 | 35.85 | 6 | —18.561 | ... | 5620 | 143 |
| 6293 | 6312 | Piazzi XIII. 145 | 7 | 13. 29. 15.81 | 35.40 | 3 | + 3.093 | — 2. 23. 29.06 | 35.32 | 2 | —18.557 | ... | ... | 145 |
| 6294 | 6313 | Lacaille 5617 | 7.8 | 13. 29. 19.18 | 38.73 | 3 | + 3.754 | — 53. 18. 22.08 | 38.73 | 3 | —18.555 | ... | 5617 | ... |
| 6295 | 6314 | Lacaille 5623 | 6 | 13. 29. 27.15 | 31.71 | 6 | + 3.351 | — 28. 42. 54.26 | 31.43 | 5 | —18.551 | ... | 5623 | 146 |
| 6296 | 6315 | Lacaille 5621 | 7.8 | 13. 29. 27.56 | 39.40 | 2 | + 3.393 | — 32. 16. 7.80 | 39.40 | 2 | —18.550 | ... | 5621 | ... |
| 6297 | 6316 | Piazzi XIII. 147 | 9 | 13. 29. 27.59 | 38.40 | 6 | + 3.079 | — 0. 43. 51.24 | 38.44 | 6 | —18.550 | ... | ... | 147 |
| 6298 | 6317 | Centauri | 3 | 13. 29. 29.19 | 32.02 | 9 | + 3.738 | — 52. 37. 28.17 | 31.38 | 7 | —18.549 | ... | 5618 | ... |
| 6299 | 6318 | Lacaille 5622 | 7 | 13. 29. 51.20 | 39.30 | 2 | + 3.662 | — 49. 6. 34.60 | 39.30 | 2 | —18.537 | ... | 5622 | ... |
| 6300 | 6319 | Piazzi XIII. 148 | 8 | 13. 29. 59.46 | 36.60 | 4 | + 3.098 | — 2. 51. 45.59 | 36.76 | 5 | —18.532 | ... | ... | 148 |
| 6301 | 6320 | Lacaille 5624 | 6.7 | 13. 30. 1.89 | 39.34 | 2 | + 3.485 | — 38. 54. 22.21 | 39.34 | 2 | —18.531 | ... | 5624 | ... |
| 6302 | 6321 | Piazzi XIII. 149 | 8.9 | 13. 30. 7.45 | 36.60 | 4 | + 3.053 | + 2. 5. 50.46 | 36.68 | 3 | —18.528 | ... | ... | 149 |
| 6303 | 6322 | Piazzi XIII. 150 | 7 | 13. 30. 12.86 | 35.31 | 3 | + 2.850 | + 23. 22. 25.98 | 34.59 | 4 | —18.525 | ... | ... | 150 |
| 6304 | 6323 | Piazzi XIII. 151 | 7.8 | 13. 30. 30.46 | 35.33 | 3 | + 3.204 | — 14. 22. 0.62 | 35.33 | 3 | —18.515 | ... | ... | 151 |
| 6305 | 6324 | Piazzi XIII. 152 | 7 | 13. 30. 32.72 | 35.36 | 3 | + 3.175 | — 11. 14. 53.00 | 34.66 | 4 | —18.513 | ... | ... | 152 |
| 6306 | 6325 | Piazzi XIII. 153 | 7.8 | 13. 30. 41.08 | 36.49 | 4 | + 3.014 | + 6. 24. 17.45 | 36.51 | 4 | —18.508 | ... | ... | 153 |
| 6307 | 6326 | Lacaille 5635 | 7.8 | 13. 30. 56.56 | 35.15 | 3 | + 3.332 | — 26. 44. 14.03 | 34.70 | 4 | —18.500 | ... | 5635 | 154 |
| 6308 | 6327 | Piazzi XIII. 156 | 7 | 13. 31. 5.65 | 35.11 | 2 | + 2.420 | + 51. 33. 25.84 | 34.67 | 4 | —18.495 | ... | ... | 156 |
| 6309 | 6328 | Piazzi XIII. 155 | 6.7 | 13. 31. 6.13 | 35.35 | 3 | + 2.893 | + 19. 6. 25.09 | 34.67 | 4 | —18.495 | ... | ... | 155 |
| 6310 | 6329 | Brisbane 4581 | 8 | 13. 31. 10.62 | 38.34 | 2 | + 3.586 | — 44. 44. 59.12 | 38.34 | 2 | —18.492 | ... | ... | ... |
| 6311 | 6330 | Lacaille 5634 | 8 | 13. 31. 15.24 | 38.33 | 2 | + 3.594 | — 45. 11. 17.07 | 38.33 | 2 | —18.490 | ... | 5634 | ... |
| 6312 | 6331 | Brisbane 4584 | 9 | 13. 31. 25.67 | 38.36 | 2 | + 3.896 | — 57. 46. 51.62 | 38.36 | 2 | —18.484 | ... | ... | ... |
| 6313 | 6332 | Piazzi XIII. 157 | 7.8 | 13. 31. 27.90 | 35.11 | 2 | + 2.412 | + 51. 48. 3.39 | 34.64 | 4 | —18.483 | ... | ... | 157 |
| 6314 | 6333 | Lacaille 5629 | 7.8 | 13. 31. 28.49 | 38.51 | 5 | + 4.006 | — 60. 54. 1.82 | 38.56 | 4 | —18.483 | ... | 5629 | ... |
| 6315 | 6334 | Lacaille 5631 | 7.8 | 13. 31. 30.87 | 38.32 | 3 | + 4.012 | — 61. 3. 18.89 | 38.32 | 3 | —18.480 | ... | 5631 | ... |
| 6316 | 6335 | Lacaille 5638 | 7 | 13. 31. 39.02 | 39.34 | 7 | + 3.586 | — 44. 39. 16.04 | 39.52 | 6 | —18.474 | ... | 5638 | ... |
| 6317 | 6336 | Brisbane 4589 | 8.9 | 13. 31. 44.50 | 38.69 | 3 | + 3.360 | — 28. 53. 32.88 | 38.69 | 3 | —18.472 | ... | ... | ... |
| 6318 | 6337 | Lacaille 5637 | 8 | 13. 32. 1.90 | 38.56 | 4 | + 4.010 | — 60. 52. 22.33 | 38.57 | 4 | —18.463 | ... | 5637 | ... |
| 6319 | 6338 | Lacaille 5641 | 7.8 | 13. 32. 11.21 | 38.75 | 3 | + 3.549 | — 42. 18. 34.06 | 38.75 | 3 | —18.458 | ... | 5641 | ... |
| 6320 | 6339 | Lacaille 5640 | 7 | 13. 32. 12.87 | 39.05 | 3 | + 3.846 | — 55. 55. 51.51 | 39.05 | 3 | —18.456 | ... | 5640 | ... |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{clxi}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 6321 | 6340 | Piazzi XIII. 158 | 7 | h m s 13. 32. 12.88 | 35.15 | 3 | + 3.183 | — 11. 56. 37.29 | 34.94 | 4 | —18.456 | ... | ... | 158 |
| 6322 | 6341 | Lacaille 5646 | 7.8 | 13. 32. 16.19 | 38.77 | 3 | + 3.324 | — 25. 41. 36.13 | 38.77 | 3 | —18.454 | ... | 5646 | ... |
| 6323 | 6342 | Piazzi XIII. 159 | 6.7 | 13. 32. 25.63 | 35.33 | 3 | + 3.291 | — 22. 36. 43.10 | 34.60 | 4 | —18.448 | ... | ... | 159 |
| 6324 | 6343 | Lacaille 5643 | 7 | 13. 32. 37.53 | 38.49 | 2 | + 3.697 | — 49. 57. 11.19 | 38.48 | 2 | —18.443 | ... | 5643 | ... |
| 6325 | 6344 | 1 Boötis | 6 | 13. 32. 47.58 | 31.54 | 8 | + 2.872 | + 20. 47. 32.29 | 31.49 | 5 | —18.437 | 1797 | ... | 160 |
| 6326 | 6345 | Piazzi XIII. 161 | 7.8 | 13. 32. 48.02 | 36.50 | 6 | + 2.872 | + 20. 51. 1.70 | 36.47 | 4 | —18.436 | ... | ... | 161 |
| 6327 | 6346 | Lacaille 5647 | 7.8 | 13. 32. 55.83 | 38.70 | 3 | + 3.570 | — 43. 21. 15.70 | 38.70 | 3 | —18.431 | ... | 5647 | ... |
| 6328 | 6347 | 82 Virginis.....m | 5.6 | 13. 32. 57.72 | 32.36 | 12 | + 3.145 | — 7. 52. 1.97 | 32.29 | 5 | —18.430 | 1796 | ... | 162 |
| 6329 | 6348 | Lacaille 5644 | 7.8 | 13. 32. 59.23 | 38.68 | 3 | + 3.930 | — 58. 24. 1.80 | 38.68 | 3 | —18.429 | ... | 5644 | ... |
| 6330 | 6349 | Piazzi XIII. 163 | 6.7 | 13. 33. 2.03 | 35.29 | 3 | + 2.781 | + 28. 54. 8.98 | 35.31 | 3 | —18.428 | ... | ... | 163 |
| 6331 | 6350 | Brisbane 4598 | 8.9 | 13. 33. 4.10 | 38.82 | 2 | + 3.931 | — 58. 24. 1.13 | 38.96 | 3 | —18.427 | ... | ... | ... |
| 6332 | 6351 | 82 Ursæ Majoris | 5.6 | 13. 33. 6.82 | 35.31 | 3 | + 2.351 | + 53. 45. 25.71 | 34.58 | 4 | —18.425 | 1799 | ... | 165 |
| 6333 | 6352 | Lacaille 5650 | 6.7 | 13. 33. 9.76 | 38.63 | 3 | + 3.524 | — 40. 33. 47.73 | 38.63 | 3 | —18.423 | ... | 5650 | ... |
| 6334 | 6353 | Brisbane 4600 | 8 | 13. 33. 10.30 | 38.67 | 3 | + 3.537 | — 41. 20. 39.20 | 38.67 | 3 | —18.423 | ... | ... | ... |
| 6335 | 6354 | 2 Boötis | 6 | 13. 33. 13.90 | 32.37 | 6 | + 2.844 | + 23. 20. 5.00 | 32.39 | 5 | —18.421 | 1798 | ... | 164 |
| 6336 | 6355 | Lacaille 5654 | 7.8 | 13. 33. 51.68 | 38.67 | 3 | + 3.539 | — 41. 13. 58.55 | 38.67 | 3 | —18.399 | ... | 5654 | ... |
| 6337 | 6356 | Lacaille 5653 | 8 | 13. 33. 52.77 | 38.38 | 2 | + 3.597 | — 44. 36. 6.65 | 38.38 | 2 | —18.398 | ... | 5653 | ... |
| 6338 | 6357 | Lacaille 5652 | 7 | 13. 33. 57.34 | 40.62 | 6 | + 3.711 | — 50. 10. 39.67 | 40.26 | 5 | —18.396 | ... | 5652 | ... |
| 6339 | 6358 | Lacaille 5656 | 7.8 | 13. 34. 6.75 | 39.47 | 1 | + 3.509 | — 39. 20. 35.05 | 39.47 | 1 | —18.390 | ... | 5656 | ... |
| 6340 | 6359 | Piazzi XIII. 166 | 9 | 13. 34. 13.59 | 36.48 | 4 | + 3.170 | — 10. 27. 58.78 | 36.49 | 4 | —18.385 | ... | ... | 166 |
| 6341 | 6360 | Piazzi XIII. 168 | 7 | 13. 34. 17.59 | 35.40 | 3 | + 2.347 | + 53. 36. 31.51 | 34.63 | 4 | —18.383 | ... | ... | 168 |
| 6342 | 6361 | 83 Ursæ Majoris | 6 | 13. 34. 28.26 | 35.33 | 3 | + 2.292 | + 55. 31. 8.36 | 34.83 | 5 | —18.377 | 1802 | ... | 170 |
| 6343 | 6362 | Piazzi XIII. 167 | 7.8 | 13. 34. 31.53 | 35.37 | 3 | + 2.918 | + 15. 58. 59.10 | 34.65 | 4 | —18.376 | ... | ... | 167 |
| 6344 | 6363 | Brisbane 4607 | 8 | 13. 34. 45.05 | 40.16 | 6 | + 3.912 | — 57. 24. 34.64 | 40.48 | 7 | —18.368 | ... | ... | ... |
| 6345 | 6364 | 84 Virginis | 6 | 13. 34. 46.43 | 32.39 | 6 | + 3.031 | + 4. 22. 32.89 | 32.33 | 4 | —18.367 | 1800 | ... | 169 |
| 6346 | 6365 | Piazzi XIII. 172 | 9 | 13. 34. 51.71 | 36.92 | 3 | + 2.774 | + 29. 2. 17.51 | 37.37 | 3 | —18.364 | ... | ... | 172 |
| 6347 | 6366 | Brisbane 4608..... | 10 | 13. 34. 55.63 | 39.48 | 2 | + 4.068 | — 61. 37. 12.20 | 39.48 | 2 | —18.363 | ... | ... | ... |
| 6348 | 6367 | Piazzi XIII. 171..... | 7 | 13. 34. 57.61 | 36.51 | 4 | + 3.104 | — 3. 26. 21.83 | 36.56 | 4 | —18.361 | ... | ... | 171 |
| 6349 | 6368 | Piazzi XIII. 173..... | 7 | 13. 35. 0.81 | 36.52 | 4 | + 2.997 | + 8. 8. 2.66 | 36.58 | 4 | —18.358 | ... | ... | 173 |
| 6350 | 6369 | Lacaille 5661 | 7.8 | 13. 35. 17.92 | 39.02 | 3 | + 3.671 | — 47. 57. 39.57 | 39.02 | 3 | —18.348 | ... | 5661 | ... |
| 6351 | 6370 | Piazzi XIII. 174 | 7 | 13. 35. 19.61 | 32.31 | 6 | + 3.116 | — 4. 39. 53.88 | 32.37 | 5 | —18.347 | .. | ... | 174 |
| 6352 | 6371 | Piazzi XIII. 175 | 7.8 | 13. 35. 30.15 | 35.13 | 3 | + 3.173 | — 10. 36. 18.38 | 34.59 | 4 | —18.341 | ... | ... | 175 |
| 6353 | 6372 | 83 Virginis | 6 | 13. 35. 36.48 | 32.42 | 5 | + 3.221 | — 15. 20. 47.00 | 33.33 | 5 | —18.338 | 1801 | ... | 176 |
| 6354 | 6373 | Lacaille 5662 | 7 | 13. 35. 37.66 | 38.38 | 2 | + 3.814 | — 53. 51. 4.81 | 38.38 | 2 | —18.338 | ... | 5662 | ... |
| 6355 | 6374 | Lacaille 5660 | 7 | 13. 35. 45.70 | 39.39 | 2 | + 4.082 | — 61. 45. 33.94 | 39.40 | 2 | —18.332 | ... | 5660 | ... |
| 6356 | 6375 | Piazzi XIII. 177 | 7 | 13. 35. 54.96 | 35.31 | 3 | + 3.201 | — 13. 23. 3.87 | 34.68 | 4 | —18.328 | ... | ... | 177 |
| 6357 | 6376 | Lacaille 5664 | 6.7 | 13. 36. 15.35 | 38.33 | 2 | + 3.736 | — 50. 36. 4.40 | 38.33 | 2 | —18.315 | ... | 5664 | ... |
| 6358 | 6377 | Piazzi XIII. 179 | 7 | 13. 36. 18.50 | 32.89 | 7 | + 3.137 | — 6. 48. 10.65 | 33.35 | 6 | —18.313 | ... | ... | 179 |
| 6359 | 6378 | 1 Centauri | 5 | 13. 36. 20.29 | 31.33 | 10 | + 3.415 | — 32. 12. 21.03 | 31.39 | 5 | —18.312 | 1803 | 5668 | 178 |
| 6360 | 6379 | Piazzi XIII. 184 | 7.8 | 13. 36. 21.09 | 38.09 | 4 | + 1.866 | + 65. 39. 25.70 | 39.06 | 7 | —18.312 | ... | ... | 184 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 6361 | 6380 | Lacaille 5670 | 6 | h m s 13. 36. 25.50 | 33.34 | 6 | + 3.330 | — 25. 17. 3.26 | 32.79 | 5 | —18.310 | ... | 5670 | 180 |
| 6362 | 6381 | Brisbane 4621 | 8 | 13. 36. 31.80 | 38.40 | 2 | + 3.783 | — 52. 27. 14.51 | 38.40 | 2 | —18.305 | ... | ... | ... |
| 6363 | 6382 | Piazzi XIII. 182 | 9 | 13. 36. 39.02 | 36.61 | 4 | + 3.096 | — 2. 28. 59.63 | 36.55 | 4 | —18.300 | ... | ... | 182 |
| 6364 | 6383 | 85 Virginis | 6 | 13. 36. 42.80 | 33.36 | 5 | + 3.218 | — 14. 56. 10.91 | 32.40 | 5 | —18.299 | 1804 | ... | 181 |
| 6365 | 6384 | Lacaille 5667 | 7.8 | 13. 36. 43.43 | 38.75 | 3 | + 3.759 | — 51. 26. 23.10 | 38.41 | 2 | —18.298 | ... | 5667 | ... |
| 6366 | 6385 | Piazzi XIII. 183 | 7 | 13. 36. 50.60 | 36.56 | 4 | + 3.184 | — 11. 33. 15.58 | 36.57 | 4 | —18.293 | ... | ... | 183 |
| 6367 | 6386 | Piazzi XIII. 185 | 7 | 13. 37. 7.96 | 36.69 | 4 | + 3.173 | — 10. 23. 38.81 | 34.62 | 4 | —18.283 | ... | ... | 185 |
| 6368 | 6387 | 86 Virginis | 6 | 13. 37. 9.51 | 33.08 | 7 | + 3.185 | — 11. 35. 48.99 | 32.30 | 6 | —18.282 | 1805 | ... | 186 |
| 6369 | 6388 | Piazzi XIII. 188 | 6.7 | 13. 37. 9.89 | 35.29 | 3 | + 2.976 | + 9. 53. 31.28 | 34.64 | 4 | —18.282 | ... | ... | 188 |
| 6370 | 6389 | Lacaille 5676 | 6.7 | 13. 37. 20.68 | 35.15 | 3 | + 3.462 | — 35. 25. 21.11 | 34.79 | 3 | —18.276 | ... | 5676 | 187 |
| 6371 | 6390 | Lacaille 5675 | 8 | 13. 37. 21.40 | 38.65 | 3 | + 3.712 | — 49. 17. 47.51 | 38.66 | 3 | —18.276 | ... | 5675 | ... |
| 6372 | 6391 | Piazzi XIII. 189 | 6.7 | 13. 37. 30.22 | 35.36 | 3 | + 2.342 | + 52. 53. 45.92 | 35.32 | 4 | —18.270 | ... | ... | 189 |
| 6373 | 6392 | Brisbane 4629 | 9 | 13. 37. 49.74 | 38.64 | 3 | + 4.082 | — 61. 16. 33.89 | 38.64 | 3 | —18.257 | ... | ... | ... |
| 6374 | 6393 | Brisbane 4630 | 9.10 | 13. 37. 49.79 | 38.38 | 4 | + 4.082 | — 61. 16. 30.60 | 38.38 | 4 | —18.257 | ... | ... | ... |
| 6375 | 6394 | Piazzi XIII. 190 | 7 | 13. 38. 14.23 | 33.42 | 3 | + 3.257 | — 18. 25. 38.52 | 32.37 | 5 | —18.243 | ... | ... | 190 |
| 6376 | 6395 | 87 Virginis | 6 | 13. 38. 27.74 | 33.49 | 3 | + 3.243 | — 17. 1. 51.33 | 33.44 | 5 | —18.236 | 1806 | ... | 191 |
| 6377 | 6396 | Brisbane 4633 | 8.9 | 13. 38. 30.17 | 39.49 | 10 | + 4.096 | — 61. 26. 58.50 | 39.39 | 11 | —18.234 | ... | ... | ... |
| 6378 | 6397 | Brisbane 4634 | 7.8 | 13. 38. 32.40 | 38.69 | 3 | + 3.652 | — 46. 8. 48.93 | 38.68 | 3 | —18.233 | ... | ... | ... |
| 6379 | 6398 | Brisbane 4636 | 7.8 | 13. 38. 45.32 | 38.69 | 3 | + 3.649 | — 45. 56. 11.17 | 38.68 | 3 | —18.225 | ... | ... | ... |
| 6380 | 6399 | Piazzi XIII. 194 | 6.7 | 13. 38. 46.95 | 36.49 | 4 | + 3.002 | + 7. 10. 57.74 | 36.89 | 6 | —18.223 | ... | ... | 194 |
| 6381 | 6400 | Piazzi XIII. 195 | 7 | 13. 38. 48.17 | 35.21 | 3 | + 2.727 | + 31. 43. 47.69 | 34.71 | 4 | —18.223 | ... | ... | 195 |
| 6382 | 6401 | Piazzi XIII. 192 | 7 | 13. 38. 48.66 | 36.51 | 4 | + 3.130 | — 5. 52. 38.36 | 36.51 | 4 | —18.222 | ... | ... | 192 |
| 6383 | 6402 | Piazzi XIII. 193 | 8 | 13. 38. 49.04 | 36.31 | 3 | + 3.088 | — 1. 36. 55.76 | 36.56 | 4 | —18.222 | ... | ... | 193 |
| 6384 | 6403 | Lacaille 5680 | 7.8 | 13. 39. 2.60 | 38.67 | 3 | + 3.483 | — 36. 18. 4.49 | 38.67 | 3 | —18.214 | ... | 5680 | ... |
| 6385 | 6404 | 3 Boötis | 6 | 13. 39. 3.49 | 38.52 | 5 | + 2.792 | + 26. 31. 57.33 | 35.50 | 8 | —18.214 | 1808 | ... | 196 |
| 6386 | 6405 | Piazzi XIII. 200 | 6.7 | 13. 39. 6.41 | 35.24 | 2 | + 2.217 | + 56. 43. 28.65 | 34.64 | 4 | —18.212 | ... | ... | 200 |
| 6387 | 6406 | 4 Boötis | 5 | 13. 39. 25.30 | 31.82 | 5 | + 2.886 | + 18. 16. 55.26 | 31.93 | 10 | —18.201 | 1810 | ... | 199 |
| 6388 | 6407 | Lacaille 5682 | 7 | 13. 39. 26.70 | 38.71 | 3 | + 3.464 | — 34. 52. 16.54 | 38.71 | 3 | —18.200 | ... | 5682 | ... |
| 6389 | 6408 | Lacaille 5681 | 7.8 | 13. 39. 29.34 | 38.38 | 2 | + 3.539 | — 39. 41. 30.75 | 38.38 | 2 | —18.198 | ... | 5681 | ... |
| 6390 | 6409 | Brisbane 4643 | 7.8 | 13. 39. 33.72 | 38.38 | 2 | + 3.539 | — 39. 41. 27.59 | 38.38 | 2 | —18.195 | ... | ... | ... |
| 6391 | 6410 | Centauri | 4 | 13. 39. 38.47 | 37.13 | 8 | + 3.559 | — 40. 51. 42.43 | 40.97 | 3 | —18.191 | ... | 5683 | 197 |
| 6392 | 6411 | 88 Virginis | 7 | 13. 39. 40.73 | 32.25 | 7 | + 3.131 | — 6. 0. 38.33 | 33.37 | 5 | —18.190 | 1809 | ... | 201 |
| 6393 | 6412 | Centauri | 4 | 13. 39. 42.71 | 31.43 | 6 | + 3.573 | — 41. 38. 55.09 | 31.39 | 4 | —18.190 | ... | 5684 | 198 |
| 6394 | 6413 | Lacaille 5686 | 7 | 13. 39. 44.05 | 40.85 | 5 | + 3.366 | — 27. 32. 23.51 | 41.10 | 6 | —18.189 | ... | 5686 | ... |
| 6395 | 6414 | Brisbane 4646 | 8 | 13. 39. 46.57 | 38.63 | 3 | + 3.932 | — 56. 45. 27.53 | 38.63 | 3 | —18.188 | ... | ... | ... |
| 6396 | 6415 | 2 Centauri | 5 | 13. 39. 54.74 | 31.90 | 6 | + 3.447 | — 33. 37. 26.05 | 31.89 | 6 | —18.183 | 1807 | 5688 | 202 |
| 6397 | 6416 | Piazzi XIII. 203 | 6.7 | 13. 40. 8.08 | 35.32 | 3 | + 3.092 | — 2. 0. 54.73 | 35.35 | 3 | —18.174 | ... | ... | 203 |
| 6398 | 6417 | Brisbane 4648 | 8 | 13. 40. 9.94 | 39.07 | 4 | + 3.932 | — 56. 39. 2.68 | 39.07 | 4 | —18.173 | ... | ... | ... |
| 6399 | 6418 | 84 Ursæ Majoris | 6 | 13. 40. 25.58 | 35.30 | 3 | + 2.254 | + 55. 15. 34.42 | 34.60 | 4 | —18.164 | 1812 | ... | 205 |
| 6400 | 6419 | 89 Virginis | 5.6 | 13. 40. 55.25 | 32.40 | 5 | + 3.249 | — 17. 18. 33.80 | 32.36 | 5 | —18.146 | 1811 | ... | 204 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835°.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835°.0. | Mean Dec., 1835°.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835°.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|------------------------|----------------------|-------------------|-----------------------------------|------------------------|----------------------|-------------------|-----------------------------------|----------|-----------|---------|
| 6401 | 6420 | 85 Ursæ Majoris | 2.3 | 13. 41. 1'83 | 33.12 | 24 | + 2'389 | + 50. 8. 20.10 | 32.85 | 35 | -18.140 | 1815 | ... | 209 |
| 6402 | 6421 | Piazzi XIII. 206 | 7 | 13. 41. 11'28 | 33.60 | 7 | + 3'281 | - 20. 2. 47.19 | 33.34 | 5 | -18.135 | ... | ... | 206 |
| 6403 | 6422 | Piazzi XIII. 208 | 6.7 | 13. 41. 14'16 | 35.16 | 3 | + 3'000 | + 7. 10. 8.47 | 34.61 | 4 | -18.133 | ... | ... | 208 |
| 6404 | 6423 | Brisbane 4655 | 7.8 | 13. 41. 28'23 | 40.74 | 6 | + 3'805 | - 51. 59. 17.04 | 40.69 | 4 | -18.125 | ... | ... | ... |
| 6405 | 6424 | Lacaille 5700 | 6.7 | 13. 41. 30'34 | 40.04 | 4 | + 3'805 | - 51. 59. 21.61 | 39.52 | 6 | -18.123 | ... | 5700 | ... |
| 6406 | 6425 | 5 Boötis | 4 | 13. 41. 31'21 | 32.07 | 7 | + 2'901 | + 16. 37. 9.42 | 31.41 | 5 | -18.122 | 1813 | ... | 210 |
| 6407 | 6426 | Piazzi XIII. 211 | 7 | 13. 41. 34'04 | 35.15 | 3 | + 2'931 | + 13. 50. 4.74 | 34.51 | 3 | -18.120 | ... | ... | 211 |
| 6408 | 6427 | Lacaille 5702 | 6.7 | 13. 41. 36'23 | 35.93 | 5 | + 3'668 | - 46. 4. 35.22 | 35.22 | 5 | -18.118 | ... | 5702 | 207 |
| 6409 | 6428 | Lacaille 5704 | 7 | 13. 41. 48'62 | 39.46 | 1 | + 3'689 | - 47. 2. 38.85 | 39.46 | 1 | -18.111 | ... | 5704 | ... |
| 6410 | 6429 | Piazzi XIII. 214 | 7 | 13. 41. 49'70 | 35.15 | 3 | + 2'929 | + 14. 0. 50.06 | 35.31 | 3 | -18.109 | ... | ... | 214 |
| 6411 | 6430 | Piazzi XIII. 213 | 7 | 13. 41. 53'27 | 35.18 | 3 | + 3'140 | - 6. 46. 26.91 | 34.64 | 4 | -18.108 | ... | ... | 213 |
| 6412 | 6431 | Piazzi XIII. 212 | 7.8 | 13. 41. 53'80 | 36.48 | 4 | + 3'283 | - 20. 9. 44.91 | 36.58 | 4 | -18.108 | ... | ... | 212 |
| 6413 | 6432 | 6 Boötis | 6 | 13. 41. 54'59 | 33.33 | 6 | + 2'839 | + 22. 5. 16.61 | 32.40 | 5 | -18.108 | 1816 | ... | 215 |
| 6414 | 6433 | Lacaille 5706 | 6 | 13. 41. 59'29 | 39.48 | 1 | + 3'484 | - 35. 36. 25.92 | 39.48 | 1 | -18.104 | ... | 5706 | ... |
| 6415 | 6434 | Piazzi XIII. 218 | 7 | 13. 42. 11'11 | 35.18 | 3 | + 3'142 | - 6. 57. 41.97 | 34.38 | 3 | -18.097 | ... | ... | 218 |
| 6416 | 6435 | Lacaille 5709 | 6.7 | 13. 42. 16'31 | 39.48 | 1 | + 3'412 | - 30. 29. 45.16 | 39.48 | 1 | -18.094 | ... | 5709 | ... |
| 6417 | 6436 | Brisbane 4660 | 7.8 | 13. 42. 18'47 | 38.31 | 1 | + 3'763 | - 50. 6. 2.70 | 38.31 | 1 | -18.093 | ... | ... | ... |
| 6418 | 6437 | 3 Centauri | 4.5 | 13. 42. 19'74 | 32.70 | 10 | + 3'435 | - 32. 10. 21.24 | 31.66 | 5 | -18.092 | 1814 | 5708 | 216 |
| 6419 | 6438 | Piazzi XIII. 217 | 7 | 13. 42. 20'38 | 36.51 | 4 | + 3'435 | - 32. 10. 21.61 | 36.68 | 5 | -18.091 | ... | ... | 217 |
| 6420 | 6439 | Piazzi XIII. 219 | 7.8 | 13. 42. 33'36 | 36.54 | 4 | + 2'837 | + 22. 4. 34.49 | 36.67 | 3 | -18.083 | ... | ... | 219 |
| 6421 | 6440 | Lacaille 5712 | 7.8 | 13. 42. 34'54 | 39.49 | 1 | + 3'417 | - 30. 47. 48.72 | 39.49 | 1 | -18.083 | ... | 5712 | ... |
| 6422 | 6441 | Piazzi XIII. 220 | 7.8 | 13. 42. 36'20 | 36.53 | 4 | + 2'837 | + 22. 5. 50.61 | 36.74 | 5 | -18.082 | ... | ... | 220 |
| 6423 | 6442 | Lacaille 5711 | 6.7 | 13. 43. 3'83 | 39.29 | 1 | + 3'831 | - 52. 33. 16.48 | 39.29 | 1 | -18.064 | ... | 5711 | ... |
| 6424 | 6443 | Lacaille 5714 | 7 | 13. 43. 38'46 | 38.36 | 2 | + 3'864 | - 53. 35. 45.44 | 38.35 | 2 | -18.042 | ... | 5714 | ... |
| 6425 | 6444 | Lacaille 5719 | 7.8 | 13. 43. 43'55 | 38.69 | 3 | + 3'684 | - 46. 18. 40.04 | 38.69 | 3 | -18.038 | ... | 5719 | ... |
| 6426 | 6445 | 4 Centauri | 5 | 13. 43. 44'30 | 31.55 | 6 | + 3'425 | - 31. 6. 34.36 | 32.36 | 5 | -18.038 | 1817 | 5725 | 221 |
| 6427 | 6446 | Piazzi XIII. 223 | 7 | 13. 43. 47'60 | 36.52 | 4 | + 2'940 | + 12. 45. 18.32 | 36.51 | 4 | -18.036 | ... | ... | 223 |
| 6428 | 6447 | Lacaille 5726 | 6 | 13. 43. 55'63 | 36.41 | 5 | + 3'480 | - 34. 50. 46.23 | 34.71 | 4 | -18.030 | ... | 5726 | 222 |
| 6429 | 6448 | Piazzi XIII. 224 | 8 | 13. 43. 55'94 | 36.51 | 4 | + 2'917 | + 14. 50. 48.66 | 36.56 | 4 | -18.030 | ... | ... | 224 |
| 6430 | 6449 | Piazzi XIII. 226 | 7.8 | 13. 43. 58'42 | 35.32 | 3 | + 2'213 | + 55. 41. 25.82 | 35.31 | 3 | -18.029 | ... | ... | 226 |
| 6431 | 6450 | Piazzi XIII. 225 | 6.7 | 13. 44. 13'75 | 35.31 | 3 | + 2'937 | + 12. 59. 0.55 | 34.67 | 4 | -18.018 | ... | ... | 225 |
| 6432 | 6451 | Lacaille 5728 | 7.8 | 13. 44. 25'29 | 38.65 | 3 | + 3'710 | - 47. 19. 4.40 | 38.65 | 3 | -18.012 | ... | 5728 | ... |
| 6433 | 6452 | Piazzi XIII. 228 | 7 | 13. 44. 36'82 | 35.35 | 3 | + 2'886 | + 17. 33. 1.47 | 35.36 | 3 | -18.004 | ... | ... | 228 |
| 6434 | 6453 | Lacaille 5727 | 7.8 | 13. 44. 36'96 | 38.70 | 3 | + 3'809 | - 51. 20. 42.70 | 38.70 | 3 | -18.004 | ... | 5727 | ... |
| 6435 | 6454 | Piazzi XIII. 227 | 7.8 | 13. 44. 39'77 | 35.23 | 2 | + 3'094 | - 2. 43. 23.51 | 34.75 | 3 | -18.002 | ... | ... | 227 |
| 6436 | 6455 | Piazzi XIII. 233 | 6.7 | 13. 44. 46'88 | 35.40 | 3 | + 2'075 | + 59. 21. 30.01 | 35.37 | 3 | -17.997 | ... | ... | 233 |
| 6437 | 6456 | Lacaille 5739 | 7 | 13. 44. 55'02 | 35.37 | 3 | + 3'385 | - 27. 55. 33.86 | 34.61 | 4 | -17.993 | ... | 5739 | 229 |
| 6438 | 6457 | Lacaille 5742 | 6 | 13. 44. 57'64 | 32.39 | 6 | + 3'383 | - 27. 45. 2.42 | 33.35 | 3 | -17.990 | ... | 5742 | 230 |
| 6439 | 6458 | Lacaille 5732 | 7.8 | 13. 44. 59'18 | 38.69 | 3 | + 3'691 | - 46. 16. 36.51 | 38.69 | 3 | -17.989 | ... | 5732 | ... |
| 6440 | 6459 | Lacaille 5743 | 7 | 13. 45. 4'05 | 38.71 | 3 | + 3'468 | - 33. 46. 45.42 | 38.71 | 3 | -17.987 | ... | 5743 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 6441 | 6460 | Piazzi XIII. 232..... | 7.8 | h m s 13. 45. 12.20 | 36.38 | 2 | + 2.929 | + 13. 33. 33.98 | 36.74 | 3 | -17.981 | ... | ... | 232 |
| 6442 | 6461 | Centauri..... | 3 | 13. 45. 17.43 | 31.39 | 7 | + 3.696 | - 46. 28. 23.34 | 32.33 | 4 | -17.977 | ... | 5737 | 231 |
| 6443 | 6463 | 7 Bootis..... | 6 | 13. 45. 20.03 | 33.35 | 6 | + 2.870 | + 18. 44. 56.31 | 33.36 | 5 | -17.976 | 1818 | ... | 234 |
| 6444 | 6462 | Brisbane 4684..... | 8 | 13. 45. 23.40 | 38.72 | 3 | + 3.776 | - 49. 50. 48.45 | 38.40 | 2 | -17.973 | ... | ... | ... |
| 6445 | 6464 | Lacaille 5741..... | 7 | 13. 45. 33.61 | 38.36 | 2 | + 3.870 | - 53. 19. 5.99 | 38.35 | 2 | -17.967 | ... | 5741 | ... |
| 6446 | 6465 | Piazzi XIII. 235..... | 6.7 | 13. 45. 41.09 | 35.32 | 3 | + 2.736 | + 29. 27. 45.99 | 34.60 | 4 | -17.963 | ... | ... | 235 |
| 6447 | 6466 | Lacaille 5747..... | 8 | 13. 45. 43.36 | 38.40 | 1 | + 3.735 | - 48. 4. 39.42 | 38.40 | 1 | -17.962 | ... | 5747 | ... |
| 6448 | 6467 | Lacaille 5744..... | 7 | 13. 45. 43.66 | 38.48 | 2 | + 3.888 | - 53. 52. 54.51 | 38.48 | 2 | -17.962 | ... | 5744 | ... |
| 6449 | 6468 | Lacaille 5748..... | 6.7 | 13. 45. 46.33 | 38.49 | 1 | + 3.593 | - 41. 10. 52.26 | 38.49 | 1 | -17.960 | ... | 5748 | ... |
| 6450 | 6469 | Lacaille 5746..... | 8 | 13. 45. 50.53 | 38.70 | 3 | + 3.814 | - 51. 13. 28.74 | 38.38 | 2 | -17.956 | ... | 5746 | ... |
| 6451 | 6470 | Lacaille 5749..... | 7.8 | 13. 45. 51.65 | 39.39 | 2 | + 3.616 | - 42. 23. 6.02 | 39.40 | 2 | -17.956 | ... | 5749 | ... |
| 6452 | 6471 | Piazzi XIII. 236..... | 8.9 | 13. 46. 10.12 | 36.70 | 2 | + 2.984 | + 8. 21. 31.54 | 36.96 | 5 | -17.944 | ... | ... | 236 |
| 6453 | 6472 | 90 Virginis..... | 6 | 13. 46. 14.12 | 32.15 | 8 | + 3.079 | - 0. 41. 15.64 | 32.39 | 5 | -17.940 | 1819 | ... | 237 |
| 6454 | 6473 | Bradley 1820..... | 7 | 13. 46. 19.58 | 32.04 | 6 | + 3.148 | - 7. 14. 37.25 | 32.42 | 5 | -17.936 | 1820 | ... | 238 |
| 6455 | 6474 | 10 Draconis..... | 4.5 | 13. 46. 36.70 | 31.70 | 4 | + 1.754 | + 65. 32. 22.98 | 31.91 | 6 | -17.927 | 1823 | ... | 243 |
| 6456 | 6475 | Piazzi XIII. 239..... | 8 | 13. 46. 37.13 | 36.52 | 5 | + 2.982 | + 8. 29. 21.15 | 36.86 | 4 | -17.927 | ... | ... | 239 |
| 6457 | 6476 | 8 Bootis..... | 3 | 13. 46. 49.65 | 35.88 | 15 | + 2.862 | + 19. 13. 41.17 | 33.33 | 15 | -17.917 | 1821 | ... | 240 |
| 6458 | 6477 | Lacaille 5758..... | 7.8 | 13. 46. 55.59 | 39.78 | 5 | + 3.533 | - 37. 30. 23.16 | 39.78 | 5 | -17.913 | ... | 5758 | ... |
| 6459 | 6478 | Piazzi XIII. 241..... | 8 | 13. 46. 56.47 | 36.30 | 3 | + 3.029 | + 4. 5. 14.85 | 36.90 | 5 | -17.913 | ... | ... | 241 |
| 6460 | 6479 | Piazzi XIII. 242..... | 7 | 13. 46. 59.44 | 35.38 | 3 | + 2.714 | + 30. 43. 45.17 | 34.73 | 4 | -17.911 | ... | ... | 242 |
| 6461 | 6480 | Brisbane 4697..... | 8 | 13. 47. 2.80 | 38.80 | 2 | + 3.535 | - 37. 35. 9.64 | 38.80 | 2 | -17.909 | ... | ... | ... |
| 6462 | 6481 | Lacaille 5763..... | 7.8 | 13. 47. 11.12 | 38.32 | 3 | + 3.377 | - 26. 49. 37.37 | 38.32 | 3 | -17.903 | ... | 5763 | ... |
| 6463 | 6482 | Lacaille 5759..... | 7 | 13. 47. 22.90 | 38.68 | 3 | + 3.748 | - 48. 12. 30.69 | 38.68 | 3 | -17.895 | ... | 5759 | ... |
| 6464 | 6483 | Piazzi XIII. 244..... | 7 | 13. 47. 24.90 | 35.43 | 3 | + 2.385 | + 48. 41. 8.73 | 34.63 | 4 | -17.894 | ... | ... | 244 |
| 6465 | 6484 | Piazzi XIII. 263..... | 7 | 13. 47. 25.45 | 38.81 | 8 | - 2.296 | + 83. 34. 43.40 | 39.80 | 6 | -17.894 | ... | ... | 263 |
| 6466 | 6485 | Lacaille 5764..... | 8 | 13. 47. 33.76 | 38.32 | 3 | + 3.378 | - 26. 50. 54.41 | 38.32 | 3 | -17.890 | ... | 5764 | ... |
| 6467 | 6486 | 86 Ursæ Majoris..... | 7 | 13. 47. 46.23 | 35.47 | 3 | + 2.221 | + 54. 32. 32.32 | 35.36 | 3 | -17.882 | 1824 | ... | 250 |
| 6468 | 6487 | Piazzi XIII. 247..... | 6.7 | 13. 47. 53.04 | 35.38 | 3 | + 2.911 | + 14. 52. 3.59 | 35.33 | 3 | -17.876 | ... | ... | 247 |
| 6469 | 6488 | Piazzi XIII. 245..... | 8 | 13. 47. 54.58 | 36.48 | 4 | + 3.170 | - 9. 13. 16.98 | 36.35 | 3 | -17.875 | ... | ... | 245 |
| 6470 | 6489 | 92 Virginis..... | 7 | 13. 48. 3.71 | 35.16 | 3 | + 3.052 | + 1. 51. 40.54 | 34.65 | 4 | -17.870 | 1822 | ... | 248 |
| 6471 | 6490 | Lacaille 5765..... | 7 | 13. 48. 6.16 | 41.08 | 6 | + 3.738 | - 47. 39. 12.36 | 41.08 | 6 | -17.868 | ... | 5765 | ... |
| 6472 | 6491 | Centauri..... | 5 | 13. 48. 16.46 | 31.59 | 6 | + 3.606 | - 41. 17. 28.56 | 31.78 | 5 | -17.862 | ... | 5768 | 246 |
| 6473 | 6492 | Brisbane 4706..... | 8 | 13. 48. 28.29 | 38.69 | 3 | + 3.470 | - 33. 10. 7.51 | 38.69 | 3 | -17.853 | ... | ... | ... |
| 6474 | 6493 | Centauri..... | 5 | 13. 48. 31.71 | 32.35 | 5 | + 3.661 | - 43. 59. 41.55 | 31.67 | 5 | -17.851 | ... | 5770 | 249 |
| 6475 | 6494 | Piazzi XIII. 251..... | 7 | 13. 48. 40.93 | 35.21 | 3 | + 2.889 | + 16. 41. 54.60 | 34.69 | 4 | -17.844 | ... | ... | 251 |
| 6476 | 6495 | Lacaille 5774..... | 7.8 | 13. 48. 44.74 | 38.81 | 3 | + 3.410 | - 28. 56. 2.65 | 38.81 | 3 | -17.842 | ... | 5774 | ... |
| 6477 | 6496 | Lacaille 5771..... | 6.7 | 13. 48. 44.79 | 38.69 | 3 | + 3.789 | - 49. 33. 41.91 | 38.69 | 3 | -17.842 | ... | 5771 | ... |
| 6478 | 6497 | 9 Bootis..... | 5 | 13. 49. 2.08 | 32.05 | 6 | + 2.742 | + 28. 18. 10.96 | 32.33 | 5 | -17.831 | 1826 | ... | 254 |
| 6479 | 6498 | Piazzi XIII. 252..... | 8 | 13. 49. 3.44 | 36.72 | 2 | + 3.122 | - 4. 40. 23.38 | 36.51 | 4 | -17.830 | ... | ... | 252 |
| 6480 | 6499 | Brisbane 4711..... | 7.8 | 13. 49. 6.17 | 38.40 | 2 | + 3.472 | - 33. 10. 49.68 | 38.69 | 3 | -17.828 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 6481 | 6500 | 47 Hydræ..... | 6 | h m s 13. 49. 16'78 | 33'33 | 6 | + 3'347 | — 24. 9. 48'23 | 32'38 | 5 | —17'820 | 1825 | 5777 | 253 |
| 6482 | 6501 | Piazzi XIII. 255 | 7 | 13. 49. 19'81 | 35'23 | 3 | + 2'827 | + 21. 45. 49'22 | 35'44 | 3 | —17'818 | ... | ... | 255 |
| 6483 | 6502 | Piazzi XIII. 256 | 7 | 13. 49. 36'73 | 36'58 | 3 | + 3'194 | — 11. 14. 41'15 | 36'57 | 4 | —17'808 | ... | ... | 256 |
| 6484 | 6503 | Piazzi XIII. 257 | 7·8 | 13. 49. 41'61 | 35'26 | 2 | + 2'932 | + 12. 46. 14'78 | 34'45 | 3 | —17'804 | ... | ... | 257 |
| 6485 | 6504 | Piazzi XIII. 258 | 7 | 13. 49. 46'62 | 35'31 | 3 | + 3'033 | + 3. 35. 30'04 | 35'32 | 3 | —17'801 | ... | ... | 258 |
| 6486 | 6505 | Piazzi XIII. 259 | 7 | 13. 49. 56'27 | 36'59 | 3 | + 2'883 | + 17. 0. 42'64 | 36'90 | 4 | —17'795 | ... | ... | 259 |
| 6487 | 6506 | Piazzi XIII. 261 | 7 | 13. 50. 1'66 | 37'35 | 5 | + 2'341 | + 49. 49. 18'63 | 37'37 | 5 | —17'792 | ... | ... | 261 |
| 6488 | 6507 | Lacaille 5778 | 7·8 | 13. 50. 3'47 | 38'86 | 2 | + 3'697 | — 45. 19. 20'56 | 38'86 | 2 | —17'790 | ... | 5778 | ... |
| 6489 | 6508 | Piazzi XIII. 260 | 7·8 | 13. 50. 10'79 | 35'32 | 3 | + 2'877 | + 17. 12. 40'68 | 34'50 | 3 | —17'784 | ... | ... | 260 |
| 6490 | 6509 | Piazzi XIII. 264 | 6 | 13. 50. 42'07 | 35'11 | 3 | + 2'900 | + 15. 27. 28'85 | 35'44 | 2 | —17'762 | ... | ... | 264 |
| 6491 | 6510 | 48 Hydre..... | 6 | 13. 50. 46'85 | 33'95 | 9 | + 3'351 | — 24. 12. 3'92 | 33'68 | 9 | —17'759 | 1827 | 5780 | 262 |
| 6492 | 6511 | Piazzi XIII. 265 | 7·8 | 13. 50. 52'82 | 36'81 | 4 | + 2'901 | + 15. 22. 4'04 | 37'31 | 3 | —17'755 | ... | ... | 265 |
| 6493 | 6512 | 10 Boötis | 7 | 13. 50. 54'98 | 35'35 | 3 | + 2'814 | + 22. 30. 16'29 | 34'89 | 4 | —17'754 | 1828 | ... | 266 |
| 6494 | 6513 | Lacaille 5779 | 8 | 13. 51. 0'25 | 38'67 | 3 | + 3'661 | — 43. 23. 32'72 | 38'67 | 3 | —17'751 | ... | 5779 | ... |
| 6495 | 6514 | Piazzi XIII. 268 | 9 | 13. 51. 4'23 | 36'50 | 4 | + 2'889 | + 16. 21. 17'19 | 37'36 | 2 | —17'749 | ... | ... | 268 |
| 6496 | 6515 | Piazzi XIII. 269 | 7 | 13. 51. 16'78 | 32'43 | 6 | + 3'102 | — 2. 44. 32'96 | 33'44 | 5 | —17'739 | ... | ... | 269 |
| 6497 | 6516 | Lacaille 5785 | 7·8 | 13. 51. 17'72 | 38'77 | 3 | + 3'369 | — 25. 27. 19'23 | 38'77 | 3 | —17'739 | ... | 5785 | ... |
| 6498 | 6517 | Brisbane 4727 | 7·8 | 13. 51. 19'75 | 38'72 | 3 | + 3'537 | — 36. 39. 56'18 | 38'72 | 3 | —17'737 | ... | ... | ... |
| 6499 | 6518 | Brisbane 4721 | 8·9 | 13. 51. 23'01 | 39'14 | 4 | + 4'134 | — 59. 32. 35'07 | 39'39 | 5 | —17'736 | ... | ... | ... |
| 6500 | 6519 | Lacaille 5783 | 6·7 | 13. 51. 23'31 | 39'25 | 2 | + 3'585 | — 39. 25. 10'64 | 39'25 | 2 | —17'736 | ... | 5783 | ... |
| 6501 | 6520 | Piazzi XIII. 270 | 7 | 13. 51. 23'50 | 33'03 | 6 | + 3'153 | — 7. 21. 18'86 | 33'01 | 5 | —17'736 | ... | ... | 270 |
| 6502 | 6521 | Centauri | 5 | 13. 51. 28'36 | 31'40 | 6 | + 3'693 | — 44. 48. 0'21 | 31'42 | 5 | —17'732 | ... | 5782 | 267 |
| 6503 | 6522 | Brisbane 4730 | 7·8 | 13. 51. 34'84 | 38'91 | 2 | + 3'536 | — 36. 31. 44'47 | 38'75 | 3 | —17'727 | ... | ... | ... |
| 6504 | 6523 | Piazzi XIII. 272 | 7 | 13. 51. 43'12 | 35'39 | 3 | + 2'187 | + 54. 43. 0'47 | 35'48 | 2 | —17'722 | ... | ... | 272 |
| 6505 | 6524 | Piazzi XIII. 273..... | 7·8 | 13. 51. 52'51 | 35'40 | 3 | + 1'652 | + 66. 10. 13'53 | 34'63 | 4 | —17'714 | ... | ... | 273 |
| 6506 | 6525 | Piazzi XIII. 271 | 9 | 13. 52. 10'27 | 37'30 | 1 | + 3'152 | — 7. 16. 5'92 | 36'81 | 4 | —17'704 | ... | ... | 271 |
| 6507 | 6526 | Brisbane 4734 | 7·8 | 13. 52. 14'98 | 38'69 | 3 | + 3'710 | — 45. 23. 1'95 | 38'69 | 3 | —17'700 | ... | ... | ... |
| 6508 | 6527 | Centauri | 1 | 13. 52. 15'05 | 33'30 | 13 | + 4'143 | — 59. 34. 22'04 | 31'44 | 7 | —17'700 | ... | 5784 | ... |
| 6509 | 6528 | Lacaille 5786 | 7·8 | 13. 52. 20'89 | 38'33 | 3 | + 3'985 | — 55. 24. 45'96 | 38'33 | 3 | —17'696 | ... | 5786 | ... |
| 6510 | 6529 | Lacaille 5787 | 7·8 | 13. 52. 47'08 | 38'70 | 3 | + 3'860 | — 51. 15. 36'67 | 38'70 | 3 | —17'677 | ... | 5787 | ... |
| 6511 | 6530 | Piazzi XIII. 277 | 7 | 13. 52. 52'05 | 35'46 | 3 | + 2'204 | + 53. 54. 37'73 | 34'68 | 4 | —17'675 | ... | ... | 277 |
| 6512 | 6531 | Lacaille 5788 | 5·6 | 13. 53. 1'05 | 32'38 | 6 | + 3'389 | — 26. 37. 46'88 | 32'36 | 6 | —17'669 | ... | 5788 | 274 |
| 6513 | 6532 | 93 Virginis | 4·5 | 13. 53. 15'33 | 33'46 | 10 | + 3'046 | + 2. 20. 47'84 | 33'43 | 17 | —17'659 | 1829 | ... | 275 |
| 6514 | 6533 | Lacaille 5790 | 7·8 | 13. 53. 17'91 | 38'73 | 3 | + 3'382 | — 26. 2. 52'37 | 38'73 | 3 | —17'657 | ... | 5790 | ... |
| 6515 | 6534 | Piazzi XIII. 279 | 7 | 13. 53. 19'81 | 35'16 | 3 | + 2'907 | + 14. 31. 57'24 | 35'31 | 3 | —17'655 | ... | ... | 279 |
| 6516 | 6535 | Lacaille 5789 | 6·7 | 13. 53. 26'37 | 38'76 | 3 | + 3'617 | — 40. 37. 25'53 | 38'76 | 3 | —17'651 | ... | 5789 | ... |
| 6517 | 6536 | Piazzi XIII. 276 | 7 | 13. 53. 27'68 | 35'23 | 3 | + 3'291 | — 19. 0. 35'34 | 35'34 | 3 | —17'650 | ... | ... | 276 |
| 6518 | 6537 | Lacaille 5791 | 6 | 13. 53. 28'69 | 39'28 | 2 | + 3'452 | — 30. 53. 16'10 | 39'29 | 2 | —17'649 | ... | 5791 | ... |
| 6519 | 6538 | Piazzi XIII. 278 | 8 | 13. 53. 31'49 | 38'62 | 5 | + 3'198 | — 11. 14. 11'07 | 39'11 | 7 | —17'647 | ... | ... | 278 |
| 6520 | 6539 | 11 Boötis | 6 | 13. 53. 41'45 | 33'04 | 6 | + 2'731 | + 28. 11. 11'07 | 32'40 | 5 | —17'640 | 1830 | ... | 282 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 6521 | 6540 | Piazzi XIII. 280 | 7.8 | 13. 53. 45.21 | 35.37 | 3 | + 2.871 | + 17. 33. 26.55 | 34.74 | 4 | -17.638 | ... | ... | 280 |
| 6522 | 6541 | Piazzi XIII. 281 | 7 | 13. 53. 45.87 | 35.40 | 3 | + 2.859 | + 18. 28. 21.52 | 35.42 | 3 | -17.638 | ... | ... | 281 |
| 6523 | 6542 | Piazzi XIII. 283 | 7.8 | 13. 54. 30.70 | 35.32 | 3 | + 3.023 | + 4. 20. 55.24 | 34.71 | 3 | -17.607 | ... | ... | 283 |
| 6524 | 6543 | Piazzi XIII. 285 | 8 | 13. 54. 33.38 | 36.30 | 3 | + 1.717 | + 65. 11. 8.00 | 37.34 | 3 | -17.605 | ... | ... | 285 |
| 6525 | 6544 6545 | Lacaille 5797 | 6.7 | 13. 54. 47.12 | 39.74 | 7 | + 3.952 | - 53. 52. 23.86 | 39.74 | 7 | -17.595 | ... | 5797 | ... |
| 6526 | 6546 | Lacaille 5796 | 7 | 13. 54. 51.29 | 38.41 | 2 | + 4.138 | - 58. 55. 21.55 | 38.41 | 2 | -17.592 | ... | 5796 | ... |
| 6527 | 6547 | Piazzi XIII. 284 | 7.8 | 13. 55. 0.62 | 35.21 | 3 | + 2.890 | + 15. 46. 24.97 | 35.45 | 3 | -17.586 | ... | ... | 284 |
| 6528 | 6548 | Brisbane 4752 | 8.9 | 13. 55. 4.52 | 38.37 | 1 | + 4.142 | - 58. 57. 39.17 | 38.37 | 1 | -17.584 | ... | ... | ... |
| 6529 | 6549 | Piazzi XIII. 286 | 6.7 | 13. 55. 31.87 | 31.35 | 5 | + 3.235 | - 14. 10. 30.92 | 32.60 | 5 | -17.563 | ... | ... | 286 |
| 6530 | 6550 | Piazzi XIII. 287 | 7 | 13. 55. 37.84 | 32.15 | 8 | + 3.168 | - 8. 27. 41.30 | 33.34 | 5 | -17.559 | ... | ... | 287 |
| 6531 | 6551 | Piazzi XIII. 289 | 6.7 | 13. 55. 38.56 | 35.38 | 3 | + 2.390 | + 46. 33. 16.62 | 34.64 | 4 | -17.559 | ... | ... | 289 |
| 6532 | 6552 | Brisbane 4754 | 9 | 13. 55. 45.40 | 38.86 | 2 | + 4.178 | - 59. 40. 41.68 | 38.86 | 2 | -17.554 | ... | ... | ... |
| 6533 | 6553 | Lacaille 5808 | 7.8 | 13. 55. 54.02 | 39.38 | 1 | + 3.695 | - 43. 53. 41.05 | 39.38 | 1 | -17.548 | ... | 5808 | ... |
| 6534 | 6554 | Centauri | 5 | 13. 56. 0.45 | 32.21 | 10 | + 3.623 | - 40. 23. 7.17 | 31.29 | 4 | -17.544 | ... | 5810 | 288 |
| 6535 | 6555 | Piazzi XIII. 290 | 7 | 13. 56. 18.46 | 35.15 | 2 | + 3.235 | - 14. 3. 39.84 | 35.37 | 3 | -17.532 | ... | ... | 290 |
| 6536 | 6556 | Piazzi XIII. 291 | 9 | 13. 56. 28.16 | 36.50 | 4 | + 3.166 | - 8. 15. 14.06 | 36.55 | 4 | -17.525 | ... | ... | 291 |
| 6537 | 6557 | Piazzi XIII. 292 | 7 | 13. 56. 29.12 | 35.16 | 3 | + 2.983 | + 7. 47. 36.04 | 34.39 | 1 | -17.524 | ... | ... | 292 |
| 6538 | 6558 | Lacaille 5813 | 7.8 | 13. 56. 31.01 | 38.35 | 3 | + 3.765 | - 46. 47. 48.31 | 38.36 | 1 | -17.522 | ... | 5813 | ... |
| 6539 | 6559 | Lacaille 5819 | 7.8 | 13. 56. 46.89 | 38.72 | 5 | + 3.514 | - 34. 6. 23.80 | 38.72 | 5 | -17.510 | ... | 5819 | ... |
| 6540 | 6560 | Piazzi XIII. 296 | 7 | 13. 56. 51.22 | 35.31 | 3 | + 2.244 | + 51. 46. 2.86 | 35.35 | 3 | -17.507 | ... | ... | 296 |
| 6541 | 6561 | Piazzi XIII. 294 | 8 | 13. 56. 56.98 | 36.51 | 4 | + 3.387 | - 25. 47. 6.88 | 36.62 | 4 | -17.503 | ... | ... | 294 |
| 6542 | 6562 | 49 Hydra | 4.5 | 13. 56. 59.68 | 32.30 | 10 | + 3.387 | - 25. 52. 59.76 | 31.46 | 5 | -17.501 | 1832 | 5821 | 295 |
| 6543 | 6563 | 5 Centauri | 2 | 13. 57. 0.07 | 32.25 | 11 | + 3.539 | - 35. 33. 13.63 | 31.42 | 5 | -17.501 | 1831 | 5820 | 293 |
| 6544 | 6564 | Lacaille 5817 | 7.8 | 13. 57. 3.71 | 38.32 | 3 | + 3.826 | - 49. 4. 54.47 | 38.32 | 3 | -17.498 | ... | 5817 | ... |
| 6545 | 6565 | Lacaille 5818 | 7 | 13. 57. 8.84 | 38.71 | 3 | + 3.796 | - 47. 54. 44.11 | 38.71 | 3 | -17.494 | ... | 5818 | ... |
| 6546 | 6566 | Lacaille 5815 | 7.8 | 13. 57. 22.51 | 38.41 | 2 | + 4.141 | - 58. 29. 14.20 | 38.41 | 2 | -17.485 | ... | 5815 | ... |
| 6547 | 6567 | Lacaille 5822 | 7.8 | 13. 57. 22.84 | 38.75 | 3 | + 3.526 | - 34. 42. 3.65 | 38.75 | 3 | -17.485 | ... | 5822 | ... |
| 6548 | 6568 | 94 Virginis | 6 | 13. 57. 34.14 | 32.79 | 5 | + 3.165 | - 8. 6. 1.68 | 33.38 | 5 | -17.477 | 1833 | ... | 297 |
| 6549 | 6570 | Brisbane 4774 | 9 | 13. 57. 59.97 | 38.87 | 2 | + 4.203 | - 59. 47. 36.09 | 38.87 | 2 | -17.458 | ... | ... | ... |
| 6550 | 6569 | 95 Virginis | 6 | 13. 57. 59.99 | 32.36 | 6 | + 3.171 | - 8. 31. 22.24 | 32.38 | 5 | -17.458 | 1834 | ... | 299 |
| 6551 | 6571 | Lacaille 5824 | 7 | 13. 58. 3.31 | 39.22 | 6 | + 3.519 | - 34. 9. 37.14 | 39.22 | 5 | -17.454 | ... | 5824 | ... |
| 6552 | 6572 | Piazzi XIII. 301 | 7 | 13. 58. 8.46 | 35.11 | 3 | + 2.936 | + 11. 37. 1.25 | 35.33 | 3 | -17.451 | ... | ... | 301 |
| 6553 | 6573 | Piazzi XIII. 302 | 7.8 | 13. 58. 12.09 | 35.16 | 3 | + 2.982 | + 7. 47. 47.51 | 34.67 | 4 | -17.449 | ... | ... | 302 |
| 6554 | 6574 | Piazzi XIII. 306 | 7 | 13. 58. 13.01 | 35.37 | 3 | + 1.311 | + 69. 28. 27.24 | 34.67 | 4 | -17.449 | ... | ... | 306 |
| 6555 | 6575 | Piazzi XIII. 300 | 7 | 13. 58. 15.58 | 37.41 | 9 | + 3.254 | - 15. 23. 59.67 | 36.94 | 11 | -17.447 | ... | ... | 300 |
| 6556 | 6576 | Piazzi XIII. 303 | 7.8 | 13. 58. 37.94 | 35.35 | 3 | + 2.860 | + 17. 45. 37.00 | 34.71 | 4 | -17.431 | ... | ... | 303 |
| 6557 | 6577 | Lacaille 5826 | 7.8 | 13. 58. 39.49 | 39.03 | 3 | + 3.682 | - 42. 40. 55.30 | 39.03 | 3 | -17.430 | ... | 5826 | ... |
| 6558 | 6578 | Lacaille 5825 | 7 | 13. 58. 47.85 | 38.74 | 3 | + 3.882 | - 50. 43. 0.83 | 38.74 | 3 | -17.424 | ... | 5825 | ... |
| 6559 | 6579 | Piazzi XIII. 304 | 10 | 13. 58. 53.90 | 36.63 | 3 | + 3.299 | - 18. 55. 58.29 | 36.88 | 4 | -17.420 | ... | ... | 304 |
| 6560 | 6580 | Lacaille 5827 | 6.7 | 13. 58. 59.46 | 39.29 | 2 | + 3.942 | - 52. 38. 54.92 | 39.29 | 2 | -17.415 | ... | 5827 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi |
|------|--------------|-----------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|--------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 6561 | 6581 | Piazzi XIII. 305..... | 9 | 13. 59. 9.89 | 37.01 | 3 | + 3.394 | - 25. 51. 49.29 | 36.87 | 3 | -17.408 | ... | ... | 305 |
| 6562 | 6582 | Piazzi XIII. 309..... | 7 | 13. 59. 32.05 | 35.32 | 3 | + 2.699 | + 29. 13. 37.97 | 34.65 | 4 | -17.392 | ... | ... | 309 |
| 6563 | 6583 | Piazzi XIII. 307..... | 8 | 13. 59. 32.98 | 39.43 | 6 | + 3.211 | - 11. 46. 40.33 | 39.62 | 6 | -17.391 | ... | ... | 307 |
| 6564 | 6584 | Piazzi XIII. 308..... | 7 | 13. 59. 39.09 | 35.28 | 5 | + 3.202 | - 11. 2. 28.47 | 34.73 | 4 | -17.387 | ... | ... | 308 |
| 6565 | 6585 | Brisbane 4782 | 8 | 13. 59. 40.76 | 38.68 | 3 | + 3.523 | - 34. 5. 41.08 | 38.68 | 3 | -17.384 | ... | ... | ... |
| 6566 | 6586 | Lacaille 5832 | 7.8 | 13. 59. 47.88 | 39.31 | 1 | + 3.743 | - 45. 7. 40.10 | 39.32 | 2 | -17.380 | ... | 5832 | ... |
| 6567 | 6587 | Piazzi XIII. 310..... | 7.8 | 13. 59. 54.74 | 37.85 | 6 | + 3.295 | - 18. 27. 23.17 | 38.85 | 6 | -17.377 | ... | ... | 310 |
| 6568 | 6588 | 11 Draconis | 3.4 | 13. 59. 55.54 | 32.27 | 6 | + 1.628 | + 65. 9. 56.83 | 31.74 | 6 | -17.376 | 1836 | ... | 312 |
| 6569 | 6589 | Brisbane 4785 | 7.8 | 14. 0. 7.04 | 38.93 | 2 | + 4.050 | - 55. 35. 50.76 | 38.93 | 2 | -17.366 | ... | ... | ... |
| 6570 | 6590 | 96 Virginis | 6.7 | 14. 0. 13.75 | 33.14 | 9 | + 3.185 | - 9. 32. 57.70 | 32.41 | 5 | -17.362 | 1835 | ... | 311 |
| 6571 | 6591 | Lacaille 5833..... | 7 | 14. 0. 27.22 | 38.34 | 2 | + 3.817 | - 47. 59. 42.61 | 38.34 | 3 | -17.351 | ... | 5833 | ... |
| 6572 | 6592 | Brisbane 4789 | 8 | 14. 0. 30.78 | 39.74 | 6 | + 3.770 | - 46. 7. 36.66 | 39.74 | 6 | -17.349 | ... | ... | ... |
| 6573 | 6593 | Brisbane 4792..... | 7.8 | 14. 0. 50.11 | 39.36 | 2 | + 3.836 | - 48. 39. 5.87 | 39.35 | 2 | -17.334 | ... | ... | ... |
| 6574 | 6594 | Piazzi XIII. 313..... | 7.8 | 14. 1. 7.87 | 36.65 | 4 | + 3.030 | + 3. 34. 57.38 | 36.77 | 4 | -17.320 | ... | ... | 313 |
| 6575 | 6595 | Piazzi XIII. 316..... | 6 | 14. 1. 19.66 | 35.39 | 3 | + 2.405 | + 44. 38. 29.88 | 35.25 | 4 | -17.312 | ... | ... | 316 |
| 6576 | 6596 | Piazzi XIII. 314..... | 8 | 14. 1. 22.40 | 36.12 | 5 | + 2.940 | + 11. 2. 6.21 | 36.61 | 3 | -17.310 | ... | ... | 314 |
| 6577 | 6597 | Brisbane 4793 | 8 | 14. 1. 22.80 | 38.32 | 3 | + 4.026 | - 54. 41. 45.33 | 39.98 | 5 | -17.310 | ... | ... | ... |
| 6578 | 6598 | Piazzi XIII. 315..... | 7.8 | 14. 1. 34.25 | 36.08 | 5 | + 2.940 | + 11. 2. 36.35 | 35.49 | 2 | -17.301 | ... | ... | 315 |
| 6579 | 6599 | Piazzi XIV. 1 | 6.7 | 14. 1. 42.56 | 35.40 | 3 | + 2.873 | + 16. 24. 30.72 | 34.61 | 4 | -17.295 | ... | ... | 1 |
| 6580 | 6600 | Piazzi XIII. 317..... | 6 | 14. 1. 50.56 | 31.93 | 6 | + 3.260 | - 15. 31. 7.72 | 33.04 | 6 | -17.290 | ... | ... | 317 |
| 6581 | 6601 | 13 Boötis | 6 | 14. 2. 6.82 | 35.49 | 3 | + 2.256 | + 50. 14. 23.54 | 34.67 | 4 | -17.278 | 1838 | ... | 6 |
| 6582 | 6602 | Lacaille 5840..... | 7 | 14. 2. 13.60 | 38.70 | 3 | + 3.970 | - 52. 53. 9.33 | 38.70 | 3 | -17.272 | ... | 5840 | ... |
| 6583 | 6603 | Piazzi XIV. 2 | 7 | 14. 2. 17.05 | 35.15 | 1 | + 3.206 | - 11. 10. 7.47 | 35.38 | 3 | -17.270 | ... | ... | 2 |
| 6584 | 6604 | Piazzi XIV. 3 | 7.8 | 14. 2. 19.34 | 35.12 | 4 | + 3.134 | - 5. 11. 29.32 | 34.65 | 4 | -17.269 | ... | ... | 3 |
| 6585 | 6605 | Piazzi XIV. 4 | 7 | 14. 2. 24.02 | 35.31 | 3 | + 3.053 | + 1. 35. 2.49 | 35.42 | 3 | -17.265 | ... | ... | 4 |
| 6586 | 6606 | Lacaille 5841 | 7.8 | 14. 2. 31.26 | 38.69 | 3 | + 4.004 | - 53. 50. 49.06 | 38.69 | 3 | -17.260 | ... | 5841 | ... |
| 6587 | 6607 | Piazzi XIV. 5 | 8.9 | 14. 2. 31.74 | 36.68 | 2 | + 3.188 | - 9. 41. 48.38 | 36.81 | 2 | -17.260 | ... | ... | 5 |
| 6588 | 6608 | Piazzi XIV. 7..... | 8.9 | 14. 2. 40.30 | 37.16 | 1 | + 3.010 | + 5. 11. 19.69 | 37.36 | 2 | -17.255 | ... | ... | 7 |
| 6589 | 6609 | Lacaille 5848 | 7.8 | 14. 2. 44.94 | 38.71 | 3 | + 3.662 | - 40. 51. 48.64 | 38.70 | 3 | -17.250 | ... | 5848 | ... |
| 6590 | 6610 | Lacaille 5849 | 7.8 | 14. 2. 49.06 | 39.11 | 3 | + 3.646 | - 40. 3. 14.06 | 38.93 | 2 | -17.248 | ... | 5849 | ... |
| 6591 | 6611 | 12 Boötis | 5.6 | 14. 2. 52.40 | 32.74 | 6 | + 2.740 | + 25. 52. 33.05 | 32.38 | 4 | -17.246 | 1839 | ... | 8 |
| 6592 | 6612 | Lacaille 5852 | 7.8 | 14. 3. 11.90 | 38.71 | 3 | + 3.762 | - 45. 12. 30.94 | 38.71 | 3 | -17.230 | ... | 5852 | ... |
| 6593 | 6613 | Piazzi XIV. 10..... | 7 | 14. 3. 14.23 | 36.16 | 6 | + 3.136 | - 5. 20. 50.60 | 35.35 | 3 | -17.228 | ... | ... | 10 |
| 6594 | 6615 | 50 Hydræ..... | 5 | 14. 3. 20.13 | 31.38 | 8 | + 3.413 | - 26. 28. 50.33 | 31.71 | 6 | -17.224 | 1837 | 5856 | 9 |
| 6595 | 6614 | Lacaille 5851 | 7.8 | 14. 3. 20.78 | 38.48 | 2 | + 3.900 | - 50. 23. 2.47 | 38.48 | 2 | -17.224 | ... | 5851 | ... |
| 6596 | 6616 | Lacaille 5850 | 5.6 | 14. 3. 31.68 | 39.02 | 3 | + 4.101 | - 56. 18. 31.57 | 38.89 | 2 | -17.215 | ... | 5850 | ... |
| 6597 | 6617 | 97 Virginis | 7 | 14. 3. 46.65 | 32.26 | 7 | + 3.182 | - 9. 7. 14.71 | 33.38 | 5 | -17.204 | 1841 | ... | 11 |
| 6598 | 6618 | Bradley 1840 | 6 | 14. 3. 48.36 | 38.96 | 3 | + 3.405 | - 25. 50. 0.54 | 38.96 | 3 | -17.203 | 1840 | 5858 | ... |
| 6599 | 6619 | Piazzi XIV. 12..... | 6 | 14. 3. 55.23 | 32.41 | 5 | + 3.034 | + 3. 11. 23.59 | 32.40 | 4 | -17.198 | ... | ... | 12 |
| 6600 | 6620 | Piazzi XIV. 13..... | 8 | 14. 3. 59.60 | 37.39 | 1 | + 3.098 | - 2. 11. 29.99 | 37.39 | 1 | -17.194 | ... | ... | 13 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 6601 | 6621 | Piazzi XIV. 16 | 7 | h m s 14. 4. 3'28 | 35'33 | 3 | + 2'623 | + 33. 4. 27'71 | 35'31 | 3 | -17'191 | ... | ... | 16 |
| 6602 | 6622 | 98 Virginis | 4 | 14. 4. 6'23 | 33'89 | 11 | + 3'187 | - 9. 30. 9'06 | 31'41 | 4 | -17'189 | 1842 | ... | 14 |
| 6603 | 6623 | Piazzi XIV. 17 | 8 | 14. 4. 13'60 | 35'37 | 3 | + 2'825 | + 19. 43. 32'60 | 34'49 | 3 | -17'183 | ... | ... | 17 |
| 6604 | 6624 | Piazzi XIV. 15 | 7 | 14. 4. 14'23 | 37'92 | 4 | + 3'102 | - 2. 31. 38'84 | 35'83 | 5 | -17'183 | ... | ... | 15 |
| 6605 | 6625 | Lacaille 5857 | 7.8 | 14. 4. 17'13 | 38'70 | 3 | + 3'979 | - 52. 44. 7'11 | 38'38 | 2 | -17'181 | ... | 5857 | ... |
| 6606 | 6626 | Piazzi XIV. 18 | 7.8 | 14. 4. 37'22 | 36'71 | 5 | + 2'965 | + 8. 47. 13'85 | 36'44 | 2 | -17'167 | ... | ... | 18 |
| 6607 | 6627 | Lacaille 5862 | 7.8 | 14. 4. 53'54 | 38'41 | 1 | + 3'656 | - 40. 7. 33'84 | 38'41 | 1 | -17'154 | ... | 5862 | ... |
| 6608 | 6628 | Lacaille 5859 | 7.8 | 14. 5. 2'46 | 38'49 | 1 | + 4'122 | - 56. 31. 26'01 | 38'49 | 1 | -17'147 | ... | 5859 | ... |
| 6609 | 6629 | Brisbane 4821 | 7 | 14. 5. 11'83 | 39'35 | 2 | + 3'641 | - 39. 19. 28'84 | 39'35 | 2 | -17'140 | ... | ... | ... |
| 6610 | 6630 | Lacaille 5863 | 7 | 14. 5. 12'61 | 38'36 | 2 | + 3'748 | - 44. 13. 14'86 | 38'36 | 2 | -17'139 | ... | 5863 | ... |
| 6611 | 6631 | Lacaille 5869 | 6 | 14. 5. 29'78 | 39'36 | 1 | + 3'450 | - 28. 30. 26'04 | 39'36 | 1 | -17'126 | ... | 5869 | ... |
| 6612 | 6632 | 3 Ursæ Minoris | 6.7 | 14. 5. 41'96 | 35'39 | 1 | + 0'399 | + 75. 22. 36'48 | 35'38 | 3 | -17'116 | ... | ... | 27 |
| 6613 | 6633 | Bradley 1843 | 7 | 14. 5. 46'16 | 35'12 | 3 | + 3'135 | - 5. 10. 37'56 | 35'36 | 3 | -17'114 | 1843 | ... | 19 |
| 6614 | 6634 | Piazzi XIV. 24 | 6.7 | 14. 5. 48'40 | 35'28 | 3 | + 1'896 | + 59. 19. 47'27 | 35'35 | 3 | -17'112 | ... | ... | 24 |
| 6615 | 6635 | Piazzi XIV. 20 | 7 | 14. 5. 48'72 | 35'27 | 3 | + 2'914 | + 12. 46. 28'63 | 34'74 | 4 | -17'112 | ... | ... | 20 |
| 6616 | 6636 | Piazzi XIV. 21 | 8 | 14. 5. 59'12 | 36'73 | 2 | + 2'966 | + 8. 39. 20'64 | 36'74 | 4 | -17'104 | ... | ... | 21 |
| 6617 | 6637 | Lacaille 5868 | 7.8 | 14. 6. 5'15 | 38'32 | 3 | + 4'070 | - 54. 59. 40'58 | 38'32 | 3 | -17'099 | ... | 5868 | ... |
| 6618 | 6638 | 14 Boötis | 6 | 14. 6. 9'34 | 33'36 | 5 | + 2'901 | + 13. 44. 10'70 | 32'36 | 4 | -17'096 | 1844 | ... | 23 |
| 6619 | 6639 | Piazzi XIV. 22 | 6 | 14. 6. 19'46 | 32'91 | 4 | + 3'292 | - 17. 25. 38'52 | 32'39 | 5 | -17'088 | ... | ... | 22 |
| 6620 | 6640 | Brisbane 4828 | 8 | 14. 6. 35'25 | 38'34 | 3 | + 4'128 | - 56. 24. 12'45 | 38'34 | 3 | -17'076 | ... | ... | ... |
| 6621 | 6641 | Lacaille 5873 | 7.8 | 14. 6. 38'45 | 38'39 | 2 | + 3'498 | - 31. 17. 8'25 | 38'39 | 2 | -17'074 | ... | 5873 | ... |
| 6622 | 6642 | 15 Boötis | 6 | 14. 6. 46'37 | 33'05 | 5 | + 2'937 | + 10. 52. 51'02 | 32'85 | 5 | -17'068 | 1845 | ... | 25 |
| 6623 | 6643 | Piazzi XIV. 26 | 7 | 14. 7. 2'09 | 35'16 | 3 | + 2'778 | + 22. 38. 48'55 | 34'74 | 4 | -17'055 | ... | ... | 26 |
| 6624 | 6644 | Lacaille 5870 | 7.8 | 14. 7. 9'31 | 39'36 | 2 | + 4'195 | - 57. 55. 3'99 | 39'36 | 2 | -17'050 | ... | 5870 | ... |
| 6625 | 6645 | Lacaille 5874 | 8.9 | 14. 7. 19'48 | 39'44 | 2 | + 4'021 | - 53. 21. 36'91 | 39'44 | 2 | -17'042 | ... | 5874 | ... |
| 6626 | 6646 | 99 Virginis | 4 | 14. 7. 22'40 | 31'83 | 5 | + 3'136 | - 5. 12. 33'76 | 31'43 | 5 | -17'040 | 1846 | ... | 28 |
| 6627 | 6647 | Lacaille 5871 | 7 | 14. 7. 26'24 | 38'75 | 3 | + 4'227 | - 58. 34. 30'18 | 38'75 | 3 | -17'037 | ... | 5871 | ... |
| 6628 | 6648 | Brisbane 4834 | 7.8 | 14. 7. 29'87 | 38'41 | 1 | + 3'667 | - 40. 5. 30'73 | 38'41 | 1 | -17'034 | ... | ... | ... |
| 6629 | 6649 | Piazzi XIV. 30 | 8.9 | 14. 7. 32'88 | 36'42 | 3 | + 2'149 | + 52. 33. 44'00 | 36'40 | 1 | -17'032 | ... | ... | 30 |
| 6630 | 6650 | 17 Boötis | 6.7 | 14. 7. 34'25 | 35'81 | 4 | + 2'149 | + 52. 33. 50'73 | 35'60 | 4 | -17'030 | 1849 | ... | 31 |
| 6631 | 6651 | Brisbane 4836 | 7.8 | 14. 7. 46'25 | 38'32 | 3 | + 4'086 | - 55. 6. 54'54 | 38'32 | 3 | -17'021 | ... | ... | ... |
| 6632 | 6652 | Lacaille 5880 | 7 | 14. 8. 7'30 | 35'15 | 3 | + 3'421 | - 26. 11. 25'46 | 35'38 | 3 | -17'004 | ... | 5880 | 29 |
| 6633 | 6653 | 16 Boötis | 1 | 14. 8. 8'39 | 34'07 | 63 | + 2'813 | + 20. 2. 43'05 | 33'54 | 112 | -17'003 | 1847 | ... | 32 |
| 6634 | 6654 | Bradley 1848 | 6 | 14. 8. 18'91 | 33'33 | 6 | + 2'818 | + 19. 41. 1'45 | 33'50 | 2 | -16'996 | 1848 | ... | ... |
| 6635 | 6655 | Brisbane 4839 | 8 | 14. 8. 22'38 | 38'34 | 3 | + 4'141 | - 56. 23. 29'17 | 38'34 | 3 | -16'993 | ... | ... | ... |
| 6636 | 6656 | Lacaille 5879 | 6 | 14. 8. 51'12 | 38'36 | 1 | + 4'114 | - 55. 37. 17'01 | 38'36 | 1 | -16'970 | ... | 5879 | ... |
| 6637 | 6657 | Brisbane 4845 | 7.8 | 14. 8. 51'15 | 38'32 | 3 | + 4'091 | - 55. 1. 41'61 | 38'32 | 3 | -16'970 | ... | ... | ... |
| 6638 | 6658 | Brisbane 4844 | 8 | 14. 8. 51'60 | 38'67 | 3 | + 4'202 | - 57. 45. 4'17 | 38'67 | 3 | -16'970 | ... | ... | ... |
| 6639 | 6659 | Lupi | 4.5 | 14. 8. 52'75 | 31'56 | 7 | + 3'792 | - 45. 17. 32'60 | 31'75 | 6 | -16'969 | ... | 5881 | 33 |
| 6640 | 6660 | Brisbane 4849 | 7 | 14. 9. 0'00 | 39'36 | 1 | + 3'794 | - 45. 20. 1'53 | 39'36 | 1 | -16'964 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 6641 | 6661 | Lacaille 5886 | 6.7 | h m s 14. 9. 27.02 | 39.48 | 1 | + 3.596 | — 36. 14. 4.61 | 39.48 | 1 | — 16.942 | ... | 5886 | ... |
| 6642 | 6662 | Piazzi XIV. 35 | 9 | 14. 9. 35.46 | 36.63 | 4 | + 2.918 | + 12. 6. 9.09 | 36.82 | 4 | — 16.934 | ... | ... | 35 |
| 6643 | 6663 | 4 Ursæ Minoris | Var. | 14. 9. 35.89 | 35.47 | 3 | — 0.395 | + 78. 19. 21.14 | 35.49 | 2 | — 16.934 | 1859 | ... | 49 |
| 6644 | 6664 | Piazzi XIV. 34 | 6.7 | 14. 9. 38.95 | 35.20 | 3 | + 3.428 | — 26. 22. 33.23 | 35.42 | 3 | — 16.932 | ... | ... | 34 |
| 6645 | 6665 | Brisbane 4857 | 7 | 14. 9. 46.94 | 40.93 | 5 | + 3.595 | — 36. 5. 31.13 | 40.93 | 5 | — 16.926 | ... | ... | ... |
| 6646 | 6666 | 19 Boötis | 4 | 14. 10. 6.52 | 31.44 | 2 | + 2.305 | + 46. 50. 53.07 | 31.59 | 5 | — 16.911 | 1852 | ... | 41 |
| 6647 | 6667 | Lacaille 5889 | 8 | 14. 10. 7.88 | 39.29 | 1 | + 3.888 | — 48. 36. 13.39 | 39.29 | 1 | — 16.910 | ... | 5889 | ... |
| 6648 | 6668 | Piazzi XIV. 39 | 7.8 | 14. 10. 11.57 | 36.66 | 3 | + 3.016 | + 4. 26. 30.12 | 36.76 | 4 | — 16.907 | ... | ... | 39 |
| 6649 | 6669 | 100 Virginis | 4 | 14. 10. 11.59 | 31.71 | 8 | + 3.233 | — 12. 36. 27.51 | 32.22 | 6 | — 16.907 | 1850 | ... | 37 |
| 6650 | 6670 | Lacaille 5891 | 6 | 14. 10. 13.32 | 36.96 | 5 | + 3.777 | — 44. 25. 13.90 | 36.97 | 5 | — 16.906 | ... | 5891 | 36 |
| 6651 | 6671 | 21 Boötis | 4.5 | 14. 10. 19.05 | 32.66 | 8 | + 2.146 | + 52. 7. 49.82 | 33.19 | 4 | — 16.901 | 1854 | ... | 42 |
| 6652 | 6672 | Piazzi XIV. 38 | 7.8 | 14. 10. 19.35 | 36.61 | 4 | + 3.303 | — 17. 45. 31.09 | 36.93 | 3 | — 16.901 | ... | ... | 38 |
| 6653 | 6673 | Brisbane 4860 | 7.8 | 14. 10. 19.84 | 38.67 | 3 | + 4.204 | — 57. 31. 47.17 | 38.81 | 2 | — 16.901 | ... | ... | ... |
| 6654 | 6674 | Lacaille 5894 | 7.8 | 14. 10. 32.71 | 39.42 | 4 | + 3.714 | — 41. 39. 42.53 | 39.63 | 5 | — 16.890 | ... | 5894 | ... |
| 6655 | 6675 | Centauri | 5.6 | 14. 10. 33.26 | 35.33 | 3 | + 3.618 | — 37. 7. 19.05 | 34.74 | 4 | — 16.889 | ... | 5895 | 40 |
| 6656 | 6676 | Lacaille 5898 | 7.8 | 14. 10. 46.86 | 38.39 | 2 | + 3.558 | — 33. 54. 58.25 | 38.39 | 2 | — 16.879 | ... | 5898 | ... |
| 6657 | 6677 | Lacaille 5893 | 5.6 | 14. 10. 52.42 | 38.70 | 3 | + 4.215 | — 57. 42. 2.38 | 38.70 | 3 | — 16.874 | ... | 5893 | ... |
| 6658 | 6678 | Piazzi XIV. 48 | 7 | 14. 11. 0.51 | 35.16 | 3 | + 1.997 | + 56. 3. 58.41 | 35.30 | 3 | — 16.869 | ... | ... | 48 |
| 6659 | 6679 | Boötis | 6 | 14. 11. 1.08 | 35.38 | 2 | + 2.541 | + 36. 16. 26.25 | 34.81 | 3 | — 16.868 | ... | ... | 45 |
| 6660 | 6680 | 102 Virginis | 6 | 14. 11. 2.84 | 32.42 | 6 | + 3.091 | — 1. 29. 55.90 | 33.50 | 3 | — 16.867 | 1851 | ... | 43 |
| 6661 | 6681 | Piazzi XIV. 44 | 7 | 14. 11. 13.51 | 35.27 | 3 | + 3.148 | — 5. 58. 52.03 | 35.13 | 3 | — 16.858 | ... | ... | 44 |
| 6662 | 6682 | 18 Boötis | 6 | 14. 11. 17.23 | 39.51 | 7 | + 2.895 | + 13. 46. 8.05 | 40.31 | 5 | — 16.856 | 1853 | ... | 46 |
| 6663 | 6683 | Lacaille 5896 | 6.7 | 14. 11. 18.71 | 38.47 | 1 | + 4.094 | — 54. 40. 18.25 | 38.47 | 1 | — 16.854 | ... | 5896 | ... |
| 6664 | 6684 | Brisbane 4868 | 8.9 | 14. 11. 24.78 | 39.33 | 1 | + 4.116 | — 55. 12. 11.90 | 39.33 | 1 | — 16.850 | ... | ... | ... |
| 6665 | 6685 | Piazzi XIV. 47 | 8 | 14. 11. 24.80 | 36.91 | 3 | + 2.987 | + 6. 39. 37.18 | 36.86 | 4 | — 16.849 | ... | ... | 47 |
| 6666 | 6686 | Bradley 1856 | 6 | 14. 11. 28.81 | 35.40 | 3 | + 2.141 | + 52. 4. 20.85 | 35.34 | 4 | — 16.846 | 1856 | ... | 50 |
| 6667 | 6687 | Brisbane 4870 | 9.10 | 14. 11. 36.17 | 39.49 | 1 | + 3.771 | — 43. 53. 52.59 | 39.49 | 1 | — 16.841 | ... | ... | ... |
| 6668 | 6688 | Piazzi XIV. 52 | 7 | 14. 11. 39.89 | 35.47 | 2 | + 2.243 | + 48. 46. 7.07 | 34.51 | 2 | — 16.837 | ... | ... | 52 |
| 6669 | 6689 | Brisbane 4871 | 8 | 14. 11. 44.19 | 38.69 | 3 | + 3.638 | — 37. 55. 13.96 | 38.69 | 3 | — 16.834 | ... | ... | ... |
| 6670 | 6690 | Lacaille 5901 | 7 | 14. 11. 54.22 | 38.48 | 1 | + 3.868 | — 47. 33. 38.89 | 38.48 | 1 | — 16.827 | ... | 5901 | ... |
| 6671 | 6691 | 20 Boötis | 6 | 14. 11. 56.76 | 33.42 | 4 | + 2.849 | + 17. 3. 59.10 | 32.40 | 5 | — 16.825 | 1855 | ... | 51 |
| 6672 | 6692 | Brisbane 4872 | 9.10 | 14. 11. 57.08 | 38.39 | 2 | + 4.142 | — 55. 46. 31.85 | 38.39 | 2 | — 16.824 | ... | ... | ... |
| 6673 | 6693 | Lacaille 5906 | 8 | 14. 12. 11.24 | 39.45 | 1 | + 3.437 | — 26. 33. 39.90 | 39.45 | 1 | — 16.813 | ... | 5906 | ... |
| 6674 | 6694 | Piazzi XIV. 56 | 7 | 14. 12. 20.78 | 35.16 | 3 | + 1.982 | + 56. 11. 19.47 | 34.41 | 3 | — 16.805 | ... | ... | 56 |
| 6675 | 6695 | Lacaille 5903 | 7.8 | 14. 12. 23.30 | 39.37 | 1 | + 3.943 | — 50. 0. 52.38 | 39.37 | 1 | — 16.804 | ... | 5903 | ... |
| 6676 | 6696 | Lacaille 5907 | 6.7 | 14. 12. 27.62 | 35.48 | 1 | + 3.565 | — 34. 1. 43.07 | 35.45 | 3 | — 16.800 | ... | 5907 | 53 |
| 6677 | 6697 | Lacaille 5909 | 7 | 14. 12. 43.81 | 35.19 | 3 | + 3.662 | — 38. 51. 54.68 | 34.69 | 4 | — 16.786 | ... | 5909 | 54 |
| 6678 | 6698 | Lacaille 5911 | 5.6 | 14. 12. 53.96 | 35.22 | 3 | + 3.660 | — 38. 45. 13.21 | 35.36 | 3 | — 16.779 | ... | 5911 | 55 |
| 6679 | 6699 | Piazzi XIV. 57 | 7 | 14. 12. 55.64 | 35.33 | 3 | + 2.629 | + 31. 11. 20.15 | 35.38 | 3 | — 16.777 | ... | ... | 57 |
| 6680 | 6700 | Lacaille 5912 | 7 | 14. 12. 57.79 | 38.34 | 3 | + 3.720 | — 41. 29. 46.26 | 38.34 | 3 | — 16.776 | ... | 5912 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 6681 | 6701 | Piazzi XIV. 60 | 7.8 | h m s 14. 13. 20.78 | 35.15 | 3 | + 2.798 | + 20. 29. 25.20 | 34.40 | 3 | -16.757 | ... | ... | 60 |
| 6682 | 6702 | 103 Virginis ^{v2} | 6 | 14. 13. 28.88 | 33.35 | 6 | + 3.088 | - 1. 13. 47.16 | 32.42 | 5 | -16.751 | 1858 | ... | 59 |
| 6683 | 6703 | 51 Hydræ ^{v2} | 6 | 14. 13. 36.53 | 36.96 | 11 | + 3.447 | - 26. 59. 33.03 | 35.77 | 10 | -16.744 | 1857 | 5917 | 58 |
| 6684 | 6704 | Piazzi XIV. 61 | 9 | 14. 13. 54.45 | 39.81 | 4 | + 3.449 | - 27. 3. 17.09 | 36.68 | 3 | -16.730 | ... | ... | 61 |
| 6685 | 6705 | Piazzi XIV. 62 | 7.8 | 14. 13. 55.48 | 35.25 | 3 | + 3.163 | - 7. 0. 19.93 | 35.13 | 3 | -16.729 | ... | ... | 62 |
| 6686 | 6706 | Lacaille 5914 | 8 | 14. 13. 58.38 | 38.71 | 3 | + 4.097 | - 54. 15. 51.88 | 38.71 | 3 | -16.727 | ... | 5914 | ... |
| 6687 | 6707 | Brisbane 4891 | 8 | 14. 14. 13.93 | 39.36 | 1 | + 4.175 | - 56. 10. 15.23 | 39.36 | 1 | -16.715 | ... | ... | ... |
| 6688 | 6708 | Lacaille 5919 | 7 | 14. 14. 17.69 | 39.38 | 1 | + 3.832 | - 45. 46. 32.14 | 39.38 | 1 | -16.712 | ... | 5919 | ... |
| 6689 | 6709 | Lacaille 5922 | 8 | 14. 14. 17.95 | 38.40 | 2 | + 3.480 | - 28. 55. 19.83 | 38.40 | 2 | -16.711 | ... | 5922 | ... |
| 6690 | 6710 | Piazzi XIV. 65 | 7 | 14. 14. 20.87 | 35.15 | 3 | + 2.795 | + 20. 33. 48.45 | 34.63 | 4 | -16.708 | ... | ... | 65 |
| 6691 | 6711 | Piazzi XIV. 63 | 8 | 14. 14. 26.76 | 38.11 | 4 | + 3.449 | - 26. 59. 31.68 | 40.66 | 6 | -16.704 | ... | ... | 63 |
| 6692 | 6712 | Lacaille 5921 | 7.8 | 14. 14. 30.46 | 39.35 | 2 | + 3.693 | - 40. 0. 2.62 | 39.35 | 2 | -16.702 | ... | 5921 | ... |
| 6693 | 6713 | 2 Libræ ^{v2} | 6 | 14. 14. 33.57 | 33.23 | 8 | + 3.215 | - 10. 57. 24.61 | 32.36 | 6 | -16.700 | 1860 | ... | 64 |
| 6694 | 6714 | Lacaille 5925 | 7 | 14. 14. 58.98 | 38.39 | 3 | + 3.625 | - 36. 41. 36.55 | 38.39 | 2 | -16.679 | ... | 5925 | ... |
| 6695 | 6715 | Lacaille 5920 | 7.8 | 14. 15. 1.99 | 38.92 | 4 | + 4.284 | - 58. 29. 14.63 | 38.92 | 4 | -16.677 | ... | 5920 | ... |
| 6696 | 6716 | Piazzi XIV. 69 | 6 | 14. 15. 16.10 | 33.76 | 7 | + 2.951 | + 9. 12. 5.15 | 33.39 | 4 | -16.665 | ... | ... | 69 |
| 6697 | 6717 | Lacaille 5929 | 6 | 14. 15. 25.00 | 36.52 | 7 | + 3.404 | - 24. 3. 11.01 | 35.73 | 12 | -16.657 | ... | 5929 | 68 |
| 6698 | 6718 | Lupi ^{v1} | 5 | 14. 15. 34.99 | 32.27 | 8 | + 3.804 | - 44. 28. 12.41 | 32.79 | 5 | -16.650 | ... | 5928 | 66 |
| 6699 | 6719 | Lupi ^{v2} | 5 | 14. 15. 36.57 | 32.40 | 7 | + 3.808 | - 44. 37. 44.39 | 32.63 | 8 | -16.649 | ... | 5927 | 67 |
| 6700 | 6720 | Piazzi XIV. 71 | 6.7 | 14. 15. 48.27 | 35.50 | 1 | + 2.986 | + 6. 34. 20.17 | 34.52 | 3 | -16.639 | ... | ... | 71 |
| 6701 | 6721 | Bradley 1861 | 7 | 14. 15. 49.21 | 35.24 | 1 | + 3.216 | - 10. 54. 56.45 | 34.66 | 4 | -16.638 | 1861 | ... | 70 |
| 6702 | 6722 | Lacaille 5933 | 7.8 | 14. 15. 51.21 | 38.67 | 3 | + 3.471 | - 28. 8. 28.85 | 38.67 | 3 | -16.636 | ... | 5933 | ... |
| 6703 | 6723 | Piazzi XIV. 72 | 6.7 | 14. 15. 53.11 | 35.20 | 3 | + 2.954 | + 8. 59. 50.33 | 34.69 | 4 | -16.635 | ... | ... | 72 |
| 6704 | 6724 | Lacaille 5930 | 7.8 | 14. 15. 53.78 | 38.35 | 2 | + 3.735 | - 41. 33. 57.31 | 38.34 | 3 | -16.634 | ... | 5930 | ... |
| 6705 | 6725 | Piazzi XIV. 73 | 5.6 | 14. 15. 58.91 | 33.50 | 8 | + 2.986 | + 6. 34. 20.55 | 36.18 | 8 | -16.630 | ... | ... | 73 |
| 6706 | 6726 | Piazzi XIV. 74 | 7.8 | 14. 16. 4.79 | 36.60 | 3 | + 3.093 | - 1. 35. 28.21 | 36.75 | 4 | -16.625 | ... | ... | 74 |
| 6707 | 6727 | Piazzi XIV. 75 | 7 | 14. 16. 11.57 | 35.37 | 1 | + 2.955 | + 8. 50. 28.71 | 34.91 | 2 | -16.619 | ... | ... | 75 |
| 6708 | 6728 | Piazzi XIV. 76 | 6.7 | 14. 16. 22.07 | 35.33 | 3 | + 3.240 | - 12. 36. 9.15 | 34.68 | 4 | -16.610 | ... | ... | 76 |
| 6709 | 6729 | Piazzi XIV. 79 | 8 | 14. 16. 25.56 | 36.59 | 4 | + 2.030 | + 54. 16. 31.22 | 36.59 | 4 | -16.607 | ... | ... | 79 |
| 6710 | 6730 | Lacaille 5935 | 7 | 14. 16. 27.50 | 39.29 | 1 | + 3.674 | - 38. 46. 24.55 | 39.29 | 1 | -16.606 | ... | 5935 | ... |
| 6711 | 6731 | Lacaille 5934 | 6.7 | 14. 16. 36.96 | 39.38 | 1 | + 3.833 | - 45. 22. 58.08 | 39.38 | 1 | -16.600 | ... | 5934 | ... |
| 6712 | 6732 | Lacaille 5936 | 6.7 | 14. 16. 37.92 | 39.47 | 1 | + 3.682 | - 39. 7. 28.12 | 39.47 | 1 | -16.599 | ... | 5936 | ... |
| 6713 | 6733 | Lacaille 5931 | 7.8 | 14. 16. 44.68 | 38.78 | 3 | + 4.296 | - 58. 27. 4.36 | 38.49 | 2 | -16.592 | ... | 5931 | ... |
| 6714 | 6734 | Piazzi XIV. 77 | 7 | 14. 16. 49.74 | 35.32 | 2 | + 2.988 | + 6. 22. 0.76 | 35.34 | 4 | -16.588 | ... | ... | 77 |
| 6715 | 6735 | Gould 19544 | 7.8 | 14. 16. 50.37 | 41.07 | 5 | + 3.661 | - 38. 6. 8.50 | 40.74 | 4 | -16.588 | ... | ... | ... |
| 6716 | 6736 | Piazzi XIV. 78 | 8 | 14. 17. 7.97 | 36.76 | 2 | + 3.441 | - 26. 5. 58.54 | 39.09 | 7 | -16.574 | ... | ... | 78 |
| 6717 | 6737 | Piazzi XIV. 80 | 7.8 | 14. 17. 9.15 | 35.32 | 3 | + 2.339 | + 44. 12. 38.54 | 34.72 | 4 | -16.573 | ... | ... | 80 |
| 6718 | 6738 | Piazzi XIV. 81 | 10 | 14. 17. 9.62 | 36.80 | 2 | + 3.076 | - 0. 20. 15.12 | 36.57 | 4 | -16.572 | ... | ... | 81 |
| 6719 | 6739 | Brisbane 4915 | 8 | 14. 17. 11.81 | 38.67 | 3 | + 4.127 | - 54. 28. 31.60 | 38.67 | 3 | -16.570 | ... | ... | ... |
| 6720 | 6740 | Lacaille 5943 | 7.8 | 14. 17. 15.34 | 38.60 | 5 | + 3.789 | - 43. 34. 55.35 | 39.25 | 5 | -16.567 | ... | 5943 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 6721 | 6741 | Lacaille 5940 | 8 | h m s 14. 17. 24.50 | 38.38 | 2 | + 4.165 | — 55. 23. 32.25 | 38.38 | 2 | —16.560 | ... | 5940 | ... |
| 6722 | 6742 | Lacaille 5945 | 7 | 14. 17. 34.03 | 38.50 | 1 | + 3.595 | — 34. 41. 53.60 | 38.50 | 1 | —16.553 | ... | 5945 | ... |
| 6723 | 6743 | Lacaille 5947 | 7 | 14. 18. 4.28 | 39.48 | 2 | + 3.892 | — 47. 14. 49.45 | 39.48 | 2 | —16.528 | ... | 5947 | ... |
| 6724 | 6744 | Lacaille 5946 | 8 | 14. 18. 21.39 | 38.38 | 2 | + 4.172 | — 55. 23. 16.32 | 38.37 | 1 | —16.513 | ... | 5946 | ... |
| 6725 | 6745 | Briabane 4924..... | 8 | 14. 18. 23.72 | 41.27 | 4 | + 3.957 | — 49. 21. 54.86 | 40.90 | 3 | —16.511 | ... | ... | ... |
| 6726 | 6746 | Piazzi XIV. 83 | 6.7 | 14. 18. 31.44 | 37.49 | 2 | + 2.796 | + 19. 57. 22.51 | 37.50 | 5 | —16.504 | ... | ... | 83 |
| 6727 | 6747 | 52 Hydre | 5.6 | 14. 18. 31.88 | 33.30 | 9 | + 3.489 | — 28. 44. 46.75 | 32.38 | 5 | —16.503 | 1862 | 5949 | 82 |
| 6728 | 6748 | 104 Virginis | 6.7 | 14. 18. 45.32 | 32.33 | 6 | + 3.143 | — 5. 22. 20.67 | 32.99 | 5 | —16.493 | 1863 | ... | 84 |
| 6729 | 6749 | 22 Boötis..... | 6 | 14. 18. 46.99 | 37.11 | 12 | + 2.795 | + 19. 58. 19.06 | 36.95 | 9 | —16.492 | 1864 | ... | 86 |
| 6730 | 6750 | Piazzi XIV. 85 | 7 | 14. 18. 49.69 | 35.37 | 3 | + 3.242 | — 12. 36. 46.07 | 34.66 | 4 | —16.489 | ... | ... | 85 |
| 6731 | 6751 | Lacaille 5950 | 6 | 14. 19. 24.01 | 38.39 | 2 | + 3.944 | — 48. 46. 35.27 | 38.39 | 2 | —16.460 | ... | 5950 | ... |
| 6732 | 6753 | Piazzi XIV. 88 | 8 | 14. 19. 32.26 | 35.38 | 3 | + 3.102 | — 2. 15. 36.56 | 34.75 | 4 | —16.454 | ... | ... | 88 |
| 6733 | 6752 | Lacaille 5951 | 6 | 14. 19. 32.33 | 39.02 | 7 | + 3.827 | — 44. 34. 40.64 | 37.89 | 7 | —16.454 | ... | 5951 | 87 |
| 6734 | 6754 | 23 Boötis | 4 | 14. 19. 34.80 | 32.51 | 9 | + 2.071 | + 52. 36. 59.26 | 32.56 | 10 | —16.452 | 1867 | ... | 92 |
| 6735 | 6755 | Lacaille 5952 | 7.8 | 14. 19. 39.97 | 38.29 | 2 | + 3.789 | — 43. 7. 20.25 | 38.39 | 2 | —16.447 | ... | 5952 | ... |
| 6736 | 6756 | 105 Virginis..... | 5 | 14. 19. 42.58 | 32.20 | 10 | + 3.092 | — 1. 29. 3.41 | 32.35 | 5 | —16.445 | 1865 | ... | 90 |
| 6737 | 6757 | Piazzi XIV. 89 | 6.7 | 14. 19. 43.69 | 35.41 | 3 | + 3.197 | — 9. 15. 33.86 | 34.62 | 4 | —16.444 | ... | ... | 89 |
| 6738 | 6758 | 106 Virginis | 6 | 14. 19. 59.97 | 32.40 | 5 | + 3.155 | — 6. 9. 20.65 | 32.41 | 5 | —16.431 | 1866 | ... | 91 |
| 6739 | 6759 | Piazzi XIV. 93 | 7 | 14. 20. 15.83 | 36.58 | 3 | + 2.986 | + 6. 25. 26.17 | 36.46 | 4 | —16.418 | ... | ... | 93 |
| 6740 | 6760 | Brisbane 4935..... | 7.8 | 14. 20. 32.34 | 38.34 | 3 | + 3.878 | — 46. 19. 59.00 | 38.34 | 3 | —16.404 | ... | ... | ... |
| 6741 | 6761 | Brisbane 4936..... | 7.8 | 14. 20. 40.50 | 38.38 | 2 | + 3.898 | — 46. 59. 42.15 | 38.38 | 2 | —16.398 | ... | ... | ... |
| 6742 | 6762 | Lacaille 5954 | 7.8 | 14. 20. 47.78 | 39.27 | 2 | + 4.221 | — 56. 9. 2.49 | 39.27 | 2 | —16.392 | ... | 5954 | ... |
| 6743 | 6763 | Brisbane 4938..... | 8 | 14. 20. 55.89 | 38.66 | 3 | + 4.162 | — 54. 43. 36.33 | 38.66 | 3 | —16.384 | ... | ... | ... |
| 6744 | 6764 | Piazzi XIV. 94 | 7 | 14. 20. 57.44 | 37.45 | 2 | + 3.492 | — 28. 34. 15.58 | 37.10 | 4 | —16.383 | ... | ... | 94 |
| 6745 | 6765 | Lacaille 5963 | 6.7 | 14. 21. 0.15 | 39.03 | 3 | + 3.678 | — 38. 7. 57.91 | 39.02 | 3 | —16.381 | ... | 5963 | ... |
| 6746 | 6766 | Brisbane 4942 | 7 | 14. 21. 11.46 | 40.11 | 6 | + 3.820 | — 44. 4. 8.02 | 40.04 | 5 | —16.372 | ... | ... | ... |
| 6747 | 6767 | Lacaille 5960 | 7.8 | 14. 21. 15.95 | 38.49 | 2 | + 4.034 | — 51. 14. 3.77 | 38.49 | 2 | —16.368 | ... | 5960 | ... |
| 6748 | 6768 | Lacaille 5967 | 7.8 | 14. 21. 16.95 | 39.48 | 2 | + 3.592 | — 33. 56. 33.85 | 39.47 | 2 | —16.367 | ... | 5967 | ... |
| 6749 | 6769 | Piazzi XIV. 97 | 7 | 14. 21. 23.05 | 35.43 | 3 | + 2.685 | + 26. 35. 43.86 | 34.67 | 4 | —16.361 | ... | ... | 97 |
| 6750 | 6770 | Piazzi XIV. 95 | 6.7 | 14. 21. 25.51 | 35.13 | 3 | + 3.119 | — 3. 30. 24.22 | 34.63 | 4 | —16.359 | ... | ... | 95 |
| 6751 | 6771 | Piazzi XIV. 96 | 6.7 | 14. 21. 26.13 | 35.37 | 3 | + 3.051 | + 1. 34. 6.13 | 35.12 | 3 | —16.359 | ... | ... | 96 |
| 6752 | 6772 | Lupi | 5 | 14. 21. 33.11 | 33.41 | 9 | + 3.986 | — 49. 43. 14.37 | 33.70 | 7 | —16.354 | ... | 5964 | ... |
| 6753 | 6773 | Brisbane 4944..... | 8 | 14. 21. 35.45 | 39.42 | 2 | + 4.316 | — 58. 5. 8.27 | 39.42 | 2 | —16.351 | ... | ... | ... |
| 6754 | 6774 | Piazzi XIV. 98 | 7 | 14. 21. 55.32 | 35.13 | 3 | + 3.117 | — 3. 19. 36.82 | 35.30 | 3 | —16.334 | ... | ... | 98 |
| 6755 | 6775 | Piazzi XIV. 99 | 7.8 | 14. 22. 2.00 | 36.51 | 4 | + 2.948 | + 9. 5. 32.52 | 36.68 | 3 | —16.328 | ... | ... | 99 |
| 6756 | 6776 | Piazzi XIV. 100..... | 8 | 14. 22. 8.95 | 36.64 | 3 | + 3.104 | — 2. 22. 15.28 | 36.89 | 4 | —16.323 | ... | ... | 100 |
| 6757 | 6777 | Lacaille 5969 | 6.7 | 14. 22. 12.25 | 39.35 | 2 | + 4.065 | — 51. 56. 40.04 | 39.35 | 2 | —16.320 | ... | 5969 | ... |
| 6758 | 6778 | Piazzi XIV. 102..... | 7.8 | 14. 22. 18.17 | 35.36 | 3 | + 2.411 | + 40. 21. 28.33 | 34.73 | 4 | —16.315 | ... | ... | 102 |
| 6759 | 6779 | Piazzi XIV. 101 | 7.8 | 14. 22. 23.80 | 35.39 | 3 | + 3.141 | — 5. 3. 52.50 | 34.71 | 4 | —16.310 | ... | ... | 101 |
| 6760 | 6780 | Brisbane 4951..... | 8 | 14. 22. 31.38 | 38.73 | 3 | + 3.765 | — 41. 40. 14.56 | 38.73 | 3 | —16.304 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 6761 | 6781 | Piazzi XIV. 103 | 7 | h m s 14. 22. 45'45 | 35'44 | 3 | + 2'574 | + 32. 31. 43'53 | 34'73 | 4 | -16'291 | ... | ... | 103 |
| 6762 | 6782 | 24 Boötis | 6 | 14. 22. 53'42 | 35'32 | 3 | + 2'122 | + 50. 35. 8'94 | 34'66 | 4 | -16'284 | 1868 | ... | 105 |
| 6763 | 6783 | Lacaille 5973 | 7'8 | 14. 23. 2'57 | 38'84 | 3 | + 4'387 | - 59. 17. 1'34 | 38'84 | 3 | -16'277 | ... | 5973 | ... |
| 6764 | 6784 | Lacaille 5978 | 7'8 | 14. 23. 7'24 | 38'09 | 4 | + 3'874 | - 45. 43. 51'12 | 38'67 | 3 | -16'274 | ... | 5978 | ... |
| 6765 | 6785 | Brisbane 4956 | 9 | 14. 23. 17'46 | 38'82 | 2 | + 3'874 | - 45. 42. 4'47 | 38'36 | 2 | -16'265 | ... | ... | ... |
| 6766 | 6786 | Lacaille 5974 | 7 | 14. 23. 22'86 | 39'32 | 1 | + 4'226 | - 55. 49. 54'13 | 39'32 | 1 | -16'259 | ... | 5974 | ... |
| 6767 | 6787 | Lacaille 5984 | 7'8 | 14. 23. 42'13 | 35'15 | 3 | + 3'763 | - 41. 22. 2'11 | 34'81 | 3 | -16'243 | ... | 5984 | 104 |
| 6768 | 6788 | Lacaille 5982 | 8 | 14. 23. 49'07 | 38'67 | 3 | + 3'873 | - 45. 34. 22'04 | 38'68 | 3 | -16'237 | ... | 5982 | 106 |
| 6769 | 6789 | Piazzi XIV. 107 | 7 | 14. 23. 56'87 | 35'27 | 3 | + 3'005 | + 4. 52. 34'34 | 35'38 | 3 | -16'230 | ... | ... | 107 |
| 6770 | 6790 | Lacaille 5987 | 8 | 14. 24. 24'78 | 38'48 | 8 | + 3'880 | - 45. 43. 55'45 | 38'25 | 7 | -16'207 | ... | 5987 | ... |
| 6771 | 6791 | Piazzi XIV. 108 | 8 | 14. 24. 38'81 | 36'59 | 3 | + 3'158 | - 6. 12. 16'16 | 36'48 | 4 | -16'195 | ... | ... | 108 |
| 6772 | 6792 | 25 Boötis | 4 | 14. 24. 43'10 | 31'39 | 4 | + 2'596 | + 31. 5. 53'10 | 32'55 | 11 | -16'192 | 1869 | ... | 112 |
| 6773 | 6793 | Lacaille 5992 | 7'8 | 14. 24. 49'20 | 38'39 | 2 | + 3'656 | - 36. 28. 33'32 | 38'39 | 2 | -16'187 | ... | 5992 | ... |
| 6774 | 6794 | Piazzi XIV. 111 | 8 | 14. 24. 58'79 | 36'45 | 5 | + 3'157 | - 6. 8. 23'60 | 36'57 | 4 | -16'178 | ... | ... | 111 |
| 6775 | 6795 | Lacaille 5990 | 7'8 | 14. 25. 2'01 | 38'38 | 2 | + 3'893 | - 46. 5. 15'90 | 38'38 | 2 | -16'175 | ... | 5990 | ... |
| 6776 | 6796 | 26 Boötis | 6 | 14. 25. 2'83 | 33'35 | 5 | + 2'736 | + 22. 59. 25'03 | 33'18 | 5 | -16'174 | 1870 | ... | 114 |
| 6777 | 6797 | Brisbane 4967 | 8 | 14. 25. 3'31 | 38'68 | 3 | + 3'860 | - 44. 53. 22'79 | 38'68 | 3 | -16'174 | ... | ... | ... |
| 6778 | 6798 | Centauri | 3 | 14. 25. 3'86 | 31'76 | 6 | + 3'770 | - 41. 25. 42'66 | 32'35 | 5 | -16'174 | ... | 5993 | 109 |
| 6779 | 6799 | Lacaille 5994 | 6'7 | 14. 25. 7'19 | 35'16 | 3 | + 3'755 | - 40. 47. 16'85 | 34'65 | 4 | -16'172 | ... | 5994 | 110 |
| 6780 | 6800 | Piazzi XIV. 115 | 7'8 | 14. 25. 14'12 | 35'26 | 3 | + 2'974 | + 7. 1. 32'38 | 34'62 | 4 | -16'163 | ... | ... | 115 |
| 6781 | 6801 | 27 Boötis | 3'4 | 14. 25. 25'96 | 32'71 | 5 | + 2'429 | + 39. 1. 58'73 | 32'57 | 11 | -16'154 | 1871 | ... | 117 |
| 6782 | 6802 | Lacaille 5995 | 7 | 14. 25. 33'48 | 36'00 | 4 | + 3'880 | - 45. 31. 9'02 | 35'94 | 4 | -16'148 | ... | 5995 | 113 |
| 6783 | 6803 | Piazzi XIV. 116 | 7 | 14. 25. 34'37 | 33'01 | 5 | + 3'356 | - 19. 42. 41'20 | 32'40 | 5 | -16'148 | ... | ... | 116 |
| 6784 | 6804 | Lacaille 5996 | 6'7 | 14. 25. 48'16 | 38'74 | 3 | + 4'101 | - 52. 20. 5'46 | 38'74 | 3 | -16'135 | ... | 5996 | ... |
| 6785 | 6805 | Lacaille 5999 | 7 | 14. 26. 7'44 | 39'34 | 2 | + 3'714 | - 38. 52. 13'77 | 39'32 | 2 | -16'119 | ... | 5999 | ... |
| 6786 | 6806 | Lacaille 6002 | 6'7 | 14. 26. 24'77 | 40'75 | 4 | + 3'729 | - 39. 29. 7'40 | 40'74 | 4 | -16'104 | ... | 6002 | ... |
| 6787 | 6807 | Lacaille 6001 | 6 | 14. 26. 33'99 | 37'90 | 7 | + 3'882 | - 45. 24. 31'96 | 37'95 | 7 | -16'095 | ... | 6001 | 118 |
| 6788 | 6808 | Lupi | 5 | 14. 26. 50'08 | 31'40 | 6 | + 3'982 | - 48. 42. 5'01 | 33'45 | 5 | -16'081 | ... | 6003 | ... |
| 6789 | 6809 | Lacaille 5997 | 7'8 | 14. 26. 50'31 | 39'00 | 3 | + 4'372 | - 58. 24. 53'57 | 39'04 | 3 | -16'080 | ... | 5997 | ... |
| 6790 | 6810 | Lacaille 6005 | 7 | 14. 26. 59'09 | 38'81 | 3 | + 3'939 | - 47. 18. 0'60 | 38'81 | 3 | -16'073 | ... | 6005 | ... |
| 6791 | 6811 | Lacaille 6008 | 7 | 14. 27. 4'33 | 38'95 | 2 | + 3'802 | - 42. 23. 19'28 | 38'95 | 2 | -16'068 | ... | 6008 | ... |
| 6792 | 6812 | Piazzi XIV. 119 | 7 | 14. 27. 6'78 | 35'27 | 3 | + 2'875 | + 13. 49. 24'88 | 34'64 | 4 | -16'067 | ... | ... | 119 |
| 6793 | 6813 | Lacaille 6007 | 7 | 14. 27. 11'77 | 39'36 | 2 | + 4'000 | - 49. 10. 43'09 | 39'35 | 2 | -16'062 | ... | 6007 | ... |
| 6794 | 6814 | Piazzi XIV. 126 | 6'7 | 14. 27. 14'14 | 35'39 | 3 | + 1'629 | + 60. 57. 17'07 | 35'12 | 3 | -16'060 | ... | ... | 126 |
| 6795 | 6815 | Piazzi XIV. 120 | 8 | 14. 27. 18'95 | 36'71 | 2 | + 3'013 | + 4. 11. 37'87 | 36'36 | 3 | -16'056 | ... | ... | 120 |
| 6796 | 6816 | Lacaille 6010 | 7 | 14. 27. 27'04 | 38'66 | 3 | + 3'878 | - 45. 8. 51'58 | 38'66 | 3 | -16'048 | ... | 6010 | ... |
| 6797 | 6818 | Piazzi XIV. 121 | 7 | 14. 27. 29'35 | 36'65 | 3 | + 3'197 | - 8. 53. 13'33 | 36'69 | 4 | -16'046 | ... | ... | 121 |
| 6798 | 6817 | 28 Boötis | 5 | 14. 27. 29'58 | 31'76 | 6 | + 2'600 | + 30. 27. 54'35 | 31'42 | 5 | -16'046 | 1872 | ... | 124 |
| 6799 | 6819 | Piazzi XIV. 123 | 8 | 14. 27. 34'14 | 35'23 | 3 | + 3'059 | + 0. 56. 39'39 | 34'73 | 4 | -16'042 | ... | ... | 123 |
| 6800 | 6820 | Piazzi XIV. 122 | 9 | 14. 27. 35'66 | 36'77 | 2 | + 3'115 | - 3. 3. 24'01 | 36'90 | 4 | -16'041 | ... | ... | 122 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A. 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 6801 | 6821 | Piazzi XIV. 128 | 6 | h m s 14. 27. 53.80 | 35.32 | 3 | + 2.458 | + 37. 21. 13.99 | 34.66 | 4 | -16.024 | ... | ... | 128 |
| 6802 | 6822 | 5 Ursæ Minoris | 4 | 14. 27. 57.73 | 32.22 | 5 | - 0.262 | + 76. 25. 46.40 | 32.80 | 5 | -16.021 | 1873 | ... | 136 |
| 6803 | 6823 | Lacaille 6015 | 7 | 14. 28. 3.44 | 41.10 | 6 | + 3.702 | - 38. 4. 19.52 | 41.10 | 6 | -16.016 | ... | 6015 | ... |
| 6804 | 6824 | Piazzi XIV. 131 | 7.8 | 14. 28. 6.25 | 35.39 | 3 | + 1.979 | + 53. 37. 24.94 | 34.65 | 4 | -16.014 | ... | ... | 131 |
| 6805 | 6825 | Piazzi XIV. 127 | 6.7 | 14. 28. 13.54 | 36.68 | 6 | + 3.237 | - 11. 35. 57.12 | 35.93 | 7 | -16.007 | ... | ... | 127 |
| 6806 | 6826 | Lacaille 6020 | 7 | 14. 28. 23.36 | 38.39 | 2 | + 3.627 | - 34. 33. 17.52 | 38.39 | 2 | -15.998 | ... | 6020 | ... |
| 6807 | 6827 | Lacaille 6018 | 7 | 14. 28. 24.01 | 38.36 | 6 | + 3.903 | - 45. 51. 17.65 | 37.65 | 7 | -15.997 | ... | 6018 | 125 |
| 6808 | 6828 | Lacaille 6016 | 7 | 14. 28. 24.72 | 38.67 | 3 | + 3.978 | - 48. 19. 50.28 | 38.67 | 3 | -15.997 | ... | 6016 | ... |
| 6809 | 6829 | Centauri ^{a1} | 4 | 14. 28. 27.97 | 32.18 | 5 | + 4.478 | - 60. 9. 11.40 | 32.39 | 4 | -15.995 | ... | 6014 | ... |
| 6810 | 6830 | Centauri ^{a2} | 1 | 14. 28. 29.69 | 31.35 | 3 | + 4.478 | - 60. 8. 56.18 | 34.51 | 13 | -15.994 | ... | 6017 | ... |
| 6811 | 6831 | Piazzi XIV. 130 | 7.8 | 14. 28. 32.78 | 35.85 | 5 | + 3.117 | - 3. 10. 5.85 | 35.30 | 3 | -15.990 | ... | ... | 130 |
| 6812 | 6832 | Piazzi XIV. 129 | 8 | 14. 28. 35.36 | 40.06 | 5 | + 3.406 | - 22. 26. 35.68 | 39.29 | 7 | -15.989 | ... | ... | 129 |
| 6813 | 6833 | Brisbane 4993 | 7.8 | 14. 28. 48.18 | 39.31 | 1 | + 3.897 | - 45. 34. 51.12 | 39.31 | 1 | -15.976 | ... | ... | ... |
| 6814 | 6834 | Brisbane 4994 | 7.8 | 14. 28. 52.89 | 38.40 | 1 | + 3.635 | - 34. 52. 21.17 | 38.40 | 2 | -15.972 | ... | ... | ... |
| 6815 | 6835 | Piazzi XIV. 132 | 7 | 14. 29. 8.21 | 35.40 | 3 | + 3.030 | + 3. 0. 4.20 | 35.32 | 3 | -15.959 | ... | ... | 132 |
| 6816 | 6836 | Piazzi XIV. 133 | 7.8 | 14. 29. 14.03 | 35.43 | 3 | + 3.139 | - 4. 49. 37.72 | 34.64 | 4 | -15.954 | ... | ... | 133 |
| 6817 | 6837 | Circini ^a | 4 | 14. 29. 16.51 | 33.48 | 3 | + 4.753 | - 64. 15. 1.88 | 33.36 | 5 | -15.951 | ... | 6012 | ... |
| 6818 | 6838 | Lacaille 6026 | 7 | 14. 29. 32.72 | 38.66 | 3 | + 3.886 | - 45. 4. 33.85 | 38.66 | 3 | -15.937 | ... | 6026 | ... |
| 6819 | 6839 | Lacaille 6021 | 6.7 | 14. 29. 43.93 | 38.41 | 1 | + 4.368 | - 57. 54. 1.21 | 38.41 | 1 | -15.927 | ... | 6021 | ... |
| 6820 | 6840 | 3 Libræ ^a | 7 | 14. 29. 51.42 | 33.44 | 3 | + 3.440 | - 24. 18. 34.99 | 32.41 | 5 | -15.920 | ... | 6031 | 134 |
| 6821 | 6841 | Lacaille 6028 | 7.8 | 14. 29. 53.46 | 41.06 | 5 | + 3.757 | - 40. 7. 26.27 | 41.06 | 5 | -15.919 | ... | 6028 | ... |
| 6822 | 6842 | Lacaille 6033 | 7 | 14. 30. 5.06 | 35.16 | 3 | + 3.469 | - 26. 0. 19.95 | 35.37 | 3 | -15.909 | ... | 6033 | 135 |
| 6823 | 6843 | Brisbane 5008 | 7.8 | 14. 30. 7.46 | 39.34 | 2 | + 3.752 | - 39. 53. 31.76 | 39.34 | 2 | -15.907 | ... | ... | ... |
| 6824 | 6844 | Piazzi XIV. 137 | 7 | 14. 30. 8.99 | 35.17 | 2 | + 3.213 | - 9. 50. 14.64 | 34.62 | 4 | -15.905 | ... | ... | 137 |
| 6825 | 6845 | Piazzi XIV. 139 | 8 | 14. 30. 20.22 | 36.59 | 3 | + 3.144 | - 5. 4. 6.37 | 36.70 | 5 | -15.896 | ... | ... | 139 |
| 6826 | 6846 | Piazzi XIV. 138 | 9.10 | 14. 30. 21.75 | 36.79 | 2 | + 3.229 | - 10. 52. 33.58 | 36.64 | 4 | -15.894 | ... | ... | 138 |
| 6827 | 6847 | Piazzi XIV. 140 | 7 | 14. 30. 33.95 | 35.21 | 3 | + 2.791 | + 19. 1. 12.85 | 35.13 | 3 | -15.883 | ... | ... | 140 |
| 6828 | 6848 | Brisbane 5005 | 7 | 14. 30. 54.06 | 38.50 | 1 | + 3.936 | - 46. 33. 40.33 | 38.50 | 1 | -15.865 | ... | ... | ... |
| 6829 | 6849 | Lupi ^a | 3 | 14. 30. 59.85 | 33.73 | 9 | + 3.940 | - 46. 40. 30.07 | 34.65 | 8 | -15.860 | ... | 6034 | ... |
| 6830 | 6850 | Lacaille 6037 | 8 | 14. 31. 12.11 | 39.97 | 5 | + 3.908 | - 45. 35. 6.99 | 39.97 | 5 | -15.850 | ... | 6037 | ... |
| 6831 | 6851 | Piazzi XIV. 143 | 8 | 14. 31. 34.40 | 35.36 | 3 | + 2.854 | + 30. 43. 51.84 | 34.72 | 4 | -15.829 | ... | ... | 143 |
| 6832 | 6852 | Lacaille 6043 | 7 | 14. 31. 35.15 | 38.81 | 3 | + 3.814 | - 42. 4. 35.16 | 38.81 | 3 | -15.829 | ... | 6043 | ... |
| 6833 | 6853 | Piazzi XIV. 142 | 7.8 | 14. 31. 43.49 | 35.26 | 2 | + 3.403 | - 21. 54. 15.43 | 34.72 | 4 | -15.821 | ... | ... | 142 |
| 6834 | 6854 | Lacaille 6048 | 5.6 | 14. 31. 44.19 | 35.23 | 3 | + 3.693 | - 37. 4. 48.27 | 34.64 | 4 | -15.820 | ... | 6048 | 141 |
| 6835 | 6855 | Lacaille 6051 | 7.8 | 14. 32. 1.19 | 39.35 | 2 | + 3.528 | - 28. 59. 7.03 | 39.35 | 2 | -15.805 | ... | 6051 | ... |
| 6836 | 6856 | Lacaille 6052 | 7 | 14. 32. 2.26 | 39.47 | 1 | + 3.552 | - 30. 13. 13.32 | 39.47 | 1 | -15.804 | ... | 6052 | ... |
| 6837 | 6857 | Lacaille 6050 | 7.8 | 14. 32. 17.44 | 38.76 | 3 | + 3.952 | - 46. 51. 40.15 | 38.39 | 2 | -15.791 | ... | 6050 | ... |
| 6838 | 6858 | Piazzi XIV. 144 | 8 | 14. 32. 18.07 | 36.81 | 4 | + 3.155 | - 5. 44. 44.59 | 36.60 | 4 | -15.790 | ... | ... | 144 |
| 6839 | 6859 | Piazzi XIV. 143 | 7 | 14. 32. 31.13 | 35.43 | 3 | + 2.003 | + 52. 17. 37.53 | 34.67 | 4 | -15.778 | ... | ... | 148 |
| 6840 | 6860 | Gould 19909 | 7 | 14. 32. 34.83 | 40.43 | 2 | + 3.925 | - 45. 54. 46.23 | 40.06 | 3 | -15.775 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 6841 | 6861 | 33 Boötis | 6.7 | h m s 14. 32. 41.68 | 35.38 | 3 | + 2.242 | + 45. 7. 10.58 | 35.12 | 3 | -15.768 | 1878 | ... | 149 |
| 6842 | 6862 | Brisbane 5021 | 7.8 | 14. 32. 43.60 | 38.39 | 2 | + 4.383 | - 57. 46. 10.06 | 38.39 | 2 | -15.767 | ... | ... | ... |
| 6843 | 6863 | Piazzi XIV. 145 | 6 | 14. 32. 49.32 | 33.35 | 5 | + 2.862 | + 14. 14. 51.39 | 35.00 | 5 | -15.761 | ... | ... | 145 |
| 6844 | 6864 | 29 Boötis | 3.4 | 14. 32. 58.39 | 35.79 | 11 | + 2.817 | + 17. 7. 46.00 | 33.14 | 7 | -15.754 | 1875 | ... | 147 |
| 6845 | 6865 | Piazzi XIV. 156 | 6.7 | 14. 33. 1.23 | 35.33 | 3 | + 1.901 | + 54. 44. 20.36 | 34.65 | 4 | -15.751 | ... | ... | 156 |
| 6846 | 6866 | Piazzi XIV. 146 | 7 | 14. 33. 5.80 | 36.23 | 4 | + 3.240 | - 11. 31. 28.57 | 35.71 | 8 | -15.747 | ... | ... | 146 |
| 6847 | 6867 | 30 Boötis | 3.4 | 14. 33. 16.32 | 31.85 | 7 | + 2.859 | + 14. 26. 25.70 | 32.42 | 10 | -15.738 | 1876 | ... | 152 |
| 6848 | 6868 | Lacaille 6057 | 7.8 | 14. 33. 20.79 | 38.38 | 2 | + 4.252 | - 54. 53. 46.25 | 38.38 | 2 | -15.734 | ... | 6057 | ... |
| 6849 | 6869 | Piazzi XIV. 151 | 8 | 14. 33. 25.17 | 36.59 | 4 | + 3.240 | - 11. 26. 38.42 | 36.72 | 4 | -15.729 | ... | ... | 151 |
| 6850 | 6870 | Brisbane 5026 | 9 | 14. 33. 28.37 | 38.38 | 2 | + 4.253 | - 54. 54. 7.58 | 38.38 | 2 | -15.727 | ... | ... | ... |
| 6851 | 6871 | 31 Boötis | 5 | 14. 33. 32.89 | 32.39 | 6 | + 2.943 | + 8. 52. 18.41 | 33.06 | 5 | -15.722 | 1877 | ... | 155 |
| 6852 | 6872 | Lacaille 6063 | 5 | 14. 33. 35.55 | 34.10 | 8 | + 3.642 | - 34. 27. 29.47 | 34.35 | 7 | -15.721 | ... | 6063 | 150 |
| 6853 | 6873 | Piazzi XIV. 153 | 8 | 14. 33. 39.33 | 36.76 | 4 | + 3.449 | - 24. 24. 3.25 | 36.67 | 4 | -15.716 | ... | ... | 153 |
| 6854 | 6874 | 4 Libra | 7 | 14. 33. 42.36 | 34.66 | 8 | + 3.447 | - 24. 17. 22.88 | 35.32 | 8 | -15.714 | 1874 | 6065 | 154 |
| 6855 | 6875 | 32 Boötis | 6 | 14. 33. 48.22 | 38.74 | 5 | + 2.890 | + 12. 22. 31.79 | 39.53 | 7 | -15.708 | 1879 | ... | 157 |
| 6856 | 6876 | 107 Virginis | 4.5 | 14. 34. 22.45 | 35.51 | 14 | + 3.144 | - 4. 56. 12.41 | 35.16 | 7 | -15.679 | 1880 | ... | 158 |
| 6857 | 6877 | Piazzi XIV. 160 | 6.7 | 14. 34. 22.61 | 35.12 | 4 | + 2.738 | + 21. 50. 6.98 | 34.57 | 5 | -15.677 | ... | ... | 160 |
| 6858 | 6878 | Piazzi XIV. 161 | 7 | 14. 34. 53.13 | 35.13 | 3 | + 2.734 | + 22. 0. 8.59 | 35.19 | 4 | -15.649 | ... | ... | 161 |
| 6859 | 6879 | Lacaille 6071 | 6 | 14. 34. 53.49 | 37.29 | 5 | + 3.646 | - 34. 29. 17.80 | 37.38 | 5 | -15.649 | ... | 6071 | 159 |
| 6860 | 6880 | Lacaille 6072 | 7 | 14. 35. 11.57 | 39.27 | 2 | + 3.886 | - 44. 9. 50.23 | 39.27 | 2 | -15.633 | ... | 6072 | ... |
| 6861 | 6881 | Lacaille 6069 | 8 | 14. 35. 26.43 | 39.32 | 1 | + 4.188 | - 53. 4. 22.92 | 39.32 | 1 | -15.620 | ... | 6069 | ... |
| 6862 | 6882 | Lacaille 6073 | 6.7 | 14. 35. 29.22 | 38.36 | 2 | + 3.963 | - 46. 44. 22.35 | 38.36 | 2 | -15.616 | ... | 6073 | ... |
| 6863 | 6883 | Lacaille 6070 | 7 | 14. 35. 32.72 | 39.35 | 2 | + 4.134 | - 51. 40. 45.13 | 39.35 | 1 | -15.612 | ... | 6070 | ... |
| 6864 | 6884 | Piazzi XIV. 164 | 7.8 | 14. 35. 39.26 | 35.23 | 3 | + 1.959 | + 52. 56. 50.61 | 34.66 | 4 | -15.605 | ... | ... | 164 |
| 6865 | 6885 | Piazzi XIV. 162 | 8 | 14. 35. 41.98 | 36.46 | 4 | + 3.156 | - 5. 41. 5.20 | 36.50 | 4 | -15.604 | ... | ... | 162 |
| 6866 | 6886 | 34 Boötis | 4.5 | 14. 36. 10.21 | 32.69 | 5 | + 2.638 | + 27. 13. 58.44 | 31.96 | 8 | -15.579 | 1883 | ... | 165 |
| 6867 | 6887 | 54 Hydra | 5.6 | 14. 36. 27.99 | 36.78 | 13 | + 3.459 | - 24. 44. 15.20 | 40.02 | 6 | -15.563 | 1881 | 6087 | 163 |
| 6868 | 6888 | Lacaille 6086 | 6.7 | 14. 36. 45.63 | 38.47 | 1 | + 3.722 | - 37. 35. 16.85 | 38.47 | 1 | -15.545 | ... | 6086 | ... |
| 6869 | 6889 | Lacaille 6079 | 6.7 | 14. 36. 48.86 | 39.38 | 1 | + 4.463 | - 58. 42. 39.27 | 39.38 | 1 | -15.542 | ... | 6079 | ... |
| 6870 | 6890 | Piazzi XIV. 166 | 7 | 14. 36. 50.33 | 37.73 | 8 | + 3.387 | - 20. 28. 16.84 | 40.09 | 5 | -15.541 | ... | ... | 166 |
| 6871 | 6891 | Lacaille 6084 | 7 | 14. 36. 50.64 | 38.41 | 2 | + 3.856 | - 42. 51. 30.99 | 38.41 | 2 | -15.541 | ... | 6084 | ... |
| 6872 | 6892 | 5 Libra | 6 | 14. 36. 52.73 | 35.97 | 9 | + 3.300 | - 14. 45. 33.07 | 40.50 | 5 | -15.539 | 1882 | ... | 167 |
| 6873 | 6893 | 108 Virginis | 6.7 | 14. 37. 6.23 | 35.27 | 3 | + 3.051 | + 1. 25. 6.38 | 34.66 | 4 | -15.528 | 1884 | ... | 168 |
| 6874 | 6894 | Lacaille 6082 | 7 | 14. 37. 6.26 | 38.53 | 2 | + 4.326 | - 55. 58. 2.33 | 38.52 | 2 | -15.528 | ... | 6082 | ... |
| 6875 | 6895 | Lacaille 6090 | 7.8 | 14. 37. 22.07 | 39.35 | 2 | + 3.764 | - 39. 13. 42.79 | 39.35 | 2 | -15.514 | ... | 6090 | ... |
| 6876 | 6896 | Piazzi XIV. 170 | 7.8 | 14. 37. 30.06 | 35.32 | 3 | + 2.940 | + 8. 51. 42.16 | 34.52 | 2 | -15.505 | ... | ... | 170 |
| 6877 | 6897 | 35 Boötis | 4.5 | 14. 37. 32.65 | 32.08 | 7 | + 2.802 | + 17. 40. 1.54 | 32.58 | 5 | -15.502 | 1888 | ... | 172 |
| 6878 | 6898 | 36 Boötis | 3 | 14. 37. 46.93 | 31.69 | 7 | + 2.625 | + 27. 46. 24.53 | 33.22 | 5 | -15.489 | 1890 | ... | 175 |
| 6879 | 6899 | 55 Hydra | 5.6 | 14. 37. 47.93 | 38.49 | 5 | + 3.467 | - 24. 55. 34.80 | 34.85 | 10 | -15.488 | 1885 | 6097 | 169 |
| 6880 | 6900 | Piazzi XIV. 171 | 7 | 14. 37. 51.91 | 37.52 | 4 | + 3.392 | - 20. 37. 40.11 | 32.40 | 5 | -15.484 | ... | ... | 171 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 6881 | 6901 | 109 Virginia..... | 4 | h m s 14. 37. 54.92 | 34.81 | 5 | + 3.033 | + 2. 35. 35.67 | 33.44 | 4 | -15.481 | 1889 | ... | 174 |
| 6882 | 6902 | 56 Hydra..... | 5.6 | 14. 38. 7.93 | 32.45 | 1 | + 3.476 | - 25. 23. 25.57 | 33.44 | 1 | -15.470 | 1886 | 6102 | 173 |
| 6883 | 6903 | Piazzi XIV. 177..... | 7.8 | 14. 38. 11.27 | 35.32 | 3 | + 2.804 | + 17. 29. 46.21 | 34.65 | 4 | -15.466 | ... | ... | 177 |
| 6884 | 6904 | 57 Hydra..... | 6 | 14. 38. 19.57 | 38.50 | 6 | + 3.487 | - 25. 56. 58.84 | 38.67 | 5 | -15.459 | 1887 | 6104 | 176 |
| 6885 | 6905 | Piazzi XIV. 178..... | 7 | 14. 38. 19.75 | 36.52 | 4 | + 2.830 | + 15. 49. 44.50 | 36.51 | 4 | -15.459 | ... | ... | 178 |
| 6886 | 6906 | Lacaille 6100..... | 7 | 14. 38. 22.42 | 38.35 | 2 | + 3.672 | - 35. 8. 48.06 | 38.35 | 2 | -15.457 | ... | 6100 | ... |
| 6887 | 6907 | Lacaille 6101..... | 7 | 14. 38. 25.33 | 39.47 | 1 | + 3.690 | - 35. 56. 17.28 | 39.47 | 1 | -15.453 | ... | 6101 | ... |
| 6888 | 6908 | Piazzi XIV. 179..... | 7 | 14. 38. 25.72 | 38.78 | 6 | + 2.193 | + 45. 53. 10.98 | 37.98 | 5 | -15.453 | ... | ... | 179 |
| 6889 | 6909 | Lacaille 6098..... | 8 | 14. 38. 37.47 | 38.38 | 2 | + 4.018 | - 47. 56. 34.73 | 38.38 | 2 | -15.442 | ... | 6098 | ... |
| 6890 | 6910 | Brisbane 5066..... | 8 | 14. 38. 52.45 | 38.39 | 2 | + 3.667 | - 34. 51. 21.11 | 38.39 | 2 | -15.428 | ... | ... | ... |
| 6891 | 6911 | Piazzi XIV. 180..... | 7 | 14. 39. 5.09 | 35.21 | 3 | + 3.031 | + 2. 44. 1.28 | 34.37 | 3 | -15.417 | ... | ... | 180 |
| 6892 | 6912 | Piazzi XIV. 182..... | 7.8 | 14. 39. 16.00 | 35.16 | 3 | + 2.271 | + 43. 4. 37.70 | 35.33 | 3 | -15.406 | ... | ... | 182 |
| 6893 | 6913 | Piazzi XIV. 181..... | 8 | 14. 39. 49.14 | 36.57 | 4 | + 3.261 | - 12. 25. 32.37 | 36.61 | 4 | -15.375 | ... | ... | 181 |
| 6894 | 6914 | 7 Libra..... | 5.6 | 14. 40. 17.13 | 32.22 | 7 | + 3.278 | - 13. 27. 22.66 | 33.13 | 3 | -15.350 | 1891 | ... | 183 |
| 6895 | 6915 | Lacaille 6110..... | 7 | 14. 40. 18.67 | 38.66 | 3 | + 3.851 | - 42. 7. 56.93 | 38.66 | 3 | -15.348 | ... | 6110 | ... |
| 6896 | 6916 | 58 Hydra..... | 5 | 14. 40. 37.22 | 31.62 | 6 | + 3.516 | - 27. 16. 4.58 | 31.94 | 6 | -15.330 | 1892 | 6116 | 184 |
| 6897 | 6917 | Lupi..... | 5 | 14. 40. 54.47 | 31.42 | 6 | + 3.874 | - 42. 53. 13.58 | 31.47 | 5 | -15.314 | ... | 6114 | 185 |
| 6898 | 6918 | Brisbane 5082..... | 7 | 14. 41. 22.88 | 38.78 | 3 | + 3.971 | - 46. 4. 24.65 | 38.77 | 3 | -15.288 | ... | ... | ... |
| 6899 | 6919 | 8 Libra..... | 6 | 14. 41. 34.40 | 33.76 | 6 | + 3.309 | - 15. 18. 22.71 | 38.11 | 5 | -15.276 | 1893 | ... | 186 |
| 6900 | 6920 | Piazzi XIV. 189..... | 6.7 | 14. 41. 39.23 | 35.38 | 3 | + 1.721 | + 57. 18. 34.98 | 34.61 | 4 | -15.271 | ... | ... | 189 |
| 6901 | 6921 | 9 Libra..... | 3 | 14. 41. 45.87 | 33.93 | 32 | + 3.310 | - 15. 21. 5.65 | 32.74 | 28 | -15.265 | 1894 | ... | 187 |
| 6902 | 6922 | Bradley 1895..... | 6 | 14. 42. 22.31 | 32.90 | 4 | + 3.340 | - 17. 5. 56.94 | 33.41 | 5 | -15.230 | 1895 | ... | 188 |
| 6903 | 6923 | Lacaille 6121..... | 7.8 | 14. 42. 25.63 | 38.94 | 4 | + 3.947 | - 45. 10. 20.99 | 38.93 | 4 | -15.228 | ... | 6121 | ... |
| 6904 | 6924 | 11 Libra..... | 6 | 14. 42. 28.24 | 32.97 | 5 | + 3.096 | - 1. 36. 24.87 | 33.48 | 5 | -15.225 | 1897 | ... | 191 |
| 6905 | 6925 | Lacaille 6124..... | 6.7 | 14. 42. 31.70 | 38.72 | 3 | + 3.731 | - 37. 7. 9.13 | 38.72 | 3 | -15.222 | ... | 6124 | ... |
| 6906 | 6926 | 10 Libra..... | 7 | 14. 42. 36.69 | 33.46 | 5 | + 3.349 | - 17. 40. 15.19 | 33.51 | 1 | -15.217 | 1896 | ... | 190 |
| 6907 | 6927 | Lacaille 6127..... | 6.7 | 14. 42. 44.50 | 38.39 | 2 | + 3.573 | - 29. 53. 32.36 | 38.39 | 2 | -15.210 | ... | 6127 | ... |
| 6908 | 6928 | Piazzi XIV. 192..... | 8 | 14. 42. 47.46 | 36.80 | 2 | + 3.637 | - 32. 56. 37.35 | 36.46 | 4 | -15.207 | ... | ... | 192 |
| 6909 | 6929 | Piazzi XIV. 193..... | 6 | 14. 42. 52.01 | 38.22 | 7 | + 2.582 | + 29. 18. 9.73 | 39.41 | 9 | -15.202 | ... | ... | 193 |
| 6910 | 6930 | Lacaille 6119..... | 6.7 | 14. 42. 55.64 | 38.66 | 3 | + 4.548 | - 59. 25. 48.17 | 38.66 | 3 | -15.199 | ... | 6119 | ... |
| 6911 | 6931 | Piazzi XIV. 196..... | 7 | 14. 43. 22.41 | 35.39 | 3 | + 2.690 | + 23. 35. 45.98 | 34.62 | 4 | -15.175 | ... | ... | 196 |
| 6912 | 6933 | 38 Boötis..... | 6.7 | 14. 43. 25.69 | 35.40 | 3 | + 2.140 | + 46. 48. 22.15 | 35.14 | 3 | -15.170 | 1900 | ... | 198 |
| 6913 | 6932 | Piazzi XIV. 194..... | 7.8 | 14. 43. 25.84 | 35.28 | 1 | + 3.301 | - 14. 42. 19.04 | 35.12 | 3 | -15.170 | ... | ... | 194 |
| 6914 | 6934 | Piazzi XIV. 195..... | 8 | 14. 43. 29.84 | 36.61 | 4 | + 3.318 | - 15. 42. 54.47 | 36.28 | 2 | -15.166 | ... | ... | 195 |
| 6915 | 6935 | Brisbane 5098..... | 8 | 14. 43. 43.36 | 38.67 | 3 | + 3.641 | - 33. 0. 43.83 | 38.38 | 2 | -15.153 | ... | ... | ... |
| 6916 | 6936 | 37 Boötis..... | 3.4 | 14. 43. 46.81 | 31.41 | 6 | + 2.757 | + 19. 47. 21.62 | 32.37 | 5 | -15.150 | 1898 | ... | 197 |
| 6917 | 6937 | Brisbane 5099..... | 8 | 14. 43. 49.35 | 38.67 | 3 | + 3.640 | - 32. 57. 42.21 | 38.67 | 3 | -15.148 | ... | ... | ... |
| 6918 | 6938 | 39 Boötis..... | 6.7 | 14. 44. 4.92 | 35.42 | 2 | + 2.048 | + 49. 24. 6.38 | 34.79 | 5 | -15.133 | 1902 | ... | 200 |
| 6919 | 6939 | Piazzi XIV. 202..... | 7 | 14. 44. 6.17 | 35.49 | 3 | + 1.822 | + 54. 55. 4.88 | 34.66 | 4 | -15.132 | ... | ... | 202 |
| 6920 | 6940 | Lacaille 6135..... | 7 | 14. 44. 19.43 | 37.40 | 2 | + 3.653 | - 33. 27. 43.60 | 39.47 | 1 | -15.119 | ... | 6135 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|------------------------|----------------------|-------------------|----------------------------------|--------------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 6921 | 6942 | Piazzi XIV. 201..... | 7 | h m s 14. 44. 35'60 | 35'49 | 2 | s + 2'735 | ° ' " + 20. 58. 23'71 | 34'73 | 4 | " -15'103 | ... | ... | 201 |
| 6922 | 6941 | Lacaille 6140 | 6 | 14. 44. 35'68 | 39'51 | 1 | + 3'533 | - 27. 40. 10'39 | 39'51 | 1 | -15'103 | ... | 6140 | ... |
| 6923 | 6943 | Lacaille 6132 | 6'7 | 14. 44. 35'96 | 39'53 | 1 | + 4'204 | - 52. 8. 1'86 | 39'53 | 1 | -15'103 | ... | 6132 | ... |
| 6924 | 6944 | 12 Libræ | 6 | 14. 44. 46'38 | 32'38 | 6 | + 3'463 | - 23. 57. 45'96 | 32'41 | 5 | -15'094 | 1899 | 6143 | 199 |
| 6925 | 6945 | Brisbane 5110..... | 8 | 14. 45. 0'51 | 38'41 | 1 | + 4'342 | - 55. 14. 12'76 | 38'41 | 1 | -15'079 | ... | ... | ... |
| 6926 | 6946 | Piazzi XIV. 203..... | 7'8 | 14. 45. 1'21 | 35'16 | 3 | + 3'202 | - 8. 24. 23'09 | 34'74 | 4 | -15'079 | ... | ... | 203 |
| 6927 | 6947 | 6 Ursæ Minoris | 7'8 | 14. 45. 1'76 | 40'68 | 4 | + 0'249 | + 72. 39. 16'76 | 38'77 | 6 | -15'078 | 1906 | ... | 210 |
| 6928 | 6948 | Piazzi XIV. 205..... | 8 | 14. 45. 19'54 | 36'63 | 3 | + 3'068 | + 0. 15. 12'82 | 36'66 | 3 | -15'061 | ... | ... | 205 |
| 6929 | 6949 | Lacaille 6141 | 6'7 | 14. 45. 21'98 | 41'07 | 5 | + 4'026 | - 47. 12. 12'36 | 41'07 | 5 | -15'059 | ... | 6141 | ... |
| 6930 | 6950 | Piazzi XIV. 207..... | 7 | 14. 45. 22'41 | 36'01 | 3 | + 3'068 | + 0. 16. 37'94 | 35'12 | 3 | -15'059 | ... | ... | 207 |
| 6931 | 6951 | 13 Libræ | 6 | 14. 45. 25'87 | 31'24 | 1 | + 3'247 | - 11. 13. 13'66 | 32'44 | 4 | -15'055 | 1901 | ... | 206 |
| 6932 | 6952 | Lacaille 6142 | 7 | 14. 45. 30'61 | 39'36 | 1 | + 4'155 | - 50. 46. 20'59 | 39'36 | 1 | -15'051 | ... | 6142 | ... |
| 6933 | 6953 | Lacaille 6146 | 5'6 | 14. 45. 37'96 | 35'32 | 1 | + 3'650 | - 33. 10. 46'86 | 34'62 | 4 | -15'043 | ... | 6146 | 204 |
| 6934 | 6954 | Piazzi XIV. 209..... | 7'8 | 14. 45. 45'28 | 35'50 | 1 | + 2'769 | + 18. 54. 56'39 | 34'67 | 4 | -15'037 | ... | ... | 209 |
| 6935 | 6955 | Piazzi XIV. 208..... | 9 | 14. 45. 49'44 | 36'58 | 4 | + 3'483 | - 24. 56. 21'91 | 36'70 | 3 | -15'032 | ... | ... | 208 |
| 6936 | 6956 | Lacaille 6149 | 7 | 14. 46. 8'11 | 39'37 | 2 | + 3'783 | - 38. 44. 29'48 | 39'37 | 2 | -15'014 | ... | 6149 | ... |
| 6937 | 6957 | Lacaille 6153 | 7 | 14. 46. 29'16 | 38'53 | 1 | + 3'626 | - 31. 57. 43'60 | 38'52 | 2 | -14'994 | ... | 6153 | ... |
| 6938 | 6958 | Piazzi XIV. 219..... | 7'8 | 14. 46. 47'08 | 35'24 | 1 | + 0'287 | + 72. 17. 16'01 | 35'12 | 3 | -14'977 | ... | ... | 219 |
| 6939 | 6959 | Lacaille 6151 | 7'8 | 14. 46. 51'80 | 38'36 | 2 | + 4'067 | - 48. 10. 42'38 | 38'36 | 2 | -14'972 | ... | 6151 | ... |
| 6940 | 6960 | Piazzi XIV. 217..... | 6 | 14. 47. 15'43 | 35'30 | 2 | + 1'530 | + 59. 58. 0'41 | 35'21 | 3 | -14'949 | ... | ... | 217 |
| 6941 | 6961 | Piazzi XIV. 215..... | 7'8 | 14. 47. 27'04 | 35'37 | 3 | + 2'500 | + 32. 41. 25'03 | 34'69 | 4 | -14'938 | ... | ... | 215 |
| 6942 | 6962 | Lacaille 6156 | 7 | 14. 47. 44'16 | 38'75 | 3 | + 4'172 | - 50. 54. 27'62 | 38'75 | 3 | -14'922 | ... | 6156 | ... |
| 6943 | 6963 | Lupi | 3'4 | 14. 47. 45'58 | 32'69 | 9 | + 3'890 | - 42. 27. 47'91 | 31'44 | 7 | -14'920 | ... | 6160 | 211 |
| 6944 | 6964 | 15 Libræ | 5 | 14. 47. 49'70 | 32'23 | 9 | + 3'241 | - 10. 44. 19'72 | 31'43 | 5 | -14'916 | 1903 | ... | 214 |
| 6945 | 6965 | Piazzi XIV. 212..... | 6 | 14. 47. 50'97 | 36'19 | 11 | + 3'409 | - 20. 39. 56'64 | 35'42 | 7 | -14'915 | ... | ... | 212 |
| 6946 | 6966 | Lacaille 6159 | 7'8 | 14. 47. 53'00 | 38'70 | 3 | + 4'070 | - 48. 9. 20'70 | 38'70 | 3 | -14'913 | ... | 6159 | ... |
| 6947 | 6967 | 14 Libræ | 7 | 14. 47. 54'00 | 33'83 | 6 | + 3'485 | - 24. 46. 17'19 | 33'48 | 5 | -14'912 | ... | 6168 | 213 |
| 6948 | 6968 | Piazzi XIV. 221..... | 6 | 14. 48. 26'03 | 35'20 | 3 | + 2'830 | + 15. 7. 2'70 | 34'62 | 4 | -14'880 | ... | ... | 221 |
| 6949 | 6969 | Centauri | 3 | 14. 48. 27'67 | 31'40 | 6 | + 3'863 | - 41. 26. 11'32 | 31'47 | 5 | -14'878 | ... | 6170 | 216 |
| 6950 | 6970 | Lacaille 6171 | 7'8 | 14. 48. 31'24 | 38'71 | 3 | + 3'903 | - 42. 48. 15'00 | 38'71 | 3 | -14'876 | ... | 6171 | ... |
| 6951 | 6971 | Gould 20289 | 9'10 | 14. 48. 32'69 | 41'08 | 5 | + 3'835 | - 40. 25. 2'02 | 40'74 | 4 | -14'875 | ... | ... | ... |
| 6952 | 6972 | 16 Libræ | 5'6 | 14. 48. 34'56 | 32'40 | 5 | + 3'129 | - 3. 40. 9'81 | 33'51 | 3 | -14'872 | 1905 | ... | 220 |
| 6953 | 6973 | Lacaille 6173 | 7 | 14. 48. 40'16 | 35'38 | 1 | + 3'894 | - 42. 29. 30'79 | 34'66 | 4 | -14'867 | ... | 6173 | 218 |
| 6954 | 6974 | Lacaille 6178 | 7 | 14. 48. 50'77 | 38'85 | 4 | + 3'754 | - 37. 12. 51'86 | 38'85 | 4 | -14'856 | ... | 6178 | ... |
| 6955 | 6975 | Piazzi XIV. 223..... | 8 | 14. 48. 52'47 | 36'78 | 2 | + 3'341 | - 16. 41. 47'30 | 36'48 | 4 | -14'855 | ... | ... | 223 |
| 6956 | 6976 | 59 Hydræ..... | 6 | 14. 48. 54'49 | 39'26 | 3 | + 3'529 | - 26. 59. 23'15 | 39'30 | 8 | -14'853 | 1904 | 6179 | 222 |
| 6957 | 6977 | Lacaille 6177 | 7 | 14. 48. 57'06 | 38'86 | 4 | + 3'914 | - 43. 8. 26'67 | 38'86 | 4 | -14'851 | ... | 6177 | ... |
| 6958 | 6978 | 1 Serpenti..... | 6 | 14. 49. 6'03 | 39'65 | 7 | + 3'064 | + 0. 30. 6'72 | 39'65 | 7 | -14'841 | 1908 | ... | 224 |
| 6959 | 6979 | 17 Libræ | 7 | 14. 49. 17'56 | 32'17 | 5 | + 3'239 | - 10. 29. 14'39 | 32'44 | 5 | -14'830 | 1907 | ... | 225 |
| 6960 | 6980 | Lacaille 6176 | 7 | 14. 49. 25'38 | 38'42 | 2 | + 4'387 | - 55. 35. 52'54 | 38'42 | 2 | -14'822 | ... | 6176 | ... |

| No. | Tycho's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|-------------|-----------------------|------------|------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 6961 | 6981 | Piazzi XIV. 226 | 6 | h m s 14. 49. 30'04 | 38'97 | 6 | + 2'796 | + 17. 3. 26'25 | 38'67 | 4 | — 14'817 | ... | ... | 226 |
| 6962 | 6982 | Lacaille 6183 | 7 | 14. 49. 33'59 | 38'76 | 3 | + 3'593 | — 30. 2. 44'09 | 38'76 | 3 | — 14'814 | ... | 6183 | ... |
| 6963 | 6983 | Piazzi XIV. 227 | 7 | 14. 49. 37'50 | 35'23 | 3 | + 2'704 | + 22. 13. 36'37 | 34'73 | 4 | — 14'810 | ... | ... | 227 |
| 6964 | 6984 | 18 Librae | 7 | 14. 49. 58'98 | 32'65 | 7 | + 3'239 | — 10. 28. 32'86 | 32'41 | 5 | — 14'789 | 1909 | ... | 228 |
| 6965 | 6985 | Lacaille 6182 | 8 | 14. 50. 17'43 | 39'09 | 3 | + 4'199 | — 51. 15. 26'29 | 39'09 | 3 | — 14'771 | ... | 6182 | ... |
| 6966 | 6986 | Piazzi XIV. 229 | 7 | 14. 50. 17'48 | 36'48 | 4 | + 3'140 | — 4. 19. 10'50 | 36'48 | 4 | — 14'771 | ... | ... | 229 |
| 6967 | 6987 | Piazzi XIV. 232 | 7 | 14. 50. 26'01 | 35'23 | 4 | + 2'644 | + 25. 20. 30'30 | 35'13 | 3 | — 14'762 | ... | ... | 232 |
| 6968 | 6988 | Piazzi XIV. 231 | 6'7 | 14. 50. 28'50 | 35'11 | 3 | + 2'834 | + 14. 42. 11'27 | 34'64 | 4 | — 14'760 | ... | ... | 231 |
| 6969 | 6989 | Piazzi XIV. 230 | 8 | 14. 50. 30'04 | 36'59 | 4 | + 2'910 | + 10. 9. 50'72 | 36'70 | 5 | — 14'758 | ... | ... | 230 |
| 6970 | 6990 | Lacaille 6186 .. | 7 | 14. 50. 47'49 | 39'40 | 3 | + 3'765 | — 37. 23. 46'86 | 39'40 | 3 | — 14'742 | ... | 6186 | ... |
| 6971 | 6991 | Piazzi XIV. 235 .. | 6'7 | 14. 50. 54'52 | 35'40 | 3 | + 1'979 | + 50. 18. 21'17 | 35'42 | 3 | — 14'734 | ... | ... | 235 |
| 6972 | 6992 | Piazzi XIV. 233 | 7'8 | 14. 50. 57'63 | 35'39 | 2 | + 3'236 | — 10. 15. 57'64 | 34'73 | 4 | — 14'731 | ... | ... | 233 |
| 6973 | 6993 | Piazzi XIV. 234 | 7'8 | 14. 51. 5'07 | 35'27 | 2 | + 3'366 | — 17. 57. 57'53 | 35'33 | 3 | — 14'725 | ... | ... | 234 |
| 6974 | 6994 | 7 Ursa Minoris | β 3 | 14. 51. 15'68 | 32'66 | 17 | — 0'280 | + 74. 49. 45'10 | 32'89 | 16 | — 14'713 | 1917 | ... | 240 |
| 6975 | 6995 | Piazzi XIV. 236 | 7 | 14. 51. 35'20 | 35'46 | 3 | + 2'634 | + 25. 42. 40'54 | 35'13 | 3 | — 14'695 | ... | ... | 236 |
| 6976 | 6996 | Lacaille 6187 | 7 | 14. 52. 1'57 | 38'51 | 4 | + 4'479 | — 57. 2. 37'22 | 38'51 | 4 | — 14'668 | ... | 6187 | ... |
| 6977 | 6997 | Lacaille 6188 | 7'8 | 14. 52. 3'21 | 39'31 | 2 | + 4'438 | — 56. 15. 43'83 | 39'30 | 2 | — 14'667 | ... | 6188 | ... |
| 6978 | 6998 | 19 Librae | δ 4'5 | 14. 52. 10'19 | 31'42 | 6 | + 3'198 | — 7. 51. 32'05 | 33'22 | 5 | — 14'660 | 1911 | ... | 238 |
| 6979 | 6999 | 60 Hydrae | 6 | 14. 52. 17'40 | 35'27 | 3 | + 3'545 | — 27. 24. 4'57 | 34'72 | 4 | — 14'653 | 1910 | 6195 | 237 |
| 6980 | 7000 | Piazzi XIV. 239 | 6 | 14. 52. 46'02 | 35'37 | 3 | + 3'106 | — 2. 5. 48'05 | 35'32 | 3 | — 14'624 | ... | ... | 239 |
| 6981 | 7001 | Lacaille 6199 | 7'8 | 14. 53. 17'01 | 38'69 | 3 | + 3'721 | — 35. 17. 20'64 | 38'69 | 3 | — 14'593 | ... | 6199 | ... |
| 6982 | 7002 | 40 Boötis | 6 | 14. 53. 17'20 | 35'38 | 3 | + 2'305 | + 39. 55. 24'70 | 35'33 | 3 | — 14'593 | 1914 | ... | 248 |
| 6983 | 7004 | 2 Serpentis | 6 | 14. 53. 22'26 | 35'49 | 3 | + 3'064 | + 0. 31. 2'60 | 34'66 | 4 | — 14'588 | 1912 | ... | 243 |
| 6984 | 7003 | Piazzi XIV. 241 | 7 | 14. 53. 22'30 | 34'08 | 8 | + 3'183 | — 6. 55. 9'48 | 33'50 | 2 | — 14'588 | ... | ... | 241 |
| 6985 | 7005 | Piazzi XIV. 247 | 6'7 | 14. 53. 28'60 | 35'45 | 3 | + 2'688 | + 22. 42. 11'90 | 34'67 | 4 | — 14'581 | ... | ... | 247 |
| 6986 | 7006 | Piazzi XIV. 245 | 7 | 14. 53. 43'28 | 37'00 | 5 | + 3'188 | — 7. 11. 5'68 | 38'25 | 10 | — 14'567 | ... | ... | 245 |
| 6987 | 7007 | Piazzi XIV. 246 | 7 | 14. 53. 50'87 | 36'56 | 5 | + 3'352 | — 16. 58. 37'95 | 36'62 | 4 | — 14'559 | ... | ... | 246 |
| 6988 | 7008 | Lupi | π 5 | 14. 53. 55'49 | 31'62 | 5 | + 4'038 | — 46. 23. 58'17 | 32'99 | 11 | — 14'555 | ... | 6201 | 242 |
| 6989 | 7009 | Lacaille 6203 | 6'7 | 14. 54. 3'29 | 35'17 | 3 | + 3'850 | — 40. 12. 30'94 | 35'41 | 3 | — 14'547 | ... | 6203 | 244 |
| 6990 | 7010 | Piazzi XIV. 249 | 6'7 | 14. 54. 11'04 | 35'55 | 2 | + 3'110 | — 2. 22. 33'87 | 34'65 | 4 | — 14'539 | ... | ... | 249 |
| 6991 | 7011 | Piazzi XIV. 252 | 8 | 14. 54. 21'49 | 36'62 | 4 | + 3'335 | — 15. 56. 16'93 | 36'63 | 4 | — 14'529 | ... | ... | 252 |
| 6992 | 7012 | 20 Librae | 3'4 | 14. 54. 25'97 | 31'60 | 5 | + 3'495 | — 24. 37. 40'55 | 31'49 | 5 | — 14'524 | 1913 | 6212 | 251 |
| 6993 | 7013 | 110 Virginis | 5 | 14. 54. 34'06 | 34'43 | 6 | + 3'028 | + 2. 44. 39'73 | 32'27 | 5 | — 14'515 | 1915 | ... | 253 |
| 6994 | 7014 | Lacaille 6209 | 6'7 | 14. 54. 37'61 | 35'15 | 2 | + 3'858 | — 40. 25. 4'78 | 34'74 | 4 | — 14'511 | ... | 6209 | 250 |
| 6995 | 7015 | Lacaille 6205 | 6'7 | 14. 54. 38'71 | 38'38 | 2 | + 4'106 | — 48. 14. 4'57 | 38'71 | 3 | — 14'510 | ... | 6205 | ... |
| 6996 | 7016 | Lacaille 6215 | 7'8 | 14. 54. 43'15 | 38'71 | 3 | + 3'556 | — 27. 38. 50'24 | 38'71 | 3 | — 14'506 | ... | 6215 | ... |
| 6997 | 7017 | Lacaille 6200 | 7'8 | 14. 54. 48'94 | 38'72 | 3 | + 4'704 | — 60. 28. 59'18 | 38'72 | 3 | — 14'500 | ... | 6200 | ... |
| 6998 | 7018 | Piazzi XIV. 254 | 8 | 14. 54. 50'31 | 36'81 | 4 | + 3'184 | — 6. 55. 7'42 | 36'48 | 4 | — 14'499 | ... | ... | 254 |
| 6999 | 7019 | 41 Boötis | ω 5'6 | 14. 54. 52'94 | 38'73 | 7 | + 2'628 | + 25. 39. 49'90 | 38'31 | 5 | — 14'496 | 1916 | ... | 255 |
| 7000 | 7020 | Piazzi XIV. 250 | 6 | 14. 54. 59'29 | 35'32 | 3 | + 0'937 | + 66. 35. 25'74 | 35'13 | 3 | — 14'490 | ... | ... | 260 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 7001 | 7021 | Lacaille 6211 | 7 | h m s 14. 55. 10.66 | 38.36 | 3 | + 4.230 | — 51. 22. 58.27 | 38.36 | 3 | —14.478 | ... | 6211 | ... |
| 7002 | 7022 | Lacaille 6206 | 7.8 | 14. 55. 30.73 | 38.48 | 2 | + 4.743 | — 60. 59. 25.13 | 38.48 | 2 | —14.457 | ... | 6206 | ... |
| 7003 | 7023 | Lacaille 6219 | 7.8 | 14. 55. 35.98 | 38.49 | 2 | + 3.605 | — 29. 54. 22.73 | 38.49 | 2 | —14.452 | ... | 6219 | ... |
| 7004 | 7024 | Piazzi XIV. 256 | 8.9 | 14. 55. 36.75 | 36.49 | 3 | + 3.309 | — 14. 20. 50.87 | 36.48 | 4 | —14.451 | ... | ... | 256 |
| 7005 | 7025 | Piazzi XIV. 258..... | 7 | 14. 55. 40.93 | 35.16 | 3 | + 2.485 | + 32. 20. 4.94 | 36.66 | 4 | —14.447 | ... | ... | 258 |
| 7006 | 7026 | 42 Boötis..... β | 3 | 14. 55. 43.98 | 32.69 | 5 | + 2.264 | + 41. 2. 41.01 | 32.04 | 7 | —14.444 | 1918 | ... | 259 |
| 7007 | 7027 | Lacaille 6221 | 7 | 14. 55. 53.96 | 38.40 | 2 | + 3.737 | — 35. 37. 5.99 | 38.40 | 2 | —14.434 | ... | 6221 | ... |
| 7008 | 7028 | Piazzi XIV. 257 | 8 | 14. 55. 55.85 | 39.41 | 6 | + 3.076 | — 0. 15. 21.66 | 39.01 | 7 | —14.432 | ... | ... | 257 |
| 7009 | 7029 | Lacaille 6217 | 6.7 | 14. 55. 59.27 | 38.38 | 2 | + 4.120 | — 48. 26. 41.94 | 38.38 | 2 | —14.429 | ... | 6217 | ... |
| 7010 | 7030 | Lacaille 6214 | 7.8 | 14. 56. 6.88 | 38.53 | 2 | + 4.589 | — 58. 29. 56.23 | 38.81 | 3 | —14.421 | ... | 6214 | ... |
| 7011 | 7031 | Piazzi XIV. 273 | 7 | 14. 56. 12.66 | 40.49 | 5 | — 0.535 | + 75. 32. 36.99 | 38.94 | 7 | —14.415 | ... | ... | 273 |
| 7012 | 7032 | Piazzi XIV. 263 | 6.7 | 14. 56. 30.85 | 35.27 | 3 | + 2.399 | + 35. 51. 21.24 | 35.13 | 3 | —14.396 | ... | ... | 263 |
| 7013 | 7033 | Lacaille 6228 | 7.8 | 14. 56. 34.36 | 35.13 | 3 | + 3.477 | — 23. 28. 54.89 | 34.71 | 4 | —14.393 | ... | 6228 | 261 |
| 7014 | 7034 | Piazzi XIV. 262 | 7 | 14. 56. 38.56 | 39.20 | 7 | + 3.461 | — 22. 40. 33.03 | 38.18 | 7 | —14.389 | ... | ... | 262 |
| 7015 | 7035 | Piazzi XIV. 264..... | 8 | 14. 56. 39.83 | 36.65 | 4 | + 2.604 | + 26. 41. 19.06 | 36.68 | 4 | —14.387 | ... | ... | 264 |
| 7016 | 7036 | Bradley 1921 | 6.7 | 14. 56. 43.31 | 35.20 | 3 | + 2.582 | + 27. 43. 59.02 | 34.73 | 4 | —14.384 | 1921 | ... | 265 |
| 7017 | 7037 | Brisbane 5182 | 7.8 | 14. 57. 5.93 | 39.33 | 2 | + 3.944 | — 43. 4. 8.33 | 39.33 | 2 | —14.361 | ... | ... | ... |
| 7018 | 7038 | Piazzi XIV. 274..... | 7 | 14. 57. 20.39 | 35.43 | 3 | + 0.960 | + 66. 7. 47.18 | 35.12 | 2 | —14.347 | ... | ... | 274 |
| 7019 | 7039 | 43 Boötis..... ψ | 5 | 14. 57. 22.70 | 31.42 | 3 | + 2.583 | + 27. 35. 41.72 | 32.41 | 6 | —14.343 | 1922 | ... | 270 |
| 7020 | 7040 | 21 Libræ..... ν^1 | 6 | 14. 57. 26.17 | 32.54 | 7 | + 3.333 | — 15. 36. 43.32 | 33.15 | 3 | —14.341 | 1919 | ... | 267 |
| 7021 | 7041 | Lacaille 6231 | 6.7 | 14. 57. 32.15 | 39.47 | 2 | + 3.855 | — 39. 56. 26.56 | 39.47 | 2 | —14.334 | ... | 6231 | ... |
| 7022 | 7042 | Piazzi XIV. 268 | 7.8 | 14. 57. 32.32 | 35.37 | 3 | + 3.275 | — 12. 15. 45.00 | 35.32 | 3 | —14.334 | ... | ... | 268 |
| 7023 | 7043 | 22 Libræ..... ν^2 | 6.7 | 14. 57. 37.20 | 33.46 | 5 | + 3.337 | — 15. 50. 26.75 | 32.40 | 5 | —14.329 | 1920 | ... | 269 |
| 7024 | 7044 | Lupi..... λ | 5 | 14. 57. 46.02 | 31.53 | 1 | + 3.996 | — 44. 38. 19.14 | 33.40 | 5 | —14.320 | ... | 6232 | 266 |
| 7025 | 7045 | Lacaille 6233 | 7 | 14. 57. 47.69 | 38.83 | 3 | + 3.922 | — 42. 13. 36.71 | 38.82 | 3 | —14.318 | ... | 6233 | ... |
| 7026 | 7046 | Gould 20525 | 9.10 | 14. 57. 59.75 | 41.28 | 3 | + 4.487 | — 56. 29. 36.42 | 42.13 | 2 | —14.306 | ... | ... | ... |
| 7027 | 7047 | 8 Ursæ Minoris | 7.8 | 14. 58. 5.32 | 38.36 | 7 | — 0.569 | + 75. 33. 28.32 | 35.89 | 12 | —14.301 | ... | ... | 283 |
| 7028 | 7048 | Piazzi XIV. 271 | 7 | 14. 58. 10.25 | 36.68 | 3 | + 3.012 | + 3. 39. 5.53 | 36.60 | 4 | —14.296 | ... | ... | 271 |
| 7029 | 7049 | Lacaille 6237 | 7.8 | 14. 58. 14.81 | 39.29 | 2 | + 3.778 | — 36. 56. 53.99 | 39.29 | 2 | —14.291 | ... | 6237 | ... |
| 7030 | 7050 | Piazzi XIV. 272 | 7.8 | 14. 58. 18.91 | 36.60 | 4 | + 3.209 | — 8. 17. 10.96 | 36.81 | 4 | —14.286 | ... | ... | 272 |
| 7031 | 7051 | 44 Boötis | 5 | 14. 58. 21.39 | 32.74 | 3 | + 2.019 | + 48. 17. 57.47 | 33.44 | 5 | —14.284 | 1923 | ... | 275 |
| 7032 | 7052 | Brisbane 5191 | 7.8 | 14. 58. 37.63 | 38.40 | 2 | + 3.750 | — 35. 47. 39.79 | 38.40 | 2 | —14.268 | ... | ... | ... |
| 7033 | 7053 | Lacaille 6236 | 6 | 14. 59. 1.14 | 38.38 | 2 | + 4.402 | — 54. 42. 42.36 | 38.38 | 2 | —14.243 | ... | 6236 | ... |
| 7034 | 7054 | Piazzi XIV. 276 | 8 | 14. 59. 8.24 | 36.82 | 4 | + 3.262 | — 11. 24. 33.66 | 36.68 | 3 | —14.236 | ... | ... | 276 |
| 7035 | 7055 | Piazzi XIV. 285 | 8 | 14. 59. 13.98 | 36.84 | 5 | + 0.294 | + 71. 15. 41.69 | 36.68 | 4 | —14.230 | ... | ... | 285 |
| 7036 | 7056 | Piazzi XIV. 277 | 6.7 | 14. 59. 18.39 | 35.11 | 3 | + 2.913 | + 9. 35. 59.95 | 34.67 | 4 | —14.226 | ... | ... | 277 |
| 7037 | 7057 | Piazzi XIV. 278 | 8.9 | 14. 59. 34.40 | 36.51 | 4 | + 3.062 | + 0. 34. 56.83 | 36.85 | 4 | —14.209 | ... | ... | 278 |
| 7038 | 7058 | Piazzi XIV. 279 | 7 | 14. 59. 34.50 | 35.11 | 3 | + 2.908 | + 9. 51. 51.57 | 35.19 | 4 | —14.209 | ... | ... | 279 |
| 7039 | 7059 | Lacaille 6238 | 7.8 | 14. 59. 40.02 | 40.48 | 6 | + 4.783 | — 61. 6. 43.32 | 40.48 | 6 | —14.203 | ... | 6238 | ... |
| 7040 | 7060 | Brisbane 5201 | 9 | 14. 59. 43.64 | 38.49 | 2 | + 3.955 | — 43. 5. 22.53 | 38.48 | 2 | —14.199 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 7041 | 7061 | Piazzi XIV. 281..... | 6.7 | 14. 59. 46.61 | 35.38 | 3 | + 2.745 | + 19. 5. 1.13 | 35.34 | 4 | -14.196 | ... | ... | 281 |
| 7042 | 7062 | Piazzi XIV. 280..... | 7.8 | 14. 59. 57.31 | 35.24 | 3 | + 3.297 | - 13. 21. 46.76 | 34.83 | 5 | -14.186 | ... | ... | 280 |
| 7043 | 7063 | 45 Bootis..... | 5 | 15. 0. 3.29 | 31.53 | 8 | + 2.621 | + 25. 30. 57.58 | 31.42 | 5 | -14.180 | 1924 | ... | 284 |
| 7044 | 7064 | Piazzi XIV. 282..... | 6 | 15. 0. 14.82 | 33.51 | 2 | + 3.481 | - 23. 20. 59.23 | 32.44 | 4 | -14.168 | ... | ... | 282 |
| 7045 | 7065 | 9 Ursæ Minoris..... | 7 | 15. 0. 17.20 | 35.39 | 3 | + 0.086 | + 72. 24. 35.98 | 34.74 | 4 | -14.165 | ... | ... | 2 |
| 7046 | 7066 | Brisbane 5203..... | 8 | 15. 0. 21.47 | 38.36 | 3 | + 4.261 | - 51. 28. 19.46 | 38.36 | 3 | -14.161 | ... | ... | ... |
| 7047 | 7067 | Lacaille 6248..... | 8 | 15. 0. 24.93 | 40.18 | 7 | + 4.008 | - 44. 38. 40.26 | 39.58 | 4 | -14.158 | ... | 6248 | ... |
| 7048 | 7069 | Brisbane 5206..... | 7.8 | 15. 0. 28.43 | 40.48 | 6 | + 4.008 | - 44. 38. 44.05 | 39.58 | 4 | -14.154 | ... | ... | ... |
| 7049 | 7068 | Lupi..... | 4 | 15. 0. 28.60 | 31.65 | 4 | + 4.262 | - 51. 27. 53.60 | 31.48 | 5 | -14.154 | ... | 6245 | ... |
| 7050 | 7070 | Lupi..... | 5 | 15. 0. 30.37 | 38.60 | 8 | + 4.128 | - 48. 6. 14.33 | 35.07 | 8 | -14.152 | ... | 6246 | ... |
| 7051 | 7071 | Brisbane 5207..... | 7 | 15. 0. 32.00 | 37.51 | 5 | + 4.129 | - 48. 6. 37.13 | 39.36 | 1 | -14.150 | ... | ... | ... |
| 7052 | 7072 | Brisbane 5209..... | 7 | 15. 0. 41.88 | 38.41 | 1 | + 4.762 | - 60. 42. 52.55 | 38.41 | 1 | -14.140 | ... | ... | ... |
| 7053 | 7073 | Piazzi XIV. 286..... | 7.8 | 15. 0. 55.39 | 35.28 | 3 | + 3.151 | - 4. 45. 26.46 | 34.74 | 4 | -14.126 | ... | ... | 286 |
| 7054 | 7074 | Piazzi XIV. 287..... | 6.7 | 15. 1. 5.34 | 35.23 | 2 | + 2.838 | + 13. 52. 2.62 | 34.66 | 4 | -14.116 | ... | ... | 287 |
| 7055 | 7075 | Lacaille 6249..... | 7.8 | 15. 1. 6.91 | 38.41 | 1 | + 4.112 | - 47. 35. 14.99 | 38.41 | 1 | -14.114 | ... | 6249 | ... |
| 7056 | 7076 | 46 Bootis..... | 6 | 15. 1. 16.47 | 38.96 | 6 | + 2.589 | + 26. 56. 15.16 | 37.80 | 6 | -14.105 | 1926 | ... | 290 |
| 7057 | 7077 | Piazzi XIV. 291..... | 6 | 15. 1. 24.14 | 39.87 | 6 | + 2.613 | + 25. 44. 37.44 | 39.39 | 5 | -14.096 | ... | ... | 291 |
| 7058 | 7078 | Piazzi XV. 7..... | 7.8 | 15. 1. 25.91 | 35.43 | 1 | - 1.108 | + 77. 10. 38.11 | 35.13 | 3 | -14.094 | ... | ... | 7 |
| 7059 | 7079 | Lacaille 6258..... | 7.8 | 15. 1. 33.40 | 39.33 | 2 | + 3.690 | - 33. 0. 28.14 | 39.33 | 2 | -14.087 | ... | 6258 | ... |
| 7060 | 7080 | Piazzi XIV. 289..... | 9 | 15. 1. 34.56 | 36.49 | 4 | + 3.446 | - 21. 26. 40.05 | 36.51 | 4 | -14.086 | ... | ... | 289 |
| 7061 | 7081 | Lacaille 6257..... | 6 | 15. 1. 46.93 | 35.27 | 3 | + 3.988 | - 43. 52. 10.42 | 35.37 | 2 | -14.072 | ... | 6257 | 288 |
| 7062 | 7082 | Piazzi XV. 1..... | 7.8 | 15. 2. 10.72 | 36.62 | 4 | + 3.282 | - 12. 25. 23.28 | 36.71 | 3 | -14.049 | ... | ... | 1 |
| 7063 | 7083 | Lacaille 6263..... | 6.7 | 15. 2. 45.13 | 38.40 | 2 | + 3.754 | - 35. 27. 50.68 | 38.40 | 2 | -14.012 | ... | 6263 | ... |
| 7064 | 7084 | 24 Libræ..... | 5.6 | 15. 2. 49.86 | 34.15 | 5 | + 3.405 | - 19. 9. 41.80 | 32.40 | 5 | -14.007 | 1927 | ... | 3 |
| 7065 | 7085 | Piazzi XV. 4..... | 7 | 15. 3. 12.54 | 36.63 | 4 | + 3.014 | + 3. 27. 28.97 | 36.72 | 4 | -13.985 | ... | ... | 4 |
| 7066 | 7086 | Lacaille 6259..... | 6.7 | 15. 3. 21.63 | 40.51 | 6 | + 4.753 | - 60. 16. 59.92 | 40.51 | 6 | -13.975 | ... | 6259 | ... |
| 7067 | 7087 | Lacaille 6265..... | 7.8 | 15. 3. 33.47 | 39.38 | 2 | + 3.960 | - 42. 45. 45.75 | 38.96 | 2 | -13.962 | ... | 6265 | ... |
| 7068 | 7088 | Trianguli Australis... | 3 | 15. 3. 38.37 | 33.23 | 5 | + 5.457 | - 68. 3. 39.76 | 33.47 | 5 | -13.957 | ... | 6255 | ... |
| 7069 | 7089 | Circini..... | 6 | 15. 3. 40.91 | 40.14 | 5 | + 4.758 | - 60. 20. 13.78 | 38.79 | 3 | -13.954 | ... | 6262 | ... |
| 7070 | 7090 | 23 Libræ..... | 7.8 | 15. 3. 51.10 | 36.86 | 2 | + 3.514 | - 24. 40. 53.45 | 36.71 | 4 | -13.943 | ... | 6273 | 5 |
| 7071 | 7091 | 25 Libræ..... | 6.7 | 15. 3. 56.10 | 33.45 | 4 | + 3.403 | - 19. 1. 15.99 | 35.14 | 3 | -13.938 | 1928 | ... | 6 |
| 7072 | 7092 | Piazzi XV. 12..... | 8 | 15. 4. 3.46 | 36.76 | 3 | + 1.515 | + 58. 17. 24.48 | 36.69 | 4 | -13.931 | ... | ... | 12 |
| 7073 | 7093 | Lacaille 6275..... | 6 | 15. 4. 8.20 | 39.38 | 2 | + 3.533 | - 25. 34. 9.32 | 39.38 | 2 | -13.926 | ... | 6275 | ... |
| 7074 | 7094 | Piazzi XV. 8..... | 8 | 15. 4. 14.36 | 36.76 | 3 | + 3.496 | - 23. 45. 15.22 | 36.62 | 4 | -13.920 | ... | ... | 8 |
| 7075 | 7095 | Brisbane 5234..... | 8 | 15. 4. 17.07 | 38.50 | 2 | + 3.987 | - 43. 31. 37.65 | 38.50 | 2 | -13.916 | ... | ... | ... |
| 7076 | 7096 | Piazzi XV. 9..... | 6.7 | 15. 4. 17.70 | 35.16 | 3 | + 3.248 | - 10. 22. 49.35 | 34.63 | 4 | -13.915 | ... | ... | 9 |
| 7077 | 7097 | Lacaille 6270..... | 7.8 | 15. 4. 27.52 | 39.87 | 5 | + 4.122 | - 47. 27. 9.55 | 39.87 | 5 | -13.905 | ... | 6270 | ... |
| 7078 | 7098 | 1 Lupi..... | 6 | 15. 4. 32.13 | 35.13 | 3 | + 3.649 | - 30. 53. 47.58 | 35.15 | 3 | -13.900 | 1929 | 6277 | 10 |
| 7079 | 7099 | Circini..... | 5 | 15. 4. 39.91 | 31.42 | 6 | + 4.626 | - 58. 10. 39.13 | 32.41 | 5 | -13.892 | ... | 6266 | ... |
| 7080 | 7101 | Piazzi XV. 13..... | 6.7 | 15. 4. 44.98 | 35.36 | 3 | + 2.664 | + 22. 56. 24.67 | 34.92 | 3 | -13.887 | ... | ... | 13 |

{clxxx}

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 7081 | 7102 | Lacaille 6274 | 7.8 | h m s 15. 4. 51.07 | 40.26 | 6 | + 4.123 | — 47. 25. 30.60 | 39.32 | 4 | —13.881 | ... | 6274 | ... |
| 7082 | 7103 | Piazzi XV. 14..... | 7 | 15. 5. 9.36 | 36.18 | 6 | + 3.382 | — 17. 48. 21.90 | 35.36 | 7 | —13.862 | ... | ... | 14 |
| 7083 | 7105 | Piazzi XV. 15..... | 9.10 | 15. 5. 11.37 | 37.08 | 3 | + 3.383 | — 17. 48. 57.75 | 37.18 | 1 | —13.860 | ... | ... | 15 |
| 7084 | 7104 | Lacaille 6278 | 6.7 | 15. 5. 11.72 | 39.38 | 1 | + 3.969 | — 42. 51. 56.85 | 39.38 | 1 | —13.860 | ... | 6278 | ... |
| 7085 | 7106 | Lacaille 6280 | 6 | 15. 5. 14.61 | 35.28 | 3 | + 3.909 | — 40. 52. 17.70 | 34.65 | 4 | —13.855 | ... | 6280 | 11 |
| 7086 | 7107 | 26 Libræ | 7 | 15. 5. 15.97 | 32.25 | 2 | + 3.370 | — 17. 8. 51.95 | 35.15 | 2 | —13.854 | 1930 | ... | 16 |
| 7087 | 7108 | Brisbane 5244..... | 8 | 15. 5. 20.45 | 38.40 | 2 | + 3.789 | — 36. 31. 45.87 | 38.40 | 2 | —13.849 | ... | ... | ... |
| 7088 | 7109 | Lacaille 6282 | 7 | 15. 5. 24.25 | 38.94 | 2 | + 4.002 | — 43. 53. 2.23 | 38.94 | 2 | —13.846 | ... | 6282 | ... |
| 7089 | 7110 | Lacaille 6279 | 7.8 | 15. 5. 27.45 | 38.41 | 2 | + 4.119 | — 47. 14. 49.89 | 38.41 | 2 | —13.843 | ... | 6279 | ... |
| 7090 | 7111 | Lacaille 6272 | 7 | 15. 5. 36.36 | 38.88 | 2 | + 4.741 | — 59. 52. 55.37 | 38.88 | 2 | —13.833 | ... | 6272 | ... |
| 7091 | 7112 | Lacaille 6286 | 7.8 | 15. 5. 43.09 | 38.39 | 2 | + 3.937 | — 41. 45. 8.18 | 38.39 | 2 | —13.822 | ... | 6286 | ... |
| 7092 | 7113 | Piazzi XV. 17..... | 8 | 15. 5. 53.45 | 36.61 | 4 | + 3.119 | — 2. 44. 37.84 | 36.65 | 4 | —13.815 | ... | ... | 17 |
| 7093 | 7114 | Brisbane 5251..... | 8 | 15. 6. 0.27 | 40.03 | 5 | + 4.720 | — 59. 31. 12.86 | 40.43 | 6 | —13.808 | ... | ... | ... |
| 7094 | 7115 | 10 Ursæ Minoris | 7.8 | 15. 6. 4.74 | 35.40 | 3 | — 0.433 | + 74. 31. 25.06 | 34.68 | 4 | —13.803 | ... | ... | 27 |
| 7095 | 7116 | Piazzi XV. 18..... | 7 | 15. 6. 14.14 | 35.32 | 3 | + 2.648 | + 23. 36. 4.88 | 35.16 | 3 | —13.793 | ... | ... | 18 |
| 7096 | 7117 | Lacaille 6288 | 7 | 15. 6. 32.84 | 38.38 | 2 | + 4.398 | — 53. 45. 8.45 | 38.38 | 2 | —13.772 | ... | 6288 | ... |
| 7097 | 7118 | Brisbane 5257..... | 7.8 | 15. 6. 43.25 | 38.41 | 2 | + 4.126 | — 47. 17. 15.99 | 38.41 | 2 | —13.762 | ... | ... | ... |
| 7098 | 7119 | Piazzi XV. 19..... | 6.7 | 15. 6. 50.09 | 33.48 | 1 | + 3.461 | — 21. 47. 0.97 | 35.14 | 3 | —13.754 | ... | ... | 19 |
| 7099 | 7120 | 3 Serpentis..... | 6 | 15. 6. 59.49 | 38.96 | 8 | + 2.977 | + 5. 33. 23.70 | 35.84 | 7 | —13.744 | 1932 | ... | 20 |
| 7100 | 7121 | Lupi | 5 | 15. 7. 5.77 | 31.74 | 6 | + 4.126 | — 47. 15. 40.72 | 33.32 | 7 | —13.738 | ... | 6296 | ... |
| 7101 | 7122 | Brisbane 5261..... | 7.8 | 15. 7. 7.30 | 39.78 | 3 | + 4.127 | — 47. 15. 56.66 | 39.46 | 2 | —13.736 | ... | ... | ... |
| 7102 | 7123 | Lacaille 6297 | 6.7 | 15. 7. 20.48 | 38.49 | 2 | + 3.903 | — 40. 26. 56.37 | 38.49 | 2 | —13.722 | ... | 6297 | ... |
| 7103 | 7124 | Piazzi XV. 24..... | 6.7 | 15. 7. 20.82 | 35.15 | 3 | + 2.453 | + 32. 24. 24.05 | 35.13 | 3 | —13.721 | ... | ... | 24 |
| 7104 | 7125 | 4 Serpentis..... | 6 | 15. 7. 25.33 | 33.45 | 4 | + 3.056 | + 0. 59. 15.94 | 33.46 | 3 | —13.717 | 1933 | ... | 21 |
| 7105 | 7126 | Lacaille 6299 | 8 | 15. 7. 29.11 | 38.94 | 2 | + 3.914 | — 40. 48. 12.84 | 38.94 | 2 | —13.713 | ... | 6299 | ... |
| 7106 | 7127 | 48 Boëtis | 5 | 15. 7. 35.25 | 34.80 | 10 | + 2.514 | + 29. 46. 49.92 | 35.55 | 8 | —13.707 | 1935 | ... | 25 |
| 7107 | 7128 | 2 Lupi..... | 4.5 | 15. 7. 48.95 | 32.42 | 5 | + 3.625 | — 29. 32. 9.35 | 33.45 | 5 | —13.692 | 1931 | 6304 | 22 |
| 7108 | 7129 | 27 Libræ | 2.3 | 15. 8. 8.24 | 35.75 | 17 | + 3.223 | — 8. 46. 7.31 | 31.43 | 5 | —13.671 | 1934 | ... | 26 |
| 7109 | 7130 | Lacaille 6303 | 6 | 15. 8. 9.03 | 35.20 | 3 | + 3.898 | — 40. 10. 37.69 | 34.63 | 4 | —13.670 | ... | 6303 | 23 |
| 7110 | 7131 | Lacaille 6298 | 7 | 15. 8. 12.21 | 38.29 | 1 | + 4.497 | — 55. 31. 29.50 | 38.39 | 1 | —13.667 | ... | 6298 | ... |
| 7111 | 7132 | 49 Boëtis | 3.4 | 15. 8. 51.02 | 32.21 | 3 | + 2.412 | + 33. 56. 2.90 | 33.67 | 15 | —13.626 | 1936 | ... | 29 |
| 7112 | 7137 | Lacaille 6305 | 8 | 15. 8. 59.46 | 38.37 | 2 | + 4.408 | — 53. 41. 7.70 | 38.37 | 2 | —13.615 | ... | 6305 | ... |
| 7113 | 7133 | Lacaille 6313 | 7 | 15. 9. 2.22 | 38.40 | 2 | + 3.798 | — 36. 28. 59.70 | 38.40 | 2 | —13.614 | ... | 6313 | ... |
| 7114 | 7134 | Piazzi XV. 28..... | 8 | 15. 9. 11.98 | 36.61 | 4 | + 3.078 | — 0. 22. 28.29 | 36.46 | 4 | —13.603 | ... | ... | 28 |
| 7115 | 7135 | Brisbane 5275..... | 8 | 15. 9. 19.41 | 39.44 | 2 | + 4.562 | — 56. 32. 28.48 | 39.45 | 2 | —13.595 | ... | ... | ... |
| 7116 | 7136 | Lacaille 6314 | 7.8 | 15. 9. 36.19 | 39.37 | 1 | + 4.133 | — 47. 9. 18.90 | 39.37 | 1 | —13.578 | ... | 6314 | ... |
| 7117 | 7138 | Lacaille 6315 | 7.8 | 15. 10. 5.61 | 38.45 | 2 | + 4.381 | — 52. 59. 56.22 | 38.45 | 2 | —13.546 | ... | 6315 | ... |
| 7118 | 7139 | Circini..... | 6.7 | 15. 10. 17.91 | 38.55 | 2 | + 4.696 | — 58. 43. 8.73 | 38.54 | 2 | —13.532 | ... | 6312 | ... |
| 7119 | 7140 | Lacaille 6320 | Var | 15. 10. 23.44 | 36.65 | 4 | + 4.037 | — 44. 20. 2.56 | 36.61 | 4 | —13.527 | ... | 6320 | 30 |
| 7120 | 7141 | Piazzi XV. 32..... | 7 | 15. 10. 28.86 | 35.13 | 3 | + 3.220 | — 8. 32. 15.89 | 35.12 | 3 | —13.521 | ... | ... | 32 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|---|------------|------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | " | ° ' " | | | " | | | |
| 7121 | 7142 | Lupi ^δ | 5 | 15. 10. 34.25 | 36.91 | 5 | + 3.902 | - 40. 2. 36.81 | 35.79 | 7 | -13.516 | ... | 6326 | 31 |
| 7122 | 7143 | Lupi ^{ν¹} | 5 | 15. 10. 41.04 | 33.54 | 2 | + 4.144 | - 47. 19. 12.30 | 33.53 | 5 | -13.508 | ... | 6322 | ... |
| 7123 | 7144 | Lupi ^{ν²} | 7 | 15. 10. 41.96 | 40.46 | 4 | + 4.159 | - 47. 42. 15.30 | 40.45 | 4 | -13.507 | ... | 6324 | ... |
| 7124 | 7145 | Lacaille 6328 | 7 | 15. 10. 46.57 | 38.38 | 2 | + 3.906 | - 40. 8. 47.69 | 38.38 | 2 | -13.502 | ... | 6328 | ... |
| 7125 | 7146 | Piazzi XV. 39 | 6.7 | 15. 10. 47.90 | 35.23 | 3 | + 1.827 | + 51. 33. 4.65 | 34.65 | 4 | -13.500 | ... | ... | 39 |
| 7126 | 7147 | 5 Serpentis | 5.6 | 15. 10. 53.83 | 39.53 | 7 | + 3.031 | + 2. 23. 40.82 | 38.69 | 6 | -13.494 | 1937 | ... | 33 |
| 7127 | 7148 | Piazzi XV. 36 | 6 | 15. 11. 0.68 | 37.53 | 4 | + 2.689 | + 21. 10. 48.43 | 35.15 | 2 | -13.487 | ... | ... | 36 |
| 7128 | 7149 | Lacaille 6319 | 7 | 15. 11. 6.51 | 38.74 | 4 | + 4.581 | - 56. 43. 56.89 | 38.74 | 4 | -13.481 | ... | 6319 | ... |
| 7129 | 7150 | Lacaille 6327 | 7 | 15. 11. 13.37 | 39.29 | 2 | + 4.301 | - 51. 8. 12.49 | 39.29 | 2 | -13.473 | ... | 6327 | ... |
| 7130 | 7151 | Lupi ^{φ¹} | 5 | 15. 11. 21.67 | 32.20 | 3 | + 3.783 | - 35. 39. 22.84 | 32.56 | 4 | -13.463 | ... | 6335 | 34 |
| 7131 | 7152 | Lupi ^c | 4.5 | 15. 11. 30.27 | 32.73 | 4 | + 4.032 | - 44. 5. 21.03 | 32.44 | 5 | -13.454 | ... | 6333 | 35 |
| 7132 | 7153 | Piazzi XV. 38 | 8.9 | 15. 11. 32.92 | 36.64 | 4 | + 3.255 | - 10. 25. 47.69 | 36.65 | 4 | -13.451 | ... | ... | 38 |
| 7133 | 7154 | 28 Libræ | 6 | 15. 11. 33.20 | 37.15 | 5 | + 3.386 | - 17. 33. 13.67 | 37.64 | 12 | -13.451 | 1938 | ... | 37 |
| 7134 | 7155 | Piazzi XV. 40 | 8 | 15. 11. 45.77 | 37.83 | 5 | + 3.333 | - 14. 46. 15.89 | 36.88 | 4 | -13.438 | ... | ... | 40 |
| 7135 | 7156 | 29 Libræ ^{o¹} | 7 | 15. 11. 48.72 | 42.14 | 2 | + 3.337 | - 14. 56. 52.60 | 39.27 | 8 | -13.434 | 1939 | ... | 41 |
| 7136 | 7157 | Lacaille 6342 | 7 | 15. 11. 58.57 | 39.33 | 1 | + 3.683 | - 31. 35. 22.24 | 39.33 | 1 | -13.424 | ... | 6342 | .. |
| 7137 | 7158 | Piazzi XV. 43 | 8 | 15. 12. 23.63 | 36.51 | 4 | + 3.177 | - 6. 0. 44.86 | 36.64 | 5 | -13.396 | ... | ... | 43 |
| 7138 | 7159 | 6 Serpentis..... | 6 | 15. 12. 38.46 | 38.49 | 6 | + 3.049 | + 1. 19. 12.79 | 35.42 | 8 | -13.381 | 1940 | ... | 44 |
| 7139 | 7160 | Lupi ^{φ²} | 5 | 15. 12. 38.55 | 31.44 | 6 | + 3.803 | - 36. 15. 37.26 | 31.50 | 5 | -13.380 | ... | 6349 | 42 |
| 7140 | 7161 | Piazzi XV. 46 | 8.9 | 15. 12. 44.69 | 36.42 | 2 | + 2.493 | + 30. 10. 12.23 | 36.97 | 4 | -13.373 | ... | ... | 46 |
| 7141 | 7162 | Lacaille 6351 | 7.8 | 15. 12. 44.88 | 38.36 | 2 | + 3.619 | - 28. 44. 39.57 | 38.36 | 2 | -13.373 | ... | 6351 | ... |
| 7142 | 7163 | Piazzi XV. 45 | 8 | 15. 12. 48.56 | 36.61 | 3 | + 3.181 | - 6. 13. 33.85 | 36.93 | 4 | -13.369 | ... | ... | 45 |
| 7143 | 7164 | 1 Corone Borealis | 6.7 | 15. 13. 19.11 | 35.44 | 4 | + 2.490 | + 30. 13. 6.14 | 34.65 | 4 | -13.336 | 1942 | ... | 49 |
| 7144 | 7165 | Piazzi XV. 51 | 8.9 | 15. 13. 30.23 | 37.36 | 3 | + 2.487 | + 30. 20. 34.68 | 37.44 | 4 | -13.324 | ... | ... | 51 |
| 7145 | 7166 | Lacaille 6350 | 7 | 15. 13. 35.63 | 38.54 | 2 | + 4.373 | - 52. 27. 59.43 | 38.53 | 2 | -13.317 | ... | 6350 | ... |
| 7146 | 7167 | Piazzi XV. 48 | 8 | 15. 13. 39.81 | 38.92 | 5 | + 3.249 | - 10. 3. 19.02 | 38.19 | 4 | -13.313 | ... | ... | 48 |
| 7147 | 7168 | Lacaille 6353 | 6.7 | 15. 13. 44.53 | 39.53 | 1 | + 4.132 | - 46. 37. 32.47 | 39.53 | 1 | -13.307 | ... | 6353 | ... |
| 7148 | 7169 | 30 Libræ ^{o²} | 6 | 15. 13. 50.42 | 36.80 | 5 | + 3.331 | - 14. 32. 21.68 | 39.25 | 3 | -13.302 | 1941 | ... | 50 |
| 7149 | 7170 | Piazzi XV. 53 | 6.7 | 15. 13. 59.35 | 35.27 | 2 | + 2.593 | + 25. 33. 26.35 | 34.45 | 3 | -13.292 | ... | ... | 53 |
| 7150 | 7171 | Lupi ^ν | 6 | 15. 13. 59.74 | 35.23 | 3 | + 3.886 | - 39. 6. 56.46 | 34.74 | 4 | -13.291 | ... | 6356 | 47 |
| 7151 | 7172 | Lacaille 6360 | 8 | 15. 14. 9.68 | 38.39 | 2 | + 3.588 | - 26. 42. 36.96 | 38.39 | 2 | -13.280 | ... | 6360 | ... |
| 7152 | 7173 | Lacaille 6357 | 7.8 | 15. 14. 14.03 | 38.40 | 2 | + 3.782 | - 35. 19. 27.88 | 38.40 | 2 | -13.276 | ... | 6357 | ... |
| 7153 | 7174 | Piazzi XV. 56 | 7.8 | 15. 14. 20.06 | 35.35 | 3 | + 1.842 | + 50. 48. 47.92 | 35.13 | 3 | -13.269 | ... | ... | 56 |
| 7154 | 7175 | Lacaille 6345 | 7 | 15. 14. 34.42 | 42.16 | 2 | + 5.254 | - 65. 18. 13.71 | 42.16 | 2 | -13.254 | ... | 6345 | ... |
| 7155 | 7176 | 7 Serpentis..... | 6 | 15. 14. 34.64 | 33.42 | 5 | + 2.837 | + 13. 9. 47.03 | 32.75 | 6 | -13.253 | 1943 | ... | 55 |
| 7156 | 7177 | Lacaille 6361 | 6 | 15. 14. 39.87 | 35.15 | 3 | + 3.861 | - 38. 8. 32.54 | 35.12 | 3 | -13.247 | ... | 6361 | 52 |
| 7157 | 7178 | Piazzi XV. 54 | 6 | 15. 14. 49.73 | 32.44 | 5 | + 3.281 | - 11. 46. 30.61 | 33.55 | 2 | -13.236 | ... | ... | 54 |
| 7158 | 7179 | Lacaille 6364 | 8 | 15. 15. 1.37 | 39.72 | 3 | + 3.792 | - 35. 36. 30.80 | 39.72 | 3 | -13.224 | ... | 6364 | ... |
| 7159 | 7180 | 50 Boötis | 6 | 15. 15. 11.87 | 35.32 | 3 | + 2.405 | + 33. 31. 41.01 | 35.14 | 3 | -13.212 | 1946 | ... | 59 |
| 7160 | 7181 | 8 Serpentis..... | 6.7 | 15. 15. 13.69 | 35.28 | 3 | + 3.080 | - 0. 25. 43.70 | 34.63 | 4 | -13.210 | 1945 | ... | 58 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 7161 | 7182 | 31 Libræ..... ⁶ | 5.6 | h m s 15. 15. 15.97 | 32.41 | 6 | + 3.244 | — 9. 43. 25.81 | 33.44 | 5 | —13.207 | 1944 | ... | 57 |
| 7162 | 7183 | Lacaille 6368..... | 8 | 15. 15. 20.06 | 38.38 | 2 | + 3.896 | — 39. 18. 2.94 | 38.38 | 2 | —13.203 | ... | 6368 | ... |
| 7163 | 7184 | Lacaille 6366..... | 7.8 | 15. 15. 23.70 | 38.51 | 2 | + 4.076 | — 44. 55. 30.88 | 38.51 | 2 | —13.199 | ... | 6366 | ... |
| 7164 | 7185 | Lacaille 6363..... | 7.8 | 15. 15. 31.40 | 39.96 | 5 | + 4.225 | — 48. 52. 0.10 | 39.96 | 5 | —13.191 | ... | 6363 | ... |
| 7165 | 7186 | Brisbane 5323..... | 7 | 15. 15. 45.85 | 38.41 | 2 | + 3.805 | — 36. 0. 35.40 | 38.41 | 2 | —13.174 | ... | ... | ... |
| 7166 | 7187 | Piazzi XV. 60..... | 8 | 15. 15. 53.95 | 36.81 | 4 | + 3.071 | + 0. 2. 43.94 | 37.03 | 3 | —13.166 | ... | ... | 60 |
| 7167 | 7188 | Piazzi XV. 62..... | 8 | 15. 16. 0.39 | 36.74 | 4 | + 2.903 | + 9. 29. 45.25 | 36.85 | 4 | —13.159 | ... | ... | 62 |
| 7168 | 7189 | Piazzi XV. 61..... | 9.10 | 15. 16. 8.05 | 37.01 | 3 | + 3.228 | — 8. 47. 16.39 | 36.99 | 4 | —13.150 | ... | ... | 61 |
| 7169 | 7190 | Piazzi XV. 66..... | 8 | 15. 16. 18.64 | 36.82 | 3 | + 2.900 | + 9. 40. 45.57 | 36.98 | 4 | —13.138 | ... | ... | 66 |
| 7170 | 7191 | Piazzi XV. 63..... | 6.7 | 15. 16. 20.50 | 35.39 | 3 | + 3.171 | — 5. 39. 27.78 | 34.64 | 4 | —13.136 | ... | ... | 63 |
| 7171 | 7192 | 2 Coronæ Borealis..... ⁷ | 6 | 15. 16. 23.29 | 35.39 | 3 | + 2.468 | + 30. 53. 14.48 | 34.65 | 4 | —13.134 | 1947 | ... | 67 |
| 7172 | 7193 | Piazzi XV. 68..... | 8 | 15. 16. 30.18 | 37.41 | 2 | + 1.654 | + 54. 31. 18.91 | 37.43 | 3 | —13.126 | ... | ... | 68 |
| 7173 | 7194 | Piazzi XV. 65..... | 8 | 15. 16. 33.61 | 36.68 | 4 | + 3.456 | — 20. 47. 38.80 | 36.60 | 3 | —13.122 | ... | ... | 65 |
| 7174 | 7195 | Lacaille 6376..... | 6 | 15. 16. 45.49 | 35.13 | 3 | + 3.812 | — 36. 10. 52.17 | 35.12 | 3 | —13.108 | ... | 6376 | 64 |
| 7175 | 7196 | 11 Ursæ Minoris..... | 6 | 15. 17. 16.86 | 35.41 | 3 | — 0.129 | + 72. 25. 19.78 | 35.16 | 3 | —13.074 | 1954 | ... | 78 |
| 7176 | 7197 | Brisbane 5337..... | 8.9 | 15. 17. 29.79 | 38.37 | 3 | + 4.063 | — 44. 18. 44.31 | 38.37 | 2 | —13.060 | ... | ... | ... |
| 7177 | 7198 | Lacaille 6378..... | 8 | 15. 17. 35.39 | 40.80 | 5 | + 4.289 | — 50. 9. 15.84 | 40.77 | 5 | —13.054 | ... | 6378 | ... |
| 7178 | 7199 | Brisbane 5342..... | 8 | 15. 17. 44.01 | 38.40 | 2 | + 3.731 | — 32. 57. 44.34 | 38.40 | 2 | —13.044 | ... | ... | ... |
| 7179 | 7200 | Lacaille 6382..... | 7 | 15. 17. 44.36 | 38.51 | 2 | + 3.839 | — 37. 2. 53.25 | 38.51 | 2 | —13.044 | ... | 6382 | .. |
| 7180 | 7201 | Lacaille 6380..... | 6 | 15. 17. 57.25 | 38.58 | 2 | + 4.130 | — 46. 9. 11.84 | 38.57 | 2 | —13.030 | ... | 6380 | ... |
| 7181 | 7202 | 9 Serpentis..... ^{7.1} | 5.6 | 15. 18. 8.55 | 33.53 | 5 | + 2.780 | + 16. 0. 47.95 | 32.42 | 5 | —13.018 | 1948 | ... | 69 |
| 7182 | 7203 | 51 Boötis..... ⁴ | 4 | 15. 18. 15.53 | 31.42 | 4 | + 2.278 | + 37. 57. 32.82 | 33.49 | 19 | —13.010 | 1950 | ... | 73 |
| 7183 | 7204 | Piazzi XV. 74..... | 8 | 15. 18. 16.65 | 37.43 | 2 | + 2.279 | + 37. 55. 46.92 | 37.43 | 2 | —13.008 | ... | ... | 74 |
| 7184 | 7205 | Piazzi XV. 70..... | 8.9 | 15. 18. 25.22 | 36.83 | 3 | + 3.165 | — 5. 14. 6.97 | 36.68 | 3 | —12.999 | ... | ... | 70 |
| 7185 | 7206 | Piazzi XV. 72..... | 6.7 | 15. 18. 28.36 | 35.27 | 3 | + 2.700 | + 20. 3. 52.88 | 35.13 | 3 | —12.996 | ... | ... | 72 |
| 7186 | 7207 | Lacaille 6383..... | 7 | 15. 18. 33.45 | 39.33 | 2 | + 4.414 | — 52. 47. 51.00 | 39.33 | 2 | —12.990 | ... | 6383 | ... |
| 7187 | 7208 | Lacaille 6388..... | 6.7 | 15. 18. 37.53 | 40.02 | 6 | + 3.870 | — 38. 3. 12.64 | 40.02 | 6 | —12.985 | ... | 6388 | ... |
| 7188 | 7209 | Piazzi XV. 76..... | 7 | 15. 18. 38.49 | 35.16 | 3 | + 2.726 | + 18. 45. 18.88 | 34.67 | 4 | —12.984 | ... | ... | 76 |
| 7189 | 7210 | Piazzi XV. 71..... | 7.8 | 15. 18. 46.01 | 38.10 | 6 | + 3.456 | — 20. 37. 45.68 | 38.20 | 6 | —12.975 | ... | ... | 71 |
| 7190 | 7211 | 32 Libræ..... ^{6.1} | 6 | 15. 18. 57.80 | 32.32 | 7 | + 3.367 | — 16. 8. 8.09 | 33.03 | 5 | —12.962 | 1949 | ... | 75 |
| 7191 | 7212 | Lacaille 6395..... | 7 | 15. 18. 58.88 | 38.55 | 2 | + 3.621 | — 28. 17. 11.13 | 38.54 | 2 | —12.961 | ... | 6395 | ... |
| 7192 | 7213 | Piazzi XV. 77..... | 8 | 15. 19. 12.77 | 37.09 | 3 | + 3.268 | — 10. 52. 10.57 | 37.22 | 4 | —12.946 | ... | ... | 77 |
| 7193 | 7214 | Lacaille 6393..... | 7 | 15. 19. 22.28 | 39.29 | 2 | + 3.971 | — 41. 20. 32.75 | 39.29 | 2 | —12.936 | ... | 6393 | ... |
| 7194 | 7215 | Lacaille 6391..... | 6.7 | 15. 19. 23.53 | 39.58 | 1 | + 4.182 | — 47. 20. 45.02 | 39.57 | 1 | —12.933 | ... | 6391 | ... |
| 7195 | 7216 | Taylor 7216..... | 6.7 | 15. 19. 25.46 | 42.17 | 2 | + 3.873 | — 38. 4. 50.86 | 42.39 | 1 | —12.932 | ... | ... | ... |
| 7196 | 7217 | Piazzi XV. 79..... | Var. | 15. 19. 39.11 | 36.79 | 5 | + 3.169 | — 5. 25. 30.95 | 36.74 | 4 | —12.916 | ... | ... | 79 |
| 7197 | 7218 | Piazzi XV. 81..... | 6.7 | 15. 19. 49.91 | 37.37 | 2 | + 2.357 | + 34. 54. 51.66 | 37.22 | 4 | —12.904 | ... | ... | 81 |
| 7198 | 7219 | 33 Libræ..... ^{6.2} | 7 | 15. 20. 15.54 | 34.42 | 4 | + 3.383 | — 16. 51. 57.11 | 34.63 | 4 | —12.876 | 1951 | ... | 80 |
| 7199 | 7221 | 10 Serpentis..... | 5.6 | 15. 20. 18.58 | 33.96 | 6 | + 3.029 | + 2. 25. 15.90 | 33.54 | 4 | —12.872 | 1952 | ... | 82 |
| 7200 | 7220 | Brisbane 5361..... | 8 | 15. 20. 18.65 | 38.40 | 2 | + 3.738 | — 33. 0. 22.92 | 38.40 | 2 | —12.872 | ... | ... | ... |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835'0.

{clxxxiii}.

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|--------------------------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | " | ° ' " | | | " | | | |
| 7201 | 7222 | Brisbane 5362..... | 8 | 15. 20. 28'00 | 40'43 | 4 | + 4'298 | - 50. 5. 13'79 | 40'43 | 4 | -12'862 | ... | ... | ... |
| 7202 | 7223 | Piazzi XV. 83..... | 6'7 | 15. 20. 33'21 | 35'11 | 3 | + 2'578 | + 25. 40. 47'89 | 35'12 | 3 | -12'857 | ... | ... | 83 |
| 7203 | 7224 | B.D.—16°. 4097..... | 7 | 15. 20. 52'07 | 39'86 | 6 | + 3'380 | - 16. 40. 58'85 | 35'14 | 3 | -12'836 | ... | ... | ... |
| 7204 | 7225 | Lacaille 6402..... | 7'8 | 15. 20. 55'21 | 38'37 | 3 | + 4'082 | - 44. 29. 52'77 | 38'37 | 3 | -12'833 | ... | 6402 | ... |
| 7205 | 7226 | Lacaille 6405..... | 7 | 15. 20. 56'24 | 38'41 | 2 | + 3'746 | - 33. 14. 50'87 | 38'41 | 2 | -12'831 | ... | 6405 | ... |
| 7206 | 7227 | 3 Corona Borealis ^β | 4 | 15. 21. 1'69 | 31'47 | 3 | + 2'486 | + 29. 40. 44'25 | 31'48 | 5 | -12'825 | 1955 | ... | 86 |
| 7207 | 7228 | 13 Urae Minoris ^γ | 3'4 | 15. 21. 2'58 | 31'52 | 1 | - 0'173 | + 72. 25. 16'17 | 31'54 | 5 | -12'825 | 1962 | ... | 95 |
| 7208 | 7229 | 12 Draconis..... ^δ | 3 | 15. 21. 15'95 | 32'13 | 3 | + 1'321 | + 59. 32. 46'78 | 31'43 | 5 | -12'810 | 1957 | ... | 92 |
| 7209 | 7230 | Piazzi XV. 85..... | 8'9 | 15. 21. 16'37 | 36'81 | 2 | + 3'030 | + 2. 19. 51'50 | 36'94 | 4 | -12'810 | ... | ... | 85 |
| 7210 | 7231 | Lacaille 6406..... | 7 | 15. 21. 21'02 | 38'38 | 1 | + 3'878 | - 38. 3. 2'68 | 38'38 | 1 | -12'804 | ... | 6406 | ... |
| 7211 | 7232 | 34 Libra ^ε | 6 | 15. 21. 22'64 | 32'44 | 1 | + 3'368 | - 16. 2. 16'76 | 32'45 | 4 | -12'802 | 1953 | ... | 84 |
| 7212 | 7233 | Piazzi XV. 89..... | 6'7 | 15. 21. 37'13 | 35'24 | 5 | + 2'758 | + 16. 57. 58'98 | 34'65 | 4 | -12'784 | ... | ... | 89 |
| 7213 | 7234 | Piazzi XV. 87..... | 8'9 | 15. 21. 38'35 | 36'78 | 5 | + 3'412 | - 18. 15. 51'64 | 36'74 | 4 | -12'783 | ... | ... | 87 |
| 7214 | 7235 | Trianguli Australis ... ^ε | 5 | 15. 21. 43'91 | 38'76 | 7 | + 5'360 | - 65. 45. 9'57 | 36'05 | 8 | -12'776 | ... | 6398 | ... |
| 7215 | 7236 | Piazzi XV. 88..... | 8 | 15. 21. 50'05 | 36'86 | 2 | + 3'354 | - 15. 16. 28'98 | 36'81 | 4 | -12'770 | ... | ... | 88 |
| 7216 | 7238 | Piazzi XV. 90..... | 8 | 15. 22. 9'04 | 36'87 | 4 | + 3'612 | - 27. 35. 51'90 | 36'66 | 4 | -12'749 | ... | ... | 90 |
| 7217 | 7237 | Piazzi XV. 93..... | 7'8 | 15. 22. 9'10 | 35'20 | 4 | + 2'761 | + 16. 45. 50'30 | 34'69 | 4 | -12'749 | ... | ... | 93 |
| 7218 | 7239 | Piazzi XV. 91..... | 7 | 15. 22. 14'88 | 35'34 | 3 | + 3'440 | - 19. 35. 40'41 | 35'16 | 3 | -12'742 | ... | ... | 91 |
| 7219 | 7240 | Lacaille 6412..... | 7 | 15. 22. 29'98 | 38'53 | 3 | + 3'937 | - 39. 55. 20'98 | 38'53 | 2 | -12'725 | ... | 6412 | ... |
| 7220 | 7241 | Piazzi XV. 94..... | 8 | 15. 23. 7'44 | 36'78 | 4 | + 3'425 | - 18. 50. 10'86 | 36'70 | 4 | -12'683 | ... | ... | 94 |
| 7221 | 7242 | Piazzi XV. 96..... | 6'7 | 15. 23. 8'94 | 33'08 | 3 | + 3'431 | - 19. 6. 8'52 | 35'15 | 2 | -12'681 | ... | ... | 96 |
| 7222 | 7243 | Lacaille 6416..... | 7'8 | 15. 23. 32'88 | 38'44 | 2 | + 3'906 | - 38. 47. 5'50 | 38'44 | 2 | -12'654 | ... | 6416 | ... |
| 7223 | 7244 | 35 Libra ^ε | 6 | 15. 23. 36'71 | 34'86 | 5 | + 3'375 | - 16. 17. 13'70 | 35'16 | 3 | -12'649 | 1956 | ... | 97 |
| 7224 | 7245 | Piazzi XV. 100..... | 7'8 | 15. 23. 42'75 | 35'32 | 3 | + 2'427 | + 31. 51. 20'15 | 34'71 | 4 | -12'642 | ... | ... | 100 |
| 7225 | 7246 | Lacaille 6425..... | 8 | 15. 24. 7'91 | 39'72 | 3 | + 3'547 | - 24. 32. 53'69 | 38'39 | 2 | -12'614 | ... | 6425 | ... |
| 7226 | 7247 | Lupi ^γ | 4 | 15. 24. 10'54 | 34'30 | 5 | + 3'963 | - 40. 36. 19'22 | 33'60 | 9 | -12'610 | ... | 6422 | 98 |
| 7227 | 7248 | Piazzi XV. 101..... | 8 | 15. 24. 11'95 | 36'83 | 3 | + 3'247 | - 9. 32. 47'94 | 36'80 | 4 | -12'609 | ... | ... | 101 |
| 7228 | 7249 | Piazzi XV. 103..... | 7'8 | 15. 24. 13'33 | 35'33 | 2 | + 2'758 | + 16. 48. 0'99 | 35'13 | 3 | -12'607 | ... | ... | 103 |
| 7229 | 7250 | 11 Serpentis ^δ | 6 | 15. 24. 28'49 | 33'55 | 4 | + 3'083 | - 0. 37. 15'47 | 33'46 | 5 | -12'591 | 1959 | ... | 104 |
| 7230 | 7251 | Lacaille 6424..... | 6 | 15. 24. 33'37 | 35'16 | 3 | + 4'092 | - 44. 23. 52'27 | 34'73 | 3 | -12'586 | ... | 6424 | 99 |
| 7231 | 7252 | 12 Serpentis ^τ | 7'8 | 15. 24. 33'62 | 35'38 | 1 | + 2'761 | + 16. 37. 15'95 | 34'72 | 4 | -12'585 | 1961 | ... | 105 |
| 7232 | 7253 | 36 Libra ^δ | 6 | 15. 24. 37'98 | 38'11 | 3 | + 3'613 | - 27. 29. 5'14 | 37'48 | 5 | -12'580 | 1958 | 6430 | 102 |
| 7233 | 7254 | Piazzi XV. 110..... | 6 | 15. 24. 42'92 | 35'15 | 2 | + 1'041 | + 62. 50. 49'21 | 35'22 | 3 | -12'574 | ... | ... | 110 |
| 7234 | 7255 | Lacaille 6427..... | 6'7 | 15. 24. 55'88 | 38'58 | 2 | + 4'073 | - 43. 50. 14'52 | 38'57 | 2 | -12'559 | ... | 6427 | ... |
| 7235 | 7256 | 52 Boötis ^ν | 5'6 | 15. 25. 0'11 | 35'30 | 4 | + 2'153 | + 41. 23. 56'40 | 35'16 | 3 | -12'555 | 1965 | ... | 108 |
| 7236 | 7257 | Piazzi XV. 107..... | 7'8 | 15. 25. 2'38 | 36'73 | 3 | + 3'001 | + 3. 53. 9'08 | 36'83 | 4 | -12'553 | ... | ... | 107 |
| 7237 | 7258 | 37 Libra ^δ | 4 | 15. 25. 10'18 | 31'98 | 8 | + 3'247 | - 9. 29. 35'04 | 33'53 | 4 | -12'544 | 1960 | ... | 106 |
| 7238 | 7259 | Bradley 1963..... | 6'7 | 15. 25. 28'47 | 35'27 | 3 | + 2'761 | + 16. 34. 28'46 | 34'60 | 5 | -12'523 | 1963 | ... | 109 |
| 7239 | 7260 | Lacaille 6426..... | 7 | 15. 25. 31'73 | 39'29 | 2 | + 4'508 | - 53. 58. 3'35 | 39'29 | 2 | -12'519 | ... | 6426 | ... |
| 7240 | 7261 | Brisbane 5390..... | 7 | 15. 25. 45'61 | 38'50 | 2 | + 3'965 | - 40. 30. 17'59 | 38'50 | 2 | -12'503 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 7241 | 7262 | 53 Boötis | 5.6 | 15. 25. 52.45 | 35.32 | 3 | + 2.148 | + 41. 27. 46.67 | 34.66 | 4 | -12.495 | 1967 | ... | 112 |
| 7242 | 7263 | Brisbane 5392 | 7 | 15. 26. 12.39 | 38.52 | 4 | + 3.965 | - 40. 27. 53.17 | 38.52 | 4 | -12.473 | ... | ... | ... |
| 7243 | 7264 | 4 Coronæ Borealis | 4.5 | 15. 26. 16.77 | 33.03 | 5 | + 2.420 | + 31. 55. 12.34 | 33.48 | 4 | -12.468 | 1968 | ... | 115 |
| 7244 | 7265 | 38 Libræ | 4.5 | 15. 26. 18.55 | 33.20 | 7 | + 3.338 | - 14. 14. 0.32 | 32.02 | 4 | -12.467 | 1964 | ... | 111 |
| 7245 | 7266 | Piazzi XV. 114 | 7 | 15. 26. 21.23 | 35.11 | 3 | + 2.738 | + 17. 41. 55.20 | 35.34 | 3 | -12.463 | ... | ... | 114 |
| 7246 | 7267 | Piazzi XV. 119 | 6.7 | 15. 26. 26.61 | 35.42 | 3 | + 1.044 | + 62. 39. 56.61 | 34.73 | 4 | -12.456 | ... | ... | 119 |
| 7247 | 7268 | Lacaille 6437 | 6 | 15. 26. 36.37 | 38.39 | 2 | + 4.405 | - 51. 49. 15.92 | 38.39 | 2 | -12.445 | ... | 6437 | ... |
| 7248 | 7269 | Lacaille 6438 | 7 | 15. 26. 54.61 | 39.33 | 2 | + 4.565 | - 54. 52. 42.33 | 39.33 | 2 | -12.425 | ... | 6438 | ... |
| 7249 | 7270 | 13 Serpentis | 3 | 15. 26. 55.68 | 33.60 | 1 | + 2.866 | + 11. 5. 42.10 | 35.14 | 3 | -12.422 | 1969 | ... | 117 |
| 7250 | 7271 | Lupi | 5 | 15. 26. 58.06 | 33.39 | 2 | + 4.018 | - 42. 1. 9.92 | 33.54 | 2 | -12.420 | ... | 6443 | 113 |
| 7251 | 7272 | 39 Libræ | 5 | 15. 27. 1.49 | 39.24 | 6 | + 3.621 | - 27. 34. 56.06 | 37.81 | 4 | -12.417 | 1966 | 6445 | 116 |
| 7252 | 7273 | Lacaille 6440 | 7 | 15. 27. 15.52 | 39.57 | 1 | + 4.652 | - 56. 21. 55.61 | 39.57 | 1 | -12.401 | ... | 6440 | ... |
| 7253 | 7274 | Lacaille 6450 | 7 | 15. 27. 35.03 | 39.82 | 4 | + 3.579 | - 25. 43. 39.11 | 35.16 | 3 | -12.376 | ... | 6450 | 118 |
| 7254 | 7275 | 5 Coronæ Borealis | 2 | 15. 27. 42.30 | 33.87 | 56 | + 2.530 | + 27. 16. 28.02 | 33.26 | 67 | -12.369 | 1973 | ... | 121 |
| 7255 | 7276 | 15 Serpentis | 6 | 15. 28. 3.86 | 39.83 | 4 | + 2.725 | + 18. 12. 34.16 | 39.22 | 3 | -12.345 | 1974 | ... | 124 |
| 7256 | 7277 | 14 Serpentis | 6 | 15. 28. 6.18 | 39.26 | 5 | + 3.072 | - 0. 0. 30.22 | 37.79 | 6 | -12.342 | 1971 | ... | 122 |
| 7257 | 7278 | Lacaille 6454 | 7 | 15. 28. 14.90 | 40.36 | 5 | + 3.624 | - 27. 39. 23.68 | 38.82 | 7 | -12.332 | ... | 6454 | 120 |
| 7258 | 7279 | 40 Libræ | 4.5 | 15. 28. 32.53 | 31.49 | 6 | + 3.663 | - 29. 13. 43.36 | 31.92 | 7 | -12.311 | 1970 | 6455 | 123 |
| 7259 | 7280 | 16 Serpentis | 6 | 15. 28. 34.25 | 36.99 | 5 | + 2.875 | + 10. 34. 1.50 | 38.81 | 7 | -12.310 | ... | ... | 126 |
| 7260 | 7281 | Piazzi XV. 136 | 7 | 15. 28. 37.96 | 35.32 | 3 | + 0.831 | + 64. 45. 55.55 | 35.32 | 3 | -12.305 | ... | ... | 136 |
| 7261 | 7282 | Piazzi XV. 125 | 7 | 15. 28. 48.62 | 35.21 | 3 | + 3.335 | - 13. 48. 51.97 | 35.19 | 3 | -12.293 | ... | ... | 125 |
| 7262 | 7283 | 17 Serpentis | 6 | 15. 28. 49.63 | 35.16 | 3 | + 2.776 | + 15. 39. 9.74 | 35.47 | 3 | -12.291 | 1976 | ... | 130 |
| 7263 | 7284 | 18 Serpentis | 6 | 15. 28. 53.38 | 40.37 | 5 | + 2.756 | + 16. 40. 12.54 | 38.84 | 7 | -12.288 | 1977 | ... | 131 |
| 7264 | 7285 | Piazzi XV. 127 | 8.9 | 15. 29. 1.80 | 36.92 | 3 | + 3.327 | - 13. 33. 8.04 | 36.20 | 1 | -12.278 | ... | ... | 127 |
| 7265 | 7286 | Lacaille 6451 | 7.8 | 15. 29. 6.60 | 38.40 | 1 | + 4.468 | - 52. 50. 53.39 | 38.48 | 1 | -12.272 | ... | 6451 | ... |
| 7266 | 7287 | 6 Coronæ Borealis | 5 | 15. 29. 11.56 | 32.00 | 2 | + 2.198 | + 39. 33. 43.66 | 33.27 | 5 | -12.266 | 1979 | ... | 135 |
| 7267 | 7288 | Lacaille 6456 | 7 | 15. 29. 17.94 | 38.55 | 2 | + 4.215 | - 47. 11. 30.95 | 38.55 | 2 | -12.260 | ... | 6456 | ... |
| 7268 | 7289 | Piazzi XV. 132 | 7 | 15. 29. 17.99 | 35.13 | 2 | + 3.335 | - 13. 57. 57.05 | 34.87 | 5 | -12.260 | ... | ... | 132 |
| 7269 | 7290 | 3 Lupi | 5.6 | 15. 29. 18.65 | 35.23 | 3 | + 3.782 | - 33. 52. 0.10 | 34.77 | 4 | -12.259 | 1972 | 6463 | 128 |
| 7270 | 7291 | 41 Libræ | 6 | 15. 29. 25.59 | 38.64 | 4 | + 3.431 | - 18. 45. 8.36 | 36.91 | 4 | -12.250 | 1975 | ... | 133 |
| 7271 | 7292 | Lacaille 6461 | 6 | 15. 29. 31.26 | 39.51 | 2 | + 4.097 | - 44. 4. 39.83 | 41.48 | 1 | -12.244 | ... | 6461 | 129 |
| 7272 | 7293 | Lacaille 6469 | 7.8 | 15. 29. 37.58 | 38.38 | 3 | + 3.614 | - 27. 5. 57.88 | 38.39 | 2 | -12.236 | ... | 6469 | ... |
| 7273 | 7294 | Lacaille 6464 | 5 | 15. 29. 52.87 | 37.32 | 5 | + 4.100 | - 44. 6. 28.16 | 34.80 | 4 | -12.219 | ... | 6464 | 134 |
| 7274 | 7295 | Piazzi XV. 137 | 7.8 | 15. 30. 0.39 | 36.84 | 4 | + 2.746 | + 17. 4. 43.14 | 36.75 | 5 | -12.211 | ... | ... | 137 |
| 7275 | 7296 | Lacaille 6473 | 7 | 15. 30. 2.69 | 38.40 | 2 | + 3.701 | - 30. 40. 13.60 | 38.40 | 2 | -12.208 | ... | 6473 | ... |
| 7276 | 7297 | Piazzi XV. 140 | 7 | 15. 30. 16.51 | 35.29 | 3 | + 1.782 | + 50. 32. 53.36 | 34.66 | 4 | -12.192 | ... | ... | 140 |
| 7277 | 7298 | 42 Libræ | 5.6 | 15. 30. 32.36 | 32.44 | 2 | + 3.529 | - 23. 16. 33.46 | 35.16 | 3 | -12.174 | 1978 | 6479 | 138 |
| 7278 | 7299 | Lacaille 6468 | 7 | 15. 30. 34.36 | 39.29 | 2 | + 4.281 | - 48. 40. 44.00 | 39.29 | 2 | -12.172 | ... | 6468 | ... |
| 7279 | 7300 | Piazzi XV. 139 | 7.8 | 15. 30. 38.33 | 36.28 | 3 | + 3.328 | - 13. 30. 40.46 | 36.63 | 4 | -12.167 | ... | ... | 139 |
| 7280 | 7301 | Lacaille 6470 | 6.7 | 15. 30. 43.64 | 39.29 | 2 | + 4.293 | - 48. 57. 1.25 | 39.29 | 2 | -12.160 | ... | 6470 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 7281 | 7302 | Piazzi XV. 142 | 7.8 | 15. 31. 11.94 | 35.11 | 3 | + 2.574 | + 25. 3. 58.58 | 34.66 | 4 | -12.127 | ... | ... | 142 |
| 7282 | 7303 | Lacaille 6465 | 7.8 | 15. 31. 16.78 | 39.33 | 2 | + 4.975 | - 60. 45. 39.87 | 39.33 | 2 | -12.121 | ... | 6465 | ... |
| 7283 | 7304 | Lacaille 6485 | 7.8 | 15. 31. 27.05 | 38.55 | 2 | + 3.657 | - 23. 45. 40.99 | 38.55 | 2 | -12.109 | ... | 6485 | ... |
| 7284 | 7305 | Brisbane 5432 | 7.8 | 15. 31. 32.30 | 38.55 | 2 | + 3.655 | - 28. 38. 49.57 | 38.55 | 2 | -12.104 | ... | ... | ... |
| 7285 | 7306 | Lacaille 6481 | 8 | 15. 31. 36.83 | 41.01 | 2 | + 4.159 | - 45. 32. 30.06 | 41.01 | 2 | -12.098 | ... | 6481 | ... |
| 7286 | 7307 | Lacaille 6480 | 7 | 15. 31. 50.07 | 39.63 | 5 | + 4.408 | - 51. 22. 15.17 | 39.63 | 5 | -12.082 | ... | 6480 | ... |
| 7287 | 7308 | 54 Boötis | 6 | 15. 31. 54.21 | 35.36 | 3 | + 2.148 | + 40. 53. 38.53 | 35.16 | 3 | -12.078 | 1982 | ... | 147 |
| 7288 | 7309 | Lacaille 6486 | 5.6 | 15. 31. 56.21 | 35.27 | 3 | + 3.873 | - 36. 53. 17.20 | 35.12 | 3 | -12.075 | ... | 6486 | 141 |
| 7289 | 7310 | Piazzi XV. 144 | 8 | 15. 32. 5.59 | 36.49 | 3 | + 3.327 | - 13. 25. 54.95 | 36.66 | 4 | -12.064 | ... | ... | 144 |
| 7290 | 7311 | Piazzi XV. 146 | 7.8 | 15. 32. 6.55 | 35.37 | 3 | + 2.748 | + 16. 51. 9.50 | 34.67 | 4 | -12.063 | ... | ... | 146 |
| 7291 | 7312 | 4 Lupi | 5.6 | 15. 32. 11.49 | 35.32 | 3 | + 3.797 | - 34. 10. 22.89 | 35.13 | 3 | -12.057 | 1980 | 6489 | 143 |
| 7292 | 7313 | Piazzi XV. 148 | 6.7 | 15. 32. 26.17 | 35.29 | 3 | + 2.317 | + 35. 13. 1.90 | 34.71 | 4 | -12.040 | ... | ... | 148 |
| 7293 | 7314 | 43 Librae | 5 | 15. 32. 27.29 | 31.90 | 9 | + 3.443 | - 19. 8. 16.28 | 33.47 | 5 | -12.039 | 1981 | ... | 145 |
| 7294 | 7315 | Piazzi XV. 153 | 7 | 15. 32. 59.38 | 35.20 | 3 | + 1.909 | + 47. 20. 43.28 | 34.73 | 4 | -12.002 | ... | ... | 153 |
| 7295 | 7316 | 7 Corona Borealis | 5 | 15. 33. 10.01 | 31.47 | 4 | + 2.259 | + 37. 10. 31.35 | 32.87 | 5 | -11.990 | ... | ... | 152 |
| 7296 | 7317 | Lacaille 6493 | 6.7 | 15. 33. 16.55 | 39.76 | 6 | + 4.014 | - 41. 17. 11.25 | 39.74 | 6 | -11.982 | ... | 6493 | ... |
| 7297 | 7318 | Piazzi XV. 149 | 7.8 | 15. 33. 20.14 | 36.67 | 3 | + 3.569 | - 24. 52. 56.21 | 36.50 | 3 | -11.977 | ... | ... | 149 |
| 7298 | 7319 | 19 Serpentis | 6 | 15. 33. 24.39 | 33.46 | 3 | + 2.753 | + 16. 33. 43.33 | 33.27 | 6 | -11.973 | 1983 | ... | 151 |
| 7299 | 7320 | Piazzi XV. 150 | 7 | 15. 33. 30.06 | 35.16 | 3 | + 3.369 | - 15. 28. 42.32 | 35.18 | 3 | -11.966 | ... | ... | 150 |
| 7300 | 7321 | Piazzi XV. 156 | 7 | 15. 33. 45.10 | 35.25 | 3 | + 1.901 | + 47. 27. 58.55 | 35.12 | 3 | -11.948 | ... | ... | 156 |
| 7301 | 7322 | Lacaille 6499 | 7 | 15. 33. 47.56 | 38.40 | 2 | + 3.719 | - 31. 4. 9.70 | 38.40 | 2 | -11.945 | ... | 6499 | ... |
| 7302 | 7323 | 20 Serpentis | 5.6 | 15. 34. 1.81 | 33.53 | 3 | + 2.816 | + 13. 22. 56.16 | 33.59 | 1 | -11.929 | 1984 | ... | 154 |
| 7303 | 7324 | Bradley 1987 | 7 | 15. 34. 10.51 | 38.22 | 5 | + 3.350 | - 14. 30. 29.54 | 42.24 | 2 | -11.920 | 1987 | ... | ... |
| 7304 | 7325 | 21 Serpentis | 5 | 15. 34. 11.97 | 31.55 | 6 | + 2.676 | + 20. 12. 22.93 | 31.47 | 5 | -11.918 | 1986 | ... | 155 |
| 7305 | 7326 | 22 Serpentis | 6 | 15. 34. 29.65 | 33.60 | 1 | + 2.701 | + 18. 59. 39.08 | 35.14 | 3 | -11.896 | 1988 | ... | 158 |
| 7306 | 7327 | Lacaille 6496 | 7 | 15. 34. 30.00 | 40.29 | 4 | + 4.431 | - 51. 37. 14.81 | 40.29 | 4 | -11.896 | ... | 6496 | ... |
| 7307 | 7328 | 44 Librae | 4.5 | 15. 34. 48.23 | 32.46 | 8 | + 3.364 | - 15. 8. 26.74 | 31.66 | 6 | -11.874 | 1985 | ... | 157 |
| 7308 | 7329 | Lacaille 6500 | 7 | 15. 34. 49.58 | 39.58 | 1 | + 4.278 | - 48. 12. 43.89 | 39.58 | 1 | -11.873 | ... | 6500 | ... |
| 7309 | 7330 | Piazzi XV. 159 | 8 | 15. 35. 27.98 | 36.71 | 5 | + 3.016 | + 2. 58. 7.17 | 36.47 | 4 | -11.827 | ... | ... | 159 |
| 7310 | 7331 | 23 Serpentis | 6 | 15. 35. 44.51 | 34.77 | 3 | + 3.014 | + 3. 2. 59.79 | 33.59 | 3 | -11.809 | 1989 | ... | 160 |
| 7311 | 7332 | 8 Corona Borealis | 6 | 15. 35. 48.79 | 39.03 | 6 | + 2.526 | + 26. 49. 21.00 | 37.95 | 5 | -11.803 | 1991 | ... | 162 |
| 7312 | 7333 | 24 Serpentis | 2.3 | 15. 36. 8.81 | 34.03 | 63 | + 2.940 | + 6. 56. 59.57 | 33.40 | 64 | -11.780 | 1990 | ... | 163 |
| 7313 | 7334 | Brisbane 5465 | 8 | 15. 36. 9.58 | 40.34 | 3 | + 4.552 | - 53. 52. 33.65 | 40.34 | 3 | -11.779 | ... | ... | ... |
| 7314 | 7335 | Lacaille 6514 | 6.7 | 15. 36. 13.23 | 35.31 | 3 | + 3.807 | - 34. 9. 32.71 | 34.63 | 4 | -11.775 | ... | 6514 | 161 |
| 7315 | 7336 | 15 Ursæ Minoris | 5 | 15. 36. 27.69 | 39.07 | 6 | - 1.980 | + 77. 53. 44.19 | 35.39 | 8 | -11.757 | 2008 | ... | 172 |
| 7316 | 7337 | Lacaille 6515 | 7 | 15. 36. 29.07 | 39.29 | 2 | + 3.970 | - 39. 40. 19.46 | 39.29 | 2 | -11.756 | ... | 6515 | ... |
| 7317 | 7338 | Lacaille 6506 | 7.8 | 15. 36. 29.14 | 38.41 | 2 | + 4.455 | - 51. 55. 14.72 | 38.41 | 2 | -11.756 | ... | 6506 | ... |
| 7318 | 7339 | Piazzi XV. 168 | 8 | 15. 36. 49.36 | 36.62 | 4 | + 0.598 | + 66. 19. 41.52 | 36.51 | 4 | -11.732 | ... | ... | 168 |
| 7319 | 7340 | Brisbane 5479 | 8 | 15. 36. 54.11 | 38.41 | 2 | + 4.446 | - 51. 41. 57.52 | 38.41 | 2 | -11.725 | ... | ... | ... |
| 7320 | 7341 | Lacaille 6519 | 8 | 15. 36. 56.03 | 38.49 | 2 | + 4.114 | - 43. 50. 0.63 | 38.49 | 2 | -11.723 | ... | 6519 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|---------------------------------------|------------|-------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 7321 | 7342 | 26 Serpentis ⁸ | 6 | h m s 15. 37. 12. 67 | 33.41 | 4 | + 2.724 | + 17. 47. 16. 58 | 35.17 | 3 | -11.705 | 1993 | ... | 164 |
| 7322 | 7343 | Piazzi XV. 165 | 7 | 15. 37. 17. 50 | 35.22 | 3 | + 2.734 | + 17. 15. 41. 41 | 35.15 | 3 | -11.698 | ... | ... | 165 |
| 7323 | 7344 | 9 Corone Borealis ⁷ | 6 | 15. 37. 29. 15 | 35.28 | 3 | + 2.365 | + 33. 2. 25. 97 | 34.65 | 4 | -11.685 | 1994 | ... | 167 |
| 7324 | 7345 | 25 Serpentis ^A | 6 | 15. 37. 34. 31 | 33.50 | 3 | + 3.096 | - 1. 16. 52. 89 | 35.14 | 3 | -11.679 | 1992 | ... | 166 |
| 7325 | 7346 | Lacaille 6531 | 7 | 15. 38. 17. 13 | 38.40 | 2 | + 3.658 | - 28. 16. 21. 58 | 38.40 | 2 | -11.628 | ... | 6531 | ... |
| 7326 | 7347 | 27 Serpentis ^λ | 4.5 | 15. 38. 26. 57 | 31.96 | 8 | + 2.921 | + 7. 52. 31. 36 | 31.49 | 5 | -11.617 | 1995 | ... | 169 |
| 7327 | 7348 | Piazzi XV. 181 | 8 | 15. 38. 32. 46 | 35.53 | 4 | - 1.648 | + 76. 59. 24. 41 | 35.16 | 3 | -11.609 | ... | ... | 181 |
| 7328 | 7349 | 28 Serpentis ^β | 3.4 | 15. 38. 34. 56 | 32.72 | 5 | + 2.760 | + 15. 56. 35. 36 | 33.50 | 5 | -11.608 | 1996 | ... | 170 |
| 7329 | 7350 | Lacaille 6529 | 7 | 15. 38. 44. 64 | 38.53 | 2 | + 4.159 | - 44. 53. 17. 28 | 38.57 | 2 | -11.595 | ... | 6529 | ... |
| 7330 | 7351 | 29 Serpentis..... | 7.8 | 15. 38. 48. 70 | 36.47 | 4 | + 2.758 | + 16. 2. 41. 37 | 36.49 | 4 | -11.590 | 1997 | ... | 171 |
| 7331 | 7352 | Lacaille 6528 | 7 | 15. 39. 26. 53 | 38.96 | 2 | + 4.860 | - 58. 33. 0. 41 | 38.96 | 2 | -11.546 | ... | 6528 | ... |
| 7332 | 7353 | 31 Serpentis..... ^v | 7 | 15. 39. 37. 64 | 36.22 | 5 | + 2.786 | + 14. 37. 44. 71 | 36.52 | 3 | -11.531 | ... | ... | 173 |
| 7333 | 7354 | Brisbane 5496..... | 7 | 15. 40. 3. 03 | 39.58 | 1 | + 4.565 | - 53. 44. 10. 33 | 39.58 | 1 | -11.502 | ... | ... | ... |
| 7334 | 7355 | 30 Serpentis..... | 6.7 | 15. 40. 18. 87 | 35.27 | 6 | + 3.135 | - 3. 18. 26. 13 | 35.18 | 3 | -11.482 | 1999 | ... | 175 |
| 7335 | 7356 | 5 Lupi ^χ | 4.5 | 15. 40. 29. 69 | 31.74 | 5 | + 3.787 | - 33. 7. 5. 74 | 32.87 | 5 | -11.470 | 1998 | 6548 | 174 |
| 7336 | 7357 | Piazzi XV. 176 | 7 | 15. 40. 31. 93 | 35.24 | 1 | + 2.792 | + 14. 18. 24. 65 | 34.71 | 4 | -11.467 | ... | ... | 176 |
| 7337 | 7358 | Trianguli Australis... ^β | 3 | 15. 40. 40. 95 | 37.02 | 5 | + 5.218 | - 62. 54. 40. 39 | 33.19 | 5 | -11.455 | ... | 6533 | ... |
| 7338 | 7359 | 32 Serpentis ^μ | 3.4 | 15. 41. 0. 98 | 35.23 | 9 | + 3.128 | - 2. 55. 11. 12 | 32.06 | 4 | -11.432 | 2001 | ... | 178 |
| 7339 | 7360 | 1 Scorpii ^h | 5 | 15. 41. 4. 34 | 33.60 | 2 | + 3.590 | - 25. 14. 33. 80 | 35.14 | 3 | -11.429 | 2000 | 6557 | 177 |
| 7340 | 7361 | Piazzi XV. 179..... | 6.7 | 15. 41. 5. 68 | 35.30 | 3 | + 2.814 | + 13. 14. 4. 85 | 35.13 | 3 | -11.426 | ... | ... | 179 |
| 7341 | 7362 | 35 Serpentis ^κ | 4 | 15. 41. 19. 05 | 35.01 | 2 | + 2.701 | + 18. 39. 22. 15 | 33.94 | 9 | -11.411 | 2002 | ... | 182 |
| 7342 | 7363 | Piazzi XV. 180..... | 7.8 | 15. 41. 19. 41 | 35.38 | 2 | + 3.138 | - 3. 24. 42. 19 | 34.65 | 4 | -11.411 | ... | ... | 180 |
| 7343 | 7364 | Lacaille 6560 | 7.8 | 15. 41. 44. 68 | 38.54 | 2 | + 3.804 | - 33. 36. 50. 05 | 38.53 | 2 | -11.379 | ... | 6560 | ... |
| 7344 | 7365 | Piazzi XV. 185 | 6 | 15. 41. 46. 60 | 35.37 | 2 | + 2.470 | + 28. 40. 5. 02 | 35.20 | 3 | -11.376 | ... | ... | 185 |
| 7345 | 7367 | Lacaille 6546 | 6.7 | 15. 41. 47. 06 | 39.29 | 2 | + 4.956 | - 59. 40. 35. 49 | 39.29 | 2 | -11.376 | ... | 6546 | ... |
| 7346 | 7366 | Piazzi XV. 183 | 6.7 | 15. 41. 48. 78 | 35.40 | 3 | + 2.816 | + 13. 3. 58. 09 | 34.67 | 4 | -11.374 | ... | ... | 183 |
| 7347 | 7368 | 34 Serpentis ^ω | 6 | 15. 41. 58. 39 | 33.50 | 3 | + 3.020 | + 2. 42. 20. 37 | 33.39 | 1 | -11.363 | 2003 | ... | 184 |
| 7348 | 7369 | Lacaille 6562 | 7 | 15. 42. 2. 74 | 38.40 | 2 | + 3.693 | - 29. 22. 49. 78 | 38.40 | 2 | -11.358 | ... | 6562 | ... |
| 7349 | 7370 | Lacaille 6558 | 8 | 15. 42. 16. 81 | 38.49 | 2 | + 4.421 | - 50. 44. 18. 37 | 38.48 | 2 | -11.340 | ... | 6558 | ... |
| 7350 | 7371 | Lacaille 6556 | 7.8 | 15. 42. 21. 92 | 39.58 | 1 | + 4.535 | - 52. 59. 9. 45 | 39.58 | 1 | -11.334 | ... | 6556 | ... |
| 7351 | 7372 | 37 Serpentis ^ε | 3 | 15. 42. 35. 79 | 36.12 | 8 | + 2.976 | + 4. 58. 47. 19 | 32.98 | 4 | -11.318 | 2005 | ... | 187 |
| 7352 | 7373 | 36 Serpentis ^δ | 6 | 15. 42. 40. 34 | 38.11 | 5 | + 3.122 | - 2. 35. 8. 66 | 36.49 | 4 | -11.312 | 2004 | ... | 186 |
| 7353 | 7374 | 10 Corone Borealis ^δ | 4.5 | 15. 42. 40. 52 | 39.55 | 7 | + 2.519 | + 26. 34. 40. 62 | 35.50 | 8 | -11.312 | 2010 | ... | 188 |
| 7354 | 7375 | Lacaille 6561 | 7 | 15. 42. 43. 12 | 39.30 | 2 | + 4.310 | - 49. 50. 19. 49 | 39.30 | 2 | -11.310 | ... | 6561 | ... |
| 7355 | 7376 | 2 Scorpii..... ^A | 5 | 15. 43. 43. 09 | 37.41 | 6 | + 3.585 | - 24. 49. 39. 31 | 37.42 | 4 | -11.237 | 2006 | 6574 | 189 |
| 7356 | 7377 | 45 Libræ ^λ | 5 | 15. 43. 46. 54 | 31.24 | 1 | + 3.468 | - 19. 40. 2. 74 | 33.48 | 2 | -11.233 | 2007 | ... | 190 |
| 7357 | 7378 | Brisbane 5520..... | 7.8 | 15. 43. 54. 72 | 39.06 | 3 | + 4.969 | - 59. 42. 18. 41 | 38.94 | 2 | -11.222 | ... | ... | ... |
| 7358 | 7379 | Lacaille 6568 | 8 | 15. 43. 59. 44 | 39.47 | 1 | + 4.102 | - 42. 53. 50. 91 | 39.47 | 1 | -11.217 | ... | 6568 | ... |
| 7359 | 7380 | 38 Serpentis ^ρ | 5 | 15. 44. 1. 37 | 33.55 | 3 | + 2.636 | + 21. 28. 44. 70 | 33.58 | 3 | -11.215 | 2013 | ... | 194 |
| 7360 | 7381 | Bradley 2009 | 6 | 15. 44. 3. 93 | 39.49 | 7 | + 3.566 | - 24. 2. 5. 44 | 38.70 | 6 | -11.212 | 2009 | 6576 | 191 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{clxxxvii}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|--------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 7361 | 7382 | Lacaille 6579 | 6 | h m s 15. 44. 7.76 | 33.60 | 1 | + 3.554 | — 23. 28. 47.70 | 35.17 | 3 | — 11.207 | ... | 6579 | 192 |
| 7362 | 7383 | Piazzi XV. 198 | 6.7 | 15. 44. 10.30 | 35.15 | 3 | + 0.885 | + 63. 6. 41.05 | 34.75 | 4 | — 11.205 | ... | ... | 198 |
| 7363 | 7384 | 46 Libræ.....θ | 4.5 | 15. 44. 26.56 | 31.47 | 5 | + 3.395 | — 16. 14. 20.44 | 32.87 | 5 | — 11.184 | 2011 | ... | 193 |
| 7364 | 7385 | 3 Scorpil. | 6 | 15. 44. 46.11 | 37.81 | 6 | + 3.584 | — 24. 44. 54.15 | 38.82 | 7 | — 11.160 | 2012 | 6583 | 195 |
| 7365 | 7387 | 11 Corone Borealis | 5 | 15. 45. 0.70 | 32.44 | 4 | + 2.259 | + 36. 10. 25.12 | 31.59 | 2 | — 11.142 | 2018 | ... | 200 |
| 7366 | 7388 | Piazzi XV. 203 | 7 | 15. 45. 28.47 | 35.31 | 3 | + 2.712 | + 17. 53. 59.63 | 35.44 | 3 | — 11.109 | ... | ... | 203 |
| 7367 | 7389 | Piazzi XV. 201 | 7.8 | 15. 45. 28.59 | 35.16 | 3 | + 2.818 | + 12. 50. 56.94 | 34.82 | 3 | — 11.109 | ... | ... | 201 |
| 7368 | 7390 | 47 Libræ | 7 | 15. 45. 28.98 | 33.06 | 3 | + 3.453 | — 18. 53. 22.00 | 35.16 | 3 | — 11.108 | 2015 | ... | 197 |
| 7369 | 7391 | 39 Serpentis..... | 6.7 | 15. 45. 31.18 | 37.01 | 4 | + 2.800 | + 13. 43. 4.75 | 36.95 | 4 | — 11.106 | 2016 | ... | 202 |
| 7370 | 7392 | 4 Scorpil. | 6.7 | 15. 45. 32.75 | 36.97 | 6 | + 3.610 | — 25. 46. 22.43 | 38.57 | 8 | — 11.104 | 2014 | 6586 | 196 |
| 7371 | 7393 | Lacaille 6587 | 6.7 | 15. 45. 51.88 | 35.13 | 3 | + 3.750 | — 31. 17. 45.22 | 35.31 | 3 | — 11.079 | ... | 6587 | 199 |
| 7372 | 7394 | Piazzi XV. 206 | 6.7 | 15. 46. 2.07 | 35.34 | 3 | + 2.740 | + 16. 34. 13.88 | 34.69 | 4 | — 11.068 | ... | ... | 206 |
| 7373 | 7395 | Lupi.....ε | 6.7 | 15. 46. 21.61 | 35.35 | 3 | + 3.810 | — 33. 28. 32.56 | 35.40 | 4 | — 11.043 | ... | 6592 | 204 |
| 7374 | 7396 | Piazzi XV. 205 | 6.7 | 15. 46. 22.04 | 36.44 | 4 | + 3.810 | — 33. 28. 25.94 | 36.82 | 4 | — 11.043 | ... | ... | 205 |
| 7375 | 7397 | 40 Serpentis..... | 6.7 | 15. 46. 42.34 | 36.00 | 7 | + 2.894 | + 9. 4. 18.09 | 35.80 | 5 | — 11.019 | 2019 | ... | 208 |
| 7376 | 7398 | 5 Scorpil.ρ | 4 | 15. 46. 42.97 | 32.54 | 4 | + 3.685 | — 28. 43. 32.55 | 33.45 | 5 | — 11.018 | 2017 | 6601 | 207 |
| 7377 | 7399 | Brisbane 5537 | 7.8 | 15. 46. 44.29 | 39.58 | 1 | + 4.749 | — 56. 19. 41.85 | 39.58 | 1 | — 11.016 | ... | ... | ... |
| 7378 | 7400 | Piazzi XV. 209 | Var. | 15. 46. 51.69 | 36.79 | 2 | + 2.893 | + 9. 4. 29.24 | 36.48 | 4 | — 11.006 | ... | ... | 209 |
| 7379 | 7401 | Lacaille 6596 | 7 | 15. 46. 57.92 | 38.55 | 2 | + 4.137 | — 43. 35. 42.02 | 38.54 | 2 | — 10.999 | ... | 6596 | ... |
| 7380 | 7402 | 1 Herculis | 6 | 15. 46. 58.29 | 35.32 | 3 | + 2.032 | + 42. 55. 0.65 | 38.07 | 5 | — 10.999 | 2021 | ... | 211 |
| 7381 | 7403 | Lacaille 6589 | 7.8 | 15. 47. 10.86 | 38.53 | 2 | + 4.586 | — 53. 32. 21.68 | 38.53 | 2 | — 10.984 | ... | 6589 | ... |
| 7382 | 7404 | Piazzi XV. 212 | 6 | 15. 47. 18.32 | 39.04 | 6 | + 2.647 | + 20. 47. 57.31 | 37.00 | 5 | — 10.975 | ... | ... | 212 |
| 7383 | 7405 | Piazzi XV. 210 | 7 | 15. 47. 33.34 | 35.45 | 3 | + 3.502 | — 20. 59. 56.15 | 34.66 | 4 | — 10.957 | ... | ... | 210 |
| 7384 | 7406 | Piazzi XV. 213 | 7 | 15. 48. 1.42 | 35.39 | 3 | + 3.549 | — 23. 2. 35.02 | 35.38 | 3 | — 10.923 | ... | ... | 213 |
| 7385 | 7407 | Piazzi XV. 215 | 7 | 15. 48. 16.57 | 35.40 | 3 | + 2.683 | + 19. 6. 29.38 | 35.51 | 3 | — 10.904 | ... | ... | 215 |
| 7386 | 7408 | Lacaille 6609 | 5.6 | 15. 48. 17.35 | 38.42 | 2 | + 4.057 | — 41. 15. 49.14 | 38.42 | 2 | — 10.903 | ... | 6609 | ... |
| 7387 | 7409 | Lacaille 6602 | 7.8 | 15. 48. 17.78 | 38.40 | 2 | + 4.623 | — 54. 5. 57.10 | 38.40 | 2 | — 10.902 | ... | 6602 | ... |
| 7388 | 7410 | Piazzi XV. 214 | 7.8 | 15. 48. 19.87 | 35.41 | 3 | + 2.858 | + 10. 47. 4.49 | 35.18 | 3 | — 10.899 | ... | ... | 214 |
| 7389 | 7411 | 41 Serpentis | 3 | 15. 48. 50.24 | 35.33 | 10 | + 2.745 | + 16. 12. 21.71 | 33.04 | 12 | — 10.862 | 2023 | ... | 219 |
| 7390 | 7412 | Lacaille 6617 | 6.7 | 15. 48. 52.59 | 38.94 | 2 | + 3.789 | — 32. 31. 53.58 | 38.94 | 2 | — 10.859 | ... | 6617 | ... |
| 7391 | 7413 | 6 Scorpil.π | 3.4 | 15. 48. 52.97 | 31.53 | 5 | + 3.611 | — 25. 37. 55.59 | 31.50 | 5 | — 10.859 | 2020 | 6622 | 216 |
| 7392 | 7414 | 48 Libræ | 5 | 15. 48. 57.58 | 33.46 | 4 | + 3.348 | — 13. 47. 49.27 | 33.48 | 5 | — 10.855 | 2022 | ... | 218 |
| 7393 | 7415 | Piazzi XV. 220 | 7 | 15. 49. 0.26 | 35.25 | 3 | + 2.996 | + 3. 53. 16.49 | 35.20 | 3 | — 10.851 | ... | ... | 220 |
| 7394 | 7416 | 2 Herculis | 6.7 | 15. 49. 8.03 | 35.38 | 3 | + 2.000 | + 43. 37. 21.92 | 34.76 | 4 | — 10.842 | 2025 | ... | 221 |
| 7395 | 7417 | Lupi | 5 | 15. 49. 12.66 | 39.65 | 8 | + 3.948 | — 37. 55. 3.66 | 36.64 | 8 | — 10.837 | ... | 6619 | 217 |
| 7396 | 7418 | Lacaille 6610 | 7 | 15. 49. 18.30 | 39.32 | 1 | + 4.765 | — 56. 22. 31.11 | 39.32 | 1 | — 10.828 | ... | 6610 | ... |
| 7397 | 7419 | Lacaille 6630 | 7.8 | 15. 49. 32.89 | 38.50 | 2 | + 3.740 | — 30. 41. 21.59 | 38.50 | 2 | — 10.811 | ... | 6630 | ... |
| 7398 | 7420 | Serpentis | 6 | 15. 49. 38.24 | 33.48 | 3 | + 2.772 | + 14. 53. 32.18 | 35.15 | 3 | — 10.805 | ... | ... | 222 |
| 7399 | 7421 | Lacaille 6618 | 6.7 | 15. 49. 45.90 | 39.58 | 1 | + 4.446 | — 50. 38. 49.87 | 39.58 | 1 | — 10.795 | ... | 6618 | ... |
| 7400 | 7422 | Lacaille 6612 | 8 | 15. 49. 46.62 | 39.47 | 1 | + 5.027 | — 60. 1. 39.02 | 39.47 | 1 | — 10.795 | ... | 6612 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|--------------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 7401 | 7424 | Piazzi XV. 223 | 8 | h m s 15. 49. 47.25 | 36.52 | 5 | + 2.713 | + 17. 39. 54.40 | 36.52 | 4 | -10.794 | ... | ... | 223 |
| 7402 | 7423 | 12 Coronæ Borealis | 6 | 15. 49. 47.32 | 35.29 | 3 | + 2.178 | + 38. 25. 38.76 | 35.16 | 3 | -10.794 | 2027 | ... | 224 |
| 7403 | 7425 | 4 Herculis | 6.7 | 15. 49. 57.47 | 35.24 | 3 | + 2.019 | + 43. 2. 59.21 | 34.73 | 4 | -10.781 | 2028 | ... | 226 |
| 7404 | 7426 | 16 Ursæ Minoris | 4 | 15. 50. 6.58 | 39.07 | 6 | - 2.375 | + 78. 17. 53.79 | 36.57 | 5 | -10.770 | 2041 | ... | 238 |
| 7405 | 7427 | 7 Scorpii | 3 | 15. 50. 35.40 | 31.42 | 3 | + 3.532 | - 22. 8. 45.43 | 31.46 | 6 | -10.734 | 2024 | ... | 225 |
| 7406 | 7428 | 13 Coronæ Borealis | 4.5 | 15. 50. 45.60 | 31.53 | 4 | + 2.487 | + 27. 21. 37.37 | 33.51 | 4 | -10.722 | 2029 | ... | 229 |
| 7407 | 7429 | Lacaille 6633 | 7 | 15. 50. 50.65 | 39.29 | 2 | + 4.098 | - 42. 13. 18.14 | 39.29 | 2 | -10.714 | ... | 6633 | ... |
| 7408 | 7430 | Piazzi XV. 227 | 7 | 15. 50. 51.18 | 35.29 | 3 | + 3.207 | - 6. 49. 31.85 | 35.14 | 3 | -10.714 | ... | ... | 227 |
| 7409 | 7431 | 49 Libræ | 5.6 | 15. 51. 4.87 | 33.02 | 5 | + 3.397 | - 16. 2. 28.13 | 35.16 | 3 | -10.698 | 2026 | ... | 228 |
| 7410 | 7432 | Lacaille 6634 | 8 | 15. 51. 37.49 | 38.53 | 2 | + 4.589 | - 53. 14. 36.62 | 38.53 | 2 | -10.658 | ... | 6634 | ... |
| 7411 | 7433 | Piazzi XV. 230 | 7 | 15. 51. 38.20 | 35.16 | 1 | + 3.050 | + 1. 5. 50.94 | 34.66 | 4 | -10.657 | ... | ... | 230 |
| 7412 | 7434 | 50 Libræ | 6 | 15. 51. 53.69 | 33.60 | 2 | + 3.230 | - 7. 56. 18.06 | 35.17 | 3 | -10.637 | 2030 | ... | 231 |
| 7413 | 7435 | Lacaille 6636 | 7.8 | 15. 52. 5.46 | 38.49 | 2 | + 4.746 | - 55. 52. 34.54 | 38.49 | 2 | -10.624 | ... | 6636 | ... |
| 7414 | 7436 | Piazzi XV. 233 | 7 | 15. 52. 7.97 | 35.41 | 3 | + 2.404 | + 30. 28. 44.15 | 35.31 | 3 | -10.622 | ... | ... | 233 |
| 7415 | 7437 | Lacaille 6644 | 6.7 | 15. 52. 27.02 | 35.15 | 3 | + 3.963 | - 38. 8. 3.93 | 35.18 | 3 | -10.597 | ... | 6644 | 232 |
| 7416 | 7438 | Piazzi XV. 235 | 7.8 | 15. 52. 33.45 | 35.39 | 3 | + 2.521 | + 25. 54. 24.63 | 35.20 | 3 | -10.588 | ... | ... | 235 |
| 7417 | 7439 | Lacaille 6645 | 7.8 | 15. 52. 33.53 | 39.61 | 5 | + 3.917 | - 36. 40. 0.08 | 39.41 | 4 | -10.588 | ... | 6645 | ... |
| 7418 | 7440 | Bradley 2031 | 6 | 15. 52. 40.04 | 33.44 | 3 | + 2.975 | + 4. 53. 41.20 | 35.15 | 3 | -10.581 | 2031 | ... | 234 |
| 7419 | 7441 | Lacaille 6643 | 8 | 15. 52. 43.97 | 38.41 | 2 | + 4.405 | - 49. 33. 3.22 | 38.41 | 2 | -10.575 | ... | 6643 | ... |
| 7420 | 7442 | Piazzi XV. 239 | 6 | 15. 52. 52.25 | 35.13 | 3 | + 2.212 | + 37. 6. 56.50 | 34.72 | 4 | -10.565 | ... | ... | 239 |
| 7421 | 7443 | Lacaille 6659 | 6 | 15. 53. 23.33 | 33.51 | 5 | + 3.612 | - 25. 23. 53.12 | 35.16 | 3 | -10.528 | ... | 6659 | 237 |
| 7422 | 7444 | Lacaille 6654 | 8 | 15. 53. 27.76 | 36.58 | 3 | + 3.869 | - 34. 58. 59.94 | 36.47 | 4 | -10.522 | ... | 6654 | 236 |
| 7423 | 7445 | Lacaille 6655 | 7.8 | 15. 53. 42.45 | 38.55 | 2 | + 3.993 | - 38. 58. 17.20 | 38.55 | 2 | -10.502 | ... | 6655 | ... |
| 7424 | 7446 | Piazzi XV. 240 | 8 | 15. 53. 47.98 | 36.49 | 4 | + 3.233 | - 8. 1. 42.31 | 36.24 | 5 | -10.495 | ... | ... | 240 |
| 7425 | 7447 | 5 Herculis | 6 | 15. 53. 49.65 | 34.73 | 5 | + 2.695 | + 18. 16. 45.31 | 33.59 | 3 | -10.492 | 2032 | ... | 241 |
| 7426 | 7448 | Lacaille 6650 | 7 | 15. 54. 13.91 | 38.50 | 2 | + 4.747 | - 55. 44. 2.94 | 38.50 | 2 | -10.464 | ... | 6650 | ... |
| 7427 | 7449 | Lacaille 6666 | 8 | 15. 54. 19.30 | 38.51 | 2 | + 3.691 | - 28. 28. 10.24 | 38.51 | 2 | -10.458 | ... | 6666 | ... |
| 7428 | 7450 | Piazzi XV. 243 | 8 | 15. 54. 22.73 | 36.50 | 3 | + 3.233 | - 8. 0. 54.59 | 37.17 | 2 | -10.453 | ... | ... | 243 |
| 7429 | 7451 | 15 Coronæ Borealis | 6 | 15. 54. 44.24 | 38.06 | 5 | + 2.307 | + 33. 48. 16.55 | 37.94 | 5 | -10.425 | 2037 | ... | 246 |
| 7430 | 7452 | 14 Coronæ Borealis | 6 | 15. 54. 50.05 | 35.34 | 3 | + 2.404 | + 30. 19. 1.72 | 34.79 | 4 | -10.417 | 2036 | ... | 247 |
| 7431 | 7453 | Normæ | 5 | 15. 54. 51.33 | 32.53 | 4 | + 4.204 | - 44. 43. 2.90 | 32.13 | 9 | -10.415 | ... | 6664 | 242 |
| 7432 | 7454 | 44 Serpentis | 4.5 | 15. 55. 11.21 | 33.62 | 1 | + 2.580 | + 23. 16. 2.24 | 31.52 | 5 | -10.393 | 2038 | ... | 250 |
| 7433 | 7455 | Piazzi XV. 244 | 8.9 | 15. 55. 16.95 | 36.75 | 3 | + 3.498 | - 20. 26. 23.01 | 36.53 | 4 | -10.385 | ... | ... | 244 |
| 7434 | 7456 | 51 Libræ | 4.5 | 15. 55. 18.45 | 31.41 | 5 | + 3.292 | - 10. 54. 42.19 | 33.44 | 5 | -10.384 | 2033 | ... | 245 |
| 7435 | 7457 | Lacaille 6672 | 7 | 15. 55. 22.41 | 39.29 | 2 | + 4.032 | - 39. 59. 38.68 | 39.29 | 2 | -10.379 | ... | 6672 | ... |
| 7436 | 7458 | Lacaille 6667 | 7.8 | 15. 55. 23.34 | 38.54 | 2 | + 4.342 | - 47. 58. 2.34 | 38.54 | 2 | -10.378 | ... | 6667 | ... |
| 7437 | 7459 | Lacaille 6661 | 7 | 15. 55. 31.26 | 39.31 | 2 | + 4.571 | - 52. 37. 34.61 | 39.30 | 2 | -10.367 | ... | 6661 | ... |
| 7438 | 7460 | Piazzi XV. 249 | 8 | 15. 55. 33.37 | 36.65 | 4 | + 3.446 | - 18. 4. 46.61 | 36.53 | 3 | -10.364 | ... | ... | 249 |
| 7439 | 7461 | 43 Serpentis | 6 | 15. 55. 36.71 | 33.55 | 2 | + 2.963 | + 5. 26. 48.25 | 35.15 | 3 | -10.360 | 2035 | ... | 253 |
| 7440 | 7462 | Lupi | 4 | 15. 55. 46.80 | 38.17 | 12 | + 3.915 | - 36. 20. 44.37 | 36.58 | 11 | -10.348 | ... | 6678 | 248 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------------|------------|------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 7441 | 7463 | Normæ ϵ^2 | 5.6 | h m s 15. 55. 48.52 | 39.33 | I | + 4.869 | — 57. 28. 52.64 | 39.33 | I | — 10.345 | ... | 6665 | ... |
| 7442 | 7464 | 8 Scorpil β^1 | 2 | 15. 55. 51.32 | 33.09 | II | + 3.474 | — 19. 20. 50.45 | 32.46 | 5 | — 10.341 | 2034 | ... | 251 |
| 7443 | 7465 | Piazzi XV. 252 | 6 | 15. 55. 51.79 | 35.42 | 3 | + 3.474 | — 19. 20. 36.83 | 35.17 | 3 | — 10.340 | ... | ... | 252 |
| 7444 | 7466 | Lacaille 6674 | 7.8 | 15. 55. 56.71 | 39.47 | I | + 4.262 | — 46. 4. 11.97 | 39.47 | I | — 10.335 | ... | 6674 | ... |
| 7445 | 7467 | Lacaille 6668 | 7 | 15. 55. 58.95 | 38.42 | I | + 4.747 | — 55. 36. 30.78 | 38.42 | I | — 10.332 | ... | 6668 | ... |
| 7446 | 7468 | Piazzi XV. 254 | 7 | 15. 56. 10.14 | 35.23 | 3 | + 3.472 | — 19. 13. 27.31 | 35.32 | 3 | — 10.320 | ... | ... | 254 |
| 7447 | 7469 | Piazzi XV. 262 | 8 | 15. 56. 23.39 | 36.77 | 3 | + 1.434 | + 54. 59. 10.04 | 36.86 | 4 | — 10.303 | ... | ... | 262 |
| 7448 | 7470 | Piazzi XV. 258 | 7 | 15. 56. 25.22 | 35.24 | 3 | + 2.693 | + 18. 15. 39.86 | 35.20 | 3 | — 10.301 | ... | ... | 258 |
| 7449 | 7471 | Lacaille 6686 | 7 | 15. 56. 26.62 | 36.92 | 9 | + 3.915 | — 36. 18. 2.47 | 36.47 | 5 | — 10.299 | ... | 6686 | 255 |
| 7450 | 7472 | Lacaille 6673 | 8 | 15. 56. 30.55 | 38.48 | I | + 4.774 | — 56. 0. 40.85 | 38.48 | I | — 10.294 | ... | 6673 | ... |
| 7451 | 7473 | Lacaille 6691 | 7.8 | 15. 56. 45.32 | 40.34 | 6 | + 3.915 | — 36. 16. 5.36 | 39.05 | 7 | — 10.275 | ... | 6691 | 256 |
| 7452 | 7474 | Piazzi XV. 257 | 8 | 15. 56. 51.29 | 36.70 | 4 | + 3.664 | — 27. 15. 54.48 | 37.18 | I | — 10.266 | ... | ... | 257 |
| 7453 | 7475 | 9 Scorpil ω^1 | 4.5 | 15. 57. 10.14 | 36.11 | 7 | + 3.495 | — 20. 12. 56.71 | 36.44 | 6 | — 10.245 | 2039 | ... | 259 |
| 7454 | 7476 | Piazzi XV. 266 | 6.7 | 15. 57. 15.69 | 35.13 | 3 | + 2.203 | + 37. 5. 25.31 | 34.71 | 4 | — 10.237 | ... | ... | 266 |
| 7455 | 7477 | Lacaille 6695 | 7.8 | 15. 57. 32.62 | 36.79 | 5 | + 3.992 | — 38. 39. 17.39 | 37.22 | 2 | — 10.214 | ... | 6695 | 260 |
| 7456 | 7478 | Piazzi XV. 261 | 7 | 15. 57. 32.91 | 35.22 | 3 | + 3.992 | — 38. 38. 34.64 | 35.29 | 6 | — 10.214 | ... | ... | 261 |
| 7457 | 7479 | Lacaille 6676 | 7.8 | 15. 57. 36.03 | 38.49 | 2 | + 4.755 | — 55. 37. 37.30 | 38.49 | 2 | — 10.210 | ... | 6676 | ... |
| 7458 | 7480 | 6 Herouli ν | 5 | 15. 57. 39.54 | 39.20 | 6 | + 1.859 | + 46. 29. 53.74 | 35.20 | 6 | — 10.207 | 2044 | ... | 270 |
| 7459 | 7481 | 10 Scorpil ω^2 | 4.5 | 15. 57. 44.40 | 39.42 | 5 | + 3.501 | — 20. 25. 0.13 | 36.48 | 6 | — 10.200 | 2040 | ... | 263 |
| 7460 | 7482 | Bradley 2043 | 7 | 15. 57. 59.92 | 39.68 | 4 | + 2.861 | + 10. 23. 16.24 | 37.78 | 6 | — 10.181 | 2043 | ... | 267 |
| 7461 | 7483 | Piazzi XV. 264 | 7 | 15. 58. 0.51 | 35.85 | 4 | + 3.666 | — 27. 16. 53.06 | 36.20 | 7 | — 10.180 | ... | ... | 264 |
| 7462 | 7484 | Lacaille 6702 | 6 | 15. 58. 5.01 | 33.45 | 3 | + 3.631 | — 25. 52. 39.73 | 33.44 | 3 | — 10.175 | ... | 6702 | 265 |
| 7463 | 7485 | Piazzi XV. 269 | 8 | 15. 58. 15.76 | 36.58 | I | + 2.954 | + 5. 51. 47.44 | 36.24 | 3 | — 10.161 | ... | ... | 269 |
| 7464 | 7486 | 11 Scorpil ω^3 | 6 | 15. 58. 27.36 | 33.49 | 4 | + 3.323 | — 12. 17. 42.31 | 35.15 | 3 | — 10.147 | 2042 | ... | 268 |
| 7465 | 7487 | Lacaille 6704 | 7.8 | 15. 58. 44.26 | 38.42 | 2 | + 3.783 | — 31. 38. 27.86 | 38.42 | 2 | — 10.125 | ... | 6704 | ... |
| 7466 | 7488 | 13 Draconis θ | 3.4 | 15. 58. 48.09 | 33.59 | 3 | + 1.150 | + 59. 0. 27.63 | 31.61 | 7 | — 10.120 | 2053 | ... | 277 |
| 7467 | 7489 | Lacaille 6699 | 7 | 15. 58. 54.79 | 38.57 | 2 | + 4.452 | — 50. 6. 7.09 | 38.57 | 2 | — 10.111 | ... | 6699 | ... |
| 7468 | 7490 | Lacaille 6703 | 7 | 15. 59. 2.34 | 39.32 | I | + 4.030 | — 39. 41. 3.99 | 39.33 | 2 | — 10.103 | ... | 6703 | ... |
| 7469 | 7491 | Lacaille 6706 | 7 | 15. 59. 2.55 | 38.58 | 2 | + 3.799 | — 32. 12. 9.31 | 38.57 | 2 | — 10.102 | ... | 6706 | ... |
| 7470 | 7492 | 17 Ursæ Minoris | 7.8 | 15. 59. 2.90 | 35.53 | 3 | — 1.578 | + 76. 2. 42.80 | 35.14 | 3 | — 10.101 | 2063 | ... | 288 |
| 7471 | 7493 | Lacaille 6697 | 6.7 | 15. 59. 4.22 | 39.29 | 2 | + 4.657 | — 53. 54. 44.32 | 39.29 | 3 | — 10.100 | ... | 6697 | ... |
| 7472 | 7494 | Lacaille 6711 | 6.7 | 15. 59. 19.06 | 35.98 | 4 | + 3.826 | — 33. 6. 1.12 | 35.49 | 5 | — 10.081 | ... | 6711 | 271 |
| 7473 | 7495 | Piazzi XV. 273 | 8 | 15. 59. 30.26 | 36.66 | 4 | + 3.460 | — 18. 32. 59.69 | 36.51 | 4 | — 10.067 | ... | ... | 273 |
| 7474 | 7496 | Lacaille 6707 | 7 | 15. 59. 39.27 | 35.39 | 3 | + 4.224 | — 44. 53. 25.34 | 35.13 | 3 | — 10.056 | ... | 6707 | 272 |
| 7475 | 7498 | 45 Serpentis..... | 6 | 15. 59. 45.02 | 37.21 | 7 | + 2.861 | + 10. 20. 18.87 | 36.67 | 7 | — 10.047 | 2045 | ... | 276 |
| 7476 | 7499 | Piazzi XV. 275 | 8.9 | 15. 59. 46.73 | 36.85 | 3 | + 3.471 | — 19. 0. 44.23 | 36.54 | 4 | — 10.045 | ... | ... | 275 |
| 7477 | 7500 | Lacaille 6715 | 6.7 | 16. 0. 4.41 | 36.41 | 4 | + 4.067 | — 40. 40. 29.31 | 35.73 | 5 | — 10.024 | ... | 6715 | 274 |
| 7478 | 7501 | Piazzi XV. 278 | 7 | 16. 0. 7.50 | 35.43 | 3 | + 3.230 | — 7. 46. 28.27 | 35.32 | 2 | — 10.021 | ... | ... | 278 |
| 7479 | 7502 | Brisbane 5619..... | 7.8 | 16. 0. 8.19 | 39.29 | 2 | + 4.661 | — 53. 55. 27.64 | 39.28 | I | — 10.020 | ... | ... | ... |
| 7480 | 7503 | 46 Serpentis..... | 6 | 16. 0. 14.37 | 35.55 | 4 | + 2.857 | + 10. 31. 35.19 | 35.16 | 3 | — 10.011 | 2046 | ... | 279 |

{cxc}

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|--------------------------------------|------------|----------------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 7481 | 7504 | Brisbane 5626..... | 8 | ^{h m s} 16. 0. 29.22 | 39.98 | 5 | + 4.899 | — 57. 36. 21.53 | 39.92 | 6 | — 9.992 | ... | ... | ... |
| 7482 | 7505 | Trianguli Australis.... ^δ | 5 | 16. 0. 29.46 | 31.64 | 5 | + 5.372 | — 63. 15. 13.74 | 31.72 | 5 | — 9.992 | ... | 6701 | ... |
| 7483 | 7507 | Normæ..... ^κ | 6 | 16. 0. 30.79 | 39.59 | 1 | + 4.680 | — 54. 11. 42.03 | 39.59 | 1 | — 9.991 | ... | 6712 | ... |
| 7484 | 7506 | 47 Serpentis..... | 6 | 16. 0. 31.24 | 33.61 | 2 | + 2.889 | + 8. 58. 42.93 | 35.17 | 3 | — 9.990 | 2047 | ... | 282 |
| 7485 | 7508 | Piazzi XV. 281..... | 8 | 16. 0. 33.12 | 36.82 | 4 | + 2.953 | + 5. 50. 56.74 | 36.55 | 4 | — 9.987 | ... | ... | 281 |
| 7486 | 7509 | 7 Herculis..... ^κ | 5.6 | 16. 0. 37.75 | 39.82 | 4 | + 2.706 | + 17. 29. 30.81 | 37.83 | 6 | — 9.982 | 2049 | ... | 284 |
| 7487 | 7510 | Bradley 2050..... | 8 | 16. 0. 38.23 | 38.07 | 4 | + 2.706 | + 17. 30. 0.93 | 36.73 | 3 | — 9.981 | 2050 | ... | 285 |
| 7488 | 7511 | Bradley 2048..... | 7 | 16. 0. 40.02 | 35.24 | 3 | + 2.887 | + 9. 3. 27.73 | 35.38 | 3 | — 9.979 | 2048 | ... | 283 |
| 7489 | 7512 | Lacaille 6725..... | 6 | 16. 0. 48.06 | 36.32 | 5 | + 3.714 | — 28. 58. 23.86 | 34.89 | 7 | — 9.968 | ... | 6725 | 280 |
| 7490 | 7513 | Lacaille 6718..... | 7.8 | 16. 0. 56.77 | 38.41 | 2 | + 4.429 | — 49. 26. 58.90 | 38.41 | 2 | — 9.957 | ... | 6718 | ... |
| 7491 | 7514 | 8 Herculis..... ^q | 6.7 | 16. 1. 20.46 | 35.78 | 4 | + 2.702 | + 17. 38. 56.12 | 34.75 | 4 | — 9.927 | 2054 | ... | 286 |
| 7492 | 7515 | Piazzi XVI. 1..... | 7 | 16. 1. 53.31 | 35.42 | 3 | + 3.233 | — 7. 51. 39.80 | 34.88 | 3 | — 9.884 | ... | ... | 1 |
| 7493 | 7516 | Lacaille 6726..... | 7 | 16. 1. 58.88 | 38.42 | 2 | + 4.387 | — 48. 30. 5.46 | 38.42 | 2 | — 9.878 | ... | 6726 | ... |
| 7494 | 7517 | 12 Scorpii..... ^{o1} | 6 | 16. 2. 5.12 | 33.44 | 3 | + 3.690 | — 27. 58. 52.24 | 35.16 | 3 | — 9.871 | 2051 | 6729 | 287 |
| 7495 | 7518 | 13 Scorpii..... ^{o2} | 5 | 16. 2. 9.46 | 39.05 | 4 | + 3.678 | — 27. 29. 28.02 | 36.06 | 4 | — 9.866 | 2052 | 6730 | 2 |
| 7496 | 7519 | Lacaille 6722..... | 6.7 | 16. 2. 14.72 | 39.53 | 5 | + 4.899 | — 57. 28. 57.66 | 39.53 | 5 | — 9.856 | ... | 6722 | ... |
| 7497 | 7520 | Piazzi XVI. 3..... | 7 | 16. 2. 24.78 | 35.67 | 4 | + 3.473 | — 19. 0. 55.61 | 35.16 | 3 | — 9.846 | ... | ... | 3 |
| 7498 | 7521 | 14 Scorpii..... ^v | 4 | 16. 2. 25.18 | 31.35 | 6 | + 3.473 | — 19. 1. 26.24 | 33.53 | 5 | — 9.846 | 2055 | ... | 4 |
| 7499 | 7522 | Piazzi XVI. 5..... | 9 | 16. 2. 40.81 | 36.64 | 4 | + 3.684 | — 27. 42. 2.88 | 36.64 | 4 | — 9.825 | ... | ... | 5 |
| 7500 | 7523 | 16 Coronæ Borealis..... ^τ | 5.6 | 16. 2. 56.31 | 37.95 | 5 | + 2.196 | + 36. 54. 50.74 | 37.25 | 6 | — 9.806 | 2058 | ... | 9 |
| 7501 | 7524 | 15 Scorpii..... ^ψ | 5 | 16. 2. 59.44 | 33.01 | 4 | + 3.270 | — 9. 37. 49.79 | 33.59 | 4 | — 9.802 | 2056 | ... | 6 |
| 7502 | 7525 | Piazzi XVI. 7..... | 8 | 16. 3. 9.01 | 36.48 | 3 | + 3.475 | — 19. 4. 10.85 | 36.52 | 3 | — 9.790 | ... | ... | 7 |
| 7503 | 7526 | 16 Scorpii..... | 6 | 16. 3. 11.39 | 39.39 | 5 | + 3.238 | — 8. 6. 52.81 | 39.30 | 3 | — 9.787 | 2057 | ... | 8 |
| 7504 | 7527 | Normæ..... ^θ | 6 | 16. 3. 18.37 | 38.57 | 2 | + 4.322 | — 46. 56. 36.49 | 38.57 | 2 | — 9.778 | ... | 6734 | ... |
| 7505 | 7528 | 11 Herculis..... ^φ | 6 | 16. 3. 34.39 | 38.10 | 5 | + 1.889 | + 45. 22. 17.45 | 38.04 | 5 | — 9.758 | 2061 | ... | 13 |
| 7506 | 7529 | Piazzi XVI. 11..... | 8.9 | 16. 3. 46.49 | 36.70 | 4 | + 2.684 | + 18. 21. 36.86 | 36.71 | 5 | — 9.742 | ... | ... | 11 |
| 7507 | 7530 | Brisbane 5645..... | 7.8 | 16. 3. 50.60 | 38.46 | 2 | + 4.026 | — 39. 12. 0.62 | 38.46 | 2 | — 9.736 | ... | ... | ... |
| 7508 | 7531 | Lacaille 6735..... | 6.7 | 16. 3. 50.87 | 38.95 | 2 | + 4.645 | — 53. 23. 16.81 | 38.95 | 2 | — 9.735 | ... | 6735 | ... |
| 7509 | 7532 | Lacaille 6739..... | 6.7 | 16. 3. 56.92 | 36.94 | 4 | + 4.142 | — 42. 28. 26.09 | 38.56 | 2 | — 9.728 | ... | 6739 | ... |
| 7510 | 7533 | Piazzi XVI. 10..... | 6 | 16. 3. 59.33 | 32.19 | 2 | + 3.520 | — 20. 58. 19.28 | 33.52 | 4 | — 9.725 | ... | ... | 10 |
| 7511 | 7534 | Bradley 2060..... | 6 | 16. 4. 0.68 | 39.21 | 5 | + 2.712 | + 17. 5. 53.37 | 37.96 | 5 | — 9.723 | 2060 | ... | 12 |
| 7512 | 7535 | Lacaille 6736..... | 7 | 16. 4. 8.57 | 38.95 | 2 | + 4.640 | — 53. 16. 12.06 | 38.95 | 2 | — 9.713 | ... | 6736 | ... |
| 7513 | 7536 | Lacaille 6742..... | 8 | 16. 4. 16.33 | 38.91 | 4 | + 4.910 | — 57. 31. 5.23 | 39.32 | 2 | — 9.704 | ... | 6742 | ... |
| 7514 | 7537 | 10 Herculis..... | 6 | 16. 4. 36.76 | 37.52 | 4 | + 2.552 | + 23. 55. 34.98 | 35.17 | 3 | — 9.678 | 2064 | ... | 18 |
| 7515 | 7538 | Lacaille 6752..... | 7 | 16. 4. 40.19 | 38.93 | 2 | + 4.153 | — 42. 42. 8.19 | 38.93 | 2 | — 9.674 | ... | 6752 | ... |
| 7516 | 7539 | 17 Scorpii..... ^χ | 6 | 16. 4. 43.88 | 33.59 | 3 | + 3.309 | — 11. 24. 37.69 | 35.16 | 3 | — 9.668 | 2059 | ... | 15 |
| 7517 | 7540 | Piazzi XVI. 16..... | 7 | 16. 4. 51.95 | 35.40 | 3 | + 3.230 | — 7. 41. 31.91 | 35.14 | 3 | — 9.658 | ... | ... | 16 |
| 7518 | 7541 | Lacaille 6755..... | 6.7 | 16. 4. 54.17 | 35.29 | 3 | + 3.620 | — 25. 3. 4.33 | 35.34 | 4 | — 9.655 | ... | 6755 | 14 |
| 7519 | 7542 | Lacaille 6744..... | 7 | 16. 4. 58.23 | 38.41 | 2 | + 4.635 | — 53. 8. 8.08 | 38.41 | 2 | — 9.650 | ... | 6744 | ... |
| 7520 | 7543 | 14 Herculis..... | 7 | 16. 5. 3.60 | 35.38 | 3 | + 1.929 | + 44. 15. 52.28 | 34.81 | 4 | — 9.644 | 2068 | ... | 22 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|--------------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 7521 | 7544 | 9 Herculis | 6 | h m s 16. 5. 6.14 | 33.60 | 4 | + 2.960 | + 5. 26. 54.58 | 33.59 | 4 | — 9.641 | 2062 | ... | 19 |
| 7522 | 7545 | Piazzi XVI. 17 | 8 | 16. 5. 6.85 | 36.59 | 3 | + 3.545 | — 21. 57. 19.35 | 36.43 | 4 | — 9.640 | ... | ... | 17 |
| 7523 | 7546 | Piazzi XVI. 20 | 8 | 16. 5. 13.25 | 36.49 | 4 | + 2.939 | + 6. 27. 54.15 | 36.75 | 5 | — 9.632 | ... | ... | 20 |
| 7524 | 7547 | Lacaille 6743 | 7.8 | 16. 5. 14.74 | 38.77 | 3 | + 4.912 | — 57. 28. 58.61 | 38.76 | 3 | — 9.630 | ... | 6743 | ... |
| 7525 | 7548 | 49 Serpentis | 7 | 16. 5. 37.30 | 38.51 | 6 | + 2.780 | + 13. 58. 22.45 | 38.43 | 6 | — 9.600 | 2066 | ... | 23 |
| 7526 | 7549 | 1 Ophiuchi | 3 | 16. 5. 42.42 | 33.49 | 20 | + 3.139 | — 3. 15. 47.74 | 32.31 | 13 | — 9.594 | 2065 | ... | 21 |
| 7527 | 7550 | Piazzi XVI. 25 | 6 | 16. 5. 46.24 | 35.32 | 3 | + 2.192 | + 36. 51. 17.57 | 34.72 | 4 | — 9.589 | ... | ... | 25 |
| 7528 | 7551 | Piazzi XVI. 24 | 7 | 16. 6. 7.20 | 36.49 | 4 | + 2.942 | + 6. 19. 35.42 | 36.53 | 4 | — 9.563 | ... | ... | 24 |
| 7529 | 7552 | Brisbane 5664 | 7.8 | 16. 6. 17.66 | 38.86 | 2 | + 4.696 | — 54. 5. 43.18 | 38.86 | 2 | — 9.548 | ... | ... | ... |
| 7530 | 7553 | Lacaille 6757 | 7 | 16. 6. 25.28 | 40.90 | 2 | + 4.425 | — 48. 59. 53.98 | 40.90 | 2 | — 9.538 | ... | 6757 | ... |
| 7531 | 7554 | 18 Scorpii | 5 | 16. 6. 39.62 | 31.59 | 6 | + 3.236 | — 7. 55. 30.48 | 31.56 | 5 | — 9.520 | 2067 | ... | 26 |
| 7532 | 7555 | 12 Herculis | 7 | 16. 6. 43.21 | 35.30 | 3 | + 2.901 | + 8. 16. 49.37 | 35.18 | 3 | — 9.516 | 2069 | ... | 27 |
| 7533 | 7556 | 13 Herculis | 7 | 16. 7. 14.80 | 35.16 | 2 | + 2.823 | + 11. 54. 47.80 | 35.38 | 3 | — 9.475 | ... | ... | 30 |
| 7534 | 7557 | Piazzi XVI. 28 | 7 | 16. 7. 21.25 | 33.63 | 5 | + 3.494 | — 19. 41. 14.37 | 33.50 | 4 | — 9.467 | ... | ... | 28 |
| 7535 | 7558 | Normæ | 5 | 16. 7. 31.84 | 31.43 | 5 | + 4.465 | — 49. 44. 32.98 | 33.44 | 5 | — 9.452 | ... | 6764 | ... |
| 7536 | 7559 | Piazzi XVI. 33 | 7 | 16. 7. 39.88 | 35.42 | 3 | + 1.837 | + 46. 19. 3.43 | 35.16 | 3 | — 9.443 | ... | ... | 33 |
| 7537 | 7560 | Normæ | 6.7 | 16. 7. 49.76 | 35.54 | 1 | + 4.145 | — 42. 15. 43.28 | 34.80 | 4 | — 9.429 | ... | 6772 | 29 |
| 7538 | 7561 | Brisbane 5679 | 8.9 | 16. 7. 52.94 | 38.42 | 1 | + 4.727 | — 54. 30. 18.44 | 38.42 | 1 | — 9.425 | ... | ... | ... |
| 7539 | 7562 | Lacaille 6777 | 5.6 | 16. 8. 4.83 | 35.47 | 5 | + 3.705 | — 28. 11. 47.99 | 34.37 | 6 | — 9.412 | ... | 6777 | 31 |
| 7540 | 7563 | 16 Herculis | 6.7 | 16. 8. 10.25 | 35.24 | 3 | + 2.660 | + 19. 13. 45.61 | 34.74 | 4 | — 9.404 | 2072 | ... | 34 |
| 7541 | 7564 | 15 Herculis | 7 | 16. 8. 13.77 | 35.16 | 3 | + 2.825 | + 11. 50. 25.69 | 35.21 | 4 | — 9.399 | 2071 | ... | 32 |
| 7542 | 7565 | Bradley 2070 | 6 | 16. 8. 15.18 | 36.53 | 7 | + 3.145 | — 3. 32. 19.14 | 36.57 | 7 | — 9.397 | 2070 | ... | ... |
| 7543 | 7567 | 17 Coronæ Borealis | 6 | 16. 8. 30.15 | 35.13 | 3 | + 2.266 | + 34. 16. 51.60 | 35.21 | 3 | — 9.379 | 2074 | ... | 38 |
| 7544 | 7566 | Brisbane 5682 | 6.7 | 16. 8. 30.64 | 38.56 | 2 | + 4.588 | — 52. 3. 45.00 | 38.56 | 2 | — 9.378 | ... | ... | ... |
| 7545 | 7568 | Brisbane 5684 | 7 | 16. 8. 41.96 | 39.58 | 1 | + 4.770 | — 55. 8. 42.45 | 39.58 | 1 | — 9.363 | ... | ... | ... |
| 7546 | 7569 | Piazzi XVI. 40 | 6.7 | 16. 9. 3.51 | 35.28 | 4 | + 2.447 | + 27. 50. 22.39 | 34.76 | 4 | — 9.336 | ... | ... | 40 |
| 7547 | 7570 | Piazzi XVI. 35 | 8 | 16. 9. 6.52 | 36.95 | 7 | + 3.769 | — 30. 29. 37.18 | 36.51 | 3 | — 9.333 | ... | ... | 35 |
| 7548 | 7571 | Lacaille 6788 | 6 | 16. 9. 7.61 | 37.44 | 5 | + 3.769 | — 30. 29. 55.41 | 35.83 | 5 | — 9.331 | ... | 6788 | 36 |
| 7549 | 7572 | 17 Herculis | 6 | 16. 9. 14.84 | 33.59 | 3 | + 2.556 | + 23. 32. 15.44 | 35.16 | 3 | — 9.321 | 2075 | ... | 42 |
| 7550 | 7573 | Lacaille 6783 | 6.7 | 16. 9. 20.92 | 39.58 | 1 | + 4.377 | — 47. 46. 58.21 | 39.58 | 1 | — 9.313 | ... | 6783 | ... |
| 7551 | 7574 | Lacaille 6787 | 7 | 16. 9. 24.63 | 37.18 | 1 | + 4.032 | — 39. 1. 17.81 | 36.51 | 4 | — 9.310 | ... | 6787 | 37 |
| 7552 | 7575 | Piazzi XVI. 39 | 7 | 16. 9. 28.64 | 33.01 | 4 | + 3.498 | — 19. 48. 31.00 | 35.17 | 3 | — 9.302 | ... | ... | 39 |
| 7553 | 7576 | 2 Ophiuchi | 3 | 16. 9. 35.86 | 34.95 | 10 | + 3.161 | — 4. 17. 2.87 | 31.45 | 6 | — 9.293 | 2073 | ... | 41 |
| 7554 | 7577 | Piazzi XVI. 43 | 8 | 16. 9. 38.57 | 36.82 | 4 | + 2.658 | + 19. 15. 30.13 | 36.50 | 4 | — 9.291 | ... | ... | 43 |
| 7555 | 7578 | 18 Coronæ Borealis | 6 | 16. 10. 8.33 | 33.62 | 2 | + 2.399 | + 29. 33. 47.37 | 33.59 | 5 | — 9.252 | 2078 | ... | 47 |
| 7556 | 7579 | Lacaille 6790 | 6 | 16. 10. 9.93 | 38.41 | 2 | + 4.445 | — 49. 10. 11.96 | 38.41 | 2 | — 9.250 | ... | 6790 | ... |
| 7557 | 7580 | Lacaille 6792 | 7.8 | 16. 10. 21.96 | 38.56 | 3 | + 4.126 | — 41. 36. 0.63 | 38.56 | 3 | — 9.233 | ... | 6792 | ... |
| 7558 | 7581 | Piazzi XVI. 44 | 7.8 | 16. 10. 25.88 | 36.75 | 3 | + 3.496 | — 19. 38. 20.76 | 35.21 | 2 | — 9.228 | ... | ... | 44 |
| 7559 | 7582 | Piazzi XVI. 45 | 8 | 16. 10. 27.20 | 36.46 | 7 | + 3.496 | — 19. 38. 59.90 | 36.46 | 5 | — 9.227 | ... | ... | 45 |
| 7560 | 7583 | 19 Scorpii | 5.6 | 16. 10. 43.28 | 33.56 | 3 | + 3.595 | — 23. 45. 51.93 | 33.50 | 4 | — 9.206 | 2076 | 6798 | 46 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|--------------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 7561 | 7584 | 18 Hercules | 6.7 | 16. 10. 51.27 | 35.37 | 3 | + 2.543 | + 24. 0. 51.95 | 34.73 | 4 | - 9.195 | 2079 | ... | 51 |
| 7562 | 7585 | Piazzi XVI. 48..... | 8 | 16. 10. 51.58 | 36.90 | 2 | + 3.498 | - 19. 42. 45.14 | 36.65 | 5 | - 9.194 | ... | ... | 48 |
| 7563 | 7586 | Piazzi XVI. 49..... | 8.9 | 16. 10. 52.05 | 36.82 | 2 | + 3.498 | - 19. 42. 32.80 | 36.96 | 3 | - 9.193 | ... | ... | 49 |
| 7564 | 7587 | Lacaille 6793..... | 6 | 16. 10. 52.94 | 39.33 | 2 | + 4.201 | - 43. 30. 39.75 | 39.33 | 2 | - 9.192 | ... | 6793 | ... |
| 7565 | 7588 | Brisbane 5700..... | 8.9 | 16. 11. 5.47 | 38.42 | 1 | + 4.758 | - 54. 49. 13.74 | 38.42 | 1 | - 9.177 | ... | ... | ... |
| 7566 | 7589 | 20 Scorpii | 4 | 16. 11. 10.34 | 32.25 | 4 | + 3.631 | - 25. 11. 22.35 | 31.70 | 6 | - 9.172 | 2077 | 6799 | 50 |
| 7567 | 7591 | Piazzi XVI. 53..... | 8.9 | 16. 11. 17.07 | 37.02 | 3 | + 2.708 | + 17. 1. 21.72 | 36.94 | 5 | - 9.161 | ... | ... | 53 |
| 7568 | 7590 | Brisbane 5704..... | 9 | 16. 11. 17.28 | 39.99 | 4 | + 4.729 | - 54. 19. 46.12 | 39.98 | 4 | - 9.161 | ... | ... | ... |
| 7569 | 7592 | Piazzi XVI. 52..... | 7.8 | 16. 11. 19.30 | 37.06 | 4 | + 2.948 | + 5. 56. 39.40 | 36.84 | 4 | - 9.159 | ... | ... | 52 |
| 7570 | 7593 | 19 Hercules | 7 | 16. 11. 33.50 | 35.28 | 3 | + 2.484 | + 26. 18. 10.84 | 35.19 | 3 | - 9.141 | 2080 | ... | 54 |
| 7571 | 7594 | Piazzi XVI. 56..... | 7 | 16. 11. 45.92 | 35.35 | 3 | + 1.454 | + 53. 39. 1.67 | 34.76 | 4 | - 9.124 | ... | ... | 56 |
| 7572 | 7595 | Lacaille 6803..... | 7.8 | 16. 12. 10.46 | 39.51 | 4 | + 3.971 | - 37. 1. 33.67 | 39.51 | 4 | - 9.093 | ... | 6803 | ... |
| 7573 | 7596 | Piazzi XVI. 57..... | 8.9 | 16. 12. 42.11 | 36.95 | 4 | + 2.811 | + 12. 20. 26.18 | 36.78 | 4 | - 9.052 | ... | ... | 57 |
| 7574 | 7597 | Lacaille 6810..... | 7 | 16. 12. 51.98 | 37.30 | 4 | + 4.032 | - 38. 47. 56.09 | 37.07 | 5 | - 9.038 | ... | 6810 | 55 |
| 7575 | 7598 | Lacaille 6807..... | 7 | 16. 13. 6.87 | 39.29 | 2 | + 4.264 | - 44. 57. 28.12 | 39.29 | 2 | - 9.020 | ... | 6807 | ... |
| 7576 | 7599 | Piazzi XVI. 58.. | 7 | 16. 13. 20.67 | 35.16 | 3 | + 3.247 | - 8. 20. 41.26 | 35.16 | 3 | - 9.001 | ... | ... | 58 |
| 7577 | 7600 | Brisbane 5715..... | 6.7 | 16. 13. 23.89 | 39.58 | 1 | + 4.965 | - 57. 43. 55.84 | 39.58 | 1 | - 8.997 | ... | ... | ... |
| 7578 | 7601 | Lacaille 6816..... | 6.7 | 16. 13. 32.56 | 38.50 | 2 | + 3.978 | - 37. 10. 24.32 | 38.50 | 2 | - 8.986 | ... | 6816 | ... |
| 7579 | 7602 | Piazzi XVI. 69..... | 7.8 | 16. 13. 40.47 | 38.87 | 6 | + 0.284 | + 66. 47. 11.91 | 37.28 | 6 | - 8.976 | ... | ... | 69 |
| 7580 | 7603 | 20 Serpenteis | 5 | 16. 13. 43.33 | 33.22 | 6 | + 3.042 | + 1. 25. 22.04 | 31.80 | 5 | - 8.973 | 2081 | ... | 59 |
| 7581 | 7604 | Piazzi XVI. 62..... | 8 | 16. 13. 58.73 | 36.79 | 4 | + 3.004 | + 3. 16. 15.86 | 36.73 | 4 | - 8.951 | ... | ... | 62 |
| 7582 | 7605 | Piazzi XVI. 63 | 8 | 16. 14. 4.22 | 36.61 | 4 | + 2.999 | + 3. 28. 48.30 | 37.02 | 4 | - 8.945 | ... | ... | 63 |
| 7583 | 7606 | Piazzi XVI. 65 | 8 | 16. 14. 16.38 | 36.97 | 3 | + 2.777 | + 13. 51. 14.44 | 37.11 | 4 | - 8.929 | ... | ... | 65 |
| 7584 | 7607 | Lacaille 6826..... | 7 | 16. 14. 19.08 | 35.25 | 3 | + 3.744 | - 29. 18. 38.60 | 34.71 | 4 | - 8.925 | ... | 6826 | 60 |
| 7585 | 7608 | Piazzi XVI. 61 | 7 | 16. 14. 22.66 | 35.32 | 3 | + 3.676 | - 26. 45. 31.88 | 35.17 | 3 | - 8.919 | ... | ... | 61 |
| 7586 | 7609 | Lacaille 6812..... | 6.7 | 16. 14. 23.04 | 39.58 | 1 | + 5.005 | - 58. 12. 52.17 | 39.58 | 1 | - 8.919 | ... | 6812 | ... |
| 7587 | 7610 | 4 Ophiuchi | 5 | 16. 14. 27.63 | 31.72 | 9 | + 3.500 | - 19. 38. 39.01 | 33.19 | 4 | - 8.914 | 2082 | ... | 64 |
| 7588 | 7611 | 20 Hercules | 3.4 | 16. 14. 38.67 | 32.73 | 5 | + 2.646 | + 19. 32. 45.40 | 32.83 | 6 | - 8.900 | 2084 | ... | 66 |
| 7589 | 7612 | Lacaille 6822..... | 7 | 16. 14. 42.26 | 39.59 | 1 | + 4.387 | - 47. 39. 29.78 | 39.59 | 1 | - 8.896 | ... | 6822 | ... |
| 7590 | 7613 | 22 Hercules | 4 | 16. 14. 47.03 | 36.55 | 7 | + 1.800 | + 46. 42. 34.66 | 36.15 | 8 | - 8.890 | 2086 | ... | 73 |
| 7591 | 7614 | Lacaille 6833..... | 7 | 16. 15. 5.47 | 38.55 | 2 | + 3.812 | - 31. 41. 16.27 | 38.55 | 2 | - 8.865 | ... | 6833 | ... |
| 7592 | 7615 | Normæ | 6 | 16. 15. 6.56 | 38.41 | 2 | + 4.366 | - 47. 10. 13.74 | 38.41 | 2 | - 8.863 | ... | 6825 | ... |
| 7593 | 7616 | Lacaille 6836..... | 8.9 | 16. 15. 20.42 | 36.60 | 3 | + 3.738 | - 29. 0. 46.62 | 37.04 | 4 | - 8.845 | ... | 6836 | 67 |
| 7594 | 7617 | Piazzi XVI. 68..... | 8 | 16. 15. 31.51 | 36.87 | 4 | + 3.583 | - 23. 4. 20.48 | 37.43 | 2 | - 8.830 | ... | ... | 68 |
| 7595 | 7618 | 19 Ursæ Minoris | 6 | 16. 15. 37.34 | 35.52 | 3 | - 1.851 | + 76. 17. 22.97 | 35.17 | 3 | - 8.823 | 2096 | ... | 82 |
| 7596 | 7619 | 19 Coronæ Borealis | 5 | 16. 15. 40.29 | 33.30 | 4 | + 2.342 | + 31. 16. 45.73 | 31.56 | 5 | - 8.820 | 2087 | ... | 74 |
| 7597 | 7620 | 5 Ophiuchi | 5 | 16. 15. 42.32 | 34.73 | 6 | + 3.583 | - 23. 3. 37.47 | 33.58 | 5 | - 8.817 | 2083 | ... | 71 |
| 7598 | 7621 | Piazzi XVI. 72..... | 7 | 16. 15. 42.36 | 33.50 | 1 | + 3.582 | - 23. 1. 6.50 | 33.62 | 1 | - 8.817 | ... | ... | 72 |
| 7599 | 7622 | Piazzi XVI. 70..... | 9 | 16. 15. 44.72 | 36.88 | 4 | + 3.663 | - 26. 10. 54.60 | 36.69 | 4 | - 8.813 | ... | ... | 70 |
| 7600 | 7623 | Lacaille 6827..... | 7 | 16. 16. 1.92 | 38.50 | 2 | + 4.950 | - 57. 22. 43.25 | 38.49 | 2 | - 8.790 | ... | 6827 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|---------------------------------------|------------|----------------------------------|----------------------|----------------|----------------------------------|------------------------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 7601 | 7624 | Brisbane 5730..... | 7 | ^{h m s} 16. 16. 4.44 | 38.95 | 2 | ^s + 4.312 | ^{° ' "} - 45. 52. 7.37 | 38.95 | 2 | ["] - 8.788 | ... | ... | ... |
| 7602 | 7625 | 21 Herculis..... ^o | 6.7 | 16. 16. 8.82 | 36.02 | 7 | + 2.916 | + 7. 20. 8.50 | 35.16 | 3 | - 8.781 | 2085 | ... | 75 |
| 7603 | 7626 | 20 Coronæ Borealis..... ^{v1} | 5 | 16. 16. 8.91 | 35.03 | 6 | + 2.256 | + 34. 11. 31.27 | 33.59 | 5 | - 8.781 | ... | ... | 77 |
| 7604 | 7627 | 21 Coronæ Borealis..... ^{v2} | 5 | 16. 16. 16.42 | 39.05 | 6 | + 2.258 | + 34. 5. 29.55 | 37.95 | 5 | - 8.771 | ... | ... | 78 |
| 7605 | 7628 | 23 Herculis..... | 7 | 16. 16. 36.42 | 35.29 | 3 | + 2.299 | + 32. 43. 21.07 | 34.76 | 4 | - 8.746 | 2089 | ... | 79 |
| 7606 | 7629 | Piazzi XVI. 76..... | 8 | 16. 16. 36.73 | 42.19 | 3 | + 3.278 | - 9. 42. 1.32 | 42.19 | 3 | - 8.746 | ... | ... | 76 |
| 7607 | 7630 | 20 Ursæ Minoris..... | 6.7 | 16. 16. 45.68 | 35.35 | 3 | - 1.623 | + 75. 37. 0.58 | 34.71 | 4 | - 8.733 | 2099 | ... | 86 |
| 7608 | 7631 | Lacaille 6840..... | 7.8 | 16. 17. 5.25 | 39.60 | 1 | + 4.253 | - 44. 26. 8.12 | 39.60 | 1 | - 8.708 | ... | 6840 | ... |
| 7609 | 7632 | Lacaille 6842..... | 6 | 16. 17. 15.45 | 39.58 | 1 | + 3.974 | - 36. 48. 4.18 | 39.58 | 1 | - 8.694 | ... | 6842 | ... |
| 7610 | 7633 | 7 Ophiuchi..... ^x | 5 | 16. 17. 28.38 | 32.34 | 8 | + 3.466 | - 18. 4. 30.66 | 33.34 | 5 | - 8.678 | 2088 | ... | 80 |
| 7611 | 7634 | Lacaille 6839..... | 7 | 16. 17. 28.72 | 38.59 | 2 | + 4.619 | - 52. 4. 0.32 | 38.58 | 2 | - 8.677 | ... | 6839 | ... |
| 7612 | 7635 | Lacaille 6841..... | 6.7 | 16. 17. 46.65 | 38.75 | 4 | + 4.315 | - 45. 52. 7.84 | 38.57 | 3 | - 8.653 | ... | 6841 | ... |
| 7613 | 7636 | 24 Herculis..... ^ω | 5 | 16. 17. 48.17 | 37.49 | 3 | + 2.762 | + 14. 25. 6.95 | 35.80 | 6 | - 8.651 | 2090 | ... | 81 |
| 7614 | 7637 | Lacaille 6848..... | 6.7 | 16. 18. 18.77 | 38.49 | 2 | + 4.112 | - 40. 44. 10.29 | 38.48 | 2 | - 8.610 | ... | 6848 | ... |
| 7615 | 7638 | 3 Ophiuchi..... ^v | 5 | 16. 18. 53.24 | 33.44 | 3 | + 3.242 | - 7. 59. 44.17 | 31.53 | 5 | - 8.565 | ... | ... | 83 |
| 7616 | 7639 | Piazzi XVI. 85..... | 7.8 | 16. 19. 16.09 | 36.55 | 4 | + 3.003 | + 3. 14. 50.88 | 36.49 | 4 | - 8.535 | ... | ... | 85 |
| 7617 | 7640 | 21 Scorpii..... ^a | 1 | 16. 19. 18.27 | 33.91 | 47 | + 3.666 | - 26. 3. 28.85 | 32.48 | 29 | - 8.532 | 2091 | 6853 | 84 |
| 7618 | 7641 | 25 Herculis..... | 5 | 16. 19. 31.57 | 33.58 | 4 | + 2.134 | + 37. 46. 26.79 | 32.22 | 6 | - 8.516 | 2093 | ... | 91 |
| 7619 | 7642 | Piazzi XVI. 88..... | 7 | 16. 19. 54.45 | 35.15 | 3 | + 3.237 | - 7. 45. 9.58 | 35.18 | 3 | - 8.485 | ... | ... | 88 |
| 7620 | 7643 | Piazzi XVI. 87..... | 8.9 | 16. 19. 58.81 | 36.91 | 7 | + 3.631 | - 24. 46. 35.02 | 36.51 | 4 | - 8.478 | ... | ... | 87 |
| 7621 | 7644 | 22 Scorpii..... | 6 | 16. 20. 11.83 | 37.18 | 10 | + 3.631 | - 24. 44. 40.48 | 37.84 | 6 | - 8.462 | 2092 | 6858 | 89 |
| 7622 | 7645 | Lacaille 6857..... | 7 | 16. 20. 26.52 | 35.16 | 3 | + 3.889 | - 33. 57. 58.13 | 34.82 | 4 | - 8.442 | ... | 6857 | 90 |
| 7623 | 7646 | Lacaille 6859..... | 5 | 16. 20. 36.97 | 32.56 | 7 | + 3.901 | - 34. 20. 14.73 | 34.17 | 6 | - 8.429 | ... | 6859 | 92 |
| 7624 | 7647 | Lacaille 6851..... | 7 | 16. 20. 40.11 | 38.94 | 2 | + 4.673 | - 52. 50. 10.13 | 38.94 | 2 | - 8.424 | ... | 6851 | ... |
| 7625 | 7648 | Lacaille 6866..... | 7 | 16. 21. 16.05 | 34.42 | 6 | + 3.669 | - 26. 10. 13.36 | 35.18 | 6 | - 8.377 | ... | 6866 | 93 |
| 7626 | 7649 | 26 Herculis..... | 7 | 16. 21. 41.70 | 35.32 | 3 | + 2.280 | + 33. 4. 13.55 | 35.21 | 3 | - 8.342 | 2098 | ... | 97 |
| 7627 | 7650 | 8 Ophiuchi..... ^φ | 4.5 | 16. 21. 42.39 | 31.68 | 9 | + 3.426 | - 16. 14. 45.84 | 33.49 | 5 | - 8.342 | 2094 | ... | 94 |
| 7628 | 7651 | 14 Dracois..... ^η | 3 | 16. 21. 45.94 | 32.74 | 3 | + 0.795 | + 61. 53. 20.89 | 33.57 | 5 | - 8.337 | 2104 | ... | 102 |
| 7629 | 7652 | Brisbane 5750..... | 7.8 | 16. 21. 57.88 | 38.49 | 2 | + 4.492 | - 49. 24. 39.65 | 38.48 | 2 | - 8.320 | ... | ... | ... |
| 7630 | 7653 | Lacaille 6864..... | 7.8 | 16. 22. 19.17 | 39.32 | 1 | + 4.705 | - 53. 17. 28.85 | 39.32 | 1 | - 8.293 | ... | 6864 | ... |
| 7631 | 7654 | 9 Ophiuchi..... ^ω | 5 | 16. 22. 21.86 | 33.49 | 3 | + 3.542 | - 21. 6. 22.88 | 33.40 | 5 | - 8.289 | 2095 | ... | 96 |
| 7632 | 7655 | Normæ..... ^μ | 6 | 16. 22. 22.58 | 35.40 | 3 | + 4.235 | - 43. 41. 12.62 | 35.44 | 3 | - 8.289 | ... | 6867 | 95 |
| 7633 | 7656 | Brisbane 5753..... | 7 | 16. 22. 23.52 | 40.99 | 6 | + 4.475 | - 49. 2. 17.67 | 40.99 | 6 | - 8.286 | ... | ... | ... |
| 7634 | 7657 | Piazzi XVI. 98..... | 7 | 16. 22. 23.83 | 35.24 | 3 | + 3.233 | - 7. 33. 20.91 | 35.08 | 3 | - 8.286 | ... | ... | 98 |
| 7635 | 7658 | 21 Ursæ Minoris..... ^η | 5 | 16. 22. 24.67 | 33.62 | 1 | - 1.857 | + 76. 7. 53.34 | 35.17 | 3 | - 8.285 | 2111 | ... | 114 |
| 7636 | 7659 | 10 Ophiuchi..... ^λ | 4 | 16. 22. 35.79 | 35.79 | 6 | + 3.022 | + 2. 21. 5.39 | 33.61 | 3 | - 8.270 | 2097 | ... | 100 |
| 7637 | 7660 | Lacaille 6879..... | 8.9 | 16. 23. 0.97 | 36.50 | 4 | + 3.932 | - 35. 11. 5.87 | 36.52 | 4 | - 8.237 | ... | 6879 | 99 |
| 7638 | 7661 | 27 Herculis..... ^β | 2.3 | 16. 23. 7.86 | 32.09 | 8 | + 2.583 | + 21. 51. 15.88 | 32.29 | 15 | - 8.227 | 2100 | ... | 103 |
| 7639 | 7662 | 30 Herculis..... ^θ | 5 | 16. 23. 13.27 | 32.25 | 3 | + 1.937 | + 42. 14. 55.95 | 32.26 | 3 | - 8.221 | 2102 | ... | 105 |
| 7640 | 7663 | Piazzi XVI. 101..... | 7 | 16. 23. 14.28 | 35.32 | 3 | + 3.413 | - 15. 37. 21.18 | 35.18 | 3 | - 8.219 | ... | ... | 101 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835 ⁰ . | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835 ⁰ . | Mean Dec., 1835 ⁰ . | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835 ⁰ . | Bradley. | Lacaille. | Piazzi. |
|------|--------------|--------------------------|----------------|--|----------------------|----------------|--|-----------------------------------|----------------------|----------------|--|----------|-----------|---------|
| | | | | ^h ^m ^s | | | ^s | [°] ' " | | | " | | | |
| 7641 | 7664 | Lacaille 6876..... | 7 | 16. 23. 17 ^h 86 | 39 ^m 58 | 1 | + 4 ^s 287 | - 44. 53. 15 ⁰ 75 | 39 ^m 58 | 1 | - 8 ⁰ 214 | ... | 6876 | ... |
| 7642 | 7665 | Lacaille 6874..... | 6 ⁷ | 16. 23. 26 ^h 65 | 39 ^m 58 | 1 | + 4 ^s 573 | - 50. 53. 13 ⁰ 49 | 39 ^m 58 | 1 | - 8 ⁰ 203 | ... | 6874 | ... |
| 7643 | 7666 | Piazzi XVI. 107..... | 7 | 16. 24. 4 ^h 05 | 35 ^m 14 | 3 | + 2 ^s 861 | + 9. 46. 31 ⁰ 08 | 34 ^m 76 | 4 | - 8 ⁰ 153 | ... | ... | 107 |
| 7644 | 7667 | Brisbane 5758..... | 8 ⁹ | 16. 24. 16 ^h 74 | 39 ^m 59 | 1 | + 4 ^s 206 | - 42. 51. 38 ⁰ 24 | 39 ^m 59 | 1 | - 8 ⁰ 137 | ... | ... | ... |
| 7645 | 7668 | Lacaille 6884..... | 7 | 16. 24. 21 ^h 36 | 35 ^m 31 | 3 | + 3 ^s 940 | - 35. 22. 15 ⁰ 79 | 34 ^m 82 | 4 | - 8 ⁰ 130 | ... | 6884 | 104 |
| 7646 | 7669 | 28 Hercules | 5 ⁶ | 16. 24. 28 ^h 96 | 33 ^m 57 | 6 | + 2 ^s 946 | + 5. 52. 40 ⁰ 15 | 35 ^m 15 | 3 | - 8 ⁰ 119 | 2101 | ... | 108 |
| 7647 | 7670 | Piazzi XVI. 109..... | 9 | 16. 24. 32 ^h 34 | 36 ^m 55 | 4 | + 3 ^s 020 | + 2. 26. 42 ⁰ 47 | 36 ^m 49 | 4 | - 8 ⁰ 115 | ... | ... | 109 |
| 7648 | 7671 | Piazzi XVI. 110..... | 7 | 16. 24. 42 ^h 60 | 37 ^m 80 | 6 | + 3 ^s 155 | - 3. 54. 16 ⁰ 19 | 37 ^m 81 | 6 | - 8 ⁰ 101 | ... | ... | 110 |
| 7649 | 7672 | Lacaille 6885..... | 7 | 16. 24. 47 ^h 83 | 35 ^m 38 | 3 | + 4 ^s 193 | - 42. 30. 31 ⁰ 54 | 35 ^m 19 | 3 | - 8 ⁰ 095 | ... | 6885 | 106 |
| 7650 | 7673 | 29 Hercules | 4 ⁵ | 16. 24. 53 ^h 41 | 34 ^m 69 | 5 | + 2 ^s 815 | + 11. 50. 53 ⁰ 15 | 33 ^m 44 | 3 | - 8 ⁰ 087 | 2105 | ... | 112 |
| 7651 | 7674 | Lacaille 6880..... | 7 ⁸ | 16. 25. 14 ^h 02 | 38 ^m 95 | 2 | + 5 ^s 023 | - 57. 54. 7 ⁰ 66 | 38 ^m 95 | 2 | - 8 ⁰ 059 | ... | 6880 | ... |
| 7652 | 7675 | 31 Hercules | 7 | 16. 25. 18 ^h 76 | 35 ^m 43 | 3 | + 2 ^s 250 | + 33. 52. 17 ⁰ 04 | 34 ^m 81 | 4 | - 8 ⁰ 054 | 2106 | ... | 116 |
| 7653 | 7676 | Lacaille 6890..... | 6 | 16. 25. 31 ^h 85 | 36 ^m 36 | 3 | + 3 ^s 927 | - 34. 54. 28 ⁰ 34 | 36 ^m 11 | 4 | - 8 ⁰ 037 | ... | 6890 | 111 |
| 7654 | 7677 | 34 Hercules | 7 | 16. 25. 34 ^h 35 | 35 ^m 55 | 3 | + 1 ^s 646 | + 49. 19. 22 ⁰ 47 | 35 ^m 32 | 3 | - 8 ⁰ 033 | 2107 | ... | 118 |
| 7655 | 7678 | 23 Scorpil..... | 3 ⁴ | 16. 25. 37 ^h 56 | 31 ^m 57 | 6 | + 3 ^s 720 | - 27. 51. 58 ⁰ 14 | 33 ^m 12 | 5 | - 8 ⁰ 029 | 2103 | 6897 | 113 |
| 7656 | 7679 | Piazzi XVI. 115..... | 7 | 16. 25. 38 ^h 51 | 38 ^m 00 | 6 | + 3 ^s 240 | - 7. 47. 49 ⁰ 33 | 37 ^m 33 | 5 | - 8 ⁰ 027 | ... | ... | 115 |
| 7657 | 7680 | Lacaille 6894..... | 7 ⁸ | 16. 25. 47 ^h 36 | 38 ^m 49 | 2 | + 3 ^s 948 | - 35. 34. 9 ⁰ 34 | 38 ^m 48 | 2 | - 8 ⁰ 015 | ... | 6894 | ... |
| 7658 | 7681 | Lacaille 6899..... | 6 ⁷ | 16. 26. 47 ^h 22 | 35 ^m 40 | 3 | + 4 ^s 219 | - 43. 3. 16 ⁰ 71 | 35 ^m 20 | 3 | - 7 ⁰ 935 | ... | 6899 | 117 |
| 7659 | 7682 | 32 Hercules | 7 | 16. 27. 3 ^h 66 | 35 ^m 56 | 3 | + 2 ^s 338 | + 30. 50. 59 ⁰ 76 | 34 ^m 73 | 4 | - 7 ⁰ 914 | 2110 | ... | 120 |
| 7660 | 7683 | Brisbane 5778..... | 7 ⁸ | 16. 27. 27 ^h 72 | 41 ^m 21 | 5 | + 4 ^s 752 | - 53. 47. 59 ⁰ 40 | 40 ^m 86 | 4 | - 7 ⁰ 881 | ... | ... | ... |
| 7661 | 7684 | Piazzi XVI. 119..... | 7 | 16. 27. 33 ^h 69 | 35 ^m 15 | 3 | + 3 ^s 256 | - 8. 30. 31 ⁰ 60 | 35 ^m 24 | 3 | - 7 ⁰ 873 | ... | ... | 119 |
| 7662 | 7685 | 12 Ophiuchi | 5 | 16. 27. 41 ^h 84 | 33 ^m 08 | 5 | + 3 ^s 114 | - 1. 57. 58 ⁰ 75 | 33 ^m 46 | 3 | - 7 ⁰ 861 | 2108 | ... | 121 |
| 7663 | 7686 | Lacaille 6902..... | 7 | 16. 27. 46 ^h 14 | 38 ^m 97 | 2 | + 4 ^s 412 | - 47. 26. 38 ⁰ 78 | 38 ^m 97 | 2 | - 7 ⁰ 856 | ... | 6902 | ... |
| 7664 | 7687 | Piazzi XVI. 124..... | 8 ⁹ | 16. 27. 46 ^h 71 | 36 ^m 68 | 4 | + 2 ^s 573 | + 22. 5. 14 ⁰ 53 | 36 ^m 52 | 4 | - 7 ⁰ 855 | ... | ... | 124 |
| 7665 | 7688 | Piazzi XVI. 127..... | 7 | 16. 27. 56 ^h 35 | 35 ^m 43 | 3 | + 2 ^s 095 | + 38. 26. 8 ⁰ 87 | 35 ^m 18 | 3 | - 7 ⁰ 842 | ... | ... | 127 |
| 7666 | 7689 | Piazzi XVI. 122..... | 8 | 16. 28. 0 ^h 05 | 36 ^m 45 | 1 | + 3 ^s 200 | - 5. 57. 5 ⁰ 08 | 36 ^m 51 | 4 | - 7 ⁰ 837 | ... | ... | 122 |
| 7667 | 7690 | Lacaille 6903..... | 7 ⁸ | 16. 28. 1 ^h 06 | 38 ^m 59 | 2 | + 4 ^s 600 | - 51. 8. 55 ⁰ 70 | 38 ^m 59 | 2 | - 7 ⁰ 836 | ... | 6903 | ... |
| 7668 | 7691 | Piazzi XVI. 125..... | 7 | 16. 28. 2 ^h 64 | 35 ^m 35 | 3 | + 2 ^s 685 | + 17. 24. 9 ⁰ 36 | 35 ^m 19 | 3 | - 7 ⁰ 833 | ... | ... | 125 |
| 7669 | 7692 | ... Piazzi XVI. 126..... | 7 ⁸ | 16. 28. 2 ^h 96 | 35 ^m 41 | 2 | + 2 ^s 685 | + 17. 26. 47 ⁰ 32 | 34 ^m 85 | 3 | - 7 ⁰ 833 | ... | ... | 126 |
| 7670 | 7693 | Lacaille 6910..... | 6 ⁷ | 16. 28. 3 ^h 89 | 39 ^m 32 | 1 | + 3 ^s 995 | - 36. 52. 37 ⁰ 68 | 39 ^m 32 | 1 | - 7 ⁰ 832 | ... | 6910 | ... |
| 7671 | 7694 | 13 Ophiuchi | 3 ⁴ | 16. 28. 4 ^h 91 | 31 ^m 82 | 5 | + 3 ^s 294 | - 10. 13. 35 ⁰ 39 | 31 ^m 49 | 6 | - 7 ⁰ 830 | 2109 | ... | 123 |
| 7672 | 7695 | 15 Draconis | 4 ⁵ | 16. 28. 20 ^h 16 | 33 ^m 51 | 2 | - 0 ^s 158 | + 69. 7. 30 ⁰ 43 | 33 ^m 33 | 5 | - 7 ⁰ 810 | 2118 | ... | 135 |
| 7673 | 7696 | Lacaille 6907..... | 7 | 16. 28. 24 ^h 93 | 40 ^m 22 | 6 | + 4 ^s 460 | - 48. 25. 18 ⁰ 30 | 39 ^m 82 | 5 | - 7 ⁰ 804 | ... | 6907 | ... |
| 7674 | 7697 | Lacaille 6908..... | 8 | 16. 28. 34 ^h 86 | 38 ^m 59 | 2 | + 4 ^s 597 | - 51. 3. 48 ⁰ 84 | 38 ^m 59 | 2 | - 7 ⁰ 780 | ... | 6908 | ... |
| 7675 | 7698 | Piazzi XVI. 130..... | 8 | 16. 28. 45 ^h 94 | 36 ^m 71 | 4 | + 2 ^s 676 | + 17. 48. 51 ⁰ 46 | 36 ^m 53 | 4 | - 7 ⁰ 776 | ... | ... | 130 |
| 7676 | 7699 | 35 Hercules | 4 | 16. 28. 47 ^h 12 | 32 ^m 05 | 2 | + 1 ^s 931 | + 42. 46. 51 ⁰ 55 | 32 ^m 38 | 9 | - 7 ⁰ 775 | 2113 | ... | 132 |
| 7677 | 7700 | 33 Hercules | 6 | 16. 28. 51 ^h 12 | 35 ^m 48 | 6 | + 2 ^s 911 | + 7. 26. 55 ⁰ 54 | 33 ^m 58 | 3 | - 7 ⁰ 769 | 2112 | ... | 129 |
| 7678 | 7701 | Lacaille 6915..... | 7 | 16. 28. 53 ^h 93 | 38 ^m 84 | 3 | + 4 ^s 414 | - 47. 24. 47 ⁰ 69 | 38 ^m 85 | 3 | - 7 ⁰ 766 | ... | 6915 | ... |
| 7679 | 7702 | Piazzi XVI. 128..... | 7 ⁸ | 16. 28. 54 ^h 96 | 35 ^m 22 | 2 | + 3 ^s 470 | - 17. 52. 54 ⁰ 61 | 34 ^m 83 | 4 | - 7 ⁰ 764 | ... | ... | 128 |
| 7680 | 7703 | Lacaille 6912..... | 6 | 16. 29. 0 ^h 37 | 40 ^m 33 | 6 | + 4 ^s 463 | - 48. 25. 50 ⁰ 32 | 40 ^m 31 | 4 | - 7 ⁰ 757 | ... | 6912 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835°.0. | Mean Date, 1800. + | No. of Obs. | Annual Precession, 1835°.0. | Mean Dec., 1835°.0. | Mean Date, 1800. + | No. of Obs. | Annual Precession, 1835°.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|--------------------------------|------------|------------------------|-----------------------|-------------------|-----------------------------------|------------------------|-----------------------|-------------------|-----------------------------------|----------|-----------|---------|
| 7681 | 7704 | Piazzi XVI. 131..... | 7.8 | h m s 16. 29. 10.55 | 35.50 | 2 | + 2.596 | + 21. 5. 51.02 | 35.16 | 3 | - 7.746 | ... | ... | 131 |
| 7682 | 7705 | Brisbane 5793..... | 7 | 16. 29. 12.71 | 40.46 | 3 | + 4.760 | - 53. 50. 38.48 | 39.40 | 2 | - 7.740 | ... | ... | ... |
| 7683 | 7706 | Lacaille 6913..... | 7 | 16. 29. 12.97 | 39.58 | 1 | + 4.507 | - 49. 19. 12.40 | 39.58 | 1 | - 7.740 | ... | 6913 | ... |
| 7684 | 7707 | Piazzi XVI. 133..... | 7.8 | 16. 29. 24.89 | 35.49 | 2 | + 2.746 | + 14. 48. 53.43 | 34.85 | 4 | - 7.723 | ... | ... | 133 |
| 7685 | 7708 | Piazzi XVI. 134..... | 7.8 | 16. 29. 48.14 | 35.24 | 2 | + 2.717 | + 16. 2. 58.86 | 35.32 | 3 | - 7.692 | ... | ... | 134 |
| 7686 | 7709 | Lacaille 6917..... | 7.8 | 16. 29. 54.76 | 38.52 | 2 | + 4.309 | - 45. 2. 5.49 | 38.52 | 2 | - 7.683 | ... | 6917 | ... |
| 7687 | 7710 | Piazzi XVI. 140..... | 7 | 16. 30. 6.45 | 35.57 | 2 | + 0.827 | + 61. 10. 14.36 | 35.56 | 3 | - 7.668 | ... | ... | 140 |
| 7688 | 7711 | Piazzi XVI. 136..... | 7 | 16. 30. 11.97 | 35.38 | 3 | + 2.763 | + 14. 1. 36.30 | 35.48 | 2 | - 7.660 | ... | ... | 136 |
| 7689 | 7712 | Piazzi XVI. 139..... | 7 | 16. 30. 34.78 | 35.55 | 3 | + 2.161 | + 36. 22. 48.52 | 34.78 | 4 | - 7.629 | ... | ... | 139 |
| 7690 | 7713 | Piazzi XVI. 138..... | 8.9 | 16. 30. 42.24 | 36.34 | 3 | + 3.228 | - 7. 10. 46.35 | 36.50 | 4 | - 7.620 | ... | ... | 138 |
| 7691 | 7714 | Piazzi XVI. 137..... | 7 | 16. 30. 51.38 | 35.31 | 2 | + 3.524 | - 20. 4. 42.95 | 35.21 | 3 | - 7.607 | ... | ... | 137 |
| 7692 | 7715 | Piazzi XVI. 146..... | 7.8 | 16. 30. 56.94 | 35.59 | 2 | + 0.623 | + 63. 11. 57.92 | 34.60 | 3 | - 7.599 | ... | ... | 146 |
| 7693 | 7716 | Brisbane 5805..... | 7 | 16. 31. 3.50 | 38.49 | 2 | + 4.342 | - 45. 44. 41.79 | 38.49 | 2 | - 7.590 | ... | ... | ... |
| 7694 | 7717 | Piazzi XVI. 141..... | 8 | 16. 31. 7.63 | 36.69 | 3 | + 2.431 | + 27. 22. 48.78 | 36.53 | 4 | - 7.586 | ... | ... | 141 |
| 7695 | 7718 | Trianguli Australis...α | 2 | 16. 31. 16.37 | 33.56 | 3 | + 6.249 | - 68. 42. 43.56 | 33.45 | 5 | - 7.573 | ... | 6911 | ... |
| 7696 | 7719 | Lacaille 6933..... | 7 | 16. 31. 27.77 | 38.48 | 1 | + 3.997 | - 36. 44. 57.96 | 38.48 | 1 | - 7.557 | ... | 6933 | ... |
| 7697 | 7720 | Lacaille 6927..... | 7 | 16. 31. 39.25 | 39.59 | 1 | + 4.706 | - 52. 49. 51.78 | 39.59 | 1 | - 7.543 | ... | 6927 | ... |
| 7698 | 7721 | Piazzi XVI. 144..... | 8.9 | 16. 31. 41.42 | 36.69 | 4 | + 2.778 | + 13. 22. 14.54 | 36.73 | 3 | - 7.540 | ... | ... | 144 |
| 7699 | 7722 | Piazzi XVI. 142..... | 7.8 | 16. 31. 44.75 | 35.16 | 3 | + 3.468 | - 17. 43. 50.67 | 34.62 | 3 | - 7.534 | ... | ... | 142 |
| 7700 | 7723 | Bradley 2114..... | 5 | 16. 32. 2.36 | 31.58 | 6 | + 3.461 | - 17. 24. 56.59 | 31.53 | 6 | - 7.511 | 2114 | ... | 143 |
| 7701 | 7724 | Bradley 2115..... | 6 | 16. 32. 12.13 | 35.15 | 3 | + 3.513 | - 19. 36. 5.32 | 35.53 | 3 | - 7.498 | 2115 | ... | 145 |
| 7702 | 7725 | 16 Draconis..... | 6 | 16. 32. 17.68 | 35.52 | 2 | + 1.412 | + 53. 14. 2.07 | 35.18 | 3 | - 7.489 | 2122 | ... | 152 |
| 7703 | 7726 | Lacaille 6928..... | 6.7 | 16. 32. 19.35 | 39.29 | 1 | + 5.071 | - 58. 11. ... | ... | ... | - 7.487 | ... | 6928 | ... |
| 7704 | 7727 | 17 Draconis..... | 6 | 16. 32. 19.90 | 35.58 | 1 | + 1.410 | + 53. 15. 30.78 | 35.58 | 3 | - 7.486 | 2124 | ... | 153 |
| 7705 | 7728 | Lacaille 6941..... | 6 | 16. 32. 20.06 | 41.54 | 5 | + 4.143 | - 40. 47. 48.14 | 41.30 | 4 | - 7.486 | ... | 6941 | ... |
| 7706 | 7729 | 36 Herculis..... ^{m1} | 7.8 | 16. 32. 23.87 | 35.32 | 3 | + 2.974 | + 4. 32. 8.29 | 35.22 | 5 | - 7.481 | 2116 | ... | 147 |
| 7707 | 7730 | 37 Herculis..... ^{m2} | 7 | 16. 32. 27.38 | 35.32 | 3 | + 2.973 | + 4. 32. 49.40 | 35.62 | 2 | - 7.476 | 2117 | ... | 149 |
| 7708 | 7731 | Lacaille 6943..... | 6 | 16. 32. 28.27 | 40.91 | 3 | + 4.143 | - 40. 47. 30.28 | 41.04 | 2 | - 7.476 | ... | 6943 | ... |
| 7709 | 7732 | Piazzi XVI. 148..... | 8.9 | 16. 32. 31.84 | 39.55 | 6 | + 3.126 | - 2. 30. 38.28 | 39.04 | 7 | - 7.471 | ... | ... | 148 |
| 7710 | 7733 | Piazzi XVI. 158..... | 7 | 16. 32. 39.53 | 39.61 | 5 | + 0.850 | + 60. 48. 15.39 | 38.22 | 5 | - 7.462 | ... | ... | 158 |
| 7711 | 7734 | Bradley 2119..... | 7.8 | 16. 32. 54.12 | 35.36 | 3 | + 3.038 | + 1. 34. 18.95 | 35.48 | 1 | - 7.441 | 2119 | ... | 151 |
| 7712 | 7735 | Piazzi XVI. 154..... | 6.7 | 16. 33. 10.44 | 35.47 | 2 | + 2.792 | + 12. 43. 16.04 | 35.19 | 3 | - 7.418 | ... | ... | 154 |
| 7713 | 7736 | Lacaille 6949..... | 6 | 16. 33. 18.11 | 35.39 | 2 | + 4.134 | - 40. 31. 11.12 | 35.17 | 3 | - 7.408 | ... | 6949 | 150 |
| 7714 | 7737 | Lacaille 6936..... | 6.7 | 16. 33. 19.17 | 40.86 | 4 | + 5.063 | - 58. 1. 39.64 | 40.86 | 4 | - 7.406 | ... | 6936 | ... |
| 7715 | 7739 | 38 Herculis..... | 7 | 16. 33. 21.36 | 35.49 | 1 | + 2.959 | + 5. 11. 49.80 | 35.32 | 2 | - 7.404 | 2121 | ... | 156 |
| 7716 | 7738 | 14 Ophiuchi..... | 6.7 | 16. 33. 21.44 | 35.60 | 2 | + 3.040 | + 1. 30. 8.71 | 35.57 | 2 | - 7.404 | 2120 | ... | 155 |
| 7717 | 7740 | Piazzi XVI. 157..... | 7 | 16. 33. 55.19 | 38.36 | 2 | + 3.595 | - 22. 48. 35.16 | 38.14 | 6 | - 7.359 | ... | ... | 157 |
| 7718 | 7742 | Lacaille 6953..... | 7 | 16. 34. 2.16 | 38.50 | 2 | + 4.370 | - 46. 13. 0.80 | 38.50 | 2 | - 7.349 | ... | 6953 | ... |
| 7719 | 7741 | Piazzi XVI. 161..... | 7 | 16. 34. 2.40 | 35.40 | 3 | + 1.631 | + 49. 11. 29.80 | 34.52 | 3 | - 7.349 | ... | ... | 161 |
| 7720 | 7743 | 42 Herculis..... | 5.6 | 16. 34. 16.32 | 35.38 | 3 | + 1.627 | + 49. 15. 13.99 | 35.51 | 2 | - 7.331 | 2128 | ... | 163 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|--|----------------------|----------------|----------------------------------|--|----------------------|----------------|----------------------------------|----------|-----------|---------|
| | | | | ^h ^m ^s | | | ^s | [°] ['] ["] | | | ["] | | | |
| 7721 | 7744 | Piazzi XVI. 160..... | 7.8 | 16. 34. 17.58 | 36.70 | 4 | + 2.637 | + 19. 14. 34.09 | 36.77 | 4 | - 7.327 | ... | ... | 160 |
| 7722 | 7745 | Lacaille 6966..... | 6.7 | 16. 34. 41.81 | 33.49 | 5 | + 3.740 | - 28. 11. 43.31 | 33.24 | 5 | - 7.295 | ... | 6966 | 159 |
| 7723 | 7746 | 39 Hercules | 6.7 | 16. 34. 55.76 | 35.24 | 2 | + 2.431 | + 27. 14. 23.53 | 35.31 | 3 | - 7.275 | 2125 | ... | 164 |
| 7724 | 7748 | Lacaille 6962. | 7 | 16. 35. 4.00 | 38.54 | 2 | + 4.167 | - 41. 17. 58.42 | 38.54 | 2 | - 7.265 | ... | 6962 | ... |
| 7725 | 7747 | 40 Hercules | 3 | 16. 35. 4.20 | 32.55 | 31 | + 2.296 | + 31. 54. 19.33 | 32.45 | 23 | - 7.265 | 2127 | ... | 165 |
| 7726 | 7749 | Piazzi XVI. 182..... | 7 | 16. 35. 4.60 | 39.08 | 6 | - 3.532 | + 79. 18. 37.11 | 38.21 | 5 | - 7.264 | ... | ... | 182 |
| 7727 | 7750 | 15 Ophiuchi | 7 | 16. 35. 13.80 | 36.30 | 6 | + 3.598 | - 22. 52. 9.74 | 35.96 | 7 | - 7.251 | 2123 | ... | 162 |
| 7728 | 7751 | Lacaille 6972 | 9 | 16. 35. 14.18 | 38.55 | 2 | + 3.750 | - 28. 31. 40.15 | 38.54 | 2 | - 7.251 | ... | 6972 | ... |
| 7729 | 7752 | Aræ | 4 | 16. 35. 34.75 | 33.48 | 7 | + 5.126 | - 58. 44. 9.73 | 34.92 | 7 | - 7.222 | ... | 6956 | ... |
| 7730 | 7753 | Piazzi XVI. 166..... | 8.9 | 16. 35. 42.37 | 36.63 | 4 | + 2.978 | + 4. 20. 6.20 | 36.53 | 3 | - 7.213 | ... | ... | 166 |
| 7731 | 7754 | Lacaille 6974 | 7 | 16. 35. 44.63 | 38.49 | 2 | + 4.090 | - 39. 13. 25.36 | 38.48 | 2 | - 7.208 | ... | 6974 | ... |
| 7732 | 7755 | Brisbane 5834..... | 7 | 16. 35. 51.96 | 38.54 | 2 | + 4.176 | - 41. 30. 3.40 | 38.54 | 2 | - 7.199 | ... | ... | ... |
| 7733 | 7756 | Lacaille 6963..... | 7 | 16. 35. 53.57 | 39.32 | 1 | + 4.706 | - 52. 38. 7.77 | 39.32 | 1 | - 7.196 | ... | 6963 | ... |
| 7734 | 7757 | Piazzi XVI. 171..... | 7 | 16. 36. 0.42 | 38.82 | 6 | + 0.773 | + 61. 29. 49.30 | 37.65 | 5 | - 7.187 | ... | ... | 171 |
| 7735 | 7758 | Lacaille 6973..... | 7 | 16. 36. 4.78 | 38.49 | 2 | + 4.349 | - 45. 38. 16.31 | 38.49 | 2 | - 7.181 | ... | 6973 | ... |
| 7736 | 7759 | 25 Scorpii | 6 | 16. 36. 45.92 | 33.54 | 4 | + 3.660 | - 25. 13. 13.23 | 33.59 | 5 | - 7.125 | 2126 | 6981 | 168 |
| 7737 | 7760 | Piazzi XVI. 167..... | 8 | 16. 36. 51.73 | 36.55 | 4 | + 3.896 | - 33. 23. 28.10 | 36.54 | 4 | - 7.117 | ... | ... | 167 |
| 7738 | 7761 | 41 Hercules | 7 | 16. 36. 58.20 | 35.15 | 3 | + 2.931 | + 6. 24. 39.07 | 34.86 | 4 | - 7.109 | 2130 | ... | 169 |
| 7739 | 7762 | 16 Ophiuchi | 6 | 16. 37. 7.20 | 33.53 | 4 | + 3.043 | + 1. 19. 44.21 | 33.50 | 5 | - 7.097 | 2129 | ... | 170 |
| 7740 | 7763 | Lacaille 6980..... | 7 | 16. 37. 9.58 | 39.58 | 1 | + 4.000 | - 36. 34. 48.43 | 39.58 | 1 | - 7.093 | ... | 6980 | ... |
| 7741 | 7764 | Piazzi XVI. 172..... | 7 | 16. 37. 11.60 | 36.66 | 4 | + 2.136 | + 36. 49. 20.76 | 36.69 | 4 | - 7.090 | ... | ... | 172 |
| 7742 | 7765 | 44 Hercules | 3 | 16. 37. 14.44 | 31.55 | 3 | + 2.051 | + 39. 14. 23.78 | 31.73 | 8 | - 7.087 | 2133 | ... | 173 |
| 7743 | 7766 | Piazzi XVI. 178..... | 7.8 | 16. 37. 20.84 | 39.66 | 8 | + 1.183 | + 56. 29. 8.47 | 37.98 | 5 | - 7.078 | ... | ... | 178 |
| 7744 | 7767 | Piazzi XVI. 177..... | 6.7 | 16. 37. 46.61 | 35.55 | 3 | + 2.216 | + 34. 20. 49.74 | 34.85 | 4 | - 7.041 | ... | ... | 177 |
| 7745 | 7768 | Piazzi XVI. 195..... | 7 | 16. 37. 50.46 | 35.59 | 3 | - 2.707 | + 77. 46. 13.27 | 34.53 | 3 | - 7.037 | ... | ... | 195 |
| 7746 | 7769 | 43 Hercules | 5 | 16. 37. 54.91 | 32.79 | 5 | + 2.876 | + 8. 53. 20.75 | 33.44 | 3 | - 7.031 | 2131 | ... | 175 |
| 7747 | 7770 | Lacaille 6982..... | 7 | 16. 38. 1.92 | 39.59 | 1 | + 4.551 | - 49. 44. 49.27 | 39.58 | 1 | - 7.021 | ... | 6982 | ... |
| 7748 | 7771 | Lacaille 6991..... | 7.8 | 16. 38. 12.47 | 35.94 | 6 | + 3.635 | - 24. 13. 26.58 | 36.21 | 7 | - 7.007 | ... | 6991 | 174 |
| 7749 | 7772 | 46 Hercules | 7 | 16. 38. 31.37 | 35.42 | 2 | + 2.387 | + 28. 39. 49.23 | 35.19 | 3 | - 6.982 | 2136 | ... | 181 |
| 7750 | 7773 | Lacaille 6987..... | 7 | 16. 38. 32.74 | 35.43 | 2 | + 3.909 | - 33. 42. 54.90 | 35.17 | 3 | - 6.979 | ... | 6987 | 176 |
| 7751 | 7774 | 19 Ophiuchi | 6 | 16. 38. 51.34 | 35.40 | 2 | + 3.020 | + 2. 22. 8.02 | 34.78 | 4 | - 6.954 | 2135 | ... | 180 |
| 7752 | 7775 | Piazzi XVI. 194..... | 7.8 | 16. 39. 16.92 | 35.56 | 3 | + 0.648 | + 62. 37. 26.23 | 35.50 | 2 | - 6.918 | ... | ... | 194 |
| 7753 | 7776 | Piazzi XVI. 179 | 8 | 16. 39. 21.28 | 40.15 | 6 | + 4.184 | - 41. 32. 7.22 | 42.15 | 3 | - 6.913 | ... | ... | 179 |
| 7754 | 7777 | 26 Scorpii | 3 | 16. 39. 29.78 | 32.41 | 5 | + 3.918 | - 33. 59. 8.46 | 31.55 | 5 | - 6.901 | 2132 | 6996 | 184 |
| 7755 | 7778 | 45 Hercules..... | 5.6 | 16. 39. 39.31 | 33.45 | 4 | + 2.950 | + 5. 32. 54.95 | 33.61 | 2 | - 6.889 | 2137 | ... | 187 |
| 7756 | 7779 | 18 Ophiuchi | 6 | 16. 39. 42.32 | 33.50 | 1 | + 3.640 | - 24. 20. 28.12 | 32.22 | 1 | - 6.885 | ... | 7004 | 185 |
| 7757 | 7780 | 18 Draconis | 5 | 16. 39. 47.32 | 33.57 | 2 | + 0.378 | + 64. 54. 9.35 | 33.47 | 6 | - 6.877 | 2141 | ... | 197 |
| 7758 | 7781 | Brisbane 5854..... | 8 | 16. 39. 59.77 | 39.60 | 2 | + 4.941 | - 56. 5. 10.18 | 39.60 | 2 | - 6.860 | ... | ... | ... |
| 7759 | 7782 | Lacaille 7000..... | 6.7 | 16. 40. 4.55 | 36.70 | 5 | + 4.155 | - 40. 56. 16.04 | 36.52 | 5 | - 6.855 | ... | 7000 | 186 |
| 7760 | 7783 | Scorpii | 3.4 | 16. 40. 42.69 | 38.55 | 6 | + 4.046 | - 37. 45. 21.44 | 34.62 | 8 | - 6.801 | ... | 7006 | 189 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------------|------------|------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 7761 | 7784 | 20 ^h Ophiuchi..... | 5 | 16. 40. 42.80 | 31.54 | 7 | + 3.305 | - 10. 29. 1.97 | 31.98 | 5 | - 6.851 | 2138 | ... | 191 |
| 7762 | 7785 | Lacaille 6994 | 7.8 | 16. 40. 44.37 | 38.60 | 2 | + 4.813 | - 54. 9. 6.88 | 38.60 | 1 | - 6.799 | ... | 6994 | ... |
| 7763 | 7786 | Piazzi XVI. 188..... | 7 | 16. 40. 46.02 | 39.04 | 7 | + 4.188 | - 41. 33. 54.50 | 35.57 | 6 | - 6.792 | ... | ... | 188 |
| 7764 | 7787 | Lacaille 7005 | 6.7 | 16. 40. 51.24 | 38.56 | 2 | + 4.233 | - 42. 42. 6.54 | 38.55 | 2 | - 6.789 | ... | 7005 | ... |
| 7765 | 7788 | Lacaille 7007 | 7 | 16. 41. 1.39 | 36.61 | 5 | + 4.144 | - 40. 26. 0.74 | 36.55 | 5 | - 6.777 | ... | 7007 | 190 |
| 7766 | 7789 | Scorpii..... μ^2 | 4 | 16. 41. 10.70 | 39.42 | 5 | + 4.047 | - 37. 43. 39.87 | 35.72 | 4 | - 6.763 | ... | 7009 | 193 |
| 7767 | 7790 | Piazzi XVI. 192..... | 9 | 16. 41. 14.40 | 38.92 | 10 | + 4.183 | - 41. 29. 52.58 | 37.66 | 11 | - 6.758 | ... | ... | 192 |
| 7768 | 7791 | Lacaille 7003 | 8 | 16. 41. 24.95 | 39.31 | 2 | + 4.923 | - 55. 45. 46.26 | 39.31 | 2 | - 6.743 | ... | 7003 | ... |
| 7769 | 7792 | Piazzi XVI. 196..... | 7 | 16. 41. 26.93 | 35.24 | 3 | + 3.439 | - 16. 15. 13.71 | 35.32 | 2 | - 6.740 | ... | ... | 196 |
| 7770 | 7793 | Lacaille 7011 | 7 | 16. 41. 28.73 | 38.58 | 2 | + 4.032 | - 37. 18. 36.41 | 38.58 | 2 | - 6.737 | ... | 7011 | ... |
| 7771 | 7794 | Brisbane 5869..... | 7.8 | 16. 41. 46.91 | 41.38 | 3 | + 5.244 | - 59. 52. 46.35 | 41.37 | 3 | - 6.713 | ... | ... | ... |
| 7772 | 7795 | Lacaille 7010 | 6.7 | 16. 41. 58.77 | 39.58 | 1 | + 4.544 | - 49. 25. 39.47 | 39.58 | 1 | - 6.697 | ... | 7010 | ... |
| 7773 | 7796 | Lacaille 7014 | 6 | 16. 42. 0.66 | 38.56 | 2 | + 4.238 | - 42. 45. 55.42 | 38.55 | 2 | - 6.695 | ... | 7014 | ... |
| 7774 | 7797 | Piazzi XVI. 213..... | 7 | 16. 42. 14.32 | 37.92 | 3 | + 1.229 | + 55. 36. 53.26 | 38.91 | 2 | - 6.676 | ... | ... | 213 |
| 7775 | 7798 | 47 Herenlis..... κ | 5 | 16. 42. 18.99 | 31.44 | 5 | + 2.905 | + 7. 32. 18.87 | 31.47 | 5 | - 6.669 | 2139 | ... | 207 |
| 7776 | 7799 | Piazzi XVI. 208..... | 7.8 | 16. 42. 20.00 | 37.23 | 2 | + 2.884 | + 8. 27. 40.46 | 36.88 | 4 | - 6.668 | ... | ... | 208 |
| 7777 | 7800 | Scorpii..... ϵ^1 | 6 | 16. 42. 22.27 | 36.99 | 4 | + 4.214 | - 42. 4. 43.66 | 35.53 | 5 | - 6.665 | ... | 7016 | 198 |
| 7778 | 7801 | Piazzi XVI. 199..... | 8 | 16. 42. 24.04 | 36.82 | 4 | + 4.196 | - 41. 42. 38.87 | 36.69 | 4 | - 6.662 | ... | ... | 199 |
| 7779 | 7802 | Lacaille 7017 | 6.7 | 16. 42. 28.40 | 38.18 | 7 | + 4.189 | - 41. 31. 24.95 | 37.07 | 6 | - 6.658 | ... | 7017 | 200 |
| 7780 | 7803 | Taylor 7803 | 7 | 16. 42. 30.25 | 42.44 | 2 | + 4.188 | - 41. 29. 52.74 | 42.41 | 2 | - 6.654 | ... | ... | ... |
| 7781 | 7804 | Piazzi XVI. 202..... | 7 | 16. 42. ... | ... | ... | + 4.190 | - 41. 32. 32.16 | 37.21 | 5 | - 6.646 | ... | ... | 202 |
| 7782 | 7805 | Piazzi XVI. 203..... | 6.7 | 16. 42. 37.50 | 38.25 | 4 | + 4.191 | - 41. 33. 55.89 | 38.58 | 8 | - 6.645 | ... | ... | 203 |
| 7783 | 7806 | Piazzi XVI. 204..... | 8 | 16. 42. 46.09 | 37.19 | 4 | + 4.190 | - 41. 32. ... | ... | ... | - 6.631 | ... | ... | 204 |
| 7784 | 7807 | Lacaille 7019 | 7 | 16. 42. 48.72 | 35.30 | 2 | + 4.216 | - 42. 11. 50.48 | 35.59 | 3 | - 6.628 | ... | 7019 | 205 |
| 7785 | 7808 | 48 Herenlis | 6.7 | 16. 42. 50.38 | 35.48 | 2 | + 2.336 | + 30. 15. 8.13 | 35.46 | 2 | - 6.626 | 2142 | ... | 212 |
| 7786 | 7809 | Piazzi XVI. 217 | 9 | 16. 42. 54.40 | 37.01 | 3 | + 0.975 | + 58. 57. 13.35 | 36.93 | 4 | - 6.621 | ... | ... | 217 |
| 7787 | 7810 | Scorpii..... ϵ^2 | 5.6 | 16. 42. 59.57 | 35.16 | 3 | + 4.209 | - 42. 4. 13.42 | 35.50 | 1 | - 6.614 | ... | 7025 | 206 |
| 7788 | 7811 | 21 Ophiuchi..... | 6 | 16. 43. 3.29 | 33.26 | 4 | + 3.039 | + 1. 30. 12.88 | 33.57 | 3 | - 6.609 | 2140 | ... | 210 |
| 7789 | 7812 | Arct..... ρ | 7.8 | 16. 43. 27.08 | 39.58 | 1 | + 4.599 | - 50. 23. 52.18 | 39.58 | 1 | - 6.576 | ... | 7024 | ... |
| 7790 | 7813 | Piazzi XVI. 209..... | 7.8 | 16. 43. 27.72 | 36.85 | 2 | + 4.202 | - 41. 48. 42.65 | 36.81 | 3 | - 6.574 | ... | ... | 209 |
| 7791 | 7814 | Piazzi XVI. 219..... | 7 | 16. 43. 28.79 | 38.53 | 5 | + 1.220 | + 55. 42. 17.43 | 35.10 | 2 | - 6.572 | ... | ... | 219 |
| 7792 | 7815 | Brisbane 5883 | 7 | 16. 43. 29.93 | 42.58 | 1 | + 4.142 | - 40. 14. 45.02 | 42.58 | 1 | - 6.571 | ... | ... | ... |
| 7793 | 7816 | Piazzi XVI. 214..... | 6.7 | 16. 43. 41.44 | 32.63 | 5 | + 3.535 | - 20. 8. 2.91 | 33.59 | 2 | - 6.556 | ... | ... | 214 |
| 7794 | 7817 | Lacaille 7035 | 7.8 | 16. 43. 41.48 | 36.98 | 3 | + 3.899 | - 33. 11. 39.12 | 36.78 | 4 | - 6.556 | ... | 7035 | 211 |
| 7795 | 7818 | Lacaille 7031 | 6 | 16. 43. 51.41 | 39.82 | 3 | + 4.252 | - 43. 2. 17.69 | 39.82 | 3 | - 6.542 | ... | 7031 | ... |
| 7796 | 7819 | Lacaille 7033 | 7 | 16. 44. 5.10 | 35.44 | 2 | + 3.811 | - 30. 18. 30.55 | 35.32 | 3 | - 6.523 | ... | 7033 | 215 |
| 7797 | 7820 | 50 Herenlis | 5 | 16. 44. 12.85 | 31.57 | 4 | + 2.339 | + 30. 5. 33.81 | 31.79 | 5 | - 6.513 | 2145 | ... | 221 |
| 7798 | 7821 | Lacaille 7038 | 7 | 16. 44. 18.30 | 35.24 | 2 | + 4.105 | - 39. 13. 38.27 | 35.20 | 3 | - 6.505 | ... | 7038 | 216 |
| 7799 | 7822 | 52 Herenlis | 5 | 16. 44. 24.49 | 33.49 | 3 | + 1.750 | + 46. 16. 27.08 | 33.47 | 5 | - 6.497 | 2149 | ... | 224 |
| 7800 | 7823 | 49 Herenlis | 6 | 16. 44. 34.61 | 33.59 | 4 | + 2.727 | + 15. 15. 23.63 | 35.16 | 3 | - 6.481 | 2144 | ... | 223 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazz. |
|------|--------------|-------------------------------|------------|-----------------------------------|----------------------|-------------------|----------------------------------|------------------------------------|----------------------|-------------------|----------------------------------|----------|-----------|--------|
| 7801 | 7824 | Brisbane 5891..... | 6.7 | ^{h m s} 16. 44. 48.47 | 38.57 | 2 | ^s + 4.149 | ^{° ' "} - 40. 23. 8.15 | 38.57 | 2 | ["] - 6.462 | ... | ... | ... |
| 7802 | 7825 | 22 Ophiuchi..... | 6.7 | 16. 44. 53.06 | 33.62 | 2 | + 3.615 | - 23. 14. 3.74 | 35.17 | 3 | - 6.456 | 2143 | 7051 | 220 |
| 7803 | 7826 | 51 Hercules..... | 6 | 16. 44. 55.00 | 39.11 | 3 | + 2.484 | + 24. 56. 20.59 | 36.94 | 4 | - 6.454 | 2147 | ... | 225 |
| 7804 | 7827 | Aræ..... | 3.4 | 16. 45. 0.06 | 39.40 | 5 | + 4.929 | - 55. 43. 8.25 | 34.55 | 7 | - 6.447 | ... | 7034 | ... |
| 7805 | 7828 | Piazz XVI. 229..... | 7.8 | 16. 45. 2.92 | 37.52 | 6 | + 1.217 | + 55. 40. 47.07 | 36.31 | 4 | - 6.444 | ... | ... | 229 |
| 7806 | 7829 | Piazz XVI. 231..... | 7 | 16. 45. 3.57 | 35.48 | 2 | + 1.062 | + 57. 46. 43.32 | 35.58 | 3 | - 6.443 | ... | ... | 231 |
| 7807 | 7830 | Lacaille 7053..... | 7 | 16. 45. 8.03 | 36.80 | 3 | + 4.155 | - 40. 33. 0.71 | 36.87 | 4 | - 6.436 | ... | 7053 | 218 |
| 7808 | 7831 | Lacaille 7049..... | 7.8 | 16. 45. 11.83 | 36.54 | 2 | + 3.902 | - 33. 13. 56.79 | 36.44 | 4 | - 6.431 | ... | 7049 | 222 |
| 7809 | 7832 | Brisbane 5896..... | 7 | 16. 45. 28.84 | 38.91 | 3 | + 4.137 | - 40. 14. 26.61 | 38.91 | 3 | - 6.406 | ... | ... | ... |
| 7810 | 7833 | Lacaille 7036..... | 7 | 16. 45. 33.86 | 38.95 | 2 | + 5.187 | - 59. 3. 32.17 | 38.95 | 2 | - 6.400 | ... | 7036 | ... |
| 7811 | 7834 | Lacaille 7045..... | 6 | 16. 45. 35.49 | 39.58 | 1 | + 4.602 | - 50. 22. 14.91 | 39.58 | 1 | - 6.398 | ... | 7045 | ... |
| 7812 | 7835 | Piazz XVI. 226..... | 7.8 | 16. 45. 45.44 | 38.08 | 3 | + 3.158 | - 3. 53. 19.14 | 36.90 | 4 | - 6.384 | ... | ... | 226 |
| 7813 | 7836 | 23 Ophiuchi..... | 5 | 16. 45. 47.02 | 31.63 | 3 | + 3.203 | - 5. 52. 38.37 | 33.14 | 5 | - 6.381 | 2146 | ... | 227 |
| 7814 | 7837 | Piazz XVI. 239..... | 7 | 16. 45. 53.11 | 35.58 | 3 | + 0.493 | + 63. 49. 4.18 | 35.26 | 3 | - 6.373 | ... | ... | 239 |
| 7815 | 7838 | 25 Ophiuchi..... | 4 | 16. 46. 12.41 | 38.50 | 5 | + 2.838 | + 10. 26. 33.30 | 37.56 | 10 | - 6.348 | 2150 | ... | 233 |
| 7816 | 7839 | Piazz XVI. 230..... | 7 | 16. 46. 16.76 | 35.49 | 2 | + 3.214 | - 6. 22. 38.85 | 34.85 | 4 | - 6.340 | ... | ... | 230 |
| 7817 | 7840 | 27 Scorpii..... | 6.7 | 16. 46. 26.65 | 35.29 | 3 | + 3.896 | - 32. 59. 22.32 | 35.30 | 3 | - 6.327 | ... | ... | 228 |
| 7818 | 7841 | Aræ..... ^{e1} | 4.5 | 16. 46. 27.86 | 37.55 | 3 | + 4.750 | - 52. 53. 50.56 | 33.60 | 4 | - 6.326 | ... | 7050 | ... |
| 7819 | 7842 | Piazz XVI. 232..... | 6 | 16. 46. 30.91 | 32.40 | 3 | + 3.449 | - 16. 32. 10.84 | 35.18 | 3 | - 6.321 | ... | ... | 232 |
| 7820 | 7843 | Brisbane 5903..... | 7.8 | 16. 46. 32.81 | 39.59 | 1 | + 4.094 | - 38. 50. 53.57 | 39.59 | 1 | - 6.318 | ... | ... | ... |
| 7821 | 7844 | Lacaille 7056..... | 7 | 16. 46. 38.19 | 39.62 | 1 | + 4.513 | - 48. 36. 37.05 | 39.62 | 1 | - 6.311 | ... | 7056 | ... |
| 7822 | 7845 | 53 Hercules..... | 5 | 16. 46. 42.75 | 31.56 | 7 | + 2.279 | + 31. 58. 43.39 | 31.55 | 5 | - 6.305 | 2151 | ... | 238 |
| 7823 | 7846 | 24 Ophiuchi..... | 6.7 | 16. 46. 51.69 | 33.50 | 3 | + 3.608 | - 22. 52. 52.04 | 33.50 | 4 | - 6.292 | 2148 | ... | 234 |
| 7824 | 7847 | Piazz XVI. 235..... | 8 | 16. 46. 59.68 | 36.63 | 4 | + 3.202 | - 5. 51. 0.93 | 36.69 | 4 | - 6.281 | ... | ... | 235 |
| 7825 | 7848 | Piazz XVI. 241..... | 8 | 16. 47. 15.52 | 37.21 | 4 | + 1.500 | + 51. 3. 0.67 | 36.52 | 4 | - 6.260 | ... | ... | 241 |
| 7826 | 7849 | Lacaille 7057..... | 7 | 16. 47. 21.70 | 40.92 | 4 | + 4.977 | - 56. 17. 37.70 | 40.91 | 4 | - 6.250 | ... | 7057 | ... |
| 7827 | 7850 | Piazz XVI. 236..... | 6.7 | 16. 47. 22.94 | 32.75 | 3 | + 3.516 | - 19. 16. 18.01 | 35.16 | 3 | - 6.249 | ... | ... | 236 |
| 7828 | 7851 | Brisbane 5911..... | 7.8 | 16. 47. 36.50 | 39.58 | 1 | + 5.170 | - 58. 47. 22.77 | 39.58 | 1 | - 6.231 | ... | ... | ... |
| 7829 | 7852 | Piazz XVI. 240..... | 7 | 16. 47. 40.49 | 35.40 | 3 | + 2.757 | + 13. 53. 31.33 | 35.58 | 3 | - 6.225 | ... | ... | 240 |
| 7830 | 7853 | Lacaille 7065..... | 8 | 16. 47. 43.42 | 37.81 | 3 | + 4.042 | - 37. 21. 16.79 | 37.33 | 6 | - 6.220 | ... | 7065 | 237 |
| 7831 | 7854 | 54 Hercules..... | 5.6 | 16. 48. 7.15 | 37.59 | 2 | + 2.642 | + 18. 42. 9.63 | 35.17 | 3 | - 6.189 | 2152 | ... | 242 |
| 7832 | 7855 | 56 Hercules..... | 6 | 16. 48. 17.20 | 35.40 | 3 | + 2.452 | + 26. 0. 3.85 | 35.54 | 3 | - 6.173 | 2154 | ... | 243 |
| 7833 | 7856 | Piazz XVI. 247..... | 7.8 | 16. 48. 19.77 | 35.39 | 2 | + 1.282 | + 54. 36. 20.13 | 34.85 | 4 | - 6.170 | ... | ... | 247 |
| 7834 | 7857 | Brisbane 5917..... | 8.9 | 16. 48. 41.97 | 38.50 | 2 | + 4.989 | - 56. 25. 12.09 | 38.50 | 2 | - 6.140 | ... | ... | ... |
| 7835 | 7858 | Brisbane 5920..... | 7.8 | 16. 49. 15.19 | 38.60 | 2 | + 4.056 | - 37. 40. 44.40 | 38.60 | 2 | - 6.093 | ... | ... | ... |
| 7836 | 7859 | Piazz XVI. 246..... | 7 | 16. 49. 17.22 | 35.31 | 3 | + 2.927 | + 6. 28. 30.99 | 35.21 | 3 | - 6.091 | ... | ... | 246 |
| 7837 | 7860 | Piazz XVI. 244..... | 7.8 | 16. 49. 18.99 | 37.24 | 3 | + 3.404 | - 14. 36. 25.93 | 36.72 | 4 | - 6.089 | ... | ... | 244 |
| 7838 | 7861 | Piazz XVI. 245..... | 9 | 16. 49. 32.25 | 37.04 | 3 | + 3.427 | - 15. 32. 58.63 | 36.82 | 4 | - 6.070 | ... | ... | 245 |
| 7839 | 7862 | Piazz XVI. 253..... | 7 | 16. 49. 35.12 | 35.53 | 2 | + 1.714 | + 46. 48. 32.35 | 35.54 | 3 | - 6.066 | ... | ... | 253 |
| 7840 | 7863 | 27 Ophiuchi..... ^K | 4 | 16. 49. 51.77 | 34.85 | 7 | + 2.856 | + 9. 38. 14.58 | 35.22 | 23 | - 6.043 | 2156 | ... | 252 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{ cxcix }

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 7841 | 7864 | Bradley 2153 | 6 | 16. 49. 52.35 | 39.08 | 6 | + 3.662 | - 24. 50. 2.71 | 35.99 | 7 | - 6.043 | 2153 | 7082 | 248 |
| 7842 | 7865 | Piazzi XVI. 250..... | 7 | 16. 49. 55.92 | 39.56 | 5 | + 3.433 | - 15. 48. 19.82 | 42.60 | 1 | - 6.037 | ... | ... | 250 |
| 7843 | 7866 | Aræ ^{e2} | 6 | 16. 49. 59.57 | 39.58 | 1 | + 4.763 | - 52. 58. 49.52 | 39.58 | 1 | - 6.032 | ... | 7073 | ... |
| 7844 | 7867 | 26 Ophiuchi..... | 6 | 16. 50. 3.87 | 33.62 | 2 | + 3.659 | - 24. 43. 48.10 | 33.58 | 4 | - 6.027 | 2155 | 7085 | 249 |
| 7845 | 7868 | Piazzi XVI. 251..... | 7 | 16. 50. 8.53 | 33.33 | 7 | + 3.486 | - 17. 59. 3.96 | 35.49 | 6 | - 6.020 | ... | ... | 251 |
| 7846 | 7869 | Piazzi XVI. 254..... | 9 | 16. 50. 38.76 | 37.04 | 3 | + 3.486 | - 17. 57. 30.40 | 36.90 | 2 | - 5.977 | ... | ... | 254 |
| 7847 | 7870 | Piazzi XVI. 264 | 8 | 16. 50. 44.10 | 37.35 | 2 | + 0.275 | + 65. 28. 27.90 | 37.21 | 4 | - 5.970 | ... | ... | 264 |
| 7848 | 7871 | 57 Hercules | 6.7 | 16. 50. 44.66 | 35.51 | 3 | + 2.460 | + 25. 36. 44.06 | 35.59 | 2 | - 5.968 | 2157 | ... | 257 |
| 7849 | 7872 | Lacaille 7080 | 7 | 16. 50. 49.80 | 39.62 | 1 | + 4.494 | - 48. 5. 19.86 | 39.62 | 1 | - 5.961 | ... | 7080 | ... |
| 7850 | 7874 | Lacaille 7084 | 7 | 16. 50. 50.69 | 41.47 | 3 | + 4.331 | - 44. 36. 14.09 | 41.42 | 3 | - 5.961 | ... | 7084 | ... |
| 7851 | 7873 | Piazzi XVI. 258..... | 6.7 | 16. 50. 51.22 | 35.36 | 3 | + 2.486 | + 24. 38. 33.10 | 35.59 | 3 | - 5.960 | ... | ... | 258 |
| 7852 | 7875 | Piazzi XVI. 256..... | 6.7 | 16. 51. 7.34 | 35.24 | 2 | + 3.161 | - 3. 58. 8.44 | 35.56 | 3 | - 5.939 | ... | ... | 256 |
| 7853 | 7876 | Lacaille 7089 | 6 | 16. 51. 13.30 | 33.51 | 3 | + 3.867 | - 31. 53. 23.97 | 35.16 | 3 | - 5.930 | ... | 7089 | 255 |
| 7854 | 7877 | Lacaille 7092 | 9 | 16. 51. 47.38 | 37.01 | 3 | + 3.871 | - 32. 0. 28.19 | 36.68 | 4 | - 5.882 | ... | 7092 | 259 |
| 7855 | 7878 | Brisbane 5937..... | 7 | 16. 51. 50.30 | 38.49 | 2 | + 4.052 | - 37. 28. 15.94 | 38.48 | 2 | - 5.878 | ... | ... | ... |
| 7856 | 7879 | Piazzi XVI. 260..... | 7 | 16. 51. 53.09 | 39.26 | 5 | + 3.374 | - 13. 18. 4.75 | 37.58 | 5 | - 5.873 | ... | ... | 260 |
| 7857 | 7880 | Piazzi XVI. 267..... | 7 | 16. 51. 53.23 | 35.59 | 2 | + 1.532 | + 50. 17. 59.40 | 35.26 | 2 | - 5.873 | ... | ... | 267 |
| 7858 | 7881 | Piazzi XVI. 262..... | 7.8 | 16. 52. 2.04 | 37.79 | 10 | + 2.820 | + 11. 10. 6.57 | 38.46 | 6 | - 5.861 | ... | ... | 262 |
| 7859 | 7882 | Brisbane 5939..... | 7.8 | 16. 52. 3.21 | 38.58 | 2 | + 4.303 | - 43. 54. 12.15 | 38.58 | 2 | - 5.860 | ... | ... | ... |
| 7860 | 7883 | 29 Ophiuchi..... | 6 | 16. 52. 12.55 | 33.27 | 5 | + 3.503 | - 18. 38. 6.48 | 35.17 | 3 | - 5.846 | 2158 | ... | 261 |
| 7861 | 7884 | 30 Ophiuchi..... | 6 | 16. 52. 21.82 | 33.58 | 2 | + 3.161 | - 3. 58. 8.79 | 35.16 | 3 | - 5.834 | 2159 | ... | 263 |
| 7862 | 7885 | Piazzi XVI. 265..... | 7 | 16. 52. 29.43 | 38.13 | 7 | + 2.821 | + 11. 4. 44.16 | 35.21 | 3 | - 5.823 | ... | ... | 265 |
| 7863 | 7886 | Piazzi XVI. 266..... | 7.8 | 16. 52. 43.37 | 35.60 | 3 | + 3.217 | - 6. 29. 15.86 | 34.61 | 3 | - 5.805 | ... | ... | 266 |
| 7864 | 7887 | Lacaille 7101 | 6 | 16. 52. 45.28 | 38.46 | 2 | + 4.058 | - 37. 36. 1.05 | 38.46 | 2 | - 5.802 | ... | 7101 | ... |
| 7865 | 7888 | ...Lacaille 7095 | 8.9 | 16. 52. 48.83 | 38.61 | 2 | + 4.432 | - 46. 43. 43.20 | 38.61 | 2 | - 5.797 | ... | 7095 | ... |
| 7866 | 7889 | Brisbane 5944..... | 8 | 16. 53. 2.15 | 39.32 | 1 | + 5.240 | - 59. 25. 47.09 | 39.32 | 1 | - 5.778 | ... | ... | ... |
| 7867 | 7890 | Lacaille 7100 | 6.7 | 16. 53. 3.64 | 39.59 | 1 | + 4.365 | - 45. 15. 33.41 | 39.59 | 1 | - 5.776 | ... | 7100 | ... |
| 7868 | 7891 | 28 Ophiuchi..... | 7 | 16. 53. 52.16 | 37.10 | 6 | + 3.682 | - 25. 27. 16.08 | 37.03 | 5 | - 5.709 | ... | ... | 269 |
| 7869 | 7892 | Lacaille 7106 | 6 | 16. 53. 55.72 | 38.58 | 2 | + 4.304 | - 43. 52. 4.66 | 38.57 | 2 | - 5.702 | ... | 7106 | ... |
| 7870 | 7893 | Piazzi XVI. 275..... | 9 | 16. 53. 56.08 | 36.80 | 3 | + 1.636 | + 48. 14. 57.95 | 36.88 | 4 | - 5.702 | ... | ... | 275 |
| 7871 | 7894 | 58 Horælis..... ^e | 3 | 16. 53. 58.75 | 32.33 | 7 | + 2.297 | + 31. 10. 25.47 | 32.71 | 10 | - 5.698 | 2161 | ... | 272 |
| 7872 | 7895 | Lacaille 7109 | 5 | 16. 53. 58.79 | 31.55 | 5 | + 3.933 | - 33. 52. 58.50 | 31.61 | 5 | - 5.698 | ... | 7109 | 268 |
| 7873 | 7896 | Piazzi XVI. 270..... | 6.7 | 16. 54. 3.60 | 35.56 | 2 | + 2.876 | + 8. 41. 44.26 | 34.78 | 4 | - 5.692 | ... | ... | 270 |
| 7874 | 7897 | Piazzi XVI. 276..... | 6.7 | 16. 54. 31.93 | 35.40 | 2 | + 2.406 | + 27. 26. 42.72 | 34.60 | 3 | - 5.652 | ... | ... | 276 |
| 7875 | 7898 | 31 Ophiuchi..... | 7 | 16. 54. 35.23 | 39.59 | 7 | + 3.681 | - 25. 24. 7.73 | 36.43 | 5 | - 5.648 | 2160 | ... | 271 |
| 7876 | 7899 | Lacaille 7113 | 7 | 16. 54. 37.94 | 39.58 | 1 | + 4.021 | - 36. 30. 12.59 | 39.58 | 1 | - 5.643 | ... | 7113 | ... |
| 7877 | 7900 | Piazzi XVI. 282 | 6.7 | 16. 54. 42.07 | 35.62 | 1 | + 0.594 | + 62. 37. 30.11 | 34.95 | 3 | - 5.638 | ... | ... | 282 |
| 7878 | 7901 | Brisbane 5956..... | 7 | 16. 54. 48.66 | 38.52 | 2 | + 4.016 | - 36. 21. 8.91 | 38.53 | 2 | - 5.629 | ... | ... | ... |
| 7879 | 7902 | Piazzi XVI. 274..... | 9 | 16. 54. 55.68 | 36.66 | 5 | + 3.471 | - 17. 14. 53.30 | 36.70 | 4 | - 5.618 | ... | ... | 274 |
| 7880 | 7903 | Piazzi XVI. 273..... | 7 | 16. 54. 59.45 | 33.56 | 3 | + 3.546 | - 20. 15. 19.98 | 33.61 | 3 | - 5.614 | ... | ... | 273 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|---------------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 7881 | 7904 | Lacaille 7112 | 7.8 | h m s 16. 55. 5.95 | 41.47 | 3 | + 4.432 | — 46. 39. 23.41 | 40.92 | 2 | — 5.605 | ... | 7112 | ... |
| 7882 | 7905 | 19 Draconis ^{h1} | 5 | 16. 55. 8.10 | 35.30 | 6 | + 0.270 | + 65. 23. 14.70 | 31.55 | 5 | — 5.601 | 2169 | ... | 286 |
| 7883 | 7906 | Lacaille 7117 | 7 | 16. 55. 24.76 | 39.60 | 1 | + 4.423 | — 46. 26. 53.23 | 39.60 | 1 | — 5.578 | ... | 7117 | ... |
| 7884 | 7907 | Piazzi XVI. 277 | 6 | 16. 55. 25.29 | 33.05 | 5 | + 3.318 | — 10. 50. 59.34 | 35.17 | 3 | — 5.578 | ... | ... | 277 |
| 7885 | 7908 | Lacaille 7120 | 7 | 16. 55. 26.26 | 41.57 | 4 | + 4.322 | — 44. 12. 36.22 | 42.27 | 4 | — 5.576 | ... | 7120 | ... |
| 7886 | 7909 | 59 Heroulis ^{h2} | 5 | 16. 55. 31.14 | 31.65 | 1 | + 2.211 | + 33. 48. 41.05 | 32.97 | 7 | — 5.570 | 2165 | ... | 280 |
| 7887 | 7910 | Bradley 2163 | 5.6 | 16. 55. 34.53 | 39.28 | 7 | + 2.744 | + 14. 20. 6.63 | 35.18 | 3 | — 5.564 | 2163 | ... | 279 |
| 7888 | 7911 | 20 Draconis ^{h2} | 7 | 16. 55. 37.23 | 36.54 | 2 | + 0.281 | + 65. 17. 28.54 | 35.32 | 3 | — 5.562 | 2170 | ... | 290 |
| 7889 | 7912 | Piazzi XVI. 278 | 7 | 16. 55. 52.43 | 35.29 | 3 | + 3.708 | — 26. 20. 49.31 | 35.58 | 2 | — 5.541 | ... | ... | 278 |
| 7890 | 7913 | Brisbane 5961..... | 7.8 | 16. 56. 3.63 | 39.62 | 1 | + 4.260 | — 42. 44. 47.01 | 39.62 | 1 | — 5.524 | ... | ... | ... |
| 7891 | 7914 | Bradley 2164 | 6 | 16. 56. 4.38 | 38.58 | 4 | + 2.755 | + 13. 50. 42.28 | 37.72 | 10 | — 5.524 | 2164 | ... | 283 |
| 7892 | 7915 | Piazzi XVI. 291..... | 6.7 | 16. 56. 19.87 | 37.17 | 4 | + 1.097 | + 56. 55. 58.86 | 37.35 | 4 | — 5.500 | ... | ... | 291 |
| 7893 | 7916 | Bradley 2162 | 6 | 16. 56. 21.37 | 33.52 | 3 | + 3.574 | — 21. 19. 41.27 | 35.18 | 3 | — 5.498 | 2162 | ... | 281 |
| 7894 | 7917 | Bradley 2166 | 6 | 16. 56. 22.85 | 34.92 | 3 | + 2.755 | + 13. 49. ... | ... | ... | — 5.496 | 2166 | ... | 285 |
| 7895 | 7918 | Lacaille 7137 | 7 | 16. 56. 40.23 | 35.24 | 2 | + 3.707 | — 26. 16. 53.63 | 35.59 | 3 | — 5.473 | ... | 7137 | 284 |
| 7896 | 7919 | Piazzi XVI. 287..... | 7 | 16. 56. 42.71 | 36.83 | 6 | + 2.605 | + 19. 55. 36.91 | 36.73 | 4 | — 5.469 | ... | ... | 287 |
| 7897 | 7920 | Lacaille 7133 | 7.8 | 16. 56. 45.54 | 38.96 | 2 | + 4.182 | — 40. 47. 48.26 | 38.96 | 2 | — 5.465 | ... | 7133 | ... |
| 7898 | 7921 | Piazzi XVI. 289..... | 6 | 16. 57. 2.42 | 38.56 | 5 | + 3.087 | — 0. 39. 31.04 | 35.03 | 6 | — 5.441 | ... | ... | 289 |
| 7899 | 7922 | Piazzi XVI. 288..... | 8 | 16. 57. 8.72 | 36.87 | 4 | + 3.350 | — 12. 10. 51.32 | 36.90 | 4 | — 5.432 | ... | ... | 288 |
| 7900 | 7923 | Piazzi XVI. 296..... | 7.8 | 16. 57. 11.21 | 35.59 | 1 | + 0.955 | + 58. 42. 21.08 | 34.60 | 3 | — 5.429 | ... | ... | 296 |
| 7901 | 7924 | Piazzi XVI. 292 | 6.7 | 16. 57. 30.53 | 35.24 | 2 | + 2.608 | + 19. 49. 58.52 | 35.21 | 3 | — 5.402 | ... | ... | 292 |
| 7902 | 7925 | 61 Herculis ^{h2} | 6.7 | 16. 57. 34.78 | 35.45 | 2 | + 2.148 | + 35. 39. 3.02 | 35.27 | 3 | — 5.396 | 2168 | ... | 295 |
| 7903 | 7926 | Lacaille 7135 | 7.8 | 16. 57. 37.71 | 38.51 | 2 | + 4.444 | — 46. 48. 31.30 | 38.51 | 2 | — 5.391 | ... | 7135 | ... |
| 7904 | 7927 | 60 Heroulis ^{h2} | 5 | 16. 57. 43.69 | 31.58 | 2 | + 2.775 | + 12. 58. 22.79 | 31.59 | 5 | — 5.383 | 2167 | ... | 293 |
| 7905 | 7928 | Lacaille 7141 | 7.8 | 16. 58. 7.50 | 40.45 | 4 | + 4.432 | — 46. 31. 0.44 | 40.45 | 4 | — 5.352 | ... | 7141 | ... |
| 7906 | 7929 | Piazzi XVI. 301..... | 7.8 | 16. 58. 18.25 | 35.54 | 1 | + 1.242 | + 54. 50. 0.24 | 35.58 | 2 | — 5.336 | ... | ... | 301 |
| 7907 | 7930 | Piazzi XVI. 298..... | 7 | 16. 58. 25.34 | 35.22 | 2 | + 2.829 | + 10. 40. 58.23 | 35.32 | 3 | — 5.326 | ... | ... | 298 |
| 7908 | 7931 | Piazzi XVI. 297..... | 6.7 | 16. 58. 40.48 | 34.68 | 6 | + 3.476 | — 17. 23. 3.55 | 34.13 | 5 | — 5.302 | ... | ... | 297 |
| 7909 | 7932 | Lacaille 7136 | 7 | 16. 58. 44.48 | 39.32 | 2 | + 5.167 | — 58. 22. 38.74 | 39.32 | 2 | — 5.298 | ... | 7136 | ... |
| 7910 | 7933 | Lacaille 7147 | 6 | 16. 58. 45.79 | 38.19 | 7 | + 4.332 | — 44. 20. 8.33 | 37.77 | 6 | — 5.296 | ... | 7147 | 294 |
| 7911 | 7934 | Piazzi XVI. 304..... | 7 | 16. 58. 54.62 | 35.41 | 1 | + 0.942 | + 58. 47. 40.31 | 34.61 | 3 | — 5.283 | ... | ... | 304 |
| 7912 | 7935 | Lacaille 7144 | 7.8 | 16. 59. 1.07 | 39.62 | 1 | + 4.794 | — 53. 9. 37.71 | 39.62 | 1 | — 5.275 | ... | 7144 | ... |
| 7913 | 7936 | Brisbane 5973..... | 7.8 | 16. 59. 9.04 | 39.58 | 1 | + 4.407 | — 45. 57. 54.42 | 39.58 | 1 | — 5.263 | ... | ... | ... |
| 7914 | 7937 | Piazzi XVI. 299..... | 7.8 | 16. 59. 13.39 | 35.32 | 3 | + 3.342 | — 11. 48. 35.95 | 34.52 | 3 | — 5.256 | ... | ... | 299 |
| 7915 | 7938 | Piazzi XVI. 300..... | 9 | 16. 59. 30.48 | 36.53 | 1 | + 3.475 | — 17. 20. 51.30 | 36.62 | 3 | — 5.234 | ... | ... | 300 |
| 7916 | 7939 | Lacaille 7148 | 9 | 16. 59. 33.28 | 38.55 | 2 | + 4.891 | — 54. 38. 15.05 | 38.55 | 2 | — 5.229 | ... | 7148 | ... |
| 7917 | 7940 | Piazzi XVI. 303 | 6 | 16. 59. 43.29 | 33.50 | 5 | + 3.091 | — 0. 51. 18.18 | 35.17 | 3 | — 5.215 | ... | ... | 303 |
| 7918 | 7941 | Lacaille 7151 | 7.8 | 17. 0. 0.79 | 39.29 | 1 | + 5.030 | — 56. 35. 18.45 | 39.29 | 1 | — 5.190 | ... | 7151 | ... |
| 7919 | 7942 | Piazzi XVI. 307 | 6.7 | 17. 0. 3.57 | 35.59 | 3 | + 1.823 | + 44. 2. 24.35 | 35.23 | 3 | — 5.186 | ... | ... | 307 |
| 7920 | 7943 | Lacaille 7152 | 6.7 | 17. 0. 19.20 | 39.29 | 1 | + 5.038 | — 56. 40. 44.70 | 39.29 | 1 | — 5.165 | ... | 7152 | ... |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{cci}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|----------------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 7921 | 7944 | Scorpii7 | 4 | ^{h m s} 17. 0. 20.36 | 31.58 | 5 | + 4.278 | — 43. 0. 43.51 | 32.00 | 5 | — 5.163 | ... | 7155 | 302 |
| 7922 | 7945 | Piazzi XVI. 310..... | 6 | 17. 0. 27.32 | 39.08 | 6 | + 1.584 | + 49. 2. 4.36 | 40.05 | 3 | — 5.153 | ... | ... | 310 |
| 7923 | 7946 | Piazzi XVI. 305..... | 7 | 17. 0. 32.77 | 35.38 | 3 | + 3.522 | — 19. 13. 10.90 | 35.56 | 3 | — 5.145 | ... | ... | 305 |
| 7924 | 7947 | Lacaille 7159..... | 6.7 | 17. 0. 53.06 | 38.54 | 2 | + 4.130 | — 39. 17. 30.60 | 38.54 | 2 | — 5.116 | ... | 7159 | ... |
| 7925 | 7948 | 35 Ophiuchi.....7 | 2.3 | 17. 0. 55.35 | 32.83 | 14 | + 3.431 | — 15. 30. 48.93 | 31.51 | 5 | — 5.114 | 2171 | ... | 306 |
| 7926 | 7949 | Piazzi XVI. 312..... | 8 | 17. 1. 10.52 | 36.98 | 4 | + 2.403 | + 27. 21. 27.21 | 38.03 | 5 | — 5.091 | ... | ... | 312 |
| 7927 | 7950 | Lacaille 7158..... | 7.8 | 17. 1. 13.75 | 39.31 | 1 | + 4.464 | — 47. 6. 35.37 | 39.31 | 1 | — 5.087 | ... | 7158 | ... |
| 7928 | 7951 | Piazzi XVI. 309..... | 7 | 17. 1. 17.20 | 35.40 | 3 | + 3.554 | — 20. 26. 3.00 | 35.59 | 1 | — 5.083 | ... | ... | 309 |
| 7929 | 7952 | Piazzi XVI. 313..... | 8 | 17. 1. 22.16 | 38.61 | 8 | + 2.404 | + 27. 19. 14.49 | 38.76 | 7 | — 5.077 | ... | ... | 313 |
| 7930 | 7953 | Piazzi XVI. 308..... | 9 | 17. 1. 22.85 | 36.88 | 4 | + 3.717 | — 26. 29. 18.41 | 36.56 | 4 | — 5.075 | ... | ... | 308 |
| 7931 | 7954 | 62 Herouliis7 | 7 | 17. 1. 44.66 | 35.57 | 2 | + 2.477 | + 24. 42. 24.17 | 35.62 | 1 | — 5.044 | 2173 | ... | 2 |
| 7932 | 7955 | 21 Draconisμ | 4 | 17. 1. 55.44 | 31.53 | 2 | + 1.245 | + 54. 41. 23.91 | 32.28 | 8 | — 5.029 | 2175 | ... | 4 |
| 7933 | 7956 | Lacaille 7165..... | 8 | 17. 1. 55.75 | 36.82 | 5 | + 3.727 | — 26. 49. 40.05 | 36.43 | 11 | — 5.028 | ... | 7165 | 311 |
| 7934 | 7957 | Piazzi XVII. 3..... | 5 | 17. 2. 11.21 | 33.56 | 3 | + 2.126 | + 36. 9. 13.35 | 33.59 | 4 | — 5.006 | ... | ... | 3 |
| 7935 | 7958 | Piazzi XVII. 1..... | 8 | 17. 2. 20.66 | 37.22 | 1 | + 3.727 | — 26. 48. 37.00 | 37.27 | 1 | — 4.993 | ... | ... | 1 |
| 7936 | 7959 | 22 Ursæ Minorisε | 4 | 17. 3. 7.82 | 39.61 | 3 | — 6.511 | + 82. 17. 47.60 | 36.11 | 7 | — 4.926 | 2201 | ... | 36 |
| 7937 | 7960 | Piazzi XVII. 5..... | 7 | 17. 3. 14.17 | 35.34 | 3 | + 2.961 | + 4. 54. 0.15 | 35.21 | 3 | — 4.917 | ... | ... | 5 |
| 7938 | 7961 | Piazzi XVII. 7..... | 7 | 17. 3. 17.01 | 35.24 | 2 | + 2.421 | + 26. 40. 1.55 | 34.52 | 3 | — 4.913 | ... | ... | 7 |
| 7939 | 7962 | Piazzi XVII. 8..... | 8 | 17. 3. 48.32 | 36.91 | 4 | + 2.887 | + 8. 6. 6.06 | 36.90 | 4 | — 4.869 | ... | ... | 8 |
| 7940 | 7963 | Bradley 2174..... | 6.7 | 17. 3. 58.58 | 38.82 | 7 | + 3.727 | — 26. 46. 44.85 | 37.32 | 5 | — 4.853 | 2174 | 7178 | 6 |
| 7941 | 7964 | 63 Herouliis7 | 7 | 17. 4. 13.52 | 37.31 | 3 | + 2.482 | + 24. 26. 41.37 | 37.24 | 6 | — 4.832 | 2177 | ... | 11 |
| 7942 | 7965 | Piazzi XVII. 19..... | 6 | 17. 4. 14.48 | 38.92 | 4 | + 1.466 | + 51. 3. 14.49 | 38.90 | 4 | — 4.831 | ... | ... | 19 |
| 7943 | 7966 | Lacaille 7176..... | 6.7 | 17. 4. 20.46 | 38.49 | 2 | + 4.100 | — 38. 22. 36.08 | 38.48 | 2 | — 4.824 | ... | 7176 | ... |
| 7944 | 7967 | Piazzi XVII. 15..... | 8 | 17. 4. 27.27 | 37.15 | 4 | + 2.482 | + 24. 27. 30.68 | 36.95 | 4 | — 4.814 | ... | ... | 15 |
| 7945 | 7968 | Piazzi XVII. 13..... | 7.8 | 17. 4. 28.48 | 35.41 | 3 | + 2.731 | + 14. 41. 38.31 | 34.56 | 2 | — 4.813 | ... | ... | 13 |
| 7946 | 7969 | Lacaille 7179..... | 7 | 17. 4. 29.90 | 35.30 | 3 | + 3.926 | — 33. 20. 55.90 | 35.32 | 3 | — 4.810 | ... | 7179 | 9 |
| 7947 | 7970 | Piazzi XVII. 20..... | 7 | 17. 4. 30.42 | 35.65 | 1 | + 0.955 | + 58. 29. 12.28 | 35.59 | 3 | — 4.810 | ... | ... | 20 |
| 7948 | 7971 | Piazzi XVII. 22..... | 7 | 17. 4. 37.71 | 39.44 | 5 | + 1.149 | + 55. 58. 47.24 | 38.90 | 4 | — 4.797 | ... | ... | 22 |
| 7949 | 7972 | 37 Ophiuchi7 | 5 | 17. 4. 41.35 | 31.53 | 5 | + 2.825 | + 10. 47. 27.90 | 33.60 | 5 | — 4.793 | 2178 | ... | 16 |
| 7950 | 7973 | Lacaille 7187..... | 8 | 17. 5. 0.66 | 37.20 | 3 | + 3.933 | — 33. 32. 22.31 | 37.10 | 4 | — 4.766 | ... | 7187 | 10 |
| 7951 | 7974 | Piazzi XVII. 12..... | 9 | 17. 5. 1.53 | 37.32 | 3 | + 3.756 | — 27. 46. 13.01 | 37.01 | 4 | — 4.764 | ... | ... | 12 |
| 7952 | 7975 | Piazzi XVII. 18..... | 7 | 17. 5. 1.96 | 35.22 | 2 | + 2.891 | + 7. 57. 1.44 | 34.62 | 3 | — 4.764 | ... | ... | 18 |
| 7953 | 7976 | Piazzi XVII. 14..... | 7.8 | 17. 5. 4.24 | 35.58 | 1 | + 3.565 | — 20. 46. 11.40 | 35.56 | 3 | — 4.762 | ... | ... | 14 |
| 7954 | 7977 | Lacaille 7180..... | 6.7 | 17. 5. 5.55 | 39.58 | 1 | + 4.352 | — 44. 35. 3.34 | 39.58 | 1 | — 4.759 | ... | 7180 | ... |
| 7955 | 7978 | 36 OphiuchiA | 4.5 | 17. 5. 12.64 | 34.22 | 7 | + 3.715 | — 26. 21. 5.03 | 31.61 | 5 | — 4.749 | 2176 | 7192 | 17 |
| 7956 | 7979 | Bradley 2179..... | 7 | 17. 6. 5.19 | 39.08 | 5 | + 3.715 | — 26. 18. 4.12 | 37.39 | 7 | — 4.675 | 2179 | 7203 | 21 |
| 7957 | 7980 | Piazzi XVII. 30..... | 7 | 17. 6. 12.51 | 39.24 | 3 | + 0.690 | + 61. 21. 59.20 | 38.61 | 2 | — 4.664 | ... | ... | 30 |
| 7958 | 7981 | Piazzi XVII. 24..... | 7.8 | 17. 6. 17.50 | 36.57 | 2 | + 2.729 | + 14. 46. 30.28 | 35.65 | 1 | — 4.658 | ... | ... | 24 |
| 7959 | 7982 | Lacaille 7202..... | 5.6 | 17. 6. 20.27 | 33.53 | 3 | + 3.900 | — 32. 28. 3.26 | 35.18 | 3 | — 4.654 | ... | 7202 | 23 |
| 7960 | 7983 | Piazzi XVII. 25..... | 9 | 17. 6. 44.30 | 36.87 | 4 | + 2.735 | + 14. 29. 49.91 | 37.12 | 4 | — 4.619 | ... | ... | 25 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Procession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Procession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 7961 | 7984 | Piazzi XVII. 26..... | 8 | h m s 17. 6. 49.34 | 36.38 | 5 | + 2.729 | + 14. 44. 57.09 | 36.98 | 4 | - 4.611 | ... | ... | 26 |
| 7962 | 7985 | 64 Heroulis..... | 3.4 | 17. 7. 7.70 | 33.03 | 62 | + 2.733 | + 14. 35. 3.59 | 32.86 | 72 | - 4.585 | 2183 | ... | 29 |
| 7963 | 7986 | 38 Ophiuchi..... | 6.7 | 17. 7. 24.96 | 33.59 | 3 | + 3.719 | - 26. 26. 19.92 | 35.19 | 3 | - 4.562 | ... | 7220 | 27 |
| 7964 | 7987 | Lacaille 7216..... | 6.7 | 17. 7. 36.45 | 33.62 | 3 | + 3.897 | - 32. 21. ... | ... | ... | - 4.546 | ... | 7216 | 28 |
| 7965 | 7989 | 39 Ophiuchi..... | 5.6 | 17. 7. 57.55 | 37.51 | 2 | + 3.655 | - 24. 5. 58.03 | 37.39 | 6 | - 4.515 | 2181 | 7224 | 32 |
| 7966 | 7988 | Piazzi XVII. 31..... | 7 | 17. 7. 57.58 | 38.63 | 7 | + 3.655 | - 24. 5. 49.03 | 38.58 | 3 | - 4.515 | ... | ... | 31 |
| 7967 | 7990 | Bradley 2182..... | 6 | 17. 8. 3.09 | 37.60 | 2 | + 3.648 | - 23. 52. 59.16 | 37.52 | 4 | - 4.508 | 2182 | 7225 | 33 |
| 7968 | 7991 | 41 Ophiuchi..... | 4.5 | 17. 8. 8.44 | 31.66 | 3 | + 3.078 | - 0. 15. 2.93 | 31.55 | 5 | - 4.499 | 2184 | ... | 34 |
| 7969 | 7992 | Piazzi XVII. 38..... | 7 | 17. 8. 10.11 | 35.38 | 3 | + 1.076 | + 56. 51. 46.01 | 35.58 | 3 | - 4.498 | ... | ... | 38 |
| 7970 | 7993 | 65 Heroulis..... | 4 | 17. 8. 15.47 | 33.61 | 3 | + 2.463 | + 25. 2. 19.04 | 36.18 | 8 | - 4.490 | 2185 | ... | 35 |
| 7971 | 7994 | 22 Draconis..... | 3 | 17. 8. 19.42 | 39.93 | 4 | + 0.156 | + 65. 55. 5.11 | 36.01 | 7 | - 4.483 | 2193 | ... | 42 |
| 7972 | 7995 | Lacaille 7213..... | 6.7 | 17. 8. 43.35 | 38.61 | 1 | + 5.145 | - 57. 50. 1.63 | 38.61 | 1 | - 4.450 | ... | 7213 | ... |
| 7973 | 7996 | Piazzi XVII. 37..... | 7 | 17. 8. 49.79 | 37.32 | 2 | + 2.493 | + 23. 55. 54.29 | 37.09 | 5 | - 4.440 | ... | ... | 37 |
| 7974 | 7997 | Lacaille 7218..... | 6.7 | 17. 9. 14.21 | 38.49 | 2 | + 5.032 | - 56. 21. 3.80 | 38.48 | 2 | - 4.406 | ... | 7218 | ... |
| 7975 | 7998 | 67 Heroulis..... | 3.4 | 17. 9. 18.22 | 31.53 | 3 | + 2.089 | + 36. 59. 57.65 | 33.45 | 6 | - 4.401 | 2187 | ... | 39 |
| 7976 | 7999 | Lacaille 7214..... | 7 | 17. 9. 27.81 | 41.38 | 3 | + 5.378 | - 60. 30. 3.24 | 42.26 | 2 | - 4.387 | ... | 7214 | ... |
| 7977 | 8000 | Piazzi XVII. 44..... | 7 | 17. 9. 40.67 | 35.36 | 2 | + 2.162 | + 34. 53. 47.23 | 35.55 | 3 | - 4.370 | ... | ... | 44 |
| 7978 | 8001 | Piazzi XVII. 40..... | 7 | 17. 9. 50.57 | 35.24 | 2 | + 2.996 | + 3. 19. 43.13 | 34.86 | 3 | - 4.354 | ... | ... | 40 |
| 7979 | 8002 | Piazzi XVII. 45..... | 8 | 17. 10. 14.71 | 37.10 | 4 | + 3.132 | - 2. 37. 35.39 | 36.93 | 4 | - 4.320 | ... | ... | 45 |
| 7980 | 8003 | Piazzi XVII. 41..... | 7.8 | 17. 10. 16.47 | 37.22 | 4 | + 3.719 | - 26. 22. 18.75 | 37.03 | 5 | - 4.319 | ... | ... | 41 |
| 7981 | 8004 | Piazzi XVII. 43..... | 6.7 | 17. 10. 17.55 | 39.87 | 4 | + 3.486 | - 17. 34. 34.04 | 39.31 | 3 | - 4.317 | ... | ... | 43 |
| 7982 | 8005 | Piazzi XVII. 46..... | 8 | 17. 10. 44.27 | 37.26 | 3 | + 3.131 | - 2. 34. 10.90 | 37.21 | 3 | - 4.278 | ... | ... | 46 |
| 7983 | 8006 | Piazzi XVII. 49..... | 6.7 | 17. 10. 49.12 | 35.47 | 3 | + 2.928 | + 6. 15. 53.57 | 34.80 | 4 | - 4.272 | ... | ... | 49 |
| 7984 | 8007 | Bradley 2191..... | 6 | 17. 10. 51.90 | 37.12 | 5 | + 2.817 | + 11. 2. 56.90 | 39.22 | 6 | - 4.268 | 2191 | ... | 50 |
| 7985 | 8008 | Aræ..... | 6 | 17. 10. 53.65 | 38.58 | 2 | + 4.488 | - 47. 17. 49.49 | 38.58 | 2 | - 4.264 | ... | 7236 | ... |
| 7986 | 8009 | Piazzi XVII. 58..... | 7.8 | 17. 11. 2.40 | 35.57 | 2 | + 1.111 | + 56. 19. 17.49 | 35.21 | 3 | - 4.253 | ... | ... | 58 |
| 7987 | 8010 | 40 Ophiuchi..... | 4.5 | 17. 11. 7.27 | 32.13 | 7 | + 3.572 | - 20. 55. 41.02 | 33.16 | 5 | - 4.247 | 2186 | ... | 47 |
| 7988 | 8011 | Piazzi XVII. 61..... | 5.6 | 17. 11. 7.56 | 35.59 | 2 | + 0.500 | + 63. 3. 49.01 | 35.10 | 2 | - 4.246 | ... | ... | 61 |
| 7989 | 8012 | Piazzi XVII. 48..... | 8 | 17. 11. 11.70 | 37.11 | 3 | + 3.719 | - 26. 19. 34.02 | 36.85 | 3 | - 4.239 | ... | ... | 48 |
| 7990 | 8013 | 68 Heroulis..... | 4 | 17. 11. 14.00 | 33.57 | 3 | + 2.214 | + 33. 16. 56.09 | 31.52 | 5 | - 4.236 | 2194 | ... | 56 |
| 7991 | 8014 | Lacaille 7241..... | 7 | 17. 11. 24.77 | 39.53 | 3 | + 4.080 | - 37. 38. 0.54 | 39.53 | 3 | - 4.220 | ... | 7241 | ... |
| 7992 | 8015 | Aræ..... | 3 | 17. 11. 31.05 | 37.51 | 2 | + 5.026 | - 56. 12. 41.86 | 31.58 | 5 | - 4.210 | ... | 7233 | ... |
| 7993 | 8016 | 53 Serpentis..... | 4.5 | 17. 11. 33.25 | 35.76 | 4 | + 3.366 | - 12. 40. 20.10 | 38.80 | 4 | - 4.209 | 2190 | ... | 52 |
| 7994 | 8017 | Bradley 2188..... | 6.7 | 17. 11. 34.86 | 35.22 | 2 | + 3.674 | - 24. 43. 54.36 | 37.34 | 4 | - 4.205 | 2188 | 7250 | 51 |
| 7995 | 8018 | Aræ..... | 3 | 17. 11. 36.37 | 37.66 | 1 | + 4.965 | - 55. 21. 47.20 | 33.61 | 2 | - 4.204 | ... | 7237 | ... |
| 7996 | 8019 | Piazzi XVII. 55..... | 8 | 17. 11. 43.59 | 36.87 | 4 | + 3.372 | - 12. 54. 33.55 | 36.94 | 4 | - 4.192 | ... | ... | 55 |
| 7997 | 8020 | 42 Ophiuchi..... | 3.4 | 17. 11. 53.15 | 31.57 | 2 | + 3.677 | - 24. 49. 38.27 | 33.56 | 4 | - 4.179 | 2189 | 7254 | 53 |
| 7998 | 8021 | 69 Heroulis..... | 4.5 | 17. 11. 58.95 | 32.91 | 3 | + 2.069 | + 37. 28. 6.75 | 31.66 | 5 | - 4.171 | 2195 | ... | 59 |
| 7999 | 8022 | Piazzi XVII. 57..... | 9 | 17. 12. 5.57 | 36.89 | 4 | + 3.638 | - 23. 24. 11.00 | 37.29 | 2 | - 4.162 | ... | ... | 57 |
| 8000 | 8023 | Lacaille 7247..... | 6 | 17. 12. 16.44 | 35.55 | 3 | + 4.335 | - 43. 59. 43.79 | 34.61 | 2 | - 4.158 | ... | 7247 | 54 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 8001 | 8024 | Piazzi XVII. 64..... | 6.7 | h m s 17. 12. 20.02 | 35.46 | 2 | + 2.347 | + 29. 0. 0.03 | 35.32 | 3 | - 4.142 | ... | ... | 64 |
| 8002 | 8025 | Piazzi XVII. 65..... | 7.8 | 17. 12. 36.30 | 35.59 | 2 | + 2.540 | + 22. 7. 4.72 | 35.52 | 2 | - 4.119 | ... | ... | 65 |
| 8003 | 8026 | Piazzi XVII. 69..... | 7 | 17. 12. 37.03 | 37.39 | 2 | + 1.520 | + 49. 52. 15.43 | 37.23 | 3 | - 4.118 | ... | ... | 69 |
| 8004 | 8027 | Lacaille 7252 | 7 | 17. 12. 40.41 | 39.32 | 1 | + 4.374 | - 44. 50. 42.56 | 39.32 | 1 | - 4.113 | ... | 7252 | ... |
| 8005 | 8028 | Piazzi XVII. 72..... | 9 | 17. 12. 43.80 | 37.56 | 2 | + 1.112 | + 56. 15. 39.75 | 37.53 | 2 | - 4.107 | ... | ... | 72 |
| 8006 | 8029 | Piazzi XVII. 66..... | 8 | 17. 12. 49.18 | 36.57 | 1 | + 2.850 | + 9. 35. 39.81 | 37.48 | 2 | - 4.101 | ... | ... | 66 |
| 8007 | 8030 | 43 Ophiuchi..... | 6 | 17. 12. 59.15 | 33.61 | 4 | + 3.767 | - 27. 58. 29.08 | 32.92 | 4 | - 4.086 | 2192 | 7260 | 60 |
| 8008 | 8031 | Piazzi XVII. 63..... | 7.8 | 17. 12. 59.63 | 35.54 | 1 | + 3.486 | - 17. 32. 5.76 | 35.59 | 3 | - 4.085 | ... | ... | 63 |
| 8009 | 8032 | Lacaille 7261 | 9 | 17. 13. 1.99 | 37.06 | 3 | + 3.681 | - 24. 55. 48.42 | 37.25 | 2 | - 4.082 | ... | 7261 | 62 |
| 8010 | 8033 | Piazzi XVII. 68..... | 6 | 17. 13. 2.78 | 35.52 | 2 | + 2.641 | + 18. 13. 57.05 | 35.65 | 2 | - 4.081 | ... | ... | 68 |
| 8011 | 8034 | Piazzi XVII. 71..... | 7 | 17. 13. 26.44 | 37.54 | 2 | + 2.441 | + 25. 42. 35.40 | 37.22 | 4 | - 4.047 | ... | ... | 71 |
| 8012 | 8035 | Piazzi XVII. 67..... | 8.9 | 17. 13. 33.15 | 37.18 | 3 | + 3.530 | - 19. 16. 58.91 | 37.51 | 3 | - 4.038 | ... | ... | 67 |
| 8013 | 8036 | Lacaille 7256 | 7 | 17. 13. 52.75 | 38.49 | 1 | + 4.736 | - 51. 47. 26.60 | 38.49 | 1 | - 4.008 | ... | 7256 | ... |
| 8014 | 8037 | Lacaille 7274 | 8 | 17. 14. 1.06 | 37.20 | 3 | + 3.647 | - 23. 40. 48.57 | 37.38 | 2 | - 3.998 | ... | 7274 | 70 |
| 8015 | 8038 | Piazzi XVII. 74..... | 8 | 17. 14. 1.24 | 37.56 | 2 | + 2.843 | + 9. 54. 17.00 | 36.91 | 3 | - 3.998 | ... | ... | 74 |
| 8016 | 8039 | 70 Hercules ... | 5.6 | 17. 14. 6.48 | 42.26 | 2 | + 2.470 | + 24. 40. 9.60 | 37.07 | 5 | - 3.991 | 2197 | ... | 75 |
| 8017 | 8040 | Piazzi XVII. 81..... | 7.8 | 17. 14. 13.42 | 35.36 | 1 | + 1.184 | + 55. 14. 0.21 | 35.53 | 2 | - 3.979 | ... | ... | 81 |
| 8018 | 8041 | Arct ^κ | 7 | 17. 14. 21.82 | 39.60 | 1 | + 4.660 | - 50. 28. 24.01 | 39.60 | 1 | - 3.969 | ... | 7262 | ... |
| 8019 | 8042 | 72 Hercules | 6 | 17. 14. 29.35 | 35.24 | 3 | + 2.231 | + 32. 41. 6.50 | 35.34 | 3 | - 3.957 | 2199 | ... | 80 |
| 8020 | 8043 | Brisbane 6069..... | 7.8 | 17. 14. 34.73 | 39.62 | 1 | + 5.243 | - 58. 52. 47.06 | 39.62 | 1 | - 3.948 | ... | ... | ... |
| 8021 | 8044 | Piazzi XVII. 78..... | 7 | 17. 14. 39.84 | 35.30 | 3 | + 2.832 | + 10. 21. 37.63 | 34.52 | 3 | - 3.941 | ... | ... | 78 |
| 8022 | 8045 | Lacaille 7267 | 6 | 17. 14. 41.87 | 35.38 | 3 | + 4.415 | - 45. 41. 8.90 | 35.55 | 3 | - 3.938 | ... | 7267 | 73 |
| 8023 | 8046 | Lacaille 7266 | 7 | 17. 14. 43.13 | 38.57 | 1 | + 4.477 | - 46. 58. 49.57 | 38.57 | 1 | - 3.937 | ... | 7266 | ... |
| 8024 | 8047 | Piazzi XVII. 76..... | 6 | 17. 14. 50.43 | 33.27 | 3 | + 3.583 | - 21. 16. 47.00 | 33.73 | 5 | - 3.927 | ... | ... | 76 |
| 8025 | 8048 | Piazzi XVII. 79..... | 8.9 | 17. 14. 55.87 | 37.66 | 1 | + 3.285 | - 9. 11. 44.05 | 36.89 | 4 | - 3.918 | ... | ... | 79 |
| 8026 | 8049 | Bradley 2196 | 7 | 17. 15. 1.63 | 36.01 | 7 | + 3.658 | - 24. 5. 4.60 | 39.85 | 4 | - 3.910 | 2196 | 7279 | 77 |
| 8027 | 8050 | 74 Hercules | 6.7 | 17. 15. 41.50 | 35.32 | 2 | + 1.694 | + 46. 24. 20.52 | 35.32 | 3 | - 3.852 | 2203 | ... | 87 |
| 8028 | 8051 | Lacaille 7283 | 8 | 17. 15. 46.12 | 36.91 | 4 | + 3.753 | - 27. 26. 30.13 | 37.14 | 4 | - 3.847 | ... | 7283 | 82 |
| 8029 | 8052 | Piazzi XVII. 85..... | 8 | 17. 16. 3.00 | 37.25 | 2 | + 2.756 | + 13. 33. 33.55 | 37.28 | 4 | - 3.823 | ... | ... | 85 |
| 8030 | 8053 | Piazzi XVII. 84..... | 7 | 17. 16. 4.69 | 37.45 | 1 | + 2.864 | + 9. 0. 43.24 | 36.78 | 3 | - 3.820 | ... | ... | 84 |
| 8031 | 8054 | Arct ^δ | 4 | 17. 16. 13.79 | 35.70 | 7 | + 5.396 | - 60. 32. 4.55 | 34.98 | 8 | - 3.807 | ... | 7271 | ... |
| 8032 | 8055 | 44 Ophiuchi | 5.6 | 17. 16. 18.13 | 33.50 | 3 | + 3.657 | - 24. 0. 55.57 | 32.56 | 5 | - 3.802 | 2198 | 7289 | 83 |
| 8033 | 8056 | Piazzi XVII. 96..... | 7 | 17. 16. 33.48 | 35.56 | 3 | + 1.697 | + 46. 18. 50.82 | 35.59 | 3 | - 3.779 | ... | ... | 96 |
| 8034 | 8057 | 45 Ophiuchi | 5 | 17. 16. 49.64 | 31.93 | 6 | + 3.822 | - 29. 42. 33.97 | 31.57 | 5 | - 3.755 | 2200 | 7293 | 86 |
| 8035 | 8058 | Piazzi XVII. 92..... | 8.9 | 17. 16. 49.88 | 37.24 | 2 | + 2.539 | + 22. 4. 35.61 | 37.43 | 2 | - 3.755 | ... | ... | 92 |
| 8036 | 8059 | Piazzi XVII. 88..... | 7 | 17. 16. 50.04 | 37.90 | 7 | + 3.585 | - 21. 18. 54.32 | 34.63 | 1 | - 3.755 | ... | ... | 88 |
| 8037 | 8060 | Piazzi XVII. 89..... | 9 | 17. 16. 52.16 | 36.50 | 2 | + 3.583 | - 21. 15. 39.62 | 37.54 | 3 | - 3.753 | ... | ... | 89 |
| 8038 | 8061 | Piazzi XVII. 101 | 8 | 17. 17. 0.73 | 37.43 | 3 | + 1.117 | + 56. 5. 59.92 | 37.44 | 2 | - 3.740 | ... | ... | 101 |
| 8039 | 8062 | Lacaille 7288 | 7 | 17. 17. 4.50 | 38.48 | 2 | + 4.333 | - 43. 49. 32.85 | 38.48 | 2 | - 3.734 | ... | 7288 | ... |
| 8040 | 8063 | Piazzi XVII. 90..... | 6.7 | 17. 17. 7.00 | 36.34 | 5 | + 3.817 | - 29. 34. 23.81 | 35.01 | 5 | - 3.731 | ... | ... | 90 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 8041 | 8064 | Piazzi XVII. 94 | 7.8 | h m s 17. 17. 7.47 | 35.51 | 3 | + 2.701 | + 15. 45. 44.13 | 35.58 | 3 | - 3.729 | ... | ... | 94 |
| 8042 | 8065 | Piazzi XVII. 95 | 7 | 17. 17. 8.02 | 35.54 | 2 | + 2.684 | + 16. 27. 31.41 | 34.60 | 1 | - 3.729 | ... | ... | 95 |
| 8043 | 8066 | 73 Hercules | 6 | 17. 17. 12.56 | 37.35 | 7 | + 2.511 | + 23. 7. 7.13 | 40.48 | 5 | - 3.724 | 2204 | ... | 97 |
| 8044 | 8067 | Piazzi XVII. 93 | 7.8 | 17. 17. 15.86 | 35.46 | 2 | + 2.992 | + 3. 27. 54.76 | 35.66 | 2 | - 3.719 | ... | ... | 93 |
| 8045 | 8068 | Piazzi XVII. 91 | 6.7 | 17. 17. 19.38 | 35.24 | 2 | + 3.424 | - 14. 58. 38.43 | 35.56 | 2 | - 3.715 | ... | ... | 91 |
| 8046 | 8070 | Lacaille 7299 | 6.7 | 17. 17. 46.79 | 38.55 | 2 | + 4.050 | - 36. 37. 54.15 | 38.55 | 2 | - 3.673 | ... | 7299 | ... |
| 8047 | 8069 | Bradley 2202 | 6 | 17. 17. 46.90 | 37.17 | 5 | + 3.360 | - 12. 21. 34.12 | 39.24 | 3 | - 3.673 | 2202 | ... | 98 |
| 8048 | 8071 | Piazzi XVII. 99 | 5.6 | 17. 17. 52.91 | 33.66 | 1 | + 3.185 | - 4. 56. 1.68 | 39.16 | 3 | - 3.665 | ... | ... | 99 |
| 8049 | 8072 | Piazzi XVII. 102 | 8.9 | 17. 17. 59.03 | 37.17 | 3 | + 2.702 | + 15. 42. 7.48 | 37.19 | 3 | - 3.656 | ... | ... | 102 |
| 8050 | 8073 | 75 Hercules | 4 | 17. 17. 59.58 | 32.45 | 9 | + 2.070 | + 37. 18. 5.83 | 31.53 | 6 | - 3.655 | 2207 | ... | 105 |
| 8051 | 8074 | Piazzi XVII. 104 | 7.8 | 17. 18. 18.38 | 42.26 | 2 | + 2.682 | + 16. 32. 4.40 | 35.91 | 5 | - 3.630 | ... | ... | 104 |
| 8052 | 8075 | 49 Ophiuchi | 4.5 | 17. 18. 20.00 | 31.66 | 6 | + 2.974 | + 4. 17. 24.20 | 32.12 | 7 | - 3.627 | 2206 | ... | 103 |
| 8053 | 8076 | Lacaille 7307 | 7.8 | 17. 18. 28.40 | 35.50 | 3 | + 3.696 | - 25. 21. 49.40 | 34.56 | 3 | - 3.615 | ... | 7307 | 100 |
| 8054 | 8077 | Ara | 3 | 17. 19. 6.04 | 33.18 | 1 | + 4.626 | - 49. 44. 6.80 | 32.49 | 6 | - 3.561 | ... | 7301 | ... |
| 8055 | 8078 | Piazzi XVII. 107 | 9 | 17. 19. 25.70 | 37.27 | 3 | + 3.289 | - 9. 21. 21.79 | 37.07 | 4 | - 3.531 | ... | ... | 107 |
| 8056 | 8079 | 34 Scorpii | 3.4 | 17. 19. 33.45 | 33.30 | 3 | + 4.069 | - 37. 9. 19.58 | 33.49 | 5 | - 3.522 | 2205 | 7313 | 106 |
| 8057 | 8080 | Lacaille 7308 | 6.7 | 17. 19. 37.41 | 39.33 | 2 | + 4.430 | - 45. 53. 59.76 | 39.33 | 2 | - 3.516 | ... | 7308 | ... |
| 8058 | 8081 | Piazzi XVII. 109 | 6 | 17. 19. 41.94 | 42.23 | 2 | + 2.587 | + 20. 13. 36.68 | 36.47 | 6 | - 3.508 | ... | ... | 109 |
| 8059 | 8082 | Lacaille 7310 | 7.8 | 17. 19. 44.55 | 39.33 | 2 | + 4.433 | - 45. 57. 18.78 | 39.33 | 2 | - 3.505 | ... | 7310 | ... |
| 8060 | 8083 | Piazzi XVII. 108 | 7.8 | 17. 19. 49.96 | 36.77 | 3 | + 2.873 | + 8. 35. 18.16 | 37.04 | 3 | - 3.497 | ... | ... | 108 |
| 8061 | 8084 | Piazzi XVII. 116 | 9 | 17. 20. 2.98 | 37.56 | 2 | + 1.292 | + 53. 30. 4.66 | 37.27 | 2 | - 3.479 | ... | ... | 116 |
| 8062 | 8085 | Piazzi XVII. 111 | 9 | 17. 20. 4.26 | 37.25 | 2 | + 2.842 | + 9. 53. 45.58 | 37.08 | 4 | - 3.478 | ... | ... | 111 |
| 8063 | 8086 | Piazzi XVII. 110 | 7 | 17. 20. 11.43 | 38.18 | 5 | + 3.301 | - 9. 51. 1.65 | 38.35 | 5 | - 3.467 | ... | ... | 110 |
| 8064 | 8087 | Piazzi XVII. 112 | 6 | 17. 20. 24.93 | 35.53 | 6 | + 3.061 | + 0. 28. 15.20 | 33.61 | 4 | - 3.448 | ... | ... | 112 |
| 8065 | 8088 | Piazzi XVII. 120 | 6.7 | 17. 20. 31.34 | 35.46 | 3 | + 1.031 | + 57. 9. 46.67 | 35.25 | 3 | - 3.439 | ... | ... | 120 |
| 8066 | 8089 | 50 Ophiuchi | 7 | 17. 20. 46.85 | 35.30 | 3 | + 3.651 | - 23. 42. 14.48 | 34.90 | 3 | - 3.415 | ... | ... | 113 |
| 8067 | 8090 | Lacaille 7309 | 7 | 17. 20. 53.61 | 39.62 | 1 | + 5.328 | - 59. 43. 8.51 | 39.62 | 1 | - 3.405 | ... | 7309 | ... |
| 8068 | 8091 | Piazzi XVII. 114 | 7 | 17. 21. 0.78 | 37.30 | 2 | + 3.437 | - 15. 29. 53.23 | 36.88 | 4 | - 3.396 | ... | ... | 114 |
| 8069 | 8092 | Piazzi XVII. 119 | 9 | 17. 21. 15.89 | 37.57 | 3 | + 3.000 | + 3. 8. 39.56 | 37.05 | 3 | - 3.375 | ... | ... | 119 |
| 8070 | 8093 | 51 Ophiuchi | 5 | 17. 21. 21.38 | 32.23 | 6 | + 3.654 | - 23. 49. 39.31 | 31.61 | 5 | - 3.369 | 2209 | 7333 | 115 |
| 8071 | 8094 | Piazzi XVII. 118 | 8 | 17. 21. 23.82 | 37.48 | 2 | + 3.304 | - 9. 57. 31.91 | 37.28 | 2 | - 3.368 | ... | ... | 118 |
| 8072 | 8095 | Lacaille 7325 | 6.7 | 17. 21. 29.93 | 38.48 | 2 | + 4.220 | - 41. 2. 30.43 | 38.48 | 2 | - 3.354 | ... | 7325 | ... |
| 8073 | 8096 | Lacaille 7334 | 6.7 | 17. 21. 30.18 | 33.53 | 4 | + 3.719 | - 26. 8. 6.33 | 32.73 | 5 | - 3.354 | ... | 7334 | 117 |
| 8074 | 8097 | Piazzi XVII. 124 | 8.9 | 17. 21. 32.71 | 37.04 | 2 | + 1.305 | + 53. 16. 30.74 | 37.46 | 3 | - 3.351 | ... | ... | 124 |
| 8075 | 8098 | Lacaille 7323 | 6.7 | 17. 21. 44.02 | 40.76 | 6 | + 4.557 | - 48. 24. 3.79 | 40.46 | 5 | - 3.333 | ... | 7323 | ... |
| 8076 | 8099 | Lacaille 7321 | 10 | 17. 22. 0.28 | 38.63 | 2 | + 4.837 | - 53. 13. 40.76 | 38.63 | 2 | - 3.311 | ... | 7321 | ... |
| 8077 | 8100 | Piazzi XVII. 123 | 9 | 17. 22. 15.20 | 37.01 | 3 | + 2.532 | + 22. 16. 29.42 | 37.24 | 3 | - 3.290 | ... | ... | 123 |
| 8078 | 8101 | 77 Hercules | 5.6 | 17. 22. 21.83 | 35.36 | 3 | + 1.586 | + 48. 24. 5.96 | 34.92 | 3 | - 3.281 | 2211 | ... | 130 |
| 8079 | 8102 | Piazzi XVII. 122 | 8 | 17. 22. 24.84 | 36.86 | 4 | + 3.134 | - 2. 41. 34.99 | 36.77 | 3 | - 3.276 | ... | ... | 122 |
| 8080 | 8103 | 35 Scorpii | 3 | 17. 22. 25.00 | 32.64 | 7 | + 4.065 | - 36. 58. 28.47 | 31.52 | 5 | - 3.276 | 2210 | 7336 | 121 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835'0.

{ccv}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 8081 | 8104 | Brisbane 6118..... | 7.8 | h m s 17. 22. 39.66 | 38.56 | 2 | + 4.215 | — 40. 53. 58.40 | 38.56 | 2 | — 3.252 | ... | ... | ... |
| 8082 | 8105 | Piazzi XVII. 126..... | 8 | 17. 22. 52.09 | 36.98 | 5 | + 3.127 | — 2. 24. 10.39 | 37.50 | 3 | — 3.236 | ... | ... | 126 |
| 8083 | 8106 | Piazzi XVII. 127..... | 6 | 17. 23. 5.25 | 33.91 | 6 | + 3.006 | + 2. 51. 16.76 | 33.62 | 5 | — 3.217 | ... | ... | 127 |
| 8084 | 8107 | Piazzi XVII. 133..... | 8 | 17. 23. 18.58 | 37.36 | 2 | + 2.652 | + 17. 38. 49.31 | 37.48 | 2 | — 3.198 | ... | ... | 133 |
| 8085 | 8108 | Arct..... | 5.6 | 17. 23. 23.05 | 36.59 | 5 | + 4.458 | — 46. 22. 57.06 | 36.04 | 6 | — 3.191 | ... | 7340 | 125 |
| 8086 | 8109 | Piazzi XVII. 128..... | 7 | 17. 23. 23.47 | 35.31 | 3 | + 3.485 | — 17. 22. 9.04 | 35.20 | 3 | — 3.191 | ... | ... | 128 |
| 8087 | 8110 | Piazzi XVII. 129..... | 9 | 17. 23. 24.32 | 37.36 | 2 | + 3.418 | — 14. 39. 49.68 | 37.54 | 3 | — 3.189 | ... | ... | 129 |
| 8088 | 8111 | Piazzi XVII. 132..... | 9 | 17. 23. 31.33 | 36.89 | 4 | + 3.068 | + 0. 10. 15.93 | 37.51 | 2 | — 3.180 | ... | ... | 132 |
| 8089 | 8112 | Piazzi XVII. 139..... | 6.7 | 17. 23. 36.19 | 35.58 | 3 | + 0.892 | + 58. 47. 29.06 | 35.32 | 3 | — 3.172 | ... | ... | 139 |
| 8090 | 8113 | Piazzi XVII. 131..... | 7.8 | 17. 23. 39.14 | 35.52 | 3 | + 3.607 | — 22. 2. 45.92 | 35.37 | 3 | — 3.167 | ... | ... | 131 |
| 8091 | 8114 | Piazzi XVII. 135..... | 7.8 | 17. 23. 46.82 | 35.55 | 2 | + 3.004 | + 2. 57. 9.65 | 34.94 | 3 | — 3.156 | ... | ... | 135 |
| 8092 | 8115 | Lacaille 7345..... | 5.6 | 17. 23. 56.29 | 38.98 | 2 | + 3.912 | — 32. 27. 31.51 | 38.98 | 2 | — 3.143 | ... | 7345 | ... |
| 8093 | 8116 | Piazzi XVII. 134..... | 8.9 | 17. 24. 3.10 | 37.03 | 3 | + 3.630 | — 22. 54. 16.65 | 37.47 | 2 | — 3.134 | ... | ... | 134 |
| 8094 | 8117 | 76 Heroulius..... | 4.5 | 17. 24. 4.31 | 31.83 | 7 | + 2.421 | + 26. 14. 24.49 | 32.58 | 11 | — 3.133 | 2213 | ... | 136 |
| 8095 | 8118 | Arct..... | 6 | 17. 24. 33.74 | 39.58 | 1 | + 4.916 | — 54. 22. 47.75 | 39.58 | 1 | — 3.089 | ... | 7342 | ... |
| 8096 | 8119 | Piazzi XVII. 143..... | 8 | 17. 24. 40.71 | 37.43 | 2 | + 2.269 | + 31. 17. 11.56 | 37.05 | 3 | — 3.077 | ... | ... | 143 |
| 8097 | 8120 | Piazzi XVII. 141..... | 7.8 | 17. 24. 41.53 | 36.96 | 2 | + 2.362 | + 28. 15. 55.43 | 37.22 | 3 | — 3.076 | ... | ... | 141 |
| 8098 | 8121 | Piazzi XVII. 147..... | 6.7 | 17. 25. 0.26 | 35.51 | 3 | + 1.440 | + 51. 0. 6.54 | 35.62 | 2 | — 3.051 | ... | ... | 147 |
| 8099 | 8122 | Lacaille 7350..... | 5 | 17. 25. 11.57 | 33.36 | 9 | + 4.124 | — 38. 30. 34.15 | 34.80 | 7 | — 3.035 | ... | 7350 | 137 |
| 8100 | 8123 | Piazzi XVII. 144..... | 7 | 17. 25. 13.71 | 35.38 | 3 | + 2.890 | + 7. 50. 30.57 | 35.55 | 3 | — 3.031 | ... | ... | 144 |
| 8101 | 8124 | 78 Heroulius..... | 6 | 17. 25. 20.98 | 33.61 | 4 | + 2.353 | + 28. 31. 54.23 | 33.67 | 4 | — 3.022 | 2214 | ... | 146 |
| 8102 | 8125 | 52 Ophiuchi..... | 7 | 17. 25. 23.32 | 33.13 | 3 | + 3.604 | — 21. 55. 30.21 | 32.53 | 4 | — 3.018 | 2212 | ... | 140 |
| 8103 | 8126 | Piazzi XVII. 142..... | 8 | 17. 25. 27.69 | 37.28 | 2 | + 3.674 | — 24. 30. 23.74 | 36.92 | 4 | — 3.011 | ... | ... | 142 |
| 8104 | 8127 | Scorpi..... | 5 | 17. 25. 28.90 | 33.40 | 3 | + 4.300 | — 42. 53. 0.64 | 32.02 | 5 | — 3.009 | ... | 7351 | 138 |
| 8105 | 8128 | Lacaille 7354..... | 7.8 | 17. 26. 18.59 | 35.41 | 3 | + 4.296 | — 42. 46. 4.23 | 35.56 | 3 | — 2.939 | ... | 7354 | 145 |
| 8106 | 8129 | Piazzi XVII. 148..... | 7.8 | 17. 26. 23.04 | 35.30 | 3 | + 2.776 | + 12. 38. 3.19 | 35.58 | 3 | — 2.931 | ... | ... | 148 |
| 8107 | 8130 | 23 Draconis..... | 2 | 17. 26. 42.55 | 32.63 | 2 | + 1.352 | + 52. 25. 35.00 | 31.83 | 5 | — 2.902 | 2221 | ... | 155 |
| 8108 | 8131 | 54 Ophiuchi..... | 6 | 17. 26. 46.33 | 39.36 | 5 | + 2.760 | + 13. 16. 47.73 | 38.74 | 5 | — 2.898 | 2216 | ... | 151 |
| 8109 | 8132 | Piazzi XVII. 149..... | 8 | 17. 26. 46.45 | 37.24 | 4 | + 2.846 | + 9. 41. 32.64 | 37.10 | 3 | — 2.897 | ... | ... | 149 |
| 8110 | 8133 | 53 Ophiuchi..... | 6 | 17. 26. 46.87 | 39.36 | 3 | + 2.846 | + 9. 42. 15.55 | 39.45 | 5 | — 2.896 | 2215 | ... | 150 |
| 8111 | 8134 | 55 Ophiuchi..... | 2 | 17. 27. 16.78 | 33.93 | 99 | + 2.774 | + 12. 41. 10.86 | 33.06 | 92 | — 2.854 | 2218 | ... | 153 |
| 8112 | 8135 | Piazzi XVII. 152..... | 7.8 | 17. 27. 21.07 | 36.99 | 5 | + 3.525 | — 18. 52. 40.66 | 37.13 | 4 | — 2.849 | ... | ... | 152 |
| 8113 | 8136 | 56 Ophiuchi..... | 6.7 | 17. 27. 26.41 | 35.54 | 2 | + 2.760 | + 13. 15. 7.45 | 36.83 | 3 | — 2.840 | ... | ... | 154 |
| 8114 | 8137 | Arct..... | 7 | 17. 27. 39.95 | 38.58 | 2 | + 4.611 | — 49. 18. 14.37 | 38.58 | 2 | — 2.819 | ... | 7363 | ... |
| 8115 | 8138 | Piazzi XVII. 156..... | 6.7 | 17. 28. 8.59 | 37.02 | 5 | + 3.438 | — 15. 27. 44.63 | 39.90 | 4 | — 2.778 | ... | ... | 156 |
| 8116 | 8139 | 55 Serpenti..... | 5 | 17. 28. 8.65 | 31.69 | 5 | + 3.434 | — 15. 17. 14.17 | 31.54 | 5 | — 2.778 | 2217 | ... | 157 |
| 8117 | 8140 | Piazzi XVII. 158..... | 7 | 17. 28. 10.83 | 37.08 | 4 | + 2.785 | + 12. 9. 30.73 | 36.95 | 4 | — 2.775 | ... | ... | 158 |
| 8118 | 8141 | Bradley 2219..... | 6 | 17. 28. 50.21 | 33.62 | 3 | + 3.602 | — 21. 48. 26.64 | 32.58 | 4 | — 2.718 | 2219 | ... | 160 |
| 8119 | 8143 | Piazzi XVII. 166..... | 7 | 17. 28. 50.67 | 38.84 | 4 | + 1.523 | + 49. 27. 40.14 | 37.96 | 3 | — 2.717 | ... | ... | 166 |
| 8120 | 8142 | Piazzi XVII. 164..... | 7 | 17. 28. 50.73 | 35.53 | 3 | + 2.149 | + 34. 51. 46.68 | 34.52 | 3 | — 2.717 | ... | ... | 164 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 8121 | 8144 | Piazzi XVII. 159 | 7 | h m s 17. 28. 52'23 | 35'37 | 3 | + 3'907 | — 32. 13. 1'94 | 35'55 | 3 | — 2'716 | ... | ... | 159 |
| 8122 | 8145 | 57 Ophiuchi | 5 | 17. 28. 52'86 | 31'57 | 6 | + 3'259 | — 8. 0. 38'87 | 32'45 | 6 | — 2'714 | 2220 | ... | 161 |
| 8123 | 8146 | Lacaille 7374 | 7 | 17. 28. 55'06 | 38'60 | 2 | + 4'484 | — 46. 49. 19'64 | 38'60 | 2 | — 2'711 | ... | 7374 | ... |
| 8124 | 8147 | 24 Draconis | 5 | 17. 28. 55'97 | 40'54 | 5 | + 1'158 | + 55. 17. 57'49 | 38'89 | 5 | — 2'709 | 2222 | ... | 168 |
| 8125 | 8148 | Piazzi XVII. 163 | 7'8 | 17. 28. 56'71 | 37'32 | 3 | + 2'561 | + 21. 6. 20'96 | 37'24 | 4 | — 2'708 | ... | ... | 163 |
| 8126 | 8149 | 25 Draconis | 5 | 17. 29. 1'24 | 37'61 | 2 | + 1'160 | + 55. 17. 14'96 | 33'52 | 8 | — 2'703 | 2224 | ... | 169 |
| 8127 | 8150 | Lacaille 7382 | 7 | 17. 29. 16'40 | 37'12 | 6 | + 3'903 | — 32. 5. 58'92 | 39'27 | 3 | — 2'682 | ... | 7382 | 162 |
| 8128 | 8151 | Piazzi XVII. 165 | 8 | 17. 29. 21'43 | 37'11 | 4 | + 2'796 | + 11. 45. 47'09 | 37'22 | 3 | — 2'675 | ... | ... | 165 |
| 8129 | 8152 | Pavonis | 5 | 17. 29. 33'49 | 42'67 | 1 | + 5'868 | — 64. 37. 57'72 | 38'15 | 2 | — 2'655 | ... | 7364 | ... |
| 8130 | 8153 | Brisbane 6161 | 8 | 17. 30. 1'42 | 38'98 | 2 | + 5'057 | — 56. 15. 45'76 | 38'98 | 2 | — 2'615 | ... | ... | ... |
| 8131 | 8154 | Piazzi XVII. 171 | 8 | 17. 30. 8'14 | 37'27 | 3 | + 2'795 | + 11. 47. 33'59 | 37'14 | 4 | — 2'605 | ... | ... | 171 |
| 8132 | 8155 | Piazzi XVII. 167 | 7 | 17. 30. ... | ... | ... | + 3'904 | — 32. 7. 1'41 | 35'55 | 2 | — 2'600 | ... | ... | 167 |
| 8133 | 8156 | Piazzi XVII. 170 | 8'9 | 17. 30. 17'90 | 37'30 | 2 | + 3'334 | — 11. 9. 57'57 | 37'34 | 3 | — 2'592 | ... | ... | 170 |
| 8134 | 8157 | Piazzi XVII. 176 | 6 | 17. 30. 20'10 | 35'36 | 3 | + 2'278 | + 30. 53. 28'78 | 35'53 | 3 | — 2'589 | ... | ... | 176 |
| 8135 | 8158 | Piazzi XVII. 175 | 8 | 17. 30. 25'30 | 37'24 | 2 | + 2'571 | + 20. 42. 4'74 | 37'38 | 2 | — 2'582 | ... | ... | 175 |
| 8136 | 8159 | 79 Herulis | 6 | 17. 30. 43'60 | 36'74 | 5 | + 2'470 | + 24. 24. 47'38 | 38'54 | 3 | — 2'555 | 2223 | ... | 178 |
| 8137 | 8160 | Piazzi XVII. 173 | 9 | 17. 30. 46'57 | 37'30 | 2 | + 3'655 | — 23. 44. 21'26 | 37'10 | 4 | — 2'550 | ... | ... | 173 |
| 8138 | 8161 | Piazzi XVII. 177 | 7'8 | 17. 30. 48'97 | 37'41 | 1 | + 3'023 | + 2. 7. 45'42 | 39'37 | 5 | — 2'549 | ... | ... | 177 |
| 8139 | 8162 | Piazzi XVII. 172 | 7 | 17. 30. 53'34 | 35'24 | 2 | + 3'902 | — 32. 1. 1'08 | 35'59 | 1 | — 2'540 | ... | ... | 172 |
| 8140 | 8163 | Aræ | 6'7 | 17. 31. 3'42 | 38'49 | 2 | + 4'754 | — 51. 44. 7'87 | 38'48 | 2 | — 2'527 | ... | 7385 | ... |
| 8141 | 8164 | Scorpii | 3 | 17. 31. 5'05 | 32'19 | 7 | + 4'143 | — 38. 56. 9'48 | 31'54 | 5 | — 2'524 | ... | 7393 | 174 |
| 8142 | 8165 | Piazzi XVII. 180 | 7 | 17. 31. 5'91 | 35'56 | 3 | + 2'987 | + 3. 39. 31'44 | 34'63 | 3 | — 2'523 | ... | ... | 180 |
| 8143 | 8166 | Piazzi XVII. 181 | 7 | 17. 31. 16'74 | 35'34 | 2 | + 2'991 | + 3. 29. 35'12 | 35'21 | 3 | — 2'507 | ... | ... | 181 |
| 8144 | 8167 | Piazzi XVII. 183 | 7 | 17. 31. 23'35 | 36'77 | 4 | + 2'755 | + 13. 25. 37'45 | 37'46 | 3 | — 2'498 | ... | ... | 183 |
| 8145 | 8168 | Lacaille 7391 | 7'8 | 17. 31. 23'71 | 38'56 | 2 | + 4'441 | — 45. 52. 52'90 | 38'55 | 2 | — 2'497 | ... | 7391 | ... |
| 8146 | 8169 | Piazzi XVII. 182 | 7 | 17. 31. 28'55 | 35'22 | 2 | + 3'084 | — 0. 32. 29'69 | 35'67 | 1 | — 2'489 | ... | ... | 182 |
| 8147 | 8170 | Lacaille 7397 | 6'7 | 17. 31. 39'18 | 35'32 | 2 | + 4'066 | — 36. 51. 9'09 | 35'39 | 2 | — 2'473 | ... | 7397 | 179 |
| 8148 | 8171 | Piazzi XVII. 185 | 8 | 17. 32. 5'22 | 37'28 | 3 | + 2'756 | + 13. 22. 53'48 | 36'89 | 2 | — 2'437 | ... | ... | 185 |
| 8149 | 8172 | 56 Serpents | 4'5 | 17. 32. 8'88 | 31'99 | 6 | + 3'373 | — 12. 46. 45'00 | 31'77 | 5 | — 2'431 | 2225 | ... | 184 |
| 8150 | 8173 | Piazzi XVII. 189 | 7 | 17. 32. 13'00 | 36'73 | 5 | + 1'568 | + 48. 33. 59'50 | 35'61 | 2 | — 2'426 | ... | ... | 189 |
| 8151 | 8174 | 82 Herulis | 5'6 | 17. 32. 18'76 | 35'31 | 2 | + 1'562 | + 48. 41. 4'62 | 39'14 | 2 | — 2'418 | 2227 | ... | 190 |
| 8152 | 8175 | Lacaille 7387 | 6'7 | 17. 32. 20'87 | 38'63 | 1 | + 5'364 | — 59. 54. 42'81 | 38'62 | 2 | — 2'415 | ... | 7387 | ... |
| 8153 | 8176 | Piazzi XVII. 187 | 7'8 | 17. 32. 33'88 | 37'07 | 4 | + 3'102 | — 1. 18. 14'34 | 37'15 | 4 | — 2'395 | ... | ... | 187 |
| 8154 | 8177 | 27 Draconis | 5 | 17. 32. 38'39 | 36'31 | 3 | — 0'253 | + 68. 14. 22'08 | 34'30 | 6 | — 2'387 | 2234 | ... | 198 |
| 8155 | 8178 | Lacaille 7404 | 6'7 | 17. 32. 52'48 | 38'58 | 2 | + 4'295 | — 42. 38. 42'88 | 38'58 | 2 | — 2'366 | ... | 7404 | ... |
| 8156 | 8179 | Piazzi XVII. 191 | 7'8 | 17. 32. 53'81 | 37'34 | 2 | + 2'466 | + 24. 30. 37'43 | 37'34 | 3 | — 2'365 | ... | ... | 191 |
| 8157 | 8180 | Lacaille 7412 | 7 | 17. 32. 54'89 | 33'59 | 3 | + 3'772 | — 27. 47. 46'61 | 32'22 | 4 | — 2'364 | ... | 7412 | 186 |
| 8158 | 8181 | Piazzi XVII. 188 | 7 | 17. 33. 12'27 | 33'63 | 1 | + 3'439 | — 15. 28. 14'36 | 33'66 | 5 | — 2'340 | ... | ... | 188 |
| 8159 | 8182 | 26 Draconis | 6'7 | 17. 33. 17'42 | 39'11 | 2 | + 0'574 | + 62. 0. 4'05 | 37'79 | 3 | — 2'332 | ... | ... | 201 |
| 8160 | 8183 | Piazzi XVII. 193 | 6'7 | 17. 33. 29'35 | 35'45 | 2 | + 2'923 | + 6. 24. 12'53 | 35'65 | 1 | — 2'314 | ... | ... | 193 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{ccvii}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 8161 | 8184 | 58 Ophiuchi..... | 5 | h m s 17. 33. 32.97 | 33.40 | 5 | + 3.597 | — 21. 35. 42.19 | 32.21 | 5 | — 2.309 | 2226 | ... | 192 |
| 8162 | 8185 | Piazzi XVII. 196..... | 6 | 17. 33. 43.71 | 35.49 | 4 | + 2.262 | + 31. 17. 40.25 | 35.52 | 3 | — 2.292 | ... | ... | 196 |
| 8163 | 8186 | Piazzi XVII. 206..... | 7.8 | 17. 33. 45.56 | 37.98 | 3 | + 0.513 | + 62. 33. 49.39 | 39.28 | 3 | — 2.291 | ... | ... | 206 |
| 8164 | 8187 | Piazzi XVII. 194..... | 7.8 | 17. 33. 45.90 | 35.56 | 2 | + 2.969 | + 4. 27. 19.81 | 34.61 | 1 | — 2.290 | ... | ... | 194 |
| 8165 | 8188 | Bradley 2228..... | 6.7 | 17. 34. 19.02 | 36.35 | 7 | + 2.464 | + 24. 36. 3.54 | 34.52 | 3 | — 2.244 | 2228 | ... | 200 |
| 8166 | 8189 | Piazzi XVII. 195..... | 7 | 17. 34. 27.47 | 37.20 | 6 | + 3.612 | — 22. 6. 43.99 | 40.70 | 4 | — 2.231 | ... | ... | 195 |
| 8167 | 8190 | Piazzi XVII. 204..... | 6.7 | 17. 34. 27.86 | 35.38 | 2 | + 2.261 | + 31. 22. 48.85 | 34.60 | 3 | — 2.230 | ... | ... | 204 |
| 8168 | 8191 | Piazzi XVII. 199..... | 8 | 17. 34. 32.30 | 37.38 | 3 | + 2.849 | + 9. 32. 8.47 | 37.21 | 3 | — 2.224 | ... | ... | 199 |
| 8169 | 8192 | Piazzi XVII. 203..... | 6 | 17. 34. 34.65 | 35.29 | 5 | + 2.690 | + 16. 2. 3.51 | 37.64 | 1 | — 2.219 | ... | ... | 203 |
| 8170 | 8193 | Lacaille 7403..... | 10 | 17. 34. 38.55 | 38.68 | 2 | + 5.535 | — 61. 38. 37.99 | 38.68 | 1 | — 2.213 | ... | 7403 | ... |
| 8171 | 8194 | Piazzi XVII. 197..... | 8 | 17. 34. 46.28 | 37.37 | 3 | + 3.608 | — 21. 56. 28.60 | 37.07 | 4 | — 2.204 | ... | ... | 197 |
| 8172 | 8195 | 85 Herouli..... | 4 | 17. 34. 48.56 | 31.69 | 5 | + 1.691 | + 46. 5. 51.10 | 33.54 | 5 | — 2.200 | 2233 | ... | 211 |
| 8173 | 8197 | Piazzi XVII. 202..... | 7.8 | 17. 34. 53.15 | 37.43 | 2 | + 3.235 | — 6. 59. 46.37 | 37.41 | 6 | — 2.193 | ... | ... | 202 |
| 8174 | 8196 | Lacaille 7413..... | 6.7 | 17. 34. 53.57 | 38.66 | 2 | + 4.994 | — 55. 19. 51.05 | 38.65 | 2 | — 2.193 | ... | 7413 | ... |
| 8175 | 8198 | Piazzi XVII. 205..... | 7 | 17. 34. 56.65 | 37.48 | 2 | + 2.658 | + 17. 18. 51.81 | 37.52 | 2 | — 2.188 | ... | ... | 205 |
| 8176 | 8199 | Piazzi XVII. 207..... | 6 | 17. 34. 56.72 | 39.11 | 3 | + 2.462 | + 24. 39. 52.06 | 42.52 | 1 | — 2.188 | ... | ... | 207 |
| 8177 | 8200 | Piazzi XVII. 220..... | 7 | 17. 35. ... | ... | ... | — 0.255 | + 68. 13. 11.85 | 36.63 | 2 | — 2.180 | ... | ... | 220 |
| 8178 | 8201 | 60 Ophiuchi..... ^β | 3 | 17. 35. 19.48 | 33.29 | 9 | + 2.964 | + 4. 38. 32.27 | 31.96 | 9 | — 2.156 | 2229 | ... | 209 |
| 8179 | 8202 | Piazzi XVII. 212..... | 7 | 17. 35. 29.81 | 37.36 | 2 | + 2.373 | + 27. 43. 41.41 | 37.29 | 2 | — 2.141 | ... | ... | 212 |
| 8180 | 8204 | 83 Hercules..... | 6 | 17. 35. 42.59 | 38.52 | 5 | + 2.462 | + 24. 39. 10.41 | 37.25 | 7 | — 2.121 | 2232 | ... | 213 |
| 8181 | 8203 | Piazzi XVII. 208..... | 7.8 | 17. 35. 43.20 | 35.40 | 2 | + 3.746 | — 26. 53. 44.31 | 35.59 | 2 | — 2.120 | ... | ... | 208 |
| 8182 | 8205 | Scorpii..... ¹ | 4.5 | 17. 36. 3.39 | 35.05 | 8 | + 4.190 | — 40. 3. 17.64 | 34.94 | 9 | — 2.093 | ... | 7425 | 210 |
| 8183 | 8206 | Piazzi XVII. 214..... | 8 | 17. 36. 11.47 | 38.11 | 4 | + 2.937 | + 5. 47. 38.61 | 37.48 | 1 | — 2.081 | ... | ... | 214 |
| 8184 | 8207 | Piazzi XVII. 232..... | 8 | 17. 36. ... | ... | ... | — 0.375 | + 68. 54. 13.01 | 37.53 | 1 | — 2.077 | ... | ... | 232 |
| 8185 | 8208 | 61 Ophiuchi..... | 6.7 | 17. 36. 17.18 | 35.89 | 3 | + 3.010 | + 2. 39. 26.84 | 35.65 | 1 | — 2.073 | 2231 | ... | 215 |
| 8186 | 8209 | Piazzi XVII. 216..... | 7.8 | 17. 36. 18.36 | 36.88 | 4 | + 3.010 | + 2. 39. 25.67 | 37.34 | 3 | — 2.072 | ... | ... | 216 |
| 8187 | 8210 | 84 Hercules..... | 5.6 | 17. 36. 35.55 | 34.35 | 5 | + 2.469 | + 24. 24. 18.92 | 33.46 | 5 | — 2.045 | 2235 | ... | 218 |
| 8188 | 8211 | Piazzi XVII. 219..... | 7.8 | 17. 36. 45.42 | 37.07 | 4 | + 2.744 | + 13. 51. 39.90 | 37.24 | 3 | — 2.031 | ... | ... | 219 |
| 8189 | 8212 | Lacaille 7419..... | 7 | 17. 36. 45.71 | 38.55 | 2 | + 5.386 | — 60. 6. 0.34 | 38.55 | 2 | — 2.030 | ... | 7419 | ... |
| 8190 | 8213 | Piazzi XVII. 224..... | 8 | 17. 36. 52.44 | 37.38 | 2 | + 1.279 | + 53. 25. 14.63 | 38.44 | 4 | — 2.020 | ... | ... | 224 |
| 8191 | 8214 | Arct..... ¹ | 7 | 17. 37. 3.96 | 39.01 | 2 | + 4.874 | — 53. 33. 4.57 | 38.69 | 1 | — 2.005 | ... | 7426 | ... |
| 8192 | 8215 | 3 Sagittarii..... | 5 | 17. 37. 10.99 | 32.05 | 7 | + 3.772 | — 27. 45. 34.26 | 31.94 | 4 | — 1.994 | 2230 | 7440 | 217 |
| 8193 | 8216 | 29 Draconis..... | 7 | 17. 37. 15.07 | 40.17 | 2 | — 1.670 | + 74. 19. 33.17 | 42.67 | 1 | — 1.989 | 2240 | ... | 242 |
| 8194 | 8217 | Piazzi XVII. 237..... | 8 | 17. 37. 21.35 | 35.57 | 2 | — 0.321 | + 68. 34. 53.37 | 35.66 | 1 | — 1.981 | ... | ... | 237 |
| 8195 | 8218 | Piazzi XVII. 222..... | 8.9 | 17. 37. 28.95 | 36.79 | 4 | + 2.937 | + 5. 47. 24.69 | 37.42 | 2 | — 1.967 | ... | ... | 222 |
| 8196 | 8219 | Piazzi XVII. 221..... | 7.8 | 17. 37. 48.27 | 35.30 | 3 | + 3.505 | — 18. 2. 15.95 | 34.61 | 3 | — 1.939 | ... | ... | 221 |
| 8197 | 8220 | Arct..... ² | 7 | 17. 37. 51.07 | 36.75 | 3 | + 4.843 | — 53. 4. 7.61 | 39.60 | 1 | — 1.935 | ... | 7428 | ... |
| 8198 | 8221 | Piazzi XVII. 225..... | 7 | 17. 37. 51.60 | 35.33 | 4 | + 2.933 | + 5. 58. 46.99 | 35.67 | 1 | — 1.935 | ... | ... | 225 |
| 8199 | 8222 | Piazzi XVII. 226..... | 7 | 17. 37. 52.41 | 37.02 | 3 | + 2.938 | + 5. 46. 9.26 | 37.61 | 1 | — 1.934 | ... | ... | 226 |
| 8200 | 8223 | 28 Draconis..... ^ω | 5 | 17. 37. 55.24 | 35.17 | 5 | — 0.366 | + 68. 50. 0.36 | 33.58 | 4 | — 1.929 | 2238 | ... | 241 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------------|------------|-----------------------------------|----------------------|-------------------|----------------------------------|-------------------------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 8201 | 8224 | Lacaille 7429..... | 7.8 | ^{h m s} 17. 37. 58.97 | 39.61 | 1 | ^s + 4.889 | ^{° ' "} - 53. 46. 31.27 | 39.61 | 1 | ["] - 1.923 | ... | 7429 | ... |
| 8202 | 8225 | Piazzi XVII. 230..... | 7.8 | 17. 38. 5.92 | 37.94 | 2 | + 2.938 | + 5. 43. 47.70 | 36.80 | 3 | - 1.914 | ... | ... | 230 |
| 8203 | 8226 | Lacaille 7450..... | 7 | 17. 38. 9.11 | 33.49 | 3 | + 3.747 | - 26. 54. 27.39 | 33.08 | 4 | - 1.909 | ... | 7450 | 223 |
| 8204 | 8227 | Lacaille 7451..... | 5.6 | 17. 38. 27.76 | 32.68 | 3 | + 3.892 | - 31. 38. 17.03 | 37.64 | 1 | - 1.882 | ... | 7451 | 227 |
| 8205 | 8228 | Piazzi XVII. 233..... | 8 | 17. 38. 36.49 | 40.40 | 5 | + 2.936 | + 5. 50. 39.40 | 40.41 | 5 | - 1.869 | ... | ... | 233 |
| 8206 | 8229 | Lacaille 7449..... | 4 | 17. 38. 38.12 | 33.17 | 5 | + 4.075 | - 36. 58. 53.92 | 31.64 | 5 | - 1.865 | ... | 7449 | 229 |
| 8207 | 8230 | Scorpii..... ² | 6.7 | 17. 38. 39.31 | 35.42 | 2 | + 4.190 | - 40. 1. 39.42 | 35.20 | 2 | - 1.864 | ... | 7447 | 228 |
| 8208 | 8231 | Lacaille 7453..... | 7 | 17. 38. 39.82 | 33.57 | 2 | + 3.857 | - 30. 31. 54.66 | 42.62 | 1 | - 1.863 | ... | 7453 | 231 |
| 8209 | 8232 | Piazzi XVII. 234..... | 8.9 | 17. 38. 41.57 | 37.30 | 2 | + 2.941 | + 5. 38. 4.90 | 37.27 | 3 | - 1.860 | ... | ... | 234 |
| 8210 | 8233 | Piazzi XVII. 235..... | 8 | 17. 38. 57.64 | 37.99 | 6 | + 2.938 | + 5. 45. 38.02 | 37.38 | 4 | - 1.835 | ... | ... | 235 |
| 8211 | 8234 | Lacaille 7454..... | 6.7 | 17. 39. 33.07 | 38.67 | 2 | + 4.429 | - 45. 32. 35.14 | 38.67 | 2 | - 1.787 | ... | 7454 | ... |
| 8212 | 8235 | 62 Ophiuchi..... ^Y | 4 | 17. 39. 37.36 | 31.83 | 5 | + 3.007 | + 2. 46. 33.48 | 31.96 | 5 | - 1.781 | 2236 | ... | 239 |
| 8213 | 8236 | Piazzi XVII. 240..... | 7.8 | 17. 39. 45.50 | 35.46 | 1 | + 3.113 | - 1. 44. 40.14 | 35.56 | 2 | - 1.769 | ... | ... | 240 |
| 8214 | 8237 | Lacaille 7458..... | 7 | 17. 39. 56.69 | 37.37 | 3 | + 4.221 | - 40. 42. 46.31 | 37.46 | 3 | - 1.752 | ... | 7458 | 236 |
| 8215 | 8238 | 86 Heroulis..... ^μ | 4 | 17. 40. 0.35 | 31.53 | 4 | + 2.369 | + 27. 49. 21.40 | 32.99 | 16 | - 1.748 | 2237 | ... | 244 |
| 8216 | 8239 | Lacaille 7461..... | 6.7 | 17. 40. 2.34 | 35.46 | 1 | + 3.751 | - 27. 0. 0.28 | 34.52 | 3 | - 1.745 | ... | 7461 | 238 |
| 8217 | 8240 | Lacaille 7465..... | 7 | 17. 40. 35.89 | 39.82 | 4 | + 3.857 | - 30. 30. 0.99 | 36.12 | 8 | - 1.695 | ... | 7465 | 243 |
| 8218 | 8241 | Piazzi XVII. 246..... | 7.8 | 17. 40. 38.52 | 38.20 | 10 | + 2.937 | + 5. 45. 46.91 | 39.98 | 2 | - 1.692 | ... | ... | 246 |
| 8219 | 8242 | Piazzi XVII. 252..... | 7.8 | 17. 40. 51.31 | 35.65 | 1 | + 1.477 | + 50. 6. 46.46 | 34.60 | 3 | - 1.673 | ... | ... | 252 |
| 8220 | 8243 | Lacaille 7463..... | 6.7 | 17. 41. 5.76 | 38.61 | 2 | + 4.269 | - 41. 56. 9.49 | 37.61 | 3 | - 1.651 | ... | 7463 | ... |
| 8221 | 8244 | Piazzi XVII. 247..... | 8 | 17. 41. 7.39 | 40.19 | 3 | + 3.634 | - 22. 51. 43.05 | 42.53 | 1 | - 1.648 | ... | ... | 247 |
| 8222 | 8245 | Piazzi XVII. 245..... | 7.8 | 17. 41. 14.06 | 36.95 | 7 | + 3.997 | - 34. 44. 43.38 | 36.75 | 7 | - 1.639 | ... | ... | 245 |
| 8223 | 8246 | Lacaille 7467..... | 7 | 17. 41. 22.12 | 37.07 | 3 | + 3.983 | - 34. 21. 49.57 | 37.22 | 4 | - 1.628 | ... | 7467 | 248 |
| 8224 | 8247 | Piazzi XVII. 249..... | 7.8 | 17. 41. 35.89 | 37.33 | 4 | + 3.655 | - 23. 37. 25.07 | 42.55 | 1 | - 1.608 | ... | ... | 249 |
| 8225 | 8248 | Piazzi XVII. 255..... | 6 | 17. 41. 38.06 | 37.94 | 3 | + 2.605 | + 19. 18. 48.82 | 39.28 | 3 | - 1.605 | ... | ... | 255 |
| 8226 | 8249 | Lacaille 7470..... | 7.8 | 17. 41. 53.68 | 39.61 | 4 | + 3.973 | - 34. 3. 50.81 | 37.80 | 3 | - 1.582 | ... | 7470 | 250 |
| 8227 | 8250 | Piazzi XVII. 251..... | 8 | 17. 41. 58.45 | 36.96 | 5 | + 3.550 | - 19. 43. 15.30 | 37.12 | 5 | - 1.576 | ... | ... | 251 |
| 8228 | 8251 | Piazzi XVII. 253..... | 7 | 17. 42. 3.68 | 40.17 | 2 | + 3.543 | - 19. 28. 11.01 | 35.56 | 3 | - 1.568 | ... | ... | 253 |
| 8229 | 8252 | 87 Heroulis..... | 6 | 17. 42. 7.95 | 33.05 | 5 | + 2.430 | + 25. 40. 57.56 | 32.22 | 5 | - 1.563 | 2239 | ... | 259 |
| 8230 | 8253 | Piazzi XVII. 254..... | 6.7 | 17. 42. 23.21 | 38.30 | 4 | + 4.000 | - 34. 50. 47.97 | 37.25 | 6 | - 1.542 | ... | ... | 254 |
| 8231 | 8254 | Piazzi XVII. 260..... | 8 | 17. 42. 35.58 | 37.06 | 3 | + 2.902 | + 7. 17. 6.49 | 36.93 | 4 | - 1.521 | ... | ... | 260 |
| 8232 | 8255 | Piazzi XVII. 257..... | 7 | 17. 42. 36.35 | 35.22 | 2 | + 3.533 | - 19. 4. 15.73 | 37.61 | 2 | - 1.521 | ... | ... | 257 |
| 8233 | 8256 | Piazzi XVII. 262..... | 7 | 17. 42. 36.50 | 36.96 | 6 | + 1.952 | + 40. 2. 1.23 | 37.48 | 2 | - 1.520 | ... | ... | 262 |
| 8234 | 8257 | Lacaille 7478..... | 6 | 17. 42. 54.99 | 35.38 | 1 | + 3.995 | - 34. 42. 24.58 | 35.58 | 1 | - 1.493 | ... | 7478 | 258 |
| 8235 | 8258 | Piazzi XVII. 261..... | 7.8 | 17. 42. 57.78 | 38.12 | 5 | + 2.949 | + 5. 16. 49.24 | 40.71 | 3 | - 1.489 | ... | ... | 261 |
| 8236 | 8259 | Brisbane 6243..... | 6 | 17. 43. 22.54 | 38.56 | 1 | + 4.000 | - 34. 50. 3.40 | 38.56 | 1 | - 1.452 | ... | ... | ... |
| 8237 | 8260 | Brisbane 6246..... | 7.8 | 17. 43. 29.21 | 38.57 | 1 | + 3.986 | - 34. 25. 24.04 | 38.57 | 1 | - 1.443 | ... | ... | ... |
| 8238 | 8261 | Lacaille 7471..... | 6.7 | 17. 43. 38.18 | 38.65 | 2 | + 5.114 | - 56. 51. 30.93 | 38.65 | 2 | - 1.431 | ... | 7471 | ... |
| 8239 | 8262 | Piazzi XVII. 263..... | 9 | 17. 43. 39.78 | 37.40 | 2 | + 3.527 | - 18. 49. 46.49 | 37.25 | 3 | - 1.429 | ... | ... | 263 |
| 8240 | 8263 | Piazzi XVII. 265..... | 7 | 17. 43. 53.76 | 35.30 | 2 | + 3.328 | - 10. 51. 5.73 | 35.60 | 1 | - 1.408 | ... | ... | 265 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{ccix}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 8241 | 8264 | Lacaille 7483..... | 7 | 17. 43. 58.61 | 38.67 | 2 | + 4.057 | - 36. 26. 2.69 | 38.67 | 2 | - 1.400 | ... | 7483 | ... |
| 8242 | 8265 | Piazzi XVII. 264..... | 8 | 17. 44. 0.36 | 37.38 | 3 | + 3.553 | - 19. 50. 32.25 | 37.16 | 4 | - 1.399 | ... | ... | 264 |
| 8243 | 8266 | Piazzi XVII. 266..... | 7 | 17. 44. 13.66 | 39.49 | 5 | + 3.041 | + 1. 21. 8.27 | 41.13 | 4 | - 1.378 | ... | ... | 266 |
| 8244 | 8268 | 63 Ophiuchi..... | 6.7 | 17. 44. 45.16 | 36.06 | 8 | + 3.687 | - 24. 50. 46.46 | 35.73 | 8 | - 1.333 | 2241 | 7491 | 267 |
| 8245 | 8267 | Lacaille 7485..... | 6 | 17. 44. 45.45 | 42.30 | 1 | + 4.374 | - 44. 18. 16.96 | 42.30 | 1 | - 1.333 | ... | 7485 | ... |
| 8246 | 8269 | 31 Draconis..... ^ψ | 5.6 | 17. 44. 52.99 | 38.34 | 4 | - 1.090 | + 72. 13. 34.99 | 39.17 | 2 | - 1.323 | 2251 | ... | 286 |
| 8247 | 8270 | Piazzi XVII. 287..... | 7 | 17. 44. 54.80 | 38.80 | 4 | - 1.092 | + 72. 14. 8.79 | 39.21 | 3 | - 1.319 | 2252 | ... | 287 |
| 8248 | 8271 | Piazzi XVII. 270..... | 7 | 17. 44. 56.63 | 35.52 | 2 | + 3.339 | - 11. 17. 39.20 | 34.52 | 3 | - 1.316 | ... | ... | 270 |
| 8249 | 8272 | Piazzi XVII. 268..... | 8 | 17. 44. 59.87 | 37.07 | 3 | + 3.637 | - 22. 56. 27.20 | 37.18 | 4 | - 1.311 | ... | ... | 268 |
| 8250 | 8273 | Brisbane 6255..... | 7 | 17. 45. 6.51 | 39.94 | 3 | + 4.007 | - 35. 0. 40.15 | 39.62 | 4 | - 1.301 | ... | ... | ... |
| 8251 | 8274 | 30 Draconis..... | 6 | 17. 45. 8.06 | 35.50 | 2 | + 1.435 | + 50. 49. 24.26 | 35.65 | 1 | - 1.299 | 2243 | ... | 278 |
| 8252 | 8275 | Piazzi XVII. 273..... | 7 | 17. 45. 10.73 | 37.93 | 3 | + 2.665 | + 16. 56. 45.86 | 36.62 | 4 | - 1.295 | ... | ... | 273 |
| 8253 | 8276 | Piazzi XVII. 271..... | 6.7 | 17. 45. 11.90 | 35.54 | 2 | + 2.929 | + 6. 8. 26.96 | 35.48 | 3 | - 1.294 | ... | ... | 271 |
| 8254 | 8277 | Lacaille 7488..... | 6.7 | 17. 45. 25.60 | 36.50 | 6 | + 4.271 | - 41. 56. 36.91 | 36.59 | 6 | - 1.274 | ... | 7488 | 269 |
| 8255 | 8278 | Piazzi XVII. 274..... | 7 | 17. 45. 30.67 | 37.24 | 3 | + 3.109 | - 1. 34. 37.33 | 37.42 | 3 | - 1.268 | ... | ... | 274 |
| 8256 | 8279 | Piazzi XVII. 276..... | 7.8 | 17. 45. 43.50 | 36.96 | 4 | + 3.346 | - 11. 35. 41.86 | 37.43 | 3 | - 1.249 | ... | ... | 276 |
| 8257 | 8280 | 88 Herculis..... ² | 7 | 17. 45. 44.36 | 38.90 | 4 | + 1.567 | + 48. 26. ... | ... | ... | - 1.247 | 2244 | ... | 282 |
| 8258 | 8281 | Piazzi XVII. 280..... | 6.7 | 17. 45. 52.46 | 39.11 | 2 | + 1.947 | + 40. 7. 3.71 | 35.56 | 3 | - 1.236 | ... | ... | 280 |
| 8259 | 8282 | Lacaille 7497..... | 7 | 17. 46. 4.69 | 37.09 | 3 | + 4.261 | - 41. 40. 58.76 | 37.23 | 4 | - 1.217 | ... | 7497 | 272 |
| 8260 | 8283 | Piazzi XVII. 277..... | 6.7 | 17. 46. 12.79 | 37.67 | 3 | + 3.526 | - 18. 45. 55.32 | 40.09 | 2 | - 1.206 | ... | ... | 277 |
| 8261 | 8284 | Lacaille 7498..... | 7 | 17. 46. 14.31 | 37.55 | 5 | + 4.270 | - 41. 54. 43.20 | 37.84 | 4 | - 1.203 | ... | 7498 | 275 |
| 8262 | 8285 | Piazzi XVII. 279..... | 7.8 | 17. 46. 25.73 | 37.37 | 4 | + 3.609 | - 21. 55. 2.95 | 42.69 | 1 | - 1.186 | ... | ... | 279 |
| 8263 | 8286 | Piazzi XVII. 288..... | 7.8 | 17. 46. 28.08 | 42.69 | 1 | + 1.566 | + 48. 26. 29.76 | 40.20 | 2 | - 1.184 | ... | ... | 288 |
| 8264 | 8287 | Bradley 2245..... | 6 | 17. 46. 42.70 | 39.26 | 3 | + 1.951 | + 40. 1. 17.11 | 37.29 | 3 | - 1.162 | 2245 | ... | 289 |
| 8265 | 8288 | Piazzi XVII. 281..... | 7 | 17. 46. 49.86 | 35.45 | 8 | + 3.449 | - 15. 46. 33.19 | 35.52 | 7 | - 1.151 | ... | ... | 281 |
| 8266 | 8289 | Piazzi XVII. 285..... | 7.8 | 17. 46. 51.04 | 39.12 | 2 | + 2.455 | + 24. 48. 56.12 | 39.28 | 3 | - 1.150 | ... | ... | 285 |
| 8267 | 8290 | Lacaille 7503..... | 7.8 | 17. 46. 57.73 | 38.99 | 2 | + 4.542 | - 47. 44. 45.88 | 38.69 | 1 | - 1.140 | ... | 7503 | ... |
| 8268 | 8291 | Bradley 2242..... | 7 | 17. 47. 2.64 | 35.56 | 3 | + 3.664 | - 23. 54. 28.75 | 35.57 | 2 | - 1.133 | 2242 | ... | 283 |
| 8269 | 8292 | Piazzi XVII. 284..... | 8 | 17. 47. 19.54 | 37.10 | 3 | + 3.446 | - 15. 39. 6.46 | 37.39 | 2 | - 1.107 | ... | ... | 284 |
| 8270 | 8293 | Lacaille 7513..... | 6 | 17. 47. 43.56 | 38.68 | 2 | + 4.072 | - 36. 49. 58.88 | 38.68 | 2 | - 1.075 | ... | 7513 | ... |
| 8271 | 8294 | Piazzi XVII. 290..... | 8 | 17. 47. 43.90 | 37.03 | 3 | + 3.529 | - 18. 54. 26.79 | 37.42 | 2 | - 1.073 | ... | ... | 290 |
| 8272 | 8296 | Piazzi XVII. 291..... | 5.6 | 17. 47. 54.07 | 38.14 | 7 | + 3.056 | + 0. 42. 7.79 | 40.70 | 3 | - 1.058 | ... | ... | 291 |
| 8273 | 8295 | Piazzi XVII. 292..... | 7 | 17. 47. 54.19 | 37.35 | 3 | + 2.950 | + 5. 11. 37.85 | 37.06 | 3 | - 1.058 | ... | ... | 292 |
| 8274 | 8297 | 90 Herculis..... ^f | 6 | 17. 47. 55.69 | 37.08 | 7 | + 1.950 | + 40. 2. 35.37 | 35.27 | 3 | - 1.057 | 2248 | ... | 295 |
| 8275 | 8298 | Piazzi XVII. 293..... | 6 | 17. 48. 5.35 | 33.58 | 4 | + 3.166 | - 4. 3. 4.61 | 33.38 | 5 | - 1.043 | ... | ... | 293 |
| 8276 | 8299 | Brisbane 6269..... | 6.7 | 17. 48. 21.23 | 38.58 | 1 | + 4.042 | - 35. 59. 49.18 | 38.62 | 1 | - 1.019 | ... | ... | ... |
| 8277 | 8300 | Lacaille 7521..... | 5 | 17. 48. 29.89 | 32.38 | 12 | + 3.850 | - 30. 13. 39.67 | 31.65 | 6 | - 1.006 | ... | 7521 | 294 |
| 8278 | 8301 | Piazzi XVII. 296..... | 7 | 17. 48. 44.03 | 37.27 | 2 | + 2.955 | + 5. 0. 46.68 | 36.79 | 3 | - 0.985 | ... | ... | 296 |
| 8279 | 8302 | 89 Herculis..... | 5.6 | 17. 48. 46.11 | 33.63 | 4 | + 2.418 | + 26. 4. 53.53 | 33.59 | 5 | - 0.983 | 2249 | ... | 298 |
| 8280 | 8303 | Piazzi XVII. 297..... | 7.8 | 17. 49. 8.45 | 37.27 | 1 | + 3.476 | - 16. 49. 55.31 | 37.38 | ...4 | - 0.950 | ... | ... | 297 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 8281 | 8304 | Piazzi XVII. 300..... | 7 | h m s 17. 49. 10.21 | 37.36 | 2 | + 2.629 | + 18. 21. 24.50 | 37.05 | 3 | - 0.948 | ... | ... | 300 |
| 8282 | 8305 | Piazzi XVII. 301..... | 7 | 17. 49. 22.93 | 35.40 | 3 | + 2.622 | + 18. 38. 26.61 | 35.65 | 1 | - 0.928 | ... | ... | 301 |
| 8283 | 8306 | 4 Sagittarii..... | 5 | 17. 49. 43.30 | 31.69 | 6 | + 3.661 | - 23. 47. 34.82 | 31.54 | 6 | - 0.900 | 2246 | 7526 | 299 |
| 8284 | 8307 | 64 Ophiuchi..... | 4 | 17. 49. 56.76 | 36.49 | 8 | + 3.302 | - 9. 44. 46.50 | 36.29 | 10 | - 0.879 | 2250 | ... | 303 |
| 8285 | 8308 | Piazzi XVII. 306..... | 8 | 17. 49. 57.34 | 36.94 | 4 | + 1.709 | + 45. 35. 1.70 | 37.36 | 3 | - 0.879 | ... | ... | 306 |
| 8286 | 8309 | 5 Sagittarii..... | 5 | 17. 50. 4.92 | 33.65 | 5 | + 3.674 | - 24. 15. 46.44 | 33.65 | 6 | - 0.868 | 2247 | 7530 | 302 |
| 8287 | 8310 | Piazzi XVII. 304..... | 6.7 | 17. 50. 11.43 | 33.67 | 4 | + 3.567 | - 20. 19. 12.02 | 33.69 | 6 | - 0.858 | ... | ... | 304 |
| 8288 | 8311 | Piazzi XVII. 305..... | 7.8 | 17. 50. 17.94 | 37.24 | 3 | + 3.190 | - 5. 1. 30.63 | 37.25 | 4 | - 0.849 | ... | ... | 305 |
| 8289 | 8312 | Piazzi XVII. 315..... | 7.8 | 17. 50. 26.53 | 37.09 | 4 | + 0.717 | + 60. 25. 43.10 | 37.48 | 2 | - 0.836 | ... | ... | 315 |
| 8290 | 8313 | 91 Herculis..... | 4 | 17. 50. 35.79 | 35.27 | 3 | + 2.055 | + 37. 16. 35.53 | 31.97 | 6 | - 0.822 | 2256 | ... | 309 |
| 8291 | 8314 | Lacaille 7531..... | 7 | 17. 50. 39.33 | 38.51 | 2 | + 4.056 | - 36. 21. 45.01 | 38.51 | 2 | - 0.818 | ... | 7531 | ... |
| 8292 | 8315 | 32 Draconis..... | 3.4 | 17. 50. 40.44 | 33.65 | 3 | + 1.022 | + 56. 54. 1.48 | 32.44 | 6 | - 0.817 | 2263 | ... | 316 |
| 8293 | 8316 | Piazzi XVII. 307..... | 6.7 | 17. 50. 51.30 | 38.34 | 5 | + 3.184 | - 4. 47. 52.52 | 40.87 | 3 | - 0.800 | ... | ... | 307 |
| 8294 | 8317 | 92 Herculis..... | 4 | 17. 51. 21.35 | 33.58 | 3 | + 2.323 | + 29. 16. 13.54 | 31.98 | 7 | - 0.756 | 2258 | ... | 314 |
| 8295 | 8318 | Piazzi XVII. 308..... | 8 | 17. 51. 24.66 | 36.79 | 3 | + 3.507 | - 18. 3. 30.71 | 37.42 | 2 | - 0.751 | ... | ... | 308 |
| 8296 | 8319 | Piazzi XVII. 310..... | 8 | 17. 51. 42.84 | 35.38 | 2 | + 3.615 | - 22. 7. 8.20 | 35.56 | 4 | - 0.725 | ... | ... | 310 |
| 8297 | 8320 | 57 Serpentis..... | 5 | 17. 51. 46.12 | 32.64 | 2 | + 3.158 | - 3. 40. 20.61 | 33.53 | 5 | - 0.722 | 2254 | ... | 313 |
| 8298 | 8321 | 6 Sagittarii..... | 7 | 17. 51. 48.21 | 40.48 | 5 | + 3.484 | - 17. 8. 35.49 | 41.22 | 4 | - 0.717 | 2253 | ... | 311 |
| 8299 | 8322 | Piazzi XVII. 312..... | 6 | 17. 51. 54.95 | 37.84 | 8 | + 3.633 | - 22. 46. 9.46 | 40.99 | 3 | - 0.707 | ... | ... | 312 |
| 8300 | 8323 | Piazzi XVII. 327..... | 7 | 17. 51. 56.17 | 35.51 | 3 | + 1.735 | + 45. 0. 40.58 | 35.56 | 3 | - 0.705 | ... | ... | 327 |
| 8301 | 8324 | Lacaille 7528..... | 6.7 | 17. 52. 2.01 | 38.68 | 2 | + 5.258 | - 58. 34. 5.25 | 38.68 | 2 | - 0.696 | ... | 7528 | ... |
| 8302 | 8325 | 66 Ophiuchi..... | 5 | 17. 52. 5.57 | 39.85 | 4 | + 2.970 | + 4. 23. 4.34 | 42.25 | 2 | - 0.691 | 2257 | ... | 318 |
| 8303 | 8326 | Piazzi XVII. 317..... | 8 | 17. 52. 8.82 | 38.15 | 5 | + 3.535 | - 19. 5. 38.68 | 37.68 | 5 | - 0.687 | ... | ... | 317 |
| 8304 | 8327 | 94 Herculis..... | 5 | 17. 52. 11.53 | 37.59 | 2 | + 2.294 | + 30. 12. 27.41 | 33.69 | 3 | - 0.683 | 2261 | ... | 324 |
| 8305 | 8328 | 67 Ophiuchi..... | 4 | 17. 52. 23.15 | 35.58 | 6 | + 3.003 | + 2. 56. 45.49 | 33.65 | 5 | - 0.666 | 2259 | ... | 322 |
| 8306 | 8329 | Piazzi XVII. 320..... | 8 | 17. 52. 31.45 | 37.70 | 1 | + 3.637 | - 22. 53. 44.44 | 37.70 | 1 | - 0.652 | ... | ... | 320 |
| 8307 | 8330 | Piazzi XVII. 319..... | 7.8 | 17. 52. 32.40 | 38.43 | 4 | + 3.674 | - 24. 14. 44.76 | 37.35 | 3 | - 0.652 | ... | ... | 319 |
| 8308 | 8331 | 93 Herculis..... | 5 | 17. 52. 43.07 | 36.65 | 3 | + 2.669 | + 16. 45. 56.59 | 42.61 | 1 | - 0.636 | 2262 | ... | 329 |
| 8309 | 8332 | 7 Sagittarii..... | 6 | 17. 52. 44.62 | 35.24 | 9 | + 3.675 | - 24. 16. 22.25 | 37.77 | 5 | - 0.635 | 2255 | 7538 | 321 |
| 8310 | 8333 | 33 Draconis..... | 2 | 17. 52. 46.63 | 32.83 | 59 | + 1.391 | + 51. 30. 40.36 | 32.19 | 73 | - 0.630 | 2267 | ... | 335 |
| 8311 | 8334 | Piazzi XVII. 323..... | 6 | 17. 52. 46.88 | 37.70 | 1 | + 3.578 | - 20. 43. 38.44 | 42.61 | 1 | - 0.630 | ... | ... | 323 |
| 8312 | 8335 | Piazzi XVII. 328..... | 6 | 17. 52. 50.16 | 40.19 | 2 | + 2.925 | + 6. 16. 51.84 | 42.67 | 1 | - 0.626 | ... | ... | 328 |
| 8313 | 8336 | Piazzi XVII. 326..... | 6.7 | 17. 53. 2.45 | 35.24 | 3 | + 3.632 | - 22. 42. 38.42 | 34.62 | 3 | - 0.609 | ... | ... | 326 |
| 8314 | 8337 | Piazzi XVII. 325..... | 7.8 | 17. 53. 13.32 | 37.29 | 2 | + 3.975 | - 34. 2. 53.09 | 37.20 | 3 | - 0.594 | ... | ... | 325 |
| 8315 | 8338 | 68 Ophiuchi..... | 5.6 | 17. 53. 23.12 | 33.71 | 2 | + 3.041 | + 1. 18. 57.44 | 33.68 | 4 | - 0.578 | 2264 | ... | 331 |
| 8316 | 8339 | Piazzi XVII. 336..... | 8 | 17. 53. 35.62 | 37.27 | 2 | + 2.735 | + 14. 7. 49.13 | 36.56 | 2 | - 0.560 | ... | ... | 336 |
| 8317 | 8340 | Piazzi XVII. 330..... | 8.9 | 17. 53. ... | ... | ... | + 3.643 | - 23. 7. 57.21 | 37.08 | 3 | - 0.554 | ... | ... | 330 |
| 8318 | 8341 | Lacaille 7542..... | 6.7 | 17. 53. 44.20 | 38.49 | 2 | + 4.040 | - 35. 53. 49.73 | 38.48 | 2 | - 0.548 | ... | 7542 | ... |
| 8319 | 8342 | 9 Sagittarii..... | 6.7 | 17. 53. ... | ... | ... | + 3.677 | - 24. 21. 21.43 | 37.70 | 1 | - 0.545 | 2260 | 7547 | 332 |
| 8320 | 8343 | Arcturus..... | 4 | 17. 53. 47.55 | 40.19 | 2 | + 4.670 | - 50. 5. 31.30 | 31.60 | 5 | - 0.542 | ... | 7535 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 8321 | 8344 | Piazzi XVII. 333 | 8.9 | h m s 17. 53. 50.51 | 35.57 | 1 | + 3.676 | — 24. 18. 30.35 | 34.53 | 2 | — 0.539 | ... | ... | 333 |
| 8322 | 8345 | Piazzi XVII. 334 | 7.8 | 17. 53. 55.90 | 37.67 | 1 | + 3.634 | — 22. 49. ... | ... | ... | — 0.530 | ... | ... | 334 |
| 8323 | 8346 | Piazzi XVII. 340 | 8.9 | 17. 54. 3.78 | 37.25 | 3 | + 2.970 | + 4. 22. 54.39 | 37.28 | 2 | — 0.520 | ... | ... | 340 |
| 8324 | 8347 | 69 Ophiuchi | 5 | 17. 54. 6.07 | 31.77 | 6 | + 3.264 | — 8. 10. 21.80 | 31.80 | 6 | — 0.516 | 2265 | ... | 337 |
| 8325 | 8348 | Piazzi XVII. 338 | 9 | 17. 54. 16.36 | 37.29 | 2 | + 3.544 | — 19. 27. 20.24 | 37.36 | 3 | — 0.502 | ... | ... | 338 |
| 8326 | 8349 | Brisbane 6299 | 7.8 | 17. 54. 24.60 | 38.61 | 2 | + 4.070 | — 36. 45. 12.29 | 38.61 | 2 | — 0.489 | ... | ... | ... |
| 8327 | 8350 | Sagittarii..... γ^1 | 5 | 17. 54. 29.08 | 33.63 | 3 | + 3.831 | — 29. 34. 44.46 | 33.59 | 5 | — 0.482 | ... | 7552 | 339 |
| 8328 | 8351 | 95 Herculis | 5.6 | 17. 54. 29.27 | 32.68 | 1 | + 2.543 | + 21. 36. 7.33 | 33.59 | 1 | — 0.482 | 2268 | ... | 344 |
| 8329 | 8352 | Piazzi XVII. 345 | 8 | 17. 54. 31.20 | 37.09 | 4 | + 2.511 | + 22. 46. 53.96 | 37.24 | 4 | — 0.480 | ... | ... | 345 |
| 8330 | 8353 | Piazzi XVII. 347 | 6.7 | 17. 54. 33.80 | 35.32 | 3 | + 2.197 | + 33. 13. 26.25 | 35.59 | 3 | — 0.476 | ... | ... | 347 |
| 8331 | 8354 | Lacaille 7551 | 8 | 17. 54. 34.18 | 39.97 | 3 | + 4.064 | — 36. 34. 47.34 | 38.61 | 2 | — 0.476 | ... | 7551 | ... |
| 8332 | 8355 | Lacaille 7550 | 5.6 | 17. 54. 54.32 | 35.87 | 4 | + 4.337 | — 43. 25. 24.57 | 35.96 | 4 | — 0.447 | ... | 7550 | 341 |
| 8333 | 8356 | Piazzi XVII. 342 | 7 | 17. 55. 3.58 | 36.20 | 5 | + 3.678 | — 24. 23. 55.29 | 39.55 | 3 | — 0.433 | ... | ... | 342 |
| 8334 | 8357 | Brisbane 6303 | 7 | 17. 55. 6.07 | 38.68 | 2 | + 5.589 | — 62. 1. 25.32 | 38.68 | 2 | — 0.429 | ... | ... | ... |
| 8335 | 8358 | 10 Sagittarii..... γ^2 | 4 | 17. 55. 12.74 | 32.88 | 4 | + 3.857 | — 30. 25. 2.31 | 32.92 | 4 | — 0.420 | 2266 | 7557 | 343 |
| 8336 | 8359 | Piazzi XVII. 353 | 6.7 | 17. 55. 13.57 | 35.54 | 2 | + 1.711 | + 45. 30. 44.94 | 35.56 | 3 | — 0.418 | ... | ... | 353 |
| 8337 | 8360 | Lacaille 7555 | 6.7 | 17. 55. 15.14 | 38.49 | 2 | + 4.044 | — 36. 1. 27.08 | 38.53 | 3 | — 0.416 | ... | 7555 | ... |
| 8338 | 8361 | 96 Herculis | 5 | 17. 55. 19.82 | 31.93 | 4 | + 2.563 | + 20. 50. 18.31 | 31.90 | 5 | — 0.408 | 2269 | ... | 349 |
| 8339 | 8362 | Lacaille 7540 | 7 | 17. 55. 23.82 | 39.62 | 1 | + 5.301 | — 59. 3. 6.27 | 39.62 | 1 | — 0.403 | ... | 7540 | ... |
| 8340 | 8363 | Piazzi XVII. 350 | 8 | 17. 55. 32.56 | 37.05 | 3 | + 2.714 | + 15. 0. 18.63 | 37.13 | 3 | — 0.389 | ... | ... | 350 |
| 8341 | 8364 | 97 Herculis | 6 | 17. 55. 36.62 | 33.54 | 3 | + 2.506 | + 22. 55. 37.05 | 33.68 | 4 | — 0.385 | 2270 | ... | 352 |
| 8342 | 8365 | Piazzi XVII. 346 | 7.8 | 17. 55. 44.94 | 37.28 | 2 | + 4.336 | — 43. 23. 51.17 | 37.25 | 3 | — 0.372 | ... | ... | 346 |
| 8343 | 8366 | Brisbane 6309 | 7 | 17. 55. 53.46 | 40.01 | 3 | + 4.066 | — 36. 36. 49.14 | 40.70 | 4 | — 0.359 | ... | ... | ... |
| 8344 | 8367 | Piazzi XVII. 370 | 6.7 | 17. 55. 57.49 | 37.67 | 2 | — 2.746 | + 77. 3. 23.54 | 34.62 | 1 | — 0.353 | ... | ... | 370 |
| 8345 | 8369 | Lacaille 7558 | 6.7 | 17. 56. 16.95 | 35.22 | 2 | + 4.446 | — 45. 46. 34.81 | 35.58 | 5 | — 0.325 | ... | 7558 | 348 |
| 8346 | 8368 | Piazzi XVII. 369 | 8 | 17. 56. 17.02 | 35.63 | 2 | — 1.778 | + 74. 35. 37.36 | 37.68 | 2 | — 0.325 | ... | ... | 369 |
| 8347 | 8370 | Lacaille 7570 | 8 | 17. 56. 19.97 | 37.17 | 3 | + 3.794 | — 28. 22. 9.66 | 37.37 | 3 | — 0.320 | ... | 7570 | 351 |
| 8348 | 8371 | 35 Draconis | 5 | 17. 56. 49.65 | 37.90 | 5 | — 2.710 | + 76. 58. 44.48 | 34.94 | 6 | — 0.277 | 2287 | ... | 380 |
| 8349 | 8372 | 70 Ophiuchi..... | 4.5 | 17. 57. 7.16 | 33.54 | 9 | + 3.013 | + 2. 32. 47.33 | 31.54 | 5 | — 0.253 | 2271 | ... | 358 |
| 8350 | 8373 | Piazzi XVII. 357 | 6 | 17. 57. 7.94 | 35.55 | 2 | + 3.268 | — 8. 19. 46.17 | 35.47 | 3 | — 0.252 | ... | ... | 357 |
| 8351 | 8374 | Piazzi XVII. 356 | 7 | 17. 57. 18.01 | 39.39 | 5 | + 3.597 | — 21. 27. 10.27 | 36.35 | 6 | — 0.237 | ... | ... | 356 |
| 8352 | 8375 | Piazzi XVII. 355 | 8 | 17. 57. 23.46 | 37.18 | 3 | + 3.876 | — 31. 0. 45.64 | 36.83 | 3 | — 0.228 | ... | ... | 355 |
| 8353 | 8376 | Lacaille 7579 | 5 | 17. 57. 37.92 | 32.48 | 5 | + 3.797 | — 28. 28. 0.75 | 31.65 | 5 | — 0.207 | ... | 7579 | 359 |
| 8354 | 8377 | Lacaille 7575 | 8 | 17. 57. 41.30 | 37.97 | 4 | + 4.407 | — 44. 57. 36.05 | 37.53 | 4 | — 0.202 | ... | 7575 | 354 |
| 8355 | 8378 | Piazzi XVII. 360 | 8.9 | 17. 57. 47.28 | 37.20 | 3 | + 3.609 | — 21. 52. 19.48 | 36.97 | 4 | — 0.193 | ... | ... | 360 |
| 8356 | 8379 | 34 Draconis..... ψ^2 | 6 | 17. 58. 2.07 | 35.65 | 1 | — 1.047 | + 72. 1. 8.67 | 35.34 | 2 | — 0.173 | 2285 | ... | 382 |
| 8357 | 8380 | Piazzi XVII. 362 | 7.8 | 17. 58. 3.49 | 35.24 | 3 | + 2.788 | + 11. 59. 46.40 | 34.60 | 3 | — 0.171 | ... | ... | 362 |
| 8358 | 8381 | Piazzi XVII. 363 | 7.8 | 17. 58. 10.68 | 37.30 | 2 | + 2.751 | + 13. 28. 33.68 | 37.09 | 3 | — 0.159 | ... | ... | 363 |
| 8359 | 8382 | Lacaille 7580 | 6.7 | 17. 58. 11.48 | 38.66 | 2 | + 4.068 | — 36. 41. 15.39 | 38.66 | 2 | — 0.159 | ... | 7580 | ... |
| 8360 | 8383 | Lacaille 7578 | 7 | 17. 58. 37.06 | 39.60 | 1 | + 4.533 | — 47. 31. 54.23 | 39.60 | 1 | — 0.121 | ... | 7578 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|-----------------------------------|----------------------|----------------|----------------------------------|-------------------------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 8361 | 8384 | Piazzi XVII. 364 | 7 | ^{h m s} 17. 58. 45'16 | 37'28 | 2 | ^s + 3'598 | ^{° ' "} - 21. 27. 51'30 | 36'43 | 4 | ["] - 0'109 | ... | ... | 364 |
| 8362 | 8385 | Piazzi XVII. 368 | 7.8 | 17. 58. 57'66 | 35'39 | 3 | + 2'864 | + 8. 52. 15'33 | 34'52 | 3 | - 0'090 | ... | ... | 368 |
| 8363 | 8386 | Telescopii | 5 | 17. 58. 59'18 | 32'34 | 3 | + 4'455 | - 45. 58. 23'67 | 32'18 | 2 | - 0'088 | ... | 7581 | 361 |
| 8364 | 8387 | Piazzi XVII. 365 | 7 | 17. 59. 0'53 | 38'49 | 6 | + 3'728 | - 26. 7. 6'00 | 39'48 | 5 | - 0'086 | ... | ... | 365 |
| 8365 | 8388 | 98 Herculis | 5.6 | 17. 59. 5'24 | 33'56 | 4 | + 2'526 | + 22. 12. 33'05 | 33'68 | 5 | - 0'079 | 2274 | ... | 372 |
| 8366 | 8389 | Piazzi XVII. 366 | 7 | 17. 59. 12'42 | 38'23 | 5 | + 3'667 | - 24. 0. 20'07 | 39'62 | 5 | - 0'069 | ... | ... | 366 |
| 8367 | 8390 | Piazzi XVII. 371 | 7.8 | 17. 59. 16'06 | 37'24 | 3 | + 2'915 | + 6. 41. 28'82 | 37'24 | 3 | - 0'064 | ... | ... | 371 |
| 8368 | 8391 | 71 Ophiuchi | 6 | 17. 59. 25'12 | 32'64 | 3 | + 2'867 | + 8. 43. 8'00 | 33'66 | 4 | - 0'051 | 2273 | ... | 373 |
| 8369 | 8392 | Piazzi XVII. 379 | 7.8 | 17. 59. 27'36 | 37'14 | 4 | + 1'831 | + 42. 51. 6'76 | 35'56 | 3 | - 0'048 | ... | ... | 379 |
| 8370 | 8393 | Lacaille 7590 | 6 | 17. 59. 27'79 | 33'63 | 5 | + 3'868 | - 30. 44. 46'17 | 33'58 | 3 | - 0'047 | ... | 7590 | 367 |
| 8371 | 8394 | 72 Ophiuchi | 4 | 17. 59. 31'50 | 31'73 | 6 | + 2'847 | + 9. 32. 46'86 | 31'66 | 5 | - 0'040 | 2275 | ... | 374 |
| 8372 | 8395 | Piazzi XVII. 376 | 8 | 17. 59. 40'93 | 37'46 | 2 | + 2'849 | + 9. 28. 48'43 | 37'50 | 2 | - 0'027 | ... | ... | 376 |
| 8373 | 8396 | Piazzi XVII. 384 | 8 | 17. 59. 47'15 | 37'89 | 3 | + 1'827 | + 42. 56. 49'96 | 39'24 | 3 | - 0'018 | ... | ... | 384 |
| 8374 | 8397 | Piazzi XVII. 378 | 6.7 | 18. 0. 0'56 | 35'35 | 2 | + 3'140 | - 2. 55. 29'96 | 35'56 | 1 | + 0'001 | ... | ... | 378 |
| 8375 | 8398 | Lacaille 7585 | 7 | 18. 0. 1'40 | 38'60 | 2 | + 4'699 | - 50. 34. 53'26 | 38'59 | 2 | + 0'001 | ... | 7585 | ... |
| 8376 | 8399 | Piazzi XVII. 375 | 9 | 18. 0. 2'90 | 37'28 | 2 | + 3'661 | - 23. 47. 32'75 | 37'24 | 1 | + 0'004 | ... | ... | 375 |
| 8377 | 8400 | Piazzi XVII. 381 | 6.7 | 18. 0. 12'34 | 35'24 | 2 | + 2'762 | + 13. 3. 18'12 | 35'65 | 1 | + 0'017 | ... | ... | 381 |
| 8378 | 8401 | Piazzi XVII. 377 | 8.9 | 18. 0. 18'78 | 39'18 | 3 | + 3'726 | - 26. 3. 13'69 | 35'59 | 2 | + 0'026 | ... | ... | 377 |
| 8379 | 8402 | Lacaille 7595 | 7.8 | 18. 0. 39'48 | 40'60 | 4 | + 4'010 | - 35. 3. 0'48 | 39'88 | 3 | + 0'056 | ... | 7595 | ... |
| 8380 | 8403 | 99 Herculis | 5.6 | 18. 0. 45'82 | 35'72 | 2 | + 2'283 | + 30. 32. 35'30 | 35'51 | 3 | + 0'066 | 2278 | ... | 385 |
| 8381 | 8404 | Lacaille 7603 | 7.8 | 18. 0. 51'98 | 37'30 | 2 | + 3'718 | - 25. 47. 12'30 | 37'37 | 3 | + 0'075 | ... | 7603 | 383 |
| 8382 | 8405 | 103 Herculis | 4 | 18. 1. 6'41 | 32'62 | 6 | + 2'338 | + 28. 44. 41'34 | 32'95 | 11 | + 0'096 | 2281 | ... | 388 |
| 8383 | 8406 | 100 Herculis | 6.7 | 18. 1. 10'38 | 38'17 | 6 | + 2'417 | + 26. 4. 39'56 | 38'01 | 7 | + 0'103 | 2279 | ... | 389 |
| 8384 | 8407 | Bradley 2280 | 6.7 | 18. 1. 10'83 | 35'60 | 1 | + 2'418 | + 26. 4. ... | ... | ... | + 0'103 | 2280 | ... | 390 |
| 8385 | 8408 | 73 Ophiuchi | 6 | 18. 1. 22'03 | 33'57 | 3 | + 2'979 | + 3. 58. 23'36 | 32'69 | 5 | + 0'119 | 2277 | ... | 387 |
| 8386 | 8409 | Piazzi XVII. 391 | 8 | 18. 1. 24'66 | 37'27 | 3 | + 2'444 | + 25. 9. 22'98 | 36'69 | 2 | + 0'123 | ... | ... | 391 |
| 8387 | 8410 | Bradley 2276 | 6 | 18. 1. 39'18 | 33'52 | 5 | + 3'660 | - 23. 43. 36'77 | 33'68 | 6 | + 0'144 | 2276 | 7613 | 386 |
| 8388 | 8411 | 102 Herculis | 5.6 | 18. 1. 42'39 | 33'67 | 4 | + 2'564 | + 20. 47. 36'85 | 33'70 | 5 | + 0'149 | 2282 | ... | 1 |
| 8389 | 8412 | 101 Herculis | 6 | 18. 1. 46'14 | 32'56 | 5 | + 2'585 | + 20. 1. 30'71 | 32'66 | 2 | + 0'154 | 2283 | ... | 2 |
| 8390 | 8413 | Piazzi XVIII. 3 | 8.9 | 18. 1. 56'68 | 37'22 | 3 | + 2'789 | + 11. 56. 44'47 | 36'99 | 4 | + 0'171 | ... | ... | 3 |
| 8391 | 8414 | Piazzi XVIII. 11 | 8 | 18. 2. 13'82 | 35'65 | 2 | - 0'955 | + 71. 37. 47'21 | 34'68 | 3 | + 0'196 | ... | ... | 11 |
| 8392 | 8415 | Piazzi XVIII. 4 | 7.8 | 18. 2. 40'23 | 35'59 | 3 | + 2'894 | + 7. 36. 31'21 | 35'59 | 3 | + 0'233 | ... | ... | 4 |
| 8393 | 8416 | Piazzi XVIII. 6 | 7 | 18. 2. 51'85 | 36'99 | 4 | + 2'286 | + 30. 26. 20'64 | 37'17 | 5 | + 0'251 | ... | ... | 6 |
| 8394 | 8417 | Lacaille 7608 | 6 | 18. 3. 13'63 | 38'65 | 3 | + 5'059 | - 56. 3. 50'38 | 38'65 | 3 | + 0'281 | ... | 7608 | ... |
| 8395 | 8418 | Lacaille 7621 | 6 | 18. 3. 51'13 | 35'44 | 3 | + 4'374 | - 44. 14. 49'75 | 34'58 | 3 | + 0'337 | ... | 7621 | 5 |
| 8396 | 8419 | 13 Sagittarii | 3.4 | 18. 3. 53'97 | 32'05 | 5 | + 3'588 | - 21. 5. 39'38 | 31'55 | 5 | + 0'341 | 2284 | ... | 7 |
| 8397 | 8420 | Lacaille 7618 | 7 | 18. 4. 1'17 | 40'58 | 6 | + 4'729 | - 51. 6. 35'22 | 40'58 | 6 | + 0'351 | ... | 7618 | ... |
| 8398 | 8421 | Piazzi XVIII. 10 | 7.8 | 18. 4. 15'35 | 35'32 | 4 | + 2'879 | + 8. 11. 45'41 | 35'45 | 2 | + 0'372 | ... | ... | 10 |
| 8399 | 8422 | 14 Sagittarii | 6 | 18. 4. 21'34 | 32'57 | 6 | + 3'605 | - 21. 44. 58'74 | 33'59 | 3 | + 0'381 | 2286 | ... | 8 |
| 8400 | 8423 | Piazzi XVIII. 13 | 8 | 18. 4. 28'36 | 36'91 | 4 | + 2'152 | + 34. 31. 39'60 | 37'36 | 3 | + 0'390 | ... | ... | 13 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{ccxiii}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 8401 | 8424 | Lacaille 7630 | 7.8 | 18. 4. 40.64 | 38.55 | 3 | + 4.065 | - 36. 36. 53.97 | 38.55 | 3 | + 0.413 | ... | 7630 | ... |
| 8402 | 8425 | Lacaille 7632 | 7.8 | 18. 4. 49.54 | 36.88 | 3 | + 3.945 | - 33. 7. 55.09 | 36.97 | 4 | + 0.424 | ... | 7632 | 9 |
| 8403 | 8426 | Piazzi XVIII. 12 | 8.9 | 18. 5. 1.29 | 36.93 | 4 | + 3.668 | - 24. 2. 17.83 | 37.44 | 4 | + 0.439 | ... | ... | 12 |
| 8404 | 8427 | Piazzi XVIII. 23 | 7 | 18. 5. 21.08 | 35.36 | 3 | - 0.065 | + 66. 55. 23.90 | 35.44 | 3 | + 0.469 | ... | ... | 23 |
| 8405 | 8428 | 15 Sagittarii..... | 6 | 18. 5. 22.44 | 33.62 | 5 | + 3.579 | - 20. 46. 11.29 | 32.37 | 6 | + 0.470 | 2288 | ... | 14 |
| 8406 | 8429 | 16 Sagittarii..... | 6 | 18. 5. 24.15 | 33.61 | 4 | + 3.570 | - 20. 25. 44.64 | 37.07 | 7 | + 0.473 | 2289 | ... | 15 |
| 8407 | 8430 | 104 Hercules | A 5 | 18. 5. 41.58 | 31.64 | 5 | + 2.257 | + 31. 22. 8.67 | 31.85 | 6 | + 0.499 | 2291 | ... | 18 |
| 8408 | 8431 | Lacaille 7640 | Var. | 18. 5. 57.30 | 35.32 | 3 | + 4.125 | - 38. 13. 26.31 | 35.58 | 3 | + 0.521 | ... | 7640 | 16 |
| 8409 | 8432 | Piazzi XVIII. 19 | 7.8 | 18. 6. 10.70 | 36.96 | 4 | + 2.851 | + 9. 24. 3.16 | 37.00 | 4 | + 0.541 | ... | ... | 19 |
| 8410 | 8433 | Sagittarii | 7 4 | 18. 6. 27.94 | 33.19 | 6 | + 4.072 | - 36. 48. 8.52 | 31.64 | 5 | + 0.565 | ... | 7643 | 17 |
| 8411 | 8434 | 17 Sagittarii | 7 | 18. 6. 45.67 | 32.94 | 4 | + 3.574 | - 20. 35. 26.25 | 33.59 | 5 | + 0.591 | 2290 | ... | 20 |
| 8412 | 8435 | Lacaille 7654 | 7 | 18. 6. 56.54 | 35.34 | 3 | + 3.793 | - 28. 19. 51.97 | 34.81 | 4 | + 0.608 | ... | 7654 | 21 |
| 8413 | 8436 | Piazzi XVIII. 22 | 8 | 18. 7. 25.10 | 37.39 | 3 | + 4.090 | - 37. 16. 33.92 | 37.09 | 5 | + 0.648 | ... | ... | 22 |
| 8414 | 8437 | Lacaille 7659 | 5.6 | 18. 7. 43.68 | 33.65 | 5 | + 3.756 | - 27. 5. 39.79 | 32.89 | 4 | + 0.677 | ... | 7659 | 24 |
| 8415 | 8438 | Piazzi XVIII. 25 | 7 | 18. 7. 48.05 | 33.42 | 5 | + 3.519 | - 18. 30. 50.85 | 33.60 | 7 | + 0.683 | ... | ... | 25 |
| 8416 | 8439 | Piazzi XVIII. 26 | 8 | 18. 7. 53.99 | 35.34 | 3 | + 3.551 | - 19. 43. 25.12 | 34.87 | 4 | + 0.691 | ... | ... | 26 |
| 8417 | 8440 | Lacaille 7638 | 6.7 | 18. 8. 1.27 | 38.65 | 3 | + 5.539 | - 61. 33. 25.08 | 38.65 | 3 | + 0.701 | ... | 7638 | ... |
| 8418 | 8441 | Lacaille 7641 | 8 | 18. 8. 4.86 | 38.91 | 3 | + 5.464 | - 60. 48. 41.09 | 38.91 | 3 | + 0.708 | ... | 7641 | ... |
| 8419 | 8442 | Piazzi XVIII. 31 | 8 | 18. 8. 19.48 | 35.49 | 3 | + 0.576 | + 61. 50. 33.20 | 34.67 | 3 | + 0.730 | ... | ... | 31 |
| 8420 | 8443 | Piazzi XVIII. 27 | 7.8 | 18. 8. 51.10 | 35.24 | 3 | + 3.363 | - 12. 17. 49.51 | 35.49 | 3 | + 0.774 | ... | ... | 27 |
| 8421 | 8444 | Piazzi XVIII. 30 | 7.8 | 18. 9. 19.45 | 36.91 | 4 | + 2.788 | + 12. 0. 56.41 | 37.09 | 4 | + 0.814 | ... | ... | 30 |
| 8422 | 8445 | Brisbane 6372 | 8 | 18. 9. 28.87 | 39.04 | 2 | + 4.073 | - 36. 50. 9.78 | 39.04 | 2 | + 0.829 | ... | ... | ... |
| 8423 | 8446 | Piazzi XVIII. 29 | 8.9 | 18. 9. 30.85 | 36.90 | 4 | + 3.473 | - 16. 42. 51.69 | 36.79 | 3 | + 0.832 | ... | ... | 29 |
| 8424 | 8447 | Lacaille 7665 | 7.8 | 18. 9. 49.18 | 37.07 | 3 | + 4.157 | - 39. 4. 57.91 | 37.12 | 4 | + 0.859 | ... | 7665 | ... |
| 8425 | 8448 | Piazzi XVIII. 35 | 7.8 | 18. 10. 11.67 | 36.94 | 2 | + 2.793 | + 11. 49. 17.60 | 37.38 | 2 | + 0.892 | ... | ... | 35 |
| 8426 | 8449 | 19 Sagittarii..... | δ 3.4 | 18. 10. 25.81 | 32.78 | 13 | + 3.840 | - 29. 53. 23.13 | 31.68 | 7 | + 0.913 | 2294 | 7670 | 32 |
| 8427 | 8450 | 18 Sagittarii | 7.8 | 18. 10. 37.62 | 35.40 | 3 | + 3.875 | - 31. 0. 15.32 | 35.41 | 3 | + 0.930 | ... | 7672 | 33 |
| 8428 | 8451 | Bradley 2296 | 6 | 18. 10. 39.02 | 36.58 | 7 | + 3.452 | - 15. 53. 29.83 | 36.07 | 8 | + 0.932 | 2296 | ... | ... |
| 8429 | 8452 | Lacaille 7671 | 6 | 18. 10. 55.83 | 35.32 | 3 | + 4.143 | - 38. 43. 20.56 | 34.72 | 3 | + 0.957 | ... | 7671 | 34 |
| 8430 | 8453 | Brisbane 6378 | 9 | 18. 10. 58.28 | 40.68 | 6 | + 4.981 | - 55. 1. 41.80 | 40.68 | 6 | + 0.959 | ... | ... | ... |
| 8431 | 8459 | Lacaille 7663 | 8.9 | 18. 11. 9.40 | 42.62 | 3 | + 5.141 | - 57. 10. 1.90 | 42.42 | 3 | + 0.976 | ... | 7663 | ... |
| 8432 | 8454 | Lacaille 7677 | 7 | 18. 11. 42.04 | 36.50 | 3 | + 4.069 | - 36. 44. 17.23 | 35.92 | 4 | + 1.024 | ... | 7677 | 37 |
| 8433 | 8455 | Piazzi XVIII. 36 | 7 | 18. 11. 42.89 | 35.40 | 3 | + 4.291 | - 42. 23. 26.29 | 35.65 | 3 | + 1.025 | ... | ... | 36 |
| 8434 | 8456 | Piazzi XVIII. 38 | 8.9 | 18. 11. 43.26 | 36.81 | 3 | + 3.466 | - 16. 26. 30.80 | 36.69 | 2 | + 1.027 | ... | ... | 38 |
| 8435 | 8457 | Piazzi XVIII. 40 | 8 | 18. 11. 47.97 | 36.97 | 2 | + 3.466 | - 16. 26. 24.39 | 37.41 | 4 | + 1.033 | ... | ... | 40 |
| 8436 | 8458 | Piazzi XVIII. 41 | 8.9 | 18. 12. 4.89 | 37.08 | 3 | + 3.737 | - 26. 29. 7.03 | 37.25 | 4 | + 1.057 | ... | ... | 41 |
| 8437 | 8460 | Piazzi XVIII. 43 | 7 | 18. 12. 17.40 | 36.28 | 3 | + 3.465 | - 16. 23. 35.48 | 35.50 | 2 | + 1.075 | ... | ... | 43 |
| 8438 | 8461 | Lacaille 7680 | 6 | 18. 12. 17.53 | 35.51 | 2 | + 4.370 | - 44. 10. 57.80 | 35.55 | 3 | + 1.076 | ... | 7680 | 39 |
| 8439 | 8462 | Lacaille 7684 | 6 | 18. 12. 20.19 | 35.34 | 3 | + 4.053 | - 36. 18. 35.88 | 34.87 | 4 | + 1.080 | ... | 7684 | 42 |
| 8440 | 8463 | 40 Draconis | 6.7 | 18. 12. 21.28 | 39.88 | 5 | - 4.478 | + 79. 58. 11.00 | 42.69 | 2 | + 1.082 | 2318 | ... | 62 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 8441 | 8464 | 105 Hercules..... | 5 | h m s 18. 12. 23'19 | 31'71 | 6 | + 2'467 | + 24. 22. 57'61 | 31'58 | 5 | + 1'084 | 2300 | ... | 47 |
| 8442 | 8465 | Lacaille 7675 | 7 | 18. 12. 23'60 | 42'41 | 3 | + 4'891 | - 53. 43. 8'98 | 42'41 | 3 | + 1'084 | ... | 7675 | ... |
| 8443 | 8466 | 41 Draconis | 7 | 18. 12. 28'00 | 39'19 | 6 | - 4'480 | + 79. 58. 21'74 | 42'69 | 2 | + 1'090 | 2321 | ... | 63 |
| 8444 | 8467 | 74 Ophiuchi..... | 6 | 18. 12. 38'14 | 33'39 | 4 | + 2'995 | + 3. 18. 35'61 | 32'67 | 3 | + 1'105 | 2299 | ... | 45 |
| 8445 | 8468 | 58 Serpentis..... | 4 | 18. 12. 46'30 | 40'36 | 5 | + 3'140 | - 2. 56. 8'73 | 38'17 | 13 | + 1'119 | 2298 | ... | 48 |
| 8446 | 8469 | 36 Draconis | 5 | 18. 12. 56'91 | 33'25 | 5 | + 0'293 | + 64. 20. 32'26 | 32'68 | 5 | + 1'133 | 2309 | ... | 54 |
| 8447 | 8470 | Piazzi XVIII. 44 | 7'8 | 18. 13. 6'75 | 39'51 | 5 | + 3'986 | - 34. 24. 29'32 | 38'28 | 5 | + 1'147 | ... | ... | 44 |
| 8448 | 8471 | 20 Sagittarii | 3 | 18. 13. 13'28 | 35'27 | 8 | + 3'988 | - 34. 27. 15'02 | 33'52 | 6 | + 1'155 | 2297 | 7689 | 46 |
| 8449 | 8472 | 106 Hercules..... | 5'6 | 18. 13. 19'30 | 32'66 | 5 | + 2'535 | + 21. 53. 48'61 | 33'58 | 6 | + 1'164 | 2301 | ... | 49 |
| 8450 | 8473 | Bradley 2302 | 7 | 18. 13. 29'93 | 35'62 | 3 | + 2'314 | + 29. 35. 57'44 | 34'84 | 4 | + 1'181 | 2302 | ... | 51 |
| 8451 | 8474 | Bradley 2304 | 6'7 | 18. 14. 0'03 | 35'54 | 2 | + 2'335 | + 28. 54. 52'29 | 35'34 | 3 | + 1'224 | 2304 | ... | 53 |
| 8452 | 8475 | 1 Lyrae | 4'5 | 18. 14. 4'89 | 33'13 | 5 | + 2'102 | + 35. 59. 40'08 | 32'40 | 6 | + 1'232 | 2305 | ... | 55 |
| 8453 | 8476 | Lacaille 7698 | 6 | 18. 14. 25'33 | 33'59 | 3 | + 3'868 | - 30. 49. 55'68 | 33'67 | 5 | + 1'260 | ... | 7698 | 52 |
| 8454 | 8477 | Piazzi XVIII. 61 | 8'9 | 18. 14. 30'12 | 36'64 | 1 | - 0'330 | + 68. 35. 0'27 | 37'43 | 3 | + 1'268 | ... | ... | 61 |
| 8455 | 8478 | 107 Hercules..... | 6 | 18. 14. 34'95 | 33'69 | 4 | + 2'338 | + 28. 47. 46'92 | 34'24 | 9 | + 1'275 | 2306 | ... | 56 |
| 8456 | 8479 | 108 Hercules | 6 | 18. 14. 35'37 | 39'56 | 7 | + 2'308 | + 29. 47. 5'90 | 40'16 | 6 | + 1'275 | 2307 | ... | 57 |
| 8457 | 8480 | Telescopii | 4'5 | 18. 14. 44'39 | 34'93 | 9 | + 4'456 | - 46. 3. 2'33 | 35'13 | 8 | + 1'288 | ... | 7694 | 50 |
| 8458 | 8481 | Bradley 2308 | 5'6 | 18. 15. 16'05 | 33'70 | 3 | + 2'500 | + 23. 12. 23'45 | 33'71 | 2 | + 1'334 | 2308 | ... | ... |
| 8459 | 8482 | Piazzi XVIII. 59 | 7'8 | 18. 15. 18'38 | 36'90 | 4 | + 3'100 | - 1. 13. 26'69 | 37'03 | 4 | + 1'337 | ... | ... | 59 |
| 8460 | 8483 | 21 Sagittarii | 6 | 18. 15. 31'45 | 35'92 | 7 | + 3'574 | - 20. 37. 20'66 | 39'65 | 5 | + 1'356 | 2303 | ... | 58 |
| 8461 | 8484 | Lacaille 7696 | 7 | 18. 15. 43'65 | 38'57 | 2 | + 5'176 | - 57. 36. 51'07 | 38'57 | 2 | + 1'376 | ... | 7696 | ... |
| 8462 | 8485 | Pavonis | 5 | 18. 15. 57'69 | 40'07 | 4 | + 5'620 | - 62. 22. 13'99 | 36'80 | 5 | + 1'396 | ... | 7691 | ... |
| 8463 | 8486 | Telescopii | 5 | 18. 16. 6'86 | 38'71 | 3 | + 4'615 | - 49. 9. 0'08 | 36'05 | 7 | + 1'409 | ... | 7702 | ... |
| 8464 | 8487 | 37 Draconis | 6'7 | 18. 16. 14'04 | 38'54 | 6 | - 0'349 | + 68. 41. 44'84 | 38'24 | 5 | + 1'420 | 2316 | ... | 67 |
| 8465 | 8488 | Lacaille 7710 | 7 | 18. 16. 39'53 | 35'32 | 3 | + 3'955 | - 33. 29. 57'21 | 35'56 | 3 | + 1'456 | ... | 7710 | 60 |
| 8466 | 8489 | 109 Hercules | 5'6 | 18. 16. 40'37 | 33'62 | 2 | + 2'541 | + 21. 42. 2'40 | 32'34 | 4 | + 1'457 | 2311 | ... | 64 |
| 8467 | 8490 | Piazzi XVIII. 65 | 7 | 18. 17. 1'19 | 36'84 | 3 | + 2'955 | + 5. 0. 1'26 | 36'95 | 4 | + 1'487 | ... | ... | 65 |
| 8468 | 8491 | Lacaille 7712 | 6'7 | 18. 17. 2'49 | 38'57 | 2 | + 4'155 | - 39. 5. 7'82 | 38'57 | 2 | + 1'489 | ... | 7712 | ... |
| 8469 | 8492 | Lacaille 7697 | 8 | 18. 17. 27'50 | 38'61 | 2 | + 6'121 | - 66. 22. 55'87 | 38'61 | 2 | + 1'525 | ... | 7697 | ... |
| 8470 | 8493 | Telescopii | 5'6 | 18. 17. 31'64 | 39'11 | 2 | + 4'518 | - 47. 18. 56'05 | 39'11 | 2 | + 1'531 | ... | 7713 | ... |
| 8471 | 8494 | 22 Sagittarii | 4 | 18. 17. 47'42 | 32'24 | 9 | + 3'708 | - 25. 30. 15'76 | 31'54 | 5 | + 1'555 | 2310 | 7725 | 66 |
| 8472 | 8495 | Piazzi XVIII. 80 | 6 | 18. 17. 56'21 | 36'13 | 3 | - 0'343 | + 68. 40. 33'97 | 34'95 | 3 | + 1'568 | ... | ... | 80 |
| 8473 | 8496 | B.D.—17°. 5203 | 6 | 18. 18. 18'90 | 37'71 | 2 | + 3'499 | - 17. 53. 35'79 | 39'66 | 2 | + 1'600 | ... | ... | ... |
| 8474 | 8497 | 59 Serpentis | 5'6 | 18. 18. 46'26 | 36'41 | 9 | + 3'070 | + 0. 6. 15'49 | 39'18 | 13 | + 1'641 | 2312 | ... | 74 |
| 8475 | 8498 | Piazzi XVIII. 68 | 8 | 18. 18. 46'78 | 37'04 | 3 | + 3'697 | - 25. 8. 13'12 | 37'18 | 4 | + 1'642 | ... | ... | 68 |
| 8476 | 8499 | 2 Lyrae..... | 6'7 | 18. 18. 47'60 | 35'45 | 3 | + 1'977 | + 39. 25. 16'90 | 34'72 | 3 | + 1'643 | 2315 | ... | 78 |
| 8477 | 8500 | Lacaille 7726 | 7'8 | 18. 18. 56'49 | 38'89 | 3 | + 4'522 | - 47. 24. 49'70 | 38'89 | 3 | + 1'655 | ... | 7726 | ... |
| 8478 | 8501 | Lacaille 7716 | 8 | 18. 19. 1'35 | 38'69 | 2 | + 5'273 | - 58. 48. 34'55 | 38'69 | 2 | + 1'661 | ... | 7716 | ... |
| 8479 | 8502 | Piazzi XVIII. 69 | 8 | 18. 19. 7'81 | 36'99 | 2 | + 3'959 | - 33. 38. 45'74 | 37'41 | 2 | + 1'671 | ... | ... | 69 |
| 8480 | 8503 | Lacaille 7733 | 8'9 | 18. 19. 9'89 | 36'88 | 3 | + 3'957 | - 33. 35. 36'32 | 37'19 | 4 | + 1'674 | ... | 7733 | 71 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 8481 | 8504 | Lacaille 7738 | 7 | h m s 18. 19. 11.39 | 35.45 | 3 | + 3.703 | — 25. 21. 11.40 | 34.63 | 3 | + 1.676 | ... | 7738 | 75 |
| 8482 | 8505 | Lacaille 7735 | 8 | 18. 19. 11.89 | 39.06 | 9 | + 3.942 | — 33. 8. 46.19 | 38.06 | 7 | + 1.677 | ... | 7735 | 72 |
| 8483 | 8506 | Lacaille 7731 | 7 | 18. 19. 19.04 | 35.24 | 2 | + 4.272 | — 42. 0. 48.56 | 35.41 | 3 | + 1.687 | ... | 7731 | 70 |
| 8484 | 8507 | Piazzi XVIII. 77 | 8.9 | 18. 19. 23.56 | 38.25 | 4 | + 3.070 | + 0. 6. 18.33 | 37.46 | 4 | + 1.694 | ... | ... | 77 |
| 8485 | 8508 | Telescopii ⁸¹ | 6 | 18. 19. 31.53 | 35.48 | 2 | + 4.453 | — 46. 0. 57.95 | 35.68 | 3 | + 1.708 | ... | 7729 | 73 |
| 8486 | 8509 | Bradley 2313 | 5 | 18. 19. 47.64 | 35.82 | 12 | + 3.421 | — 14. 39. 49.37 | 34.90 | 14 | + 1.731 | 2313 | ... | ... |
| 8487 | 8510 | Telescopii ⁸² | 6 | 18. 19. 49.36 | 35.48 | 3 | + 4.445 | — 45. 51. 38.03 | 35.68 | 3 | + 1.733 | ... | 7734 | 76 |
| 8488 | 8511 | Piazzi XVIII. 83 | 7.8 | 18. 19. 51.45 | 37.06 | 3 | + 2.412 | + 26. 22. 7.57 | 37.14 | 3 | + 1.735 | ... | ... | 83 |
| 8489 | 8512 | Piazzi XVIII. 93 | 7 | 18. 20. 1.13 | 35.60 | 3 | — 0.121 | + 67. 21. 14.00 | 35.58 | 2 | + 1.749 | ... | ... | 93 |
| 8490 | 8513 | Piazzi XVIII. 84 | 7.8 | 18. 20. 2.92 | 37.06 | 3 | + 2.412 | + 26. 21. 20.90 | 37.13 | 5 | + 1.752 | ... | ... | 84 |
| 8491 | 8514 | Lacaille 7746 | 6 | 18. 20. 15.49 | 36.76 | 8 | + 3.940 | — 33. 5. 24.53 | 36.50 | 9 | + 1.769 | ... | 7746 | 79 |
| 8492 | 8515 | Piazzi XVIII. 81 | 8 | 18. 20. 19.07 | 36.89 | 3 | + 3.670 | — 24. 9. 51.44 | 37.46 | 4 | + 1.775 | ... | ... | 81 |
| 8493 | 8516 | Bradley 2314 | 6.7 | 18. 20. 22.43 | 40.04 | 6 | + 3.421 | — 14. 40. 58.48 | 39.19 | 6 | + 1.780 | 2314 | ... | ... |
| 8494 | 8517 | Piazzi XVIII. 82 | 6 | 18. 20. 29.98 | 33.57 | 3 | + 3.526 | — 18. 49. 32.39 | 33.66 | 4 | + 1.792 | ... | ... | 82 |
| 8495 | 8518 | Lacaille 7739 | 8 | 18. 20. 56.54 | 39.59 | 2 | + 4.919 | — 54. 11. 51.70 | 39.59 | 2 | + 1.831 | ... | 7739 | ... |
| 8496 | 8519 | 60 Serpentis ^c | 6 | 18. 21. 6.08 | 33.38 | 4 | + 3.120 | — 2. 5. 8.07 | 32.57 | 4 | + 1.844 | 2317 | ... | 86 |
| 8497 | 8520 | Lacaille 7743 | 7.8 | 18. 21. 14.86 | 41.66 | 3 | + 4.839 | — 53. 0. 7.38 | 41.66 | 3 | + 1.857 | ... | 7743 | ... |
| 8498 | 8521 | 39 Draconis ^b | 5 | 18. 21. 29.88 | 31.70 | 2 | + 0.882 | + 58. 42. 25.46 | 31.53 | 6 | + 1.879 | 2328 | ... | 98 |
| 8499 | 8522 | Piazzi XVIII. 87 | 7.8 | 18. 21. 34.52 | 36.90 | 3 | + 3.938 | — 33. 2. 47.75 | 37.15 | 5 | + 1.886 | ... | ... | 87 |
| 8500 | 8523 | Piazzi XVIII. 88 | 7 | 18. 21. 38.43 | 33.62 | 3 | + 3.530 | — 19. 0. 21.30 | 33.71 | 2 | + 1.891 | ... | ... | 88 |
| 8501 | 8524 | Lacaille 7747 | 7.8 | 18. 21. 42.05 | 38.59 | 2 | + 4.807 | — 52. 29. 51.97 | 38.59 | 2 | + 1.896 | ... | 7747 | ... |
| 8502 | 8525 | Coronae Australis..... ^θ | 7 | 18. 21. 43.21 | 35.50 | 3 | + 4.288 | — 42. 25. 19.24 | 34.71 | 3 | + 1.897 | ... | 7756 | 85 |
| 8503 | 8526 | Piazzi XVIII. 91 | 6.7 | 18. 21. 44.08 | 35.56 | 2 | + 3.514 | — 18. 22. 6.53 | 34.81 | 4 | + 1.899 | ... | ... | 91 |
| 8504 | 8527 | Piazzi XVIII. 92 | 6 | 18. 21. 46.34 | 38.48 | 10 | + 3.517 | — 18. 30. 29.79 | 40.22 | 7 | + 1.901 | ... | ... | 92 |
| 8505 | 8528 | Coronae Australis..... ^κ | 6 | 18. 21. 59.97 | 35.87 | 4 | + 4.144 | — 38. 50. 7.40 | 36.20 | 6 | + 1.921 | ... | 7758 | 89 |
| 8506 | 8529 | Piazzi XVIII. 90 | 8 | 18. 22. 0.37 | 36.83 | 4 | + 4.144 | — 38. 49. 46.79 | 36.98 | 2 | + 1.922 | ... | ... | 90 |
| 8507 | 8530 | Piazzi XVIII. 94 | 7 | 18. 22. 10.31 | 33.68 | 3 | + 3.536 | — 19. 14. 2.71 | 33.63 | 1 | + 1.936 | ... | ... | 94 |
| 8508 | 8531 | Brisbane 6431..... | 9.10 | 18. 22. 29.43 | 38.68 | 1 | + 5.261 | — 58. 42. 20.35 | 38.68 | 1 | + 1.965 | ... | ... | ... |
| 8509 | 8532 | Piazzi XVIII. 100..... | 6 | 18. 22. 45.22 | 33.70 | 2 | + 2.486 | + 23. 45. 41.65 | 33.43 | 5 | + 1.988 | ... | ... | 100 |
| 8510 | 8533 | Piazzi XVIII. 95 | 7 | 18. 22. 46.74 | 35.68 | 3 | + 3.532 | — 19. 4. 57.58 | 34.87 | 4 | + 1.992 | ... | ... | 95 |
| 8511 | 8534 | Lacaille 7755 | 7 | 18. 22. 48.03 | 39.53 | 1 | + 5.070 | — 56. 20. 27.86 | 39.53 | 1 | + 1.994 | ... | 7755 | ... |
| 8512 | 8535 | Piazzi XVIII. 150..... | 7.8 | 18. 22. 53.90 | 39.21 | 2 | — 14.482 | + 85. 39. 56.30 | 35.73 | 1 | + 2.002 | ... | ... | 150 |
| 8513 | 8536 | Lacaille 7744 | 9 | 18. 22. 57.54 | 39.98 | 3 | + 5.923 | — 64. 59. 14.49 | 38.59 | 1 | + 2.007 | ... | 7744 | ... |
| 8514 | 8537 | 43 Draconis ^φ | 7 | 18. 23. 6.65 | 35.68 | 3 | — 0.847 | + 71. 14. 57.19 | 34.90 | 4 | + 2.020 | 2334 | ... | 113 |
| 8515 | 8538 | Lacaille 7761 | 6.7 | 18. 23. 8.21 | 34.60 | 4 | + 3.940 | — 33. 7. 49.71 | 37.67 | 2 | + 2.022 | ... | 7761 | 96 |
| 8516 | 8539 | Bradley 2319 | 7 | 18. 23. 9.41 | 38.66 | 8 | + 3.670 | — 24. 13. 19.52 | 37.10 | 12 | + 2.023 | 2319 | ... | 99 |
| 8517 | 8540 | Lacaille 7762 | 7.8 | 18. 23. 16.05 | 36.50 | 7 | + 3.939 | — 33. 4. 33.11 | 36.22 | 3 | + 2.033 | ... | 7762 | 97 |
| 8518 | 8541 | Bradley 2323 | 6.7 | 18. 23. 18.19 | 39.95 | 6 | + 3.428 | — 14. 58. 40.04 | 38.81 | 5 | + 2.036 | 2323 | ... | 101 |
| 8519 | 8542 | 61 Serpentis ^θ | 6 | 18. 23. 25.98 | 35.95 | 6 | + 3.098 | — 1. 6. 48.08 | 39.62 | 5 | + 2.048 | 2325 | ... | 104 |
| 8520 | 8543 | Piazzi XVIII. 102..... | 7 | 18. 23. 30.27 | 40.19 | 4 | + 3.517 | — 18. 28. 53.07 | 40.16 | 4 | + 2.054 | ... | ... | 102 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazz. |
|------|--------------|------------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|--------|
| 8521 | 8545 | Piazzi XVIII. 103..... | 8 | h m s 18. 23. 42'53 | 41'32 | 4 | + 3'671 | — 24. 14. 18'28 | 42'59 | 1 | + 2'072 | ... | ... | 103 |
| 8522 | 8544 | Pavonia | 4 | 18. 23. 43'38 | 37'72 | 2 | + 7'060 | — 71. 33. 15'36 | 33'51 | 2 | + 2'073 | ... | 7736 | ... |
| 8523 | 8546 | 24 Sagittarii | 6'7 | 18. 23. 48'77 | 35'21 | 2 | + 3'668 | — 24. 8. 51'47 | 33'39 | 3 | + 2'081 | 2324 | 7769 | 105 |
| 8524 | 8547 | 44 Draconis | 4'5 | 18. 24. 1'30 | 32'58 | 4 | — 1'187 | + 72. 39. 35'56 | 32'11 | 9 | + 2'100 | 2337 | ... | 119 |
| 8525 | 8548 | Bradley 2327 | 6'7 | 18. 24. 13'69 | 39'27 | 6 | + 3'427 | — 14. 58. 8'92 | 36'54 | 3 | + 2'118 | 2327 | ... | 107 |
| 8526 | 8549 | 25 Sagittarii..... | 7 | 18. 24. 27'17 | 37'28 | 5 | + 3'673 | — 24. 20. 24'86 | 34'62 | 3 | + 2'136 | 2326 | 7774 | 108 |
| 8527 | 8550 | Lacaille 7772 | 6'7 | 18. 24. 37'56 | 36'35 | 2 | + 3'936 | — 33. 0. 38'95 | 35'65 | 2 | + 2'152 | ... | 7772 | 109 |
| 8528 | 8551 | Lacaille 7760 | 7'8 | 18. 24. 44'94 | 39'96 | 3 | + 5'307 | — 59. 14. 42'07 | 39'96 | 3 | + 2'162 | ... | 7760 | ... |
| 8529 | 8552 | 42 Draconis | 7'8 | 18. 25. 29'98 | 35'48 | 2 | + 0'161 | + 65. 27. 42'50 | 34'59 | 3 | + 2'227 | 2336 | ... | 124 |
| 8530 | 8553 | Piazzi XVIII. 110..... | 7'8 | 18. 25. 30'87 | 36'78 | 3 | + 3'581 | — 20. 57. 42'71 | 36'96 | 4 | + 2'229 | ... | ... | 110 |
| 8531 | 8554 | 23 Urse Minoris | 3 | 18. 25. 31'62 | 32'26 | 101 | — 19'219 | + 86. 35. 17'41 | 31'40 | 37 | + 2'230 | 2395 | ... | 178 |
| 8532 | 8555 | Piazzi XVIII. 111..... | 7'8 | 18. 25. 34'02 | 36'86 | 3 | + 3'481 | — 17. 6. 24'08 | 37'16 | 4 | + 2'232 | ... | ... | 111 |
| 8533 | 8556 | Piazzi XVIII. 112..... | 7 | 18. 25. 39'69 | 34'29 | 5 | + 3'539 | — 19. 23. 25'01 | 33'44 | 5 | + 2'240 | ... | ... | 112 |
| 8534 | 8557 | Bradley 2329 | 6 | 18. 25. 52'23 | 33'60 | 3 | + 3'333 | — 11. 5. 55'50 | 33'46 | 4 | + 2'258 | 2329 | ... | 114 |
| 8535 | 8558 | Piazzi XVIII. 116..... | 6 | 18. 25. 54'57 | 33'59 | 3 | + 2'494 | + 23. 29. 56'99 | 34'63 | 4 | + 2'261 | ... | ... | 116 |
| 8536 | 8559 | 1 Aquilae..... | 5'6 | 18. 26. 13'86 | 33'64 | 5 | + 3'267 | — 8. 21. 8'34 | 33'68 | 5 | + 2'291 | 2330 | ... | 115 |
| 8537 | 8560 | Piazzi XVIII. 117..... | 8'9 | 18. 26. 41'06 | 36'81 | 3 | + 3'819 | — 29. 21. 53'55 | 36'91 | 5 | + 2'330 | ... | ... | 117 |
| 8538 | 8561 | Lacaille 7780 | 7'8 | 18. 26. 44'99 | 38'91 | 3 | + 4'549 | — 48. 2. 34'01 | 38'90 | 3 | + 2'335 | ... | 7780 | ... |
| 8539 | 8562 | Lacaille 7788 | 8'9 | 18. 26. 46'98 | 36'68 | 2 | + 3'826 | — 29. 36. 4'12 | 37'35 | 3 | + 2'339 | ... | 7788 | 118 |
| 8540 | 8563 | Piazzi XVIII. 120..... | 7 | 18. 27. 7'21 | 38'19 | 5 | + 3'486 | — 17. 20. 2'88 | 37'08 | 4 | + 2'367 | ... | ... | 120 |
| 8541 | 8564 | Piazzi XVIII. 126..... | 8 | 18. 27. 12'10 | 36'97 | 2 | + 2'006 | + 38. 44. 40'87 | 37'18 | 3 | + 2'374 | ... | ... | 126 |
| 8542 | 8565 | Piazzi XVIII. 123..... | 6'7 | 18. 27. 14'69 | 35'32 | 3 | + 3'232 | — 6. 52. 4'77 | 35'55 | 3 | + 2'379 | ... | ... | 123 |
| 8543 | 8566 | Piazzi XVIII. 127..... | 7'8 | 18. 27. 19'99 | 36'32 | 2 | + 2'008 | + 38. 42. 59'94 | 35'63 | 3 | + 2'387 | ... | ... | 127 |
| 8544 | 8567 | Piazzi XVIII. 121..... | 7 | 18. 27. 23'96 | 34'06 | 5 | + 3'538 | — 19. 20. 17'17 | 34'19 | 5 | + 2'392 | ... | ... | 121 |
| 8545 | 8568 | Piazzi XVIII. 122..... | 7'8 | 18. 27. 39'29 | 36'88 | 3 | + 3'955 | — 33. 36. 39'16 | 37'20 | 4 | + 2'413 | ... | ... | 122 |
| 8546 | 8569 | Bradley 2332 | 6'7 | 18. 28. 1'68 | 37'22 | 5 | + 3'596 | — 21. 31. 34'80 | 40'04 | 4 | + 2'447 | 2332 | ... | 125 |
| 8547 | 8570 | Piazzi XVIII. 128..... | 7 | 18. 28. 16'73 | 39'17 | 3 | + 3'487 | — 17. 21. 49'21 | 37'66 | 4 | + 2'468 | ... | ... | 128 |
| 8548 | 8571 | Bradley 2333 | 6 | 18. 28. 28'78 | 40'19 | 5 | + 3'653 | — 23. 38. 15'77 | 39'27 | 5 | + 2'486 | 2333 | 7806 | 129 |
| 8549 | 8572 | Piazzi XVIII. 132..... | 6 | 18. 28. 38'24 | 40'64 | 5 | + 2'496 | + 23. 28. 38'60 | 39'46 | 6 | + 2'499 | ... | ... | 132 |
| 8550 | 8573 | Piazzi XVIII. 130..... | 8 | 18. 28. 46'30 | 36'89 | 3 | + 3'246 | — 7. 27. 56'55 | 36'98 | 4 | + 2'510 | ... | ... | 130 |
| 8551 | 8574 | Lacaille 7800 | 7 | 18. 29. 0'89 | 38'60 | 4 | + 4'558 | — 48. 13. 51'54 | 38'60 | 4 | + 2'532 | ... | 7800 | ... |
| 8552 | 8575 | Bradley 2335 | 6'7 | 18. 29. 3'13 | 40'13 | 6 | + 3'586 | — 21. 10. 49'45 | 35'97 | 4 | + 2'535 | 2335 | ... | 131 |
| 8553 | 8576 | Piazzi XVIII. 135..... | 7 | 18. 29. 7'96 | 35'30 | 3 | + 1'693 | + 46. 5. 34'31 | 34'93 | 3 | + 2'543 | ... | ... | 135 |
| 8554 | 8577 | Lacaille 7785 | 5 | 18. 29. 14'30 | 35'60 | 3 | + 5'919 | — 65. 0. 47'89 | 34'81 | 7 | + 2'552 | ... | 7785 | ... |
| 8555 | 8578 | Piazzi XVIII. 133..... | 7'8 | 18. 29. 29'78 | 39'82 | 4 | + 2'807 | + 11. 17. 18'71 | 42'62 | 1 | + 2'574 | ... | ... | 133 |
| 8556 | 8579 | Piazzi XVIII. 134..... | 7'8 | 18. 29. 37'13 | 37'82 | 6 | + 2'809 | + 11. 13. 19'66 | 37'34 | 5 | + 2'583 | ... | ... | 134 |
| 8557 | 8580 | 45 Draconis | 6 | 18. 29. 43'45 | 35'57 | 3 | + 1'037 | + 56. 55. 17'81 | 34'87 | 4 | + 2'592 | 2340 | ... | 139 |
| 8558 | 8581 | Bradley 2339 | 7 | 18. 29. 50'06 | 35'91 | 6 | + 2'005 | + 38. 45. 53'15 | 35'50 | 3 | + 2'603 | 2339 | ... | 137 |
| 8559 | 8582 | Piazzi XVIII. 136..... | 8 | 18. 30. 24'86 | 36'96 | 4 | + 3'858 | — 30. 40. 11'18 | 37'11 | 3 | + 2'653 | ... | ... | 136 |
| 8560 | 8583 | Piazzi XVIII. 138..... | 8 | 18. 30. 39'64 | 36'62 | 2 | + 3'120 | — 2. 5. 23'71 | 37'05 | 2 | + 2'674 | ... | ... | 138 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 8561 | 8584 | 3 Lyrae | 1 | h m s 18. 31. 21.15 | 33.84 | 141 | + 2.014 | + 38. 38. 1.79 | 33.38 | 217 | + 2.735 | 2341 | ... | 143 |
| 8562 | 8585 | Piazzi XVIII. 145 | 7 | 18. 31. 28.11 | 35.70 | 3 | + 1.807 | + 43. 39. 39.39 | 35.56 | 3 | + 2.744 | ... | ... | 145 |
| 8563 | 8586 | Piazzi XVIII. 140 | 8 | 18. 31. 31.03 | 36.87 | 3 | + 3.418 | - 14. 39. 0.74 | 37.00 | 2 | + 2.748 | ... | ... | 140 |
| 8564 | 8587 | 24 Ursae Minoris | 6.7 | 18. 31. 44.22 | 35.73 | 3 | - 21.916 | + 86. 57. 59.71 | 35.69 | 3 | + 2.768 | 2417 | ... | 227 |
| 8565 | 8588 | 26 Sagittarii | 6 | 18. 31. 47.78 | 36.19 | 9 | + 3.661 | - 23. 58. 45.35 | 38.02 | 9 | + 2.774 | 2338 | 7825 | 141 |
| 8566 | 8589 | Piazzi XVIII. 144 | 7 | 18. 32. 18.68 | 33.67 | 4 | + 3.420 | - 14. 42. 45.37 | 33.73 | 1 | + 2.818 | ... | ... | 144 |
| 8567 | 8590 | Pavonis | 5 | 18. 32. 23.60 | 32.97 | 3 | + 5.942 | - 65. 14. 5.69 | 38.15 | 2 | + 2.824 | ... | 7813 | ... |
| 8568 | 8591 | Coronae Australis | 6 | 18. 32. 27.80 | 35.59 | 3 | + 4.124 | - 38. 28. 22.13 | 34.95 | 4 | + 2.831 | ... | 7827 | 142 |
| 8569 | 8592 | Piazzi XVIII. 151 | 8 | 18. 32. 36.42 | 35.50 | 3 | + 2.113 | + 35. 54. 46.09 | 35.23 | 2 | + 2.843 | ... | ... | 151 |
| 8570 | 8593 | Piazzi XVIII. 153 | 7 | 18. 32. 39.36 | 35.36 | 3 | + 1.980 | + 39. 31. 34.81 | 34.61 | 2 | + 2.847 | ... | ... | 153 |
| 8571 | 8594 | Lacaille 7824 | 7 | 18. 33. 1.35 | 38.93 | 3 | + 4.708 | - 51. 1. 47.44 | 38.93 | 3 | + 2.879 | ... | 7824 | ... |
| 8572 | 8595 | Lacaille 7826 | 7.8 | 18. 33. 6.08 | 40.36 | 5 | + 4.563 | - 48. 25. 17.41 | 40.36 | 5 | + 2.886 | ... | 7826 | ... |
| 8573 | 8596 | 2 Aquilae | 5 | 18. 33. 14.45 | 31.57 | 6 | + 3.286 | - 9. 12. 11.73 | 31.70 | 6 | + 2.898 | 2342 | ... | 149 |
| 8574 | 8597 | Lacaille 7830 | 6.7 | 18. 33. 15.97 | 35.61 | 4 | + 4.026 | - 35. 47. 43.97 | 34.73 | 3 | + 2.900 | ... | 7830 | 146 |
| 8575 | 8598 | Piazzi XVIII. 152 | 8 | 18. 33. 22.48 | 36.89 | 3 | + 3.246 | - 7. 29. 16.52 | 37.30 | 4 | + 2.912 | ... | ... | 152 |
| 8576 | 8599 | Lacaille 7829 | 6.7 | 18. 33. 29.31 | 36.07 | 4 | + 4.176 | - 39. 50. 33.19 | 35.66 | 4 | + 2.920 | ... | 7829 | 147 |
| 8577 | 8600 | Piazzi XVIII. 148 | 7 | 18. 33. 31.41 | 39.89 | 4 | + 4.178 | - 39. 53. 57.10 | 39.01 | 6 | + 2.923 | ... | ... | 148 |
| 8578 | 8601 | Piazzi XVIII. 154 | 7.8 | 18. 33. 48.35 | 37.27 | 3 | + 2.789 | + 12. 5. 10.46 | 37.02 | 3 | + 2.947 | ... | ... | 154 |
| 8579 | 8602 | Piazzi XVIII. 156 | 7.8 | 18. 34. 9.58 | 36.85 | 5 | + 2.789 | + 12. 6. 14.22 | 36.78 | 3 | + 2.978 | ... | ... | 156 |
| 8580 | 8603 | Lacaille 7833 | 6.7 | 18. 34. 11.78 | 38.67 | 3 | + 4.662 | - 50. 15. 17.49 | 38.67 | 3 | + 2.980 | ... | 7833 | ... |
| 8581 | 8604 | 3 Aquilae | 5.6 | 18. 34. 32.00 | 32.65 | 4 | + 3.268 | - 8. 25. 51.83 | 33.68 | 5 | + 3.011 | 2343 | ... | 157 |
| 8582 | 8605 | Piazzi XVIII. 158 | 7 | 18. 34. 34.72 | 35.34 | 3 | + 3.270 | - 8. 31. 24.16 | 35.53 | 4 | + 3.015 | ... | ... | 158 |
| 8583 | 8606 | Piazzi XVIII. 160 | 7 | 18. 34. 36.30 | 35.38 | 2 | + 2.031 | + 38. 13. 3.87 | 34.59 | 3 | + 3.017 | ... | ... | 160 |
| 8584 | 8607 | Lacaille 7842 | 6 | 18. 34. 40.87 | 33.68 | 5 | + 3.693 | - 25. 10. 8.88 | 33.72 | 4 | + 3.024 | ... | 7842 | 155 |
| 8585 | 8608 | Lacaille 7835 | 7.8 | 18. 34. 41.80 | 40.60 | 6 | + 4.636 | - 49. 47. 29.55 | 42.56 | 3 | + 3.025 | ... | 7835 | ... |
| 8586 | 8609 | Piazzi XVIII. 165 | 7 | 18. 35. 5.40 | 35.72 | 2 | + 1.368 | + 52. 11. 46.70 | 35.69 | 3 | + 3.059 | ... | ... | 165 |
| 8587 | 8610 | 27 Sagittarii | 4.5 | 18. 35. 20.84 | 32.18 | 8 | + 3.750 | - 27. 9. 8.45 | 31.65 | 5 | + 3.081 | 2344 | 7844 | 159 |
| 8588 | 8611 | Piazzi XVIII. 173 | 7 | 18. 35. 41.38 | 36.90 | 3 | + 0.194 | + 65. 20. 29.72 | 37.52 | 4 | + 3.111 | ... | ... | 173 |
| 8589 | 8612 | Piazzi XVIII. 163 | 7.8 | 18. 35. 56.82 | 36.85 | 3 | + 2.877 | + 8. 28. 0.83 | 37.16 | 3 | + 3.134 | ... | ... | 163 |
| 8590 | 8613 | Piazzi XVIII. 174 | 7 | 18. 36. 3.38 | 38.67 | 3 | + 0.548 | + 62. 22. 38.29 | 37.33 | 2 | + 3.142 | ... | ... | 174 |
| 8591 | 8614 | Piazzi XVIII. 170 | 7 | 18. 36. 5.36 | 35.72 | 2 | + 1.379 | + 52. 2. 35.77 | 34.97 | 4 | + 3.143 | ... | ... | 170 |
| 8592 | 8615 | Lacaille 7846 | 6 | 18. 36. 12.18 | 35.59 | 2 | + 4.203 | - 40. 34. 23.06 | 35.36 | 3 | + 3.155 | ... | 7846 | 161 |
| 8593 | 8616 | Piazzi XVIII. 162 | 7 | 18. 36. 16.62 | 35.69 | 2 | + 3.546 | - 19. 46. 14.52 | 34.93 | 4 | + 3.160 | ... | ... | 162 |
| 8594 | 8617 | 28 Sagittarii | 6 | 18. 36. 23.53 | 33.33 | 8 | + 3.621 | - 22. 33. 25.45 | 33.46 | 5 | + 3.173 | 2345 | ... | 164 |
| 8595 | 8618 | 4 Aquilae | 5.6 | 18. 36. 30.57 | 33.64 | 4 | + 3.028 | + 1. 53. 55.33 | 33.67 | 5 | + 3.181 | 2346 | ... | 167 |
| 8596 | 8619 | Piazzi XVIII. 172 | 7 | 18. 36. 33.59 | 39.65 | 5 | + 2.099 | + 36. 23. 38.90 | 37.76 | 6 | + 3.186 | ... | ... | 172 |
| 8597 | 8620 | Piazzi XVIII. 168 | 8.9 | 18. 36. 47.24 | 37.48 | 1 | + 3.150 | - 3. 23. 41.32 | 37.05 | 4 | + 3.206 | ... | ... | 168 |
| 8598 | 8621 | Pavonis | 5 | 18. 36. 54.55 | 35.53 | 9 | + 5.593 | - 62. 21. 50.68 | 35.18 | 7 | + 3.216 | ... | 7841 | ... |
| 8599 | 8622 | Coronae Australis | 6 | 18. 36. 55.67 | 35.30 | 2 | + 4.340 | - 43. 51. 1.52 | 34.96 | 4 | + 3.219 | ... | 7852 | 166 |
| 8600 | 8623 | Piazzi XVIII. 171 | 7.8 | 18. 37. 11.03 | 36.89 | 3 | + 3.220 | - 6. 25. 4.62 | 37.11 | 3 | + 3.240 | ... | ... | 171 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 8601 | 8624 | Piazzi XVIII. 186..... | 7 | h m s 18. 37. 13'69 | 37'98 | 3 | - 1'055 | + 72. 16. 8'60 | 36'52 | 6 | + 3'242 | ... | ... | 186 |
| 8602 | 8625 | Coronæ Australis7 ² | 6 | 18. 37. 42'36 | 35'32 | 3 | + 4'329 | - 43. 36. 24'66 | 35'59 | 3 | + 3'286 | ... | 7859 | 169 |
| 8603 | 8626 | Piazzi XVIII. 179..... | 7 | 18. 37. 49'22 | 36'64 | 8 | + 2'100 | + 36. 23. 27'86 | 36'70 | 6 | + 3'295 | ... | ... | 179 |
| 8604 | 8627 | 5 Aquilæ | 6'7 | 18. 37. 57'42 | 35'61 | 3 | + 3'098 | - 1. 7. 44'58 | 35'49 | 3 | + 3'307 | 2349 | ... | 176 |
| 8605 | 8628 | Bradley 2347 | 8 | 18. 38. 5'04 | 35'40 | 3 | + 3'564 | - 20. 26. 43'72 | 34'86 | 4 | + 3'319 | 2347 | ... | 175 |
| 8606 | 8629 | Piazzi XVIII. 190..... | 8 | 18. 38. 11'91 | 37'19 | 3 | + 0'411 | + 63. 38. 19'24 | 37'35 | 4 | + 3'328 | ... | ... | 190 |
| 8607 | 8630 | 6 Aquilæ | 5'6 | 18. 38. 25'11 | 32'70 | 4 | + 3'185 | - 4. 55. 3'78 | 33'59 | 5 | + 3'347 | 2350 | ... | 177 |
| 8608 | 8631 | Piazzi XVIII. 182..... | 7 | 18. 38. 30'56 | 37'07 | 3 | + 2'028 | + 38. 22. 3'74 | 36'98 | 4 | + 3'355 | ... | ... | 182 |
| 8609 | 8632 | 110 Herculis | 5 | 18. 38. 33'51 | 31'74 | 6 | + 2'582 | + 20. 23. 38'21 | 31'81 | 5 | + 3'359 | 2351 | ... | 181 |
| 8610 | 8633 | Piazzi XVIII. 199..... | 7 | 18. 38. 48'64 | 36'82 | 6 | - 1'041 | + 72. 13. 50'53 | 37'19 | 4 | + 3'381 | ... | ... | 199 |
| 8611 | 8634 | 4 Lyrae | 5 | 18. 38. 52'52 | 31'61 | 2 | + 1'985 | + 39. 30. 5'75 | 32'07 | 8 | + 3'387 | 2355 | ... | 183 |
| 8612 | 8635 | 5 Lyrae | 5 | 18. 38. 55'01 | 32'33 | 5 | + 1'988 | + 39. 26. 37'69 | 31'63 | 6 | + 3'390 | 2356 | ... | 184 |
| 8613 | 8636 | Piazzi XVIII. 180..... | 8'9 | 18. 39. 4'10 | 37'05 | 3 | + 3'560 | - 20. 19. 41'20 | 35'34 | 4 | + 3'402 | ... | ... | 180 |
| 8614 | 8637 | 6 Lyrae | 5 | 18. 39. 5'53 | 33'51 | 4 | + 2'063 | + 37. 26. 14'00 | 33'22 | 8 | + 3'405 | 2357 | ... | 187 |
| 8615 | 8638 | 7 Lyrae | 6 | 18. 39. 7'25 | 35'57 | 3 | + 2'063 | + 37. 25. 37'19 | 35'73 | 1 | + 3'407 | 2358 | ... | 189 |
| 8616 | 8639 | Piazzi XVIII. 188 | 8 | 18. 39. 8'29 | 37'20 | 3 | + 2'155 | + 34. 50. 25'43 | 37'17 | 3 | + 3'409 | ... | ... | 188 |
| 8617 | 8640 | 46 Draconis | 5 | 18. 39. 26'07 | 33'66 | 5 | + 1'164 | + 55. 22. 26'54 | 33'66 | 6 | + 3'435 | 2360 | ... | 195 |
| 8618 | 8641 | Telescopii | 6 | 18. 39. 33'64 | 38'61 | 3 | + 4'776 | - 52. 17. 16'54 | 38'57 | 2 | + 3'445 | ... | 7867 | ... |
| 8619 | 8642 | Piazzi XVIII. 193 | 6'7 | 18. 39. 34'66 | 36'02 | 4 | + 2'101 | + 36. 23. 50'99 | 35'18 | 3 | + 3'447 | ... | ... | 193 |
| 8620 | 8643 | 111 Heronlis | 5'6 | 18. 39. 44'17 | 33'70 | 5 | + 2'644 | + 18. 0. 12'34 | 33'60 | 4 | + 3'461 | 2354 | ... | 192 |
| 8621 | 8644 | 29 Sagittarii | 6 | 18. 39. 53'17 | 33'71 | 5 | + 3'564 | - 20. 30. 17'24 | 33'72 | 5 | + 3'473 | 2352 | ... | 185 |
| 8622 | 8645 | Piazzi XVIII. 198 | 9'10 | 18. 39. 53'75 | 40'54 | 5 | + 1'128 | + 55. 53. 8'19 | 42'69 | 3 | + 3'474 | ... | ... | 198 |
| 8623 | 8646 | Lacaille 7870 | 7 | 18. 40. 8'42 | 38'61 | 3 | + 4'764 | - 52. 7. 2'92 | 38'57 | 2 | + 3'496 | ... | 7870 | ... |
| 8624 | 8647 | Lacaille 7874 | 8 | 18. 40. 9'31 | 38'57 | 2 | + 4'376 | - 44. 43. 11'50 | 38'56 | 2 | + 3'498 | ... | 7874 | ... |
| 8625 | 8648 | Lacaille 7886 | 7'8 | 18. 40. 21'41 | 36'79 | 3 | + 3'741 | - 26. 57. 3'32 | 37'30 | 3 | + 3'513 | ... | 7886 | 191 |
| 8626 | 8649 | Lacaille 7876 | 6'7 | 18. 40. 32'05 | 39'09 | 2 | + 4'562 | - 48. 32. 44'98 | 39'09 | 2 | + 3'529 | ... | 7876 | ... |
| 8627 | 8650 | Lacaille 7881 | 6'7 | 18. 40. 32'35 | 38'99 | 3 | + 4'253 | - 41. 53. 34'84 | 38'99 | 3 | + 3'529 | ... | 7881 | ... |
| 8628 | 8651 | Piazzi XVIII. 194 | 8 | 18. 40. 44'48 | 37'11 | 3 | + 3'616 | - 22. 26. 53'25 | 37'28 | 3 | + 3'547 | ... | ... | 194 |
| 8629 | 8652 | Piazzi XVIII. 197 | 7 | 18. 40. 51'23 | 37'11 | 2 | + 3'213 | - 6. 5. 33'01 | 36'99 | 2 | + 3'556 | ... | ... | 197 |
| 8630 | 8653 | 30 Sagittarii | 6 | 18. 40. 55'43 | 33'63 | 3 | + 3'613 | - 22. 20. 36'77 | 33'70 | 5 | + 3'561 | 2353 | ... | 196 |
| 8631 | 8654 | Piazzi XVIII. 200 | 8 | 18. 41. 15'35 | 37'58 | 3 | + 2'359 | + 28. 27. 59'41 | 37'19 | 2 | + 3'590 | ... | ... | 200 |
| 8632 | 8655 | Piazzi XVIII. 203 | 6'7 | 18. 41. 41'83 | 35'43 | 3 | + 2'615 | + 19. 8. 55'22 | 35'42 | 2 | + 3'629 | ... | ... | 203 |
| 8633 | 8656 | Lacaille 7888 | 7 | 18. 41. 49'14 | 40'05 | 5 | + 4'643 | - 50. 4. 11'92 | 40'05 | 5 | + 3'639 | ... | 7888 | ... |
| 8634 | 8657 | Piazzi XVIII. 201 | 8 | 18. 41. 53'92 | 37'27 | 3 | + 3'303 | - 9. 57. 32'24 | 37'31 | 3 | + 3'646 | ... | ... | 201 |
| 8635 | 8658 | 31 Sagittarii | 6 | 18. 42. 13'52 | 32'70 | 6 | + 3'606 | - 22. 6. 26'16 | 32'89 | 4 | + 3'673 | 2359 | ... | 202 |
| 8636 | 8659 | Piazzi XVIII. 204 | 8 | 18. 42. 17'04 | 37'17 | 3 | + 3'221 | - 6. 27. 52'88 | 37'11 | 3 | + 3'680 | ... | ... | 204 |
| 8637 | 8660 | Piazzi XVIII. 207 | 7'8 | 18. 42. 19'40 | 37'01 | 3 | + 2'231 | + 32. 35. 51'65 | 37'31 | 2 | + 3'683 | ... | ... | 207 |
| 8638 | 8661 | Piazzi XVIII. 221 | 8 | 18. 42. 22'28 | 37'59 | 2 | - 1'174 | + 72. 47. 47'02 | 37'70 | 2 | + 3'686 | ... | ... | 221 |
| 8639 | 8662 | 7 Aquilæ | 7 | 18. 42. 26'05 | 35'34 | 3 | + 3'151 | - 3. 26. 40'07 | 34'95 | 4 | + 3'693 | 2361 | ... | 205 |
| 8640 | 8663 | Piazzi XVIII. 212 | 7 | 18. 42. 38'32 | 37'35 | 2 | + 0'625 | + 61. 45. 53'72 | 37'35 | 2 | + 3'710 | ... | ... | 212 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A. 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|-----------------------------------|----------------------|----------------|----------------------------------|-------------------------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 8641 | 8664 | Piazzi XVIII. 209 | 8.9 | ^{h m s} 18. 42. 40.99 | 37.18 | 3 | ^s + 2.495 | ^{° ' "} + 23. 42. 45.44 | 37.11 | 2 | ["] + 3.714 | ... | ... | 209 |
| 8642 | 8665 | 8 Aquilæ | 6.7 | 18. 42. 42.18 | 35.33 | 5 | + 3.152 | - 3. 30. 13.19 | 35.42 | 3 | + 3.715 | 2362 | ... | 206 |
| 8643 | 8666 | Piazzi XVIII. 208 | 9 | 18. 43. 15.45 | 37.05 | 3 | + 3.532 | - 19. 18. 37.52 | 37.27 | 3 | + 3.762 | ... | ... | 208 |
| 8644 | 8667 | Piazzi XVIII. 220 | 7 | 18. 43. 32.25 | 35.59 | 3 | + 0.853 | + 59. 22. 48.58 | 34.89 | 4 | + 3.787 | ... | ... | 220 |
| 8645 | 8668 | 8 Lyrae | 7 | 18. 43. 37.25 | 35.83 | 4 | + 2.231 | + 32. 37. 38.31 | 35.41 | 5 | + 3.793 | 2367 | ... | 213 |
| 8646 | 8669 | 9 Lyrae | 6 | 18. 43. 43.19 | 35.57 | 3 | + 2.240 | + 32. 21. 53.11 | 35.56 | 3 | + 3.802 | 2368 | ... | 214 |
| 8647 | 8670 | Pavonis | 6 | 18. 43. 55.32 | 39.05 | 3 | + 5.383 | - 60. 24. 19.98 | 39.05 | 3 | + 3.819 | ... | 7895 | ... |
| 8648 | 8671 | Lacaille 7904 | 7.8 | 18. 43. 57.19 | 39.05 | 3 | + 4.592 | - 49. 11. 26.71 | 39.05 | 3 | + 3.823 | ... | 7904 | ... |
| 8649 | 8672 | 10 Lyrae | 3 | 18. 43. 59.43 | 32.75 | 45 | + 2.214 | + 33. 10. 30.90 | 32.82 | 72 | + 3.826 | 2369 | ... | 215 |
| 8650 | 8673 | Piazzi XVIII. 216 | 8.9 | 18. 44. 1.39 | 37.08 | 3 | + 2.214 | + 33. 9. 50.12 | 36.92 | 4 | + 3.828 | ... | ... | 216 |
| 8651 | 8674 | 33 Sagittarii | 6 | 18. 44. 8.41 | 32.69 | 6 | + 3.590 | - 21. 33. 14.47 | 33.68 | 6 | + 3.839 | 2363 | ... | 210 |
| 8652 | 8675 | Lacaille 7908 | 7 | 18. 44. 11.60 | 40.68 | 6 | + 4.082 | - 37. 35. 5.19 | 40.68 | 6 | + 3.844 | ... | 7908 | ... |
| 8653 | 8676 | 32 Sagittarii | 5 | 18. 44. 12.47 | 31.91 | 8 | + 3.627 | - 22. 56. 24.92 | 31.57 | 5 | + 3.844 | 2364 | 7912 | 211 |
| 8654 | 8677 | Piazzi XVIII. 226 | 7 | 18. 44. 32.24 | 38.03 | 3 | + 0.876 | + 59. 8. 47.20 | 35.14 | 2 | + 3.873 | ... | ... | 226 |
| 8655 | 8678 | Lacaille 7915 | 8 | 18. 44. 58.15 | 36.79 | 3 | + 3.811 | - 29. 24. 46.28 | 36.98 | 5 | + 3.910 | ... | 7915 | 217 |
| 8656 | 8679 | 34 Sagittarii | 3 | 18. 45. 2.06 | 31.61 | 3 | + 3.726 | - 26. 29. 36.07 | 31.67 | 5 | + 3.916 | 2365 | 7918 | 218 |
| 8657 | 8680 | 35 Sagittarii | 5 | 18. 45. 8.64 | 32.19 | 4 | + 3.625 | - 22. 52. 11.77 | 32.12 | 5 | + 3.925 | 2366 | 7920 | 219 |
| 8658 | 8681 | Piazzi XVIII. 229 | 7 | 18. 45. 10.55 | 35.63 | 3 | + 1.026 | + 57. 20. 24.68 | 35.36 | 3 | + 3.927 | ... | ... | 229 |
| 8659 | 8682 | 112 Herouliis | 5.6 | 18. 45. 13.89 | 33.59 | 3 | + 2.563 | + 21. 13. 54.46 | 33.69 | 5 | + 3.933 | 2371 | ... | 224 |
| 8660 | 8683 | Telescopii | 6.7 | 18. 45. 14.97 | 39.00 | 3 | + 4.822 | - 53. 8. 46.55 | 39.00 | 3 | + 3.935 | ... | 7910 | ... |
| 8661 | 8684 | Lacaille 7914 | 6.7 | 18. 45. 19.84 | 38.72 | 2 | + 4.343 | - 44. 7. 10.59 | 38.72 | 2 | + 3.941 | ... | 7914 | ... |
| 8662 | 8685 | Lacaille 7916 | 6 | 18. 45. 28.74 | 36.97 | 7 | + 4.080 | - 37. 32. 43.82 | 37.18 | 6 | + 3.955 | ... | 7916 | 222 |
| 8663 | 8686 | Lacaille 7927 | 6 | 18. 46. 1.26 | 37.19 | 13 | + 3.639 | - 23. 22. 34.62 | 36.42 | 12 | + 4.000 | ... | 7927 | 225 |
| 8664 | 8687 | Brisbane 6535 | 7.8 | 18. 46. 23.20 | 39.59 | 1 | + 4.564 | - 48. 42. 55.32 | 39.59 | 1 | + 4.034 | ... | ... | ... |
| 8665 | 8688 | Piazzi XVIII. 228 | 7 | 18. 46. 34.89 | 39.71 | 2 | + 3.637 | - 23. 20. 58.03 | 34.73 | 1 | + 4.049 | ... | ... | 228 |
| 8666 | 8689 | Lacaille 7917 | 7.8 | 18. 46. 43.15 | 41.16 | 4 | + 4.958 | - 55. 13. 48.08 | 41.16 | 4 | + 4.060 | ... | 7917 | ... |
| 8667 | 8690 | Piazzi XVIII. 235 | 8 | 18. 47. 15.18 | 37.00 | 2 | + 1.829 | + 43. 30. 42.57 | 37.19 | 5 | + 4.106 | ... | ... | 235 |
| 8668 | 8691 | Piazzi XVIII. 234 | 7.8 | 18. 47. 20.55 | 36.99 | 4 | + 2.592 | + 20. 9. 24.51 | 37.01 | 4 | + 4.115 | ... | ... | 234 |
| 8669 | 8692 | Brisbane 6539 | 8 | 18. 47. 20.88 | 39.66 | 2 | + 4.604 | - 49. 29. 8.15 | 39.66 | 2 | + 4.115 | ... | ... | ... |
| 8670 | 8693 | 62 Serpentis | 6 | 18. 47. 25.02 | 33.62 | 3 | + 2.925 | + 6. 24. 53.68 | 33.68 | 5 | + 4.122 | 2374 | ... | 232 |
| 8671 | 8694 | 36 Sagittarii | 6 | 18. 47. 32.19 | 33.00 | 6 | + 3.571 | - 20. 51. 52.37 | 33.72 | 4 | + 4.130 | 2372 | ... | 231 |
| 8672 | 8695 | Coronæ Australis | 6 | 18. 47. 35.39 | 39.09 | 6 | + 4.069 | - 37. 18. 50.99 | 36.54 | 6 | + 4.134 | ... | 7931 | 230 |
| 8673 | 8697 | 113 Herouliis | 5 | 18. 47. 47.19 | 31.65 | 5 | + 2.532 | + 22. 26. 28.47 | 31.69 | 5 | + 4.152 | 2378 | ... | 239 |
| 8674 | 8698 | 37 Sagittarii | 5 | 18. 47. 52.83 | 32.75 | 1 | + 3.582 | - 21. 18. 58.10 | 33.75 | 5 | + 4.160 | 2373 | ... | 233 |
| 8675 | 8699 | 11 Lyrae | 6 | 18. 47. 57.85 | 35.34 | 2 | + 2.095 | + 36. 46. 8.94 | 35.41 | 3 | + 4.167 | 2380 | ... | 243 |
| 8676 | 8700 | Piazzi XVIII. 244 | 8 | 18. 47. 58.13 | 37.10 | 3 | + 1.830 | + 43. 30. 50.15 | 37.32 | 6 | + 4.167 | ... | ... | 244 |
| 8677 | 8701 | 63 Serpentis | 4.5 | 18. 48. 1.08 | 35.37 | 3 | + 2.981 | + 3. 59. 41.82 | 32.77 | 5 | + 4.171 | 2376 | ... | 236 |
| 8678 | 8702 | Bradley 2377 | 5 | 18. 48. 2.51 | 33.70 | 3 | + 2.981 | + 3. 59. 37.34 | 32.72 | 1 | + 4.174 | 2377 | ... | 237 |
| 8679 | 8703 | Piazzi XVIII. 241 | 6.7 | 18. 48. 7.41 | 34.69 | 3 | + 3.020 | + 2. 15. 50.68 | 37.20 | 4 | + 4.182 | ... | ... | 241 |
| 8680 | 8704 | Lacaille 7930 | 7.8 | 18. 48. 10.62 | 39.02 | 3 | + 4.550 | - 48. 29. 59.75 | 39.02 | 3 | + 4.186 | ... | 7930 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|--|------------|-----------------------------------|----------------------|----------------|----------------------------------|-----------------------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 8681 | 8705 | 9 Aquilæ | 5.6 | ^{h m s} 18. 48. 13.62 | 32.71 | 6 | ^s + 3.211 | ^{° ' "} - 6. 3. 12.94 | 33.62 | 1 | ["] + 4.190 | 2375 | ... | 240 |
| 8682 | 8706 | Piazzi XVIII. 238 | 7 | 18. 48. 23.22 | 35.36 | 3 | + 3.564 | - 20. 38. 6.65 | 35.47 | 4 | + 4.204 | ... | ... | 238 |
| 8683 | 8707 | Piazzi XVIII. 242 | 7 | 18. 48. 25.77 | 37.15 | 4 | + 2.979 | + 4. 3. 37.60 | 36.43 | 5 | + 4.208 | ... | ... | 242 |
| 8684 | 8708 | 12 Lyræ..... ^δ ₂ | 5 | 18. 48. 44.56 | 32.83 | 6 | + 2.098 | + 36. 41. 35.92 | 31.57 | 5 | + 4.234 | 2383 | ... | 247 |
| 8685 | 8709 | Piazzi XVIII. 248 | 8.9 | 18. 48. 44.63 | 37.40 | 3 | + 0.880 | + 59. 11. 48.56 | 37.44 | 3 | + 4.235 | ... | ... | 248 |
| 8686 | 8710 | 47 Draconis..... ⁰ | 5 | 18. 48. 45.52 | 33.76 | 1 | + 0.880 | + 59. 11. 21.04 | 33.43 | 7 | + 4.237 | 2386 | ... | 249 |
| 8687 | 8711 | 64 Serpentis | 6 | 18. 48. 58.83 | 36.12 | 3 | + 3.019 | + 2. 19. 30.22 | 33.70 | 5 | + 4.255 | 2379 | ... | 245 |
| 8688 | 8712 | Lacaille 7933 | 8 | 18. 49. 12.16 | 39.92 | 4 | + 5.175 | - 58. 8. 44.03 | 39.00 | 3 | + 4.283 | ... | 7933 | ... |
| 8689 | 8713 | Lacaille 7948 | 8.9 | 18. 49. 38.52 | 36.54 | 2 | + 3.774 | - 28. 16. 4.18 | 37.20 | 4 | + 4.311 | ... | 7948 | 246 |
| 8690 | 8714 | Lacaille 7942 | 7.8 | 18. 49. 51.06 | 39.65 | 5 | + 5.176 | - 58. 11. 10.64 | 39.65 | 5 | + 4.328 | ... | 7942 | ... |
| 8691 | 8715 | Lacaille 7947 | 7 | 18. 49. 54.30 | 40.51 | 4 | + 4.066 | - 37. 16. 48.84 | 39.91 | 3 | + 4.332 | ... | 7947 | ... |
| 8692 | 8716 | 13 Lyræ | 5.6 | 18. 50. 18.76 | 35.70 | 3 | + 1.823 | + 43. 43. 55.58 | 35.61 | 3 | + 4.368 | 2389 | ... | 252 |
| 8693 | 8717 | Piazzi XVIII. 254 | 7 | 18. 50. 25.99 | 35.64 | 3 | + 1.589 | + 48. 39. 21.89 | 34.91 | 4 | + 4.379 | ... | ... | 254 |
| 8694 | 8718 | Brisbane 6559..... | 7 | 18. 50. 41.78 | 38.67 | 2 | + 4.657 | - 50. 32. 32.25 | 38.67 | 2 | + 4.399 | ... | ... | ... |
| 8695 | 8719 | Lacaille 7951 | 7 | 18. 50. 53.22 | 39.56 | 2 | + 4.485 | - 47. 16. 21.39 | 39.55 | 2 | + 4.416 | ... | 7951 | ... |
| 8696 | 8720 | Piazzi XVIII. 251..... | 8 | 18. 50. 59.67 | 37.21 | 4 | + 3.141 | - 3. 3. 17.41 | 36.74 | 4 | + 4.426 | ... | ... | 251 |
| 8697 | 8721 | 10 Aquilæ..... | 6 | 18. 51. 12.52 | 36.34 | 6 | + 2.755 | + 13. 41. 26.14 | 35.97 | 7 | + 4.443 | 2385 | ... | 256 |
| 8698 | 8722 | Piazzi XVIII. 253 | 8 | 18. 51. 24.70 | 37.10 | 4 | + 3.637 | - 23. 27. 7.83 | 37.09 | 2 | + 4.462 | ... | ... | 253 |
| 8699 | 8723 | Coronæ Australis | 5.6 | 18. 51. 25.50 | 39.11 | 6 | + 4.259 | - 42. 19. 14.20 | 38.23 | 7 | + 4.464 | ... | 7958 | 250 |
| 8700 | 8724 | Piazzi XVIII. 273 | 7 | 18. 51. 29.39 | 38.05 | 3 | + 1.637 | + 74. 31. 33.77 | 36.98 | 4 | + 4.469 | ... | ... | 273 |
| 8701 | 8725 | 11 Aquilæ..... | 5.6 | 18. 51. 29.96 | 35.40 | 3 | + 2.761 | + 13. 24. 33.27 | 34.93 | 4 | + 4.469 | 2387 | ... | 258 |
| 8702 | 8726 | 50 Draconis | 6.7 | 18. 51. 38.89 | 35.74 | 3 | - 1.874 | + 75. 14. 8.76 | 35.69 | 3 | + 4.483 | 2404 | ... | 279 |
| 8703 | 8727 | Lacaille 7965 | 6.7 | 18. 51. 40.94 | 33.30 | 8 | + 3.623 | - 22. 55. 13.15 | 34.46 | 7 | + 4.485 | ... | 7965 | 265 |
| 8704 | 8728 | Piazzi XVIII. 259..... | 7.8 | 18. 51. 42.78 | 36.96 | 3 | + 2.725 | + 14. 54. 35.91 | 37.10 | 4 | + 4.487 | ... | ... | 259 |
| 8705 | 8729 | Piazzi XVIII. 264..... | 7 | 18. 51. 52.12 | 35.62 | 2 | + 1.696 | + 46. 33. 8.99 | 35.35 | 3 | + 4.500 | ... | ... | 264 |
| 8706 | 8730 | 38 Sagittarii..... ^ε | 3.4 | 18. 52. 6.65 | 31.58 | 6 | + 3.827 | - 30. 6. 27.89 | 32.03 | 8 | + 4.522 | 2384 | 7966 | 257 |
| 8707 | 8731 | Piazzi XVIII. 260..... | 7 | 18. 52. 7.75 | 33.15 | 5 | + 3.433 | - 15. 30. 29.68 | 33.66 | 5 | + 4.524 | ... | ... | 260 |
| 8708 | 8732 | 13 Aquilæ | 3.4 | 18. 52. 8.16 | 33.72 | 6 | + 2.726 | + 14. 50. 59.10 | 32.40 | 6 | + 4.524 | 2390 | ... | 262 |
| 8709 | 8733 | Lacaille 7968 | 6.7 | 18. 52. 21.68 | 33.67 | 3 | + 3.681 | - 25. 3. 59.89 | 33.69 | 5 | + 4.543 | ... | 7968 | 261 |
| 8710 | 8734 | Piazzi XVIII. 263..... | 8.9 | 18. 52. 26.10 | 37.06 | 3 | + 2.731 | + 14. 41. 21.86 | 37.20 | 4 | + 4.550 | ... | ... | 263 |
| 8711 | 8735 | 14 Lyræ | 3 | 18. 52. 46.43 | 32.72 | 39 | + 2.244 | + 32. 28. 3.35 | 32.70 | 49 | + 4.577 | 2392 | ... | 266 |
| 8712 | 8736 | Piazzi XVIII. 268..... | 7.8 | 18. 52. 49.41 | 35.50 | 3 | + 2.002 | + 39. 25. 19.56 | 35.41 | 3 | + 4.583 | ... | ... | 268 |
| 8713 | 8737 | 12 Aquilæ..... | 5.6 | 18. 52. 52.21 | 33.70 | 3 | + 3.208 | - 5. 57. 52.25 | 33.72 | 3 | + 4.586 | 2391 | ... | 265 |
| 8714 | 8738 | Piazzi XVIII. 270..... | 7 | 18. 52. 57.47 | 35.68 | 2 | + 1.997 | + 39. 33. 25.19 | 34.98 | 4 | + 4.593 | ... | ... | 270 |
| 8715 | 8739 | Piazzi XVIII. 269..... | 7.8 | 18. 52. 59.39 | 35.30 | 2 | + 2.276 | + 31. 27. 29.18 | 34.98 | 4 | + 4.596 | ... | ... | 269 |
| 8716 | 8740 | Telescopii | 6.7 | 18. 53. 15.41 | 38.97 | 3 | + 4.772 | - 52. 34. 23.75 | 39.10 | 2 | + 4.619 | ... | 7963 | ... |
| 8717 | 8741 | 15 Lyræ | 5.6 | 18. 53. 47.21 | 35.35 | 2 | + 2.262 | + 31. 55. 7.75 | 35.42 | 3 | + 4.664 | 2396 | ... | 276 |
| 8718 | 8742 | Lacaille 7976 | 6 | 18. 53. 49.22 | 37.20 | 4 | + 3.862 | - 31. 16. 50.25 | 38.82 | 5 | + 4.667 | ... | 7976 | 267 |
| 8719 | 8743 | Piazzi XVIII. 271..... | 6.7 | 18. 53. 52.71 | 35.32 | 3 | + 2.622 | + 19. 4. 54.12 | 35.56 | 3 | + 4.672 | ... | ... | 271 |
| 8720 | 8744 | 48 Draconis | 6 | 18. 53. 57.11 | 32.35 | 3 | + 1.023 | + 57. 35. 53.77 | 32.56 | 6 | + 4.678 | 2400 | ... | 281 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 8721 | 8745 | Lacaille 7970 | 7 | 18. 54. 10.57 | 39.02 | 3 | + 4.653 | - 50. 33. 42.51 | 39.02 | 3 | + 4.698 | ... | 7970 | ... |
| 8722 | 8746 | 14 Aquilæg | 7 | 18. 54. 13.20 | 33.71 | 3 | + 3.161 | - 3. 55. 54.58 | 33.72 | 5 | + 4.701 | 2394 | ... | 272 |
| 8723 | 8747 | Piazzi XVIII. 274 | 8 | 18. 54. 14.94 | 36.84 | 6 | + 3.093 | - 0. 56. 14.81 | 37.10 | 5 | + 4.703 | ... | ... | 274 |
| 8724 | 8748 | Piazzi XVIII. 275 | 8 | 18. 54. 15.95 | 37.29 | 2 | + 3.093 | - 0. 56. 35.07 | 37.38 | 3 | + 4.704 | ... | ... | 275 |
| 8725 | 8749 | Lacaille 7973 | 7 | 18. 54. 28.88 | 38.75 | 2 | + 4.543 | - 48. 32. 20.80 | 38.73 | 3 | + 4.724 | ... | 7973 | ... |
| 8726 | 8750 | Piazzi XVIII. 283 | 7 | 18. 54. 40.95 | 35.70 | 3 | + 2.065 | + 37. 46. 2.97 | 35.69 | 3 | + 4.740 | ... | ... | 283 |
| 8727 | 8751 | Piazzi XVIII. 277 | 8.9 | 18. 54. 42.72 | 37.13 | 3 | + 3.679 | - 25. 3. 9.15 | 37.23 | 4 | + 4.743 | ... | ... | 277 |
| 8728 | 8752 | Piazzi XVIII. 287 | 6 | 18. 54. 44.96 | 35.71 | 2 | + 0.993 | + 57. 59. 58.89 | 35.58 | 3 | + 4.746 | ... | ... | 287 |
| 8729 | 8753 | Piazzi XVIII. 285 | 8.9 | 18. 54. 46.04 | 37.43 | 3 | + 1.692 | + 46. 43. 38.00 | 37.46 | 4 | + 4.747 | ... | ... | 285 |
| 8730 | 8754 | 39 Sagittariio | 4.5 | 18. 54. 47.64 | 33.74 | 10 | + 3.596 | - 21. 58. 32.23 | 34.05 | 7 | + 4.749 | 2393 | ... | 278 |
| 8731 | 8755 | Brisbane 6572..... | 8.9 | 18. 55. 7.84 | 39.67 | 3 | + 5.511 | - 61. 57. 56.34 | 39.67 | 3 | + 4.779 | ... | ... | ... |
| 8732 | 8756 | Lacaille 7974 | 6.7 | 18. 55. 11.34 | 39.95 | 4 | + 4.994 | - 55. 57. 39.69 | 39.95 | 4 | + 4.784 | ... | 7974 | ... |
| 8733 | 8757 | Coronæ Australisγ | 5 | 18. 55. 15.78 | 36.32 | 5 | + 4.061 | - 37. 17. 29.44 | 34.64 | 7 | + 4.789 | ... | 7988 | 280 |
| 8734 | 8758 | Piazzi XVIII. 284 | 8.9 | 18. 55. 29.12 | 37.21 | 3 | + 3.095 | - 1. 1. 50.86 | 37.11 | 4 | + 4.809 | ... | ... | 284 |
| 8735 | 8759 | Piazzi XVIII. 282 | 7 | 18. 55. 32.19 | 35.36 | 3 | + 3.675 | - 24. 54. 53.63 | 35.36 | 3 | + 4.812 | ... | ... | 282 |
| 8736 | 8760 | Piazzi XVIII. 290 | 6.7 | 18. 55. 42.58 | 35.69 | 2 | + 2.217 | + 33. 23. 19.60 | 34.58 | 3 | + 4.827 | ... | ... | 290 |
| 8737 | 8761 | Piazzi XVIII. 288 | 8 | 18. 55. 53.48 | 37.45 | 3 | + 2.863 | + 9. 7. 58.53 | 37.08 | 4 | + 4.843 | ... | ... | 288 |
| 8738 | 8762 | Lacaille 7991 | 8 | 18. 56. 2.12 | 37.40 | 3 | + 3.748 | - 27. 31. 45.49 | 36.89 | 3 | + 4.855 | ... | 7991 | 286 |
| 8739 | 8763 | 15 Aquilæh | 6 | 18. 56. 15.12 | 33.61 | 3 | + 3.169 | - 4. 16. 13.95 | 33.65 | 6 | + 4.873 | 2399 | ... | 289 |
| 8740 | 8764 | 52 Draconisv | 5 | 18. 56. 22.81 | 33.62 | 1 | - 0.711 | + 71. 4. 30.42 | 32.73 | 5 | + 4.883 | 2411 | ... | 308 |
| 8741 | 8765 | Piazzi XVIII. 296 | 8.9 | 18. 56. 28.00 | 37.55 | 3 | + 2.074 | + 37. 34. 34.72 | 37.05 | 3 | + 4.892 | ... | ... | 296 |
| 8742 | 8766 | 40 Sagittariiτ | 4 | 18. 56. 38.21 | 33.10 | 4 | + 3.758 | - 27. 54. 13.37 | 32.07 | 5 | + 4.906 | 2397 | 7994 | 292 |
| 8743 | 8767 | Piazzi XVIII. 295 | 7 | 18. 56. 44.47 | 35.57 | 3 | + 3.099 | - 1. 10. 37.64 | 35.41 | 4 | + 4.916 | ... | ... | 295 |
| 8744 | 8768 | 16 Lyreδ | 5.6 | 18. 56. 46.22 | 36.50 | 6 | + 1.696 | + 46. 42. 13.87 | 34.93 | 3 | + 4.917 | ... | ... | 299 |
| 8745 | 8769 | Coronæ Australisδ | 5 | 18. 56. 51.12 | 31.64 | 2 | + 4.189 | - 40. 44. 38.38 | 33.73 | 5 | + 4.924 | ... | 7992 | 291 |
| 8746 | 8770 | Piazzi XVIII. 294 | 6.7 | 18. 57. 2.73 | 32.71 | 6 | + 3.616 | - 22. 44. 36.30 | 33.76 | 1 | + 4.941 | ... | ... | 294 |
| 8747 | 8771 | Lacaille 7996 | 7 | 18. 57. 7.40 | 36.69 | 8 | + 3.787 | - 28. 52. 59.69 | 39.69 | 6 | + 4.947 | ... | 7996 | 293 |
| 8748 | 8772 | Piazzi XVIII. 297 | 7 | 18. 57. 17.47 | 36.89 | 3 | + 2.858 | + 9. 23. 57.95 | 37.52 | 4 | + 4.963 | ... | ... | 297 |
| 8749 | 8773 | 49 Draconisδ | 6.7 | 18. 57. 27.39 | 35.52 | 3 | + 1.193 | + 55. 25. 24.07 | 35.41 | 3 | + 4.976 | 2408 | ... | 307 |
| 8750 | 8774 | 16 Aquilæλ | 3 | 18. 57. 29.66 | 33.55 | 10 | + 3.188 | - 5. 7. 24.63 | 34.74 | 9 | + 4.980 | 2401 | ... | 298 |
| 8751 | 8775 | Piazzi XVIII. 302 | 6.7 | 18. 57. 44.82 | 35.45 | 3 | + 2.929 | + 6. 18. 18.60 | 35.34 | 3 | + 5.000 | ... | ... | 302 |
| 8752 | 8776 | 17 Aquilæζ | 3 | 18. 57. 49.75 | 32.60 | 43 | + 2.758 | + 13. 37. 26.06 | 32.58 | 68 | + 5.008 | 2405 | ... | 303 |
| 8753 | 8777 | Piazzi XVIII. 304 | 8 | 18. 57. 54.29 | 37.08 | 4 | + 2.855 | + 9. 31. 36.44 | 37.58 | 3 | + 5.014 | ... | ... | 304 |
| 8754 | 8778 | Lacaille 8009 | 7 | 18. 58. 9.48 | 37.32 | 5 | + 3.673 | - 24. 54. 26.15 | 38.94 | 4 | + 5.036 | ... | 8009 | 301 |
| 8755 | 8779 | Coronæ Australisα | 5 | 18. 58. 14.41 | 34.97 | 7 | + 4.089 | - 38. 9. 9.80 | 34.55 | 8 | + 5.043 | ... | 8002 | 300 |
| 8756 | 8780 | Piazzi XVIII. 306 | 7 | 18. 58. 28.67 | 35.46 | 3 | + 3.189 | - 5. 8. 51.46 | 35.14 | 2 | + 5.063 | ... | ... | 306 |
| 8757 | 8781 | Bradley 2402 | 6.7 | 18. 58. 35.04 | 35.49 | 4 | + 3.531 | - 19. 32. 29.68 | 39.62 | 5 | + 5.072 | 2402 | ... | ... |
| 8758 | 8782 | Piazzi XVIII. 309 | 7 | 18. 58. 36.63 | 37.13 | 4 | + 2.310 | + 30. 29. 22.98 | 37.03 | 3 | + 5.074 | ... | ... | 309 |
| 8759 | 8783 | Coronæ Australisβ | 5 | 18. 58. 39.94 | 31.91 | 2 | + 4.142 | - 39. 35. 39.80 | 32.65 | 6 | + 5.079 | ... | 8007 | 305 |
| 8760 | 8784 | Piazzi XVIII. 311 | 7.8 | 18. 58. 43.18 | 40.91 | 3 | + 2.066 | + 37. 51. 46.05 | 39.63 | 5 | + 5.083 | ... | ... | 311 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-------------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 8761 | 8785 | Piazzi XVIII. 317 | 8 | h m s 18. 59. 11'77 | 37'65 | 2 | + 2'044 | + 38. 29. 45'81 | 37'42 | 2 | + 5'124 | ... | ... | 317 |
| 8762 | 8786 | 18 Aquilæ | 5'6 | 18. 59. 12'79 | 33'74 | 3 | + 2'825 | + 10. 49. 21'76 | 33'54 | 5 | + 5'125 | 2407 | ... | 312 |
| 8763 | 8787 | Piazzi XVIII. 314 | 7'8 | 18. 59. 22'04 | 37'17 | 3 | + 2'938 | + 5. 54. 39'83 | 36'74 | 2 | + 5'137 | ... | ... | 314 |
| 8764 | 8788 | Piazzi XVIII. 313 | 8'9 | 18. 59. 27'35 | 37'08 | 3 | + 3'198 | - 5. 35. 5'90 | 36'70 | 2 | + 5'145 | ... | ... | 313 |
| 8765 | 8789 | Lacaille 8017 | 8 | 18. 59. 28'15 | 36'79 | 3 | + 3'741 | - 27. 22. 7'51 | 37'41 | 2 | + 5'146 | ... | 8017 | 310 |
| 8766 | 8790 | Piazzi XVIII. 319 ... | 8'9 | 18. 59. 39'75 | 37'70 | 1 | + 1'606 | + 48. 37. 13'23 | 37'10 | 3 | + 5'163 | ... | ... | 319 |
| 8767 | 8791 | 41 Sagittarii | 4'5 | 18. 59. 56'99 | 32'69 | 5 | + 3'575 | - 21. 16. 41'84 | 31'67 | 5 | + 5'187 | 2406 | ... | 315 |
| 8768 | 8792 | Lacaille 8012 | 7 | 19. 0. 1'13 | 39'08 | 5 | + 4'653 | - 50. 44. 51'28 | 39'19 | 4 | + 5'192 | ... | 8012 | ... |
| 8769 | 8793 | Piazzi XVIII. 316 | 7 | 19. 0. 4'24 | 38'71 | 5 | + 3'544 | - 20. 3. 24'64 | 36'67 | 8 | + 5'196 | ... | ... | 316 |
| 8770 | 8794 | Piazzi XVIII. 318 | 6 | 19. 0. 4'89 | 35'34 | 3 | + 2'375 | + 28. 22. 25'55 | 34'83 | 4 | + 5'197 | ... | ... | 318 |
| 8771 | 8795 | Piazzi XVIII. 320 | 7'8 | 19. 0. 15'67 | 40'16 | 4 | + 2'597 | + 20. 10. 49'74 | 38'84 | 6 | + 5'213 | ... | ... | 320 |
| 8772 | 8796 | Piazzi XVIII. 325 | 7 | 19. 0. 23'27 | 35'66 | 2 | + 1'285 | + 54. 8. 37'97 | 35'06 | 3 | + 5'224 | ... | ... | 325 |
| 8773 | 8797 | Lacaille 8011 | 7'8 | 19. 0. 40'36 | 38'74 | 2 | + 5'159 | - 58. 15. 50'34 | 38'73 | 3 | + 5'248 | ... | 8011 | ... |
| 8774 | 8798 | Piazzi XVIII. 322 | 8 | 19. 0. 53'69 | 37'45 | 3 | + 2'865 | + 9. 6. 37'87 | 37'34 | 2 | + 5'268 | ... | ... | 322 |
| 8775 | 8799 | Piazzi XVIII. 328 | 6'7 | 19. 0. 53'85 | 35'73 | 3 | + 1'552 | + 49. 40. 24'07 | 35'42 | 3 | + 5'268 | ... | ... | 328 |
| 8776 | 8800 | Piazzi XIX. 6 | 7'8 | 19. 0. 54'00 | 37'70 | 2 | + 0'598 | + 62. 27. 37'23 | 37'52 | 2 | + 5'268 | ... | ... | 6 |
| 8777 | 8801 | 19 Aquilæ | 6 | 19. 0. 55'22 | 33'66 | 3 | + 2'941 | + 5. 49. 11'98 | 33'69 | 6 | + 5'270 | 2410 | ... | 321 |
| 8778 | 8802 | Piazzi XVIII. 326 | 7'8 | 19. 0. 55'99 | 42'71 | 2 | + 2'139 | + 35. 52. 32'44 | 37'18 | 4 | + 5'272 | ... | ... | 326 |
| 8779 | 8803 | Piazzi XVIII. 323 | 7 | 19. 1. 8'59 | 35'49 | 3 | + 3'243 | - 7. 32. 2'69 | 35'41 | 3 | + 5'289 | ... | ... | 323 |
| 8780 | 8804 | 17 Lyreæ | 7 | 19. 1. 11'28 | 35'68 | 2 | + 2'258 | + 32. 14. 46'51 | 34'98 | 4 | + 5'292 | 2413 | ... | 327 |
| 8781 | 8805 | 51 Draconis | 6'7 | 19. 1. 12'42 | 35'74 | 3 | + 1'351 | + 53. 8. 43'18 | 35'06 | 5 | + 5'293 | 2416 | ... | 3 |
| 8782 | 8806 | 18 Lyreæ | 6 | 19. 1. 24'88 | 37'39 | 4 | + 2'140 | + 35. 50. 44'46 | 39'03 | 6 | + 5'311 | 2414 | ... | 2 |
| 8783 | 8807 | Piazzi XVIII. 324 | 7'8 | 19. 1. 33'43 | 37'52 | 2 | + 3'557 | - 20. 36. 33'32 | 37'17 | 4 | + 5'324 | ... | ... | 324 |
| 8784 | 8808 | Piazzi XIX. 8 | 7'8 | 19. 2. 10'57 | 35'45 | 3 | + 2'041 | + 38. 40. 15'09 | 35'62 | 3 | + 5'377 | ... | ... | 8 |
| 8785 | 8809 | Piazzi XIX. 5 | 7 | 19. 2. 32'02 | 32'72 | 6 | + 3'413 | - 14. 51. 2'64 | 33'13 | 5 | + 5'406 | ... | ... | 5 |
| 8786 | 8810 | Piazzi XIX. 4 | 6 | 19. 2. 36'36 | 33'68 | 5 | + 3'590 | - 21. 55. 28'10 | 33'67 | 5 | + 5'412 | ... | ... | 4 |
| 8787 | 8811 | Piazzi XIX. 11 | 8 | 19. 2. 37'43 | 37'25 | 3 | + 2'033 | + 38. 53. 43'51 | 37'12 | 5 | + 5'414 | ... | ... | 11 |
| 8788 | 8812 | Lacaille 8029 | 7 | 19. 2. 38'54 | 35'38 | 2 | + 4'381 | - 45. 27. 47'15 | 34'97 | 4 | + 5'416 | ... | 8029 | 1 |
| 8789 | 8813 | Piazzi XIX. 13 | 7 | 19. 2. 50'58 | 37'15 | 2 | + 2'079 | + 37. 39. 4'42 | 37'54 | 3 | + 5'432 | ... | ... | 13 |
| 8790 | 8814 | Piazzi XIX. 14 | 7'8 | 19. 3. 0'21 | 37'37 | 3 | + 2'320 | + 30. 18. 15'16 | 37'03 | 3 | + 5'445 | ... | ... | 14 |
| 8791 | 8815 | Piazzi XIX. 9 | 8'9 | 19. 3. 0'22 | 39'39 | 5 | + 2'896 | + 7. 47. 51'29 | 36'53 | 4 | + 5'446 | ... | ... | 9 |
| 8792 | 8816 | Lacaille 8033 | 6'7 | 19. 3. 3'64 | 33'69 | 4 | + 3'705 | - 26. 10. 31'32 | 33'13 | 6 | + 5'450 | ... | 8033 | 7 |
| 8793 | 8817 | Piazzi XIX. 17 | 7 | 19. 3. 15'98 | 35'57 | 3 | + 1'476 | + 51. 7. 18'83 | 35'66 | 2 | + 5'467 | ... | ... | 17 |
| 8794 | 8818 | Piazzi XIX. 10 | 8'9 | 19. 3. 22'82 | 36'95 | 2 | + 3'561 | - 20. 41. 27'81 | 37'25 | 4 | + 5'478 | ... | ... | 10 |
| 8795 | 8819 | 20 Aquilæ | 5 | 19. 3. 43'86 | 31'71 | 6 | + 3'257 | - 8. 12. 30'64 | 31'79 | 6 | + 5'507 | 2415 | ... | 16 |
| 8796 | 8820 | Piazzi XIX. 12 | 8 | 19. 3. 44'24 | 37'12 | 3 | + 3'613 | - 22. 50. 14'66 | 37'52 | 4 | + 5'507 | ... | ... | 12 |
| 8797 | 8822 | Piazzi XIX. 19 | 7 | 19. 4. 2'29 | 35'40 | 3 | + 2'084 | + 37. 31. 52'59 | 34'85 | 4 | + 5'532 | ... | ... | 19 |
| 8798 | 8823 | Lacaille 8037 | 6 | 19. 4. 20'21 | 37'36 | 7 | + 4'391 | - 45. 44. 39'30 | 36'90 | 8 | + 5'558 | ... | 8037 | 15 |
| 8799 | 8824 | Piazzi XIX. 18 | 8'9 | 19. 4. 46'91 | 37'08 | 3 | + 3'494 | - 18. 10. 29'98 | 37'23 | 4 | + 5'595 | ... | ... | 18 |
| 8800 | 8825 | Bradley 2440 | 7 | 19. 4. 48'18 | 35'71 | 2 | - 2'408 | + 76. 48. 42'24 | 34'97 | 4 | + 5'596 | 2440 | ... | 38 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{ccxxiii}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|----------------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 8801 | 8826 | Piazzi XIX. 23 | 8 | ^{h m s} 19. 4. 48.99 | 37.51 | 2 | + 2.433 | + 26. 28. 5.02 | 37.26 | 4 | + 5.597 | ... | ... | 23 |
| 8802 | 8821 | Lacaille 8035 | 6 | 19. 5. 1.09 | 40.96 | 7 | + 5.006 | - 56. 25. 38.24 | 40.96 | 7 | + 5.614 | ... | 8035 | ... |
| 8803 | 8827 | Piazzi XIX. 26 | 7.8 | 19. 5. 4.77 | 41.72 | 3 | + 2.342 | + 29. 37. 13.01 | 39.24 | 7 | + 5.620 | ... | ... | 26 |
| 8804 | 8828 | Piazzi XIX. 27 | 7.8 | 19. 5. 14.41 | 35.59 | 2 | + 2.036 | + 38. 54. 2.37 | 34.61 | 2 | + 5.634 | ... | ... | 27 |
| 8805 | 8829 | Piazzi XIX. 20 | 7.8 | 19. 5. 17.29 | 35.36 | 3 | + 3.479 | - 17. 37. 23.66 | 35.42 | 3 | + 5.638 | ... | ... | 20 |
| 8806 | 8830 | 21 Aquilæ..... | 6 | 19. 5. 23.55 | 32.72 | 5 | + 3.027 | + 2. 1. 9.51 | 32.73 | 5 | + 5.647 | 2419 | ... | 24 |
| 8807 | 8831 | 42 Sagittarii..... | 6 | 19. 5. 25.20 | 32.86 | 8 | + 3.685 | - 25. 31. 58.74 | 32.72 | 7 | + 5.648 | 2418 | 8052 | 21 |
| 8808 | 8832 | Lacaille 8054 | 6.7 | 19. 5. 29.90 | 33.52 | 6 | + 3.655 | - 24. 27. 12.39 | 33.62 | 4 | + 5.655 | ... | 8054 | 22 |
| 8809 | 8833 | Piazzi XIX. 25 | 8 | 19. 5. 43.12 | 37.31 | 2 | + 3.540 | - 20. 3. 52.04 | 37.03 | 4 | + 5.673 | ... | ... | 25 |
| 8810 | 8834 | Piazzi XIX. 29 | 7 | 19. 6. 11.27 | 37.26 | 3 | + 2.904 | + 7. 29. 13.63 | 37.59 | 3 | + 5.713 | ... | ... | 29 |
| 8811 | 8835 | Piazzi XIX. 28 | 7.8 | 19. 6. 19.28 | 37.51 | 2 | + 3.418 | - 15. 7. 4.00 | 37.03 | 3 | + 5.723 | ... | ... | 28 |
| 8812 | 8836 | Piazzi XIX. 30 | 7.8 | 19. 6. 25.27 | 35.47 | 3 | + 2.029 | + 39. 8. 47.78 | 35.34 | 3 | + 5.732 | ... | ... | 30 |
| 8813 | 8837 | Lacaille 8050 | 8 | 19. 6. 45.30 | 38.60 | 2 | + 4.703 | - 51. 51. 34.38 | 38.63 | 3 | + 5.760 | ... | 8050 | ... |
| 8814 | 8838 | Piazzi XIX. 37 | 7.8 | 19. 6. 55.07 | 35.59 | 3 | + 1.486 | + 51. 5. 24.72 | 35.42 | 3 | + 5.775 | ... | ... | 37 |
| 8815 | 8839 | Piazzi XIX. 31 | 8 | 19. 6. 55.82 | 37.31 | 3 | + 2.869 | + 9. 2. 22.23 | 36.91 | 3 | + 5.776 | ... | ... | 31 |
| 8816 | 8840 | Piazzi XIX. 32 | 8.9 | 19. 7. 26.76 | 36.91 | 3 | + 3.572 | - 21. 21. 25.66 | 37.69 | 3 | + 5.819 | ... | ... | 32 |
| 8817 | 8841 | Piazzi XIX. 34 | 9 | 19. 7. 38.82 | 37.09 | 2 | + 3.138 | - 2. 56. 58.33 | 37.45 | 3 | + 5.835 | ... | ... | 34 |
| 8818 | 8842 | Piazzi XIX. 33 | 7 | 19. 7. 42.44 | 37.11 | 4 | + 3.326 | - 11. 15. 26.08 | 37.04 | 3 | + 5.840 | ... | ... | 33 |
| 8819 | 8843 | 43 Sagittarii | 5 | 19. 7. 58.85 | 31.59 | 8 | + 3.518 | - 19. 14. 21.80 | 31.67 | 5 | + 5.863 | 2423 | ... | 35 |
| 8820 | 8844 | 20 Lyre..... | 5 | 19. 8. 8.00 | 31.67 | 4 | + 2.042 | + 38. 51. 58.94 | 31.81 | 6 | + 5.876 | 2427 | ... | 45 |
| 8821 | 8845 | Bradley 2425 | 6 | 19. 8. 10.91 | 33.65 | 5 | + 2.583 | + 20. 56. 55.14 | 33.42 | 5 | + 5.880 | 2425 | ... | 42 |
| 8822 | 8846 | Piazzi XIX. 40 | 9.10 | 19. 8. 13.70 | 39.32 | 5 | + 2.868 | + 9. 2. 33.30 | 37.50 | 4 | + 5.884 | ... | ... | 40 |
| 8823 | 8847 | Lacaille 8061 | 7 | 19. 8. 18.59 | 35.44 | 3 | + 4.042 | - 37. 11. 3.40 | 35.00 | 3 | + 5.890 | ... | 8061 | 36 |
| 8824 | 8848 | 22 Aquilæ | 6 | 19. 8. 21.12 | 34.41 | 6 | + 2.970 | + 4. 32. 59.55 | 33.66 | 5 | + 5.893 | 2424 | ... | 41 |
| 8825 | 8849 | Piazzi XIX. 44 | 7.8 | 19. 8. 31.45 | 37.31 | 3 | + 2.931 | + 6. 18. 39.44 | 37.65 | 2 | + 5.909 | ... | ... | 44 |
| 8826 | 8850 | Piazzi XIX. 39 | 7 | 19. 8. 32.08 | 35.43 | 3 | + 3.516 | - 19. 9. 9.18 | 35.41 | 3 | + 5.909 | ... | ... | 39 |
| 8827 | 8851 | 53 Draconis | 5 | 19. 8. 32.40 | 31.71 | 5 | + 1.135 | + 56. 34. 51.13 | 32.11 | 5 | + 5.910 | 2433 | ... | 52 |
| 8828 | 8852 | Piazzi XIX. 46 | 8 | 19. 8. 45.63 | 39.24 | 3 | + 3.067 | + 0. 12. 37.88 | 37.68 | 2 | + 5.928 | ... | ... | 46 |
| 8829 | 8853 | Piazzi XIX. 43 | 7.8 | 19. 8. 51.61 | 37.33 | 3 | + 3.511 | - 18. 59. 14.56 | 37.44 | 3 | + 5.935 | ... | ... | 43 |
| 8830 | 8854 | Piazzi XIX. 47 | 8 | 19. 9. 1.77 | 37.34 | 2 | + 3.337 | - 11. 44. 12.85 | 37.66 | 2 | + 5.951 | ... | ... | 47 |
| 8831 | 8856 | 55 Draconis | 7 | 19. 9. 7.59 | 35.57 | 3 | + 0.244 | + 65. 42. 11.52 | 35.41 | 3 | + 5.960 | 2443 | ... | 63 |
| 8832 | 8855 | 1 Vulpeculæ | 5 | 19. 9. 7.61 | 31.63 | 6 | + 2.579 | + 21. 6. 14.17 | 32.50 | 6 | + 5.960 | 2428 | ... | 51 |
| 8833 | 8857 | Piazzi XIX. 49 | 10 | 19. 9. 10.14 | 39.36 | 3 | + 2.869 | + 9. 3. 3.84 | 42.68 | 1 | + 5.962 | ... | ... | 49 |
| 8834 | 8858 | Piazzi XIX. 81 | 7.8 | 19. 9. 20.41 | 37.45 | 4 | - 2.647 | + 77. 25. 0.04 | 34.95 | 4 | + 5.976 | ... | ... | 81 |
| 8835 | 8859 | Lacaille 8062 | 6 | 19. 9. 30.99 | 39.45 | 5 | + 4.875 | - 54. 43. 14.77 | 39.45 | 5 | + 5.991 | ... | 8062 | ... |
| 8836 | 8860 | Lacaille 8070 | 7.8 | 19. 9. 31.73 | 37.49 | 2 | + 4.107 | - 39. 2. 30.62 | 37.60 | 2 | + 5.993 | ... | 8070 | 48 |
| 8837 | 8861 | Piazzi XIX. 50 | 6 | 19. 9. 35.46 | 37.37 | 8 | + 3.433 | - 15. 49. 0.43 | 36.88 | 8 | + 5.998 | ... | ... | 50 |
| 8838 | 8862 | Lacaille 8068 | 7 | 19. 9. 48.84 | 38.62 | 3 | + 4.678 | - 51. 31. 53.35 | 38.62 | 3 | + 6.016 | ... | 8068 | ... |
| 8839 | 8863 | Piazzi XIX. 53 | 8 | 19. 9. 51.34 | 37.25 | 3 | + 3.325 | - 11. 13. 20.32 | 37.44 | 3 | + 6.019 | ... | ... | 53 |
| 8840 | 8864 | 25 Aquilæ | 5 | 19. 10. 4.43 | 32.35 | 6 | + 2.817 | + 11. 18. 12.49 | 31.70 | 5 | + 6.039 | 2432 | ... | 57 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 8841 | 8865 | Bradley 2429 | 6.7 | h m s 19. 10. 4.96 | 38.15 | 6 | + 3.069 | + 0. 7. 44.03 | 34.83 | 4 | + 0.039 | 2429 | ... | 55 |
| 8842 | 8866 | 23 Aquilæ | 6 | 19. 10. 8.85 | 33.64 | 3 | + 3.055 | + 0. 47. 27.63 | 33.69 | 5 | + 0.043 | 2430 | ... | 56 |
| 8843 | 8867 | Piazzi XIX. 58 | 7 | 19. 10. 14.07 | 37.08 | 3 | + 2.965 | + 4. 50. 16.34 | 37.06 | 3 | + 0.052 | ... | ... | 58 |
| 8844 | 8868 | Lacaille 8069 | 7.8 | 19. 10. 22.20 | 38.64 | 3 | + 4.842 | - 54. 14. 56.96 | 38.64 | 3 | + 0.063 | ... | 8069 | ... |
| 8845 | 8869 | 24 Aquilæ | 6 | 19. 10. 24.39 | 36.51 | 7 | + 3.071 | + 0. 2. 39.11 | 36.16 | 7 | + 0.066 | 2431 | ... | 60 |
| 8846 | 8870 | 21 Lyrae | 5 | 19. 10. 38.32 | 33.77 | 3 | + 2.082 | + 37. 50. 37.60 | 32.70 | 7 | + 0.085 | 2438 | ... | 65 |
| 8847 | 8871 | Lacaille 8080 | 7.8 | 19. 10. 39.79 | 38.27 | 4 | + 3.653 | - 24. 30. 10.22 | 38.50 | 4 | + 0.087 | ... | 8080 | 50 |
| 8848 | 8872 | Piazzi XIX. 61 | 6 | 19. 10. 44.94 | 36.85 | 6 | + 3.605 | - 22. 42. 8.47 | 37.13 | 7 | + 0.094 | ... | ... | 61 |
| 8849 | 8873 | Sagittarii | 4 | 19. 10. 45.51 | 33.78 | 3 | + 4.335 | - 44. 45. 35.63 | 31.61 | 5 | + 0.095 | ... | 8075 | 54 |
| 8850 | 8875 | Lacaille 8071 | 7.8 | 19. 10. 50.75 | 38.64 | 2 | + 4.974 | - 56. 11. 36.43 | 38.61 | 2 | + 0.101 | ... | 8071 | ... |
| 8851 | 8876 | 54 Draconis | 5 | 19. 10. 58.22 | 32.76 | 2 | + 1.079 | + 57. 25. 21.44 | 33.02 | 4 | + 0.112 | 2444 | ... | 74 |
| 8852 | 8877 | Piazzi XIX. 64 | 6.7 | 19. 11. 0.86 | 35.41 | 3 | + 2.863 | + 9. 19. 29.90 | 34.91 | 4 | + 0.116 | ... | ... | 64 |
| 8853 | 8878 | Sagittarii | 4 | 19. 11. 17.02 | 41.06 | 3 | + 4.350 | - 45. 6. 3.83 | 35.34 | 3 | + 0.139 | ... | 8079 | 62 |
| 8854 | 8879 | 26 Aquilæ | 6 | 19. 11. 44.45 | 33.79 | 3 | + 3.199 | - 5. 43. 3.35 | 33.60 | 3 | + 0.176 | 2435 | ... | 66 |
| 8855 | 8880 | Piazzi XIX. 67 | 7 | 19. 11. 56.66 | 41.03 | 3 | + 3.523 | - 19. 32. 10.90 | 36.24 | 7 | + 0.194 | ... | ... | 67 |
| 8856 | 8881 | 28 Aquilæ | 6 | 19. 11. 57.36 | 37.73 | 1 | + 2.800 | + 12. 4. 31.78 | 33.75 | 5 | + 0.195 | 2441 | ... | 73 |
| 8857 | 8882 | Piazzi XIX. 78 | 7.8 | 19. 11. 59.71 | 37.35 | 3 | + 2.348 | + 29. 39. 37.96 | 37.02 | 2 | + 0.198 | ... | ... | 78 |
| 8858 | 8883 | 27 Aquilæ | 6 | 19. 12. 4.72 | 40.21 | 2 | + 3.098 | - 1. 11. 34.88 | 42.68 | 1 | + 0.205 | 2439 | ... | 72 |
| 8859 | 8884 | 44 Sagittarii | 5 | 19. 12. 6.04 | 34.85 | 12 | + 3.489 | - 18. 9. 2.15 | 40.69 | 4 | + 0.206 | 2434 | ... | 69 |
| 8860 | 8885 | Piazzi XIX. 75 | 7.8 | 19. 12. 9.85 | 37.08 | 3 | + 2.973 | + 4. 28. 55.65 | 36.80 | 3 | + 0.212 | ... | ... | 75 |
| 8861 | 8886 | 45 Sagittarii | 5.6 | 19. 12. 13.54 | 42.75 | 1 | + 3.500 | - 18. 36. 26.94 | 40.21 | 2 | + 0.218 | 2436 | ... | 70 |
| 8862 | 8887 | 46 Sagittarii | 5.6 | 19. 12. 16.47 | 36.71 | 3 | + 3.442 | - 16. 15. 28.65 | 37.65 | 1 | + 0.221 | 2437 | ... | 71 |
| 8863 | 8888 | Piazzi XIX. 76 | 8 | 19. 12. 22.03 | 37.17 | 3 | + 3.014 | + 2. 38. 12.21 | 36.91 | 3 | + 0.228 | ... | ... | 76 |
| 8864 | 8889 | Lacaille 8083 | 7 | 19. 12. 24.52 | 38.71 | 3 | + 4.665 | - 51. 24. 38.14 | 38.70 | 2 | + 0.233 | ... | 8083 | ... |
| 8865 | 8890 | Sagittarii | 4.5 | 19. 12. 26.84 | 32.43 | 3 | + 4.174 | - 40. 55. 4.29 | 32.49 | 4 | + 0.236 | ... | 8087 | 68 |
| 8866 | 8891 | 57 Draconis | 3 | 19. 12. 29.67 | 33.07 | 25 | + 0.025 | + 67. 22. 16.83 | 32.69 | 45 | + 0.240 | 2449 | ... | 91 |
| 8867 | 8892 | Piazzi XIX. 80 | 8.9 | 19. 12. 33.35 | 37.37 | 3 | + 2.931 | + 6. 20. 45.94 | 37.21 | 3 | + 0.244 | ... | ... | 80 |
| 8868 | 8893 | Piazzi XIX. 79 | 7.8 | 19. 12. 34.94 | 37.52 | 2 | + 3.105 | - 1. 28. 42.68 | 36.94 | 3 | + 0.246 | ... | ... | 79 |
| 8869 | 8894 | Piazzi XIX. 82 | 8 | 19. 12. 56.82 | 37.32 | 2 | + 3.518 | - 19. 19. 43.34 | 37.58 | 3 | + 0.277 | ... | ... | 82 |
| 8870 | 8895 | Lacaille 8090 | 7.8 | 19. 12. 56.83 | 35.36 | 3 | + 3.970 | - 35. 16. 30.86 | 35.36 | 2 | + 0.277 | ... | 8090 | 77 |
| 8871 | 8896 | 1 Oygui | 4 | 19. 13. 17.12 | 31.81 | 6 | + 1.383 | + 53. 4. 0.16 | 31.71 | 5 | + 0.305 | 2447 | ... | 91 |
| 8872 | 8897 | Piazzi XIX. 83 | 9.10 | 19. 13. 22.16 | 37.69 | 2 | + 3.213 | - 6. 21. 12.57 | 37.52 | 2 | + 0.311 | ... | ... | 83 |
| 8873 | 8898 | Piazzi XIX. 98 | 7.8 | 19. 13. 47.26 | 37.22 | 2 | + 0.355 | + 64. 58. 47.94 | 37.63 | 2 | + 0.346 | ... | ... | 98 |
| 8874 | 8899 | Piazzi XIX. 99 | 7 | 19. 13. 48.26 | 35.62 | 3 | + 0.109 | + 66. 49. 25.25 | 35.52 | 4 | + 0.348 | ... | ... | 99 |
| 8875 | 8900 | Piazzi XIX. 88 | 8 | 19. 13. 51.59 | 39.40 | 5 | + 2.562 | + 21. 53. 41.85 | 42.75 | 2 | + 0.352 | ... | ... | 88 |
| 8876 | 8901 | Piazzi XIX. 85 | 7 | 19. 13. 52.93 | 35.78 | 4 | + 3.161 | - 4. 1. 30.59 | 35.42 | 3 | + 0.355 | ... | ... | 85 |
| 8877 | 8902 | Piazzi XIX. 87 | 8 | 19. 13. 54.48 | 37.30 | 2 | + 3.071 | + 0. 4. 24.97 | 37.11 | 2 | + 0.357 | ... | ... | 87 |
| 8878 | 8903 | Piazzi XIX. 86 | 7 | 19. 14. 3.27 | 37.08 | 3 | + 3.319 | - 11. 0. 44.71 | 37.36 | 3 | + 0.368 | ... | ... | 86 |
| 8879 | 8904 | Piazzi XIX. 89 | 7 | 19. 14. 5.60 | 35.44 | 3 | + 2.834 | + 10. 36. 40.17 | 34.88 | 4 | + 0.372 | ... | ... | 89 |
| 8880 | 8905 | Lacaille 8097 | 6 | 19. 14. 12.93 | 33.16 | 4 | + 3.751 | - 28. 10. 39.17 | 33.62 | 3 | + 0.382 | ... | 8097 | 84 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° " | | | " | | | |
| 8881 | 8906 | Piazzi XIX. 101 | 9 | 19. 14. 31.55 | 37.70 | 1 | + 0.575 | + 63. 5. 45.90 | 37.70 | 3 | + 6.408 | ... | ... | 101 |
| 8882 | 8907 | Lacaille 8091 | 7 | 19. 14. 31.74 | 38.63 | 3 | + 4.858 | - 54. 38. 41.42 | 38.63 | 3 | + 6.408 | ... | 8091 | ... |
| 8883 | 8908 | Piazzi XIX. 92 | 8 | 19. 14. 51.20 | 36.54 | 2 | + 3.514 | - 19. 14. 26.90 | 37.47 | 3 | + 6.434 | ... | ... | 92 |
| 8884 | 8909 | Piazzi XIX. 95 | 8 | 19. 14. 56.75 | 37.09 | 2 | + 2.887 | + 8. 17. 49.83 | 37.30 | 2 | + 6.443 | ... | ... | 95 |
| 8885 | 8910 | 59 Draconis | 6.7 | 19. 15. 8.57 | 35.72 | 3 | - 2.114 | + 76. 16. 51.05 | 35.42 | 3 | + 6.459 | 2466 | ... | 119 |
| 8886 | 8911 | 47 SagittariiX ¹ | 6 | 19. 15. 13.74 | 33.60 | 4 | + 3.657 | - 24. 49. 17.15 | 33.29 | 5 | + 6.465 | 2445 | 8100 | 93 |
| 8887 | 8912 | Piazzi XIX. 108 | 7 | 19. 15. 15.41 | 35.87 | 4 | + 0.596 | + 62. 54. 30.95 | 35.41 | 3 | + 6.468 | ... | ... | 108 |
| 8888 | 8913 | 48 SagittariiX ² | 6.7 | 19. 15. 20.74 | 33.64 | 2 | + 3.655 | - 24. 43. 40.45 | 33.67 | 5 | + 6.476 | ... | ... | 94 |
| 8889 | 8914 | Piazzi XIX. 97 | 8 | 19. 15. 21.74 | 37.36 | 3 | + 3.287 | - 9. 39. 1.21 | 36.64 | 1 | + 6.477 | ... | ... | 97 |
| 8890 | 8915 | 49 SagittariiX ³ | 6 | 19. 15. 30.06 | 33.68 | 3 | + 3.643 | - 24. 16. 42.53 | 33.70 | 5 | + 6.489 | 2446 | 8103 | 96 |
| 8891 | 8916 | Piazzi XIX. 100 | 7.8 | 19. 16. 2.10 | 38.54 | 4 | + 3.407 | - 14. 50. 33.58 | 37.44 | 3 | + 6.533 | ... | ... | 100 |
| 8892 | 8917 | 3 Vulpeculae | 6 | 19. 16. 5.72 | 33.70 | 3 | + 2.457 | + 25. 57. 0.90 | 33.54 | 5 | + 6.537 | 2450 | ... | 105 |
| 8893 | 8918 | 50 Sagittarii | 6.7 | 19. 16. 28.52 | 32.67 | 6 | + 3.585 | - 22. 5. 47.09 | 33.77 | 4 | + 6.571 | 2448 | ... | 103 |
| 8894 | 8919 | Lacaille 8107 | 6 | 19. 16. 30.73 | 38.52 | 7 | + 3.803 | - 30. 3. 42.13 | 40.90 | 4 | + 6.573 | ... | 8107 | 102 |
| 8895 | 8920 | Piazzi XIX. 106 | 8 | 19. 16. 32.65 | 37.17 | 2 | + 3.039 | + 1. 31. 6.99 | 37.01 | 2 | + 6.575 | ... | ... | 106 |
| 8896 | 8921 | Piazzi XIX. 104 | 6.7 | 19. 16. 39.90 | 35.16 | 3 | + 3.571 | - 21. 33. 53.52 | 35.25 | 2 | + 6.585 | ... | ... | 104 |
| 8897 | 8922 | Piazzi XIX. 109 | 8.9 | 19. 16. 46.06 | 37.27 | 3 | + 3.162 | - 4. 3. 3.72 | 37.27 | 4 | + 6.594 | ... | ... | 109 |
| 8898 | 8923 | Piazzi XIX. 107 | 6 | 19. 16. 47.67 | 34.56 | 7 | + 3.419 | - 15. 22. 22.63 | 39.95 | 2 | + 6.596 | ... | ... | 107 |
| 8899 | 8924 | 2 Sagittae | 6 | 19. 16. 57.64 | 37.32 | 5 | + 2.695 | + 16. 37. 19.24 | 38.68 | 5 | + 6.610 | 2453 | ... | 112 |
| 8900 | 8925 | Piazzi XIX. 110 | 7 | 19. 17. 2.67 | 38.76 | 5 | + 3.407 | - 14. 52. 17.53 | 40.16 | 4 | + 6.617 | ... | ... | 110 |
| 8901 | 8926 | Piazzi XIX. 111 | 8 | 19. 17. 3.00 | 37.21 | 3 | + 3.124 | - 2. 22. 51.80 | 37.28 | 5 | + 6.617 | ... | ... | 111 |
| 8902 | 8927 | 31 Aquila | 5 | 19. 17. 6.02 | 31.72 | 6 | + 2.813 | + 11. 35. 47.72 | 32.10 | 9 | + 6.621 | 2452 | ... | 114 |
| 8903 | 8928 | Telescopii | 7 | 19. 17. 10.01 | 38.64 | 3 | + 4.904 | - 55. 26. 18.14 | 38.64 | 3 | + 6.628 | ... | 8101 | ... |
| 8904 | 8929 | 30 Aquila | 3.4 | 19. 17. 10.72 | 32.83 | 40 | + 3.010 | + 2. 47. 30.95 | 32.43 | 55 | + 6.629 | 2451 | ... | 113 |
| 8905 | 8930 | 3 Sagittae | 6.7 | 19. 17. 20.36 | 38.32 | 5 | + 2.695 | + 16. 38. 22.62 | 35.68 | 3 | + 6.641 | 2454 | ... | 115 |
| 8906 | 8931 | Piazzi XIX. 116 | 7 | 19. 17. 31.33 | 37.28 | 3 | + 2.622 | + 19. 37. 13.41 | 37.21 | 3 | + 6.655 | ... | ... | 116 |
| 8907 | 8932 | 2 Cygni | 5.6 | 19. 17. 37.25 | 39.73 | 3 | + 2.364 | + 29. 18. 10.23 | 41.06 | 3 | + 6.663 | 2456 | ... | 117 |
| 8908 | 8933 | Lacaille 8102 | 8 | 19. 17. 42.83 | 38.70 | 3 | + 5.310 | - 60. 36. 2.52 | 38.67 | 3 | + 6.672 | ... | 8102 | ... |
| 8909 | 8934 | 32 Aquila | 5.6 | 19. 18. 5.04 | 33.77 | 3 | + 3.072 | + 0. 0. 57.61 | 32.71 | 5 | + 6.703 | 2455 | ... | 118 |
| 8910 | 8935 | Bradley 2460 | 7 | 19. 18. 10.51 | 37.55 | 2 | + 2.152 | + 36. 7. 46.22 | 37.14 | 4 | + 6.710 | 2460 | ... | 121 |
| 8911 | 8936 | 4 Vulpeculae | 6 | 19. 18. 14.34 | 39.72 | 4 | + 2.626 | + 19. 28. 50.02 | 35.97 | 7 | + 6.716 | 2458 | ... | 120 |
| 8912 | 8937 | B.A.C. 6658 | 6 | 19. 18. 29.24 | 33.61 | 2 | + 3.498 | - 18. 41. 8.81 | 33.67 | 5 | + 6.736 | ... | ... | ... |
| 8913 | 8938 | Bradley 2459 | 6 | 19. 18. 36.20 | 40.13 | 5 | + 2.495 | + 24. 37. 11.16 | 36.74 | 8 | + 6.745 | 2459 | ... | 123 |
| 8914 | 8939 | Piazzi XIX. 129 | 7 | 19. 18. 39.76 | 35.68 | 2 | + 1.417 | + 52. 43. 48.57 | 35.36 | 3 | + 6.750 | ... | ... | 129 |
| 8915 | 8940 | 60 Draconis | 4.5 | 19. 18. 40.52 | 38.55 | 5 | - 1.059 | + 73. 2. 48.70 | 34.88 | 7 | + 6.752 | 2472 | ... | 141 |
| 8916 | 8941 | Lacaille 8110 | 7.8 | 19. 18. 44.50 | 38.63 | 3 | + 4.837 | - 54. 29. 59.25 | 38.63 | 3 | + 6.756 | ... | 8110 | ... |
| 8917 | 8942 | Piazzi XIX. 122 | 8.9 | 19. 18. 48.11 | 37.10 | 3 | + 3.124 | - 2. 20. 46.32 | 37.45 | 3 | + 6.761 | ... | ... | 122 |
| 8918 | 8943 | 5 Vulpeculae | 6.7 | 19. 19. 1.09 | 35.51 | 4 | + 2.620 | + 19. 46. 30.99 | 35.36 | 3 | + 6.779 | 2461 | ... | 125 |
| 8919 | 8944 | Piazzi XIX. 131 | 7.8 | 19. 19. 4.13 | 36.38 | 5 | + 1.575 | + 49. 57. 3.52 | 35.42 | 3 | + 6.783 | ... | ... | 131 |
| 8920 | 8945 | Piazzi XIX. 127 | 7.8 | 19. 19. 6.97 | 37.33 | 2 | + 2.492 | + 24. 43. 46.24 | 37.58 | 3 | + 6.787 | ... | ... | 127 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 8921 | 8946 | Piazzi XIX. 124..... | 6 | 19. 19. 12.12 | 35.32 | 3 | + 3.419 | - 15. 25. 53.05 | 35.17 | 2 | + 6.795 | ... | ... | 124 |
| 8922 | 8947 | Bradley 2462 | 7 | 19. 19. 15.66 | 37.58 | 4 | + 2.625 | + 19. 34. 6.72 | 37.50 | 1 | + 6.800 | 2462 | ... | 128 |
| 8923 | 8948 | Lacaille 8123 | 7 | 19. 19. 39.45 | 33.21 | 4 | + 3.721 | - 27. 18. 56.92 | 33.42 | 5 | + 6.831 | ... | 8123 | 126 |
| 8924 | 8949 | 58 Draconis | 4 | 19. 19. 48.19 | 31.66 | 4 | + 0.326 | + 65. 23. 50.66 | 31.66 | 5 | + 6.843 | 2471 | ... | 142 |
| 8925 | 8950 | Lacaille 8115 | 6.7 | 19. 19. 50.75 | 40.72 | 6 | + 4.772 | - 53. 31. 25.87 | 41.11 | 5 | + 6.847 | ... | 8115 | ... |
| 8926 | 8951 | Piazzi XIX. 130 | 8 | 19. 19. 55.43 | 37.65 | 1 | + 3.571 | - 21. 40. 12.28 | 36.41 | 4 | + 6.855 | ... | ... | 130 |
| 8927 | 8952 | Piazzi XIX. 134 | 7.8 | 19. 20. 1.25 | 37.01 | 3 | + 2.164 | + 35. 51. 36.73 | 37.24 | 3 | + 6.861 | ... | ... | 134 |
| 8928 | 8953 | Piazzi XIX. 133 | 6.7 | 19. 20. 3.75 | 36.27 | 6 | + 3.015 | + 2. 36. 3.69 | 37.63 | 2 | + 6.865 | ... | ... | 133 |
| 8929 | 8954 | Piazzi XIX. 132 | 7.8 | 19. 20. 9.41 | 35.36 | 3 | + 3.425 | - 15. 41. 29.82 | 35.66 | 3 | + 6.874 | ... | ... | 132 |
| 8930 | 8955 | 4 Cygni | 6 | 19. 20. 12.55 | 35.66 | 2 | + 2.160 | + 35. 59. 28.62 | 34.98 | 4 | + 6.878 | 2464 | ... | 137 |
| 8931 | 8956 | Piazzi XIX. 140 | 7.8 | 19. 20. 12.87 | 37.37 | 3 | + 1.579 | + 49. 55. 7.03 | 37.39 | 3 | + 6.878 | ... | ... | 140 |
| 8932 | 8957 | 35 Aquilæ | 6 | 19. 20. 40.50 | 33.53 | 7 | + 3.037 | + 1. 37. 10.75 | 33.76 | 5 | + 6.914 | 2463 | ... | 135 |
| 8933 | 8958 | Piazzi XIX. 139 | 7 | 19. 20. 41.99 | 35.56 | 2 | + 2.617 | + 19. 55. 0.41 | 35.32 | 4 | + 6.917 | ... | ... | 139 |
| 8934 | 8959 | Piazzi XIX. 138 | 6 | 19. 21. 6.23 | 33.78 | 8 | + 3.570 | - 21. 38. 53.86 | 33.62 | 6 | + 6.950 | ... | ... | 138 |
| 8935 | 8960 | Lacaille 8129 | 6 | 19. 21. 27.13 | 35.70 | 3 | + 4.353 | - 45. 36. 44.62 | 35.67 | 3 | + 6.979 | ... | 8129 | 136 |
| 8936 | 8961 | Piazzi XIX. 143 | 7.8 | 19. 21. 38.32 | 35.74 | 3 | + 3.149 | - 3. 31. 11.55 | 35.71 | 3 | + 6.994 | ... | ... | 143 |
| 8937 | 8962 | Bradley 2468 | 7 | 19. 21. 42.06 | 35.74 | 3 | + 2.374 | + 29. 7. 6.63 | 35.71 | 3 | + 6.999 | 2468 | ... | 146 |
| 8938 | 8963 | Piazzi XIX. 149 | 8 | 19. 21. 44.87 | 37.38 | 4 | + 2.155 | + 36. 11. 48.39 | 37.26 | 4 | + 7.004 | ... | ... | 149 |
| 8939 | 8964 | 6 Vulpeculæ | 4 | 19. 21. 50.46 | 32.85 | 13 | + 2.506 | + 24. 20. 9.01 | 32.35 | 11 | + 7.011 | 2467 | ... | 148 |
| 8940 | 8965 | Piazzi XIX. 144 | 6.7 | 19. 21. 53.39 | 36.63 | 2 | + 3.016 | + 2. 34. 3.96 | 35.58 | 3 | + 7.015 | ... | ... | 144 |
| 8941 | 8966 | 36 Aquilæ | 6 | 19. 22. 2.17 | 32.77 | 3 | + 3.140 | - 3. 7. 34.71 | 32.82 | 5 | + 7.027 | 2465 | ... | 145 |
| 8942 | 8967 | 8 Vulpeculæ | 5.6 | 19. 22. 4.10 | 33.63 | 5 | + 2.503 | + 24. 25. 59.80 | 33.66 | 5 | + 7.030 | 2470 | ... | 150 |
| 8943 | 8968 | 7 Vulpeculæ | 7 | 19. 22. 8.95 | 35.48 | 3 | + 2.617 | + 19. 56. 42.63 | 35.17 | 4 | + 7.036 | 2469 | ... | 151 |
| 8944 | 8969 | Lacaille 8139 | 7 | 19. 22. 22.89 | 33.61 | 3 | + 3.746 | - 28. 19. 41.11 | 33.70 | 4 | + 7.056 | ... | 8139 | ... |
| 8945 | 8970 | Piazzi XIX. 154 | 8 | 19. 22. 24.83 | 40.05 | 5 | + 1.590 | + 49. 48. 36.53 | 40.08 | 5 | + 7.058 | ... | ... | 154 |
| 8946 | 8971 | Piazzi XIX. 153 | 8 | 19. 22. 27.04 | 37.13 | 3 | + 2.418 | + 27. 35. 33.67 | 37.68 | 3 | + 7.061 | ... | ... | 153 |
| 8947 | 8972 | Piazzi XIX. 147 | 7 | 19. 22. 27.47 | 35.70 | 2 | + 3.575 | - 21. 51. 32.78 | 35.37 | 3 | + 7.061 | ... | ... | 147 |
| 8948 | 8973 | Piazzi XIX. 152 | 7 | 19. 22. 44.88 | 35.77 | 1 | + 3.036 | + 1. 40. 18.76 | 35.42 | 3 | + 7.086 | ... | ... | 152 |
| 8949 | 8974 | Piazzi XIX. 156 | 7 | 19. 22. 47.34 | 37.33 | 3 | + 1.094 | + 57. 41. 49.10 | 37.13 | 3 | + 7.093 | ... | ... | 156 |
| 8950 | 8975 | Lacaille 8137 | 6 | 19. 22. 57.51 | 38.61 | 3 | + 4.483 | - 48. 26. 46.09 | 38.88 | 4 | + 7.102 | ... | 8137 | ... |
| 8951 | 8976 | 7 Cygni | 6 | 19. 23. 23.25 | 35.62 | 3 | + 1.473 | + 51. 59. 14.30 | 34.99 | 4 | + 7.138 | 2476 | ... | 160 |
| 8952 | 8977 | Piazzi XIX. 157 | 7 | 19. 23. 32.30 | 35.72 | 2 | + 2.166 | + 35. 56. 40.55 | 35.24 | 4 | + 7.150 | ... | ... | 157 |
| 8953 | 8978 | Piazzi XIX. 155 | 8 | 19. 23. 58.49 | 37.43 | 2 | + 3.501 | - 18. 57. 38.30 | 37.22 | 4 | + 7.185 | ... | ... | 155 |
| 8954 | 8979 | Piazzi XIX. 158 | 6.7 | 19. 23. 59.94 | 35.40 | 3 | + 2.915 | + 7. 8. 41.28 | 35.35 | 3 | + 7.188 | ... | ... | 158 |
| 8955 | 8980 | 6 Cygni | 3 | 19. 24. 4.19 | 32.07 | 13 | + 2.419 | + 27. 37. 4.43 | 31.93 | 9 | + 7.193 | 2473 | ... | 161 |
| 8956 | 8981 | Bradley 2474 | 7 | 19. 24. 6.31 | 37.18 | 5 | + 2.419 | + 27. 37. 24.61 | 37.13 | 4 | + 7.196 | 2474 | ... | 162 |
| 8957 | 8982 | Lacaille 8142 | 7.8 | 19. 24. 31.35 | 40.01 | 6 | + 5.094 | - 58. 20. 17.58 | 40.28 | 5 | + 7.230 | ... | 8142 | ... |
| 8958 | 8983 | Piazzi XIX. 167 | 7.8 | 19. 24. 35.26 | 37.34 | 3 | + 1.379 | + 53. 37. 52.60 | 37.19 | 4 | + 7.235 | ... | ... | 167 |
| 8959 | 8984 | Lacaille 8154 | 7 | 19. 24. 35.95 | 33.64 | 3 | + 3.633 | - 24. 12. 31.32 | 33.25 | 5 | + 7.236 | ... | 8154 | 159 |
| 8960 | 8985 | Piazzi XIX. 164 | 8 | 19. 24. 48.49 | 36.77 | 4 | + 2.181 | + 35. 53. 8.47 | 37.36 | 4 | + 7.254 | ... | ... | 164 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 8961 | 8986 | Piazzi XIX. 163..... | 6 | h m s 19. 24. 52.29 | 33.68 | 4 | + 2.604 | + 20. 35. 0.99 | 33.27 | 5 | + 7.259 | ... | ... | 163 |
| 8962 | 8987 | Piazzi XIX. 169..... | 7.8 | 19. 25. 27.83 | 37.20 | 2 | + 2.412 | + 27. 55. 9.98 | 37.33 | 3 | + 7.308 | ... | ... | 169 |
| 8963 | 8988 | 10 Cygni..... ² | 5 | 19. 25. 32.62 | 32.73 | 3 | + 1.515 | + 51. 22. 51.72 | 31.66 | 5 | + 7.315 | 2481 | ... | 175 |
| 8964 | 8989 | 8 Cygni..... | 6 | 19. 25. 38.42 | 35.44 | 3 | + 2.229 | + 34. 6. 24.52 | 35.42 | 3 | + 7.322 | 2480 | ... | 173 |
| 8965 | 8990 | Piazzi XIX. 165..... | 6.7 | 19. 25. 43.33 | 34.53 | 6 | + 3.618 | - 23. 39. 48.86 | 34.35 | 8 | + 7.328 | .. | ... | 165 |
| 8966 | 8991 | Piazzi XIX. 166..... | 7 | 19. 25. 49.83 | 33.44 | 6 | + 3.553 | - 21. 7. 44.64 | 33.76 | 3 | + 7.338 | ... | ... | 166 |
| 8967 | 8992 | Piazzi XIX. 172..... | 8 | 19. 25. 51.28 | 37.12 | 2 | + 2.603 | + 20. 39. 14.99 | 37.25 | 3 | + 7.340 | ... | ... | 172 |
| 8968 | 8993 | 51 Sagittarii..... ^{h1} | 6 | 19. 26. 0.13 | 33.78 | 1 | + 3.654 | - 25. 4. 23.52 | 33.67 | 5 | + 7.352 | 2475 | 8162 | 168 |
| 8969 | 8995 | 37 Aquila..... ^{7c} | 5 | 19. 26. 1.85 | 31.81 | 8 | + 3.312 | - 10. 54. 49.97 | 32.05 | 3 | + 7.355 | 2477 | ... | 170 |
| 8970 | 8994 | 38 Aquila..... ¹⁴ | 4.5 | 19. 26. 1.86 | 36.83 | 12 | + 2.919 | + 7. 2. 4.67 | 32.73 | 13 | + 7.355 | 2479 | ... | 171 |
| 8971 | 8996 | 52 Sagittarii..... ^{h2} | 4.5 | 19. 26. 39.65 | 32.77 | 4 | + 3.658 | - 25. 14. 23.32 | 32.68 | 5 | + 7.405 | 2478 | 8166 | 174 |
| 8972 | 8997 | Piazzi XIX. 177..... | 7.8 | 19. 26. 44.40 | 37.43 | 4 | + 3.307 | - 10. 43. 15.88 | 37.30 | 3 | + 7.412 | ... | ... | 177 |
| 8973 | 8998 | Piazzi XIX. 176..... | 7 | 19. 26. 48.85 | 33.61 | 3 | + 3.505 | - 19. 12. 36.51 | 33.11 | 5 | + 7.418 | ... | ... | 176 |
| 8974 | 8999 | Piazzi XIX. 178..... | 8 | 19. 26. 49.84 | 37.22 | 2 | + 2.986 | + 3. 57. 26.37 | 37.69 | 3 | + 7.420 | ... | ... | 178 |
| 8975 | 9000 | Lacaille 8157..... | 7.8 | 19. 27. 6.13 | 40.65 | 4 | + 4.831 | - 54. 46. 59.28 | 40.65 | 4 | + 7.441 | ... | 8157 | ... |
| 8976 | 9001 | Piazzi XIX. 189..... | 7.8 | 19. 27. 9.60 | 37.71 | 1 | + 1.246 | + 55. 47. 16.94 | 37.20 | 2 | + 7.445 | ... | ... | 189 |
| 8977 | 9002 | Piazzi XIX. 179..... | 7 | 19. 27. 15.15 | 35.36 | 3 | + 3.133 | - 2. 48. 38.80 | 35.41 | 3 | + 7.453 | ... | ... | 179 |
| 8978 | 9003 | Piazzi XIX. 190..... | 9 | 19. 27. 19.35 | 42.78 | 2 | + 1.283 | + 55. 14. 22.83 | 41.07 | 3 | + 7.460 | ... | ... | 190 |
| 8979 | 9004 | 9 Vulpecula..... | 5.6 | 19. 27. 20.13 | 33.59 | 3 | + 2.634 | + 19. 25. 5.62 | 33.47 | 5 | + 7.460 | 2483 | ... | 184 |
| 8980 | 9005 | Piazzi XIX. 180..... | 7 | 19. 27. 28.78 | 32.71 | 4 | + 3.489 | - 18. 35. 24.12 | 33.49 | 4 | + 7.473 | ... | ... | 180 |
| 8981 | 9006 | Lacaille 8160..... | 7.8 | 19. 27. 32.94 | 40.28 | 5 | + 4.816 | - 54. 34. 36.63 | 39.66 | 4 | + 7.478 | ... | 8160 | ... |
| 8982 | 9007 | Piazzi XIX. 182..... | 7.8 | 19. 27. 33.56 | 38.59 | 4 | + 3.077 | - 0. 14. 58.68 | 39.31 | 3 | + 7.479 | ... | ... | 182 |
| 8983 | 9008 | Piazzi XIX. 183..... | 7.8 | 19. 27. 34.36 | 37.22 | 2 | + 3.074 | - 0. 6. 30.05 | 37.21 | 2 | + 7.480 | ... | ... | 183 |
| 8984 | 9009 | Piazzi XIX. 181..... | 8 | 19. 27. 35.04 | 37.02 | 3 | + 3.141 | - 3. 9. 54.98 | 37.62 | 3 | + 7.481 | ... | ... | 181 |
| 8985 | 9010 | Piazzi XIX. 191..... | 7.8 | 19. 27. 39.92 | 35.69 | 2 | + 1.603 | + 49. 49. 2.12 | 35.54 | 2 | + 7.487 | ... | ... | 191 |
| 8986 | 9011 | Piazzi XIX. 185..... | 8 | 19. 27. 43.73 | 36.98 | 4 | + 3.308 | - 10. 47. 27.17 | 37.71 | 2 | + 7.493 | ... | ... | 185 |
| 8987 | 9012 | Piazzi XIX. 193..... | 6.7 | 19. 27. 43.88 | 36.52 | 6 | + 1.275 | + 55. 22. 56.06 | 34.93 | 3 | + 7.493 | ... | ... | 193 |
| 8988 | 9013 | Piazzi XIX. 186..... | 6.7 | 19. 27. 46.92 | 40.23 | 4 | + 3.302 | - 10. 30. 59.28 | 37.55 | 6 | + 7.497 | ... | ... | 186 |
| 8989 | 9014 | 39 Aquila..... ^K | 4 | 19. 28. 0.74 | 33.35 | 4 | + 3.233 | - 7. 23. 16.10 | 31.62 | 5 | + 7.514 | 2482 | ... | 187 |
| 8990 | 9015 | 41 Aquila..... ¹ | 5 | 19. 28. 11.16 | 31.67 | 6 | + 3.108 | - 1. 38. 45.89 | 31.71 | 5 | + 7.529 | 2484 | ... | 188 |
| 8991 | 9016 | 9 Cygni..... | 5.6 | 19. 28. 17.66 | 33.70 | 4 | + 2.382 | + 29. 6. 16.22 | 33.79 | 2 | + 7.538 | 2487 | ... | 192 |
| 8992 | 9017 | Piazzi XIX. 195..... | 8 | 19. 28. 43.73 | 37.26 | 3 | + 2.916 | + 7. 11. 23.31 | 37.32 | 2 | + 7.574 | ... | ... | 195 |
| 8993 | 9018 | Piazzi XIX. 194..... | 8 | 19. 28. 48.14 | 37.32 | 1 | + 3.090 | - 0. 51. 26.79 | 37.34 | 2 | + 7.579 | ... | ... | 194 |
| 8994 | 9019 | Piazzi XIX. 197..... | 7 | 19. 28. 52.44 | 35.40 | 3 | + 2.728 | + 15. 31. 41.69 | 35.37 | 3 | + 7.584 | ... | ... | 197 |
| 8995 | 9020 | 42 Aquila..... | 6 | 19. 29. 2.11 | 32.92 | 5 | + 3.181 | - 5. 0. 33.58 | 32.96 | 5 | + 7.598 | 2485 | ... | 196 |
| 8996 | 9021 | Piazzi XIX. 198..... | 7.8 | 19. 29. 5.36 | 37.37 | 3 | + 3.083 | - 0. 29. 39.03 | 37.14 | 3 | + 7.602 | ... | ... | 198 |
| 8997 | 9022 | Piazzi XIX. 200..... | 8 | 19. 29. 43.87 | 37.08 | 3 | + 3.090 | - 0. 51. 17.48 | 37.16 | 5 | + 7.655 | ... | ... | 200 |
| 8998 | 9023 | 4 Sagittae..... ^e | 6 | 19. 29. 49.38 | 33.68 | 4 | + 2.715 | + 16. 5. 50.55 | 33.38 | 4 | + 7.661 | 2489 | ... | 203 |
| 8999 | 9024 | 11 Cygni..... | 6.7 | 19. 29. 52.51 | 35.31 | 3 | + 2.155 | + 36. 34. 54.84 | 34.90 | 4 | + 7.667 | 2491 | ... | 206 |
| 9000 | 9025 | 53 Sagittarii..... | 7 | 19. 29. 54.24 | 33.76 | 4 | + 3.617 | - 23. 47. 45.32 | 33.53 | 4 | + 7.668 | 2486 | 8182 | 199 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------------------|------------|-----------------------------------|----------------------|-------------------|----------------------------------|-----------------------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 9001 | 9026 | Piazzi XIX. 202 | 8 | ^{h m s} 19. 29. 55'18 | 36'92 | 3 | ^s + 3'072 | ^{° ' "} — 0. 1. 20'54 | 37'25 | 3 | ["] + 7'669 | ... | ... | 202 |
| 9002 | 9027 | Piazzi XIX. 207 | 7 | 19. 30. 2'42 | 37'69 | 2 | + 2'212 | + 34. 51. 1'61 | 37'06 | 2 | + 7'679 | ... | ... | 207 |
| 9003 | 9028 | Piazzi XIX. 211 | 6 | 19. 30. 3'30 | 37'70 | 1 | + 1'553 | + 50. 53. 7'08 | 37'75 | 2 | + 7'680 | ... | ... | 211 |
| 9004 | 9029 | Bradley 2488 | 6'7 | 19. 30. 11'59 | 33'77 | 4 | + 3'617 | — 23. 47. 59'40 | 33'77 | 4 | + 7'692 | 2488 | 8183 | 201 |
| 9005 | 9030 | Piazzi XIX. 205 | 7'8 | 19. 30. 26'65 | 37'62 | 2 | + 3'544 | — 20. 55. 5'61 | 37'60 | 2 | + 7'712 | ... | ... | 205 |
| 9006 | 9031 | Piazzi XIX. 204 | 9 | 19. 30. 27'36 | 37'04 | 2 | + 3'614 | — 23. 42. 8'59 | 37'63 | 2 | + 7'712 | ... | ... | 204 |
| 9007 | 9032 | Piazzi XIX. 208 | 8 | 19. 30. 35'97 | 40'45 | 4 | + 2'941 | + 6. 3. 39'98 | 41'71 | 2 | + 7'725 | ... | ... | 208 |
| 9008 | 9033 | Piazzi XIX. 209 | 8 | 19. 30. 36'46 | 37'70 | 1 | + 2'915 | + 7. 14. 46'34 | 37'65 | 1 | + 7'725 | ... | ... | 209 |
| 9009 | 9034 | Piazzi XIX. 212 | 7'8 | 19. 30. 48'82 | 37'71 | 2 | + 2'810 | + 11. 59. 25'61 | 37'78 | 2 | + 7'742 | ... | ... | 212 |
| 9010 | 9035 | Piazzi XIX. 210 | 9 | 19. 30. 50'60 | 37'66 | 1 | + 3'111 | — 1. 50. 17'93 | 37'65 | 1 | + 7'745 | ... | ... | 210 |
| 9011 | 9036 | 44 Aquilæσ | 5 | 19. 31. 3'10 | 31'62 | 6 | + 2'963 | + 5. 1. 39'36 | 32'48 | 8 | + 7'761 | 2492 | ... | 215 |
| 9012 | 9037 | Piazzi XIX. 213 | 8 | 19. 31. 8'77 | 37'71 | 2 | + 3'253 | — 8. 20. 35'25 | 37'71 | 2 | + 7'769 | ... | ... | 213 |
| 9013 | 9038 | 54 Sagittariiδ ¹ | 5'6 | 19. 31. 16'15 | 33'20 | 4 | + 3'441 | — 16. 39. 52'36 | 33'66 | 6 | + 7'778 | 2490 | ... | 214 |
| 9014 | 9039 | Bradley 2496 | 7 | 19. 31. 29'99 | 35'34 | 2 | + 1'610 | + 49. 52. 15'79 | 35'40 | 4 | + 7'797 | 2496 | ... | 220 |
| 9015 | 9040 | Piazzi XIX. 227 | 7'8 | 19. 31. 37'46 | 37'73 | 1 | — 0'166 | + 69. 10. 12'02 | 37'23 | 2 | + 7'806 | ... | ... | 227 |
| 9016 | 9041 | Piazzi XIX. 216 | 7'8 | 19. 31. 39'44 | 37'13 | 2 | + 2'907 | + 7. 28. 14'44 | 37'62 | 2 | + 7'809 | ... | ... | 216 |
| 9017 | 9042 | Piazzi XIX. 221 | 7 | 19. 31. 56'16 | 36'05 | 4 | + 2'214 | + 34. 53. 27'25 | 34'60 | 3 | + 7'832 | ... | ... | 221 |
| 9018 | 9043 | Piazzi XIX. 217 | 8 | 19. 31. 58'29 | 37'07 | 4 | + 2'917 | + 7. 11. 36'21 | 37'38 | 3 | + 7'834 | ... | ... | 217 |
| 9019 | 9044 | 13 Cygniθ | 4 | 19. 32. 0'85 | 33'59 | 7 | + 1'613 | + 49. 50. 29'41 | 32'26 | 7 | + 7'838 | 2498 | ... | 223 |
| 9020 | 9045 | 45 Aquilæσ | 6 | 19. 32. 13'50 | 33'66 | 5 | + 3'093 | — 0. 59. 50'14 | 33'68 | 5 | + 7'854 | 2493 | ... | 219 |
| 9021 | 9046 | 61 Draconisσ | 5 | 19. 32. 39'35 | 32'74 | 5 | — 0'196 | + 69. 22. 55'44 | 32'73 | 6 | + 7'891 | 2505 | ... | 236 |
| 9022 | 9047 | Piazzi XIX. 218 | 7'8 | 19. 32. 40'47 | 37'24 | 2 | + 3'902 | — 34. 1. 39'10 | 37'41 | 3 | + 7'891 | ... | ... | 218 |
| 9023 | 9048 | 5 Sagittæα | 4 | 19. 32. 43'41 | 32'37 | 9 | + 2'681 | + 17. 38. 22'79 | 31'94 | 6 | + 7'895 | 2495 | ... | 224 |
| 9024 | 9049 | Piazzi XIX. 225 | 8 | 19. 32. 48'22 | 37'23 | 3 | + 2'684 | + 17. 31. 18'98 | 37'35 | 2 | + 7'902 | ... | ... | 225 |
| 9025 | 9050 | 12 Cygniφ | 4 | 19. 32. 51'64 | 33'70 | 6 | + 2'369 | + 29. 46. 38'93 | 32'58 | 8 | + 7'906 | 2497 | ... | 226 |
| 9026 | 9051 | 55 Sagittariiδ ² | 5 | 19. 33. 4'76 | 34'98 | 7 | + 3'436 | — 16. 30. 14'72 | 35'76 | 7 | + 7'925 | 2494 | ... | 222 |
| 9027 | 9052 | Piazzi XIX. 233 | 7 | 19. 33. 21'83 | 35'59 | 3 | + 1'664 | + 48. 54. 18'62 | 35'38 | 3 | + 7'947 | ... | ... | 233 |
| 9028 | 9053 | Piazzi XIX. 228 | 9 | 19. 33. 36'02 | 37'35 | 1 | + 2'682 | + 17. 36. 55'42 | 37'27 | 3 | + 7'966 | ... | ... | 228 |
| 9029 | 9054 | 6 Sagittæβ | 5 | 19. 33. 38'38 | 32'02 | 5 | + 2'695 | + 17. 5. 57'37 | 31'81 | 6 | + 7'969 | 2499 | ... | 229 |
| 9030 | 9055 | Piazzi XIX. 234 | 8 | 19. 34. 2'89 | 37'25 | 3 | + 2'678 | + 17. 48. 48'68 | 37'31 | 3 | + 8'002 | ... | ... | 234 |
| 9031 | 9056 | 14 Cygniσ | 6 | 19. 34. 4'21 | 35'58 | 3 | + 1'951 | + 42. 26. 26'01 | 35'40 | 3 | + 8'004 | 2503 | ... | 240 |
| 9032 | 9057 | Piazzi XIX. 231 | 8'9 | 19. 34. 5'72 | 36'96 | 2 | + 3'311 | — 11. 3. 23'07 | 37'37 | 4 | + 8'006 | ... | ... | 231 |
| 9033 | 9058 | Piazzi XIX. 230 | 6 | 19. 34. 8'65 | 33'71 | 5 | + 3'420 | — 15. 50. 44'64 | 33'18 | 4 | + 8'009 | ... | ... | 230 |
| 9034 | 9059 | Piazzi XIX. 239 | 7'8 | 19. 34. 15'61 | 37'03 | 3 | + 2'335 | + 31. 1. 38'81 | 37'51 | 2 | + 8'019 | ... | ... | 239 |
| 9035 | 9060 | Piazzi XIX. 235 | 8 | 19. 34. 24'46 | 37'15 | 3 | + 2'974 | + 4. 34. 16'90 | 37'11 | 2 | + 8'030 | ... | ... | 235 |
| 9036 | 9061 | 46 Aquilæσ | 7 | 19. 34. 28'61 | 35'43 | 3 | + 2'816 | + 11. 48. 41'66 | 34'71 | 3 | + 8'037 | 2500 | ... | 238 |
| 9037 | 9062 | Telescopiiν | 6 | 19. 34. 30'93 | 38'59 | 3 | + 4'941 | — 56. 44. 58'67 | 38'59 | 3 | + 8'039 | ... | 8200 | ... |
| 9038 | 9063 | Piazzi XIX. 232 | 7'8 | 19. 34. 33'84 | 35'35 | 4 | + 3'843 | — 32. 10. 31'01 | 34'98 | 4 | + 8'043 | ... | ... | 232 |
| 9039 | 9064 | Piazzi XIX. 251 | 8 | 19. 34. 46'41 | 38'08 | 3 | — 0'191 | + 69. 26. ... | ... | ... | + 8'059 | ... | ... | 251 |
| 9040 | 9065 | Piazzi XIX. 241 | 7'8 | 19. 34. 47'55 | 37'18 | 2 | + 2'900 | + 7. 59. 45'83 | 37'45 | 4 | + 8'061 | ... | ... | 241 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|------------------------|----------------------|-------------------|----------------------------------|--------------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 9041 | 9066 | 47 AquilæX | 6 | h m s 19. 34. 48'35 | 32'76 | 4 | s + 2'824 | " ' " + 11. 26. 36'42 | 33'66 | 5 | " + 8'062 | 2501 | ... | 242 |
| 9042 | 9067 | Lacaille 8208 | 6'7 | 19. 34. 56'71 | 33'65 | 5 | + 3'816 | - 31. 17. 29'11 | 33'71 | 5 | + 8'074 | ... | 8208 | 237 |
| 9043 | 9068 | Bradley 2502 | 7 | 19. 34. 58'42 | 35'74 | 4 | + 2'672 | + 18. 4. 55'59 | 35'51 | 3 | + 8'075 | 2502 | ... | 244 |
| 9044 | 9069 | Piazzi XIX. 246 | 8'9 | 19. 35. 16'10 | 37'20 | 2 | + 2'675 | + 18. 0. 8'00 | 37'37 | 3 | + 8'099 | ... | ... | 246 |
| 9045 | 9070 | Piazzi XIX. 247 | 8'9 | 19. 35. 25'49 | 37'33 | 4 | + 2'684 | + 17. 35. 0'97 | 37'33 | 2 | + 8'111 | ... | ... | 247 |
| 9046 | 9071 | Lacaille 8211 | 6'7 | 19. 35. 28'99 | 35'46 | 3 | + 3'845 | - 32. 17. 55'38 | 35'18 | 2 | + 8'117 | ... | 8211 | 243 |
| 9047 | 9072 | Piazzi XIX. 245 | 8 | 19. 35. 37'85 | 42'03 | 3 | + 3'324 | - 11. 34. 53'20 | 39'69 | 6 | + 8'129 | ... | ... | 245 |
| 9048 | 9073 | Piazzi XIX. 259 | 7 | 19. 35. 59'39 | 35'71 | 4 | - 0'184 | + 69. 25. 57'59 | 36'32 | 11 | + 8'157 | ... | ... | 259 |
| 9049 | 9074 | Lacaille 8204 | 8 | 19. 35. 59'76 | 38'64 | 3 | + 5'159 | - 59. 39. 47'45 | 38'64 | 3 | + 8'158 | ... | 8204 | ... |
| 9050 | 9075 | Piazzi XIX. 248 | 8'9 | 19. 36. 14'75 | 36'80 | 4 | + 2'918 | + 7. 11. 57'13 | 37'06 | 2 | + 8'178 | ... | ... | 248 |
| 9051 | 9076 | Piazzi XIX. 250 | 8 | 19. 36. 22'25 | 37'50 | 2 | + 2'813 | + 11. 59. 2'46 | 37'37 | 3 | + 8'187 | ... | ... | 250 |
| 9052 | 9077 | Lacaille 8207 | 6'7 | 19. 36. 42'27 | 38'63 | 3 | + 5'151 | - 59. 35. 44'02 | 38'63 | 3 | + 8'214 | ... | 8207 | ... |
| 9053 | 9078 | Piazzi XIX. 252 | 7'8 | 19. 36. 43'80 | 37'66 | 2 | + 2'893 | + 8. 20. 11'66 | 37'39 | 3 | + 8'217 | ... | ... | 252 |
| 9054 | 9079 | 56 Sagittarii | 6 | 19. 36. 43'99 | 33'12 | 8 | + 3'520 | - 20. 9. 3'42 | 32'75 | 5 | + 8'217 | 2504 | ... | 249 |
| 9055 | 9080 | 10 Vulpeculæ | 6 | 19. 36. 51'45 | 38'18 | 6 | + 2'493 | + 25. 22. 53'13 | 37'10 | 8 | + 8'226 | 2508 | ... | 256 |
| 9056 | 9081 | Piazzi XIX. 253 | 7 | 19. 36. 52'03 | 37'61 | 2 | + 2'846 | + 10. 31. 15'12 | 37'71 | 3 | + 8'227 | ... | ... | 253 |
| 9057 | 9082 | 48 Aquilæψ | 6'7 | 19. 36. 53'58 | 36'82 | 4 | + 2'792 | + 12. 54. 43'79 | 37'18 | 4 | + 8'229 | 2506 | ... | 254 |
| 9058 | 9083 | Bradley 2507 | 7 | 19. 36. 54'93 | 38'89 | 6 | + 2'794 | + 12. 50. 23'43 | 37'93 | 5 | + 8'231 | 2507 | ... | 255 |
| 9059 | 9084 | Piazzi XIX. 257 | 7 | 19. 37. 7'02 | 35'73 | 3 | + 2'849 | + 10. 22. 57'66 | 35'42 | 3 | + 8'247 | ... | ... | 257 |
| 9060 | 9085 | Bradley 2510 | 6 | 19. 37. 10'63 | 33'69 | 5 | + 2'458 | + 26. 44. 42'39 | 33'68 | 5 | + 8'253 | 2510 | ... | ... |
| 9061 | 9086 | 16 Cygni | 6 | 19. 37. 25'72 | 39'16 | 7 | + 1'613 | + 50. 8. 41'08 | 38'00 | 8 | + 8'273 | 2512 | ... | 261 |
| 9062 | 9087 | Bradley 2513 | 7 | 19. 37. 28'35 | 41'48 | 4 | + 1'613 | + 50. 8. 13'91 | 42'76 | 1 | + 8'276 | 2513 | ... | 262 |
| 9063 | 9088 | 49 Aquilæv | 6'7 | 19. 37. 38'42 | 35'55 | 2 | + 2'918 | + 7. 13. 7'73 | 36'30 | 3 | + 8'289 | 2509 | ... | 258 |
| 9064 | 9089 | Piazzi XIX. 263 | 7 | 19. 37. 56'65 | 37'35 | 3 | + 2'123 | + 37. 55. 49'37 | 37'35 | 4 | + 8'314 | ... | ... | 263 |
| 9065 | 9090 | Piazzi XIX. 267 | 7 | 19. 38. 8'33 | 35'74 | 3 | + 2'135 | + 37. 36. 52'83 | 34'98 | 4 | + 8'329 | ... | ... | 267 |
| 9066 | 9091 | Lacaille 8221 | 6'7 | 19. 38. 8'95 | 38'68 | 3 | + 4'421 | - 47. 57. 38'17 | 38'68 | 3 | + 8'330 | ... | 8221 | ... |
| 9067 | 9092 | Piazzi XIX. 260 | 7 | 19. 38. 16'31 | 35'65 | 2 | + 3'547 | - 21. 21. 26'54 | 34'98 | 4 | + 8'339 | ... | ... | 260 |
| 9068 | 9093 | 15 Cygni | 5 | 19. 38. 19'62 | 31'61 | 3 | + 2'157 | + 36. 57. 34'99 | 31'74 | 5 | + 8'343 | 2514 | ... | 269 |
| 9069 | 9094 | 50 Aquilæγ | 3 | 19. 38. 24'99 | 33'52 | 81 | + 2'853 | + 10. 12. 59'00 | 32'21 | 108 | + 8'351 | 2511 | ... | 264 |
| 9070 | 9095 | Piazzi XIX. 268 | 7'8 | 19. 38. 43'53 | 37'34 | 3 | + 2'856 | + 10. 3. 43'91 | 37'38 | 3 | + 8'375 | ... | ... | 268 |
| 9071 | 9096 | Piazzi XIX. 270 | 9 | 19. 38. 44'88 | 37'66 | 2 | + 2'686 | + 17. 37. 38'94 | 37'63 | 2 | + 8'377 | ... | ... | 270 |
| 9072 | 9097 | Piazzi XIX. 265 | 6'7 | 19. 38. 46'76 | 33'66 | 3 | + 3'377 | - 14. 6. 11'74 | 33'53 | 5 | + 8'379 | ... | ... | 265 |
| 9073 | 9098 | Lacaille 8233 | 7'8 | 19. 39. 14'42 | 37'42 | 3 | + 4'175 | - 42. 15. 55'70 | 37'13 | 3 | + 8'417 | ... | 8233 | 266 |
| 9074 | 9099 | Lacaille 8227 | 6'7 | 19. 39. 27'00 | 38'69 | 3 | + 4'830 | - 55. 22. 54'17 | 38'61 | 2 | + 8'434 | ... | 8227 | ... |
| 9075 | 9100 | Piazzi XIX. 276 | 7 | 19. 39. 36'39 | 36'61 | 5 | + 2'200 | + 35. 41. 34'00 | 35'70 | 3 | + 8'445 | ... | ... | 276 |
| 9076 | 9101 | Piazzi XIX. 277 | 7'8 | 19. 39. 37'44 | 37'70 | 2 | + 2'201 | + 35. 41. 24'14 | 36'98 | 3 | + 8'447 | ... | ... | 277 |
| 9077 | 9102 | Piazzi XIX. 272 | 7 | 19. 39. 38'42 | 37'36 | 4 | + 2'958 | + 5. 22. 48'99 | 37'37 | 3 | + 8'448 | ... | ... | 272 |
| 9078 | 9103 | Piazzi XIX. 271 | 7 | 19. 39. 39'10 | 33'78 | 5 | + 3'346 | - 12. 43. 20'15 | 33'67 | 5 | + 8'449 | ... | ... | 271 |
| 9079 | 9104 | Piazzi XIX. 274 | 7'8 | 19. 39. 41'03 | 40'04 | 5 | + 2'660 | + 18. 46. 49'80 | 39'54 | 6 | + 8'452 | ... | ... | 274 |
| 9080 | 9105 | Piazzi XIX. 278 | 6'7 | 19. 39. 42'33 | 35'33 | 3 | + 2'235 | + 34. 36. 52'70 | 35'41 | 3 | + 8'453 | ... | ... | 278 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 9081 | 9106 | 18 Cygni.....δ | 3.4 | h m s 19. 39. 48.90 | 31.66 | 5 | + 1.871 | + 44. 43. 53.37 | 32.73 | 5 | + 8.462 | 2520 | ... | 280 |
| 9082 | 9107 | Bradley 2515 | 6 | 19. 39. 56.17 | 33.69 | 4 | + 3.313 | - 11. 16. 27.82 | 34.67 | 6 | + 8.472 | 2515 | ... | 273 |
| 9083 | 9108 | 7 Sagittæ.....δ | 4 | 19. 40. 1.86 | 31.74 | 2 | + 2.675 | + 18. 7. 55.22 | 31.66 | 5 | + 8.480 | 2516 | ... | 279 |
| 9084 | 9109 | 17 Cygni.....χ | 5 | 19. 40. 9.84 | 32.00 | 4 | + 2.275 | + 33. 20. 53.64 | 31.69 | 5 | + 8.490 | 2517 | ... | 282 |
| 9085 | 9110 | Lacaille 8226 | 7 | 19. 40. 13.56 | 38.71 | 3 | + 5.311 | - 61. 35. 12.54 | 38.71 | 3 | + 8.495 | ... | 8226 | ... |
| 9086 | 9111 | Piazzi XIX. 284 | 7.8 | 19. 40. 17.13 | 37.20 | 2 | + 1.232 | + 56. 38. 45.67 | 37.13 | 3 | + 8.510 | ... | ... | 284 |
| 9087 | 9112 | Lacaille 8239 | 6 | 19. 40. 37.24 | 35.40 | 3 | + 4.098 | - 40. 17. 3.20 | 35.63 | 3 | + 8.525 | ... | 8239 | 275 |
| 9088 | 9113 | Piazzi XIX. 281 | 7 | 19. 40. 46.15 | 39.03 | 2 | + 3.310 | - 11. 7. 56.89 | 37.46 | 4 | + 8.537 | ... | ... | 281 |
| 9089 | 9114 | 52 Aquilæ.....π | 6 | 19. 40. 55.90 | 33.76 | 3 | + 2.828 | + 11. 24. 37.92 | 33.75 | 5 | + 8.551 | 2518 | ... | 283 |
| 9090 | 9115 | Piazzi XIX. 287 | 7.8 | 19. 41. 19.93 | 37.43 | 2 | + 2.637 | + 19. 48. 29.81 | 36.81 | 4 | + 8.583 | ... | ... | 287 |
| 9091 | 9116 | Pavonis.....ε | 4 | 19. 41. 22.22 | 33.78 | 3 | + 7.109 | - 73. 19. 58.91 | 33.78 | 5 | + 8.586 | ... | 8219 | ... |
| 9092 | 9117 | Piazzi XIX. 292 | 7.8 | 19. 41. 23.69 | 37.42 | 3 | + 1.317 | + 55. 26. 49.73 | 37.71 | 2 | + 8.588 | ... | ... | 292 |
| 9093 | 9118 | Piazzi XIX. 285 | 7.8 | 19. 41. 25.43 | 36.99 | 3 | + 3.018 | + 2. 32. 42.86 | 37.13 | 3 | + 8.589 | ... | ... | 285 |
| 9094 | 9119 | Piazzi XIX. 290 | 7 | 19. 41. 32.71 | 35.38 | 2 | + 2.343 | + 31. 6. 0.71 | 35.40 | 3 | + 8.599 | ... | ... | 290 |
| 9095 | 9120 | 8 Sagittæ.....ζ | 5 | 19. 41. 39.32 | 32.77 | 4 | + 2.662 | + 18. 44. 0.74 | 31.74 | 4 | + 8.607 | 2523 | ... | 289 |
| 9096 | 9121 | 51 Aquilæ..... | 5.6 | 19. 41. 41.77 | 35.67 | 6 | + 3.311 | - 11. 10. 32.32 | 38.93 | 4 | + 8.611 | 2519 | ... | 286 |
| 9097 | 9122 | Piazzi XIX. 293 | 7 | 19. 41. 47.63 | 35.74 | 3 | + 1.567 | + 51. 16. 7.97 | 35.39 | 3 | + 8.618 | ... | ... | 293 |
| 9098 | 9123 | Piazzi XIX. 288 | 7.8 | 19. 41. 59.27 | 37.60 | 2 | + 3.502 | - 19. 37. 28.45 | 37.39 | 4 | + 8.634 | ... | ... | 288 |
| 9099 | 9124 | Brisbane 6757..... | 8 | 19. 42. 30.94 | 38.63 | 3 | + 4.754 | - 54. 22. 5.77 | 38.63 | 3 | + 8.675 | ... | ... | ... |
| 9100 | 9125 | Piazzi XIX. 295 | Var. | 19. 42. 32.81 | 40.92 | 4 | + 2.288 | + 33. 1. 43.03 | 37.45 | 4 | + 8.678 | ... | ... | 295 |
| 9101 | 9126 | 57 Sagittarii..... | 5.6 | 19. 42. 36.39 | 32.57 | 5 | + 3.498 | - 19. 27. 27.03 | 33.12 | 3 | + 8.682 | 2522 | ... | 291 |
| 9102 | 9127 | 53 Aquilæ.....α | 1.2 | 19. 42. 44.00 | 34.37 | 185 | + 2.893 | + 8. 26. 17.04 | 32.86 | 250 | + 8.693 | 2524 | ... | 294 |
| 9103 | 9128 | Piazzi XIX. 296 | 7 | 19. 42. 50.06 | 35.73 | 3 | + 2.697 | + 17. 17. 55.96 | 35.70 | 3 | + 8.701 | ... | ... | 296 |
| 9104 | 9129 | 54 Aquilæ.....θ | 5.6 | 19. 43. 7.48 | 33.68 | 3 | + 2.860 | + 10. 0. 30.04 | 33.80 | 5 | + 8.723 | 2525 | ... | 298 |
| 9105 | 9130 | Lacaille 8245..... | 7 | 19. 43. 12.22 | 38.68 | 3 | + 5.102 | - 59. 19. 32.29 | 38.68 | 3 | + 8.730 | ... | 8245 | ... |
| 9106 | 9131 | Lacaille 8247 | 7 | 19. 43. 16.57 | 38.67 | 3 | + 5.025 | - 58. 20. 56.74 | 38.63 | 2 | + 8.737 | ... | 8247 | ... |
| 9107 | 9132 | Piazzi XIX. 300 | 7.8 | 19. 43. 23.53 | 39.52 | 5 | + 2.294 | + 32. 51. 52.85 | 39.87 | 4 | + 8.746 | ... | ... | 300 |
| 9108 | 9133 | Piazzi XIX. 299 | 7.8 | 19. 43. 29.88 | 35.55 | 3 | + 2.639 | + 19. 47. 48.86 | 35.70 | 3 | + 8.754 | ... | ... | 299 |
| 9109 | 9134 | Piazzi XIX. 301 | 7 | 19. 43. 36.80 | 37.17 | 2 | + 2.643 | + 19. 37. 27.77 | 37.24 | 3 | + 8.762 | ... | ... | 301 |
| 9110 | 9135 | Bradley 2529 | 6.7 | 19. 43. 37.07 | 35.74 | 3 | + 2.122 | + 38. 17. 54.27 | 35.41 | 3 | + 8.762 | 2529 | ... | 304 |
| 9111 | 9136 | Sagittarii.....ε | 4.5 | 19. 43. 52.33 | 31.62 | 6 | + 4.166 | - 42. 17. 37.78 | 33.37 | 5 | + 8.783 | ... | 8255 | 297 |
| 9112 | 9137 | 12 Vulpeculæ..... | 5.6 | 19. 43. 57.94 | 33.69 | 3 | + 2.582 | + 22. 11. 44.23 | 32.77 | 4 | + 8.790 | 2527 | ... | 305 |
| 9113 | 9138 | 55 Aquilæ.....η | 4 | 19. 44. 4.09 | 32.75 | 3 | + 3.060 | + 0. 35. 16.15 | 31.67 | 5 | + 8.798 | 2526 | ... | 303 |
| 9114 | 9139 | Piazzi XIX. 306 | 6.7 | 19. 44. 20.01 | 38.30 | 6 | + 2.834 | + 11. 13. 31.04 | 38.87 | 7 | + 8.819 | ... | ... | 306 |
| 9115 | 9140 | Piazzi XIX. 307 | 8 | 19. 44. 23.67 | 37.28 | 3 | + 2.862 | + 9. 56. 1.29 | 37.41 | 4 | + 8.824 | ... | ... | 307 |
| 9116 | 9141 | Lacaille 8260 | 6.7 | 19. 44. 30.16 | 35.74 | 3 | + 3.866 | - 33. 28. 11.28 | 35.73 | 3 | + 8.832 | ... | 8260 | 302 |
| 9117 | 9142 | Piazzi XIX. 308 | 8 | 19. 44. 34.13 | 37.63 | 2 | + 2.695 | + 17. 25. 24.12 | 37.71 | 1 | + 8.838 | ... | ... | 308 |
| 9118 | 9143 | Piazzi XIX. 316 | 7.8 | 19. 44. 54.31 | 35.75 | 3 | + 1.339 | + 55. 18. 39.03 | 35.34 | 3 | + 8.864 | ... | ... | 316 |
| 9119 | 9144 | 9 Sagittæ..... | 6.7 | 19. 45. 0.28 | 35.91 | 4 | + 2.676 | + 18. 15. 11.36 | 35.39 | 3 | + 8.872 | 2532 | ... | 310 |
| 9120 | 9145 | 56 Aquilæ..... | 6 | 19. 45. 11.08 | 33.72 | 4 | + 3.262 | - 8. 59. 47.41 | 33.70 | 4 | + 8.886 | 2530 | ... | 309 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 9121 | 9146 | Piazzi XIX. 312 | 7.8 | h m s 19. 45. 17.82 | 37.24 | 2 | + 2.675 | + 18. 19. 13.29 | 37.45 | 3 | + 8.895 | ... | ... | 312 |
| 9122 | 9147 | Piazzi XIX. 315 | 7.8 | 19. 45. 32.28 | 37.42 | 5 | + 2.697 | + 17. 23. 39.16 | 37.23 | 7 | + 8.914 | ... | ... | 315 |
| 9123 | 9148 | 57 Aquilæ | 6.7 | 19. 45. 41.33 | 36.30 | 5 | + 3.254 | - 8. 39. 2.53 | 35.92 | 4 | + 8.926 | 2531 | ... | 313 |
| 9124 | 9149 | Piazzi XIX. 314 | 7 | 19. 45. 41.95 | 37.35 | 3 | + 3.255 | - 8. 39. 38.42 | 36.92 | 3 | + 8.926 | ... | ... | 314 |
| 9125 | 9150 | 58 Sagittarii | 6 | 19. 45. 43.47 | 33.62 | 4 | + 3.675 | - 26. 43. 49.42 | 33.78 | 5 | + 8.928 | 2528 | 8268 | 311 |
| 9126 | 9151 | Piazzi XIX. 317 | 8 | 19. 45. 54.54 | 37.61 | 1 | + 2.835 | + 11. 11. 6.55 | 37.68 | 3 | + 8.943 | ... | ... | 317 |
| 9127 | 9152 | Piazzi XIX. 320 | 7 | 19. 46. 7.04 | 37.52 | 2 | + 2.639 | + 19. 54. 47.44 | 36.29 | 5 | + 8.959 | ... | ... | 320 |
| 9128 | 9153 | Piazzi XIX. 321 | 7 | 19. 46. 8.68 | 36.09 | 4 | + 2.639 | + 19. 54. 11.02 | 36.91 | 3 | + 8.960 | ... | ... | 321 |
| 9129 | 9154 | 59 Aquilæ | 5 | 19. 46. 15.25 | 31.69 | 8 | + 2.903 | + 8. 2. 23.75 | 32.35 | 8 | + 8.969 | 2536 | ... | 319 |
| 9130 | 9155 | 58 Aquilæ | 6 | 19. 46. 17.66 | 33.80 | 4 | + 3.075 | - 0. 9. 7.02 | 33.44 | 5 | + 8.973 | 2535 | ... | 318 |
| 9131 | 9156 | 13 Vulpeculæ | 5 | 19. 46. 26.98 | 31.94 | 5 | + 2.548 | + 23. 39. 14.05 | 32.51 | 5 | + 8.985 | 2537 | ... | 323 |
| 9132 | 9157 | 20 Cygni | 6 | 19. 46. 29.25 | 35.67 | 3 | + 1.510 | + 52. 34. 20.30 | 35.35 | 3 | + 8.988 | 2542 | ... | 325 |
| 9133 | 9158 | 59 Sagittarii | 5 | 19. 46. 48.90 | 32.78 | 3 | + 3.696 | - 27. 36. 1.16 | 31.70 | 5 | + 9.014 | 2533 | 8277 | 322 |
| 9134 | 9159 | 60 Aquilæ | 3 | 19. 47. 12.56 | 33.18 | 49 | + 2.947 | + 6. 0. 1.64 | 32.60 | 69 | + 9.043 | 2538 | ... | 324 |
| 9135 | 9160 | Piazzi XIX. 326 | 7.8 | 19. 47. 25.07 | 36.99 | 3 | + 2.829 | + 11. 31. 50.38 | 37.39 | 4 | + 9.060 | ... | ... | 326 |
| 9136 | 9161 | Bradley 2541 | 7 | 19. 47. 31.03 | 37.49 | 2 | + 2.544 | + 23. 53. 30.07 | 37.42 | 4 | + 9.068 | 2541 | ... | 327 |
| 9137 | 9162 | Lacaille 8269 | 7.6 | 19. 47. 47.97 | 40.52 | 7 | + 5.121 | - 59. 48. 59.64 | 40.15 | 6 | + 9.091 | ... | 8269 | ... |
| 9138 | 9163 | 61 Aquilæ | 6 | 19. 48. 25.65 | 33.72 | 3 | + 2.841 | + 10. 59. 27.84 | 32.75 | 5 | + 9.138 | 2543 | ... | 332 |
| 9139 | 9164 | 10 Sagittæ | 6 | 19. 48. 31.83 | 33.77 | 3 | + 2.726 | + 16. 12. 9.78 | 33.17 | 5 | + 9.147 | 2544 | ... | 334 |
| 9140 | 9165 | 61 Sagittarii | 6 | 19. 48. 35.29 | 37.59 | 6 | + 3.411 | - 15. 55. 21.84 | 37.02 | 7 | + 9.152 | 2540 | ... | 329 |
| 9141 | 9166 | Piazzi XIX. 335 | 8.9 | 19. 48. 37.02 | 37.35 | 3 | + 2.698 | + 17. 27. 15.93 | 37.37 | 4 | + 9.154 | ... | ... | 335 |
| 9142 | 9167 | Piazzi XIX. 347 | 7 | 19. 48. 41.22 | 38.53 | 5 | - 0.600 | + 72. 2. 49.31 | 38.52 | 5 | + 9.160 | ... | ... | 347 |
| 9143 | 9168 | 63 Draconis | 5.6 | 19. 48. 41.73 | 38.01 | 3 | - 0.169 | + 69. 50. 50.91 | 38.27 | 5 | + 9.161 | 2554 | ... | 343 |
| 9144 | 9169 | 60 Sagittarii | 5.6 | 19. 48. 53.42 | 33.67 | 3 | + 3.668 | - 26. 38. 7.08 | 33.77 | 5 | + 9.176 | 2539 | 8294 | 331 |
| 9145 | 9170 | Lacaille 8291 | 6 | 19. 48. 59.39 | 35.55 | 1 | + 3.927 | - 35. 42. 54.60 | 35.37 | 3 | + 9.183 | ... | 8291 | 330 |
| 9146 | 9171 | Lacaille 8285 | 6.7 | 19. 49. 5.74 | 35.51 | 3 | + 4.284 | - 45. 33. 17.53 | 34.89 | 4 | + 9.192 | ... | 8285 | 328 |
| 9147 | 9172 | Lacaille 8292 | 6 | 19. 49. 7.97 | 39.42 | 7 | + 3.908 | - 35. 8. 5.05 | 38.71 | 8 | + 9.195 | ... | 8292 | 333 |
| 9148 | 9173 | Gould 27360 | 7 | 19. 49. 47.27 | 33.66 | 4 | + 3.567 | - 22. 39. 7.77 | 33.68 | 5 | + 9.246 | ... | ... | ... |
| 9149 | 9174 | 23 Cygni | 6 | 19. 49. 53.80 | 35.70 | 3 | + 1.239 | + 57. 5. 36.05 | 35.68 | 3 | + 9.254 | 2552 | ... | 349 |
| 9150 | 9175 | 22 Cygni | 5 | 19. 49. 57.98 | 32.31 | 10 | + 2.144 | + 38. 3. 6.00 | 32.93 | 5 | + 9.259 | 2547 | ... | 342 |
| 9151 | 9176 | Piazzi XIX. 338 | 8 | 19. 50. 2.63 | 37.35 | 3 | + 2.655 | + 19. 21. 38.40 | 38.32 | 3 | + 9.266 | ... | ... | 338 |
| 9152 | 9178 | 21 Cygni | 5 | 19. 50. 6.91 | 35.58 | 3 | + 2.252 | + 34. 38. 57.70 | 35.40 | 3 | + 9.271 | 2548 | ... | 344 |
| 9153 | 9177 | Piazzi XIX. 336 | 8 | 19. 50. 7.24 | 37.23 | 2 | + 2.842 | + 10. 58. 34.25 | 37.30 | 4 | + 9.271 | ... | ... | 336 |
| 9154 | 9179 | Piazzi XIX. 337 | 8.9 | 19. 50. 7.61 | 37.18 | 4 | + 2.838 | + 11. 9. 8.33 | 37.42 | 5 | + 9.272 | ... | ... | 337 |
| 9155 | 9180 | Piazzi XIX. 341 | 8 | 19. 50. 16.10 | 37.41 | 3 | + 2.716 | + 16. 42. 29.27 | 37.38 | 3 | + 9.282 | ... | ... | 341 |
| 9156 | 9181 | 11 Sagittæ | 6 | 19. 50. 16.14 | 33.81 | 2 | + 2.724 | + 16. 21. 0.75 | 33.36 | 10 | + 9.282 | 2545 | ... | 340 |
| 9157 | 9182 | Piazzi XIX. 345 | 7.8 | 19. 50. 31.73 | 37.30 | 3 | + 2.916 | + 7. 28. 45.04 | 37.41 | 3 | + 9.303 | ... | ... | 345 |
| 9158 | 9183 | Piazzi XIX. 339 | 9 | 19. 50. 41.58 | 37.40 | 3 | + 3.534 | - 21. 18. 1.89 | 37.23 | 3 | + 9.316 | ... | ... | 339 |
| 9159 | 9184 | Piazzi XIX. 348 | 8 | 19. 50. 48.58 | 37.43 | 3 | + 2.944 | + 6. 8. 59.09 | 37.70 | 3 | + 9.326 | ... | ... | 348 |
| 9160 | 9185 | Piazzi XIX. 346 | 8 | 19. 51. 0.00 | 37.43 | 3 | + 3.576 | - 23. 4. 54.96 | 37.40 | 3 | + 9.340 | ... | ... | 346 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-------------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 9161 | 9186 | Piazzi XIX. 350..... | 9 | h m s 19. 51. 2.98 | 37.68 | 3 | s + 2.839 | ° ' " + 11. 7. 18.80 | 36.74 | 1 | " + 9.344 | ... | ... | 350 |
| 9162 | 9187 | 24 Cygni.....ψ | 5.6 | 19. 51. 21.73 | 35.68 | 3 | + 1.558 | + 52. 0. 11.93 | 35.63 | 4 | + 9.368 | 2556 | ... | 356 |
| 9163 | 9188 | 12 Sagittæγ | 4.5 | 19. 51. 25.16 | 33.80 | 12 | + 2.664 | + 19. 2. 55.77 | 35.30 | 14 | + 9.372 | 2550 | ... | 352 |
| 9164 | 9189 | Piazzi XIX. 354..... | 7 | 19. 51. 34.42 | 35.32 | 3 | + 2.148 | + 38. 1. 4.18 | 35.68 | 4 | + 9.384 | ... | ... | 354 |
| 9165 | 9190 | Lacaille 8308..... | 6 | 19. 51. 35.20 | 32.88 | 7 | + 3.578 | - 23. 11. 4.13 | 33.71 | 5 | + 9.385 | ... | 8308 | 351 |
| 9166 | 9191 | 14 Vulpeculæ..... | 5 | 19. 52. 5.96 | 31.70 | 8 | + 2.579 | + 22. 39. 18.04 | 31.94 | 5 | + 9.425 | 2553 | ... | 358 |
| 9167 | 9192 | Piazzi XIX. 357..... | 8 | 19. 52. 10.36 | 37.12 | 2 | + 2.930 | + 6. 50. 30.68 | 37.09 | 4 | + 9.429 | ... | ... | 357 |
| 9168 | 9193 | Pavonis.....δ | 4 | 19. 52. 28.35 | 37.48 | 7 | + 5.796 | - 66. 35. 26.21 | 32.77 | 5 | + 9.454 | ... | 8295 | ... |
| 9169 | 9194 | 62 Sagittarii.....c | 4.5 | 19. 52. 30.24 | 33.21 | 6 | + 3.703 | - 28. 9. 43.31 | 31.80 | 6 | + 9.456 | 2549 | 8315 | 355 |
| 9170 | 9195 | Lacaille 8310..... | 6 | 19. 52. 34.72 | 35.40 | 3 | + 4.006 | - 38. 23. 21.96 | 35.93 | 5 | + 9.462 | ... | 8310 | 353 |
| 9171 | 9196 | 13 Sagittæ..... | 6 | 19. 52. 36.30 | 33.60 | 3 | + 2.710 | + 17. 4. 14.45 | 33.09 | 5 | + 9.463 | 2555 | ... | 361 |
| 9172 | 9197 | Piazzi XIX. 362..... | 7.8 | 19. 52. 41.55 | 35.68 | 3 | + 2.708 | + 17. 9. 49.56 | 35.00 | 4 | + 9.471 | ... | ... | 362 |
| 9173 | 9198 | Piazzi XIX. 370..... | 7 | 19. 52. 43.32 | 35.72 | 3 | + 1.308 | + 56. 14. 46.40 | 35.03 | 4 | + 9.473 | ... | ... | 370 |
| 9174 | 9199 | 63 Sagittarii..... | 6 | 19. 52. 43.78 | 33.72 | 5 | + 3.368 | - 14. 5. 16.94 | 33.72 | 5 | + 9.474 | 2551 | ... | 360 |
| 9175 | 9200 | Piazzi XIX. 371..... | 6 | 19. 52. 45.80 | 35.72 | 3 | + 1.156 | + 58. 24. 23.77 | 35.34 | 3 | + 9.476 | ... | ... | 371 |
| 9176 | 9201 | Piazzi XIX. 363..... | 8 | 19. 52. 49.99 | 37.11 | 4 | + 2.916 | + 7. 31. 59.39 | 37.29 | 4 | + 9.482 | ... | ... | 363 |
| 9177 | 9202 | Piazzi XIX. 364..... | 8.9 | 19. 52. 52.75 | 37.25 | 3 | + 2.928 | + 6. 57. 45.54 | 37.36 | 3 | + 9.485 | ... | ... | 364 |
| 9178 | 9203 | Lacaille 8318..... | 7.8 | 19. 53. 4.37 | 37.40 | 3 | + 4.003 | - 38. 18. 48.64 | 37.57 | 2 | + 9.499 | ... | 8318 | 359 |
| 9179 | 9204 | Piazzi XIX. 365..... | 7 | 19. 53. 10.68 | 35.72 | 3 | + 3.085 | - 0. 38. 57.63 | 35.36 | 3 | + 9.508 | ... | ... | 365 |
| 9180 | 9205 | Piazzi XIX. 368..... | 8 | 19. 53. 12.47 | 37.73 | 12 | + 2.596 | + 21. 59. 31.13 | 37.19 | 4 | + 9.510 | ... | ... | 368 |
| 9181 | 9206 | Lacaille 8316..... | 7.8 | 19. 53. 21.05 | 38.68 | 3 | + 4.315 | - 46. 33. 12.89 | 38.68 | 3 | + 9.521 | ... | 8316 | ... |
| 9182 | 9207 | Piazzi XIX. 367..... | 8 | 19. 53. 42.38 | 37.40 | 3 | + 3.470 | - 18. 41. 47.21 | 37.44 | 4 | + 9.548 | ... | ... | 367 |
| 9183 | 9208 | Lacaille 8322..... | 5 | 19. 53. 51.17 | 32.25 | 8 | + 3.821 | - 32. 30. 46.01 | 31.67 | 5 | + 9.560 | ... | 8322 | 366 |
| 9184 | 9209 | 25 Cygni..... | 6 | 19. 53. 52.22 | 38.67 | 6 | + 2.199 | + 36. 35. 38.02 | 38.54 | 6 | + 9.561 | 2557 | ... | 373 |
| 9185 | 9210 | Lacaille 8325..... | 6.7 | 19. 53. 57.30 | 32.76 | 4 | + 3.572 | - 23. 3. 8.66 | 33.13 | 5 | + 9.567 | ... | 8325 | 369 |
| 9186 | 9211 | Piazzi XIX. 372..... | 7 | 19. 54. 12.59 | 36.08 | 4 | + 3.406 | - 15. 52. 7.26 | 35.35 | 3 | + 9.587 | ... | ... | 372 |
| 9187 | 9212 | 15 Vulpeculæ..... | 5 | 19. 54. 18.46 | 31.76 | 4 | + 2.466 | + 27. 18. 7.57 | 32.11 | 5 | + 9.590 | 2558 | ... | 375 |
| 9188 | 9213 | Lacaille 8320..... | 6.7 | 19. 54. 33.55 | 38.73 | 3 | + 4.779 | - 55. 28. 50.47 | 38.73 | 3 | + 9.613 | ... | 8320 | ... |
| 9189 | 9214 | Lacaille 8321..... | 6 | 19. 54. 42.77 | 40.55 | 8 | + 4.648 | - 53. 20. 41.39 | 40.65 | 5 | + 9.625 | ... | 8321 | ... |
| 9190 | 9215 | Bradley 2559..... | 5 | 19. 54. 45.31 | 33.16 | 4 | + 2.541 | + 24. 20. 51.00 | 32.43 | 7 | + 9.629 | 2559 | ... | ... |
| 9191 | 9216 | Piazzi XIX. 380..... | 6.7 | 19. 54. 52.77 | 35.65 | 2 | + 1.592 | + 51. 36. 22.31 | 35.59 | 3 | + 9.639 | ... | ... | 380 |
| 9192 | 9217 | Piazzi XIX. 376..... | 8 | 19. 54. 59.07 | 37.33 | 3 | + 3.080 | - 0. 21. 58.34 | 37.15 | 4 | + 9.647 | ... | ... | 376 |
| 9193 | 9218 | Lacaille 8330..... | 7 | 19. 55. 0.11 | 35.47 | 3 | + 3.847 | - 33. 27. 34.85 | 34.92 | 4 | + 9.648 | ... | 8330 | 374 |
| 9194 | 9219 | 16 Vulpeculæ..... | 6 | 19. 55. 1.58 | 33.69 | 3 | + 2.538 | + 24. 28. 51.54 | 32.75 | 5 | + 9.650 | 2561 | ... | 378 |
| 9195 | 9220 | Piazzi XIX. 379..... | 7 | 19. 55. 11.35 | 35.58 | 3 | + 2.200 | + 36. 38. 34.10 | 34.98 | 4 | + 9.662 | ... | ... | 379 |
| 9196 | 9221 | Piazzi XIX. 377..... | 7 | 19. 55. 15.10 | 35.36 | 3 | + 3.540 | - 21. 46. 24.57 | 35.40 | 3 | + 9.667 | ... | ... | 377 |
| 9197 | 9222 | Lacaille 8327..... | 7.8 | 19. 55. 32.52 | 38.68 | 3 | + 4.628 | - 53. 2. 36.50 | 38.68 | 3 | + 9.689 | ... | 8327 | ... |
| 9198 | 9223 | Piazzi XIX. 391..... | 7 | 19. 55. 37.43 | 36.50 | 5 | + 1.244 | + 57. 21. 33.50 | 34.87 | 4 | + 9.697 | ... | ... | 391 |
| 9199 | 9224 | 62 Aquilæ..... | 6 | 19. 55. 53.14 | 37.25 | 6 | + 3.096 | - 1. 9. 49.31 | 35.86 | 8 | + 9.715 | 2562 | ... | 383 |
| 9200 | 9225 | 14 Sagittæ..... | 6 | 19. 55. 57.22 | 33.79 | 3 | + 2.746 | + 15. 34. 23.54 | 33.75 | 5 | + 9.720 | 2565 | ... | 385 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{ccxxxi}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 9201 | 9226 | Piazzi XIX. 381 | 8 | h m s 19. 55. 58.29 | 37.10 | 3 | + 3.426 | — 16. 50. 5.21 | 37.15 | 4 | + 9.722 | ... | ... | 381 |
| 9202 | 9227 | 64 Sagittarii | 6 | 19. 55. 58.57 | 33.77 | 2 | + 3.322 | — 12. 3. 37.01 | 33.65 | 6 | + 9.722 | 2560 | ... | 382 |
| 9203 | 9228 | 63 Aquilæ | 5.6 | 19. 56. 4.75 | 39.59 | 6 | + 2.932 | + 6. 49. 3.04 | 36.63 | 8 | + 9.731 | 2564 | ... | 386 |
| 9204 | 9229 | 65 Sagittarii | 6 | 19. 56. 15.58 | 33.81 | 2 | + 3.345 | — 13. 7. 32.35 | 33.78 | 5 | + 9.744 | 2563 | ... | 384 |
| 9205 | 9230 | Piazzi XIX. 387 | 8 | 19. 56. 23.13 | 37.00 | 3 | + 3.404 | — 15. 53. 10.09 | 37.43 | 5 | + 9.754 | ... | ... | 387 |
| 9206 | 9231 | Bradley 2567 | 6.7 | 19. 56. 30.12 | 37.39 | 3 | + 2.722 | + 16. 39. 37.17 | 37.66 | 2 | + 9.762 | 2567 | ... | 392 |
| 9207 | 9232 | Piazzi XIX. 389 | 9 | 19. 56. 30.65 | 37.12 | 2 | + 3.216 | — 7. 2. 51.03 | 37.29 | 3 | + 9.763 | ... | ... | 389 |
| 9208 | 9233 | Piazzi XIX. 388 | 7.8 | 19. 56. 38.64 | 37.23 | 3 | + 3.496 | — 19. 57. 14.21 | 37.11 | 4 | + 9.774 | ... | ... | 388 |
| 9209 | 9234 | 26 Cygni | 7 | 19. 56. 41.31 | 35.32 | 3 | + 1.698 | + 49. 38. 53.39 | 34.49 | 4 | + 9.778 | 2570 | ... | 397 |
| 9210 | 9235 | 15 Sagittæ | 6 | 19. 56. 41.67 | 34.17 | 7 | + 2.723 | + 16. 37. 41.81 | 33.80 | 5 | + 9.778 | 2568 | ... | 393 |
| 9211 | 9236 | Piazzi XIX. 395 | 7 | 19. 56. 46.67 | 35.71 | 2 | + 2.181 | + 37. 21. 10.06 | 35.39 | 4 | + 9.785 | ... | ... | 395 |
| 9212 | 9237 | Piazzi XIX. 394 | 7 | 19. 56. 47.35 | 37.08 | 2 | + 2.709 | + 17. 16. 25.80 | 37.34 | 3 | + 9.786 | ... | ... | 394 |
| 9213 | 9238 | Piazzi XIX. 390 | 8 | 19. 56. 51.82 | 37.16 | 3 | + 3.547 | — 22. 8. 19.38 | 37.33 | 3 | + 9.791 | ... | ... | 390 |
| 9214 | 9239 | Piazzi XIX. 396 | 8 | 19. 57. 34.52 | 37.07 | 2 | + 3.350 | — 13. 23. 37.24 | 37.33 | 3 | + 9.844 | ... | ... | 396 |
| 9215 | 9240 | Piazzi XIX. 398 | 7.8 | 19. 57. 40.80 | 37.22 | 2 | + 3.339 | — 12. 54. 25.34 | 37.53 | 3 | + 9.854 | ... | ... | 398 |
| 9216 | 9241 | Lacaille 8337 | 7.8 | 19. 57. 40.98 | 39.31 | 5 | + 4.936 | — 57. 59. 52.22 | 39.23 | 4 | + 9.854 | ... | 8337 | ... |
| 9217 | 9242 | 16 Sagittæ | 6 | 19. 57. 50.48 | 32.73 | 6 | + 2.659 | + 19. 31. 22.82 | 32.74 | 5 | + 9.866 | 2569 | ... | 400 |
| 9218 | 9243 | Piazzi XIX. 399 | 8 | 19. 57. 58.35 | 37.17 | 2 | + 3.264 | — 9. 22. 52.88 | 37.57 | 3 | + 9.875 | ... | ... | 399 |
| 9219 | 9244 | Piazzi XIX. 401 | 7.8 | 19. 58. 3.81 | 37.18 | 2 | + 2.573 | + 23. 12. 6.70 | 37.60 | 3 | + 9.882 | ... | ... | 401 |
| 9220 | 9245 | Piazzi XIX. 403 | 8 | 19. 58. 37.40 | 37.74 | 2 | + 3.099 | — 1. 20. 25.19 | 37.25 | 3 | + 9.923 | ... | ... | 403 |
| 9221 | 9246 | Piazzi XIX. 402 | 7 | 19. 58. 40.52 | 35.38 | 2 | + 3.478 | — 19. 16. 32.30 | 35.36 | 3 | + 9.929 | ... | ... | 402 |
| 9222 | 9247 | Piazzi XIX. 404 | 7 | 19. 59. 10.33 | 33.88 | 9 | + 3.394 | — 15. 29. 55.56 | 34.03 | 9 | + 9.965 | ... | ... | 404 |
| 9223 | 9248 | Piazzi XIX. 409 | 7.8 | 19. 59. 19.65 | 37.72 | 2 | + 2.731 | + 16. 23. 57.40 | 37.66 | 2 | + 9.979 | ... | ... | 409 |
| 9224 | 9249 | Piazzi XIX. 407 | 8 | 19. 59. 24.02 | 37.22 | 3 | + 3.032 | + 1. 58. 16.16 | 37.23 | 3 | + 9.983 | ... | ... | 407 |
| 9225 | 9250 | Piazzi XIX. 406 | 7 | 19. 59. 29.90 | 33.62 | 5 | + 3.288 | — 10. 32. 3.23 | 33.67 | 9 | + 9.992 | ... | ... | 406 |
| 9226 | 9251 | 64 Aquilæ | 6 | 19. 59. 30.69 | 33.68 | 5 | + 3.095 | — 1. 8. 51.27 | 32.76 | 4 | + 9.993 | 2571 | ... | 408 |
| 9227 | 9252 | 64 Draconis | 6 | 19. 59. 42.48 | 39.39 | 3 | + 0.658 | + 64. 21. 43.13 | 39.85 | 7 | + 10.007 | 2578 | ... | 421 |
| 9228 | 9253 | Lacaille 8357 | 7 | 19. 59. 47.64 | 39.08 | 6 | + 4.196 | — 44. 8. 29.60 | 39.03 | 6 | + 10.014 | ... | 8357 | 405 |
| 9229 | 9254 | 17 Vulpeculæ | 5.6 | 19. 59. 47.98 | 34.38 | 6 | + 2.577 | + 23. 8. 34.87 | 32.76 | 5 | + 10.014 | 2572 | ... | 412 |
| 9230 | 9255 | Piazzi XIX. 410 | 7.8 | 19. 59. 54.83 | 35.59 | 3 | + 3.518 | — 21. 3. 57.07 | 34.95 | 4 | + 10.022 | ... | ... | 410 |
| 9231 | 9256 | Piazzi XIX. 415 | 8 | 19. 59. 58.80 | 40.24 | 4 | + 2.636 | + 20. 37. 53.23 | 36.78 | 1 | + 10.028 | ... | ... | 415 |
| 9232 | 9257 | Piazzi XIX. 413 | 8 | 19. 59. 58.97 | 37.41 | 3 | + 2.732 | + 16. 32. 56.07 | 37.40 | 3 | + 10.028 | ... | ... | 413 |
| 9233 | 9258 | Piazzi XIX. 414 | 7 | 20. 0. 0.22 | 35.70 | 2 | + 2.736 | + 16. 10. 28.86 | 35.03 | 4 | + 10.029 | ... | ... | 414 |
| 9234 | 9259 | 27 Cygni | 6 | 20. 0. 13.68 | 39.14 | 6 | + 2.246 | + 35. 31. 15.03 | 38.60 | 7 | + 10.047 | 2573 | ... | 418 |
| 9235 | 9260 | Lacaille 8362 | 6.7 | 20. 0. 20.86 | 38.24 | 6 | + 3.928 | — 36. 30. 37.07 | 38.07 | 6 | + 10.056 | ... | 8362 | 411 |
| 9236 | 9261 | Piazzi XX. 1 | 7 | 20. 0. 24.13 | 35.75 | 2 | + 0.679 | + 64. 11. 39.80 | 35.21 | 4 | + 10.060 | ... | ... | 1 |
| 9237 | 9262 | 65 Draconis | 7 | 20. 0. 29.01 | 35.75 | 3 | + 0.683 | + 64. 10. 10.64 | 35.43 | 4 | + 10.066 | 2580 | ... | 3 |
| 9238 | 9263 | Piazzi XIX. 420 | 7 | 20. 0. 35.01 | 35.46 | 4 | + 2.736 | + 16. 11. 22.63 | 35.19 | 4 | + 10.074 | ... | ... | 420 |
| 9239 | 9264 | Piazzi XIX. 417 | 7 | 20. 0. 51.19 | 35.77 | 2 | + 3.489 | — 19. 51. 25.37 | 35.28 | 4 | + 10.094 | ... | ... | 417 |
| 9240 | 9265 | Lacaille 8366 | 7 | 20. 1. 2.01 | 35.75 | 3 | + 4.159 | — 43. 15. 29.87 | 35.41 | 3 | + 10.108 | ... | 8366 | 416 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 9241 | 9266 | Piazzi XIX. 422 | 7.8 | h m s 20. 1. 2'26 | 37'40 | 3 | + 2'657 | + 19. 44. 39'33 | 37'19 | 3 | +10'108 | ... | ... | 422 |
| 9242 | 9267 | Piazzi XIX. 424 | 8.9 | 20. 1. 25'82 | 37'20 | 3 | + 2'626 | + 21. 8. 41'38 | 37'13 | 2 | +10'137 | ... | ... | 424 |
| 9243 | 9268 | Piazzi XX. 2 | 7 | 20. 1. 37'31 | 37'23 | 2 | + 2'732 | + 16. 25. 54'33 | 37'17 | 4 | +10'153 | ... | ... | 2 |
| 9244 | 9269 | Piazzi XIX. 423 | 8.9 | 20. 1. 42'13 | 37'17 | 3 | + 3'206 | - 6. 38. 37'83 | 37'06 | 4 | +10'159 | ... | ... | 423 |
| 9245 | 9270 | Lacaille 8367 | 6.7 | 20. 1. 46'45 | 38'62 | 3 | + 4'598 | - 52. 55. 50'81 | 38'62 | 3 | +10'165 | ... | 8367 | ... |
| 9246 | 9271 | Piazzi XX. 5 | 7 | 20. 1. 48'16 | 37'26 | 2 | + 2'515 | + 25. 47. 49'91 | 37'25 | 2 | +10'166 | ... | ... | 5 |
| 9247 | 9272 | 67 Draconis | 5 | 20. 2. 2'69 | 32'13 | 11 | + 0'304 | + 67. 24. 11'29 | 33'06 | 10 | +10'185 | 2587 | ... | 21 |
| 9248 | 9273 | Piazzi XX. 4 | 7 | 20. 2. 13'05 | 37'21 | 2 | + 3'261 | - 9. 19. 30'15 | 37'27 | 3 | +10'197 | ... | ... | 4 |
| 9249 | 9274 | Piazzi XX. 9 | 8 | 20. 2. 13'29 | 35'69 | 3 | + 2'189 | + 37. 29. 24'62 | 35'00 | 4 | +10'197 | ... | ... | 9 |
| 9250 | 9275 | Piazzi XX. 6 | 7 | 20. 2. 18'23 | 37'27 | 2 | + 3'205 | - 6. 34. 13'40 | 37'24 | 2 | +10'204 | ... | ... | 6 |
| 9251 | 9276 | Taylor 9276 | 9 | 20. 2. 24'14 | 41'48 | 4 | + 2'644 | + 20. 25. ... | ... | ... | +10'211 | ... | ... | ... |
| 9252 | 9277 | Piazzi XX. 13 | 7 | 20. 2. 36'30 | 35'70 | 2 | + 2'644 | + 20. 24. 55'45 | 40'39 | 3 | +10'226 | ... | ... | 13 |
| 9253 | 9278 | Piazzi XX. 15 | 7 | 20. 2. 39'90 | 42'25 | 2 | + 2'642 | + 20. 31. 18'14 | 38'75 | 3 | +10'230 | ... | ... | 15 |
| 9254 | 9279 | 17 Sagittæ | 6.7 | 20. 2. 39'97 | 35'70 | 2 | + 2'643 | + 20. 25. 46'55 | 35'10 | 6 | +10'230 | 2579 | ... | 14 |
| 9255 | 9280 | 65 Aquilæ | 3.4 | 20. 2. 47'40 | 32'81 | 13 | + 3'098 | - 1. 18. 18'98 | 32'66 | 18 | +10'240 | 2576 | ... | 10 |
| 9256 | 9281 | Piazzi XX. 8 | 8 | 20. 2. 48'06 | 36'92 | 3 | + 3'206 | - 6. 38. 0'92 | 37'73 | 1 | +10'241 | ... | ... | 8 |
| 9257 | 9283 | Piazzi XX. 11 | 7 | 20. 2. 49'15 | 37'70 | 1 | + 3'084 | - 0. 37. 24'27 | 35'58 | 1 | +10'242 | ... | ... | 11 |
| 9258 | 9282 | 1 Capricorni | 6.7 | 20. 2. 49'16 | 32'79 | 4 | + 3'335 | - 12. 52. 35'02 | 32'79 | 5 | +10'242 | 2575 | ... | 7 |
| 9259 | 9284 | Piazzi XX. 12 | 7 | 20. 2. 50'53 | 38'32 | 7 | + 3'084 | - 0. 36. 34'39 | 38'23 | 7 | +10'245 | ... | ... | 12 |
| 9260 | 9285 | 66 Draconis | 6 | 20. 2. 54'00 | 31'72 | 5 | + 0'954 | + 61. 31. 4'63 | 31'72 | 4 | +10'249 | 2586 | ... | 25 |
| 9261 | 9286 | Piazzi XX. 17 | 7.8 | 20. 3. 2'85 | 37'69 | 2 | + 2'954 | + 5. 51. 51'07 | 37'68 | 3 | +10'260 | ... | ... | 17 |
| 9262 | 9287 | 2 Capricorni | 5 | 20. 3. 14'00 | 33'76 | 5 | + 3'339 | - 13. 5. 42'10 | 33'66 | 5 | +10'274 | 2577 | ... | 16 |
| 9263 | 9288 | 28 Oygini | 5 | 20. 3. 17'99 | 31'78 | 4 | + 2'227 | + 36. 21. 28'00 | 31'76 | 4 | +10'279 | 2582 | ... | 22 |
| 9264 | 9289 | Piazzi XX. 19 | 8 | 20. 3. 19'18 | 37'15 | 3 | + 2'960 | + 5. 35. 17'42 | 37'25 | 2 | +10'280 | ... | ... | 19 |
| 9265 | 9290 | Piazzi XX. 18 | 8 | 20. 3. 21'99 | 37'39 | 3 | + 3'078 | - 0. 18. 20'64 | 37'41 | 3 | +10'284 | ... | ... | 18 |
| 9266 | 9291 | Piazzi XX. 30 | 7 | 20. 3. 22'16 | 42'78 | 2 | + 0'797 | + 63. 13. 23'56 | 42'77 | 2 | +10'285 | ... | ... | 30 |
| 9267 | 9292 | Piazzi XX. 23 | 7 | 20. 3. 37'21 | 37'17 | 2 | + 2'750 | + 15. 41. 6'48 | 37'72 | 1 | +10'302 | ... | ... | 23 |
| 9268 | 9293 | 18 Vulpeculæ | 6 | 20. 3. 40'50 | 35'49 | 5 | + 2'502 | + 26. 25. 10'58 | 33'20 | 4 | +10'306 | 2583 | ... | 24 |
| 9269 | 9294 | Piazzi XX. 20 | 7.8 | 20. 3. 41'32 | 37'30 | 3 | + 3'302 | - 11. 19. 39'50 | 37'22 | 2 | +10'307 | ... | ... | 20 |
| 9270 | 9295 | Piazzi XX. 28 | 7 | 20. 3. 54'46 | 35'40 | 2 | + 2'155 | + 38. 39. 11'73 | 35'41 | 3 | +10'323 | ... | ... | 28 |
| 9271 | 9296 | Piazzi XX. 27 | 8 | 20. 4. 2'63 | 37'68 | 2 | + 2'635 | + 20. 51. 56'64 | 37'70 | 1 | +10'335 | ... | ... | 27 |
| 9272 | 9297 | 69 Draconis | 6.7 | 20. 4. 7'31 | 39'26 | 4 | - 1'530 | + 76. 1. 4'48 | 38'15 | 5 | +10'341 | 2604 | ... | 47 |
| 9273 | 9298 | Piazzi XX. 26 | 7.8 | 20. 4. 10'09 | 35'35 | 2 | + 3'064 | + 0. 22. 45'27 | 34'99 | 4 | +10'343 | ... | ... | 26 |
| 9274 | 9299 | Piazzi XX. 42 | 7.8 | 20. 4. 36'10 | 39'89 | 5 | + 0'804 | + 63. 13. 41'93 | 39'11 | 9 | +10'376 | ... | ... | 42 |
| 9275 | 9300 | 66 Aquilæ | 6 | 20. 4. 42'75 | 35'59 | 3 | + 3'102 | - 1. 29. 53'04 | 34'92 | 4 | +10'384 | 2584 | ... | 31 |
| 9276 | 9301 | Piazzi XX. 32 | 8 | 20. 4. 44'89 | 37'23 | 3 | + 2'750 | + 15. 43. 42'90 | 37'17 | 2 | +10'387 | ... | ... | 32 |
| 9277 | 9302 | 19 Vulpeculæ | 6 | 20. 4. 54'33 | 37'41 | 7 | + 2'506 | + 26. 19. 16'97 | 33'67 | 6 | +10'399 | 2585 | ... | 34 |
| 9278 | 9303 | Lacaille 8381 | 6 | 20. 4. 59'25 | 36'78 | 5 | + 3'668 | - 27. 31. 8'90 | 35'60 | 7 | +10'405 | ... | 8381 | 29 |
| 9279 | 9304 | Piazzi XX. 36 | 7.8 | 20. 5. 3'35 | 42'71 | 3 | + 2'508 | + 26. 15. 18'87 | 40'53 | 5 | +10'410 | ... | ... | 36 |
| 9280 | 9305 | 20 Vulpeculæ | 6 | 20. 5. 5'78 | 33'73 | 5 | + 2'515 | + 25. 59. 24'75 | 32'74 | 5 | +10'414 | 2588 | ... | 37 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|---------------------|------------|----------------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 9281 | 9306 | Piazzi XX. 33 | 7.8 | ^{h m s} 20. 5. 10.05 | 35.50 | 3 | + 3.481 | — 19. 42. 5.84 | 35.35 | 3 | +10.418 | ... | ... | 33 |
| 9282 | 9307 | Piazzi XX. 35 | 8 | 20. 5. 12.41 | 37.16 | 2 | + 2.976 | + 4. 49. 8.59 | 37.25 | 3 | +10.422 | ... | ... | 35 |
| 9283 | 9308 | Piazzi XX. 38 | 8 | 20. 5. 17.32 | 39.89 | 5 | + 2.753 | + 15. 36. 18.74 | 39.92 | 5 | +10.428 | ... | ... | 38 |
| 9284 | 9309 | Lacaille 8378 | 7.8 | 20. 5. 18.63 | 38.62 | 3 | + 4.556 | — 52. 24. 51.71 | 38.62 | 3 | +10.430 | ... | 8378 | ... |
| 9285 | 9310 | Piazzi XX. 40 | 7 | 20. 5. 44.60 | 35.36 | 3 | + 3.302 | — 11. 23. 5.28 | 34.89 | 4 | +10.462 | ... | ... | 40 |
| 9286 | 9311 | Piazzi XX. 39 | 7.8 | 20. 5. 45.32 | 37.23 | 2 | + 3.317 | — 12. 7. 55.58 | 37.33 | 3 | +10.463 | ... | ... | 39 |
| 9287 | 9312 | Piazzi XX. 41 | 8 | 20. 5. 52.62 | 37.31 | 3 | + 3.079 | — 0. 20. 59.77 | 37.27 | 3 | +10.471 | ... | ... | 41 |
| 9288 | 9313 | Piazzi XX. 43 | 7.8 | 20. 6. 4.31 | 37.24 | 2 | + 2.951 | + 6. 5. 9.54 | 37.13 | 4 | +10.487 | ... | ... | 43 |
| 9289 | 9314 | Piazzi XX. 44 | 7.8 | 20. 6. 4.97 | 37.26 | 2 | + 2.950 | + 6. 5. 56.15 | 37.18 | 3 | +10.488 | ... | ... | 44 |
| 9290 | 9315 | Piazzi XX. 46 | 7 | 20. 6. 36.66 | 37.39 | 3 | + 3.014 | + 2. 54. 37.94 | 37.23 | 3 | +10.527 | ... | ... | 46 |
| 9291 | 9316 | 67 Aquilæ | 5 | 20. 6. 38.66 | 36.73 | 8 | + 2.773 | + 14. 41. 59.92 | 35.34 | 10 | +10.531 | 2590 | ... | 48 |
| 9292 | 9317 | Piazzi XX. 45 | 7 | 20. 6. 40.52 | 37.72 | 1 | + 3.415 | — 16. 47. 31.16 | 37.34 | 2 | +10.533 | ... | ... | 45 |
| 9293 | 9318 | Lacaille 8388 | 7 | 20. 7. 4.35 | 39.73 | 6 | + 4.344 | — 48. 12. 52.30 | 39.73 | 3 | +10.561 | ... | 8388 | ... |
| 9294 | 9319 | Lacaille 8384 | 7.8 | 20. 7. 5.05 | 39.77 | 9 | + 4.982 | — 59. 14. 9.80 | 39.77 | 9 | +10.562 | ... | 8384 | ... |
| 9295 | 9320 | Piazzi XX. 50 | 8.9 | 20. 7. 7.03 | 37.25 | 2 | + 3.133 | — 3. 3. 48.83 | 37.33 | 3 | +10.564 | ... | ... | 50 |
| 9296 | 9321 | Piazzi XX. 51 | 7.8 | 20. 7. 13.64 | 37.24 | 2 | + 3.025 | + 2. 20. 54.94 | 37.28 | 3 | +10.573 | ... | ... | 51 |
| 9297 | 9322 | 3 Capricorni | 6.7 | 20. 7. 14.67 | 33.75 | 6 | + 3.331 | — 12. 50. 9.83 | 33.09 | 5 | +10.574 | 2589 | ... | 49 |
| 9298 | 9323 | Piazzi XX. 56 | 7.8 | 20. 7. 26.41 | 35.72 | 3 | + 1.033 | + 60. 51. 16.59 | 35.35 | 3 | +10.588 | ... | ... | 56 |
| 9299 | 9324 | 21 Vulpeculæ | 5.6 | 20. 7. 27.97 | 32.78 | 6 | + 2.463 | + 28. 11. 55.94 | 33.49 | 5 | +10.590 | 2594 | ... | 52 |
| 9300 | 9325 | Lacaille 8389 | 7 | 20. 7. 39.88 | 40.16 | 10 | + 4.727 | — 55. 33. 24.89 | 39.96 | 10 | +10.606 | ... | 8389 | ... |
| 9301 | 9326 | Piazzi XX. 55 | 8 | 20. 7. 54.12 | 37.34 | 2 | + 2.245 | + 36. 6. 26.75 | 37.78 | 1 | +10.623 | ... | ... | 55 |
| 9302 | 9327 | 30 Cygni | 5 | 20. 8. 6.73 | 35.32 | 2 | + 1.885 | + 46. 19. 12.05 | 34.95 | 4 | +10.638 | 2601 | ... | 59 |
| 9303 | 9328 | 4 Capricorni | 6 | 20. 8. 19.39 | 33.66 | 4 | + 3.537 | — 22. 18. 47.79 | 32.78 | 5 | +10.653 | 2591 | ... | 53 |
| 9304 | 9329 | 29 Cygni | 5.6 | 20. 8. 21.45 | 36.41 | 2 | + 2.240 | + 36. 18. 12.10 | 35.41 | 3 | +10.655 | 2598 | ... | 60 |
| 9305 | 9330 | 22 Vulpeculæ | 5.6 | 20. 8. 22.83 | 33.70 | 4 | + 2.591 | + 23. 0. 32.04 | 33.71 | 5 | +10.657 | 2596 | ... | 57 |
| 9306 | 9331 | 31 Cygni | 4 | 20. 8. 26.21 | 32.96 | 7 | + 1.889 | + 46. 14. 37.92 | 32.74 | 10 | +10.662 | 2603 | ... | 62 |
| 9307 | 9332 | Piazzi XX. 63 | 7 | 20. 8. 27.29 | 37.39 | 3 | + 1.890 | + 46. 12. 50.84 | 37.48 | 4 | +10.663 | ... | ... | 63 |
| 9308 | 9333 | Bradley 2599 | 7.8 | 20. 8. 29.48 | 35.87 | 4 | + 2.241 | + 36. 15. 10.25 | 37.45 | 4 | +10.666 | 2599 | ... | 61 |
| 9309 | 9334 | 5 Capricorni | 4 | 20. 8. 29.93 | 32.12 | 6 | + 3.334 | — 13. 0. 44.88 | 31.71 | 5 | +10.667 | 2593 | ... | 54 |
| 9310 | 9335 | 68 Draconis | 6.7 | 20. 8. 52.32 | 37.38 | 4 | + 0.981 | + 61. 34. 52.64 | 37.42 | 4 | +10.694 | 2610 | ... | 71 |
| 9311 | 9336 | 6 Capricorni | 3 | 20. 8. 53.71 | 32.36 | 11 | + 3.334 | — 13. 3. 0.83 | 31.54 | 31 | +10.696 | 2595 | ... | 58 |
| 9312 | 9337 | Lacaille 8397 | 7 | 20. 8. 54.49 | 39.95 | 4 | + 4.446 | — 50. 31. 35.96 | 40.50 | 5 | +10.697 | ... | 8397 | ... |
| 9313 | 9338 | 23 Vulpeculæ | 4.5 | 20. 8. 56.06 | 31.95 | 8 | + 2.488 | + 27. 18. 44.31 | 33.77 | 5 | +10.699 | 2602 | ... | 64 |
| 9314 | 9339 | 18 Sagittæ | 6 | 20. 9. 4.94 | 34.48 | 7 | + 2.636 | + 21. 5. 47.91 | 33.68 | 5 | +10.710 | 2600 | ... | 65 |
| 9315 | 9340 | 33 Cygni | 4.5 | 20. 9. 33.56 | 31.79 | 3 | + 1.393 | + 56. 3. 53.75 | 32.72 | 5 | +10.745 | 2611 | ... | 74 |
| 9316 | 9341 | Piazzi XX. 68 | 7.8 | 20. 9. 34.35 | 37.26 | 3 | + 2.762 | + 15. 22. 6.47 | 37.36 | 3 | +10.747 | ... | ... | 68 |
| 9317 | 9342 | Bradley 2605 | 6 | 20. 9. 36.18 | 35.50 | 3 | + 2.490 | + 27. 16. 19.74 | 34.85 | 4 | +10.749 | 2605 | ... | 69 |
| 9318 | 9343 | Lacaille 8400 | 6.7 | 20. 9. 39.92 | 39.06 | 3 | + 4.441 | — 50. 30. 4.61 | 39.06 | 3 | +10.754 | ... | 8400 | ... |
| 9319 | 9344 | 24 Vulpeculæ | 5 | 20. 9. 43.62 | 33.66 | 2 | + 2.566 | + 24. 10. 4.27 | 31.77 | 5 | +10.757 | 2606 | ... | 70 |
| 9320 | 9345 | Piazzi XX. 66 | 7.8 | 20. 9. 47.66 | 37.14 | 3 | + 3.370 | — 14. 48. 0.26 | 37.23 | 2 | +10.763 | ... | ... | 66 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 9321 | 9346 | 7 Capricorni..... σ | 5.6 | 20. 9. 52.28 | 34.39 | 5 | + 3.474 | - 19. 37. 38.42 | 32.78 | 5 | +10.768 | 2597 | ... | 67 |
| 9322 | 9347 | Piazzi XX. 72..... | 7.8 | 20. 9. 53.79 | 37.36 | 3 | + 2.637 | + 21. 3. 40.22 | 37.29 | 3 | +10.770 | ... | ... | 72 |
| 9323 | 9348 | Piazzi XX. 77..... | 7 | 20. 10. 18.95 | 35.68 | 5 | + 2.237 | + 36. 33. 3.89 | 34.98 | 4 | +10.801 | ... | ... | 77 |
| 9324 | 9349 | 32 Cygni..... | 4.5 | 20. 10. 22.06 | 33.75 | 5 | + 1.854 | + 47. 12. 38.87 | 33.18 | 7 | +10.804 | 2612 | ... | 78 |
| 9325 | 9350 | Bradley 2615..... | 6.7 | 20. 10. 25.30 | 37.25 | 2 | + 1.110 | + 60. 8. 16.66 | 37.40 | 3 | +10.808 | 2615 | ... | 82 |
| 9326 | 9351 | Piazzi XX. 73..... | 8.9 | 20. 10. 38.85 | 37.14 | 3 | + 3.369 | - 14. 47. 7.87 | 37.10 | 2 | +10.825 | ... | ... | 73 |
| 9327 | 9352 | Lacaille 8410..... | 7.8 | 20. 10. 42.69 | 38.59 | 2 | + 4.059 | - 41. 16. 17.24 | 38.59 | 2 | +10.830 | ... | 8410 | ... |
| 9328 | 9353 | Piazzi XX. 76..... | 7 | 20. 10. 55.02 | 35.40 | 3 | + 3.485 | - 20. 9. 23.07 | 35.46 | 3 | +10.845 | ... | ... | 76 |
| 9329 | 9354 | Lacaille 8415..... | 6 | 20. 11. 13.84 | 38.32 | 5 | + 4.104 | - 42. 33. 44.43 | 40.25 | 6 | +10.868 | ... | 8415 | 75 |
| 9330 | 9355 | Piazzi XX. 85..... | 7 | 20. 11. 19.82 | 35.56 | 3 | + 2.641 | + 21. 0. 34.68 | 35.40 | 3 | +10.875 | ... | ... | 85 |
| 9331 | 9356 | Bradley 2607..... | 7 | 20. 11. 30.02 | 33.56 | 5 | + 3.379 | - 15. 18. ... | ... | ... | +10.887 | 2607 | ... | 79 |
| 9332 | 9357 | 8 Capricorni..... ν | 5 | 20. 11. 30.52 | 32.76 | 5 | + 3.337 | - 13. 16. 20.48 | 33.09 | 6 | +10.888 | 2608 | ... | 81 |
| 9333 | 9358 | Piazzi XX. 80..... | 8 | 20. 11. 32.80 | 37.52 | 2 | + 3.455 | - 18. 50. 17.40 | 37.11 | 2 | +10.891 | ... | ... | 80 |
| 9334 | 9359 | Piazzi XX. 86..... | 7.8 | 20. 11. 37.74 | 37.13 | 2 | + 2.609 | + 22. 25. 42.10 | 37.06 | 2 | +10.898 | ... | ... | 86 |
| 9335 | 9360 | Piazzi XX. 84..... | 7.8 | 20. 11. 38.72 | 37.24 | 4 | + 3.207 | - 6. 52. 17.37 | 36.95 | 3 | +10.899 | ... | ... | 84 |
| 9336 | 9361 | 34 Cygni..... | 5.6 | 20. 11. 42.35 | 35.77 | 2 | + 2.209 | + 37. 31. 25.10 | 35.63 | 3 | +10.902 | 2614 | ... | 89 |
| 9337 | 9362 | 9 Capricorni..... β | 3.4 | 20. 11. 44.08 | 33.43 | 6 | + 3.379 | - 15. 17. 48.09 | 32.24 | 10 | +10.905 | 2609 | ... | 83 |
| 9338 | 9363 | Bradley 2620..... | 7 | 20. 12. 10.71 | 35.78 | 3 | + 0.746 | + 64. 15. 31.86 | 35.04 | 4 | +10.936 | 2620 | ... | 99 |
| 9339 | 9364 | Piazzi XX. 91..... | 7.8 | 20. 12. 17.25 | 37.68 | 2 | + 2.608 | + 22. 29. 0.65 | 37.32 | 3 | +10.945 | ... | ... | 91 |
| 9340 | 9365 | 36 Cygni..... | 6 | 20. 12. 17.44 | 35.73 | 1 | + 2.243 | + 36. 29. 10.62 | 35.35 | 3 | +10.946 | 2617 | ... | 93 |
| 9341 | 9366 | 35 Cygni..... | 5.6 | 20. 12. 18.86 | 35.77 | 3 | + 2.303 | + 34. 28. 15.21 | 34.97 | 4 | +10.947 | 2616 | ... | 92 |
| 9342 | 9367 | Piazzi XX. 90..... | 7.8 | 20. 12. 20.63 | 37.38 | 3 | + 3.207 | - 6. 52. 3.10 | 37.49 | 3 | +10.948 | ... | ... | 90 |
| 9343 | 9368 | Piazzi XX. 88..... | 7.8 | 20. 12. 25.44 | 37.43 | 3 | + 3.535 | - 22. 28. 27.29 | 37.28 | 3 | +10.954 | ... | ... | 88 |
| 9344 | 9369 | Pavonis..... α | 2 | 20. 12. 32.72 | 33.75 | 4 | + 4.813 | - 57. 15. 18.36 | 31.66 | 5 | +10.964 | ... | 8416 | ... |
| 9345 | 9370 | Lacaille 8417..... | 6 | 20. 12. 39.09 | 35.72 | 3 | + 4.114 | - 42. 56. 42.77 | 34.98 | 4 | +10.973 | ... | 8417 | 87 |
| 9346 | 9371 | Piazzi XX. 94..... | 8 | 20. 13. 2.34 | 37.24 | 2 | + 3.400 | - 16. 20. 48.62 | 37.25 | 2 | +11.001 | ... | ... | 94 |
| 9347 | 9372 | Piazzi XX. 95..... | 8.9 | 20. 13. 5.33 | 37.24 | 2 | + 3.211 | - 7. 5. 3.91 | 37.25 | 2 | +11.003 | ... | ... | 95 |
| 9348 | 9373 | Piazzi XX. 104..... | 8 | 20. 13. 12.77 | 39.49 | 4 | + 1.390 | + 56. 23. 45.12 | 38.75 | 4 | +11.012 | ... | ... | 104 |
| 9349 | 9374 | Gould 27922..... | 6 | 20. 13. 15.37 | 40.76 | 3 | + 4.085 | + 42. 11. 31.73 | 39.74 | 6 | +11.015 | ... | ... | ... |
| 9350 | 9375 | Piazzi XX. 96..... | 8 | 20. 13. 28.15 | 37.32 | 3 | + 3.328 | - 12. 54. 9.09 | 37.18 | 3 | +11.031 | ... | ... | 96 |
| 9351 | 9376 | Piazzi XX. 119..... | 7.8 | 20. 13. 33.62 | 37.78 | 2 | - 1.894 | + 77. 19. 44.33 | 35.40 | 3 | +11.038 | ... | ... | 119 |
| 9352 | 9377 | Piazzi XX. 98..... | 8 | 20. 13. 38.85 | 37.25 | 2 | + 3.256 | - 9. 20. 45.21 | 37.65 | 1 | +11.045 | ... | ... | 98 |
| 9353 | 9378 | Piazzi XX. 97..... | 8 | 20. 13. 39.91 | 37.18 | 2 | + 3.453 | - 18. 51. 45.65 | 37.35 | 3 | +11.046 | ... | ... | 97 |
| 9354 | 9379 | Piazzi XX. 101..... | 8 | 20. 13. 45.25 | 37.27 | 2 | + 2.644 | + 21. 0. 0.10 | 37.25 | 2 | +11.052 | ... | ... | 101 |
| 9355 | 9380 | Piazzi XX. 100..... | 8 | 20. 13. 52.85 | 37.71 | 1 | + 3.398 | - 16. 18. 40.32 | 37.25 | 2 | +11.062 | ... | ... | 100 |
| 9356 | 9381 | Piazzi XX. 102..... | 7 | 20. 14. 12.49 | 35.64 | 3 | + 3.366 | - 14. 46. 46.39 | 35.40 | 1 | +11.084 | ... | ... | 102 |
| 9357 | 9382 | Piazzi XX. 103..... | 9 | 20. 14. 13.71 | 37.41 | 3 | + 3.193 | - 6. 11. 53.96 | 36.80 | 1 | +11.086 | ... | ... | 103 |
| 9358 | 9383 | 1 Cephei..... κ | 5.5 | 20. 14. 17.94 | 34.29 | 11 | - 1.837 | + 77. 12. 40.00 | 33.84 | 10 | +11.092 | 2632 | ... | 126 |
| 9359 | 9384 | Piazzi XX. 105..... | 8 | 20. 14. 33.31 | 37.61 | 1 | + 3.568 | - 24. 0. 3.62 | 37.61 | 2 | +11.110 | ... | ... | 105 |
| 9360 | 9385 | Piazzi XX. 106..... | 9 | 20. 14. 33.82 | 37.03 | 2 | + 2.647 | + 20. 52. 52.24 | 37.12 | 2 | +11.111 | ... | ... | 106 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0

{ccxxxvii}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 9361 | 9386 | Piazzi XX. 112 | 7.8 | h m s 20. 14. 35.97 | 35.65 | 1 | + 1.011 | + 61. 37. 27.17 | 35.46 | 4 | +11.114 | ... | ... | 112 |
| 9362 | 9387 | Lacaille 8426 | 6.7 | 20. 14. 45.41 | 38.71 | 3 | + 4.050 | - 41. 19. 14.57 | 38.71 | 3 | +11.125 | ... | 8426 | ... |
| 9363 | 9388 | 25 Vulpecula | 6 | 20. 14. 57.94 | 32.73 | 6 | + 2.578 | + 23. 55. 26.98 | 32.69 | 5 | +11.140 | 2622 | ... | 108 |
| 9364 | 9389 | Piazzi XX. 107 | 8 | 20. 15. 1.26 | 35.59 | 3 | + 3.362 | - 14. 38. 20.05 | 34.98 | 4 | +11.145 | ... | ... | 107 |
| 9365 | 9390 | Piazzi XX. 110 | 8 | 20. 15. 31.32 | 37.14 | 3 | + 2.880 | + 9. 50. 15.19 | 37.12 | 3 | +11.181 | ... | ... | 110 |
| 9366 | 9391 | Piazzi XX. 109 | 7 | 20. 15. 32.48 | 35.40 | 3 | + 3.475 | - 19. 57. 45.68 | 35.36 | 3 | +11.182 | ... | ... | 109 |
| 9367 | 9392 | Piazzi XX. 113 | 8 | 20. 15. 33.57 | 37.28 | 3 | + 2.588 | + 23. 33. 16.35 | 37.78 | 1 | +11.183 | ... | ... | 113 |
| 9368 | 9393 | Piazzi XX. 114 | 7 | 20. 16. 3.00 | 35.57 | 3 | + 3.312 | - 12. 14. 0.77 | 34.86 | 4 | +11.220 | ... | ... | 114 |
| 9369 | 9394 | Piazzi XX. 118 | 7.8 | 20. 16. 4.63 | 37.02 | 2 | + 2.590 | + 23. 30. 41.39 | 37.25 | 2 | +11.222 | ... | ... | 118 |
| 9370 | 9395 | Piazzi XX. 115 | 8 | 20. 16. 8.89 | 37.26 | 3 | + 3.112 | - 2. 4. 13.54 | 37.25 | 2 | +11.227 | ... | ... | 115 |
| 9371 | 9396 | Lacaille 8438 | 7 | 20. 16. 10.63 | 35.34 | 3 | + 3.936 | - 37. 55. 49.01 | 34.92 | 4 | +11.229 | ... | 8438 | 111 |
| 9372 | 9397 | Piazzi XX. 116 | 7 | 20. 16. 12.97 | 37.36 | 3 | + 3.062 | + 0. 32. 22.80 | 37.13 | 2 | +11.232 | ... | ... | 116 |
| 9373 | 9398 | Piazzi XX. 122 | 7 | 20. 16. 16.38 | 37.30 | 2 | + 2.599 | + 23. 8. 34.89 | 37.77 | 1 | +11.235 | ... | ... | 122 |
| 9374 | 9399 | Piazzi XX. 117 | 7.8 | 20. 16. 18.15 | 37.25 | 2 | + 3.056 | + 0. 50. 26.69 | 37.00 | 2 | +11.238 | ... | ... | 117 |
| 9375 | 9400 | 37 Cygni | 3 | 20. 16. 18.48 | 32.88 | 48 | + 2.151 | + 39. 43. 55.22 | 33.13 | 55 | +11.238 | 2624 | ... | 124 |
| 9376 | 9402 | Piazzi XX. 120 | 9 | 20. 16. 20.92 | 37.78 | 1 | + 2.863 | + 10. 41. 43.34 | 37.28 | 2 | +11.241 | ... | ... | 120 |
| 9377 | 9401 | Lacaille 8428 | 8.9 | 20. 16. 20.94 | 38.74 | 3 | + 4.938 | - 59. 18. 33.66 | 38.74 | 3 | +11.241 | ... | 8428 | ... |
| 9378 | 9403 | Piazzi XX. 121 | 9 | 20. 16. 32.58 | 37.73 | 1 | + 3.148 | - 3. 57. 11.65 | 37.29 | 2 | +11.256 | ... | ... | 121 |
| 9379 | 9404 | 71 Draconis | 6.7 | 20. 16. 50.48 | 39.21 | 6 | + 1.015 | + 61. 44. 5.51 | 42.68 | 3 | +11.278 | 2628 | ... | 135 |
| 9380 | 9405 | Piazzi XX. 123 | 7.8 | 20. 16. 51.66 | 37.70 | 1 | + 3.468 | - 19. 41. 4.44 | 37.78 | 2 | +11.279 | ... | ... | 123 |
| 9381 | 9406 | Piazzi XX. 125 | 7.8 | 20. 17. 4.54 | 37.79 | 1 | + 3.356 | - 14. 23. 43.15 | 37.72 | 1 | +11.295 | ... | ... | 125 |
| 9382 | 9407 | 39 Cygni | 5 | 20. 17. 16.29 | 31.86 | 7 | + 2.391 | + 31. 39. 41.24 | 31.98 | 5 | +11.308 | 2625 | ... | 132 |
| 9383 | 9408 | Piazzi XX. 130 | 7.8 | 20. 17. 19.24 | 37.10 | 3 | + 2.586 | + 23. 44. 51.14 | 37.24 | 2 | +11.312 | ... | ... | 130 |
| 9384 | 9409 | Piazzi XX. 128 | 7.8 | 20. 17. 21.92 | 37.07 | 3 | + 3.157 | - 4. 23. 51.43 | 37.37 | 1 | +11.315 | ... | ... | 128 |
| 9385 | 9410 | Piazzi XX. 129 | 8.9 | 20. 17. 23.82 | 37.23 | 4 | + 3.149 | - 3. 58. 39.38 | 37.24 | 2 | +11.318 | ... | ... | 129 |
| 9386 | 9411 | Piazzi XX. 127 | 7.8 | 20. 17. 31.56 | 37.41 | 1 | + 3.475 | - 20. 4. 49.34 | 37.75 | 2 | +11.327 | ... | ... | 127 |
| 9387 | 9412 | 10 Capricorni | 5 | 20. 17. 52.17 | 32.23 | 6 | + 3.446 | - 18. 44. 48.46 | 31.69 | 5 | +11.351 | 2623 | ... | 131 |
| 9388 | 9413 | Piazzi XX. 134 | 7 | 20. 17. 56.51 | 37.66 | 1 | + 3.026 | + 2. 25. 25.15 | 37.26 | 2 | +11.356 | ... | ... | 134 |
| 9389 | 9414 | Piazzi XX. 137 | 8 | 20. 18. 4.79 | 37.30 | 2 | + 2.606 | + 22. 54. 43.92 | 37.21 | 2 | +11.367 | ... | ... | 137 |
| 9390 | 9415 | Lacaille 8453 | 6 | 20. 18. 10.52 | 35.36 | 3 | + 3.876 | - 36. 8. 0.98 | 34.94 | 4 | +11.374 | ... | 8453 | 133 |
| 9391 | 9416 | Piazzi XX. 136 | 7 | 20. 18. 18.91 | 37.25 | 2 | + 3.045 | + 1. 22. 54.69 | 37.40 | 3 | +11.384 | ... | ... | 136 |
| 9392 | 9417 | Piazzi XX. 141 | 8 | 20. 18. 49.05 | 37.71 | 1 | + 2.604 | + 23. 4. 0.25 | 37.24 | 2 | +11.420 | ... | ... | 141 |
| 9393 | 9418 | Piazzi XX. 150 | 7 | 20. 18. 50.43 | 41.50 | 4 | + 0.924 | + 62. 54. 12.27 | 42.77 | 2 | +11.421 | ... | ... | 150 |
| 9394 | 9419 | Piazzi XX. 138 | 8 | 20. 18. 51.75 | 37.20 | 2 | + 3.148 | - 3. 55. 59.35 | 37.42 | 3 | +11.423 | ... | ... | 138 |
| 9395 | 9420 | Piazzi XX. 139 | 8 | 20. 18. 53.21 | 37.72 | 2 | + 3.123 | - 2. 39. 14.77 | 37.28 | 2 | +11.425 | ... | ... | 139 |
| 9396 | 9421 | Piazzi XX. 140 | 7.8 | 20. 18. 53.83 | 37.71 | 3 | + 3.122 | - 2. 38. 14.61 | 37.25 | 2 | +11.426 | ... | ... | 140 |
| 9397 | 9422 | Piazzi XX. 143 | 8.9 | 20. 19. 13.22 | 36.97 | 2 | + 2.862 | + 10. 49. 1.78 | 37.31 | 3 | +11.448 | ... | ... | 143 |
| 9398 | 9423 | 11 Capricorni | 5 | 20. 19. 26.57 | 33.56 | 5 | + 3.436 | - 18. 21. 11.05 | 32.24 | 8 | +11.466 | 2626 | ... | 142 |
| 9399 | 9424 | Bradley 2627 | 7 | 20. 19. 34.86 | 35.50 | 3 | + 3.437 | - 18. 24. 40.90 | 35.00 | 4 | +11.475 | 2627 | ... | 144 |
| 9400 | 9425 | Piazzi XX. 145 | 6.7 | 20. 19. 35.03 | 32.73 | 6 | + 3.428 | - 17. 58. 28.19 | 32.78 | 5 | +11.475 | ... | ... | 145 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|----------------|-----------------------------------|----------------------|-------------------|----------------------------------|------------------------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 9401 | 9426 | 68 Aquilæ | 6 | ^{h m s} 20. 19. 46.45 | 35.64 | 3 | ^s + 3.147 | ^{° ' "} - 3. 53. 51.27 | 35.36 | 4 | ["] +11.488 | 2629 | ... | 147 |
| 9402 | 9427 | Lacaille 8463 | 6 | 20. 19. 50.05 | 32.76 | 5 | + 3.536 | - 22. 55. 58.82 | 33.70 | 5 | +11.493 | ... | 8463 | 146 |
| 9403 | 9428 | Piazzi XX. 148 | 8 | 20. 19. 55.68 | 38.46 | 4 | + 3.167 | - 4. 58. 13.96 | 37.18 | 2 | +11.500 | ... | ... | 148 |
| 9404 | 9429 | Piazzi XX. 149 | 7.8 | 20. 19. 57.67 | 37.64 | 2 | + 3.026 | + 2. 23. 49.76 | 37.12 | 2 | +11.502 | ... | ... | 149 |
| 9405 | 9430 | Piazzi XX. 151 | 7.8 | 20. 20. 5.84 | 37.26 | 2 | + 2.920 | + 7. 53. 45.52 | 37.21 | 3 | +11.512 | ... | ... | 151 |
| 9406 | 9431 | Piazzi XX. 152 | 7.8 | 20. 20. 11.09 | 39.56 | 5 | + 3.066 | + 0. 20. 33.70 | 38.98 | 6 | +11.518 | ... | ... | 152 |
| 9407 | 9432 | Piazzi XX. 155 | 7.8 | 20. 20. 11.73 | 41.53 | 5 | + 2.602 | + 23. 14. 59.89 | 42.48 | 4 | +11.519 | ... | ... | 155 |
| 9408 | 9433 | Bradley 2630 | 7 | 20. 20. 24.71 | 32.82 | 3 | + 3.451 | - 19. 7. ... | ... | ... | +11.535 | 2630 | ... | 153 |
| 9409 | 9434 | 12 Capricorni | 6 | 20. 20. 26.01 | 33.09 | 9 | + 3.451 | - 19. 7. 24.27 | 33.05 | 10 | +11.537 | 2631 | ... | 154 |
| 9410 | 9435 | Piazzi XX. 156 | 7.8 | 20. 20. 32.77 | 37.08 | 2 | + 2.924 | + 7. 43. 1.90 | 37.26 | 2 | +11.544 | ... | ... | 156 |
| 9411 | 9436 | 72 Draconis | 7 | 20. 20. 41.26 | 35.73 | 2 | + 1.039 | + 61. 43. 55.33 | 35.21 | 6 | +11.554 | ... | ... | 162 |
| 9412 | 9437 | 69 Aquilæ | 5 | 20. 21. 1.55 | 31.70 | 6 | + 3.137 | - 3. 25. 43.26 | 31.70 | 7 | +11.579 | 2633 | ... | 157 |
| 9413 | 9438 | Piazzi XX. 182 | 7 | 20. 21. 13.25 | 39.27 | 4 | - 1.850 | + 77. 30. 7.69 | 38.53 | 5 | +11.594 | ... | ... | 182 |
| 9414 | 9439 | Piazzi XX. 158 | 8 | 20. 21. 19.76 | 39.56 | 6 | + 3.167 | - 4. 58. 45.34 | 41.71 | 3 | +11.599 | ... | ... | 158 |
| 9415 | 9440 | 40 Cygni | 6.7 | 20. 21. 27.47 | 35.72 | 3 | + 2.223 | + 37. 54. 5.09 | 34.95 | 4 | +11.610 | 2634 | ... | 164 |
| 9416 | 9441 | Piazzi XX. 159 | 8.9 | 20. 21. 49.89 | 37.25 | 2 | + 3.185 | - 5. 56. 10.68 | 37.32 | 3 | +11.636 | ... | ... | 159 |
| 9417 | 9442 | Pavonis | 6 ¹ | 20. 21. 51.79 | 39.71 | 6 | + 5.048 | - 61. 7. 44.05 | 39.71 | 6 | +11.638 | ... | 8461 | ... |
| 9418 | 9443 | Piazzi XX. 160 | 8.9 | 20. 21. 53.20 | 37.20 | 2 | + 3.193 | - 6. 22. 23.37 | 37.05 | 2 | +11.639 | ... | ... | 160 |
| 9419 | 9444 | Piazzi XX. 161 | 7.8 | 20. 21. 56.39 | 37.26 | 3 | + 3.275 | - 10. 34. 51.79 | 37.70 | 2 | +11.643 | ... | ... | 161 |
| 9420 | 9445 | 43 Cygni | 7 ¹ | 20. 21. 59.73 | 35.54 | 2 | + 1.827 | + 48. 50. 19.89 | 35.02 | 4 | +11.648 | 2639 | ... | 169 |
| 9421 | 9446 | 1 Delphini | 6 | 20. 22. 24.08 | 33.68 | 6 | + 2.873 | + 10. 20. 52.98 | 32.79 | 5 | +11.677 | 2635 | ... | 168 |
| 9422 | 9447 | Piazzi XX. 165 | 7.8 | 20. 22. 28.94 | 35.40 | 2 | + 3.588 | - 25. 25. 17.83 | 35.50 | 3 | +11.683 | ... | ... | 165 |
| 9423 | 9448 | Indi | 6 | 20. 22. 33.03 | 35.50 | 3 | + 4.161 | - 45. 4. 6.41 | 35.35 | 3 | +11.687 | ... | 8472 | 163 |
| 9424 | 9449 | Lacaille 8470 | 8 | 20. 22. 33.55 | 37.17 | 4 | + 3.526 | - 22. 42. 23.00 | 37.15 | 2 | +11.687 | ... | 8479 | 166 |
| 9425 | 9450 | Piazzi XX. 167 | 8 | 20. 22. 35.81 | 37.32 | 3 | + 3.527 | - 22. 42. 49.34 | 37.38 | 3 | +11.690 | ... | ... | 167 |
| 9426 | 9451 | 41 Cygni | 4.5 | 20. 22. 39.21 | 32.62 | 13 | + 2.450 | + 29. 49. 18.23 | 32.70 | 17 | +11.694 | 2637 | ... | 173 |
| 9427 | 9452 | Piazzi XX. 171 | 8 | 20. 22. 39.97 | 37.28 | 2 | + 2.696 | + 19. 7. 12.34 | 36.94 | 3 | +11.695 | ... | ... | 171 |
| 9428 | 9454 | Lacaille 8480 | 6 | 20. 23. 2.36 | 33.70 | 5 | + 3.589 | - 25. 29. 40.71 | 33.34 | 5 | +11.722 | ... | 8480 | 170 |
| 9429 | 9453 | 42 Cygni | 6 | 20. 23. 2.99 | 35.71 | 1 | + 2.287 | + 35. 54. 27.54 | 35.05 | 4 | +11.723 | 2640 | ... | 179 |
| 9430 | 9455 | Piazzi XX. 172 | 7 | 20. 23. 10.16 | 35.72 | 2 | + 3.407 | - 17. 9. 43.80 | 35.68 | 3 | +11.731 | ... | ... | 172 |
| 9431 | 9456 | Piazzi XX. 175 | 8 | 20. 23. 17.21 | 37.28 | 2 | + 3.148 | - 3. 59. 35.06 | 37.24 | 4 | +11.739 | ... | ... | 175 |
| 9432 | 9457 | Piazzi XX. 177 | 7 | 20. 23. 19.28 | 38.09 | 3 | + 2.867 | + 10. 42. 33.52 | 35.73 | 4 | +11.741 | ... | ... | 177 |
| 9433 | 9458 | Bradley 2638 | 7.8 | 20. 23. 20.45 | 37.24 | 7 | + 2.867 | + 10. 42. 36.06 | 37.34 | 3 | +11.743 | 2638 | ... | 178 |
| 9434 | 9459 | Piazzi XX. 176 | 7 | 20. 23. 21.17 | 35.74 | 2 | + 3.182 | - 5. 47. 43.72 | 35.04 | 4 | +11.744 | ... | ... | 176 |
| 9435 | 9460 | Piazzi XX. 174 | 6 | 20. 23. 21.91 | 32.81 | 5 | + 3.271 | - 10. 24. 38.12 | 33.68 | 5 | +11.745 | ... | ... | 174 |
| 9436 | 9461 | Bradley 2641 | 7 | 20. 23. 25.08 | 37.24 | 2 | + 1.852 | + 48. 22. 19.62 | 36.75 | 1 | +11.748 | 2641 | ... | 183 |
| 9437 | 9462 | Piazzi XX. 184 | 8 | 20. 23. 43.84 | 37.77 | 1 | + 1.856 | + 48. 19. 11.47 | 37.68 | 3 | +11.771 | ... | ... | 184 |
| 9438 | 9463 | Piazzi XX. 186 | 7.8 | 20. 23. 48.72 | 39.50 | 8 | + 1.839 | + 48. 43. 3.95 | 39.10 | 6 | +11.777 | ... | ... | 186 |
| 9439 | 9464 | Lacaille 8489 | 7.8 | 20. 23. 52.11 | 35.77 | 1 | + 3.527 | - 22. 47. 3.83 | 35.40 | 3 | +11.780 | ... | 8489 | 180 |
| 9440 | 9465 | Piazzi XX. 181 | 7 | 20. 24. 9.85 | 35.64 | 2 | + 3.937 | - 38. 38. 56.63 | 35.07 | 4 | +11.802 | ... | ... | 181 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 9441 | 9466 | Piazzi XX. 185 | 7 | h m s 20. 24. 18.11 | 35.59 | 3 | + 2.753 | + 16. 26. 21.59 | 35.12 | 3 | +11.811 | ... | ... | 185 |
| 9442 | 9467 | 44 Cygni | 7.8 | 20. 24. 43.30 | 35.78 | 3 | + 2.277 | + 36. 23. 0.73 | 34.73 | 2 | +11.841 | 2643 | ... | 188 |
| 9443 | 9468 | Piazzi XX. 190 | 7 | 20. 24. 56.64 | 37.00 | 2 | + 2.384 | + 32. 32. 43.35 | 37.04 | 3 | +11.855 | ... | ... | 190 |
| 9444 | 9469 | 45 Cygni | 5 | 20. 24. 56.97 | 31.67 | 6 | + 1.857 | + 48. 23. 58.67 | 31.70 | 5 | +11.856 | 2645 | ... | 192 |
| 9445 | 9470 | Piazzi XX. 187 | 7 | 20. 25. 0.38 | 32.78 | 6 | + 3.346 | - 14. 16. 56.27 | 32.75 | 4 | +11.860 | ... | ... | 187 |
| 9446 | 9471 | Piazzi XX. 189 | 7 | 20. 25. 8.50 | 35.40 | 3 | + 2.759 | + 16. 12. 40.62 | 35.36 | 4 | +11.870 | ... | ... | 189 |
| 9447 | 9472 | 2 Delphini | 4 | 20. 25. 19.88 | 32.18 | 5 | + 2.868 | + 10. 44. 50.30 | 33.07 | 12 | +11.884 | 2642 | ... | 191 |
| 9448 | 9473 | Ursæ Minoris | 5.6 | 20. 25. 44.53 | 42.76 | 2 | - 48.828 | + 88. 48. 46.11 | 41.11 | 3 | +11.913 | 2795 | ... | 424 |
| 9449 | 9474 | Piazzi XX. 199 | 7 | 20. 25. 47.56 | 37.75 | 2 | + 1.849 | + 48. 39. 35.13 | 37.73 | 1 | +11.917 | ... | ... | 199 |
| 9450 | 9475 | Piazzi XX. 193 | 8 | 20. 25. 51.74 | 36.62 | 1 | + 3.254 | - 9. 38. 12.57 | 37.42 | 3 | +11.921 | ... | ... | 193 |
| 9451 | 9476 | Indi | 3 | 20. 25. 55.98 | 32.71 | 7 | + 4.261 | - 47. 51. 36.53 | 32.72 | 5 | +11.926 | ... | 8494 | ... |
| 9452 | 9477 | 3 Delphini | 6 | 20. 26. 8.92 | 33.71 | 5 | + 2.835 | + 12. 27. 59.76 | 33.49 | 5 | +11.942 | 2644 | ... | 196 |
| 9453 | 9478 | Piazzi XX. 194 | 7 | 20. 26. 11.75 | 32.80 | 4 | + 3.402 | - 17. 5. 14.20 | 32.81 | 5 | +11.945 | ... | ... | 194 |
| 9454 | 9479 | 46 Cygni | 5 | 20. 26. 13.35 | 36.77 | 5 | + 1.851 | + 48. 39. 59.64 | 33.45 | 3 | +11.947 | 2647 | ... | 203 |
| 9455 | 9480 | Piazzi XX. 198 | 7.8 | 20. 26. 16.34 | 37.20 | 2 | + 2.801 | + 14. 9. 16.84 | 37.28 | 2 | +11.950 | ... | ... | 198 |
| 9456 | 9481 | Piazzi XX. 195 | 8 | 20. 26. 18.33 | 37.42 | 2 | + 3.253 | - 9. 33. 54.64 | 36.77 | 1 | +11.952 | ... | ... | 195 |
| 9457 | 9482 | Pavonis | 6 | 20. 26. 19.13 | 40.73 | 6 | + 5.016 | - 61. 5. 35.36 | 40.73 | 6 | +11.953 | ... | 8490 | ... |
| 9458 | 9483 | Bradley 2655 | 7 | 20. 26. 21.17 | 37.27 | 2 | + 0.385 | + 68. 13. 7.76 | 37.29 | 2 | +11.956 | 2655 | ... | 208 |
| 9459 | 9484 | Piazzi XX. 197 | 8.9 | 20. 26. 23.71 | 37.08 | 2 | + 3.036 | + 1. 56. 48.45 | 37.17 | 2 | +11.959 | ... | ... | 197 |
| 9460 | 9485 | Piazzi XX. 201 | 8 | 20. 26. 33.21 | 37.70 | 1 | + 2.868 | + 10. 44. 59.48 | 37.25 | 2 | +11.970 | ... | ... | 201 |
| 9461 | 9486 | Pavonis | 5 | 20. 26. 43.31 | 33.74 | 6 | + 5.640 | - 67. 19. 59.04 | 35.07 | 6 | +11.981 | ... | 8488 | ... |
| 9462 | 9487 | Piazzi XX. 204 | 8.9 | 20. 26. 44.86 | 37.26 | 2 | + 2.363 | + 33. 27. 50.46 | 37.78 | 2 | +11.982 | ... | ... | 204 |
| 9463 | 9488 | 2 Cephei | 5 | 20. 26. 48.05 | 31.75 | 1 | + 1.018 | + 62. 26. 28.35 | 31.67 | 5 | +11.987 | 2651 | ... | 211 |
| 9464 | 9489 | Piazzi XX. 202 | 8 | 20. 26. 52.70 | 37.20 | 2 | + 3.121 | - 2. 36. 54.39 | 37.28 | 2 | +11.994 | ... | ... | 202 |
| 9465 | 9490 | Piazzi XX. 200 | 7.8 | 20. 26. 52.96 | 35.49 | 3 | + 3.487 | - 21. 8. 59.19 | 34.88 | 4 | +11.994 | ... | ... | 200 |
| 9466 | 9491 | Piazzi XX. 205 | 8 | 20. 27. 26.43 | 37.22 | 3 | + 3.021 | + 2. 44. 27.74 | 37.20 | 3 | +12.032 | ... | ... | 205 |
| 9467 | 9492 | 47 Cygni | 6 | 20. 27. 29.39 | 35.70 | 3 | + 2.332 | + 34. 41. 22.13 | 35.00 | 3 | +12.035 | 2650 | ... | 210 |
| 9468 | 9493 | Piazzi XX. 206 | 8.9 | 20. 27. 32.47 | 37.31 | 3 | + 2.868 | + 10. 46. 30.96 | 37.22 | 3 | +12.039 | ... | ... | 206 |
| 9469 | 9494 | 4 Delphini | 5 | 20. 27. 35.81 | 34.29 | 14 | + 2.803 | + 14. 6. 34.43 | 31.64 | 5 | +12.043 | 2648 | ... | 207 |
| 9470 | 9495 | Piazzi XX. 217 | 6.7 | 20. 27. 44.41 | 37.27 | 2 | + 1.474 | + 56. 13. 18.14 | 37.20 | 2 | +12.053 | ... | ... | 217 |
| 9471 | 9496 | 13 Capricorni | 6 | 20. 28. 5.67 | 33.69 | 3 | + 3.372 | - 15. 42. 48.90 | 33.32 | 5 | +12.075 | 2646 | ... | 209 |
| 9472 | 9497 | 70 Aquilæ | 5.6 | 20. 28. 8.04 | 33.79 | 7 | + 3.130 | - 3. 6. 57.59 | 32.72 | 5 | +12.080 | 2649 | ... | 212 |
| 9473 | 9498 | Piazzi XX. 214 | 7.8 | 20. 28. 22.13 | 37.44 | 2 | + 3.036 | + 1. 55. 41.44 | 37.71 | 4 | +12.096 | ... | ... | 214 |
| 9474 | 9499 | Piazzi XX. 213 | 7.8 | 20. 28. 27.77 | 36.13 | 4 | + 3.412 | - 17. 41. 28.30 | 34.92 | 4 | +12.103 | ... | ... | 213 |
| 9475 | 9500 | Piazzi XX. 216 | 8 | 20. 28. 39.07 | 37.35 | 3 | + 3.106 | - 1. 52. 51.74 | 37.19 | 3 | +12.117 | ... | ... | 216 |
| 9476 | 9501 | Piazzi XX. 222 | 7 | 20. 28. 41.80 | 36.80 | 1 | + 1.236 | + 59. 51. 54.97 | 37.67 | 2 | +12.120 | ... | ... | 222 |
| 9477 | 9502 | Lacaille 8503 | 7.8 | 20. 28. 50.19 | 38.74 | 3 | + 4.230 | - 47. 23. 53.30 | 38.74 | 3 | +12.130 | ... | 8503 | ... |
| 9478 | 9503 | Piazzi XX. 215 | 7 | 20. 28. 50.50 | 35.58 | 3 | + 3.493 | - 21. 33. 47.11 | 35.35 | 3 | +12.130 | ... | ... | 215 |
| 9479 | 9504 | 26 Vulpeculæ | 7 | 20. 29. 4.40 | 35.68 | 3 | + 2.569 | + 25. 18. 50.64 | 35.38 | 3 | +12.146 | 2653 | ... | 220 |
| 9480 | 9505 | Piazzi XX. 226 | 7 | 20. 29. 12.89 | 37.25 | 2 | + 1.839 | + 49. 12. 28.06 | 37.44 | 2 | +12.156 | ... | ... | 226 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|---------------------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 9481 | 9506 | Piazzi XX. 218..... | 7.8 | h m s 20. 29. 21.66 | 37.25 | 2 | + 3.410 | - 17. 38. 10.16 | 37.27 | 4 | +12.166 | ... | ... | 218 |
| 9482 | 9507 | Piazzi XX. 221..... | 7.8 | 20. 29. 27.41 | 37.72 | 1 | + 3.164 | - 4. 57. 9.59 | 37.32 | 3 | +12.172 | ... | ... | 221 |
| 9483 | 9508 | Piazzi XX. 230..... | 7.8 | 20. 29. 33.31 | 36.81 | 1 | + 1.866 | + 48. 36. 42.43 | 37.41 | 3 | +12.180 | ... | ... | 230 |
| 9484 | 9510 | 6 Delphini..... ^β | 4 | 20. 29. 48.79 | 37.44 | 7 | + 2.807 | + 14. 1. 33.32 | 36.75 | 8 | +12.198 | 2656 | ... | 227 |
| 9485 | 9509 | 71 Aquilæ..... | 5 | 20. 29. 49.03 | 32.04 | 6 | + 3.103 | - 1. 40. 35.36 | 32.73 | 5 | +12.198 | 2654 | ... | 224 |
| 9486 | 9511 | Lacaille 8512..... | 7 | 20. 29. 50.13 | 35.36 | 3 | + 4.061 | - 42. 58. 25.55 | 35.00 | 4 | +12.200 | ... | 8512 | 219 |
| 9487 | 9512 | 5 Delphini..... ^δ | 5.6 | 20. 29. 55.59 | 32.82 | 5 | + 2.870 | + 10. 48. 23.20 | 32.77 | 5 | +12.205 | 2658 | ... | 228 |
| 9488 | 9513 | Pavonis..... ^β | 3 | 20. 29. 59.78 | 32.32 | 5 | + 5.545 | - 66. 47. 11.64 | 31.72 | 5 | +12.211 | ... | 8500 | ... |
| 9489 | 9514 | Piazzi XX. 236..... | 7.8 | 20. 30. 2.05 | 37.30 | 2 | + 1.749 | + 51. 17. 14.53 | 37.25 | 2 | +12.213 | ... | ... | 236 |
| 9490 | 9516 | 27 Vulpeculæ..... | 5.6 | 20. 30. 2.28 | 39.39 | 3 | + 2.557 | + 25. 53. 28.60 | 35.18 | 6 | +12.214 | 2660 | ... | 232 |
| 9491 | 9515 | 14 Capricorni..... ^γ | 6 | 20. 30. 2.54 | 37.35 | 7 | + 3.367 | - 15. 31. 41.45 | 36.39 | 8 | +12.214 | 2652 | ... | 225 |
| 9492 | 9517 | Piazzi XX. 231..... | 8 | 20. 30. 10.60 | 37.41 | 1 | + 2.837 | + 12. 31. 12.78 | 37.25 | 2 | +12.222 | ... | ... | 231 |
| 9493 | 9518 | Piazzi XX. 229..... | 8.9 | 20. 30. 18.99 | 37.05 | 3 | + 3.367 | - 15. 32. 58.37 | 37.43 | 2 | +12.233 | ... | ... | 229 |
| 9494 | 9519 | Lacaille 8516..... | 7 | 20. 30. 20.27 | 35.40 | 3 | + 4.050 | - 42. 42. 39.15 | 35.01 | 4 | +12.234 | ... | 8516 | 223 |
| 9495 | 9520 | Piazzi XX. 235..... | 8 | 20. 30. 32.70 | 37.33 | 3 | + 2.832 | + 12. 45. 13.95 | 37.31 | 5 | +12.248 | ... | ... | 235 |
| 9496 | 9521 | Piazzi XX. 244..... | 7 | 20. 30. 33.34 | 35.77 | 2 | + 1.816 | + 49. 51. 14.69 | 35.04 | 4 | +12.249 | ... | ... | 244 |
| 9497 | 9522 | Bradley 2659..... | 7 | 20. 30. 38.10 | 35.73 | 3 | + 3.127 | - 2. 59. 19.73 | 35.48 | 3 | +12.255 | 2659 | ... | 234 |
| 9498 | 9523 | 15 Capricorni..... ^ν | 5 | 20. 30. 39.13 | 32.66 | 11 | + 3.431 | - 18. 42. 50.65 | 33.68 | 9 | +12.256 | 2657 | ... | 233 |
| 9499 | 9524 | Bradley 2673..... | 6.7 | 20. 30. 39.52 | 35.79 | 2 | - 0.181 | + 71. 58. 21.27 | 35.04 | 4 | +12.257 | 2673 | ... | 257 |
| 9500 | 9525 | Piazzi XX. 252..... | 7.8 | 20. 30. 48.04 | 37.71 | 2 | + 1.149 | + 61. 10. 33.26 | 37.78 | 1 | +12.266 | ... | ... | 252 |
| 9501 | 9526 | 48 Oyni..... | 7 | 20. 30. 49.16 | 35.72 | 2 | + 2.436 | + 30. 59. 58.32 | 34.99 | 4 | +12.268 | 2665 | ... | 241 |
| 9502 | 9527 | Bradley 2666..... | 7 | 20. 30. 50.47 | 35.75 | 4 | + 2.438 | + 30. 57. 3.71 | 35.40 | 3 | +12.270 | 2666 | ... | 243 |
| 9503 | 9528 | Piazzi XX. 238..... | 7.8 | 20. 30. 54.32 | 36.99 | 2 | + 2.924 | + 7. 56. 50.13 | 37.25 | 2 | +12.274 | ... | ... | 238 |
| 9504 | 9529 | 8 Delphini..... ^θ | 4.5 | 20. 30. 56.91 | 32.53 | 7 | + 2.830 | + 12. 44. 28.05 | 32.21 | 7 | +12.277 | 2662 | ... | 239 |
| 9505 | 9530 | 1 Aquarii..... | 5.6 | 20. 30. 57.44 | 39.95 | 5 | + 3.073 | - 0. 5. 19.07 | 36.22 | 8 | +12.278 | 2661 | ... | 237 |
| 9506 | 9531 | 7 Delphini..... ^κ | 5.6 | 20. 31. 7.10 | 33.82 | 3 | + 2.895 | + 9. 30. 35.38 | 33.80 | 5 | +12.288 | 2663 | ... | 242 |
| 9507 | 9532 | 29 Vulpeculæ..... | 5.6 | 20. 31. 9.45 | 33.80 | 3 | + 2.674 | + 20. 37. 33.29 | 33.80 | 4 | +12.290 | 2664 | ... | 245 |
| 9508 | 9533 | Piazzi XX. 240..... | 6.7 | 20. 31. 15.94 | 33.77 | 4 | + 3.389 | - 16. 42. 21.21 | 33.83 | 3 | +12.298 | ... | ... | 240 |
| 9509 | 9534 | 28 Vulpeculæ..... | 5.6 | 20. 31. 20.86 | 38.23 | 6 | + 2.612 | + 23. 32. 29.19 | 40.77 | 5 | +12.304 | 2668 | ... | 248 |
| 9510 | 9535 | Piazzi XX. 249..... | 8 | 20. 31. 21.69 | 37.73 | 1 | + 2.462 | + 30. 0. 11.06 | 36.77 | 1 | +12.305 | ... | ... | 249 |
| 9511 | 9536 | Bradley 2667..... | 7 | 20. 31. 25.23 | 41.07 | 3 | + 2.784 | + 15. 15. 47.07 | 37.35 | 3 | +12.309 | 2667 | ... | 247 |
| 9512 | 9537 | Piazzi XX. 246..... | 7 | 20. 31. 36.87 | 37.17 | 2 | + 3.132 | - 3. 13. 45.79 | 37.09 | 2 | +12.322 | ... | ... | 246 |
| 9513 | 9538 | Piazzi XX. 251..... | 7.8 | 20. 31. 42.75 | 37.30 | 3 | + 2.833 | + 12. 45. ... | ... | ... | +12.329 | ... | ... | 251 |
| 9514 | 9539 | Indi..... ^γ | 5.6 | 20. 31. 53.26 | 40.32 | 5 | + 4.446 | - 52. 30. 11.16 | 40.32 | 5 | +12.341 | ... | 8524 | ... |
| 9515 | 9540 | Piazzi XX. 253..... | 7 | 20. 31. 57.08 | 37.26 | 2 | + 2.926 | + 7. 52. 12.39 | 37.28 | 2 | +12.346 | ... | ... | 253 |
| 9516 | 9541 | Piazzi XX. 250..... | 7 | 20. 31. 57.50 | 35.52 | 3 | + 3.413 | - 17. 57. 28.98 | 35.70 | 3 | +12.347 | ... | ... | 250 |
| 9517 | 9542 | 9 Delphini..... ^α | 3.4 | 20. 31. 58.38 | 35.51 | 10 | + 2.783 | + 15. 20. 4.28 | 35.70 | 19 | +12.348 | 2670 | ... | 254 |
| 9518 | 9543 | Piazzi XX. 265..... | 7 | 20. 32. 1.39 | 42.77 | 2 | + 0.182 | + 69. 57. 57.65 | 36.78 | 1 | +12.351 | ... | ... | 265 |
| 9519 | 9544 | Lacaille 8531..... | 6.7 | 20. 32. 3.59 | 40.35 | 5 | + 3.960 | - 40. 8. 29.51 | 40.77 | 6 | +12.353 | ... | 8531 | ... |
| 9520 | 9545 | Piazzi XX. 255..... | 7.8 | 20. 32. 5.38 | 39.09 | 3 | + 2.832 | + 12. 50. 32.45 | 37.26 | 2 | +12.355 | ... | ... | 255 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835'0.

{ccxli}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 9521 | 9546 | Piazzi XX. 256 | 8 | h m s 20. 32. 5'54 | 41'10 | 3 | + 2'834 | + 12. 43. 39'13 | 36'81 | 1 | +12'356 | ... | ... | 256 |
| 9522 | 9547 | Piazzi XX. 258 | 6 | 20. 32. 12'31 | 32'76 | 5 | + 2'470 | + 29. 45. 37'26 | 32'80 | 5 | +12'363 | ... | ... | 258 |
| 9523 | 9548 | Piazzi XX. 259 | 8'9 | 20. 32. 44'62 | 37'43 | 2 | + 3'287 | - 11. 31. 37'29 | 36'92 | 3 | +12'400 | ... | ... | 259 |
| 9524 | 9549 | Piazzi XX. 263 | 7 | 20. 32. 58'38 | 39'01 | 6 | + 1'927 | + 47. 29. 30'34 | 38'43 | 5 | +12'416 | ... | ... | 263 |
| 9525 | 9550 | B.D. — 18° 5754 | 7 | 20. 33. 16'29 | 33'43 | 3 | + 3'427 | - 18. 41. 40'25 | 33'74 | 4 | +12'436 | ... | ... | ... |
| 9526 | 9551 | Piazzi XX. 260 | 8 | 20. 33. 17'16 | 37'44 | 1 | + 3'120 | - 2. 36. 11'45 | 37'19 | 2 | +12'437 | ... | ... | 260 |
| 9527 | 9552 | Piazzi XX. 261 | 7 | 20. 33. 20'06 | 36'61 | 3 | + 2'752 | + 16. 59. 18'63 | 37'73 | 3 | +12'441 | ... | ... | 261 |
| 9528 | 9553 | 10 Delphini | 6 | 20. 33. 32'83 | 33'68 | 5 | + 2'811 | + 14. 0. 1'00 | 35'28 | 3 | +12'456 | 2672 | ... | 264 |
| 9529 | 9554 | 73 Draconis | 6'7 | 20. 33. 35'44 | 35'74 | 1 | - 0'678 | + 74. 23. 16'28 | 35'02 | 4 | +12'459 | 2682 | ... | 279 |
| 9530 | 9555 | Piazzi XX. 268 | 8 | 20. 33. 37'70 | 37'66 | 1 | + 2'572 | + 25. 29. 52'01 | 37'43 | 2 | +12'462 | ... | ... | 268 |
| 9531 | 9556 | Piazzi XX. 262. | 8 | 20. 33. 39'39 | 37'10 | 2 | + 3'286 | - 11. 33. 16'15 | 37'40 | 1 | +12'464 | ... | ... | 262 |
| 9532 | 9557 | Piazzi XX. 269 | 7'8 | 20. 33. 48'31 | 37'78 | 1 | + 2'869 | + 10. 58. 58'93 | 37'24 | 2 | +12'474 | ... | ... | 269 |
| 9533 | 9558 | Piazzi XX. 270 | 7 | 20. 33. 51'27 | 35'36 | 3 | + 2'826 | + 13. 13. 29'92 | 35'75 | 4 | +12'477 | ... | ... | 270 |
| 9534 | 9559 | Piazzi XX. 266 | 8 | 20. 34. 0'85 | 37'11 | 2 | + 3'592 | - 26. 24. 47'55 | 37'25 | 2 | +12'488 | ... | ... | 266 |
| 9535 | 9560 | Piazzi XX. 271 | 8 | 20. 34. 8'81 | 36'78 | 1 | + 2'827 | + 13. 12. 20'56 | 37'70 | 1 | +12'497 | ... | ... | 271 |
| 9536 | 9561 | Lacaille 8540 | 7'8 | 20. 34. 10'46 | 35'70 | 3 | + 3'843 | - 36. 25. 1'13 | 34'95 | 4 | +12'500 | ... | 8540 | 267 |
| 9537 | 9562 | 49 Cygni | 6 | 20. 34. 21'92 | 35'73 | 2 | + 2'426 | + 31. 43. 27'20 | 35'71 | 3 | +12'513 | 2675 | ... | 273 |
| 9538 | 9563 | Piazzi XX. 272 | 7 | 20. 34. 23'77 | 36'57 | 4 | + 2'754 | + 16. 56. 4'62 | 35'00 | 4 | +12'515 | ... | ... | 272 |
| 9539 | 9564 | Piazzi XX. 280 | 7'8 | 20. 34. 33'56 | 35'78 | 1 | + 0'951 | + 63. 46. 58'24 | 35'73 | 3 | +12'524 | ... | ... | 280 |
| 9540 | 9565 | Piazzi XX. 275 | 9 | 20. 34. 59'47 | 42'77 | 1 | + 2'782 | + 15. 32. 30'08 | 37'76 | 2 | +12'554 | ... | ... | 275 |
| 9541 | 9566 | Piazzi XX. 278 | 7'8 | 20. 35. 13'18 | 37'74 | 1 | + 2'344 | + 34. 57. 27'22 | 37'07 | 2 | +12'570 | ... | ... | 278 |
| 9542 | 9567 | Piazzi XX. 277 | 7'8 | 20. 35. 26'49 | 37'01 | 2 | + 3'009 | + 3. 29. 22'33 | 37'21 | 3 | +12'585 | ... | ... | 277 |
| 9543 | 9568 | Lacaille 8545 | 6 | 20. 35. 33'74 | 35'74 | 2 | + 3'939 | - 39. 47. 32'87 | 34'99 | 4 | +12'593 | ... | 8545 | 274 |
| 9544 | 9569 | 11 Delphini | 5 | 20. 35. 45'59 | 33'17 | 5 | + 2'803 | + 14. 29. 14'90 | 31'87 | 7 | +12'607 | 2678 | ... | 281 |
| 9545 | 9570 | Lacaille 8549 | 7 | 20. 35. 46'89 | 35'52 | 3 | + 3'847 | - 36. 42. 41'23 | 34'81 | 2 | +12'608 | ... | 8549 | 276 |
| 9546 | 9571 | 50 Cygni | 1 | 20. 35. 48'56 | 33'94 | 135 | + 2'043 | + 44. 41. 38'11 | 32'50 | 193 | +12'610 | 2679 | ... | 285 |
| 9547 | 9572 | Piazzi XX. 283 | 7'8 | 20. 35. 54'73 | 37'74 | 1 | + 2'347 | + 34. 52. 4'62 | 37'32 | 3 | +12'617 | ... | ... | 283 |
| 9548 | 9573 | Lacaille 8547 | 7 | 20. 36. 2'03 | 38'72 | 4 | + 4'165 | - 46. 27. 1'52 | 38'72 | 4 | +12'625 | ... | 8547 | ... |
| 9549 | 9574 | Piazzi XX. 287 | 8'9 | 20. 36. 13'75 | 40'19 | 4 | + 2'583 | + 25. 14. 5'87 | 42'66 | 2 | +12'639 | ... | ... | 287 |
| 9550 | 9575 | 16 Capricorni | 4'5 | 20. 36. 19'18 | 33'57 | 8 | + 3'575 | - 25. 51. 28'04 | 33'71 | 5 | +12'645 | 2676 | 8553 | 282 |
| 9551 | 9576 | Piazzi XX. 288 | 7'8 | 20. 36. 25'04 | 37'30 | 2 | + 2'755 | + 16. 58. 50'48 | 37'73 | 2 | +12'652 | ... | ... | 288 |
| 9552 | 9577 | 17 Capricorni | 6 | 20. 36. 35'60 | 32'72 | 6 | + 3'493 | - 22. 6. 29'51 | 32'76 | 5 | +12'663 | 2677 | ... | 284 |
| 9553 | 9578 | Bradley 2701 | 7'8 | 20. 36. 55'81 | 40'44 | 3 | - 3'372 | + 80. 52. 5'14 | 39'25 | 4 | +12'686 | 2701 | ... | 316 |
| 9554 | 9579 | Piazzi XX. 295 | 8 | 20. 37. 1'81 | 37'60 | 1 | + 0'895 | + 64. 33. 35'20 | 37'79 | 3 | +12'694 | ... | ... | 295 |
| 9555 | 9580 | Piazzi XX. 290 | 8'9 | 20. 37. 4'74 | 37'79 | 1 | + 3'237 | - 9. 2. 56'87 | 37'71 | 1 | +12'697 | ... | ... | 290 |
| 9556 | 9581 | 51 Cygni | 6 | 20. 37. 7'31 | 35'72 | 2 | + 1'849 | + 49. 45. 1'18 | 35'05 | 4 | +12'700 | 2683 | ... | 293 |
| 9557 | 9582 | Microscopii | 6 | 20. 37. 16'51 | 39'86 | 9 | + 4'092 | - 44. 35. 2'01 | 39'34 | 9 | +12'709 | ... | 8554 | 289 |
| 9558 | 9583 | Piazzi XX. 291 | 7'8 | 20. 37. 16'77 | 39'01 | 6 | + 2'976 | + 5. 17. 26'52 | 38'87 | 6 | +12'710 | ... | ... | 291 |
| 9559 | 9584 | Brisbane 6916 | 8 | 20. 37. 34'40 | 41'04 | 7 | + 4'091 | - 44. 35. 2'65 | 40'74 | 6 | +12'730 | ... | ... | ... |
| 9560 | 9585 | Piazzi XX. 292 | 8 | 20. 37. 42'09 | 40'02 | 6 | + 2'871 | + 11. 2. 51'07 | 39'63 | 7 | +12'739 | ... | ... | 292 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 9561 | 9586 | 30 Vulpecula | 6 | h m s 20. 37. 44'34 | 32'77 | 5 | + 2'597 | + 24. 41. 2'94 | 32'67 | 1 | +12'741 | 2680 | ... | 294 |
| 9562 | 9587 | Indi | 6 | 20. 38. 5'74 | 40'32 | 5 | + 4'172 | - 46. 49. 50'27 | 40'32 | 5 | +12'766 | ... | 8564 | ... |
| 9563 | 9588 | Piazzi XX. 302 | 7.8 | 20. 38. 10'68 | 35'78 | 3 | + 1'496 | + 56. 47. 37'18 | 35'05 | 4 | +12'772 | ... | ... | 302 |
| 9564 | 9589 | 75 Draconis | 6 | 20. 38. 15'45 | 39'29 | 4 | - 3'330 | + 80. 51. 7'72 | 38'38 | 5 | +12'776 | 2704 | ... | 331 |
| 9565 | 9590 | Piazzi XX. 300 | 8.9 | 20. 38. 23'44 | 37'09 | 2 | + 2'580 | + 25. 30. 32'44 | 37'32 | 3 | +12'785 | ... | ... | 300 |
| 9566 | 9591 | Piazzi XX. 297 | 7.8 | 20. 38. 31'60 | 35'70 | 2 | + 3'175 | - 5. 40. 56'01 | 35'40 | 2 | +12'795 | ... | ... | 297 |
| 9567 | 9592 | Piazzi XX. 296 | 7 | 20. 38. 38'53 | 33'57 | 8 | + 3'519 | - 23. 26. 50'81 | 33'75 | 4 | +12'802 | ... | ... | 296 |
| 9568 | 9593 | 74 Draconis | 6.7 | 20. 38. 40'51 | 40'29 | 2 | - 3'085 | + 80. 30. 30'91 | 37'41 | 4 | +12'803 | 2705 | ... | 333 |
| 9569 | 9594 | Lacaille 8572 | 6 | 20. 38. 43'47 | 33'70 | 2 | + 3'516 | - 23. 20. 3'93 | 33'55 | 6 | +12'807 | ... | 8572 | 298 |
| 9570 | 9595 | 2 Aquarii | 4.5 | 20. 38. 44'45 | 35'05 | 11 | + 3'255 | - 10. 5. 40'95 | 34'11 | 8 | +12'808 | 2681 | ... | 299 |
| 9571 | 9596 | 52 Cygni | 6 | 20. 38. 51'33 | 35'35 | 2 | + 2'475 | + 30. 7. 15'72 | 34'98 | 4 | +12'817 | 2687 | ... | 306 |
| 9572 | 9597 | Bradley 2685 | 6.7 | 20. 38. 59'43 | 39'23 | 4 | + 2'786 | + 15. 32. 2'72 | 35'73 | 4 | +12'827 | 2685 | ... | 303 |
| 9573 | 9598 | 12 Delphini | 4 | 20. 39. 0'37 | 35'87 | 10 | + 2'786 | + 15. 32. 3'57 | 33'81 | 8 | +12'827 | 2686 | ... | 304 |
| 9574 | 9599 | Piazzi XX. 308 | 8 | 20. 39. 0'82 | 36'80 | 1 | + 2'477 | + 30. 3. 37'43 | 37'20 | 2 | +12'828 | ... | ... | 308 |
| 9575 | 9600 | 3 Aquarii | 4 | 20. 39. 1'68 | 33'73 | 10 | + 3'173 | - 5. 37. 36'61 | 31'76 | 5 | +12'829 | 2684 | ... | 301 |
| 9576 | 9601 | Piazzi XX. 315 | 7.8 | 20. 39. 25'50 | 39'00 | 3 | + 1'079 | + 62. 45. 25'63 | 38'71 | 4 | +12'854 | ... | ... | 315 |
| 9577 | 9602 | Lacaille 8581 | 6 | 20. 39. 29'30 | 33'70 | 3 | + 3'581 | - 26. 23. 4'91 | 33'75 | 5 | +12'859 | ... | 8581 | 305 |
| 9578 | 9603 | 53 Cygni | 3 | 20. 39. 32'02 | 32'26 | 5 | + 2'397 | + 33. 21. 20'54 | 31'96 | 10 | +12'862 | 2689 | ... | 313 |
| 9579 | 9604 | Indi | 6 | 20. 39. 32'05 | 40'36 | 5 | + 4'396 | - 52. 12. 56'23 | 40'36 | 5 | +12'862 | ... | 8567 | ... |
| 9580 | 9605 | 13 Delphini | 5.6 | 20. 39. 38'16 | 41'12 | 4 | + 2'975 | + 5. 24. 24'79 | 36'88 | 8 | +12'869 | 2688 | ... | 309 |
| 9581 | 9606 | Microscopii | 4.5 | 20. 39. 38'94 | 32'80 | 5 | + 3'774 | - 34. 23. 3'92 | 33'40 | 5 | +12'870 | ... | 8579 | 307 |
| 9582 | 9607 | Piazzi XX. 317 | 7.8 | 20. 39. 41'46 | 40'03 | 4 | + 1'092 | + 62. 37. 13'10 | 40'28 | 2 | +12'874 | ... | ... | 317 |
| 9583 | 9608 | Piazzi XX. 314 | 8 | 20. 39. 57'84 | 35'58 | 2 | + 2'785 | + 15. 38. 14'95 | 35'01 | 4 | +12'891 | ... | ... | 314 |
| 9584 | 9609 | Piazzi XX. 310 | 6.7 | 20. 39. 58'85 | 33'74 | 3 | + 3'418 | - 18. 38. 21'16 | 32'81 | 5 | +12'892 | ... | ... | 310 |
| 9585 | 9610 | Piazzi XX. 311 | 8 | 20. 39. 58'87 | 37'09 | 2 | + 3'313 | - 13. 12. 52'91 | 37'34 | 4 | +12'892 | ... | ... | 311 |
| 9586 | 9611 | Lacaille 8575 | 7.8 | 20. 40. 11'19 | 35'36 | 3 | + 3'616 | - 27. 58. 22'25 | 35'71 | 3 | +12'906 | ... | 8575 | 312 |
| 9587 | 9612 | Piazzi XX. 326 | 7.8 | 20. 40. 23'14 | 39'38 | 5 | + 1'097 | + 62. 36. 45'59 | 38'79 | 4 | +12'919 | ... | ... | 326 |
| 9588 | 9613 | Lacaille 8582 | 6 | 20. 40. 23'86 | 38'78 | 4 | + 3'886 | - 38. 31. 15'01 | 38'78 | 4 | +12'920 | ... | 8582 | ... |
| 9589 | 9614 | Piazzi XX. 321 | 7 | 20. 40. 37'69 | 35'72 | 2 | + 1'851 | + 50. 4. 21'00 | 35'49 | 3 | +12'935 | ... | ... | 321 |
| 9590 | 9615 | Piazzi XX. 319 | 8 | 20. 40. 41'24 | 37'28 | 3 | + 2'583 | + 25. 34. 27'59 | 37'40 | 3 | +12'939 | ... | ... | 319 |
| 9591 | 9616 | Piazzi XX. 318 | 8 | 20. 40. 54'64 | 37'21 | 2 | + 2'974 | + 5. 28. 42'38 | 37'20 | 3 | +12'954 | ... | ... | 318 |
| 9592 | 9617 | 54 Cygni | 5 | 20. 40. 59'01 | 32'78 | 9 | + 2'334 | + 35. 53. 14'73 | 31'68 | 5 | +12'959 | 2692 | ... | 323 |
| 9593 | 9618 | 4 Cephei | 6 | 20. 41. 5'81 | 35'78 | 1 | + 0'774 | + 66. 3. 31'38 | 35'40 | 3 | +12'967 | 2697 | ... | 335 |
| 9594 | 9619 | Piazzi XX. 324 | 8 | 20. 41. 8'91 | 37'21 | 2 | + 2'579 | + 25. 47. 22'99 | 37'25 | 2 | +12'970 | ... | ... | 324 |
| 9595 | 9620 | Piazzi XX. 332 | 5 | 20. 41. 15'22 | 32'78 | 5 | + 1'503 | + 56. 59. 22'60 | 32'73 | 6 | +12'977 | ... | ... | 332 |
| 9596 | 9621 | Taylor 9621 | 6 | 20. 41. 31'20 | 33'82 | 3 | + 3'598 | - 27. 19. ... | ... | ... | +12'994 | ... | ... | ... |
| 9597 | 9622 | Piazzi XX. 325 | 6.7 | 20. 41. 35'84 | 33'73 | 3 | + 3'310 | - 13. 9. 4'10 | 33'85 | 3 | +13'000 | ... | ... | 325 |
| 9598 | 9623 | Piazzi XX. 327 | 7.8 | 20. 41. 37'90 | 37'45 | 3 | + 3'040 | + 1. 49. 32'43 | 37'48 | 2 | +13'002 | ... | ... | 327 |
| 9599 | 9624 | Piazzi XX. 322 | 6.7 | 20. 41. 40'97 | 33'79 | 1 | + 3'610 | - 27. 51. 15'46 | 33'74 | 5 | +13'005 | ... | ... | 322 |
| 9600 | 9625 | Microscopii | 6.7 | 20. 41. 42'67 | 35'40 | 3 | + 3'753 | - 33. 47. 22'83 | 35'04 | 4 | +13'007 | ... | 8593 | 320 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{ccxliii}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 9601 | 9626 | 14 Delphini | 7 | h m s 20. 41. 43'35 | 35'67 | 3 | + 2'943 | + 7. 15. 20'75 | 35'06 | 4 | +13'008 | 2691 | ... | 329 |
| 9602 | 9627 | 15 Delphini | 6.7 | 20. 41. 45'92 | 38'75 | 4 | + 2'857 | + 11. 55. 58'92 | 38'28 | 4 | +13'011 | 2693 | ... | 330 |
| 9603 | 9628 | Indi..... β | 4 | 20. 41. 51'28 | 32'73 | 5 | + 4'770 | - 59. 4. 7'60 | 31'75 | 4 | +13'017 | ... | 8584 | ... |
| 9604 | 9629 | 3 Cephei | 3.4 | 20. 41. 54'79 | 32'83 | 3 | + 1'222 | + 61. 11. 56'37 | 32'99 | 5 | +13'021 | 2698 | ... | 338 |
| 9605 | 9630 | 18 Capricorni..... ω | 5.6 | 20. 41. 57'63 | 33'83 | 5 | + 3'602 | - 27. 31. 50'45 | 33'23 | 6 | +13'025 | 2690 | 8601 | 328 |
| 9606 | 9631 | 4 Aquarii..... | 6 | 20. 42. 40'60 | 33'26 | 6 | + 3'183 | - 6. 14. 19'46 | 32'75 | 5 | +13'071 | 2694 | ... | 336 |
| 9607 | 9632 | Lacaille 8606 | 7 | 20. 42. 54'66 | 39'04 | 4 | + 3'935 | - 40. 25. 17'30 | 37'55 | 6 | +13'087 | ... | 8606 | 334 |
| 9608 | 9633 | Piazzi XX. 337 | 7 | 20. 42. 59'16 | 32'84 | 2 | + 3'288 | - 12. 3. 8'01 | 32'76 | 4 | +13'092 | ... | ... | 337 |
| 9609 | 9634 | Piazzi XX. 349 | 8.9 | 20. 43. 4'11 | 42'64 | 2 | + 1'627 | + 54. 57. 43'28 | 42'64 | 2 | +13'097 | ... | ... | 349 |
| 9610 | 9635 | Piazzi XX. 340 | 8.9 | 20. 43. 7'38 | 37'60 | 1 | + 3'167 | - 5. 24. 34'68 | 37'49 | 3 | +13'101 | ... | ... | 340 |
| 9611 | 9636 | 55 Cygni..... | 6 | 20. 43. 19'18 | 35'73 | 3 | + 2'042 | + 45. 30. 19'19 | 35'02 | 4 | +13'114 | 2699 | ... | 350 |
| 9612 | 9637 | Lacaille 8612 | 6 | 20. 43. 19'86 | 33'70 | 3 | + 3'531 | - 24. 23. 46'82 | 33'68 | 5 | +13'115 | ... | 8612 | 339 |
| 9613 | 9638 | Piazzi XX. 341 | 7 | 20. 43. 24'48 | 35'76 | 3 | + 3'321 | - 13. 49. 4'68 | 34'98 | 4 | +13'120 | ... | ... | 341 |
| 9614 | 9639 | 5 Aquarii | 6 | 20. 43. 25'00 | 34'51 | 5 | + 3'180 | - 6. 7. 15'30 | 34'48 | 8 | +13'121 | 2695 | ... | 342 |
| 9615 | 9640 | Piazzi XX. 359 | 7 | 20. 43. 31'09 | 35'77 | 1 | + 0'418 | + 69. 9. 3'65 | 34'79 | 3 | +13'127 | ... | ... | 359 |
| 9616 | 9641 | Piazzi XX. 343 | 8.9 | 20. 43. 34'07 | 37'09 | 2 | + 3'377 | - 16. 46. 49'01 | 37'09 | 2 | +13'131 | ... | ... | 343 |
| 9617 | 9642 | Piazzi XX. 344 | 9 | 20. 43. 37'46 | 37'43 | 2 | + 3'166 | - 5. 19. 2'87 | 37'09 | 3 | +13'135 | ... | ... | 344 |
| 9618 | 9643 | Piazzi XX. 346 | 8.9 | 20. 43. 45'00 | 37'12 | 2 | + 3'140 | - 3. 50. 1'78 | 37'25 | 2 | +13'142 | ... | ... | 346 |
| 9619 | 9644 | 6 Aquarii..... μ | 4.5 | 20. 43. 45'10 | 34'59 | 10 | + 3'242 | - 9. 35. 51'24 | 34'59 | 10 | +13'142 | 2696 | ... | 345 |
| 9620 | 9645 | Piazzi XX. 347 | 8.9 | 20. 43. 47'27 | 37'12 | 2 | + 3'085 | - 0. 44. 1'67 | 37'26 | 2 | +13'145 | ... | ... | 347 |
| 9621 | 9646 | Piazzi XX. 352 | 7 | 20. 43. 56'74 | 37'79 | 1 | + 2'948 | + 6. 58. 6'53 | 37'44 | 2 | +13'156 | ... | ... | 352 |
| 9622 | 9647 | Piazzi XX. 351 | 6 | 20. 44. 3'79 | 32'74 | 4 | + 3'290 | - 12. 11. 32'08 | 32'80 | 4 | +13'163 | ... | ... | 351 |
| 9623 | 9648 | Piazzi XX. 348 | 8 | 20. 44. 6'88 | 37'23 | 2 | + 3'584 | - 26. 56. 0'91 | 37'21 | 2 | +13'166 | ... | ... | 348 |
| 9624 | 9649 | 56 Cygni..... | 5.6 | 20. 44. 13'29 | 35'75 | 3 | + 2'117 | + 43. 26. 27'89 | 35'70 | 3 | +13'174 | 2702 | ... | 357 |
| 9625 | 9650 | Piazzi XX. 354 | 7.8 | 20. 44. 23'52 | 37'73 | 1 | + 2'892 | + 10. 6. 58'09 | 37'78 | 1 | +13'185 | ... | ... | 354 |
| 9626 | 9651 | Piazzi XX. 358 | 7 | 20. 44. 28'17 | 36'68 | 2 | + 2'545 | + 27. 38. 9'54 | 37'77 | 1 | +13'190 | ... | ... | 358 |
| 9627 | 9652 | Piazzi XX. 355 | 8.9 | 20. 44. 35'84 | 38'90 | 6 | + 2'953 | + 6. 42. 49'40 | 39'52 | 4 | +13'198 | ... | ... | 355 |
| 9628 | 9653 | Piazzi XX. 356 | 9 | 20. 44. 37'08 | 37'29 | 2 | + 2'954 | + 6. 42. 15'85 | 37'30 | 2 | +13'199 | ... | ... | 356 |
| 9629 | 9654 | Piazzi XX. 353 | 7.8 | 20. 44. 37'95 | 41'10 | 3 | + 3'567 | - 26. 11. 35'33 | 39'40 | 3 | +13'200 | ... | ... | 353 |
| 9630 | 9655 | 31 Vulpecule | 6 | 20. 45. 4'20 | 32'78 | 5 | + 2'570 | + 26. 28. 59'97 | 32'74 | 5 | +13'225 | 2703 | ... | 365 |
| 9631 | 9656 | Piazzi XX. 360 | 6.7 | 20. 45. 10'70 | 42'51 | 4 | + 3'204 | - 7. 30. 28'19 | 41'23 | 4 | +13'237 | ... | ... | 360 |
| 9632 | 9657 | Piazzi XX. 364 | 7.8 | 20. 45. 23'23 | 36'78 | 2 | + 3'163 | - 5. 9. 46'19 | 37'29 | 2 | +13'250 | ... | ... | 364 |
| 9633 | 9658 | 19 Capricorni | 6 | 20. 45. 28'11 | 32'92 | 7 | + 3'409 | - 18. 32. 35'98 | 33'50 | 5 | +13'255 | 2700 | ... | 362 |
| 9634 | 9659 | Piazzi XX. 361 | 8.9 | 20. 45. 33'16 | 41'12 | 3 | + 3'577 | - 26. 44. 3'57 | 40'02 | 4 | +13'261 | ... | ... | 361 |
| 9635 | 9660 | Piazzi XX. 374 | 8 | 20. 45. 35'57 | 38'40 | 3 | + 0'413 | + 69. 19. 36'38 | 42'76 | 1 | +13'264 | ... | ... | 374 |
| 9636 | 9661 | Lacaille 8619 | 8.9 | 20. 45. 41'82 | 37'18 | 2 | + 3'703 | - 32. 10. 30'34 | 37'25 | 2 | +13'270 | ... | 8619 | 363 |
| 9637 | 9662 | Piazzi XX. 367 | 8 | 20. 45. 44'01 | 36'81 | 1 | + 3'358 | - 15. 54. 16'61 | 37'40 | 1 | +13'272 | ... | ... | 367 |
| 9638 | 9663 | Piazzi XX. 368 | 7 | 20. 45. 51'00 | 36'17 | 4 | + 3'014 | + 3. 20. 4'34 | 36'11 | 5 | +13'280 | ... | ... | 368 |
| 9639 | 9664 | Piazzi XX. 369 | 8 | 20. 46. 15'11 | 41'10 | 3 | + 3'209 | - 7. 47. 34'82 | 42'75 | 2 | +13'308 | ... | ... | 369 |
| 9640 | 9665 | Piazzi XX. 371 | 9.10 | 20. 46. 39'58 | 41'71 | 2 | + 2'881 | + 10. 49. 8'40 | 41'71 | 3 | +13'324 | ... | ... | 371 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------|------------|------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 9641 | 9666 | Lacaille 8620 | 7 | h m s 20. 46. 43'14 | 40'32 | 5 | + 4'061 | — 44. 42. 49'78 | 40'32 | 5 | +13'328 | ... | 8620 | ... |
| 9642 | 9667 | Piazzi XX. 372 | 8 | 20. 46. 45'36 | 36'75 | 1 | + 3'051 | + 1. 12. ... | ... | ... | +13'330 | ... | ... | 372 |
| 9643 | 9668 | Lacaille 8621 | 7 | 20. 46. 58'39 | 32'72 | 5 | + 3'579 | — 26. 55. 11'30 | 32'81 | 5 | +13'355 | ... | 8621 | 370 |
| 9644 | 9669 | Piazzi XX. 373 | 7·8 | 20. 47. 0'43 | 37'27 | 2 | + 2'952 | + 6. 54. 22'38 | 37'76 | 2 | +13'357 | ... | ... | 373 |
| 9645 | 9670 | Piazzi XX. 389 | 7 | 20. 47. 17'10 | 35'75 | 2 | + 0'469 | + 69. 2. 33'80 | 35'00 | 4 | +13'376 | ... | ... | 389 |
| 9646 | 9671 | 57 Cygni | 5 | 20. 47. 24'66 | 31'68 | 5 | + 2'118 | + 43. 45. 54'32 | 31'64 | 5 | +13'384 | 2710 | ... | 383 |
| 9647 | 9672 | Piazzi XX. 376 | 6 | 20. 47. 24'94 | 33'93 | 8 | + 3'004 | + 3. 54. 25'20 | 34'37 | 8 | +13'385 | ... | ... | 376 |
| 9648 | 9673 | 32 Vulpeculæ | 4·5 | 20. 47. 31'84 | 33'16 | 11 | + 2'555 | + 27. 26. 3'16 | 34'31 | 10 | +13'392 | 2709 | ... | 379 |
| 9649 | 9674 | Piazzi XX. 375 | 8·9 | 20. 47. 32'28 | 37'43 | 1 | + 3'367 | — 16. 28. 42'61 | 37'44 | 2 | +13'392 | ... | ... | 375 |
| 9650 | 9675 | Piazzi XX. 378 | 8 | 20. 47. 41'44 | 37'12 | 2 | + 2'949 | + 7. 2. 34'41 | 37'44 | 1 | +13'402 | ... | ... | 378 |
| 9651 | 9676 | 16 Delphini | 6 | 20. 47. 46'33 | 33'33 | 5 | + 2'862 | + 11. 56. 30'36 | 32'72 | 5 | +13'407 | 2707 | ... | 381 |
| 9652 | 9677 | 17 Delphini | 6 | 20. 47. 48'16 | 33'75 | 6 | + 2'841 | + 13. 5. 47'06 | 33'18 | 5 | +13'409 | 2708 | ... | 382 |
| 9653 | 9678 | Piazzi XX. 377 | 9 | 20. 47. 57'09 | 37'41 | 1 | + 3'372 | — 16. 48. 4'76 | 37'28 | 2 | +13'419 | ... | ... | 377 |
| 9654 | 9679 | 7 Aquarii | 6 | 20. 47. 58'67 | 37'37 | 8 | + 3'253 | — 10. 19. 29'36 | 36'94 | 9 | +13'420 | 2706 | ... | 380 |
| 9655 | 9680 | Piazzi XX. 387 | 7 | 20. 47. 59'29 | 37'79 | 1 | + 2'555 | + 27. 28. 2'49 | 35'37 | 3 | +13'421 | ... | ... | 387 |
| 9656 | 9681 | Piazzi XX. 385 | 8 | 20. 48. 16'54 | 37'60 | 1 | + 3'196 | — 7. 5. 55'45 | 37'27 | 2 | +13'439 | ... | ... | 385 |
| 9657 | 9682 | Piazzi XX. 384 | 8 | 20. 48. 21'96 | 37'58 | 2 | + 3'700 | — 32. 20. 4'37 | 37'29 | 2 | +13'446 | ... | ... | 384 |
| 9658 | 9683 | Piazzi XX. 388 | 7·8 | 20. 48. 24'65 | 37'11 | 2 | + 3'053 | + 1. 5. 46'03 | 37'09 | 2 | +13'448 | ... | ... | 388 |
| 9659 | 9684 | Piazzi XX. 386 | 7 | 20. 48. 26'04 | 33'76 | 3 | + 3'369 | — 16. 39. 41'02 | 33'68 | 4 | +13'450 | ... | ... | 386 |
| 9660 | 9685 | Lacaille 8624 | 6·7 | 20. 48. 34'91 | 38'68 | 3 | + 4'337 | — 51. 54. 19'76 | 38'67 | 2 | +13'460 | ... | 8624 | ... |
| 9661 | 9686 | Piazzi XX. 391 | 7 | 20. 48. 35'59 | 35'52 | 3 | + 1'713 | + 53. 53. 13'49 | 35'02 | 3 | +13'461 | ... | ... | 391 |
| 9662 | 9687 | Brisbane 6950 | 6·7 | 20. 48. 36'60 | 38'73 | 3 | + 4'455 | — 54. 22. 23'19 | 38'73 | 3 | +13'462 | ... | ... | ... |
| 9663 | 9688 | Piazzi XX. 390 | 7 | 20. 48. 52'45 | 37'58 | 2 | + 3'139 | — 3. 52. 0'53 | 37'19 | 2 | +13'478 | ... | ... | 390 |
| 9664 | 9689 | Lacaille 8628 | 7 | 20. 49. 0'10 | 41'28 | 4 | + 4'016 | — 43. 39. 0'96 | 40'26 | 4 | +13'487 | ... | 8628 | ... |
| 9665 | 9690 | Piazzi XX. 393 | 6 | 20. 49. 32'76 | 32'75 | 5 | + 3'010 | + 3. 33. 49'61 | 33'78 | 5 | +13'522 | ... | ... | 393 |
| 9666 | 9691 | Piazzi XX. 400 | 7·8 | 20. 49. 42'26 | 37'04 | 3 | + 1'449 | + 58. 40. 58'96 | 37'35 | 4 | +13'533 | ... | ... | 400 |
| 9667 | 9692 | Piazzi XX. 392 | 7·8 | 20. 49. 55'76 | 35'52 | 3 | + 3'759 | — 34. 52. 12'99 | 35'02 | 4 | +13'547 | ... | ... | 392 |
| 9668 | 9693 | Piazzi XX. 396 | 7 | 20. 50. 6'79 | 37'17 | 2 | + 3'149 | — 4. 28. 34'48 | 37'40 | 3 | +13'559 | ... | ... | 396 |
| 9669 | 9694 | Piazzi XX. 401 | 7 | 20. 50. 7'44 | 35'40 | 3 | + 2'129 | + 43. 44. 38'37 | 35'40 | 1 | +13'560 | ... | ... | 401 |
| 9670 | 9695 | Piazzi XX. 394 | 8 | 20. 50. 10'89 | 40'69 | 6 | + 3'383 | — 17. 30. 52'53 | 40'64 | 6 | +13'563 | ... | ... | 394 |
| 9671 | 9696 | Piazzi XX. 397 | 8 | 20. 50. 12'46 | 37'24 | 2 | + 3'140 | — 3. 57. 3'25 | 37'38 | 3 | +13'565 | ... | ... | 397 |
| 9672 | 9697 | 20 Capricorni | 6 | 20. 50. 13'26 | 32'97 | 6 | + 3'424 | — 19. 40. 12'74 | 33'01 | 5 | +13'566 | 2713 | ... | 395 |
| 9673 | 9698 | Piazzi XX. 398 | 7·8 | 20. 50. 28'43 | 37'44 | 3 | + 3'595 | — 27. 58. 37'23 | 37'36 | 3 | +13'582 | ... | ... | 398 |
| 9674 | 9699 | 18 Delphini | 6 | 20. 50. 29'31 | 33'77 | 4 | + 2'895 | + 10. 12. 25'40 | 32'76 | 5 | +13'583 | 2716 | ... | 399 |
| 9675 | 9700 | 1 Equulei | 5·6 | 20. 50. 49'88 | 33'80 | 2 | + 3'009 | + 3. 39. 54'36 | 33'75 | 5 | +13'605 | 2717 | ... | 404 |
| 9676 | 9701 | 8 Aquarii | 6 | 20. 50. 50'42 | 33'82 | 3 | + 3'311 | — 13. 41. 16'90 | 33'80 | 5 | +13'606 | 2715 | ... | 402 |
| 9677 | 9702 | Piazzi XX. 407 | 8 | 20. 50. 53'40 | 37'28 | 2 | + 2'442 | + 32. 40. 4'96 | 37'30 | 3 | +13'609 | ... | ... | 407 |
| 9678 | 9703 | 33 Vulpeculæ | 5·6 | 20. 50. 54'00 | 37'03 | 8 | + 2'681 | + 21. 41. 31'41 | 36'54 | 8 | +13'610 | 2719 | ... | 406 |
| 9679 | 9704 | 58 Cygni | 4 | 20. 51. 1'32 | 31'95 | 7 | + 2'232 | + 40. 32. 5'87 | 33'14 | 11 | +13'617 | 2724 | ... | 410 |
| 9680 | 9705 | Piazzi XX. 412 | 6·7 | 20. 51. 1'46 | 39'25 | 4 | + 1'883 | + 50. 26. 35'37 | 37'63 | 6 | +13'617 | ... | ... | 412 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|--------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 9681 | 9706 | 1 Piscis Australis | 5.6 | h m s 20. 51. 9.41 | 35.62 | 2 | + 3.707 | - 32. 53. 50.81 | 35.04 | 4 | +13.626 | 2714 | 8639 | 403 |
| 9682 | 9707 | Lacaille 8641 | 7 | 20. 51. 25.27 | 35.72 | 4 | + 3.816 | - 37. 12. 51.95 | 35.60 | 3 | +13.645 | ... | 8641 | 405 |
| 9683 | 9708 | 21 Capricorni | 6 | 20. 51. 34.04 | 33.70 | 7 | + 3.394 | - 18. 10. 8.62 | 34.45 | 8 | +13.652 | 2718 | ... | 409 |
| 9684 | 9709 | Piazzi XX. 417 | 7.8 | 20. 51. 40.93 | 40.73 | 4 | + 2.682 | + 21. 42. 49.34 | 35.07 | 4 | +13.659 | ... | ... | 417 |
| 9685 | 9710 | Lacaille 8634 | 7.8 | 20. 51. 43.35 | 40.33 | 5 | + 4.739 | - 59. 34. 35.09 | 40.36 | 5 | +13.662 | ... | 8634 | ... |
| 9686 | 9711 | 10 Aquarii | 7 | 20. 51. 49.61 | 35.74 | 2 | + 3.177 | - 6. 6. 57.36 | 35.70 | 3 | +13.669 | 2721 | ... | 413 |
| 9687 | 9712 | Lacaille 8644 | 7 | 20. 51. 51.04 | 38.76 | 2 | + 3.869 | - 39. 9. 54.95 | 38.75 | 3 | +13.670 | ... | 8644 | ... |
| 9688 | 9713 | Bradley 2727 | 5 | 20. 51. 52.10 | 32.34 | 6 | + 1.607 | + 56. 15. 15.89 | 31.74 | 6 | +13.671 | 2727 | ... | ... |
| 9689 | 9714 | 11 Aquarii | 6 | 20. 51. 52.37 | 38.37 | 5 | + 3.164 | - 5. 21. 48.02 | 36.24 | 8 | +13.671 | 2723 | ... | 414 |
| 9690 | 9715 | Lacaille 8652 | 6 | 20. 51. 56.94 | 33.52 | 4 | + 3.582 | - 27. 31. 15.70 | 33.53 | 5 | +13.677 | ... | 8652 | 411 |
| 9691 | 9716 | Piazzi XX. 416 | 8 | 20. 51. 57.88 | 37.32 | 3 | + 3.175 | - 5. 59. 49.25 | 37.48 | 4 | +13.678 | ... | ... | 416 |
| 9692 | 9717 | 9 Aquarii | 6 | 20. 52. 2.32 | 32.80 | 4 | + 3.319 | - 14. 10. 13.52 | 33.84 | 2 | +13.682 | 2722 | ... | 415 |
| 9693 | 9718 | Piazzi XX. 420 | 8 | 20. 52. 18.70 | 37.28 | 2 | + 2.231 | + 40. 43. 16.33 | 37.32 | 3 | +13.700 | ... | ... | 420 |
| 9694 | 9719 | Piazzi XX. 421 | 8 | 20. 52. 19.45 | 37.28 | 2 | + 2.251 | + 40. 3. 43.22 | 37.43 | 3 | +13.701 | ... | ... | 421 |
| 9695 | 9720 | Microscopii | 6.7 | 20. 52. 24.05 | 35.79 | 2 | + 3.870 | - 39. 16. 11.39 | 35.37 | 3 | +13.707 | ... | 8653 | 418 |
| 9696 | 9721 | Piazzi XX. 419 | 7.8 | 20. 52. 33.85 | 37.11 | 2 | + 2.911 | + 9. 21. 14.40 | 37.61 | 2 | +13.716 | ... | ... | 419 |
| 9697 | 9722 | Piazzi XX. 422 | 9 | 20. 52. 44.81 | 37.26 | 4 | + 2.911 | + 9. 21. 20.42 | 37.73 | 2 | +13.728 | ... | ... | 422 |
| 9698 | 9723 | Piazzi XX. 423 | 7 | 20. 52. 59.38 | 35.77 | 3 | + 3.285 | - 12. 20. 14.68 | 35.06 | 4 | +13.743 | ... | ... | 423 |
| 9699 | 9724 | Indi | 6.7 | 20. 53. 3.35 | 38.70 | 3 | + 4.482 | - 55. 22. 22.58 | 38.70 | 3 | +13.748 | ... | 8648 | ... |
| 9700 | 9725 | Piazzi XX. 429 | 6 | 20. 53. 12.85 | 35.82 | 2 | + 1.920 | + 49. 49. 23.87 | 35.71 | 3 | +13.757 | ... | ... | 429 |
| 9701 | 9726 | Piazzi XX. 427 | 8 | 20. 53. 21.61 | 37.22 | 2 | + 2.961 | + 6. 31. 24.02 | 37.45 | 1 | +13.767 | ... | ... | 427 |
| 9702 | 9727 | Piazzi XX. 426 | 8 | 20. 53. 32.51 | 36.62 | 1 | + 3.276 | - 11. 49. 29.47 | 37.22 | 3 | +13.779 | ... | ... | 426 |
| 9703 | 9728 | Lacaille 8661 | 7.8 | 20. 53. 36.13 | 37.06 | 2 | + 3.540 | - 25. 43. 9.78 | 37.21 | 3 | +13.783 | ... | 8661 | 425 |
| 9704 | 9729 | Piazzi XX. 428 | 6 | 20. 54. 2.74 | 35.78 | 1 | + 3.389 | - 18. 6. 52.11 | 35.74 | 2 | +13.811 | ... | ... | 428 |
| 9705 | 9730 | 2 Equulei | 6 | 20. 54. 4.63 | 33.72 | 6 | + 2.961 | + 6. 32. 8.58 | 34.57 | 8 | +13.813 | 2728 | ... | 431 |
| 9706 | 9731 | 76 Draconis | 5 | 20. 54. 4.65 | 34.17 | 21 | - 3.754 | + 81. 54. 50.78 | 34.44 | 13 | +13.813 | 2754 | ... | 463 |
| 9707 | 9732 | 59 Cygni | 6 | 20. 54. 12.75 | 35.85 | 1 | + 2.037 | + 46. 52. 44.15 | 35.09 | 3 | +13.822 | 2732 | ... | 437 |
| 9708 | 9733 | Piazzi XX. 434 | 8 | 20. 54. 22.37 | 37.20 | 2 | + 2.711 | + 20. 27. 34.28 | 37.23 | 2 | +13.832 | ... | ... | 434 |
| 9709 | 9734 | Lacaille 8656 | 7 | 20. 54. 26.66 | 38.78 | 3 | + 4.793 | - 60. 38. 36.98 | 38.78 | 3 | +13.836 | ... | 8656 | ... |
| 9710 | 9735 | Piazzi XX. 432 | 7.8 | 20. 54. 29.25 | 37.09 | 2 | + 3.098 | - 1. 34. 11.67 | 37.31 | 3 | +13.839 | ... | ... | 432 |
| 9711 | 9736 | Piazzi XX. 440 | 7.8 | 20. 54. 36.99 | 35.82 | 2 | + 1.996 | + 48. 2. 13.57 | 35.04 | 4 | +13.846 | ... | ... | 440 |
| 9712 | 9737 | Piazzi XX. 430 | 6.7 | 20. 54. 37.37 | 35.41 | 2 | + 4.960 | - 45. 35. 55.25 | 35.08 | 4 | +13.847 | ... | ... | 430 |
| 9713 | 9738 | Piazzi XX. 433 | 7.8 | 20. 54. 42.63 | 37.44 | 3 | + 3.401 | - 18. 45. 31.03 | 37.23 | 2 | +13.852 | ... | ... | 433 |
| 9714 | 9747 | Bradley 2749 | 5 | 20. 54. 48.24 | 33.00 | 5 | - 2.471 | + 79. 55. 44.99 | 32.95 | 5 | +13.858 | 2749 | ... | ... |
| 9715 | 9739 | Piazzi XX. 438 | 8.9 | 20. 54. 55.82 | 37.44 | 3 | + 3.189 | - 6. 53. 9.43 | 37.58 | 2 | +13.867 | ... | ... | 438 |
| 9716 | 9740 | 22 Capricorni | 7 | 20. 55. 0.43 | 33.72 | 9 | + 3.433 | - 20. 30. 6.04 | 32.01 | 5 | +13.871 | 2729 | ... | 436 |
| 9717 | 9741 | Piazzi XX. 435 | 6.7 | 20. 55. 4.72 | 41.08 | 3 | + 3.699 | - 32. 59. 43.94 | 39.06 | 6 | +13.876 | ... | ... | 435 |
| 9718 | 9742 | 12 Aquarii | 6 | 20. 55. 20.95 | 32.82 | 5 | + 3.181 | - 6. 28. 19.13 | 32.82 | 5 | +13.893 | 2730 | ... | 441 |
| 9719 | 9743 | 60 Cygni | 6 | 20. 55. 25.61 | 35.77 | 2 | + 2.091 | + 45. 30. 37.36 | 34.98 | 4 | +13.898 | 2735 | ... | 446 |
| 9720 | 9744 | Piazzi XX. 443 | 7 | 20. 55. 35.50 | 35.75 | 3 | + 3.382 | - 17. 48. 50.34 | 35.06 | 4 | +13.909 | ... | ... | 443 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|--------------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 9721 | 9745 | Microscopii | 6 | h m s 20. 55. 39.88 | 37.66 | 5 | + 3.940 | — 42. 2. 18.58 | 39.15 | 6 | +13.913 | ... | 8675 | 439 |
| 9722 | 9746 | Lacaille 8670 | 7 | 20. 55. 46.93 | 38.80 | 3 | + 4.440 | — 54. 52. 11.90 | 38.80 | 3 | +13.920 | ... | 8670 | ... |
| 9723 | 9748 | Piazzi XX. 442 | 7.8 | 20. 55. 51.67 | 36.76 | 1 | + 3.940 | — 42. 2. 9.66 | 41.47 | 4 | +13.925 | ... | ... | 442 |
| 9724 | 9749 | Piazzi XX. 447 | 7 | 20. 55. 54.31 | 39.87 | 4 | + 2.553 | + 28. 20. 12.21 | 41.04 | 3 | +13.928 | ... | ... | 447 |
| 9725 | 9750 | Piazzi XX. 452 | 7 | 20. 56. 1.63 | 37.27 | 2 | + 2.297 | + 38. 51. 41.46 | 37.24 | 2 | +13.936 | ... | ... | 452 |
| 9726 | 9751 | Microscopii | 7.8 | 20. 56. 2.77 | 35.68 | 2 | + 3.644 | — 30. 46. 27.20 | 34.73 | 3 | +13.937 | ... | 8683 | 444 |
| 9727 | 9752 | Piazzi XX. 450 | 7 | 20. 56. 11.24 | 36.77 | 4 | + 2.657 | + 23. 20. 50.94 | 35.38 | 3 | +13.946 | ... | ... | 450 |
| 9728 | 9753 | 2 Piscis Australis | 6.7 | 20. 56. 18.50 | 38.31 | 13 | + 3.696 | — 32. 59. 43.94 | 39.23 | 8 | +13.954 | 2731 | 8685 | 445 |
| 9729 | 9754 | Piazzi XX. 448 | 7 | 20. 56. 21.59 | 37.10 | 2 | + 3.034 | + 2. 17. 27.58 | 36.77 | 1 | +13.957 | ... | ... | 448 |
| 9730 | 9755 | 3 Equulei | 6 | 20. 56. 21.82 | 32.80 | 5 | + 2.991 | + 4. 51. 6.65 | 33.05 | 4 | +13.957 | 2734 | ... | 449 |
| 9731 | 9756 | Lacaille 8678 | 7 | 20. 56. 27.44 | 38.79 | 3 | + 4.200 | — 49. 35. 40.10 | 38.79 | 3 | +13.963 | ... | 8678 | ... |
| 9732 | 9757 | Piazzi XX. 453 | 8 | 20. 56. 28.11 | 39.96 | 4 | + 2.552 | + 28. 26. 32.50 | 39.06 | 3 | +13.964 | ... | ... | 453 |
| 9733 | 9758 | Lacaille 8682 | 6.7 | 20. 56. 38.94 | 40.93 | 6 | + 4.066 | — 46. 2. 7.54 | 40.77 | 4 | +13.976 | ... | 8682 | ... |
| 9734 | 9759 | 23 Capricorni | 5.6 | 20. 56. 39.77 | 35.50 | 5 | + 3.382 | — 17. 53. 1.10 | 33.67 | 5 | +13.977 | 2733 | ... | 451 |
| 9735 | 9760 | Bradley 2740 | 6.7 | 20. 56. 41.11 | 37.43 | 2 | + 2.322 | + 38. 0. 29.10 | 37.73 | 1 | +13.978 | 2740 | ... | 455 |
| 9736 | 9761 | Piazzi XX. 457 | 9.10 | 20. 56. ... | ... | ... | + 2.662 | + 23. 10. 16.68 | 37.74 | 1. | +13.999 | ... | ... | 457 |
| 9737 | 9762 | 4 Equulei | 6 | 20. 57. 16.20 | 33.17 | 6 | + 2.983 | + 5. 18. 36.72 | 33.11 | 6 | +14.014 | 2739 | ... | 458 |
| 9738 | 9763 | Bradley 2736 | 7 | 20. 57. 17.32 | 32.76 | 5 | + 3.436 | — 20. 50. 4.96 | 32.80 | 5 | +14.015 | 2736 | ... | 454 |
| 9739 | 9764 | 24 Capricorni | 5.6 | 20. 57. 28.04 | 33.70 | 3 | + 3.532 | — 25. 39. 36.06 | 33.70 | 5 | +14.026 | 2737 | 8689 | 456 |
| 9740 | 9765 | Lacaille 8680 | 7 | 20. 57. 34.72 | 39.74 | 3 | + 4.732 | — 60. 4. 6.41 | 39.74 | 3 | +14.033 | ... | 8680 | ... |
| 9741 | 9766 | Piazzi XX. 459 | 7.8 | 20. 57. 41.13 | 37.24 | 2 | + 3.662 | — 31. 43. 5.75 | 37.28 | 2 | +14.039 | ... | ... | 459 |
| 9742 | 9767 | Piazzi XX. 465 | 7 | 20. 57. 41.45 | 35.81 | 2 | + 2.242 | + 40. 58. 42.89 | 35.04 | 4 | +14.040 | ... | ... | 465 |
| 9743 | 9768 | Piazzi XX. 464 | 8 | 20. 57. 54.07 | 37.04 | 7 | + 2.668 | + 22. 56. 47.16 | 36.24 | 5 | +14.053 | ... | ... | 464 |
| 9744 | 9769 | Piazzi XX. 460 | 8 | 20. 57. 57.06 | 39.38 | 5 | + 3.357 | — 16. 37. 44.72 | 39.45 | 5 | +14.056 | ... | ... | 460 |
| 9745 | 9770 | Piazzi XX. 461 | 7.8 | 20. 58. 1.92 | 37.08 | 2 | + 3.353 | — 16. 23. 52.56 | 37.11 | 2 | +14.061 | ... | ... | 461 |
| 9746 | 9771 | Piazzi XX. 462 | 7 | 20. 58. 8.48 | 37.28 | 2 | + 3.414 | — 19. 44. 36.05 | 37.22 | 3 | +14.068 | ... | ... | 462 |
| 9747 | 9772 | Lacaille 8687 | 7.8 | 20. 58. 18.81 | 38.71 | 3 | + 4.444 | — 55. 14. 6.00 | 38.71 | 3 | +14.079 | ... | 8687 | ... |
| 9748 | 9773 | Piazzi XX. 467 | 7 | 20. 58. 27.77 | 37.77 | 2 | + 2.556 | + 28. 26. 28.68 | 37.45 | 1 | +14.088 | ... | ... | 467 |
| 9749 | 9774 | Piazzi XX. 466 | 8 | 20. 58. 47.17 | 37.20 | 3 | + 3.350 | — 16. 16. 55.78 | 37.55 | 3 | +14.107 | ... | ... | 466 |
| 9750 | 9775 | 62 Cygni | 4 | 20. 58. 55.77 | 32.50 | 5 | + 2.178 | + 43. 16. 20.89 | 32.75 | 17 | +14.117 | 2746 | ... | 472 |
| 9751 | 9776 | Piazzi XX. 470 | 7 | 20. 58. 58.77 | 37.29 | 2 | + 3.176 | — 6. 14. 6.86 | 37.24 | 3 | +14.120 | ... | ... | 470 |
| 9752 | 9777 | Piazzi XX. 471 | 8 | 20. 59. 2.34 | 37.22 | 3 | + 3.014 | + 3. 29. 2.31 | 37.52 | 4 | +14.123 | ... | ... | 471 |
| 9753 | 9778 | 25 Capricorni | 5.6 | 20. 59. 6.06 | 33.68 | 3 | + 3.453 | — 21. 51. 5.94 | 32.76 | 5 | +14.127 | 2741 | ... | 469 |
| 9754 | 9779 | Lacaille 8701 | 7 | 20. 59. 7.02 | 38.05 | 7 | + 3.601 | — 29. 7. 58.89 | 38.08 | 6 | +14.128 | ... | 8701 | 468 |
| 9755 | 9780 | Piazzi XX. 473 | 8 | 20. 59. 12.88 | 37.66 | 1 | + 2.604 | + 26. 16. 2.76 | 36.79 | 1 | +14.134 | ... | ... | 473 |
| 9756 | 9781 | Lacaille 8692 | 7 | 20. 59. 14.10 | 38.78 | 3 | + 4.543 | — 57. 10. 54.02 | 38.78 | 3 | +14.136 | ... | 8692 | ... |
| 9757 | 9782 | Lacaille 8700 | 7 | 20. 59. 17.12 | 38.74 | 3 | + 3.989 | — 44. 2. 41.62 | 38.74 | 3 | +14.139 | ... | 8700 | ... |
| 9758 | 9783 | Piazzi XX. 480 | 8 | 20. 59. 30.02 | 37.27 | 2 | + 2.314 | + 38. 40. 7.58 | 37.61 | 1 | +14.152 | ... | ... | 480 |
| 9759 | 9784 | 61 Cygni | 6 | 20. 59. 31.93 | 39.31 | 5 | + 2.333 | + 37. 56. 42.74 | 38.50 | 2 | +14.153 | 2744 | ... | 475 |
| 9760 | 9785 | Bradley 2745 | 5.6 | 20. 59. 33.32 | 39.31 | 5 | + 2.333 | + 37. 56. 38.65 | 37.56 | 5 | +14.154 | 2745 | ... | 476 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835'0.

{ccxlvii}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|------------------------------|------------|-----------------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 9761 | 9786 | Piazzi XX. 479..... | 7.8 | ^{h m s} 20. 59. 41.17 | 38.28 | 6 | + 2.672 | + 22. 55. 21.68 | 36.42 | 3. | +14.163 | ... | ... | 479 |
| 9762 | 9787 | 26 Capricorni..... | 7.8 | 20. 59. 51.30 | 35.62 | 2 | + 3.432 | - 20. 51. 19.19 | 35.04 | 4 | +14.174 | 2742 | ... | 474 |
| 9763 | 9788 | Piazzi XX. 482..... | 8.9 | 21. 0. 4.45 | 41.53 | 5 | + 2.676 | + 22. 45. 35.95 | 42.70 | 2 | +14.187 | ... | ... | 482 |
| 9764 | 9789 | Piazzi XX. 486..... | 7 | 21. 0. 4.79 | 35.72 | 2 | + 2.053 | + 47. 8. 41.46 | 35.71 | 3 | +14.188 | ... | ... | 486 |
| 9765 | 9790 | 27 Capricorni..... | 6 | 21. 0. 6.48 | 33.78 | 5 | + 3.439 | - 21. 12. 50.04 | 32.78 | 5 | +14.190 | 2743 | ... | 478 |
| 9766 | 9791 | Lacaille 8707..... | 7.8 | 21. 0. 10.39 | 37.24 | 2 | + 3.626 | - 30. 23. 6.40 | 37.42 | 3 | +14.194 | ... | 8707 | 477 |
| 9767 | 9792 | Piazzi XX. 481..... | 7.8 | 21. 0. 11.40 | 37.31 | 2 | + 3.366 | - 17. 16. 47.20 | 37.77 | 1 | +14.195 | ... | ... | 481 |
| 9768 | 9793 | Piazzi XX. 484..... | 7 | 21. 0. 19.11 | 37.44 | 2 | + 2.967 | + 6. 19. 37.91 | 37.24 | 2 | +14.203 | ... | ... | 484 |
| 9769 | 9794 | Piazzi XX. 490..... | 8 | 21. 0. 31.60 | 37.73 | 1 | + 1.866 | + 51. 57. 38.93 | 37.81 | 1 | +14.215 | ... | ... | 490 |
| 9770 | 9795 | 13 Aquarii..... | 5 | 21. 0. 36.04 | 32.88 | 7 | + 3.273 | - 12. 2. 6.59 | 31.66 | 5 | +14.220 | 2747 | ... | 485 |
| 9771 | 9796 | Piazzi XX. 483..... | 7.8 | 21. 0. 38.33 | 37.29 | 2 | + 3.598 | - 29. 9. 23.14 | 37.66 | 2 | +14.222 | ... | ... | 483 |
| 9772 | 9797 | Piazzi XX. 489..... | 9 | 21. 0. 47.13 | 37.73 | 1 | + 2.314 | + 38. 50. 10.97 | 37.77 | 1 | +14.231 | ... | ... | 489 |
| 9773 | 9798 | 63 Cygni..... ^{f2} | 5 | 21. 0. 55.04 | 35.32 | 8 | + 2.063 | + 46. 59. 16.31 | 35.61 | 7 | +14.239 | 2750 | ... | 491 |
| 9774 | 9799 | Piazzi XX. 487..... | 8 | 21. 0. 58.18 | 37.41 | 1 | + 3.349 | - 16. 21. 55.74 | 37.28 | 2 | +14.242 | ... | ... | 487 |
| 9775 | 9800 | Piazzi XX. 488..... | 9 | 21. 1. 7.59 | 37.44 | 1 | + 3.014 | + 3. 29. 51.05 | 37.12 | 2 | +14.252 | ... | ... | 488 |
| 9776 | 9801 | Piazzi XXI. 3..... | 8 | 21. 1. 32.54 | 35.71 | 1 | + 2.062 | + 47. 4. 18.05 | 40.21 | 2 | +14.276 | ... | ... | 3 |
| 9777 | 9802 | Lacaille 8715..... | 6.7 | 21. 1. 36.43 | 40.53 | 5 | + 3.886 | - 40. 55. 45.93 | 40.98 | 4 | +14.282 | ... | 8715 | ... |
| 9778 | 9803 | Piazzi XX. 492..... | 6 | 21. 1. 37.83 | 37.20 | 3 | + 3.035 | + 2. 16. 36.68 | 37.22 | 3 | +14.284 | ... | ... | 492 |
| 9779 | 9804 | Piazzi XXI. 1..... | 7 | 21. 1. 39.25 | 35.71 | 3 | + 2.540 | + 29. 32. 31.75 | 35.13 | 5 | +14.285 | ... | ... | 1 |
| 9780 | 9805 | Piazzi XX. 493..... | 7.8 | 21. 1. 52.81 | 37.24 | 2 | + 3.237 | - 10. 1. 7.14 | 37.23 | 3 | +14.299 | ... | ... | 493 |
| 9781 | 9806 | Piazzi XXI. 9..... | 8 | 21. 2. 10.35 | 40.01 | 4 | + 2.538 | + 29. 42. 36.72 | 40.03 | 4 | +14.317 | ... | ... | 9 |
| 9782 | 9807 | Piazzi XXI. 5..... | 8 | 21. 2. 13.47 | 41.04 | 4 | + 2.906 | + 10. 4. 16.62 | 40.78 | 4 | +14.320 | ... | ... | 5 |
| 9783 | 9808 | 5 Equulei..... ^{f2} | 5 | 21. 2. 19.12 | 32.60 | 9 | + 2.916 | + 9. 28. 14.97 | 31.72 | 5 | +14.325 | 2751 | ... | 6 |
| 9784 | 9809 | Lacaille 8719..... | 6 | 21. 2. 28.00 | 35.48 | 3 | + 3.859 | - 40. 5. 15.00 | 35.37 | 3 | +14.334 | ... | 8719 | 2 |
| 9785 | 9810 | 6 Equulei..... | 7 | 21. 2. 30.29 | 35.74 | 2 | + 2.917 | + 9. 22. 46.95 | 35.39 | 3 | +14.337 | 2752 | ... | 10 |
| 9786 | 9811 | Piazzi XXI. 7..... | 7 | 21. 2. 34.07 | 35.65 | 3 | + 3.325 | - 15. 8. 31.81 | 34.98 | 4 | +14.341 | ... | ... | 7 |
| 9787 | 9812 | Lacaille 8714..... | 7 | 21. 2. 37.56 | 39.08 | 3 | + 4.665 | - 59. 36. 4.30 | 40.08 | 3 | +14.344 | ... | 8714 | ... |
| 9788 | 9813 | Piazzi XXI. 8..... | 8 | 21. 2. 39.14 | 39.77 | 2 | + 3.431 | - 21. 0. 4.24 | 40.01 | 4 | +14.346 | ... | ... | 8 |
| 9789 | 9814 | Piazzi XXI. 11..... | 7.8 | 21. 2. 58.59 | 36.81 | 1 | + 3.326 | - 15. 13. 43.68 | 37.25 | 2 | +14.365 | ... | ... | 11 |
| 9790 | 9815 | Piazzi XXI. 13..... | 7.8 | 21. 3. 6.37 | 37.55 | 2 | + 2.604 | + 26. 37. 54.24 | 37.20 | 2 | +14.373 | ... | ... | 13 |
| 9791 | 9816 | Piazzi XXI. 15..... | 7 | 21. 3. 12.87 | 35.74 | 3 | + 2.086 | + 46. 36. 15.90 | 35.77 | 1 | +14.379 | ... | ... | 15 |
| 9792 | 9817 | Lacaille 8718..... | 7 | 21. 3. 15.09 | 38.73 | 3 | + 4.581 | - 58. 18. 22.36 | 38.73 | 3 | +14.382 | ... | 8718 | ... |
| 9793 | 9818 | 3 Piscis Australis..... | 6 | 21. 3. 29.60 | 32.78 | 5 | + 3.573 | - 28. 17. 10.76 | 32.74 | 6 | +14.397 | 2753 | 8731 | 12 |
| 9794 | 9819 | Lacaille 8727..... | 6.7 | 21. 3. 56.36 | 39.10 | 3 | + 4.351 | - 53. 56. 53.70 | 39.10 | 3 | +14.424 | ... | 8727 | ... |
| 9795 | 9820 | Piazzi XXI. 16..... | 9.10 | 21. 4. 0.77 | 37.61 | 2 | + 3.200 | - 7. 49. ... | ... | ... | +14.429 | ... | ... | 16 |
| 9796 | 9821 | Piazzi XXI. 14..... | 7.8 | 21. 4. 5.68 | 40.01 | 4 | + 3.615 | - 30. 20. 12.20 | 39.44 | 5 | +14.434 | ... | ... | 14 |
| 9797 | 9822 | Piazzi XXI. 19..... | 7.8 | 21. 4. 15.66 | 37.02 | 2 | + 2.890 | + 11. 6. 32.56 | 37.12 | 2 | +14.444 | ... | ... | 19 |
| 9798 | 9823 | Piazzi XXI. 22..... | 7.8 | 21. 4. 16.79 | 37.24 | 2 | + 2.602 | + 26. 52. 56.17 | 37.19 | 2 | +14.445 | ... | ... | 22 |
| 9799 | 9824 | Piazzi XXI. 23..... | 8 | 21. 4. 21.33 | 37.26 | 2 | + 2.680 | + 22. 54. 47.05 | 37.26 | 2 | +14.449 | ... | ... | 23 |
| 9800 | 9825 | Piazzi XXI. 21..... | 7 | 21. 4. 24.78 | 35.80 | 3 | + 3.040 | + 1. 58. 11.05 | 35.73 | 3 | +14.453 | ... | ... | 21 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|--------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 9801 | 9826 | Bradley 2757 | 8 | 21. 4. 31'19 | 37'27 | 2 | + 2'690 | + 22. 24. 36'46 | 37'28 | 2 | +14'460 | 2757 | ... | 25 |
| 9802 | 9827 | Lacaille 8740 | 7'8 | 21. 4. 32'44 | 35'77 | 3 | + 3'463 | - 22. 53. 16'30 | 35'00 | 4 | +14'461 | ... | 8740 | 18 |
| 9803 | 9828 | Piazzi XXI. 20 | 7'8 | 21. 4. 34'69 | 37'42 | 3 | + 3'423 | - 20. 45. 53'51 | 37'19 | 2 | +14'463 | ... | ... | 20 |
| 9804 | 9829 | Lacaille 8737 | 7 | 21. 4. 36'97 | 35'52 | 3 | + 3'883 | - 41. 11. 1'64 | 35'71 | 3 | +14'466 | ... | 8737 | 17 |
| 9805 | 9830 | Piazzi XXI. 26 | 7 | 21. 4. 46'06 | 35'82 | 2 | + 2'558 | + 29. 2. 19'17 | 35'04 | 4 | +14'475 | ... | ... | 26 |
| 9806 | 9831 | Piazzi XXI. 24 | 7'8 | 21. 4. 46'57 | 37'73 | 1 | + 3'179 | - 6. 35. 11'10 | 37'29 | 2 | +14'476 | ... | ... | 24 |
| 9807 | 9832 | Piazzi XXI. 30 | 7 | 21. 5. 4'63 | 35'81 | 2 | + 2'282 | + 40. 30. 48'09 | 35'39 | 3 | +14'493 | ... | ... | 30 |
| 9808 | 9833 | Piazzi XXI. 32 | 6 | 21. 5. 9'65 | 37'20 | 2 | + 1'850 | + 52. 53. 30'24 | 37'71 | 2 | +14'498 | ... | ... | 32 |
| 9809 | 9834 | Piazzi XXI. 29 | 8 | 21. 5. 22'55 | 38'66 | 5 | + 2'900 | + 10. 32. 11'66 | 39'00 | 4 | +14'511 | ... | ... | 29 |
| 9810 | 9835 | Piazzi XXI. 28 | 8'9 | 21. 5. 34'27 | 37'10 | 2 | + 3'435 | - 21. 27. 44'01 | 37'24 | 3 | +14'524 | ... | ... | 28 |
| 9811 | 9836 | Piazzi XXI. 27 | 7 | 21. 5. 35'22 | 36'77 | 1 | + 3'454 | - 22. 29. 37'14 | 37'14 | 2 | +14'525 | ... | ... | 27 |
| 9812 | 9837 | Piazzi XXI. 31 | 6'7 | 21. 5. 43'29 | 35'54 | 2 | + 2'820 | + 15. 18. 25'26 | 35'19 | 5 | +14'533 | ... | ... | 31 |
| 9813 | 9838 | 64 Cygni | 3 | 21. 5. 54'95 | 32'35 | 7 | + 2'550 | + 29. 33. 13'20 | 32'98 | 14 | +14'545 | 2760 | ... | 35 |
| 9814 | 9839 | Piazzi XXI. 34 | 7 | 21. 6. 8'34 | 33'53 | 7 | + 3'198 | - 7. 45. 54'61 | 33'62 | 6 | +14'558 | ... | ... | 34 |
| 9815 | 9840 | 28 Capricorni | 6 | 21. 6. 13'82 | 33'36 | 9 | + 3'431 | - 21. 19. 54'50 | 32'82 | 4 | +14'564 | 2758 | ... | 33 |
| 9816 | 9841 | Piazzi XXI. 36 | 9 | 21. 6. 14'52 | 37'45 | 2 | + 2'901 | + 10. 30. 30'56 | 37'44 | 2 | +14'565 | ... | ... | 36 |
| 9817 | 9842 | 7 Equulei | 4'5 | 21. 6. 26'73 | 33'86 | 8 | + 2'921 | + 9. 20. 31'85 | 33'19 | 12 | +14'577 | 2761 | ... | 38 |
| 9818 | 9843 | Lacaille 8743 | 7'8 | 21. 6. 36'17 | 38'79 | 2 | + 4'143 | - 49. 23. 52'66 | 38'77 | 3 | +14'587 | ... | 8743 | ... |
| 9819 | 9844 | 29 Capricorni | 5 | 21. 6. 36'65 | 32'68 | 5 | + 3'333 | - 15. 51. 8'42 | 32'79 | 5 | +14'587 | 2759 | ... | 37 |
| 9820 | 9845 | Piazzi XXI. 43 | 6 | 21. 6. 49'07 | 35'82 | 2 | + 2'407 | + 35. 57. 19'65 | 34'98 | 4 | +14'600 | ... | ... | 43 |
| 9821 | 9846 | Piazzi XXI. 39 | 8 | 21. 6. 57'18 | 36'76 | 3 | + 3'231 | - 9. 48. 7'86 | 36'03 | 8 | +14'607 | ... | ... | 39 |
| 9822 | 9847 | Piazzi XXI. 40 | 8 | 21. 7. 2'62 | 37'26 | 2 | + 3'235 | - 10. 4. 21'60 | 37'27 | 2 | +14'613 | ... | ... | 40 |
| 9823 | 9848 | Piazzi XXI. 41 | 7 | 21. 7. 17'88 | 36'77 | 1 | + 3'421 | - 20. 51. 16'49 | 37'28 | 2 | +14'628 | ... | ... | 41 |
| 9824 | 9849 | 14 Aquarii | 7 | 21. 7. 26'12 | 35'60 | 3 | + 3'231 | - 9. 53. 49'86 | 35'07 | 4 | +14'636 | 2763 | ... | 44 |
| 9825 | 9850 | Lacaille 8758 | 7 | 21. 7. 29'83 | 37'73 | 1 | + 3'631 | - 31. 25. 45'51 | 37'77 | 2 | +14'640 | ... | 8758 | 42 |
| 9826 | 9851 | 8 Equulei | 4'5 | 21. 7. 34'40 | 33'59 | 6 | + 2'999 | + 4. 34. 11'13 | 31'66 | 6 | +14'644 | 2764 | ... | 47 |
| 9827 | 9852 | Piazzi XXI. 51 | 6'7 | 21. 7. 35'77 | 37'47 | 1 | + 1'533 | + 59. 18. ... | ... | ... | +14'646 | ... | ... | 51 |
| 9828 | 9853 | Piazzi XXI. 45 | 7 | 21. 7. 38'02 | 35'70 | 3 | + 3'230 | - 9. 50. 29'58 | 34'73 | 3 | +14'648 | ... | ... | 45 |
| 9829 | 9854 | 4 Piscis Australis | 5 | 21. 7. 55'30 | 31'71 | 5 | + 3'661 | - 32. 51. 24'19 | 31'73 | 5 | +14'665 | 2762 | 8761 | 46 |
| 9830 | 9855 | Piazzi XXI. 50 | 7 | 21. 7. 59'42 | 35'82 | 2 | + 2'294 | + 40. 27. 54'51 | 35'39 | 3 | +14'669 | ... | ... | 50 |
| 9831 | 9856 | Piazzi XXI. 48 | 7 | 21. 8. 2'14 | 37'29 | 2 | + 2'911 | + 10. 0. 12'02 | 37'19 | 3 | +14'672 | ... | ... | 48 |
| 9832 | 9857 | Indi | 5'6 | 21. 8. 3'62 | 38'80 | 3 | + 4'333 | - 54. 8. 5'88 | 38'79 | 3 | +14'674 | ... | 8753 | ... |
| 9833 | 9858 | Piazzi XXI. 49 | 8 | 21. 8. 8'13 | 37'27 | 2 | + 2'907 | + 10. 14. 51'16 | 37'42 | 3 | +14'678 | ... | ... | 49 |
| 9834 | 9859 | 65 Cygni | 5 | 21. 8. 12'38 | 32'46 | 4 | + 2'377 | + 37. 20. 37'75 | 32'41 | 5 | +14'682 | 2767 | ... | 54 |
| 9835 | 9860 | Lacaille 8759 | 7 | 21. 8. 14'28 | 39'22 | 4 | + 4'074 | - 47. 44. 26'45 | 39'39 | 3 | +14'684 | ... | 8759 | ... |
| 9836 | 9861 | Piazzi XXI. 53 | 7'8 | 21. 8. 31'74 | 37'29 | 3 | + 2'999 | + 4. 34. 5'07 | 37'53 | 4 | +14'702 | ... | ... | 53 |
| 9837 | 9862 | Piazzi XXI. 61 | 7'8 | 21. 8. 34'99 | 37'32 | 2 | + 1'533 | + 59. 25. 10'73 | 37'46 | 1 | +14'705 | ... | ... | 61 |
| 9838 | 9863 | 77 Draconis | 6 | 21. 8. 38'77 | 39'31 | 6 | - 1'014 | + 77. 27. 21'09 | 39'94 | 5 | +14'709 | 2777 | ... | 72 |
| 9839 | 9864 | 30 Capricorni | 6 | 21. 8. 41'57 | 33'36 | 5 | + 3'379 | - 18. 40. 17'52 | 33'45 | 6 | +14'711 | 2765 | ... | 52 |
| 9840 | 9865 | 31 Capricorni | 6'7 | 21. 9. 1'13 | 33'72 | 5 | + 3'369 | - 18. 8. 59'01 | 33'68 | 4 | +14'730 | 2766 | ... | 56 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|----------------------------------|------------|---------------------------------|----------------------|-------------------|----------------------------------|-------------------------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 9841 | 9866 | Piazzi XXI. 58. | 7 | ^{h m s} 21. 9. 1'99 | 35'85 | 1 | ^s + 2'636 | ^{° ' "} + 25. 39. 53'87 | 35'71 | 3 | ["] +14'731 | ... | ... | 58 |
| 9842 | 9867 | Piazzi XXI. 57. | 6.7 | 21. 9. 4'31 | 35'72 | 2 | + 3'421 | - 21. 1. 18'50 | 35'01 | 4 | +14'733 | ... | ... | 57 |
| 9843 | 9868 | Piazzi XXI. 55. | 7 | 21. 9. 8'36 | 37'70 | 1 | + 3'584 | - 29. 27. 4'64 | 37'23 | 2 | +14'737 | ... | ... | 55 |
| 9844 | 9869 | Piazzi XXI. 63. | 7 | 21. 9. 10'32 | 41'22 | 4 | + 2'274 | + 41. 20. 13'18 | 40'49 | 5 | +14'739 | ... | ... | 63 |
| 9845 | 9870 | Piazzi XXI. 62. | 8.9 | 21. 9. 26'51 | 37'73 | 1 | + 2'773 | + 18. 16. 35'38 | 37'22 | 3 | +14'755 | ... | ... | 62 |
| 9846 | 9871 | Piazzi XXI. 59. | 7.8 | 21. 9. 30'26 | 37'79 | 1 | + 3'280 | - 12. 57. 7'84 | 37'44 | 1 | +14'758 | ... | ... | 59 |
| 9847 | 9872 | 15 Aquarii. | 7 | 21. 9. 31'32 | 35'72 | 2 | + 3'154 | - 5. 12. 30'37 | 35'00 | 4 | +14'759 | 2768 | ... | 60 |
| 9848 | 9873 | Piazzi XXI. 66. | 7 | 21. 10. 4'69 | 33'75 | 6 | + 3'346 | - 16. 52. 6'24 | 32'75 | 5 | +14'793 | ... | ... | 66 |
| 9849 | 9874 | Lacaille 8776. | 7.8 | 21. 10. 8'87 | 37'42 | 2 | + 3'550 | - 27. 53. 57'87 | 37'43 | 2 | +14'797 | ... | 8776 | 65 |
| 9850 | 9875 | Microscopii. ^{θ1} | 7 | 21. 10. 10'75 | 35'38 | 3 | + 3'871 | - 41. 30. 6'16 | 35'40 | 3 | +14'799 | ... | 8773 | 64 |
| 9851 | 9876 | Piazzi XXI. 67. | 7.8 | 21. 10. 15'09 | 37'55 | 2 | + 2'797 | + 16. 56. 21'09 | 37'44 | 3 | +14'803 | ... | ... | 67 |
| 9852 | 9877 | Piazzi XXI. 68. | 7 | 21. 10. 30'76 | 39'58 | 5 | + 2'941 | + 8. 16. 18'29 | 37'26 | 2 | +14'818 | ... | ... | 68 |
| 9853 | 9878 | Piazzi XXI. 69. | 7.8 | 21. 10. 42'89 | 37'77 | 1 | + 2'796 | + 17. 1. 53'37 | 37'42 | 2 | +14'830 | ... | ... | 69 |
| 9854 | 9879 | Piazzi XXI. 73. | 8 | 21. 10. 51'48 | 36'68 | 1 | + 2'792 | + 17. 17. 57'78 | 37'70 | 2 | +14'839 | ... | ... | 73 |
| 9855 | 9880 | Piazzi XXI. 71. | 6.7 | 21. 10. 52'56 | 35'40 | 3 | + 2'905 | + 10. 30. 43'91 | 34'97 | 4 | +14'840 | ... | ... | 71 |
| 9856 | 9881 | 67 Cygni. ^σ | 4.5 | 21. 10. 56'14 | 31'75 | 9 | + 2'352 | + 38. 42. 22'04 | 31'95 | 6 | +14'844 | 2769 | ... | 74 |
| 9857 | 9882 | Piazzi XXI. 70. | 7.8 | 21. 10. 58'84 | 36'80 | 1 | + 3'169 | - 6. 10. 40'55 | 37'72 | 2 | +14'846 | ... | ... | 70 |
| 9858 | 9883 | 66 Cygni. ^υ | 4.5 | 21. 11. 8'15 | 32'75 | 3 | + 2'462 | + 34. 12. 27'85 | 31'80 | 5 | +14'855 | 2770 | ... | 76 |
| 9859 | 9884 | Piazzi XXI. 83. | 7 | 21. 11. 25'48 | 35'79 | 3 | + 1'227 | + 64. 3. 54'01 | 35'03 | 3 | +14'872 | ... | ... | 83 |
| 9860 | 9885 | Piazzi XXI. 77. | 7 | 21. 11. 30'34 | 37'12 | 2 | + 2'796 | + 17. 8. 0'56 | 37'21 | 2 | +14'877 | ... | ... | 77 |
| 9861 | 9886 | Piazzi XXI. 75. | 7 | 21. 11. 40'14 | 35'57 | 2 | + 3'425 | - 21. 30. 45'32 | 34'73 | 3 | +14'886 | ... | ... | 75 |
| 9862 | 9887 | Piazzi XXI. 80. | 7.8 | 21. 11. 56'44 | 37'29 | 2 | + 2'575 | + 29. 3. 5'13 | 37'29 | 2 | +14'902 | ... | ... | 80 |
| 9863 | 9888 | Piazzi XXI. 88. | 7 | 21. 11. 56'89 | 35'80 | 3 | + 0'698 | + 69. 20. 33'92 | 34'98 | 3 | +14'903 | ... | ... | 88 |
| 9864 | 9889 | Piazzi XXI. 78. | 7.8 | 21. 12. 0'63 | 37'21 | 2 | + 3'586 | - 29. 51. 39'02 | 37'19 | 3 | +14'907 | ... | ... | 78 |
| 9865 | 9890 | Piazzi XXI. 79. | 8 | 21. 12. 7'17 | 37'27 | 2 | + 3'105 | - 2. 9. 0'83 | 37'25 | 2 | +14'913 | ... | ... | 79 |
| 9866 | 9891 | Piazzi XXI. 86. | 7.8 | 21. 12. 18'14 | 36'78 | 1 | + 1'791 | + 55. 6. 24'09 | 37'28 | 2 | +14'924 | ... | ... | 86 |
| 9867 | 9892 | 16 Aquarii. | 6 | 21. 12. 25'22 | 36'25 | 7 | + 3'154 | - 5. 15. 22'15 | 36'26 | 8 | +14'931 | 2771 | ... | 81 |
| 9868 | 9893 | Piazzi XXI. 82. | 7.8 | 21. 12. 32'49 | 37'22 | 2 | + 3'251 | - 12. 9. 7'39 | 37'38 | 3 | +14'938 | ... | ... | 82 |
| 9869 | 9894 | Lacaille 8784. | 8 | 21. 12. 33'81 | 38'74 | 3 | + 4'497 | - 57. 57. 19'65 | 38'74 | 3 | +14'939 | ... | 8784 | ... |
| 9870 | 9895 | Pavonis. ^γ | 3 | 21. 12. 42'77 | 33'77 | 5 | + 5'084 | - 66. 6. 21'07 | 32'41 | 5 | +14'948 | ... | 8778 | ... |
| 9871 | 9896 | 9 Equulei. | 6 | 21. 12. 54'99 | 33'82 | 5 | + 2'968 | + 6. 39. 33'04 | 33'60 | 5 | +14'959 | 2774 | ... | 85 |
| 9872 | 9897 | 32 Capricorni. ^δ | 5 | 21. 13. 3'12 | 32'24 | 5 | + 3'353 | - 17. 31. 56'42 | 32'77 | 5 | +14'967 | 2772 | ... | 84 |
| 9873 | 9898 | Bradley 2773. | 7 | 21. 13. 7'12 | 33'78 | 4 | + 3'229 | - 10. 1. 25'53 | 33'70 | 7 | +14'971 | 2773 | ... | ... |
| 9874 | 9899 | Lacaille 8788. | 7.8 | 21. 13. 20'44 | 38'72 | 3 | + 4'036 | - 47. 18. 54'48 | 38'72 | 3 | +14'984 | ... | 8788 | ... |
| 9875 | 9900 | Lacaille 8794. | 6 | 21. 13. 32'31 | 33'66 | 4 | + 3'456 | - 23. 22. 8'54 | 33'81 | 3 | +14'995 | ... | 8794 | 87 |
| 9876 | 9901 | Piazzi XXI. 90. | 7.8 | 21. 13. 44'55 | 37'21 | 3 | + 3'015 | + 3. 38. 50'01 | 36'74 | 1 | +15'007 | ... | ... | 90 |
| 9877 | 9902 | Microscopii. ^{θ2} | 6 | 21. 13. 52'07 | 35'64 | 3 | + 3'862 | - 41. 42. 31'84 | 34'96 | 4 | +15'014 | ... | 8793 | 89 |
| 9878 | 9903 | Piazzi XXI. 94. | 7 | 21. 13. 55'54 | 37'28 | 2 | + 2'711 | + 22. 11. 30'95 | 37'23 | 3 | +15'018 | ... | ... | 94 |
| 9879 | 9904 | Piazzi XXI. 91. | 7.8 | 21. 13. 56'11 | 36'98 | 3 | + 3'013 | + 3. 47. 22'65 | 37'36 | 4 | +15'018 | ... | ... | 91 |
| 9880 | 9905 | 17 Aquarii. | 6 | 21. 14. 5'26 | 32'84 | 5 | + 3'228 | - 10. 1. 5'23 | 33'68 | 3 | +15'027 | 2776 | ... | 92 |

{ cel }

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|-----------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 9881 | 9906 | Piazzi XXI. 95 | 8 | h m s 21. 14. 12.65 | 38.97 | 6 | + 3.138 | — 4. 14. 44.02 | 39.18 | 6 | +15.034 | ... | ... | 95 |
| 9882 | 9907 | Lacaille 8800 | 7 | 21. 14. 20.20 | 33.64 | 6 | + 3.502 | — 25. 54. 11.89 | 32.83 | 3 | +15.041 | ... | 8800 | 93 |
| 9883 | 9908 | Indi | 5 | 21. 14. 26.32 | 36.10 | 5 | + 4.352 | — 55. 22. 1.47 | 35.86 | 8 | +15.047 | ... | 8792 | ... |
| 9884 | 9909 | 1 Pegasi | 4 | 21. 14. 27.44 | 34.96 | 6 | + 2.766 | + 19. 6. 6.42 | 32.84 | 8 | +15.048 | 2780 | ... | 100 |
| 9885 | 9910 | Piazzi XXI. 103 | 8.9 | 21. 14. 33.06 | 37.18 | 2 | + 2.695 | + 23. 7. 32.26 | 37.61 | 1 | +15.054 | ... | ... | 103 |
| 9886 | 9911 | 5 Cephei | 3 | 21. 14. 38.06 | 32.88 | 15 | + 1.419 | + 61. 53. 17.21 | 32.86 | 21 | +15.059 | 2786 | ... | 105 |
| 9887 | 9912 | Lacaille 8801 | 7.8 | 21. 14. 38.75 | 37.11 | 2 | + 3.508 | — 26. 15. 45.31 | 37.11 | 2 | +15.060 | ... | 8801 | 96 |
| 9888 | 9913 | Lacaille 8802 | 6.7 | 21. 14. 40.79 | 35.71 | 3 | + 3.455 | — 23. 26. 57.48 | 34.99 | 4 | +15.062 | ... | 8802 | 97 |
| 9889 | 9914 | 10 Equulei | 5.6 | 21. 14. 42.15 | 32.76 | 5 | + 2.977 | + 6. 6. 34.86 | 33.79 | 5 | +15.063 | 2779 | ... | 102 |
| 9890 | 9915 | 33 Capricorni | 6 | 21. 14. 47.54 | 33.70 | 3 | + 3.420 | — 21. 32. 54.51 | 33.28 | 6 | +15.068 | 2778 | ... | 99 |
| 9891 | 9916 | Lacaille 8803 | 7 | 21. 14. 47.88 | 40.28 | 7 | + 3.486 | — 25. 7. 25.59 | 40.29 | 7 | +15.068 | ... | 8803 | 98 |
| 9892 | 9917 | Piazzi XXI. 101 | 8.9 | 21. 14. 53.60 | 37.26 | 2 | + 3.465 | — 23. 59. 36.14 | 37.54 | 3 | +15.074 | ... | ... | 101 |
| 9893 | 9918 | 18 Aquarii | 6 | 21. 15. 10.33 | 33.39 | 5 | + 3.285 | — 13. 34. 54.21 | 32.83 | 5 | +15.090 | 2781 | ... | 104 |
| 9894 | 9919 | Lacaille 8805 | 7.8 | 21. 15. 42.04 | 38.77 | 3 | + 4.006 | — 46. 46. 10.30 | 38.77 | 3 | +15.121 | ... | 8805 | ... |
| 9895 | 9920 | Piazzi XXI. 106 | 9 | 21. 15. 43.68 | 36.93 | 3 | + 3.266 | — 12. 28. 58.64 | 37.20 | 3 | +15.123 | ... | ... | 106 |
| 9896 | 9921 | 6 Cephei | 5 | 21. 15. 56.14 | 31.70 | 4 | + 1.259 | + 64. 10. 27.07 | 31.84 | 5 | +15.134 | 2788 | ... | 117 |
| 9897 | 9922 | Lacaille 8808 | 6.7 | 21. 16. 3.05 | 38.73 | 3 | + 3.770 | — 38. 32. 10.98 | 38.76 | 3 | +15.141 | ... | 8808 | ... |
| 9898 | 9923 | Lacaille 8812 | 8 | 21. 16. 13.40 | 37.05 | 2 | + 3.498 | — 25. 56. 40.34 | 37.08 | 2 | +15.151 | ... | 8812 | 108 |
| 9899 | 9924 | 20 Aquarii | 6.7 | 21. 16. 15.52 | 35.52 | 3 | + 3.135 | — 4. 6. 7.03 | 34.98 | 4 | +15.153 | 2783 | ... | 109 |
| 9900 | 9925 | 19 Aquarii | 6 | 21. 16. 20.78 | 33.75 | 3 | + 3.233 | — 10. 26. 48.35 | 33.13 | 6 | +15.158 | 2782 | ... | 110 |
| 9901 | 9926 | Piazzi XXI. 116 | 7.8 | 21. 16. 23.09 | 41.04 | 3 | + 2.331 | + 40. 13. 50.14 | 39.99 | 4 | +15.160 | ... | ... | 116 |
| 9902 | 9927 | Lacaille 8809 | 5.6 | 21. 16. 25.07 | 35.63 | 3 | + 3.896 | — 43. 15. 25.71 | 35.04 | 4 | +15.162 | ... | 8809 | 107 |
| 9903 | 9928 | Piazzi XXI. 114 | 6 | 21. 16. 33.04 | 33.83 | 1 | + 2.691 | + 23. 34. 8.01 | 32.77 | 5 | +15.169 | ... | ... | 114 |
| 9904 | 9929 | Piazzi XXI. 112 | 7.8 | 21. 16. 33.87 | 37.23 | 2 | + 3.113 | — 2. 41. 40.00 | 37.44 | 3 | +15.170 | ... | ... | 112 |
| 9905 | 9930 | Lacaille 8814 | 8 | 21. 16. 36.03 | 37.12 | 2 | + 3.483 | — 25. 11. 25.95 | 37.22 | 2 | +15.172 | ... | 8814 | 111 |
| 9906 | 9931 | Lacaille 8807 | 7.8 | 21. 16. 39.84 | 39.24 | 2 | + 4.233 | — 54. 0. 46.92 | 39.09 | 3 | +15.176 | ... | 8807 | ... |
| 9907 | 9932 | 21 Aquarii | 6 | 21. 16. 40.63 | 32.80 | 5 | + 3.137 | — 4. 15. 36.91 | 33.68 | 5 | +15.177 | 2784 | ... | 113 |
| 9908 | 9933 | Piazzi XXI. 115 | 7.8 | 21. 16. 59.78 | 35.40 | 3 | + 3.419 | — 21. 42. 26.02 | 35.08 | 4 | +15.195 | ... | ... | 115 |
| 9909 | 9934 | 34 Capricorni | 4 | 21. 17. 14.17 | 31.71 | 4 | + 3.444 | — 23. 7. 17.48 | 31.73 | 6 | +15.209 | 2785 | 8815 | 118 |
| 9910 | 9935 | Piazzi XXI. 120 | 6 | 21. 17. 14.69 | 32.87 | 4 | + 2.657 | + 25. 28. 4.23 | 32.75 | 5 | +15.209 | ... | ... | 120 |
| 9911 | 9936 | Piazzi XXI. 124 | 9 | 21. 17. 19.19 | 37.12 | 2 | + 1.749 | + 56. 37. 49.95 | 37.30 | 2 | +15.214 | ... | ... | 124 |
| 9912 | 9937 | Lacaille 8811 | 6.7 | 21. 17. 19.91 | 39.04 | 3 | + 4.290 | — 54. 25. 2.39 | 39.04 | 3 | +15.215 | ... | 8811 | ... |
| 9913 | 9938 | Piazzi XXI. 137 | 7 | 21. 17. 22.99 | 41.10 | 3 | — 0.507 | + 76. 18. 59.99 | 40.74 | 5 | +15.217 | ... | ... | 137 |
| 9914 | 9939 | Piazzi XXI. 119 | 7.8 | 21. 17. 27.13 | 35.71 | 3 | + 3.270 | — 12. 47. 39.54 | 35.81 | 6 | +15.221 | ... | ... | 119 |
| 9915 | 9940 | Piazzi XXI. 121 | 8 | 21. 17. 51.10 | 37.07 | 2 | + 3.542 | — 28. 26. 11.26 | 37.23 | 3 | +15.243 | ... | ... | 121 |
| 9916 | 9941 | 35 Capricorni | 6 | 21. 17. 53.12 | 32.73 | 5 | + 3.421 | — 21. 54. 19.51 | 32.82 | 5 | +15.245 | 2787 | ... | 122 |
| 9917 | 9942 | Piazzi XXI. 133 | 7 | 21. 18. 7.63 | 35.78 | 3 | + 1.318 | + 63. 39. 36.29 | 35.39 | 3 | +15.259 | ... | ... | 133 |
| 9918 | 9943 | Piazzi XXI. 123 | 7.8 | 21. 18. 10.42 | 37.23 | 2 | + 3.404 | — 20. 55. 11.98 | 37.10 | 2 | +15.262 | ... | ... | 123 |
| 9919 | 9944 | Piazzi XXI. 125 | 8 | 21. 18. 21.63 | 37.10 | 2 | + 3.293 | — 14. 17. 57.37 | 37.24 | 3 | +15.273 | ... | ... | 125 |
| 9920 | 9945 | Piazzi XXI. 126 | 7 | 21. 18. 41.80 | 35.72 | 2 | + 3.262 | — 12. 22. 32.56 | 35.07 | 4 | +15.292 | ... | ... | 126 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{celi}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|------|--------------|--------------------------|------------|-----------------------------------|----------------------|----------------|----------------------------------|------------------------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 9921 | 9946 | Brisbane 7027 | 8 | ^{h m s} 21. 18. 47.09 | 39.13 | 3 | ^s + 4.577 | ^{° ' "} - 60. 7. 24.18 | 39.13 | 3 | ["] +15.296 | ... | ... | ... |
| 9922 | 9947 | Piazzi XXI. 127 | 8.9 | 21. 18. 48.11 | 38.95 | 3 | + 3.429 | - 22. 25. 36.46 | 39.41 | 5 | +15.297 | ... | ... | 127 |
| 9923 | 9948 | Piazzi XXI. 142 | 7 | 21. 18. 54.19 | 35.76 | 3 | + 1.337 | + 63. 31. 10.90 | 35.03 | 3 | +15.303 | ... | ... | 142 |
| 9924 | 9949 | Lacaille 8820 | 7 | 21. 18. 58.64 | 42.78 | 1 | + 4.433 | - 57. 36. 13.17 | 42.78 | 1 | +15.307 | ... | 8820 | ... |
| 9925 | 9950 | Piazzi XXI. 128 | 8.9 | 21. 18. 59.09 | 39.31 | 5 | + 3.294 | - 14. 24. 30.50 | 39.08 | 6 | +15.308 | ... | ... | 128 |
| 9926 | 9951 | 69 Cygni | 6.7 | 21. 19. 2.67 | 35.74 | 3 | + 2.446 | + 35. 57. 27.64 | 35.69 | 3 | +15.312 | 2791 | ... | 136 |
| 9927 | 9952 | Piazzi XXI. 141 | 7 | 21. 19. 6.06 | 41.53 | 4 | + 1.730 | + 57. 14. 1.32 | 40.28 | 4 | +15.315 | ... | ... | 141 |
| 9928 | 9953 | Piazzi XXI. 130 | 7 | 21. 19. 7.81 | 37.21 | 2 | + 3.265 | - 12. 38. 34.43 | 37.46 | 3 | +15.316 | ... | ... | 130 |
| 9929 | 9954 | Piazzi XXI. 131 | 9.10 | 21. 19. 10.70 | 36.77 | 1 | + 3.268 | - 12. 48. 1.21 | 37.43 | 1 | +15.319 | ... | ... | 131 |
| 9930 | 9955 | 5 Piscis Australis | 7 | 21. 19. 11.42 | 35.75 | 3 | + 3.610 | - 31. 57. 10.05 | 34.99 | 4 | +15.320 | 2789 | 8825 | 129 |
| 9931 | 9956 | Bradley 2792 | 7 | 21. 19. 16.08 | 42.77 | 2 | + 2.179 | + 46. 0. 8.77 | 42.75 | 3 | +15.324 | 2792 | ... | 140 |
| 9932 | 9957 | Piazzi XXI. 134 | 7.8 | 21. 19. 17.44 | 35.77 | 4 | + 3.260 | - 12. 16. 45.87 | 35.01 | 4 | +15.326 | ... | ... | 134 |
| 9933 | 9958 | 36 Capricorni | 5.6 | 21. 19. 18.41 | 34.01 | 10 | + 3.429 | - 22. 31. 15.14 | 32.76 | 5 | +15.327 | 2790 | ... | 132 |
| 9934 | 9959 | Piazzi XXI. 135 | 8 | 21. 19. 20.56 | 40.01 | 4 | + 3.119 | - 3. 8. 25.90 | 40.74 | 5 | +15.328 | ... | ... | 135 |
| 9935 | 9960 | Piazzi XXI. 146 | 8 | 21. 19. 44.50 | 39.13 | 3 | + 1.637 | + 59. 3. 2.74 | 40.27 | 2 | +15.351 | ... | ... | 146 |
| 9936 | 9961 | Piazzi XXI. 138. | 7.8 | 21. 19. 44.93 | 40.05 | 4 | + 3.122 | - 3. 19. 25.10 | 39.02 | 6 | +15.351 | ... | ... | 138 |
| 9937 | 9962 | Piazzi XXI. 139 | 7 | 21. 19. 46.46 | 37.27 | 2 | + 3.126 | - 3. 35. 55.40 | 37.43 | 3 | +15.353 | ... | ... | 139 |
| 9938 | 9963 | 35 Vulpecula | 6 | 21. 20. 24.24 | 36.09 | 4 | + 2.637 | + 26. 53. 34.71 | 35.32 | 5 | +15.387 | 2793 | ... | 149 |
| 9939 | 9964 | Piazzi XXI. 143 | 8.9 | 21. 20. 31.44 | 37.40 | 3 | + 3.267 | - 12. 47. 42.93 | 37.22 | 2 | +15.394 | ... | ... | 143 |
| 9940 | 9965 | Lacaille 8826 | 8 | 21. 20. 35.11 | 39.04 | 3 | + 4.582 | - 60. 25. 13.86 | 39.04 | 3 | +15.398 | ... | 8826 | ... |
| 9941 | 9966 | Piazzi XXI. 144 | 8.9 | 21. 20. 37.82 | 36.92 | 3 | + 3.297 | - 14. 44. 27.17 | 37.12 | 2 | +15.400 | ... | ... | 144 |
| 9942 | 9967 | 70 Cygni | 6 | 21. 20. 37.94 | 35.66 | 3 | + 2.440 | + 36. 24. 8.36 | 35.04 | 4 | +15.400 | ... | ... | 150 |
| 9943 | 9968 | Piazzi XXI. 145 | 7 | 21. 20. 43.53 | 33.58 | 6 | + 3.381 | - 19. 51. 48.79 | 32.74 | 5 | +15.405 | ... | ... | 145 |
| 9944 | 9969 | Piazzi XXI. 147 | 8 | 21. 20. 53.16 | 40.14 | 7 | + 3.474 | - 25. 8. 42.73 | 40.32 | 7 | +15.414 | ... | ... | 147 |
| 9945 | 9970 | Lacaille 8832 | 7 | 21. 20. 53.55 | 32.81 | 5 | + 3.488 | - 25. 54. 39.10 | 32.82 | 5 | +15.414 | ... | 8832 | 148 |
| 9946 | 9971 | Piazzi XXI. 151 | 8 | 21. 20. 53.68 | 37.27 | 2 | + 2.638 | + 26. 51. 46.07 | 37.72 | 2 | +15.414 | ... | ... | 151 |
| 9947 | 9972 | Piazzi XXI. 153 | 6.7 | 21. 21. 5.54 | 37.27 | 2 | + 2.548 | + 31. 30. 23.13 | 37.08 | 2 | +15.426 | ... | ... | 153 |
| 9948 | 9973 | Piazzi XXI. 156 | 6.7 | 21. 21. 18.88 | 40.02 | 4 | + 1.972 | + 52. 11. 1.75 | 37.00 | 3 | +15.439 | ... | ... | 156 |
| 9949 | 9974 | Piazzi XXI. 157 | 7.8 | 21. 21. 27.44 | 36.11 | 3 | + 2.198 | + 45. 42. 2.42 | 35.73 | 1 | +15.447 | ... | ... | 157 |
| 9950 | 9975 | Lacaille 8833 | 5 | 21. 21. 37.34 | 35.40 | 3 | + 3.837 | - 41. 54. 5.67 | 35.03 | 4 | +15.456 | ... | 8833 | 152 |
| 9951 | 9976 | Piazzi XXI. 154 | 7 | 21. 21. 37.78 | 33.70 | 6 | + 3.359 | - 15. 0. 34.04 | 32.84 | 5 | +15.456 | ... | ... | 154 |
| 9952 | 9977 | Piazzi XXI. 159 | 7 | 21. 21. 51.45 | 35.80 | 4 | + 2.195 | + 45. 50. 41.92 | 35.26 | 2 | +15.469 | ... | ... | 159 |
| 9953 | 9978 | Piazzi XXI. 158 | 7.8 | 21. 22. 9.42 | 35.77 | 1 | + 3.380 | - 19. 57. 30.25 | 35.08 | 4 | +15.486 | ... | ... | 158 |
| 9954 | 9979 | 6 Piscis Australis | 7 | 21. 22. 14.86 | 35.64 | 3 | + 3.659 | - 34. 40. 0.47 | 34.96 | 4 | +15.491 | 2794 | 8837 | 155 |
| 9955 | 9980 | 2 Pegasi | 5.6 | 21. 22. 28.69 | 32.65 | 7 | + 2.713 | + 22. 55. 7.77 | 32.78 | 5 | +15.504 | 2798 | ... | 160 |
| 9956 | 9982 | Piazzi XXI. 166 | 6.7 | 21. 22. 51.86 | 39.29 | 4 | + 1.661 | + 59. 2. 2.24 | 34.99 | 4 | +15.525 | ... | ... | 166 |
| 9957 | 9981 | 22 Aquarii | 3 | 21. 22. 52.20 | 33.37 | 17 | + 3.165 | - 6. 17. 35.06 | 32.73 | 13 | +15.525 | 2797 | ... | 162 |
| 9958 | 9983 | Piazzi XXI. 163 | 8.9 | 21. 22. 54.86 | 37.23 | 3 | + 3.000 | + 4. 51. 29.07 | 36.97 | 3 | +15.528 | ... | ... | 163 |
| 9959 | 9984 | Lacaille 8843 | 6 | 21. 23. 2.45 | 32.73 | 7 | + 3.472 | - 25. 18. 50.67 | 32.78 | 5 | +15.535 | ... | 8843 | 161 |
| 9960 | 9985 | Piazzi XXI. 173 | 7.8 | 21. 23. 11.82 | 39.25 | 4 | + 0.779 | + 69. 45. 41.19 | 40.46 | 3 | +15.544 | ... | ... | 173 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|-------|--------------|--------------------------|------------|-----------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 9961 | 9986 | 71 Cygni9 | 5 | 21. 23. 21'96 | 31'73 | 4 | + 2'203 | + 45. 48. 56'14 | 32'52 | 8 | +15'553 | 2799 | ... | 168 |
| 9962 | 9987 | Piazzi XXI. 170 | 8 | 21. 23. 41'29 | 37'70 | 1 | + 1'881 | + 54. 41. 56'68 | 36'77 | 1 | +15'571 | ... | ... | 170 |
| 9963 | 9988 | Piazzi XXI. 167 | 8 | 21. 23. 47'54 | 39'45 | 4 | + 3'176 | - 7. 1. 56'69 | 38'35 | 4 | +15'576 | ... | ... | 167 |
| 9964 | 9989 | Piazzi XXI. 164 | 8'9 | 21. 23. 49'05 | 39'45 | 5 | + 3'532 | - 28. 36. 47'14 | 39'42 | 5 | +15'578 | ... | ... | 164 |
| 9965 | 9990 | Piazzi XXI. 165 | 8 | 21. 23. 53'21 | 40'95 | 3 | + 3'402 | - 21. 24. 6'28 | 39'41 | 5 | +15'582 | ... | ... | 165 |
| 9966 | 9991 | Piazzi XXI. 174 | 7 | 21. 24. 21'95 | 37'22 | 2 | + 2'714 | + 23. 7. 13'76 | 37'29 | 2 | +15'608 | ... | ... | 174 |
| 9967 | 9992 | Piazzi XXI. 183 | 8 | 21. 24. 25'69 | 41'15 | 3 | + 1'191 | + 65. 56. 20'84 | 37'41 | 2 | +15'610 | ... | ... | 183 |
| 9968 | 9993 | Piazzi XXI. 169 | 8'9 | 21. 24. 29'10 | 38'25 | 5 | + 3'530 | - 28. 37. 30'73 | 37'37 | 4 | +15'614 | ... | ... | 169 |
| 9969 | 9994 | Piazzi XXI. 171 | 6'7 | 21. 24. 33'00 | 35'72 | 2 | + 3'327 | - 16. 55. 24'14 | 34'96 | 4 | +15'619 | ... | ... | 171 |
| 9970 | 9995 | 7 Cephei | 6 | 21. 24. 34'20 | 36'09 | 3 | + 1'179 | + 66. 5. 25'14 | 35'03 | 4 | +15'620 | 2805 | ... | 185 |
| 9971 | 9996 | Piazzi XXI. 172 | 8'9 | 21. 24. 34'20 | 36'68 | 2 | + 3'284 | - 14. 10. 36'52 | 34'96 | 6 | +15'620 | ... | ... | 172 |
| 9972 | 9998 | Piazzi XXI. 178 | 7'8 | 21. 24. 56'83 | 37'28 | 2 | + 2'722 | + 22. 40. 8'31 | 37'24 | 2 | +15'640 | ... | ... | 178 |
| 9973 | 9997 | Piazzi XXI. 175 | 8'9 | 21. 24. 56'90 | 38'63 | 3 | + 3'176 | - 7. 5. 57'47 | 39'70 | 2 | +15'640 | ... | ... | 175 |
| 9974 | 9999 | Piazzi XXI. 176 | 8'9 | 21. 25. 5'77 | 39'34 | 5 | + 3'162 | - 6. 8. 38'07 | 39'03 | 4 | +15'648 | ... | ... | 176 |
| 9975 | 10000 | Piazzi XXI. 177 | 6'7 | 21. 25. 16'35 | 34'07 | 7 | + 3'284 | - 14. 12. 44'59 | 32'72 | 3 | +15'658 | ... | ... | 177 |
| 9976 | 10001 | Lacaille 8847 | 8 | 21. 25. 21'18 | 38'71 | 3 | + 4'125 | - 51. 34. 4'13 | 38'71 | 3 | +15'663 | ... | 8847 | ... |
| 9977 | 10002 | Brisbane 7046 | 7'8 | 21. 25. 23'09 | 38'77 | 3 | + 4'146 | - 52. 7. 56'12 | 38'77 | 3 | +15'665 | ... | ... | ... |
| 9978 | 10003 | Piazzi XXI. 182 | 8'9 | 21. 25. 27'99 | 37'25 | 2 | + 3'079 | - 0. 30. 14'46 | 37'10 | 2 | +15'669 | ... | ... | 182 |
| 9979 | 10004 | Piazzi XXI. 179 | 8 | 21. 25. 34'45 | 37'44 | 1 | + 3'395 | - 21. 10. 25'65 | 37'23 | 3 | +15'675 | ... | ... | 179 |
| 9980 | 10005 | 37 Capricorn | 7 | 21. 25. 34'54 | 32'86 | 6 | + 3'389 | - 20. 48. 53'85 | 32'75 | 5 | +15'675 | 2800 | ... | 180 |
| 9981 | 10006 | 38 Capricorni | 7 | 21. 25. 37'68 | 33'38 | 5 | + 3'392 | - 20. 58. 45'90 | 32'83 | 5 | +15'678 | 2801 | ... | 181 |
| 9982 | 10007 | Lacaille 8851 | 7 | 21. 25. 49'15 | 32'82 | 5 | + 3'446 | - 24. 11. 3'17 | 32'87 | 5 | +15'688 | ... | 8851 | 184 |
| 9983 | 10008 | Piazzi XXI. 186 | 8 | 21. 25. 53'90 | 37'28 | 2 | + 3'216 | - 9. 48. 57'33 | 37'27 | 2 | +15'693 | ... | ... | 186 |
| 9984 | 10009 | Piazzi XXI. 187 | 8 | 21. 26. 4'67 | 37'81 | 1 | + 3'374 | - 19. 58. 28'92 | 37'77 | 2 | +15'702 | ... | ... | 187 |
| 9985 | 10010 | Piazzi XXI. 191 | 7 | 21. 26. 13'72 | 37'79 | 2 | + 2'334 | + 41. 34. 13'18 | 36'85 | 1 | +15'710 | ... | ... | 191 |
| 9986 | 10011 | Piazzi XXI. 194 | 7'8 | 21. 26. 16'49 | 38'06 | 3 | + 1'705 | + 58. 41. 28'04 | 36'74 | 4 | +15'713 | ... | ... | 194 |
| 9987 | 10012 | 8 Cepheiβ | 3 | 21. 26. 29'99 | 32'41 | 3 | + 0'811 | + 69. 50. 15'29 | 33'00 | 16 | +15'725 | 2811 | ... | 198 |
| 9988 | 10013 | 8 Pictis Australis | 5'6 | 21. 26. 36'26 | 32'74 | 5 | + 3'493 | - 26. 54. 10'47 | 32'81 | 5 | +15'731 | 2802 | 8853 | 188 |
| 9989 | 10014 | Piazzi XXI. 190 | 6'7 | 21. 26. 40'71 | 35'52 | 3 | + 3'140 | - 4. 42. 54'39 | 34'99 | 4 | +15'735 | ... | ... | 190 |
| 9990 | 10015 | 7 Pictis Australis | 7 | 21. 26. 53'10 | 35'40 | 3 | + 3'626 | - 33. 46. 53'35 | 35'07 | 4 | +15'746 | 2803 | 8855 | 189 |
| 9991 | 10016 | Piazzi XXI. 196 | 7'8 | 21. 26. 53'25 | 35'82 | 4 | + 2'429 | + 37. 47. 55'37 | 42'67 | 1 | +15'746 | ... | ... | 196 |
| 9992 | 10017 | Piazzi XXI. 192 | 7'8 | 21. 26. 58'92 | 37'79 | 1 | + 3'068 | + 0. 14. 49'80 | 37'79 | 1 | +15'751 | ... | ... | 192 |
| 9993 | 10018 | Piazzi XXI. 195 | 7 | 21. 27. 1'97 | 35'78 | 2 | + 2'736 | + 22. 1. 33'55 | 35'68 | 3 | +15'754 | ... | ... | 195 |
| 9994 | 10019 | Piazzi XXI. 193 | 7'8 | 21. 27. 10'58 | 37'27 | 4 | + 3'359 | - 19. 7. 31'75 | 37'72 | 2 | +15'761 | ... | ... | 193 |
| 9995 | 10020 | Piazzi XXI. 205 | 8'9 | 21. 27. 38'85 | 42'74 | 1 | + 1'707 | + 58. 50. 34'38 | 40'26 | 2 | +15'787 | ... | ... | 205 |
| 9996 | 10021 | 73 Cygniρ | 5 | 21. 27. 46'68 | 32'09 | 7 | + 2'252 | + 44. 51. 52'02 | 32'30 | 7 | +15'794 | 2810 | ... | 202 |
| 9997 | 10022 | 39 Capricorniε | 5 | 21. 27. 50'10 | 32'13 | 9 | + 3'375 | - 20. 12. 4'95 | 31'66 | 5 | +15'797 | 2806 | ... | 197 |
| 9998 | 10023 | Piazzi XXI. 200 | 7 | 21. 27. 59'45 | 37'43 | 1 | + 2'710 | + 23. 43. 9'71 | 37'07 | 2 | +15'805 | ... | ... | 200 |
| 9999 | 10024 | 72 Cygni | 5 | 21. 28. 2'31 | 35'81 | 1 | + 2'434 | + 37. 47. 49'61 | 34'77 | 6 | +15'808 | 2809 | ... | 203 |
| 10000 | 10025 | Piazzi XXI. 199 | 7 | 21. 28. 8'76 | 37'42 | 3 | + 3'358 | - 19. 10. 20'00 | 37'20 | 3 | +15'814 | ... | ... | 199 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-------|--------------|-----------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 10001 | 10026 | Lacaille 8856 | 6.7 | 21. 28. 9.80 | 39.88 | 9 | + 4.397 | - 58. 10. 43.37 | 40.57 | 5 | +15.815 | ... | 8856 | ... |
| 10002 | 10027 | Piazzi XXI. 201 | 7.8 | 21. 28. 23.72 | 38.75 | 4 | + 3.370 | - 19. 58. 1.59 | 37.59 | 5 | +15.827 | ... | ... | 201 |
| 10003 | 10028 | Lacaille 8857 | 7.8 | 21. 28. 26.88 | 39.06 | 3 | + 4.135 | - 52. 18. 39.20 | 39.06 | 3 | +15.829 | ... | 8857 | ... |
| 10004 | 10029 | Piazzi XXI. 210 | 8 | 21. 28. 37.22 | 36.79 | 1 | + 2.593 | + 30. 16. 29.15 | 37.39 | 3 | +15.840 | ... | ... | 210 |
| 10005 | 10030 | Piazzi XXI. 208 | 8 | 21. 28. 39.91 | 39.13 | 6 | + 2.999 | + 5. 5. 2.97 | 40.81 | 3 | +15.842 | ... | ... | 208 |
| 10006 | 10031 | Lacaille 8863 | 8 | 21. 28. 40.02 | 39.47 | 5 | + 3.475 | - 26. 10. 56.46 | 39.38 | 5 | +15.843 | ... | 8863 | 204 |
| 10007 | 10032 | Lacaille 8859 | 7 | 21. 28. 40.65 | 39.13 | 3 | + 4.164 | - 53. 5. 56.04 | 39.13 | 3 | +15.843 | ... | 8859 | ... |
| 10008 | 10033 | Piazzi XXI. 206 | 7.8 | 21. 28. 42.10 | 37.26 | 2 | + 3.322 | - 16. 59. 22.30 | 37.11 | 2 | +15.845 | ... | ... | 206 |
| 10009 | 10034 | Brisbane 7053 | 8 | 21. 28. 43.49 | 39.03 | 3 | + 4.093 | - 51. 13. 44.15 | 39.03 | 3 | +15.846 | ... | ... | ... |
| 10010 | 10035 | Lacaille 8858 | 6.7 | 21. 28. 51.88 | 39.46 | 3 | + 4.309 | - 56. 28. 43.53 | 39.46 | 3 | +15.853 | ... | 8858 | ... |
| 10011 | 10036 | Piazzi XXI. 207 | 8.9 | 21. 28. 53.93 | 37.10 | 2 | + 3.519 | - 28. 37. 52.06 | 37.13 | 2 | +15.855 | ... | ... | 207 |
| 10012 | 10037 | 23 Aquarii | 5 | 21. 28. 57.94 | 32.36 | 10 | + 3.196 | - 8. 35. 23.67 | 31.81 | 5 | +15.858 | 2808 | ... | 209 |
| 10013 | 10038 | Piazzi XXI. 211 | 8 | 21. 29. 0.05 | 40.76 | 1 | + 2.999 | + 5. 6. 57.97 | 36.31 | 4 | +15.860 | ... | ... | 211 |
| 10014 | 10039 | Piazzi XXI. 215 | 7 | 21. 29. 3.06 | 35.72 | 2 | + 2.612 | + 29. 19. 1.26 | 34.75 | 3 | +15.863 | ... | ... | 215 |
| 10015 | 10040 | Piazzi XXI. 212 | 7 | 21. 29. 10.95 | 35.85 | 2 | + 3.301 | - 15. 38. 56.30 | 35.74 | 3 | +15.869 | ... | ... | 212 |
| 10016 | 10041 | Piazzi XXI. 213 | 7 | 21. 29. 12.23 | 35.85 | 1 | + 3.016 | + 3. 56. 43.80 | 35.11 | 4 | +15.870 | ... | ... | 213 |
| 10017 | 10042 | Piazzi XXI. 214 | 7.8 | 21. 29. 25.80 | 35.82 | 1 | + 3.331 | - 17. 36. 1.87 | 35.76 | 3 | +15.882 | ... | ... | 214 |
| 10018 | 10043 | Piazzi XXI. 216 | 8 | 21. 29. 30.09 | 37.41 | 3 | + 2.988 | + 5. 53. 30.06 | 37.22 | 3 | +15.886 | ... | ... | 216 |
| 10019 | 10044 | 3 Pegasi | 6 | 21. 29. 30.57 | 32.85 | 6 | + 2.988 | + 5. 52. 49.88 | 32.77 | 5 | +15.887 | 2812 | ... | 217 |
| 10020 | 10045 | Piazzi XXI. 221 | 8 | 21. 29. 33.89 | 42.79 | 2 | + 1.596 | + 61. 3. 56.62 | 42.79 | 2 | +15.891 | ... | ... | 221 |
| 10021 | 10046 | 5 Pegasi | 5.6 | 21. 30. 2.38 | 33.13 | 6 | + 2.797 | + 18. 34. 48.24 | 32.73 | 5 | +15.915 | 2814 | ... | 219 |
| 10022 | 10047 | Piazzi XXI. 218 | 8.9 | 21. 30. 14.85 | 39.73 | 4 | + 3.287 | - 14. 47. 54.61 | 37.23 | 3 | +15.926 | ... | ... | 218 |
| 10023 | 10048 | 4 Pegasi | 5 | 21. 30. 16.08 | 33.89 | 6 | + 3.000 | + 5. 1. 51.13 | 33.43 | 8 | +15.927 | 2813 | ... | 220 |
| 10024 | 10049 | 74 Cygni | 6 | 21. 30. 20.46 | 37.46 | 4 | + 2.398 | + 39. 40. 29.88 | 37.47 | 4 | +15.930 | 2818 | ... | 222 |
| 10025 | 10050 | Brisbane 7056 | 8.9 | 21. 30. 25.16 | 39.77 | 4 | + 4.390 | - 58. 21. 30.01 | 40.10 | 3 | +15.935 | ... | ... | ... |
| 10026 | 10051 | Piazzi XXI. 229 | 7.8 | 21. 30. 29.30 | 37.81 | 2 | + 1.330 | + 65. 0. 19.68 | 37.43 | 3 | +15.938 | ... | ... | 229 |
| 10027 | 10052 | 40 Capricorni | 4 | 21. 30. 56.61 | 32.99 | 8 | + 3.326 | - 17. 24. 12.01 | 31.67 | 5 | +15.963 | 2815 | ... | 223 |
| 10028 | 10053 | 24 Aquarii | 6.7 | 21. 31. 1.20 | 37.32 | 4 | + 3.083 | - 0. 47. 37.96 | 36.53 | 5 | +15.967 | 2816 | ... | 224 |
| 10029 | 10054 | Piazzi XXI. 228 | 7.8 | 21. 31. 7.00 | 37.24 | 2 | + 2.427 | + 38. 34. 37.53 | 37.40 | 3 | +15.972 | ... | ... | 228 |
| 10030 | 10055 | 25 Aquarii | 5.6 | 21. 31. 10.99 | 32.81 | 5 | + 3.051 | + 1. 30. 20.33 | 32.76 | 6 | +15.975 | 2817 | ... | 225 |
| 10031 | 10056 | Lacaille 8874 | 7.8 | 21. 31. 17.59 | 39.73 | 3 | + 4.064 | - 50. 50. 21.68 | 39.73 | 2 | +15.981 | ... | 8874 | ... |
| 10032 | 10057 | Piazzi XXI. 227 | 8 | 21. 31. 22.54 | 37.07 | 2 | + 3.052 | + 1. 23. 49.81 | 37.40 | 3 | +15.986 | ... | ... | 227 |
| 10033 | 10058 | Piazzi XXI. 226 | 7.8 | 21. 31. 22.73 | 35.74 | 2 | + 3.360 | - 19. 38. 19.38 | 34.83 | 3 | +15.986 | ... | ... | 226 |
| 10034 | 10059 | Piazzi XXI. 236 | 7.8 | 21. 31. 31.99 | 39.00 | 3 | + 1.353 | + 64. 51. 2.17 | 40.24 | 2 | +15.995 | ... | ... | 236 |
| 10035 | 10060 | Lacaille 8876 | 6.7 | 21. 31. 55.45 | 39.77 | 4 | + 4.366 | - 58. 6. 53.77 | 38.77 | 3 | +16.015 | ... | 8876 | ... |
| 10036 | 10061 | Piazzi XXI. 230 | 7.8 | 21. 32. 9.66 | 37.24 | 2 | + 3.408 | - 22. 40. 25.07 | 37.20 | 3 | +16.027 | ... | ... | 230 |
| 10037 | 10062 | Lacaille 8877 | 7 | 21. 32. 12.08 | 39.77 | 4 | + 4.362 | - 58. 4. 16.37 | 39.77 | 4 | +16.029 | ... | 8877 | ... |
| 10038 | 10063 | Piazzi XXI. 231 | 8 | 21. 32. 13.76 | 40.03 | 4 | + 3.403 | - 22. 24. 27.41 | 39.06 | 6 | +16.031 | ... | ... | 231 |
| 10039 | 10064 | Lacaille 8878 | 7 | 21. 32. 13.77 | 39.77 | 4 | + 4.360 | - 58. 1. 45.86 | 38.77 | 3 | +16.031 | ... | 8878 | ... |
| 10040 | 10065 | Lacaille 8881 | 7.8 | 21. 32. 25.86 | 41.29 | 6 | + 4.229 | - 55. 14. 52.36 | 41.29 | 3 | +16.042 | ... | 8881 | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-------|--------------|--------------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 10041 | 10066 | Piazzi XXI. 232 | 8 | h m s 21. 32. 26.05 | 37.45 | 3 | + 3.296 | - 15. 35. 16.85 | 37.36 | 4 | +16.042 | ... | ... | 232 |
| 10042 | 10067 | Lacaille 8882 | 8.9 | 21. 32. 28.55 | 39.77 | 2 | + 4.253 | - 55. 48. 11.48 | 39.74 | 1 | +16.044 | ... | 8882 | ... |
| 10043 | 10068 | Lacaille 8886 | 6.7 | 21. 32. 29.13 | 38.69 | 2 | + 3.854 | - 44. 14. 23.70 | 38.69 | 2 | +16.044 | ... | 8886 | ... |
| 10044 | 10069 | Piazzi XXI. 233 | 7 | 21. 32. 31.59 | 35.40 | 3 | + 3.373 | - 20. 33. 6.97 | 34.94 | 4 | +16.047 | ... | ... | 233 |
| 10045 | 10070 | 42 Capricorni | 6 | 21. 32. 34.22 | 37.45 | 7 | + 3.284 | - 14. 46. 46.97 | 39.59 | 5 | +16.050 | 2820 | ... | 235 |
| 10046 | 10071 | 41 Capricorni | 5 | 21. 32. 36.41 | 31.74 | 6 | + 3.429 | - 24. 0. 18.94 | 31.73 | 5 | +16.051 | 2819 | 8893 | 234 |
| 10047 | 10072 | Piazzi XXI. 237 | 8 | 21. 32. 42.04 | 37.20 | 3 | + 3.071 | + 0. 33. 38.90 | 37.26 | 3 | +16.056 | ... | ... | 237 |
| 10048 | 10073 | Lacaille 8884 | 7.8 | 21. 32. 42.38 | 40.81 | 4 | + 4.270 | - 56. 13. 19.08 | 40.81 | 4 | +16.056 | ... | 8884 | ... |
| 10049 | 10074 | Piazzi XXI. 241 | 7 | 21. 32. 47.10 | 35.76 | 3 | + 1.593 | + 61. 33. 29.68 | 35.04 | 4 | +16.061 | ... | ... | 241 |
| 10050 | 10075 | 43 Capricorni | 5 | 21. 33. 26.19 | 32.38 | 11 | + 3.356 | - 19. 36. 50.17 | 31.80 | 6 | +16.095 | 2821 | ... | 238 |
| 10051 | 10076 | Piazzi XXI. 239 | 8.9 | 21. 33. 28.96 | 37.08 | 2 | + 3.078 | - 0. 24. 3.13 | 37.32 | 4 | +16.098 | ... | ... | 239 |
| 10052 | 10077 | 9 Cephei | 5 | 21. 33. 29.31 | 33.36 | 12 | + 1.612 | + 61. 20. 20.52 | 33.31 | 7 | +16.098 | 2830 | ... | 247 |
| 10053 | 10078 | Piazzi XXI. 240 | 9 | 21. 33. 41.90 | 36.93 | 3 | + 3.201 | - 9. 12. 46.23 | 37.11 | 2 | +16.109 | ... | ... | 240 |
| 10054 | 10079 | 75 Cygni | 6.7 | 21. 33. 42.85 | 35.77 | 2 | + 2.341 | + 42. 31. 38.42 | 35.02 | 4 | +16.110 | 2826 | ... | 246 |
| 10055 | 10080 | 26 Aquarii | 6 | 21. 33. 45.25 | 32.85 | 5 | + 3.065 | + 0. 32. 15.64 | 33.75 | 5 | +16.112 | 2822 | ... | 242 |
| 10056 | 10081 | Piazzi XXI. 248 | 6 | 21. 33. 50.62 | 35.78 | 1 | + 1.858 | + 56. 44. 39.92 | 35.70 | 3 | +16.116 | ... | ... | 248 |
| 10057 | 10082 | Piazzi XXI. 243 | 6 | 21. 33. 59.30 | 32.83 | 4 | + 3.367 | - 20. 22. 12.21 | 32.84 | 5 | +16.124 | ... | ... | 243 |
| 10058 | 10083 | 7 Pegasi | 5.6 | 21. 34. 0.25 | 36.39 | 8 | + 3.003 | + 4. 55. 56.25 | 35.81 | 8 | +16.125 | 2824 | ... | 245 |
| 10059 | 10084 | 44 Capricorni | 6 | 21. 34. 3.88 | 36.12 | 8 | + 3.287 | - 15. 9. 0.14 | 36.28 | 8 | +16.129 | 2823 | ... | 244 |
| 10060 | 10085 | Bradley 2827 | 6.7 | 21. 34. 29.51 | 35.72 | 2 | + 2.931 | + 10. 4. 30.67 | 35.06 | 4 | +16.151 | 2827 | ... | 249 |
| 10061 | 10086 | 76 Cygni | 6.7 | 21. 34. 56.43 | 35.74 | 2 | + 2.407 | + 40. 3. 31.82 | 35.10 | 4 | +16.173 | 2831 | ... | 252 |
| 10062 | 10087 | 45 Capricorni | 6 | 21. 35. 0.06 | 33.03 | 5 | + 3.291 | - 15. 30. 6.54 | 32.73 | 5 | +16.177 | 2828 | ... | 251 |
| 10063 | 10088 | Piazzi XXI. 253 | 6.7 | 21. 35. 3.95 | 37.10 | 2 | + 2.523 | + 34. 45. 38.95 | 37.19 | 4 | +16.180 | ... | ... | 253 |
| 10064 | 10089 | 9 Piscis Australis | 4.5 | 21. 35. 6.24 | 31.72 | 6 | + 3.600 | - 33. 46. 29.86 | 31.87 | 5 | +16.182 | 2825 | 8901 | 250 |
| 10065 | 10090 | Piazzi XXI. 256 | 7.8 | 21. 35. 14.46 | 37.11 | 2 | + 1.864 | + 56. 50. 4.40 | 37.11 | 2 | +16.189 | ... | ... | 256 |
| 10066 | 10091 | Brisbane 7076 | 7 | 21. 35. 29.13 | 39.96 | 6 | + 3.953 | - 48. 9. 29.59 | 39.96 | 6 | +16.202 | ... | ... | ... |
| 10067 | 10092 | Piazzi XXI. 255 | 8 | 21. 35. 43.64 | 35.52 | 3 | + 2.928 | + 10. 20. 58.32 | 34.99 | 4 | +16.214 | ... | ... | 255 |
| 10068 | 10093 | 77 Cygni | 5.6 | 21. 35. 45.09 | 38.55 | 5 | + 2.404 | + 40. 19. 34.35 | 35.48 | 5 | +16.215 | 2836 | ... | 259 |
| 10069 | 10094 | Piazzi XXI. 254 | 7.8 | 21. 35. 45.83 | 37.11 | 2 | + 3.148 | - 5. 29. 0.95 | 37.18 | 3 | +16.216 | ... | ... | 254 |
| 10070 | 10095 | Piazzi XXI. 261 | 8 | 21. 35. 55.09 | 38.26 | 8 | + 2.405 | + 40. 17. 47.45 | 39.49 | 5 | +16.223 | ... | ... | 261 |
| 10071 | 10096 | 8 Pegasi | 2.3 | 21. 36. 4.93 | 32.79 | 7 | + 2.946 | + 9. 7. 18.70 | 33.60 | 17 | +16.232 | 2835 | ... | 260 |
| 10072 | 10097 | Bradley 2833 | 7.8 | 21. 36. 7.03 | 39.57 | 5 | + 3.207 | - 9. 47. 28.55 | 38.23 | 6 | +16.234 | 2833 | ... | 257 |
| 10073 | 10098 | 46 Capricorni | 6 | 21. 36. 12.31 | 36.58 | 10 | + 3.208 | - 9. 50. 10.38 | 35.04 | 7 | +16.238 | 2834 | ... | 258 |
| 10074 | 10099 | 80 Cygni | 4.5 | 21. 36. 14.28 | 33.11 | 9 | + 2.122 | + 50. 26. 19.26 | 32.18 | 6 | +16.240 | 2845 | ... | 263 |
| 10075 | 10100 | Piazzi XXI. 262 | 7 | 21. 36. 23.41 | 36.75 | 3 | + 2.754 | + 22. 3. 51.37 | 37.31 | 3 | +16.248 | ... | ... | 262 |
| 10076 | 10101 | Bradley 2841 | 6.7 | 21. 36. 28.85 | 35.82 | 2 | + 2.405 | + 40. 24. 12.29 | 35.73 | 3 | +16.252 | 2841 | ... | 265 |
| 10077 | 10102 | 9 Pegasi | 4.5 | 21. 36. 42.10 | 33.41 | 5 | + 2.839 | + 16. 35. 48.68 | 32.80 | 7 | +16.263 | 2837 | ... | 264 |
| 10078 | 10103 | 78 Cygni | 5 | 21. 36. 46.08 | 32.70 | 6 | + 2.656 | + 28. 0. 0.72 | 32.13 | 5 | +16.267 | 2839 | ... | 266 |
| 10079 | 10104 | Piazzi XXI. 267 | 8 | 21. 37. 0.41 | 37.24 | 2 | + 2.656 | + 28. 1. 46.37 | 37.22 | 3 | +16.279 | ... | ... | 267 |
| 10080 | 10105 | 10 Pegasi | 4 | 21. 37. 10.56 | 33.24 | 5 | + 2.710 | + 24. 53. 23.55 | 33.73 | 7 | +16.286 | 2848 | ... | 269 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{cclv}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835°.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835°.0. | Mean Dec., 1835°.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835°.0. | Bradley. | Lacaille. | Piazzi. |
|-------|--------------|-------------------------|------------|-------------------------|----------------------|-------------------|-----------------------------------|------------------------|----------------------|-------------------|-----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 10081 | 10106 | Piazzi XXI. 277 | 7.8 | 21. 37. 14.43 | 39.97 | 4 | + 1.872 | + 56. 59. 1.04 | 39.54 | 5 | +16.292 | ... | ... | 277 |
| 10082 | 10107 | Lacaille 8908 | 6.7 | 21. 37. 18.97 | 39.12 | 3 | + 4.274 | - 57. 2. 2.35 | 39.12 | 3 | +16.296 | ... | 8908 | ... |
| 10083 | 10108 | 47 Capricorni | 6.7 | 21. 37. 27.98 | 33.69 | 4 | + 3.210 | - 10. 2. 0.65 | 32.82 | 5 | +16.303 | 2838 | ... | 268 |
| 10084 | 10109 | Lacaille 8912 | 6 | 21. 37. 30.23 | 39.73 | 4 | + 3.938 | - 48. 3. 1.01 | 39.73 | 4 | +16.305 | ... | 8912 | ... |
| 10085 | 10110 | Piazzi XXI. 273 | 7.8 | 21. 37. 33.67 | 41.74 | 2 | + 2.755 | + 22. 8. 21.20 | 37.76 | 6 | +16.307 | ... | ... | 273 |
| 10086 | 10111 | Piazzi XXI. 274 | 8 | 21. 37. 33.69 | 39.76 | 3 | + 2.755 | + 22. 9. 42.09 | 36.28 | 2 | +16.307 | ... | ... | 274 |
| 10087 | 10112 | 48 Capricorni | 5.6 | 21. 37. 38.78 | 33.72 | 3 | + 3.239 | - 12. 7. 23.87 | 33.23 | 8 | +16.312 | 2844 | ... | 270 |
| 10088 | 10113 | Piazzi XXI. 272 | 8 | 21. 37. 46.08 | 37.06 | 3 | + 3.138 | - 4. 53. 1.50 | 37.34 | 4 | +16.318 | ... | ... | 272 |
| 10089 | 10114 | 50 Capricorni | 6.7 | 21. 37. 47.53 | 35.79 | 3 | + 3.244 | - 12. 26. 57.11 | 35.03 | 4 | +16.319 | 2846 | ... | 271 |
| 10090 | 10115 | Lacaille 8914 | 8 | 21. 37. 49.59 | 38.74 | 3 | + 3.952 | - 48. 32. 8.88 | 38.74 | 3 | +16.321 | ... | 8914 | ... |
| 10091 | 10116 | 49 Capricorni | 3.4 | 21. 37. 55.61 | 32.85 | 13 | + 3.307 | - 16. 52. 19.94 | 31.70 | 5 | +16.325 | 2847 | ... | 276 |
| 10092 | 10117 | 10 Piscis Australis ... | 5 | 21. 38. 2.29 | 31.84 | 5 | + 3.550 | - 31. 39. 28.09 | 33.35 | 5 | +16.332 | 2842 | 8917 | 275 |
| 10093 | 10118 | Piazzi XXI. 281 | 7 | 21. 38. 14.10 | 35.85 | 2 | + 2.195 | + 48. 30. 49.29 | 35.16 | 3 | +16.342 | ... | ... | 281 |
| 10094 | 10119 | Piazzi XXI. 285 | 5.6 | 21. 38. 27.48 | 35.85 | 2 | + 1.832 | + 58. 1. 31.79 | 35.13 | 3 | +16.353 | ... | ... | 285 |
| 10095 | 10120 | Bradley 2851 | 7 | 21. 38. 28.54 | 36.46 | 4 | + 2.713 | + 24. 49. 34.33 | 37.34 | 5 | +16.354 | 2851 | ... | 279 |
| 10096 | 10121 | 12 Pegasi | 6 | 21. 38. 29.32 | 33.79 | 4 | + 2.756 | + 22. 11. 27.76 | 33.15 | 6 | +16.355 | 2850 | ... | 278 |
| 10097 | 10122 | Piazzi XXI. 283 | 7.8 | 21. 38. 46.04 | 36.49 | 4 | + 2.757 | + 22. 11. 18.18 | 35.49 | 3 | +16.369 | ... | ... | 283 |
| 10098 | 10123 | Piazzi XXI. 280 | 8 | 21. 38. 49.34 | 37.09 | 2 | + 3.306 | - 16. 50. 15.09 | 37.52 | 4 | +16.372 | ... | ... | 280 |
| 10099 | 10124 | 27 Aquarii | 5.6 | 21. 38. 51.86 | 32.86 | 5 | + 3.046 | + 1. 55. 35.46 | 33.70 | 5 | +16.374 | 2849 | ... | 282 |
| 10100 | 10125 | Bradley 2852 | 7 | 21. 38. 53.40 | 37.14 | 2 | + 2.715 | + 24. 48. 7.88 | 37.81 | 1 | +16.375 | 2852 | ... | 284 |
| 10101 | 10126 | Lacaille 8921 | 7.8 | 21. 39. 6.41 | 39.05 | 3 | + 3.909 | - 47. 22. 20.65 | 39.10 | 3 | +16.386 | ... | 8921 | ... |
| 10102 | 10127 | Lacaille 8922 | 7 | 21. 39. 18.05 | 38.73 | 3 | + 3.942 | - 48. 29. 18.59 | 38.73 | 3 | +16.397 | ... | 8922 | ... |
| 10103 | 10128 | 11 Cephei | 4.5 | 21. 39. 28.31 | 35.65 | 7 | + 0.893 | + 70. 33. 9.36 | 34.54 | 8 | +16.405 | 2856 | ... | 292 |
| 10104 | 10129 | Piazzi XXI. 288 | 7.8 | 21. 39. 29.06 | 38.53 | 5 | + 1.866 | + 57. 28. 1.89 | 38.34 | 5 | +16.406 | ... | ... | 288 |
| 10105 | 10130 | Piazzi XXI. 293 | 8 | 21. 39. 43.69 | 37.47 | 1 | + 1.141 | + 68. 17. 53.66 | 37.46 | 3 | +16.417 | ... | ... | 293 |
| 10106 | 10131 | Piazzi XXI. 286 | 9 | 21. 39. 47.45 | 36.92 | 3 | + 3.407 | - 23. 34. 54.21 | 37.17 | 3 | +16.420 | ... | ... | 286 |
| 10107 | 10132 | Piazzi XXI. 287 | 8.9 | 21. 39. 55.39 | 37.32 | 3 | + 3.072 | - 0. 33. 33.04 | 37.24 | 3 | +16.427 | ... | ... | 287 |
| 10108 | 10133 | Piazzi XXI. 289 | 7 | 21. 40. 10.98 | 37.15 | 2 | + 2.931 | + 10. 24. 50.68 | 37.33 | 3 | +16.440 | ... | ... | 289 |
| 10109 | 10134 | Piazzi XXI. 290 | 7 | 21. 40. 23.06 | 33.76 | 4 | + 3.155 | - 6. 9. 55.19 | 32.81 | 4 | +16.451 | ... | ... | 290 |
| 10110 | 10135 | Lacaille 8928 | 7.8 | 21. 40. 32.71 | 39.42 | 3 | + 4.181 | - 55. 25. 2.34 | 39.42 | 3 | +16.458 | ... | 8928 | ... |
| 10111 | 10136 | 10 Cephei | 4.5 | 21. 40. 41.16 | 32.58 | 5 | + 1.730 | + 60. 21. 39.89 | 31.79 | 5 | +16.464 | 2857 | ... | 297 |
| 10112 | 10137 | 81 Cygni | 5 | 21. 40. 42.18 | 31.73 | 3 | + 2.207 | + 48. 32. 53.42 | 32.75 | 10 | +16.465 | 2855 | ... | 295 |
| 10113 | 10138 | Piazzi XXI. 291 | 7 | 21. 40. 45.70 | 33.84 | 6 | + 3.255 | - 13. 29. 17.29 | 32.85 | 5 | +16.469 | ... | ... | 291 |
| 10114 | 10139 | 78 Draconis | 5 | 21. 41. 1.02 | 32.86 | 4 | + 0.785 | + 71. 33. 52.93 | 31.85 | 5 | +16.482 | 2861 | ... | 302 |
| 10115 | 10140 | Piazzi XXI. 294 | 6.7 | 21. 41. 8.08 | 35.64 | 3 | + 3.314 | - 17. 36. 38.04 | 34.97 | 4 | +16.488 | ... | ... | 294 |
| 10116 | 10141 | Piazzi XXI. 298 | 6.7 | 21. 41. 11.67 | 38.35 | 8 | + 2.523 | + 35. 49. 2.12 | 37.91 | 7 | +16.491 | ... | ... | 298 |
| 10117 | 10142 | Piazzi XXI. 299 | 7.8 | 21. 41. 14.55 | 37.10 | 2 | + 2.596 | + 32. 1. 58.07 | 37.45 | 2 | +16.493 | ... | ... | 299 |
| 10118 | 10143 | Piazzi XXI. 296 | 7.8 | 21. 41. 20.94 | 37.08 | 3 | + 3.304 | - 16. 57. 22.52 | 37.35 | 4 | +16.499 | ... | ... | 296 |
| 10119 | 10144 | Piazzi XXI. 300 | 6.7 | 21. 41. 34.44 | 35.63 | 3 | + 3.013 | + 4. 26. 47.58 | 34.98 | 4 | +16.509 | ... | ... | 300 |
| 10120 | 10145 | Brisbane 7090 | 8 | 21. 41. 38.90 | 39.10 | 3 | + 3.988 | - 50. 21. 19.94 | 39.10 | 3 | +16.513 | ... | ... | ... |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|-------|--------------|-----------------------|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 10121 | 10146 | Piazzi XXI. 301 | 8 | h m s 21. 42. 0'66 | 37'07 | 2 | + 3'410 | — 24. 2. 4'24 | 37'18 | 4 | +16'532 | ... | ... | 301 |
| 10122 | 10147 | 13 Pegasi..... | 6 | 21. 42. 17'80 | 32'82 | 6 | + 2'848 | + 16. 31. 15'83 | 32'74 | 4 | +16'546 | 2858 | ... | 304 |
| 10123 | 10148 | Piazzi XXI. 303 | 6'7 | 21. 42. 31'73 | 35'71 | 3 | + 3'338 | — 19. 23. 17'26 | 35'05 | 4 | +16'557 | ... | ... | 303 |
| 10124 | 10149 | 14 Pegasi | 5 | 21. 42. 32'94 | 31'69 | 6 | + 2'647 | + 29. 24. 29'48 | 33'15 | 7 | +16'558 | 2859 | ... | 305 |
| 10125 | 10150 | 12 Cephei | 6 | 21. 42. 33'43 | 35'75 | 3 | + 1'768 | + 59. 55. 43'26 | 35'00 | 4 | +16'558 | 2862 | ... | 306 |
| 10126 | 10151 | Piazzi XXI. 309 | 8'9 | 21. 43. 8'88 | 37'09 | 2 | + 1'910 | + 57. 5. 18'08 | 37'39 | 3 | +16'587 | ... | ... | 309 |
| 10127 | 10152 | Piazzi XXI. 310 | 8 | 21. 43. 9'39 | 37'68 | 2 | + 1'905 | + 57. 11. 42'12 | 37'47 | 4 | +16'588 | ... | ... | 310 |
| 10128 | 10153 | Piazzi XXI. 307 | 8 | 21. 43. 36'91 | 37'03 | 3 | + 3'313 | — 17. 50. 13'49 | 37'31 | 4 | +16'610 | ... | ... | 307 |
| 10129 | 10154 | Piazzi XXI. 313 | 8 | 21. 43. 39'66 | 37'25 | 2 | + 2'370 | + 43. 7. 18'29 | 37'48 | 4 | +16'612 | ... | ... | 313 |
| 10130 | 10155 | Piazzi XXI. 311 | 7'8 | 21. 43. 46'86 | 35'76 | 3 | + 2'936 | + 10. 19. 11'76 | 35'04 | 4 | +16'618 | ... | ... | 311 |
| 10131 | 10156 | Piazzi XXI. 312 | 7 | 21. 43. 49'49 | 37'32 | 3 | + 2'813 | + 19. 3. 21'82 | 37'03 | 3 | +16'620 | ... | ... | 312 |
| 10132 | 10157 | Gruis | 4 | 21. 43. 54'72 | 31'84 | 5 | + 3'659 | — 38. 8. 14'02 | 31'67 | 5 | +16'625 | ... | 8951 | 308 |
| 10133 | 10158 | Piazzi XXI. 316 | 8'9 | 21. 44. 5'55 | 37'22 | 3 | + 2'888 | + 13. 49. 57'20 | 37'18 | 4 | +16'634 | ... | ... | 316 |
| 10134 | 10159 | Piazzi XXI. 314 | 7 | 21. 44. 8'77 | 32'58 | 6 | + 3'134 | — 4. 45. 52'06 | 32'82 | 6 | +16'636 | ... | ... | 314 |
| 10135 | 10160 | 51 Capricorni..... | 5 | 21. 44. 17'56 | 32'83 | 15 | + 3'262 | — 14. 19. 29'45 | 31'75 | 5 | +16'643 | 2860 | ... | 315 |
| 10136 | 10161 | Bradley 2865 | 7'8 | 21. 44. 28'97 | 39'90 | 6 | + 1'754 | + 60. 30. 19'25 | 39'95 | 6 | +16'653 | 2865 | ... | 318 |
| 10137 | 10162 | Piazzi XXI. 317 | 8 | 21. 44. 35'04 | 37'45 | 2 | + 3'348 | — 20. 47. 10'96 | 37'10 | 4 | +16'657 | ... | ... | 317 |
| 10138 | 10163 | Indi..... | 7 | 21. 44. 35'84 | 38'70 | 3 | + 4'296 | — 58. 40. 34'10 | 38'70 | 3 | +16'658 | ... | 8950 | ... |
| 10139 | 10164 | Lacaille 8953 | 7'8 | 21. 45. 0'83 | 38'73 | 3 | + 4'066 | — 53. 14. 19'00 | 38'73 | 3 | +16'679 | ... | 8953 | ... |
| 10140 | 10165 | 15 Pegasi..... | 6 | 21. 45. 8'24 | 32'87 | 5 | + 2'677 | + 28. 1. 26'46 | 32'85 | 5 | +16'685 | 2863 | ... | 319 |
| 10141 | 10166 | Piazzi XXI. 320 | 6'7 | 21. 45. 33'14 | 32'85 | 5 | + 3'137 | — 5. 2. 48'51 | 32'70 | 5 | +16'704 | ... | ... | 320 |
| 10142 | 10167 | 16 Pegasi | 5'6 | 21. 45. 33'63 | 32'82 | 5 | + 2'724 | + 25. 9. 5'44 | 32'80 | 5 | +16'705 | 2864 | ... | 321 |
| 10143 | 10168 | Piazzi XXI. 322 | 7 | 21. 45. 43'54 | 35'77 | 3 | + 2'993 | + 6. 5. 16'96 | 35'00 | 4 | +16'712 | ... | ... | 322 |
| 10144 | 10169 | Piazzi XXI. 323 | 7 | 21. 46. 0'33 | 35'75 | 3 | + 3'284 | — 16. 1. 56'68 | 35'07 | 4 | +16'726 | ... | ... | 323 |
| 10145 | 10170 | Piazzi XXI. 328 | 8 | 21. 46. 8'42 | 37'02 | 3 | + 1'750 | + 60. 50. 38'53 | 37'33 | 3 | +16'734 | ... | ... | 328 |
| 10146 | 10171 | Piazzi XXI. 325 | 7'8 | 21. 46. 19'91 | 37'88 | 1 | + 2'550 | + 35. 21. 10'85 | 37'35 | 4 | +16'743 | ... | ... | 325 |
| 10147 | 10172 | Lacaille 8964 | 6 | 21. 46. 25'79 | 35'62 | 3 | + 3'648 | — 38. 1. 53'65 | 34'97 | 4 | +16'747 | ... | 8964 | 324 |
| 10148 | 10173 | Indi | 5 | 21. 46. 38'24 | 36'72 | 7 | + 4'152 | — 55. 46. 19'22 | 35'88 | 8 | +16'755 | ... | 8962 | ... |
| 10149 | 10174 | Indi | 6'7 | 21. 46. 46'69 | 38'75 | 3 | + 4'333 | — 59. 47. 38'29 | 38'75 | 3 | +16'763 | ... | 8959 | ... |
| 10150 | 10175 | Piazzi XXI. 331 | 7'8 | 21. 46. 51'06 | 35'79 | 3 | + 2'052 | + 54. 15. 55'64 | 35'09 | 4 | +16'766 | ... | ... | 331 |
| 10151 | 10176 | Piazzi XXI. 327 | 7'8 | 21. 47. 2'96 | 35'79 | 3 | + 3'654 | — 38. 26. 16'18 | 36'33 | 5 | +16'777 | ... | ... | 327 |
| 10152 | 10177 | Lacaille 8966 | 6'7 | 21. 47. 3'51 | 40'03 | 16 | + 3'656 | — 38. 31. 35'00 | 39'00 | 17 | +16'778 | ... | 8966 | 326 |
| 10153 | 10178 | Piazzi XXI. 330 | 7'8 | 21. 47. 15'36 | 37'42 | 3 | + 3'052 | + 1. 35. 0'38 | 37'34 | 3 | +16'786 | ... | ... | 330 |
| 10154 | 10179 | Piazzi XXI. 329 | 8 | 21. 47. 20'12 | 39'24 | 10 | + 3'655 | — 38. 32. 16'60 | 38'92 | 10 | +16'790 | ... | ... | 329 |
| 10155 | 10180 | Piazzi XXI. 334 | 7 | 21. 47. 23'21 | 37'13 | 2 | + 1'828 | + 59. 33. 3'12 | 37'43 | 3 | +16'793 | ... | ... | 334 |
| 10156 | 10181 | Bradley 2867 | 8 | 21. 47. 33'30 | 39'76 | 7 | + 2'095 | + 53. 13. 18'09 | 40'55 | 5 | +16'800 | 2867 | ... | 335 |
| 10157 | 10182 | Bradley 2868 | 7'8 | 21. 47. 33'43 | 35'80 | 3 | + 2'012 | + 55. 26. 9'13 | 35'15 | 3 | +16'800 | 2868 | ... | 336 |
| 10158 | 10183 | Piazzi XXI. 332 | 7 | 21. 47. 40'57 | 35'77 | 3 | + 3'319 | — 18. 40. 36'89 | 35'04 | 4 | +16'805 | ... | ... | 332 |
| 10159 | 10184 | Piazzi XXI. 333 | 7'8 | 21. 47. 56'50 | 37'11 | 2 | + 3'337 | — 19. 58. 13'32 | 37'37 | 4 | +16'819 | ... | ... | 333 |
| 10160 | 10185 | Piazzi XXI. 337 | 7'8 | 21. 48. 18'64 | 37'74 | 2 | + 2'556 | + 35. 22. 4'80 | 37'34 | 4 | +16'837 | ... | ... | 337 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835°0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835°0. | Mean Dec., 1835°0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835°0. | Bradley. | Lacaille. | Piazzi. |
|-------|--------------|---------------------------|------------|-----------------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 10161 | 10186 | Piazzi XXI. 339 | 7·8 | ^{h m s} 21. 48. 41'27 | 37'56 | 2 | + 2'801 | + 20. 27. 31'21 | 37'73 | 3 | +16'853 | ... | ... | 339 |
| 10162 | 10187 | Piazzi XXI. 338 | 7 | 21. 48. 48'44 | 35'71 | 3 | + 3'278 | - 15. 54. 13'67 | 35'06 | 4 | +16'859 | ... | ... | 338 |
| 10163 | 10188 | Piazzi XXI. 342 | 7·8 | 21. 48. 52'83 | 37'11 | 2 | + 2'803 | + 20. 22. 43'43 | 37'40 | 3 | +16'863 | ... | ... | 342 |
| 10164 | 10189 | 17 Pegasi | 5 | 21. 48. 53'89 | 32'79 | 7 | + 2'927 | + 11. 17. 45'52 | 32'74 | 5 | +16'864 | 2869 | ... | 341 |
| 10165 | 10190 | Lacaille 8973 | 6·7 | 21. 49. 5'72 | 38'75 | 3 | + 4'171 | - 56. 40. 4'34 | 38'75 | 3 | +16'874 | ... | 8973 | ... |
| 10166 | 10191 | Bradley 2871 | 7 | 21. 49. 8'04 | 39'96 | 5 | + 2'108 | + 53. 9. 6'18 | 38'35 | 7 | +16'876 | 2871 | ... | 346 |
| 10167 | 10192 | Lacaille 8976 | 6 | 21. 49. 18'12 | 35'77 | 3 | + 3'660 | - 39. 10. 46'32 | 35'70 | 3 | +16'885 | ... | 8976 | 340 |
| 10168 | 10193 | Piazzi XXI. 349 | 7·8 | 21. 49. 19'64 | 40'92 | 6 | + 1'658 | + 62. 57. 27'84 | 40'07 | 6 | +16'885 | ... | ... | 349 |
| 10169 | 10194 | 13 Cephei | 7 | 21. 49. 20'60 | 37'39 | 3 | + 2'009 | + 55. 49. 53'48 | 37'70 | 2 | +16'886 | 2872 | ... | 347 |
| 10170 | 10195 | Piazzi XXI. 344 | 7 | 21. 49. 30'43 | 35'77 | 3 | + 3'244 | - 13. 27. 3'46 | 35'01 | 4 | +16'893 | ... | ... | 344 |
| 10171 | 10196 | Piazzi XXI. 343 | 6·7 | 21. 49. 31'23 | 32'72 | 6 | + 3'363 | - 21. 58. 0'01 | 32'83 | 5 | +16'893 | ... | ... | 343 |
| 10172 | 10197 | Bradley 2870 | 6·7 | 21. 49. 34'42 | 32'79 | 5 | + 3'150 | - 6. 12. 12'12 | 32'80 | 5 | +16'896 | 2870 | ... | 345 |
| 10173 | 10198 | Piazzi XXI. 348 | 7 | 21. 50. 17'97 | 35'79 | 3 | + 3'476 | - 29. 24. 16'33 | 35'00 | 4 | +16'931 | ... | ... | 348 |
| 10174 | 10199 | Lacaille 8979 | 7 | 21. 50. 35'82 | 38'70 | 3 | + 4'052 | - 53. 51. 33'83 | 38'70 | 3 | +16'943 | ... | 8979 | ... |
| 10175 | 10200 | Indi | 5·6 | 21. 50. 43'32 | 40'61 | 7 | + 4'193 | - 57. 27. 43'12 | 40'35 | 5 | +16'947 | ... | 8975 | ... |
| 10176 | 10201 | 79 Draconis | 6·7 | 21. 50. 48'06 | 39'95 | 5 | + 0'746 | + 72. 55. 17'71 | 38'04 | 8 | +16'953 | 2880 | ... | 357 |
| 10177 | 10202 | Piazzi XXI. 350 | 8 | 21. 50. 58'84 | 37'35 | 3 | + 3'160 | - 7. 3. 35'80 | 36'98 | 3 | +16'962 | ... | ... | 350 |
| 10178 | 10203 | Piazzi XXI. 352 | 8 | 21. 51. 15'64 | 39'90 | 6 | + 3'306 | - 18. 10. 23'91 | 39'97 | 6 | +16'975 | ... | ... | 352 |
| 10179 | 10204 | 12 Piscis Australis | 9 | 21. 51. 20'65 | 32'82 | 5 | + 3'471 | - 29. 14. 33'22 | 33'11 | 7 | +16'980 | 2873 | ... | 351 |
| 10180 | 10205 | Piazzi XXI. 353 | 8 | 21. 51. 33'43 | 37'13 | 3 | + 3'070 | + 0. 8. 12'48 | 37'34 | 3 | +16'989 | ... | ... | 353 |
| 10181 | 10206 | Piazzi XXI. 354 | 8 | 21. 51. 52'16 | 37'06 | 2 | + 3'415 | - 25. 47. 48'99 | 37'02 | 3 | +17'003 | ... | ... | 354 |
| 10182 | 10207 | 18 Pegasi | 6 | 21. 51. 53'37 | 32'84 | 5 | + 2'998 | + 5. 55. 47'11 | 32'86 | 5 | +17'004 | 2874 | ... | 355 |
| 10183 | 10208 | Piazzi XXI. 360 | 6 | 21. 52. 0'11 | 35'77 | 3 | + 1'691 | + 62. 50. 28'30 | 35'01 | 4 | +17'010 | ... | ... | 360 |
| 10184 | 10209 | Piazzi XXI. 356 | 7·8 | 21. 52. 16'03 | 37'44 | 1 | + 3'306 | - 18. 18. 15'76 | 37'44 | 2 | +17'023 | ... | ... | 356 |
| 10185 | 10210 | Lacaille 8992 | 7 | 21. 52. 25'33 | 38'76 | 3 | + 4'150 | - 56. 45. 52'64 | 38'76 | 3 | +17'030 | ... | 8992 | ... |
| 10186 | 10211 | Piazzi XXI. 359 | 8 | 21. 52. 36'01 | 37'08 | 2 | + 2'728 | + 25. 59. 41'86 | 37'40 | 4 | +17'038 | ... | ... | 359 |
| 10187 | 10212 | 28 Aquarii | 6 | 21. 52. 38'33 | 32'86 | 5 | + 3'074 | - 0. 11. 3'73 | 32'77 | 4 | +17'040 | 2875 | ... | 358 |
| 10188 | 10213 | 19 Pegasi | 6 | 21. 52. 57'95 | 32'88 | 5 | + 2'980 | + 7. 28. 2'46 | 32'87 | 5 | +17'055 | 2877 | ... | 362 |
| 10189 | 10214 | 20 Pegasi | 5·6 | 21. 53. 3'35 | 33'68 | 6 | + 2'918 | + 12. 19. 57'65 | 33'43 | 6 | +17'060 | 2879 | ... | 363 |
| 10190 | 10215 | Piazzi XXI. 361 | 7 | 21. 53. 6'57 | 35'64 | 3 | + 3'310 | - 18. 41. 31'00 | 35'11 | 3 | +17'062 | ... | ... | 361 |
| 10191 | 10216 | Piazzi XXI. 364 | 8 | 21. 53. 14'68 | 39'59 | 2 | + 3'096 | - 1. 55. 6'27 | 38'31 | 5 | +17'068 | ... | ... | 364 |
| 10192 | 10217 | Piazzi XXI. 368 | 7·8 | 21. 53. 23'60 | 37'66 | 1 | + 2'284 | + 48. 20. 5'43 | 37'41 | 3 | +17'075 | ... | ... | 368 |
| 10193 | 10218 | 29 Aquarii | 6 | 21. 53. 24'38 | 33'32 | 10 | + 3'296 | - 17. 45. 22'93 | 33'70 | 5 | +17'076 | 2878 | ... | 365 |
| 10194 | 10219 | Piazzi XXI. 369 | 8 | 21. 53. 40'18 | 37'08 | 2 | + 2'730 | + 26. 2. 21'19 | 37'42 | 3 | +17'088 | ... | ... | 369 |
| 10195 | 10221 | Piazzi XXI. 366 | 7 | 21. 53. 43'79 | 35'64 | 3 | + 3'487 | - 30. 41. 47'82 | 37'78 | 3 | +17'091 | ... | ... | 366 |
| 10196 | 10220 | Piazzi XXI. 367 | 8 | 21. 53. 44'07 | 37'34 | 3 | + 3'441 | - 27. 50. 36'67 | 37'37 | 3 | +17'091 | ... | ... | 367 |
| 10197 | 10222 | Bradley 2884 | 7·8 | 21. 53. 51'13 | 40'51 | 5 | + 2'001 | + 56. 52. 11'87 | 39'93 | 6 | +17'096 | 2884 | ... | 373 |
| 10198 | 10223 | Piazzi XXI. 370 | 7 | 21. 53. 55'07 | 37'13 | 2 | + 2'947 | + 10. 10. 54'29 | 37'43 | 3 | +17'099 | ... | ... | 370 |
| 10199 | 10224 | Piazzi XXI. 372 | 7 | 21. 54. 0'95 | 35'75 | 3 | + 2'939 | + 10. 46. 28'02 | 35'30 | 6 | +17'104 | ... | ... | 372 |
| 10200 | 10225 | Piazzi XXI. 371 | 8 | 21. 54. 3'43 | 37'06 | 3 | + 3'092 | - 1. 42. 39'80 | 37'11 | 3 | +17'105 | ... | ... | 371 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|-------|--------------|--|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 10201 | 10226 | Indi ^k | 6.7 | h m s 21. 54. 11.89 | 38.72 | 3 | + 4.301 | — 60. 25. 47.24 | 38.72 | 3 | +17.112 | ... | 9001 | ... |
| 10202 | 10227 | 30 Aquarii | 5.6 | 21. 54. 35.71 | 32.42 | 6 | + 3.161 | — 7. 18. 57.93 | 32.71 | 5 | +17.131 | 2882 | ... | 374 |
| 10203 | 10228 | 31 Aquarii ^o | 5 | 21. 54. 46.70 | 32.28 | 9 | + 3.107 | — 2. 56. 56.00 | 31.69 | 5 | +17.139 | 2883 | ... | 376 |
| 10204 | 10229 | 13 Piscis Australis | 6.7 | 21. 54. 52.21 | 39.15 | 4 | + 3.485 | — 30. 42. 42.80 | 36.54 | 10 | +17.143 | 2881 | 9009 | 375 |
| 10205 | 10230 | Piazzi XXI. 377 | 7.8 | 21. 54. 58.39 | 37.02 | 3 | + 3.360 | — 22. 34. 31.40 | 37.02 | 3 | +17.147 | ... | ... | 377 |
| 10206 | 10231 | Piazzi XXI. 379 | 8.9 | 21. 55. 12.86 | 37.65 | 2 | + 3.242 | — 13. 48. 49.92 | 37.21 | 3 | +17.158 | ... | ... | 379 |
| 10207 | 10232 | Lacaille 9014 | 6 | 21. 55. 13.11 | 32.73 | 6 | + 3.434 | — 27. 37. 2.67 | 32.82 | 5 | +17.158 | ... | 9014 | 378 |
| 10208 | 10233 | 21 Pegasi | 5.6 | 21. 55. 13.45 | 32.82 | 4 | + 2.943 | + 10. 35. 32.02 | 33.22 | 5 | +17.158 | 2885 | ... | 380 |
| 10209 | 10234 | Brisbane 7121 | 9 | 21. 55. 26.94 | 40.81 | 6 | + 4.266 | — 59. 55. 42.94 | 40.96 | 5 | +17.169 | ... | ... | ... |
| 10210 | 10235 | Piazzi XXI. 383 | 6.7 | 21. 55. 48.72 | 35.79 | 2 | + 2.187 | + 52. 5. 17.63 | 35.02 | 4 | +17.186 | ... | ... | 383 |
| 10211 | 10236 | Gruis ^λ | 6 | 21. 56. 8.77 | 39.08 | 6 | + 3.656 | — 40. 20. 9.97 | 37.45 | 6 | +17.201 | ... | 9017 | 381 |
| 10212 | 10237 | Lacaille 9011 | 7.8 | 21. 56. 10.77 | 39.74 | 7 | + 4.268 | — 60. 6. 56.00 | 38.74 | 3 | +17.202 | ... | 9011 | ... |
| 10213 | 10238 | 32 Aquarii | 5.6 | 21. 56. 18.20 | 33.38 | 7 | + 3.092 | — 1. 42. 5.18 | 32.77 | 5 | +17.208 | 2887 | ... | 382 |
| 10214 | 10239 | Piazzi XXI. 386 | 7.8 | 21. 56. 32.02 | 35.84 | 2 | + 2.006 | + 57. 15. 17.47 | 35.05 | 4 | +17.217 | ... | ... | 386 |
| 10215 | 10240 | 14 Cephei | 6 | 21. 56. 32.43 | 35.76 | 2 | + 2.008 | + 57. 12. 22.10 | 35.72 | 3 | +17.217 | 2892 | ... | 385 |
| 10216 | 10241 | Piazzi XXI. 384 | 8 | 21. 56. 44.92 | 37.19 | 4 | + 3.465 | — 29. 52. 9.63 | 36.97 | 4 | +17.228 | ... | ... | 384 |
| 10217 | 10242 | 16 Cephei | 5.6 | 21. 56. 51.86 | 39.35 | 4 | + 0.915 | + 72. 23. 42.27 | 37.65 | 6 | +17.232 | 2900 | ... | 394 |
| 10218 | 10243 | Brisbane 7127 | 8 | 21. 57. 13.18 | 39.60 | 5 | + 4.259 | — 60. 5. 14.65 | 39.73 | 3 | +17.249 | ... | ... | ... |
| 10219 | 10244 | 34 Aquarii ^a | 3 | 21. 57. 18.52 | 33.25 | 42 | + 3.085 | — 1. 7. 5.35 | 32.19 | 64 | +17.253 | 2890 | ... | 387 |
| 10220 | 10245 | 22 Pegasi | 5 | 21. 57. 21.52 | 31.74 | 5 | + 3.022 | + 4. 15. 17.34 | 33.81 | 5 | +17.255 | 2891 | ... | 388 |
| 10221 | 10246 | Piazzi XXI. 390 | 8 | 21. 57. 25.12 | 37.10 | 2 | + 3.011 | + 5. 10. 1.50 | 37.20 | 4 | +17.258 | ... | ... | 390 |
| 10222 | 10247 | Piazzi XXI. 392 | 7 | 21. 57. 25.35 | 35.81 | 2 | + 2.424 | + 43. 32. 52.19 | 35.10 | 4 | +17.258 | ... | ... | 392 |
| 10223 | 10248 | Bradley 2888 | 7 | 21. 57. 25.82 | 32.85 | 5 | + 3.145 | — 6. 9. 16.20 | 33.47 | 5 | +17.258 | 2888 | ... | ... |
| 10224 | 10249 | 33 Aquarii ^t | 4.5 | 21. 57. 31.24 | 34.74 | 9 | + 3.250 | — 14. 40. 0.28 | 36.48 | 8 | +17.262 | 2889 | ... | 389 |
| 10225 | 10250 | Piazzi XXI. 391 | 7 | 21. 57. 35.04 | 36.86 | 1 | + 3.009 | + 5. 18. 38.46 | 37.35 | 4 | +17.265 | ... | ... | 391 |
| 10226 | 10251 | Gruis ^a | 2 | 21. 57. 47.75 | 31.73 | 6 | + 3.820 | — 47. 45. 22.09 | 31.74 | 5 | +17.274 | ... | 9021 | ... |
| 10227 | 10252 | Lacaille 9026 | 7.8 | 21. 58. 3.02 | 37.33 | 3 | + 3.360 | — 23. 2. 32.90 | 37.29 | 3 | +17.285 | ... | 9026 | 393 |
| 10228 | 10253 | 23 Pegasi | 6 | 21. 58. 6.62 | 32.80 | 4 | + 2.709 | + 28. 9. 53.38 | 33.21 | 5 | +17.288 | 2895 | ... | 396 |
| 10229 | 10254 | Piazzi XXI. 395 | 7.8 | 21. 58. 15.27 | 37.43 | 1 | + 3.020 | + 4. 23. 38.53 | 37.22 | 3 | +17.294 | ... | ... | 395 |
| 10230 | 10255 | 15 Cephei | 6.7 | 21. 58. 31.59 | 35.73 | 1 | + 1.947 | + 59. 0. 59.04 | 34.83 | 3 | +17.306 | 2902 | ... | 399 |
| 10231 | 10256 | 14 Piscis Australis ^μ | 7 | 21. 58. 44.56 | 35.57 | 2 | + 3.523 | — 33. 47. 25.78 | 35.75 | 3 | +17.316 | 2893 | 9029 | 397 |
| 10232 | 10257 | Lacaille 9030 | 6 | 21. 58. 45.43 | 40.91 | 7 | + 3.542 | — 34. 50. 40.93 | 40.92 | 7 | +17.317 | ... | 9030 | ... |
| 10233 | 10258 | Piazzi XXI. 401 | 7.8 | 21. 58. 50.51 | 35.85 | 2 | + 1.952 | + 59. 4. 4.61 | 35.82 | 3 | +17.320 | ... | ... | 401 |
| 10234 | 10259 | 17 Cephei ^ε | 5 | 21. 59. 0.00 | 34.88 | 8 | + 1.701 | + 63. 49. 32.41 | 34.90 | 7 | +17.327 | 2907 | ... | 408 |
| 10235 | 10260 | Lacaille 9033 | 7 | 21. 59. 4.75 | 40.04 | 2 | + 3.525 | — 33. 55. 49.14 | 38.68 | 4 | +17.331 | ... | 9033 | 398 |
| 10236 | 10261 | Piazzi XXI. 404 | 7 | 21. 59. 10.48 | 36.75 | 3 | + 2.416 | + 44. 18. 42.63 | 37.41 | 3 | +17.335 | ... | ... | 404 |
| 10237 | 10262 | 24 Pegasi ^t | 4 | 21. 59. 19.96 | 34.17 | 5 | + 2.766 | + 24. 33. 31.75 | 33.09 | 13 | +17.342 | 2899 | ... | 402 |
| 10238 | 10263 | Piazzi XXI. 405 | 5.6 | 21. 59. 20.43 | 35.85 | 1 | + 2.419 | + 44. 12. 50.77 | 35.09 | 4 | +17.343 | ... | ... | 405 |
| 10239 | 10264 | Lacaille 9034 | 7 | 21. 59. 26.03 | 37.11 | 2 | + 3.408 | — 26. 34. 18.42 | 37.21 | 3 | +17.346 | ... | 9034 | 400 |
| 10240 | 10265 | Piazzi XXI. 403 | 8 | 21. 59. 35.58 | 37.36 | 3 | + 3.157 | — 7. 11. 11.35 | 37.38 | 3 | +17.353 | ... | ... | 403 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-------|--------------|-------------------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 10241 | 10266 | Piazzi XXI. 406 | 6.7 | h m s 21. 59. 37.05 | 35.78 | 1 | + 2.845 | + 18. 40. 16.91 | 35.72 | 3 | +17.354 | ... | ... | 406 |
| 10242 | 10267 | Lacaille 9031 | 8 | 21. 59. 43.29 | 38.80 | 3 | + 4.075 | - 56. 15. 27.53 | 38.80 | 3 | +17.359 | ... | 9031 | ... |
| 10243 | 10268 | Piazzi XXI. 409 | 8 | 21. 59. 47.57 | 42.80 | 2 | + 2.625 | + 33. 43. 0.74 | 40.82 | 3 | +17.362 | ... | ... | 409 |
| 10244 | 10269 | 35 Aquarii..... | 5.6 | 21. 59. 55.62 | 32.74 | 5 | + 3.306 | - 19. 19. 27.12 | 32.84 | 5 | +17.367 | 2898 | ... | 407 |
| 10245 | 10270 | 20 Cephei..... | 6.7 | 22. 0. 0.54 | 39.48 | 3 | + 1.815 | + 61. 58. 54.76 | 37.53 | 4 | +17.371 | 2911 | ... | 415 |
| 10246 | 10271 | Piazzi XXI. 411 | 7.8 | 22. 0. 0.95 | 37.25 | 2 | + 2.771 | + 24. 12. 49.89 | 37.10 | 3 | +17.372 | ... | ... | 411 |
| 10247 | 10272 | 19 Cephei..... | 6 | 22. 0. 3.87 | 37.11 | 3 | + 1.842 | + 61. 28. 44.30 | 35.12 | 4 | +17.374 | 2910 | ... | 416 |
| 10248 | 10273 | 25 Pegasi..... | 6 | 22. 0. 5.60 | 32.80 | 5 | + 2.817 | + 20. 54. 7.85 | 33.41 | 5 | +17.376 | 2903 | ... | 413 |
| 10249 | 10274 | Piazzi XXI. 412 | 8 | 22. 0. 13.45 | 37.17 | 3 | + 3.077 | - 0. 27. 56.36 | 37.52 | 4 | +17.381 | ... | ... | 412 |
| 10250 | 10275 | 15 Piscis Australis | 5.6 | 22. 0. 27.51 | 38.07 | 3 | + 3.510 | - 33. 21. 18.20 | 35.10 | 4 | +17.391 | 2901 | 9037 | 410 |
| 10251 | 10276 | Lacaille 9040 | 6.7 | 22. 0. 35.08 | 39.07 | 4 | + 3.442 | - 29. 5. 59.67 | 39.15 | 3 | +17.396 | ... | 9040 | ... |
| 10252 | 10277 | 36 Aquarii | 7 | 22. 0. 43.21 | 35.33 | 4 | + 3.177 | - 8. 59. 37.45 | 32.76 | 5 | +17.403 | 2905 | ... | 414 |
| 10253 | 10278 | Piazzi XXI. 417 | 7 | 22. 0. 46.27 | 37.03 | 3 | + 3.051 | + 1. 55. 45.98 | 37.24 | 3 | +17.405 | ... | ... | 417 |
| 10254 | 10279 | Piazzi XXII. 4 | 7 | 22. 1. 36.56 | 37.73 | 1 | + 2.013 | + 58. 2. 13.74 | 36.68 | 3 | +17.440 | ... | ... | 4 |
| 10255 | 10280 | 37 Aquarii..... ⁶¹ | 6 | 22. 1. 43.36 | 33.73 | 5 | + 3.208 | - 11. 37. 47.62 | 32.70 | 4 | +17.446 | 2908 | ... | 418 |
| 10256 | 10281 | Bradley 2912 | 7 | 22. 1. 46.28 | 32.86 | 6 | + 3.126 | - 4. 41. 58.89 | 32.82 | 5 | +17.448 | 2912 | ... | 421 |
| 10257 | 10282 | 38 Aquarii..... ⁶² | 6 | 22. 1. 48.02 | 33.77 | 6 | + 3.217 | - 12. 22. 23.45 | 32.88 | 5 | +17.449 | 2909 | ... | 420 |
| 10258 | 10283 | Lacaille 9044 | 7.8 | 22. 1. 52.35 | 39.13 | 3 | + 4.078 | - 56. 45. 17.73 | 39.13 | 3 | +17.452 | ... | 9044 | ... |
| 10259 | 10284 | Piazzi XXI. 419 | 7 | 22. 1. 52.41 | 33.81 | 6 | + 3.339 | - 22. 2. 22.66 | 33.76 | 5 | +17.452 | ... | ... | 419 |
| 10260 | 10285 | 26 Pegasi..... ⁰ | 4 | 22. 1. 52.58 | 31.69 | 6 | + 3.010 | + 5. 23. 20.01 | 33.12 | 12 | +17.452 | 2914 | ... | 1 |
| 10261 | 10286 | 27 Pegasi..... ^{π1} | 5 | 22. 1. 55.38 | 35.42 | 6 | + 2.654 | + 32. 22. 7.60 | 41.70 | 2 | +17.454 | 2915 | ... | 3 |
| 10262 | 10287 | Bradley 2913 | 6.7 | 22. 1. 57.37 | 33.79 | 6 | + 3.130 | - 5. 4. 30.86 | 33.79 | 5 | +17.456 | 2913 | ... | 2 |
| 10263 | 10288 | Lacaille 9050 | 7 | 22. 2. 5.69 | 38.70 | 3 | + 3.421 | - 27. 57. 36.73 | 39.72 | 4 | +17.462 | ... | 9050 | ... |
| 10264 | 10289 | 29 Pegasi..... ^{π2} | 4 | 22. 2. 39.97 | 32.08 | 9 | + 2.657 | + 32. 22. 15.62 | 31.80 | 10 | +17.486 | 2917 | ... | 6 |
| 10265 | 10290 | 28 Pegasi | 6 | 22. 2. 42.69 | 33.19 | 3 | + 2.832 | + 20. 10. 10.26 | 33.67 | 4 | +17.488 | 2916 | ... | 5 |
| 10266 | 10291 | Piazzi XXII. 8 | 8 | 22. 2. 55.77 | 37.32 | 3 | + 2.475 | + 42. 22. 43.84 | 37.39 | 4 | +17.498 | ... | ... | 8 |
| 10267 | 10292 | Piazzi XXII. 11 | 7 | 22. 3. 1.55 | 37.02 | 3 | + 2.006 | + 58. 29. 11.54 | 36.46 | 4 | +17.502 | ... | ... | 11 |
| 10268 | 10293 | Piazzi XXII. 12 | 7.8 | 22. 3. 3.41 | 37.02 | 3 | + 2.007 | + 58. 28. 56.91 | 35.82 | 4 | +17.504 | ... | ... | 12 |
| 10269 | 10295 | Lacaille 9056 | 7 | 22. 3. 16.33 | 38.70 | 3 | + 3.417 | - 27. 53. 43.51 | 38.70 | 3 | +17.513 | ... | 9056 | ... |
| 10270 | 10294 | Piazzi XXII. 7 | 8 | 22. 3. 17.99 | 41.31 | 4 | + 3.239 | - 15. 2. 11.61 | 38.45 | 5 | +17.515 | ... | ... | 7 |
| 10271 | 10296 | Piazzi XXII. 16 | 6.7 | 22. 3. 23.46 | 37.79 | 4 | + 2.028 | + 58. 2. 39.81 | 39.25 | 4 | +17.518 | ... | ... | 16 |
| 10272 | 10297 | Piazzi XXII. 10 | 7 | 22. 3. 25.33 | 35.77 | 2 | + 2.700 | + 29. 44. 38.81 | 35.78 | 4 | +17.520 | ... | ... | 10 |
| 10273 | 10298 | Bradley 2918 | 7 | 22. 3. 28.90 | 32.86 | 5 | + 3.209 | - 11. 52. 37.76 | 34.69 | 6 | +17.522 | 2918 | ... | ... |
| 10274 | 10299 | 39 Aquarii | 7 | 22. 3. 31.56 | 36.67 | 11 | + 3.246 | - 15. 0. 12.49 | 35.23 | 6 | +17.524 | 2919 | ... | 9 |
| 10275 | 10300 | Piazzi XXII. 13 | 7 | 22. 3. 39.70 | 35.79 | 2 | + 3.003 | + 6. 5. 8.34 | 35.80 | 3 | +17.529 | ... | ... | 13 |
| 10276 | 10301 | Piazzi XXII. 15 | 6 | 22. 3. 53.45 | 41.12 | 3 | + 2.895 | + 15. 13. 49.18 | 36.13 | 6 | +17.539 | ... | ... | 15 |
| 10277 | 10302 | Piazzi XXII. 14 | 7.8 | 22. 4. 1.66 | 35.76 | 3 | + 3.155 | - 7. 16. 53.55 | 34.84 | 4 | +17.545 | ... | ... | 14 |
| 10278 | 10303 | Bradley 2920 | 7 | 22. 4. 8.23 | 35.73 | 2 | + 3.135 | - 5. 31. 53.68 | 35.11 | 4 | +17.551 | 2920 | ... | 17 |
| 10279 | 10304 | Lacaille 9063 | 5.6 | 22. 4. 27.56 | 38.19 | 5 | + 3.387 | - 25. 59. 41.80 | 35.17 | 10 | +17.564 | ... | 9063 | 19 |
| 10280 | 10305 | Lacaille 9061 | 7 | 22. 4. 32.34 | 39.08 | 5 | + 3.653 | - 42. 9. 38.73 | 39.01 | 5 | +17.567 | ... | 9061 | 18 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835°.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835°.0. | Mean Dec., 1835°.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835°.0. | Bradley. | Lacaille. | Piazzi. |
|-------|--------------|---------------------------|------------|------------------------|----------------------|----------------|-----------------------------------|------------------------|----------------------|----------------|-----------------------------------|----------|-----------|---------|
| 10281 | 10306 | Lacaille 9059 | 7.8 | h m s 22. 4. 35.51 | 39.14 | 3 | + 3.945 | — 53. 30. 59.37 | 39.14 | 3 | +17.568 | ... | 9059 | ... |
| 10282 | 10307 | 40 Aquarii..... | 7 | 22. 4. 36.67 | 33.88 | 3 | + 3.217 | — 12. 44. 17.88 | 33.79 | 5 | +17.569 | 2921 | ... | 20 |
| 10283 | 10308 | Piazzi XXII. 24 | 7 | 22. 4. 48.42 | 37.09 | 2 | + 1.790 | + 63. 18. 44.02 | 37.36 | 3 | +17.577 | ... | ... | 24 |
| 10284 | 10309 | 16 Piscis Australis | 6 | 22. 4. 56.86 | 37.31 | 6 | + 3.423 | — 28. 34. 52.44 | 35.82 | 8 | +17.584 | 2922 | 9065 | 21 |
| 10285 | 10310 | 21 Cephei | 4 | 22. 5. 8.26 | 32.71 | 2 | + 2.068 | + 57. 23. 22.98 | 32.40 | 8 | +17.593 | 2925 | ... | 26 |
| 10286 | 10311 | Piazzi XXII. 27 | 6.7 | 22. 5. 9.50 | 35.63 | 2 | + 2.078 | + 57. 7. 42.35 | 35.73 | 3 | +17.594 | ... | ... | 27 |
| 10287 | 10312 | 41 Aquarii..... | 6 | 22. 5. 10.76 | 32.83 | 5 | + 3.330 | — 21. 53. 31.25 | 33.29 | 5 | +17.595 | 2923 | ... | 22 |
| 10288 | 10313 | Bradley 2924 | 7 | 22. 5. 15.93 | 32.87 | 4 | + 3.131 | — 5. 15. 55.84 | 33.82 | 4 | +17.598 | 2924 | ... | ... |
| 10289 | 10314 | Piazzi XXII. 29 | 6.7 | 22. 5. 30.40 | 37.36 | 3 | + 2.643 | + 33. 47. 35.24 | 37.38 | 3 | +17.607 | ... | ... | 29 |
| 10290 | 10315 | Piazzi XXII. 28 | 7 | 22. 5. 33.93 | 39.84 | 5 | + 2.772 | + 25. 7. 58.86 | 38.33 | 7 | +17.609 | ... | ... | 28 |
| 10291 | 10316 | Gruis | 5 | 22. 5. 38.80 | 32.58 | 7 | + 3.651 | — 42. 9. 52.30 | 33.79 | 8 | +17.612 | ... | 9069 | 23 |
| 10292 | 10317 | Piazzi XXII. 30 | 7.8 | 22. 5. 47.81 | 37.61 | 2 | + 2.975 | + 8. 39. 51.12 | 37.72 | 3 | +17.619 | ... | ... | 30 |
| 10293 | 10318 | Piazzi XXII. 25 | 8 | 22. 5. 54.12 | 37.03 | 3 | + 3.394 | — 26. 47. 0.17 | 37.27 | 3 | +17.623 | ... | ... | 25 |
| 10294 | 10319 | 22 Cephei..... | 6 | 22. 5. 55.09 | 35.78 | 3 | + 2.026 | + 58. 36. 8.84 | 35.72 | 4 | +17.624 | 2927 | ... | 34 |
| 10295 | 10320 | Piazzi XXII. 32 | 6 | 22. 6. 5.77 | 35.74 | 3 | + 2.736 | + 27. 47. 35.52 | 35.72 | 3 | +17.633 | ... | ... | 32 |
| 10296 | 10321 | Piazzi XXII. 33 | 7.8 | 22. 6. 22.92 | 35.74 | 3 | + 2.885 | + 16. 22. 40.17 | 34.98 | 4 | +17.644 | ... | ... | 33 |
| 10297 | 10322 | Lacaille 9071 | 7 | 22. 6. 25.35 | 38.72 | 3 | + 3.985 | — 55. 8. 20.60 | 38.72 | 3 | +17.646 | ... | 9071 | ... |
| 10298 | 10323 | Gruis | 5 | 22. 6. 29.11 | 31.84 | 6 | + 3.653 | — 42. 26. 40.50 | 31.76 | 5 | +17.648 | ... | 9075 | 31 |
| 10299 | 10324 | Piazzi XXII. 35 | 7 | 22. 6. 34.69 | 37.22 | 2 | + 3.143 | — 6. 24. 5.84 | 37.53 | 4 | +17.652 | ... | ... | 35 |
| 10300 | 10325 | 24 Cephei | 6 | 22. 6. 37.41 | 35.84 | 3 | + 1.171 | + 71. 31. 48.41 | 34.75 | 2 | +17.654 | 2932 | ... | 40 |
| 10301 | 10326 | Piazzi XXII. 36 | 5 | 22. 6. 48.18 | 32.73 | 6 | + 2.560 | + 38. 53. 55.94 | 31.84 | 5 | +17.661 | ... | ... | 36 |
| 10302 | 10327 | Bradley 2934 | 6.7 | 22. 7. 0.26 | 35.85 | 2 | + 1.202 | + 71. 18. 0.22 | 35.09 | 4 | +17.669 | 2934 | ... | 45 |
| 10303 | 10328 | Piazzi XXII. 39 | 7.8 | 22. 7. 5.05 | 37.42 | 3 | + 2.797 | + 23. 29. 50.83 | 37.32 | 3 | +17.673 | ... | ... | 39 |
| 10304 | 10329 | Toucani | 3 | 22. 7. 7.87 | 32.80 | 5 | + 4.216 | — 61. 4. 39.69 | 31.86 | 5 | +17.674 | ... | 9074 | ... |
| 10305 | 10330 | Piazzi XXII. 42 | 7.8 | 22. 7. 14.95 | 37.25 | 2 | + 1.860 | + 62. 28. 37.63 | 37.23 | 2 | +17.679 | ... | ... | 42 |
| 10306 | 10331 | Piazzi XXII. 38 | 8.9 | 22. 7. 18.23 | 37.11 | 3 | + 3.277 | — 18. 1. 24.75 | 37.21 | 3 | +17.681 | ... | ... | 38 |
| 10307 | 10332 | Lacaille 9080 | 6 | 22. 7. 20.76 | 33.14 | 4 | + 3.390 | — 26. 42. 59.84 | 32.86 | 5 | +17.683 | ... | 9080 | 37 |
| 10308 | 10333 | Piazzi XXII. 47 | 7.8 | 22. 7. 36.92 | 39.96 | 5 | + 2.109 | + 56. 49. 25.74 | 39.02 | 4 | +17.693 | ... | ... | 47 |
| 10309 | 10334 | 42 Aquarii | 6 | 22. 7. 57.47 | 33.68 | 3 | + 3.225 | — 13. 39. 4.04 | 32.81 | 5 | +17.709 | 2928 | ... | 41 |
| 10310 | 10335 | Piazzi XXII. 43 | 7 | 22. 8. 3.72 | 33.74 | 6 | + 3.098 | — 2. 24. 55.30 | 32.73 | 5 | +17.713 | ... | ... | 43 |
| 10311 | 10336 | 43 Aquarii..... | 4.5 | 22. 8. 7.52 | 31.69 | 3 | + 3.167 | — 8. 36. 5.39 | 31.81 | 5 | +17.715 | 2929 | ... | 44 |
| 10312 | 10337 | Bradley 2930 | 6 | 22. 8. 9.61 | 33.72 | 3 | + 3.181 | — 9. 51. 33.76 | 32.90 | 5 | +17.716 | 2930 | ... | 46 |
| 10313 | 10338 | 44 Aquarii | 6.7 | 22. 8. 29.42 | 33.79 | 6 | + 3.140 | — 6. 12. 31.16 | 33.69 | 5 | +17.729 | 2931 | ... | 48 |
| 10314 | 10339 | Bradley 2938 | 6.7 | 22. 8. 38.52 | 37.25 | 2 | + 1.881 | + 62. 20. 42.41 | 37.36 | 3 | +17.736 | 2938 | ... | 53 |
| 10315 | 10340 | 1 Lacertae | 5 | 22. 8. 47.09 | 32.62 | 6 | + 2.603 | + 36. 55. 42.97 | 31.69 | 6 | +17.742 | 2933 | ... | 49 |
| 10316 | 10341 | Piazzi XXII. 50 | 7 | 22. 8. 54.41 | 35.81 | 3 | + 2.755 | + 26. 59. 1.50 | 35.16 | 3 | +17.747 | ... | ... | 50 |
| 10317 | 10342 | 23 Cephei | 4.5 | 22. 8. 58.01 | 32.70 | 6 | + 2.141 | + 56. 13. 21.53 | 32.82 | 11 | +17.749 | 2937 | ... | 54 |
| 10318 | 10343 | Piazzi XXII. 52 | 7.8 | 22. 9. 6.36 | 37.12 | 3 | + 2.736 | + 28. 21. 6.46 | 37.32 | 3 | +17.755 | ... | ... | 52 |
| 10319 | 10344 | Piazzi XXII. 51 | 7.8 | 22. 9. 11.16 | 35.77 | 3 | + 3.025 | + 4. 19. 26.05 | 35.07 | 4 | +17.758 | ... | ... | 51 |
| 10320 | 10345 | Piazzi XXII. 55 | 8 | 22. 9. 12.25 | 37.40 | 3 | + 2.466 | + 44. 16. 10.24 | 37.59 | 4 | +17.759 | ... | ... | 55 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A. 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0 | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-------|--------------|-----------------------|------------|----------------------|----------------------|-------------------|---------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 10321 | 10346 | Piazzi XXII. 57 | 7.8 | 22. 10. 0.06 | 37.11 | 2 | + 2.928 | + 13. 7. 44.90 | 39.21 | 3 | +17.792 | ... | ... | 57 |
| 10322 | 10347 | 45 Aquarii | 6 | 22. 10. 9.16 | 33.71 | 10 | + 3.227 | - 14. 7. 40.52 | 33.79 | 9 | +17.798 | 2936 | ... | 56 |
| 10323 | 10348 | Piazzi XXII. 58 | 7.8 | 22. 10. 9.81 | 35.57 | 2 | + 2.769 | + 26. 6. 50.78 | 35.24 | 2 | +17.799 | ... | ... | 58 |
| 10324 | 10349 | Piazzi XXII. 61 | 6.7 | 22. 10. 29.83 | 35.67 | 3 | + 2.146 | + 56. 23. 53.88 | 35.81 | 3 | +17.812 | ... | ... | 61 |
| 10325 | 10350 | Piazzi XXII. 64 | 6.7 | 22. 10. 33.42 | 35.82 | 3 | + 1.220 | + 71. 38. 45.89 | 35.06 | 4 | +17.814 | ... | ... | 64 |
| 10326 | 10351 | Piazzi XXII. 59 | 8 | 22. 10. 44.22 | 37.32 | 3 | + 3.173 | - 9. 19. 44.81 | 37.38 | 4 | +17.821 | ... | ... | 59 |
| 10327 | 10352 | Piazzi XXII. 60 | 7 | 22. 10. 53.92 | 37.34 | 3 | + 2.859 | + 19. 8. 27.02 | 37.24 | 3 | +17.828 | ... | ... | 60 |
| 10328 | 10353 | Piazzi XXII. 62 | 7 | 22. 11. 20.34 | 42.75 | 2 | + 2.928 | + 13. 14. 44.05 | 40.25 | 4 | +17.845 | ... | ... | 62 |
| 10329 | 10354 | 46 Aquarii | 6 | 22. 11. 30.88 | 33.01 | 6 | + 3.165 | - 8. 38. 47.87 | 32.86 | 5 | +17.852 | 2939 | ... | 63 |
| 10330 | 10355 | Piazzi XXII. 65 | 7 | 22. 11. 42.71 | 37.24 | 2 | + 2.614 | + 36. 56. 31.27 | 37.31 | 3 | +17.860 | ... | ... | 65 |
| 10331 | 10356 | Lacaille 9104 | 7.8 | 22. 11. 44.77 | 38.72 | 3 | + 4.008 | - 56. 58. 47.08 | 38.72 | 3 | +17.862 | ... | 9104 | ... |
| 10332 | 10357 | 30 Pegasi | 5 | 22. 12. 9.50 | 31.73 | 6 | + 3.019 | + 4. 57. 48.32 | 31.83 | 5 | +17.878 | 2941 | ... | 66 |
| 10333 | 10358 | 47 Aquarii | 5 | 22. 12. 30.12 | 35.71 | 9 | + 3.321 | - 22. 25. 17.61 | 35.54 | 8 | +17.892 | 2940 | ... | 67 |
| 10334 | 10359 | Lacaille 9107 | 6.7 | 22. 12. 37.03 | 38.70 | 3 | + 3.714 | - 46. 46. 36.44 | 38.70 | 3 | +17.896 | ... | 9107 | ... |
| 10335 | 10360 | Piazzi XXII. 69 | 7 | 22. 12. 38.47 | 37.81 | 2 | + 2.930 | + 13. 12. 23.44 | 37.48 | 4 | +17.897 | ... | ... | 69 |
| 10336 | 10361 | Piazzi XXII. 70 | 6.7 | 22. 12. 41.69 | 35.76 | 3 | + 2.994 | + 7. 21. 30.49 | 35.07 | 4 | +17.899 | ... | ... | 70 |
| 10337 | 10362 | Piazzi XXII. 68 | 7 | 22. 12. 45.40 | 37.01 | 3 | + 3.147 | - 7. 4. 13.26 | 37.50 | 4 | +17.901 | ... | ... | 68 |
| 10338 | 10363 | 25 Cephei | 6 | 22. 12. 50.03 | 35.78 | 3 | + 1.939 | + 61. 58. 44.14 | 35.09 | 4 | +17.904 | 2947 | ... | 75 |
| 10339 | 10364 | Gruis | 6 | 22. 12. 57.98 | 38.70 | 3 | + 3.712 | - 46. 45. 20.36 | 38.70 | 3 | +17.910 | ... | 9108 | ... |
| 10340 | 10365 | Piazzi XXII. 73 | 7 | 22. 13. 7.04 | 37.29 | 2 | + 2.990 | + 7. 47. 40.86 | 37.41 | 4 | +17.916 | ... | ... | 73 |
| 10341 | 10366 | 48 Aquarii | 4 | 22. 13. 8.01 | 32.73 | 1 | + 3.095 | - 2. 12. 58.83 | 32.06 | 5 | +17.917 | 2943 | ... | 72 |
| 10342 | 10367 | Piazzi XXII. 71 | 8 | 22. 13. 8.47 | 36.46 | 4 | + 3.146 | - 7. 0. 33.87 | 34.96 | 4 | +17.917 | ... | ... | 71 |
| 10343 | 10368 | Piazzi XXII. 76 | 7 | 22. 13. 20.67 | 35.61 | 3 | + 2.778 | + 26. 6. 26.18 | 35.01 | 4 | +17.925 | ... | ... | 76 |
| 10344 | 10369 | 31 Pegasi | 4.5 | 22. 13. 23.98 | 31.79 | 5 | + 2.951 | + 11. 22. 35.62 | 33.20 | 9 | +17.927 | 2944 | ... | 74 |
| 10345 | 10370 | 32 Pegasi | 5.6 | 22. 13. 42.73 | 32.88 | 5 | + 2.761 | + 27. 30. 6.06 | 32.87 | 5 | +17.938 | 2946 | ... | 77 |
| 10346 | 10371 | Lacaille 9112 | 6.7 | 22. 13. 55.53 | 40.38 | 5 | + 4.051 | - 58. 36. 51.66 | 40.77 | 3 | +17.947 | ... | 9112 | ... |
| 10347 | 10372 | Piazzi XXII. 80 | 7 | 22. 14. 3.55 | 35.77 | 3 | + 2.185 | + 56. 5. 22.97 | 35.10 | 4 | +17.952 | ... | ... | 80 |
| 10348 | 10373 | 2 Lacertae | 5 | 22. 14. 13.12 | 32.77 | 12 | + 2.462 | + 45. 42. 28.13 | 31.76 | 5 | +17.959 | 2948 | ... | 79 |
| 10349 | 10374 | 49 Aquarii | 6 | 22. 14. 18.57 | 32.82 | 4 | + 3.357 | - 25. 35. 37.62 | 32.77 | 5 | +17.962 | 2945 | 9116 | 78 |
| 10350 | 10375 | Piazzi XXII. 81 | 7 | 22. 14. 52.86 | 32.06 | 5 | + 3.155 | - 8. 1. 34.34 | 32.83 | 5 | +17.984 | ... | ... | 81 |
| 10351 | 10376 | Piazzi XXII. 82 | 8 | 22. 15. 14.04 | 36.77 | 2 | + 3.013 | + 5. 42. 33.62 | 37.23 | 3 | +17.999 | ... | ... | 82 |
| 10352 | 10377 | Piazzi XXII. 83 | 7.8 | 22. 15. 23.76 | 36.83 | 2 | + 3.187 | - 11. 1. 44.02 | 36.98 | 4 | +18.005 | ... | ... | 83 |
| 10353 | 10378 | Toucani | 5 | 22. 15. 30.43 | 36.60 | 9 | + 4.382 | - 65. 48. 7.56 | 35.85 | 9 | +18.009 | ... | 9114 | ... |
| 10354 | 10379 | 51 Aquarii | 6 | 22. 15. 31.09 | 32.86 | 5 | + 3.130 | - 5. 40. 9.37 | 33.69 | 5 | +18.009 | 2950 | ... | 85 |
| 10355 | 10381 | Piazzi XXII. 87 | 7.8 | 22. 15. 32.09 | 37.34 | 3 | + 2.647 | + 35. 49. 30.02 | 37.21 | 4 | +18.010 | ... | ... | 87 |
| 10356 | 10380 | Lacaille 9127 | 7 | 22. 15. 32.11 | 35.56 | 2 | + 3.381 | - 27. 41. 30.13 | 35.06 | 4 | +18.010 | ... | 9127 | 84 |
| 10357 | 10382 | 50 Aquarii | 6 | 22. 15. 36.35 | 33.42 | 3 | + 3.223 | - 14. 21. 48.37 | 33.04 | 5 | +18.012 | 2949 | ... | 86 |
| 10358 | 10383 | 33 Pegasi | 7 | 22. 15. 43.25 | 35.77 | 3 | + 2.858 | + 20. 0. 59.53 | 35.46 | 3 | +18.017 | 2951 | ... | 88 |
| 10359 | 10384 | Piazzi XXII. 89 | 7 | 22. 16. 5.09 | 33.76 | 5 | + 3.093 | - 2. 1. 19.78 | 33.77 | 5 | +18.031 | ... | ... | 89 |
| 10360 | 10385 | Piazzi XXII. 96 | 6.7 | 22. 16. 18.64 | 40.84 | 7 | + 0.785 | + 75. 39. 33.75 | 39.80 | 7 | +18.040 | ... | ... | 96 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-------|--------------|----------------------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 10361 | 10386 | Lacaille 9125 | 8 | h m s 22. 16. 26.33 | 38.73 | 3 | + 4.037 | — 58. 50. 13.10 | 38.73 | 3 | +18.046 | ... | 9125 | ... |
| 10362 | 10387 | 52 Aquarii..... π | 5 | 22. 16. 51.06 | 32.59 | 12 | + 3.067 | + 0. 32. 32.63 | 32.03 | 7 | +18.060 | 2952 | ... | 90 |
| 10363 | 10388 | Piazzi XXII. 92..... | 7.8 | 22. 16. 55.99 | 35.87 | 2 | + 2.238 | + 55. 7. 48.69 | 34.73 | 3 | +18.063 | ... | ... | 92 |
| 10364 | 10389 | Lacaille 9132 | 6 | 22. 17. 2.58 | 33.85 | 4 | + 3.337 | — 24. 31. 5.04 | 32.88 | 5 | +18.068 | ... | 9132 | 91 |
| 10365 | 10390 | Lacaille 9128 | 7.8 | 22. 17. 4.39 | 40.75 | 6 | + 3.768 | — 50. 11. 16.93 | 40.35 | 5 | +18.069 | ... | 9128 | ... |
| 10366 | 10391 | 3 Lacertæ..... β | 4 | 22. 17. 4.75 | 33.17 | 8 | + 2.345 | + 51. 24. 15.44 | 32.84 | 10 | +18.069 | 2956 | ... | 95 |
| 10367 | 10392 | Bradley 2953 | 6.7 | 22. 17. 36.26 | 34.60 | 9 | + 3.255 | — 17. 34. 38.35 | 34.88 | 8 | +18.088 | 2953 | ... | 93 |
| 10368 | 10393 | 53 Aquarii..... | 6.7 | 22. 17. 37.07 | 36.03 | 5 | + 3.255 | — 17. 34. 42.56 | 35.65 | 8 | +18.088 | 2954 | ... | 94 |
| 10369 | 10394 | Piazzi XXII. 97..... | 6.7 | 22. 17. 43.23 | 35.74 | 2 | + 2.889 | + 17. 36. 25.93 | 34.71 | 3 | +18.093 | ... | ... | 97 |
| 10370 | 10395 | 4 Lacertæ..... | 5 | 22. 17. 50.25 | 32.05 | 7 | + 2.417 | + 48. 38. 30.75 | 31.83 | 5 | +18.097 | 2958 | ... | 99 |
| 10371 | 10396 | 54 Aquarii..... | 7 | 22. 17. 55.68 | 35.78 | 2 | + 3.195 | — 12. 3. 51.17 | 35.72 | 3 | +18.102 | 2955 | ... | 98 |
| 10372 | 10397 | Brisbane 7168..... | 8.9 | 22. 18. 0.37 | 38.80 | 3 | + 4.072 | — 60. 4. 10.06 | 38.80 | 3 | +18.104 | ... | ... | ... |
| 10373 | 10398 | 34 Pegasi..... | 5.6 | 22. 18. 13.38 | 32.82 | 5 | + 3.036 | + 3. 33. 16.69 | 32.86 | 4 | +18.112 | 2957 | ... | 100 |
| 10374 | 10399 | Piazzi XXII. 101..... | 7 | 22. 18. 21.18 | 35.71 | 3 | + 2.803 | + 25. 5. 28.98 | 35.04 | 4 | +18.118 | ... | ... | 101 |
| 10375 | 10400 | Piazzi XXII. 103..... | 6.7 | 22. 18. 27.85 | 35.80 | 2 | + 2.379 | + 50. 25. 7.96 | 35.05 | 4 | +18.121 | ... | ... | 103 |
| 10376 | 10401 | Brisbane 7169..... | 6.7 | 22. 18. 31.51 | 40.79 | 3 | + 3.551 | — 39. 55. 38.38 | 39.79 | 2 | +18.123 | ... | ... | ... |
| 10377 | 10402 | Piazzi XXII. 105..... | 7.8 | 22. 18. 45.92 | 35.82 | 3 | + 2.401 | + 49. 33. 55.44 | 35.10 | 4 | +18.132 | ... | ... | 105 |
| 10378 | 10403 | Lacaille 9136 | 6.7 | 22. 18. 57.53 | 39.15 | 10 | + 3.550 | — 39. 57. 51.35 | 39.13 | 6 | +18.140 | ... | 9136 | 102 |
| 10379 | 10404 | Piazzi XXII. 109..... | 7.8 | 22. 19. 14.74 | 37.08 | 3 | + 1.968 | + 62. 44. 1.87 | 37.20 | 4 | +18.150 | ... | ... | 109 |
| 10380 | 10405 | Piazzi XXII. 106..... | 7.8 | 22. 19. 22.67 | 36.98 | 3 | + 3.036 | + 3. 41. 4.32 | 39.25 | 4 | +18.156 | ... | ... | 106 |
| 10381 | 10406 | Gruis..... δ^1 | 4 | 22. 19. 22.72 | 32.18 | 6 | + 3.627 | — 44. 20. 8.25 | 32.45 | 6 | +18.156 | ... | 9138 | 104 |
| 10382 | 10407 | 35 Pegasi..... | 5.6 | 22. 19. 30.44 | 37.17 | 9 | + 3.034 | + 3. 52. 16.50 | 37.08 | 9 | +18.161 | 2959 | ... | 107 |
| 10383 | 10408 | Gruis..... δ^2 | 5 | 22. 19. 52.35 | 33.01 | 5 | + 3.627 | — 44. 35. 25.95 | 32.11 | 4 | +18.174 | ... | 9140 | 108 |
| 10384 | 10409 | Piazzi XXII. 113..... | 8 | 22. 20. 13.48 | 37.09 | 2 | + 2.733 | + 30. 59. 56.22 | 37.55 | 2 | +18.186 | ... | ... | 113 |
| 10385 | 10410 | Piazzi XXII. 115..... | 7 | 22. 20. 16.14 | 37.27 | 2 | + 1.990 | + 62. 29. 23.92 | 37.36 | 3 | +18.188 | ... | ... | 115 |
| 10386 | 10411 | 55 Aquarii..... ζ | 4 | 22. 20. 20.04 | 32.09 | 7 | + 3.080 | — 0. 51. 41.23 | 32.79 | 10 | +18.192 | 2960 | ... | 111 |
| 10387 | 10412 | Piazzi XXII. 110..... | 8 | 22. 20. 21.80 | 37.31 | 3 | + 3.177 | — 10. 34. 38.65 | 37.20 | 4 | +18.193 | ... | ... | 110 |
| 10388 | 10413 | Lacaille 9151 | 8 | 22. 20. 31.59 | 35.73 | 2 | + 3.370 | — 27. 56. 52.82 | 35.00 | 4 | +18.199 | ... | 9151 | 112 |
| 10389 | 10414 | Piazzi XXII. 114..... | 8.9 | 22. 20. 35.86 | 37.24 | 2 | + 3.176 | — 10. 30. 12.52 | 37.38 | 4 | +18.202 | ... | ... | 114 |
| 10390 | 10415 | 36 Pegasi..... | 6.7 | 22. 20. 54.09 | 35.56 | 2 | + 2.991 | + 8. 17. 19.65 | 35.71 | 4 | +18.213 | 2962 | ... | 116 |
| 10391 | 10416 | Bradley 2961 | 6.7 | 22. 21. 12.01 | 32.88 | 4 | + 3.208 | — 13. 45. 26.72 | 32.89 | 5 | +18.223 | 2961 | ... | ... |
| 10392 | 10417 | 56 Aquarii..... | 6 | 22. 21. 26.34 | 33.74 | 8 | + 3.226 | — 15. 25. 36.22 | 32.83 | 5 | +18.232 | 2963 | ... | 117 |
| 10393 | 10418 | Piazzi XXII. 120..... | 6.7 | 22. 21. 26.72 | 35.71 | 3 | + 2.801 | + 25. 55. 19.24 | 35.74 | 3 | +18.232 | ... | ... | 120 |
| 10394 | 10419 | 37 Pegasi..... | 6 | 22. 21. 37.62 | 34.22 | 6 | + 3.037 | + 3. 35. 44.89 | 32.72 | 3 | +18.239 | 2965 | ... | 121 |
| 10395 | 10420 | Piazzi XXII. 119..... | 9 | 22. 21. 42.29 | 37.25 | 2 | + 3.331 | — 25. 0. 37.85 | 37.34 | 3 | +18.242 | ... | ... | 119 |
| 10396 | 10421 | .. Piscis Australis..... ζ | 8 | 22. 21. 42.68 | 35.74 | 1 | + 3.354 | — 26. 54. 49.17 | 35.02 | 4 | +18.242 | ... | 9160 | 118 |
| 10397 | 10422 | 26 Cephei..... | 6.7 | 22. 21. 47.55 | 35.84 | 2 | + 1.918 | + 64. 17. 31.34 | 35.06 | 4 | +18.245 | 2969 | ... | 128 |
| 10398 | 10423 | 57 Aquarii..... σ | 5 | 22. 21. 54.68 | 33.41 | 11 | + 3.185 | — 11. 31. 10.65 | 31.74 | 5 | +18.249 | 2966 | ... | 122 |
| 10399 | 10424 | 17 Piscis Australis..... β | 4 | 22. 22. 6.51 | 35.38 | 12 | + 3.434 | — 33. 11. 22.40 | 35.97 | 9 | +18.256 | 2964 | 9162 | 123 |
| 10400 | 10425 | Piazzi XXII. 124..... | 8.9 | 22. 22. 6.85 | 41.15 | 3 | + 3.434 | — 33. 11. 51.47 | 37.70 | 2 | +18.256 | ... | ... | 124 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|-------|--------------|------------------------|------------|-----------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 10401 | 10426 | Piazzi XXII. 125 | 8.9 | h m s 22. 22. 8.27 | 37.31 | 4 | + 3.184 | — 11. 28. 8.94 | 37.76 | 3 | +18.257 | ... | ... | 125 |
| 10402 | 10427 | Piazzi XXII. 127 | 7.8 | 22. 22. 19.40 | 37.30 | 2 | + 3.038 | + 3. 29. 22.78 | 37.29 | 4 | +18.264 | ... | ... | 127 |
| 10403 | 10428 | Piazzi XXII. 126 | 8 | 22. 22. 21.43 | 37.29 | 2 | + 3.184 | — 11. 26. 56.05 | 37.09 | 3 | +18.265 | ... | ... | 126 |
| 10404 | 10429 | Lacaille 9161 | 7 | 22. 22. 22.24 | 38.76 | 4 | + 3.607 | — 44. 6. 30.85 | 38.75 | 3 | +18.266 | ... | 9161 | ... |
| 10405 | 10430 | 38 Pegasi | 6 | 22. 22. 29.54 | 39.93 | 5 | + 2.731 | + 31. 43. 48.04 | 39.23 | 6 | +18.270 | 2968 | ... | 129 |
| 10406 | 10431 | 5 Lacerte | 5 | 22. 22. 40.08 | 41.40 | 5 | + 2.484 | + 46. 51. 50.04 | 39.78 | 7 | +18.276 | 2970 | ... | 132 |
| 10407 | 10432 | Brisbane 7178 | 7.8 | 22. 22. 49.55 | 38.80 | 3 | + 3.990 | — 59. 3. 38.95 | 38.80 | 3 | +18.282 | ... | ... | ... |
| 10408 | 10433 | Piazzi XXII. 131 | 7 | 22. 22. 56.14 | 35.85 | 2 | + 2.990 | + 8. 28. 35.83 | 35.00 | 4 | +18.286 | ... | ... | 131 |
| 10409 | 10434 | 58 Aquarii | 6 | 22. 22. 56.32 | 32.86 | 5 | + 3.186 | — 11. 44. 54.96 | 32.84 | 5 | +18.286 | 2967 | ... | 130 |
| 10410 | 10435 | Bradley 2972 | 7.8 | 22. 23. 2.37 | 35.85 | 2 | + 2.208 | + 57. 33. 40.43 | 35.06 | 4 | +18.289 | 2972 | ... | 134 |
| 10411 | 10436 | 27 Cephei | 4.5 | 22. 23. 3.35 | 31.70 | 5 | + 2.208 | + 57. 34. 21.05 | 32.90 | 11 | +18.290 | 2973 | ... | 135 |
| 10412 | 10437 | Piazzi XXII. 137 | 7 | 22. 23. 17.81 | 40.24 | 6 | + 2.382 | + 51. 34. 18.83 | 37.65 | 6 | +18.299 | ... | ... | 137 |
| 10413 | 10438 | Piazzi XXII. 133 | 8 | 22. 23. 21.22 | 37.12 | 3 | + 3.213 | — 14. 26. 23.87 | 37.26 | 5 | +18.301 | ... | ... | 133 |
| 10414 | 10439 | 6 Lacerte | 6 | 22. 23. 22.70 | 35.77 | 4 | + 2.575 | + 42. 16. 45.00 | 35.09 | 4 | +18.302 | 2971 | ... | 136 |
| 10415 | 10440 | Lacaille 9164 | 8 | 22. 23. 51.25 | 38.78 | 3 | + 3.854 | — 55. 8. 42.61 | 38.78 | 3 | +18.319 | ... | 9164 | ... |
| 10416 | 10441 | Piazzi XXII. 139 | 6.7 | 22. 23. 55.78 | 35.57 | 2 | + 2.774 | + 28. 41. 55.73 | 34.85 | 3 | +18.322 | ... | ... | 139 |
| 10417 | 10442 | Piazzi XXII. 138 | 8 | 22. 24. 9.11 | 37.00 | 3 | + 3.252 | — 18. 20. 47.91 | 37.03 | 3 | +18.329 | ... | ... | 138 |
| 10418 | 10443 | 7 Lacerte | 4 | 22. 24. 30.31 | 32.68 | 5 | + 2.440 | + 49. 26. 9.77 | 32.87 | 11 | +18.342 | 2975 | ... | 141 |
| 10419 | 10444 | 39 Pegasi | 6 | 22. 24. 37.53 | 33.31 | 6 | + 2.882 | + 19. 22. 55.14 | 32.56 | 5 | +18.347 | 2974 | ... | 140 |
| 10420 | 10445 | Lacaille 9170 | 7 | 22. 25. 8.48 | 38.82 | 3 | + 3.958 | — 58. 44. 0.75 | 38.79 | 2 | +18.364 | ... | 9170 | ... |
| 10421 | 10446 | Lacaille 9173 | 7 | 22. 25. 19.23 | 38.80 | 3 | + 3.770 | — 52. 27. 13.78 | 38.85 | 2 | +18.370 | ... | 9173 | ... |
| 10422 | 10453 | Bradley 2993 | 7 | 22. 25. 23.51 | 42.80 | 2 | — 3.416 | + 85. 16. 22.82 | 38.58 | 5 | +18.373 | 2993 | ... | 165 |
| 10423 | 10447 | 28 Cephei | 6.7 | 22. 25. 23.69 | 40.02 | 5 | + 0.559 | + 77. 56. 43.12 | 42.80 | 2 | +18.373 | 2980 | ... | 150 |
| 10424 | 10448 | Piazzi XXII. 142 | 7 | 22. 25. 24.93 | 32.82 | 5 | + 3.171 | — 10. 27. 24.56 | 32.88 | 5 | +18.374 | ... | ... | 142 |
| 10425 | 10449 | 60 Aquarii | 6.7 | 22. 25. 32.62 | 33.21 | 6 | + 3.095 | — 2. 25. 15.97 | 32.87 | 4 | +18.379 | 2977 | ... | 144 |
| 10426 | 10450 | 59 Aquarii | 5 | 22. 25. 39.55 | 32.03 | 7 | + 3.288 | — 21. 33. 2.28 | 31.78 | 5 | +18.381 | 2976 | ... | 143 |
| 10427 | 10451 | Bradley 2997 | 7 | 22. 25. 57.02 | 40.33 | 4 | — 3.543 | + 85. 23. 17.78 | 37.34 | 4 | +18.392 | 2997 | ... | 167 |
| 10428 | 10452 | Piazzi XXII. 145 | 7 | 22. 26. 9.58 | 33.38 | 10 | + 3.074 | — 0. 15. 3.59 | 33.75 | 5 | +18.400 | ... | ... | 145 |
| 10429 | 10454 | Piazzi XXII. 146 | 7 | 22. 26. 31.35 | 37.16 | 4 | + 3.312 | — 24. 50. 28.22 | 36.97 | 3 | +18.412 | ... | ... | 146 |
| 10430 | 10455 | Lacaille 9178 | 7 | 22. 26. 37.29 | 38.72 | 3 | + 3.685 | — 49. 9. 25.02 | 38.72 | 3 | +18.415 | ... | 9178 | ... |
| 10431 | 10456 | Gruis | 6.7 | 22. 26. 49.72 | 35.68 | 3 | + 3.539 | — 41. 25. 52.48 | 38.38 | 7 | +18.423 | ... | 9181 | 147 |
| 10432 | 10457 | 62 Aquarii | 4 | 22. 26. 52.63 | 33.03 | 9 | + 3.080 | — 0. 57. 56.51 | 31.73 | 5 | +18.425 | 2979 | ... | 151 |
| 10433 | 10458 | Piazzi XXII. 148 | 9 | 22. 26. 54.90 | 37.08 | 2 | + 3.283 | — 21. 47. 7.30 | 37.23 | 4 | +18.426 | ... | ... | 148 |
| 10434 | 10459 | 61 Aquarii | 7 | 22. 26. 55.53 | 32.73 | 5 | + 3.247 | — 18. 18. 33.04 | 34.21 | 6 | +18.426 | 2978 | ... | 149 |
| 10435 | 10460 | Piazzi XXII. 156 | 7 | 22. 27. 17.33 | 35.85 | 2 | + 2.298 | + 55. 46. 21.31 | 35.71 | 3 | +18.439 | ... | ... | 156 |
| 10436 | 10461 | Lacaille 9184 | 6 | 22. 27. 17.42 | 36.49 | 4 | + 3.408 | — 32. 30. 49.18 | 35.06 | 4 | +18.439 | ... | 9184 | 153 |
| 10437 | 10462 | Gruis | 6 | 22. 27. 19.48 | 39.96 | 5 | + 3.536 | — 41. 26. 23.74 | 38.74 | 7 | +18.441 | ... | 9183 | 152 |
| 10438 | 10463 | Piazzi XXII. 154 | 7.8 | 22. 27. 21.16 | 37.06 | 3 | + 3.407 | — 32. 29. 35.45 | 37.70 | 2 | +18.442 | ... | ... | 154 |
| 10439 | 10464 | Piazzi XXII. 157 | 8.9 | 22. 27. 32.40 | 35.71 | 3 | + 2.562 | + 44. 9. 14.43 | 35.00 | 4 | +18.447 | ... | ... | 157 |
| 10440 | 10465 | Piazzi XXII. 155 | 7.8 | 22. 27. 47.68 | 36.97 | 3 | + 3.283 | — 21. 56. 34.62 | 37.11 | 4 | +18.457 | ... | ... | 155 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|-------|--------------|---------------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| | | | | h m s | | | s | ° ' " | | | " | | | |
| 10441 | 10466 | Piazzi XXII. 158 | 7 | 22. 27. 52'28 | 35'81 | 1 | + 2'888 | + 19. 25. 40'46 | 35'73 | 3 | +18'459 | ... | ... | 158 |
| 10442 | 10467 | Piazzi XXII. 159 | 8 | 22. 28. 7'89 | 39'02 | 5 | + 2'653 | + 38. 44. 0'24 | 40'61 | 5 | +18'469 | ... | ... | 159 |
| 10443 | 10468 | Piazzi XXII. 161 | 7'8 | 22. 28. 11'00 | 35'72 | 3 | + 2'563 | + 44. 18. 7'17 | 35'09 | 4 | +18'470 | ... | ... | 161 |
| 10444 | 10469 | 29 Cephei | 6'7 | 22. 28. 21'09 | 39'84 | 7 | + 0'627 | + 77. 58. 40'20 | 37'56 | 10 | +18'476 | 2988 | ... | 168 |
| 10445 | 10470 | Piazzi XXII. 160 | 7 | 22. 28. 31'42 | 35'82 | 1 | + 3'274 | - 21. 13. 47'15 | 35'12 | 4 | +18'482 | ... | ... | 160 |
| 10446 | 10471 | Bradley 2981 | 7 | 22. 28. 32'23 | 41'23 | 7 | + 2'654 | + 38. 46. 32'28 | 38'82 | 2 | +18'482 | 2981 | ... | 163 |
| 10447 | 10472 | 8 Lacertæ | 7 | 22. 28. 32'30 | 41'61 | 6 | + 2'655 | + 38. 46. 54'15 | 37'19 | 8 | +18'482 | 2982 | ... | 164 |
| 10448 | 10473 | Lacaille 9189 | 6'7 | 22. 28. 53'83 | 39'79 | 2 | + 3'773 | - 53. 32. 47'33 | 39'79 | 2 | +18'495 | ... | 9189 | ... |
| 10449 | 10474 | Piazzi XXII. 162 | 8'9 | 22. 28. 56'00 | 38'92 | 6 | + 3'351 | - 28. 17. 54'89 | 39'11 | 6 | +18'496 | ... | ... | 162 |
| 10450 | 10475 | 63 Aquarii | 6 | 22. 29. 12'65 | 34'93 | 14 | + 3'118 | - 5. 4. 37'15 | 35'06 | 10 | +18'505 | 2983 | ... | 166 |
| 10451 | 10476 | Lacaille 9200 | 7'8 | 22. 30. 3'95 | 38'80 | 3 | + 3'691 | - 50. 27. 7'47 | 38'80 | 3 | +18'534 | ... | 9200 | ... |
| 10452 | 10477 | Lacaille 9198 | 7'8 | 22. 30. 14'77 | 38'79 | 3 | + 3'898 | - 58. 16. 46'69 | 38'79 | 3 | +18'540 | ... | 9198 | ... |
| 10453 | 10478 | Piazzi XXII. 169 | 7 | 22. 30. 28'49 | 35'77 | 3 | + 3'039 | + 3. 40. 30'29 | 35'17 | 3 | +18'548 | ... | ... | 169 |
| 10454 | 10479 | Lacaille 9204 | 7 | 22. 30. 32'43 | 38'75 | 3 | + 3'356 | - 29. 10. 51'21 | 38'75 | 3 | +18'550 | ... | 9204 | ... |
| 10455 | 10480 | Brisbane 7191 | 7 | 22. 30. 34'74 | 38'75 | 3 | + 3'356 | - 29. 12. 10'28 | 38'75 | 3 | +18'551 | ... | ... | ... |
| 10456 | 10481 | 64 Aquarii | 6'7 | 22. 30. 35'01 | 32'74 | 5 | + 3'170 | - 10. 53. 2'57 | 32'77 | 5 | +18'551 | 2984 | ... | 170 |
| 10457 | 10482 | 9 Lacertæ | 6 | 22. 30. 36'61 | 35'81 | 2 | + 2'451 | + 50. 41. 39'60 | 35'12 | 3 | +18'552 | 2987 | ... | 173 |
| 10458 | 10483 | Piazzi XXII. 171 | 8 | 22. 30. 42'89 | 36'99 | 3 | + 3'112 | - 4. 27. 46'47 | 37'21 | 3 | +18'555 | ... | ... | 171 |
| 10459 | 10484 | 40 Pegasi | 6 | 22. 30. 53'93 | 32'79 | 5 | + 2'901 | + 18. 40. 13'64 | 32'73 | 5 | +18'562 | 2985 | ... | 174 |
| 10460 | 10485 | Lacaille 9205 | 6'7 | 22. 31. 9'00 | 35'83 | 3 | + 3'382 | - 31. 30. 24'98 | 35'71 | 3 | +18'570 | ... | 9205 | 172 |
| 10461 | 10486 | Piazzi XXII. 177 | 6'7 | 22. 31. 9'81 | 35'73 | 2 | + 2'578 | + 44. 19. 37'80 | 35'72 | 3 | +18'570 | ... | ... | 177 |
| 10462 | 10487 | Piazzi XXII. 176 | 7 | 22. 31. 25'58 | 32'86 | 5 | + 3'163 | - 10. 13. 7'91 | 32'84 | 6 | +18'579 | ... | ... | 176 |
| 10463 | 10488 | 18 Piscis Australis | 4 | 22. 31. 31'12 | 32'59 | 10 | + 3'339 | - 27. 54. 4'94 | 31'76 | 5 | +18'582 | 2986 | 9206 | 175 |
| 10464 | 10489 | Piazzi XXII. 178 | 7 | 22. 31. 36'10 | 35'67 | 3 | + 3'137 | - 7. 23. 25'68 | 35'06 | 4 | +18'585 | ... | ... | 178 |
| 10465 | 10490 | Piazzi XXII. 179 | 7 | 22. 31. 37'43 | 35'78 | 2 | + 2'700 | + 36. 31. 4'55 | 35'79 | 2 | +18'587 | ... | ... | 179 |
| 10466 | 10491 | 31 Cephei | 5 | 22. 31. 40'90 | 31'94 | 5 | + 1'449 | + 72. 47. 16'60 | 31'83 | 5 | +18'588 | 2994 | ... | 185 |
| 10467 | 10492 | 41 Pegasi | 6 | 22. 31. 47'93 | 32'88 | 5 | + 2'901 | + 18. 49. 25'85 | 32'86 | 4 | +18'592 | 2989 | ... | 180 |
| 10468 | 10493 | 10 Lacertæ | 6 | 22. 31. 52'41 | 35'86 | 2 | + 2'677 | + 38. 11. 35'94 | 35'83 | 3 | +18'593 | 2990 | ... | 181 |
| 10469 | 10494 | Piazzi XXII. 184 | 7 | 22. 32. 4'98 | 35'78 | 2 | + 2'702 | + 36. 29. 46'25 | 35'73 | 4 | +18'601 | ... | ... | 184 |
| 10470 | 10495 | Piazzi XXII. 183 | 8 | 22. 32. 15'75 | 39'00 | 3 | + 3'111 | - 4. 24. 40'58 | 37'11 | 5 | +18'606 | ... | ... | 183 |
| 10471 | 10496 | Piazzi XXII. 182 | 8 | 22. 32. 18'53 | 37'06 | 3 | + 3'339 | - 28. 6. 57'37 | 36'98 | 4 | +18'608 | ... | ... | 182 |
| 10472 | 10497 | Piazzi XXII. 186 | 8 | 22. 32. 42'25 | 37'29 | 2 | + 2'951 | + 13. 41. 2'26 | 36'28 | 2 | +18'620 | ... | ... | 186 |
| 10473 | 10498 | Lacaille 9210 | 6 | 22. 32. 44'90 | 39'15 | 5 | + 3'625 | - 48. 3. 23'17 | 40'37 | 5 | +18'621 | ... | 9210 | ... |
| 10474 | 10499 | Gruis | 3 | 22. 32. 46'16 | 31'84 | 6 | + 3'619 | - 47. 44. 42'23 | 31'70 | 5 | +18'622 | ... | 9211 | ... |
| 10475 | 10500 | 30 Cephei | 5 | 22. 32. 48'47 | 32'12 | 7 | + 2'109 | + 62. 43. 41'63 | 31'85 | 5 | +18'624 | 2996 | ... | 190 |
| 10476 | 10501 | Lacaille 9215 | 7 | 22. 32. 59'38 | 38'80 | 3 | + 3'569 | - 45. 6. 36'83 | 38'80 | 3 | +18'630 | ... | 9215 | ... |
| 10477 | 10502 | 19 Piscis Australis | 6'7 | 22. 33. 10'73 | 35'57 | 2 | + 3'360 | - 30. 13. 14'12 | 35'01 | 4 | +18'635 | 2991 | ... | 187 |
| 10478 | 10503 | 42 Pegasi | 3 | 22. 33. 14'16 | 35'08 | 14 | + 2'985 | + 9. 58. 19'40 | 35'76 | 23 | +18'637 | 2992 | ... | 189 |
| 10479 | 10504 | 11 Lacertæ | 7 | 22. 33. 17'56 | 35'71 | 2 | + 2'605 | + 43. 24. 59'90 | 35'73 | 1 | +18'639 | 2995 | ... | 192 |
| 10480 | 10505 | Piazzi XXII. 188 | 8 | 22. 33. 18'68 | 37'12 | 3 | + 3'168 | - 10. 59. 8'76 | 37'22 | 2 | +18'640 | ... | ... | 188 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{cclxv}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-------|--------------|---------------------------|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 10481 | 10506 | Piazzi XXII. 194 | 8 | h m s 22. 33. 19.37 | 40.62 | 5 | + 2.325 | + 56. 31. 46.54 | 40.14 | 6 | +18.641 | ... | ... | 194 |
| 10482 | 10507 | Piazzi XXII. 191 | 9 | 22. 33. 34.06 | 38.44 | 4 | + 3.109 | - 4. 20. 0.03 | 38.52 | 4 | +18.648 | ... | ... | 191 |
| 10483 | 10508 | Piazzi XXII. 195 | 6 | 22. 33. 48.61 | 36.38 | 2 | + 2.953 | + 13. 39. 25.13 | 35.77 | 2 | +18.656 | ... | ... | 195 |
| 10484 | 10509 | Gruis | 6 | 22. 33. 54.45 | 35.72 | 2 | + 3.518 | - 42. 16. 18.71 | 35.02 | 4 | +18.659 | ... | 9218 | 193 |
| 10485 | 10510 | Piazzi XXII. 197 | 7.8 | 22. 33. 58.16 | 35.83 | 2 | + 2.596 | + 44. 8. 53.21 | 35.35 | 2 | +18.661 | ... | ... | 197 |
| 10486 | 10511 | 43 Pegasi | 5 | 22. 34. 1.17 | 36.41 | 11 | + 2.806 | + 28. 26. 53.40 | 36.69 | 9 | +18.663 | 2999 | ... | 196 |
| 10487 | 10512 | 12 Lacerte | 6 | 22. 34. 6.17 | 35.82 | 2 | + 2.670 | + 39. 21. 53.46 | 35.71 | 3 | +18.665 | 3002 | ... | 199 |
| 10488 | 10513 | 65 Aquarii | 7 | 22. 34. 20.18 | 32.79 | 6 | + 3.167 | - 10. 57. 48.97 | 32.77 | 5 | +18.673 | 2998 | ... | 198 |
| 10489 | 10514 | Piazzi XXII. 200 | 7 | 22. 34. 24.56 | 33.86 | 7 | + 3.151 | - 9. 10. 23.39 | 32.88 | 6 | +18.675 | ... | ... | 200 |
| 10490 | 10515 | Piazzi XXII. 201 | 7 | 22. 34. 35.41 | 35.87 | 2 | + 3.141 | - 8. 4. 35.42 | 35.06 | 4 | +18.681 | ... | ... | 201 |
| 10491 | 10516 | 67 Aquarii | 6 | 22. 34. 37.13 | 33.74 | 6 | + 3.139 | - 7. 49. 26.72 | 33.07 | 5 | +18.682 | 3001 | ... | 202 |
| 10492 | 10517 | 66 Aquarii | 6.7 | 22. 34. 41.97 | 33.75 | 6 | + 3.246 | - 19. 41. 28.27 | 33.70 | 5 | +18.684 | 3000 | ... | 203 |
| 10493 | 10518 | Piazzi XXII. 204 | 9 | 22. 34. 48.16 | 37.03 | 3 | + 3.151 | - 9. 16. 46.15 | 37.20 | 4 | +18.687 | ... | ... | 204 |
| 10494 | 10519 | 44 Pegasi | 3 | 22. 35. 16.62 | 33.19 | 3 | + 2.800 | + 29. 21. 36.27 | 33.02 | 10 | +18.702 | 3003 | ... | 205 |
| 10495 | 10520 | Gruis | 5 | 22. 35. 27.65 | 35.05 | 8 | + 3.744 | - 54. 21. 57.80 | 35.11 | 9 | +18.708 | ... | 9223 | ... |
| 10496 | 10521 | Lacaille 9229 | 6.7 | 22. 35. 54.43 | 38.77 | 3 | + 3.594 | - 47. 24. 41.58 | 38.77 | 3 | +18.723 | ... | 9229 | ... |
| 10497 | 10522 | Piazzi XXII. 206 | 9 | 22. 35. 58.41 | 36.97 | 4 | + 3.144 | - 8. 28. 51.14 | 37.44 | 4 | +18.725 | ... | ... | 206 |
| 10498 | 10523 | Lacaille 9231 | 7.8 | 22. 36. 11.08 | 38.79 | 3 | + 3.638 | - 49. 50. 30.69 | 38.78 | 3 | +18.732 | ... | 9231 | ... |
| 10499 | 10524 | Piazzi XXII. 210 | 8 | 22. 36. 24.84 | 35.56 | 2 | + 2.616 | + 43. 40. 37.57 | 34.99 | 4 | +18.739 | ... | ... | 210 |
| 10500 | 10525 | Piazzi XXII. 208 | 9 | 22. 36. 28.52 | 37.00 | 4 | + 3.143 | - 8. 25. 49.50 | 37.26 | 4 | +18.741 | ... | ... | 208 |
| 10501 | 10526 | 20 Piscis Australia | 6 | 22. 36. 28.79 | 32.84 | 5 | + 3.306 | - 26. 6. 8.42 | 32.84 | 5 | +18.741 | 3004 | 9236 | 207 |
| 10502 | 10527 | Lacaille 9233 | 7 | 22. 36. 31.31 | 40.74 | 6 | + 3.650 | - 50. 32. 22.42 | 40.74 | 6 | +18.742 | ... | 9233 | ... |
| 10503 | 10528 | Piazzi XXII. 209 | 7 | 22. 36. 40.60 | 35.79 | 2 | + 3.160 | - 10. 30. 32.31 | 35.62 | 5 | +18.747 | ... | ... | 209 |
| 10504 | 10529 | 13 Lacerte | 6 | 22. 36. 44.78 | 35.73 | 2 | + 2.660 | + 40. 57. 16.74 | 35.07 | 4 | +18.749 | 3005 | ... | 211 |
| 10505 | 10530 | Lacaille 9237 | 6.7 | 22. 36. 55.96 | 40.74 | 6 | + 3.595 | - 47. 48. 20.95 | 40.74 | 6 | +18.755 | ... | 9237 | ... |
| 10506 | 10531 | 45 Pegasi | 6 | 22. 37. 26.98 | 32.87 | 5 | + 2.914 | + 18. 29. 54.82 | 32.73 | 5 | +18.771 | 3006 | ... | 212 |
| 10507 | 10532 | Piazzi XXII. 213 | 8.9 | 22. 37. 39.94 | 37.03 | 4 | + 3.160 | - 10. 33. 39.67 | 37.13 | 3 | +18.778 | ... | ... | 213 |
| 10508 | 10533 | Piazzi XXII. 214 | 8 | 22. 37. 53.42 | 37.05 | 3 | + 2.806 | + 29. 35. 32.32 | 37.22 | 4 | +18.785 | ... | ... | 214 |
| 10509 | 10534 | Lacaille 9251 | 7 | 22. 38. 23.32 | 38.72 | 3 | + 3.451 | - 39. 5. 12.07 | 38.72 | 3 | +18.800 | ... | 9251 | ... |
| 10510 | 10535 | 46 Pegasi | 5 | 22. 38. 27.21 | 31.78 | 6 | + 2.979 | + 11. 19. 44.42 | 31.84 | 5 | +18.802 | 3008 | ... | 215 |
| 10511 | 10536 | Gruis | 4 | 22. 38. 32.99 | 32.24 | 6 | + 3.672 | - 52. 10. 56.38 | 31.77 | 5 | +18.805 | ... | 9249 | ... |
| 10512 | 10537 | 47 Pegasi | 4.5 | 22. 38. 35.46 | 32.36 | 10 | + 2.877 | + 22. 41. 57.52 | 33.23 | 13 | +18.806 | 3010 | ... | 217 |
| 10513 | 10538 | 68 Aquarii | 6 | 22. 38. 40.94 | 32.77 | 5 | + 3.245 | - 20. 28. 18.76 | 32.86 | 6 | +18.809 | 3007 | ... | 216 |
| 10514 | 10539 | 69 Aquarii | 6 | 22. 38. 56.86 | 33.04 | 10 | + 3.195 | - 14. 55. 26.54 | 32.90 | 5 | +18.817 | 3009 | ... | 218 |
| 10515 | 10540 | Piazzi XXII. 222 | 8 | 22. 39. 8.97 | 37.21 | 2 | + 2.604 | + 45. 20. 55.31 | 37.17 | 3 | +18.823 | ... | ... | 222 |
| 10516 | 10541 | Bradley 3011 | 8 | 22. 39. 19.73 | 37.04 | 6 | + 3.113 | - 5. 5. 1.01 | 36.89 | 8 | +18.829 | 3011 | ... | 219 |
| 10517 | 10542 | Piazzi XXII. 220 | 7.8 | 22. 39. 21.22 | 36.76 | 2 | + 3.113 | - 5. 5. 50.94 | 37.45 | 2 | +18.830 | ... | ... | 220 |
| 10518 | 10543 | Piazzi XXII. 221 | 9 | 22. 39. 27.22 | 37.06 | 4 | + 3.245 | - 20. 33. 49.52 | 37.27 | 4 | +18.833 | ... | ... | 221 |
| 10519 | 10544 | 70 Aquarii | 6 | 22. 39. 49.03 | 33.07 | 9 | + 3.165 | - 11. 25. 29.32 | 32.85 | 5 | +18.844 | 3012 | ... | 223 |
| 10520 | 10545 | Piazzi XXII. 226 | 6.7 | 22. 40. 38.38 | 35.77 | 3 | + 2.736 | + 36. 32. 59.74 | 35.14 | 3 | +18.868 | ... | ... | 226 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-------|--------------|--|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 10521 | 10546 | Lacaille 9271 | 8 | h m s 22. 40. 46.74 | 37.11 | 3 | + 3.374 | — 33. 40. 30.25 | 34.99 | 5 | +18.872 | ... | 9271 | 224 |
| 10522 | 10547 | 71 Aquarii ^r ₂ | 5.6 | 22. 40. 51.11 | 33.15 | 6 | + 3.189 | — 14. 27. 40.60 | 32.75 | 4 | +18.875 | 3013 | ... | 225 |
| 10523 | 10549 | Lacaille 9267 | 7.8 | 22. 41. 17.29 | 38.70 | 3 | + 3.876 | — 60. 45. 13.93 | 38.70 | 3 | +18.887 | ... | 9267 | ... |
| 10524 | 10550 | Lacaille 9275 | 7.8 | 22. 41. 37.33 | 35.80 | 3 | + 3.449 | — 40. 1. 43.80 | 35.00 | 4 | +18.898 | ... | 9275 | 227 |
| 10525 | 10551 | Piazzi XXII. 228 | 8.9 | 22. 41. 37.72 | 37.05 | 3 | + 3.138 | — 8. 19. 50.08 | 37.26 | 4 | +18.898 | ... | ... | 228 |
| 10526 | 10552 | 48 Pegasi ^μ | 4 | 22. 42. 2.78 | 32.45 | 5 | + 2.876 | + 23. 43. 55.93 | 33.46 | 18 | +18.909 | 3016 | ... | 231 |
| 10527 | 10553 | 72 Aquarii ^μ | 6.7 | 22. 42. 10.10 | 36.37 | 2 | + 3.136 | — 8. 10. 59.03 | 35.03 | 4 | +18.913 | ... | ... | 230 |
| 10528 | 10548 | 21 Piscis Australis | 6 | 22. 42. 14.11 | 35.81 | 3 | + 3.333 | — 30. 24. 30.08 | 35.25 | 3 | +18.914 | 3015 | 9281 | 229 |
| 10529 | 10554 | Piazzi XXII. 232 | 6.7 | 22. 42. 34.58 | 35.84 | 3 | + 2.926 | + 18. 16. 11.05 | 35.71 | 3 | +18.925 | ... | ... | 232 |
| 10530 | 10555 | 14 Lacertae ^μ | 7 | 22. 42. 56.13 | 35.76 | 3 | + 2.687 | + 41. 4. 50.65 | 34.99 | 4 | +18.936 | 3018 | ... | 233 |
| 10531 | 10556 | 22 Piscis Australis ^γ | 5 | 22. 43. 20.30 | 31.77 | 6 | + 3.365 | — 33. 44. 53.59 | 31.76 | 3 | +18.947 | 3017 | 9287 | 234 |
| 10532 | 10557 | 32 Cephei ^μ | 4 | 22. 43. 49.45 | 32.47 | 6 | + 2.122 | + 65. 20. 2.54 | 31.83 | 5 | +18.961 | 3022 | ... | 238 |
| 10533 | 10558 | Gruis ^τ ₁ | 6.7 | 22. 43. 50.15 | 38.99 | 4 | + 3.582 | — 49. 28. 10.14 | 38.73 | 3 | +18.961 | ... | 9289 | ... |
| 10534 | 10559 | 73 Aquarii ^λ | 4 | 22. 44. 0.23 | 33.07 | 6 | + 3.137 | — 8. 27. 19.07 | 31.80 | 5 | +18.966 | 3019 | ... | 235 |
| 10535 | 10560 | 49 Pegasi ^σ | 5.6 | 22. 44. 2.65 | 32.79 | 5 | + 3.003 | + 8. 57. 34.35 | 32.32 | 6 | +18.967 | 3020 | ... | 236 |
| 10536 | 10561 | Piazzi XXII. 237 | 8 | 22. 44. 9.63 | 36.92 | 4 | + 3.052 | + 2. 40. 42.31 | 36.92 | 4 | +18.970 | ... | ... | 237 |
| 10537 | 10562 | Piazzi XXII. 248 | 7.8 | 22. 44. 10.96 | 39.87 | 3 | — 0.185 | + 82. 24. 7.81 | 38.50 | 6 | +18.971 | ... | ... | 248 |
| 10538 | 10563 | 15 Lacertae ^μ | 6 | 22. 44. 36.54 | 35.91 | 1 | + 2.677 | + 42. 26. 12.37 | 35.07 | 4 | +18.983 | 3023 | ... | 240 |
| 10539 | 10564 | 74 Aquarii ^μ | 6 | 22. 44. 47.30 | 33.13 | 7 | + 3.167 | — 12. 29. 29.69 | 32.81 | 5 | +18.988 | 3021 | ... | 239 |
| 10540 | 10565 | Piazzi XXII. 241 | 6 | 22. 44. 55.35 | 32.86 | 5 | + 2.949 | + 15. 58. 2.47 | 32.77 | 5 | +18.992 | ... | ... | 241 |
| 10541 | 10566 | Bradley 3028 | 5 | 22. 44. 57.05 | 32.57 | 6 | + 2.302 | + 60. 49. 14.07 | 32.24 | 5 | +18.993 | 3028 | ... | ... |
| 10542 | 10567 | Piazzi XXII. 242 | 8 | 22. 45. 11.59 | 36.96 | 5 | + 3.114 | — 5. 31. 58.43 | 36.76 | 4 | +18.999 | ... | ... | 242 |
| 10543 | 10568 | Piazzi XXII. 244 | 7 | 22. 45. 15.71 | 35.82 | 3 | + 2.862 | + 26. 6. 11.89 | 35.08 | 4 | +19.001 | ... | ... | 244 |
| 10544 | 10569 | 75 Aquarii ^μ | 7 | 22. 45. 24.84 | 35.79 | 3 | + 3.171 | — 13. 3. 52.13 | 35.13 | 3 | +19.006 | 3024 | ... | 243 |
| 10545 | 10570 | Brisbane 7221 | 7 | 22. 45. 37.19 | 39.14 | 5 | + 3.569 | — 49. 22. 15.94 | 39.14 | 5 | +19.012 | ... | ... | ... |
| 10546 | 10571 | Gruis ^τ ₂ | 7 | 22. 45. 37.50 | 39.26 | 4 | + 3.569 | — 49. 20. 41.81 | 39.42 | 3 | +19.012 | ... | 9295 | ... |
| 10547 | 10572 | 76 Aquarii ^δ | 3 | 22. 45. 53.36 | 33.41 | 7 | + 3.200 | — 16. 41. 47.78 | 31.73 | 7 | +19.019 | 3025 | ... | 245 |
| 10548 | 10573 | 78 Aquarii ^μ | 6 | 22. 45. 58.72 | 32.89 | 5 | + 3.132 | — 8. 4. 47.14 | 32.83 | 5 | +19.021 | 3027 | ... | 246 |
| 10549 | 10574 | 77 Aquarii ^μ | 6 | 22. 46. 1.43 | 32.92 | 5 | + 3.203 | — 17. 8. 44.18 | 32.86 | 5 | +19.023 | 3026 | ... | 247 |
| 10550 | 10575 | Brisbane 7222 | 7.8 | 22. 46. 7.14 | 38.76 | 3 | + 3.569 | — 49. 34. 57.24 | 38.76 | 3 | +19.025 | ... | ... | ... |
| 10551 | 10576 | 1 Piscium ^μ | 6 | 22. 46. 33.02 | 33.61 | 6 | + 3.071 | + 0. 11. 14.33 | 32.69 | 5 | +19.037 | 3030 | ... | 249 |
| 10552 | 10577 | Piazzi XXII. 250 | 7 | 22. 46. 37.46 | 33.77 | 6 | + 3.115 | — 5. 51. 53.79 | 33.45 | 6 | +19.039 | ... | ... | 250 |
| 10553 | 10578 | 23 Piscis Australis ^δ | 5.6 | 22. 46. 47.54 | 35.80 | 3 | + 3.349 | — 33. 25. 9.07 | 35.05 | 4 | +19.044 | 3029 | 9304 | 251 |
| 10554 | 10579 | 50 Pegasi ^ρ | 5.6 | 22. 46. 55.64 | 33.14 | 9 | + 3.014 | + 7. 56. 16.10 | 32.66 | 6 | +19.048 | 3031 | ... | 252 |
| 10555 | 10580 | Bradley 3038 | 6 | 22. 47. 55.07 | 37.50 | 6 | + 0.021 | + 82. 16. 42.72 | 37.03 | 6 | +19.075 | 3038 | ... | 258 |
| 10556 | 10581 | 24 Piscis Australis ^α | 1 | 22. 48. 31.13 | 34.51 | 69 | + 3.314 | — 30. 29. 40.38 | 32.41 | 101 | +19.090 | 3032 | 9314 | 253 |
| 10557 | 10582 | Bradley 3033 | 7.8 | 22. 48. 44.44 | 35.83 | 3 | + 3.113 | — 5. 41. 25.19 | 35.22 | 4 | +19.097 | 3033 | ... | 254 |
| 10558 | 10583 | 16 Lacertae ^μ | 6 | 22. 48. 52.43 | 35.78 | 3 | + 2.720 | + 40. 43. 27.10 | 35.07 | 4 | +19.100 | 3034 | ... | 255 |
| 10559 | 10584 | 51 Pegasi ^μ | 6 | 22. 49. 21.91 | 32.83 | 5 | + 2.925 | + 19. 53. 9.21 | 33.77 | 6 | +19.113 | 3035 | ... | 257 |
| 10560 | 10585 | Lacaille 9316 | 7 | 22. 49. 22.81 | 37.29 | 6 | + 3.371 | — 36. 23. 58.03 | 36.62 | 7 | +19.113 | ... | 9316 | 256 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-------|--------------|------------------------|------------|------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 10561 | 10586 | Piazzi XXII. 259 | 9 | h m s 22. 49. 58.25 | 37.01 | 4 | + 3.110 | — 5. 23. 0.79 | 37.00 | 4 | +19.129 | ... | ... | 259 |
| 10562 | 10587 | Piazzi XXII. 260 | 8 | 22. 50. 0.13 | 37.07 | 3 | + 2.752 | + 38. 30. 28.48 | 36.98 | 4 | +19.130 | ... | ... | 260 |
| 10563 | 10588 | Piazzi XXII. 261 | 6.7 | 22. 50. 4.42 | 35.64 | 3 | + 2.753 | + 38. 25. 41.28 | 35.11 | 4 | +19.132 | ... | ... | 261 |
| 10564 | 10589 | Piazzi XXII. 263 | 7.8 | 22. 50. 23.79 | 37.68 | 2 | + 3.027 | + 6. 27. 44.37 | 37.25 | 2 | +19.140 | ... | ... | 263 |
| 10565 | 10590 | Lacaille 9321 | 6 | 22. 50. 33.73 | 37.25 | 6 | + 3.306 | — 30. 20. 42.23 | 37.25 | 6 | +19.144 | ... | 9321 | 262 |
| 10566 | 10592 | Lacaille 9320 | 7.8 | 22. 50. 51.83 | 40.52 | 8 | + 3.741 | — 59. 19. 14.82 | 40.77 | 7 | +19.152 | ... | 9320 | ... |
| 10567 | 10591 | Piazzi XXII. 280 | 8 | 22. 50. 53.44 | 36.78 | 3 | — 0.655 | + 83. 54. 3.62 | 37.41 | 3 | +19.153 | ... | ... | 280 |
| 10568 | 10593 | Piazzi XXII. 264 | 6.7 | 22. 50. 54.28 | 35.74 | 3 | + 3.171 | — 13. 57. 11.94 | 35.00 | 5 | +19.153 | ... | ... | 264 |
| 10569 | 10594 | 52 Pegasi | 6 | 22. 50. 56.79 | 32.73 | 6 | + 2.996 | + 10. 50. 52.65 | 32.81 | 5 | +19.154 | 3037 | ... | 265 |
| 10570 | 10595 | 2 Piscium | 6.7 | 22. 51. 0.19 | 32.80 | 6 | + 3.072 | + 0. 5. 0.75 | 32.87 | 6 | +19.156 | 3036 | ... | 266 |
| 10571 | 10596 | Grus | 5 | 22. 51. 6.17 | 31.73 | 5 | + 3.610 | — 53. 38. 13.37 | 31.83 | 5 | +19.159 | ... | 9322 | ... |
| 10572 | 10597 | Lacaille 9329 | 5.6 | 22. 51. 9.39 | 35.75 | 3 | + 3.265 | — 26. 2. 35.64 | 35.72 | 3 | +19.160 | ... | 9329 | 267 |
| 10573 | 10598 | Lacaille 9327 | 7.8 | 22. 51. 17.75 | 38.77 | 3 | + 3.540 | — 49. 49. 32.63 | 38.74 | 2 | +19.164 | ... | 9327 | ... |
| 10574 | 10599 | Piazzi XXII. 269 | 8 | 22. 51. 19.13 | 37.26 | 2 | + 3.095 | — 3. 19. 23.36 | 37.47 | 3 | +19.165 | ... | ... | 269 |
| 10575 | 10600 | Lacaille 9330 | 8.9 | 22. 51. 20.60 | 36.41 | 5 | + 3.273 | — 27. 1. 48.01 | 35.94 | 7 | +19.165 | ... | 9330 | 268 |
| 10576 | 10601 | Lacaille 9328 | 6 | 22. 51. 23.63 | 38.81 | 3 | + 3.574 | — 51. 50. 2.28 | 38.81 | 3 | +19.166 | ... | 9328 | ... |
| 10577 | 10602 | Piazzi XXII. 270 | 7.8 | 22. 51. 28.03 | 37.86 | 1 | + 3.273 | — 27. 0. 57.79 | 37.73 | 1 | +19.168 | ... | ... | 270 |
| 10578 | 10603 | Piazzi XXII. 271 | 7.8 | 22. 51. 28.24 | 37.12 | 5 | + 3.027 | + 6. 28. 30.12 | 37.37 | 5 | +19.168 | ... | ... | 271 |
| 10579 | 10604 | Piazzi XXII. 272 | 6.7 | 22. 51. 42.75 | 35.79 | 3 | + 3.140 | — 9. 45. 46.22 | 35.09 | 4 | +19.175 | ... | ... | 272 |
| 10580 | 10605 | Piazzi XXII. 273 | 8 | 22. 51. 46.75 | 37.24 | 6 | + 3.027 | + 6. 30. 0.80 | 37.13 | 3 | +19.177 | ... | ... | 273 |
| 10581 | 10606 | Piazzi XXII. 276 | 8 | 22. 52. 3.69 | 36.76 | 1 | + 2.582 | + 51. 25. 12.71 | 37.16 | 3 | +19.184 | ... | ... | 276 |
| 10582 | 10607 | 3 Piscium | 6 | 22. 52. 10.60 | 31.86 | 4 | + 3.077 | — 0. 41. 54.39 | 32.24 | 7 | +19.187 | 3039 | ... | 274 |
| 10583 | 10608 | Piazzi XXII. 275 | 7 | 22. 52. 18.69 | 32.87 | 6 | + 3.058 | + 2. 7. 54.15 | 32.83 | 4 | +19.190 | ... | ... | 275 |
| 10584 | 10609 | Piazzi XXII. 277 | 8 | 22. 52. 29.83 | 37.24 | 2 | + 3.242 | — 23. 40. 26.53 | 37.11 | 3 | +19.194 | ... | ... | 277 |
| 10585 | 10610 | 81 Aquarii | 6 | 22. 52. 49.14 | 32.56 | 8 | + 3.126 | — 7. 56. 41.12 | 33.17 | 6 | +19.202 | 3040 | ... | 278 |
| 10586 | 10611 | Piazzi XXII. 279 | 7 | 22. 52. 59.32 | 35.77 | 3 | + 3.110 | — 5. 35. 48.65 | 34.98 | 4 | +19.207 | ... | ... | 279 |
| 10587 | 10612 | Bradley 3041 | 7 | 22. 53. 19.52 | 32.85 | 6 | + 3.054 | + 2. 38. 54.87 | 33.77 | 6 | +19.215 | 3041 | ... | ... |
| 10588 | 10613 | 82 Aquarii | 6 | 22. 53. 58.53 | 32.79 | 5 | + 3.122 | — 7. 27. 28.58 | 32.83 | 5 | +19.232 | 3042 | ... | 281 |
| 10589 | 10614 | Lacaille 9345 | 7.8 | 22. 54. 5.24 | 40.03 | 5 | + 3.647 | — 56. 34. 57.29 | 40.34 | 6 | +19.234 | ... | 9345 | ... |
| 10590 | 10615 | 1 Andromedæ | 4 | 22. 54. 20.58 | 32.11 | 6 | + 2.738 | + 41. 26. 26.53 | 33.44 | 17 | +19.240 | 3043 | ... | 284 |
| 10591 | 10616 | Lacaille 9350 | 5.6 | 22. 54. 20.81 | 39.27 | 6 | + 3.343 | — 35. 38. 23.51 | 39.24 | 6 | +19.240 | ... | 9350 | 282 |
| 10592 | 10617 | Piazzi XXII. 283 | 8 | 22. 54. 24.78 | 36.99 | 4 | + 2.968 | + 15. 20. 45.79 | 37.03 | 4 | +19.242 | ... | ... | 283 |
| 10593 | 10618 | Lacaille 9354 | 7 | 22. 54. 41.10 | 38.77 | 3 | + 3.415 | — 42. 22. 8.63 | 38.77 | 3 | +19.249 | ... | 9354 | ... |
| 10594 | 10619 | Piazzi XXII. 285 | 8 | 22. 54. 41.47 | 35.81 | 3 | + 2.918 | + 22. 14. 40.70 | 35.00 | 4 | +19.249 | ... | ... | 285 |
| 10595 | 10620 | 2 Andromedæ | 6 | 22. 55. 1.45 | 35.80 | 2 | + 2.737 | + 41. 52. 17.36 | 35.72 | 3 | +19.257 | 3045 | ... | 286 |
| 10596 | 10621 | Bradley 3058 | 6 | 22. 55. 25.91 | 40.01 | 5 | — 0.173 | + 83. 27. 46.20 | 38.42 | 7 | +19.267 | 3058 | ... | 295 |
| 10597 | 10622 | 4 Piscium | 5 | 22. 55. 29.02 | 31.82 | 6 | + 3.053 | + 2. 56. 0.57 | 32.75 | 9 | +19.268 | 3046 | ... | 287 |
| 10598 | 10623 | 53 Pegasi | 2 | 22. 55. 47.11 | 32.56 | 5 | + 2.882 | + 27. 11. 19.50 | 31.78 | 5 | +19.276 | 3047 | ... | 288 |
| 10599 | 10624 | 54 Pegasi | 2 | 22. 56. 32.84 | 34.15 | 73 | + 2.979 | + 14. 19. 8.94 | 32.72 | 105 | +19.293 | 3050 | ... | 290 |
| 10600 | 10625 | 83 Aquarii | 6 | 22. 56. 33.46 | 33.72 | 10 | + 3.127 | — 8. 34. 58.00 | 33.40 | 8 | +19.293 | 3048 | ... | 289 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-------|--------------|--|------------|-----------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 10601 | 10626 | 84 Aquarii ^h ₂ | 7 | 22. 56. 43.38 | 34.45 | 8 | + 3.127 | — 8. 38. 36.96 | 35.13 | 3 | +19.299 | 3049 | ... | 291 |
| 10602 | 10627 | Piazzi XXII. 292 | 6 | 22. 56. 46.70 | 35.77 | 3 | + 2.762 | + 40. 23. 11.19 | 35.34 | 2 | +19.300 | ... | ... | 292 |
| 10603 | 10628 | 3 Andromedæ | 6 | 22. 56. 47.69 | 38.56 | 5 | + 2.651 | + 49. 9. 21.97 | 37.58 | 6 | +19.300 | 3052 | ... | 293 |
| 10604 | 10629 | Bradley 3054 | 5 | 22. 57. 16.98 | 32.43 | 6 | + 2.246 | + 66. 19. 15.09 | 33.80 | 5 | +19.312 | 3054 | ... | ... |
| 10605 | 10630 | 85 Aquarii ^h ₃ | 7 | 22. 57. 17.38 | 32.87 | 5 | + 3.128 | — 8. 49. 32.61 | 33.06 | 5 | +19.312 | 3051 | ... | 294 |
| 10606 | 10631 | Piazzi XXII. 297 | 7 | 22. 57. 20.46 | 35.79 | 3 | + 2.982 | + 14. 4. 14.47 | 35.04 | 4 | +19.313 | ... | ... | 297 |
| 10607 | 10632 | Gruis ^θ | 5 | 22. 57. 33.43 | 31.80 | 6 | + 3.425 | — 44. 24. 34.13 | 31.81 | 5 | +19.318 | ... | 9366 | 296 |
| 10608 | 10633 | Lacaille 9365 | 7 | 22. 57. 36.75 | 39.79 | 2 | + 3.508 | — 50. 29. 48.46 | 39.79 | 2 | +19.319 | ... | 9365 | ... |
| 10609 | 10634 | Lacaille 9367 | 7.8 | 22. 57. 40.71 | 38.78 | 3 | + 3.525 | — 51. 34. 32.49 | 38.78 | 3 | +19.321 | ... | 9367 | ... |
| 10610 | 10635 | Lacaille 9369 | 6 | 22. 57. 41.03 | 35.81 | 3 | + 3.371 | — 39. 46. 59.52 | 35.71 | 3 | +19.321 | ... | 9369 | 298 |
| 10611 | 10636 | 86 Aquarii ^c ₁ | 5.6 | 22. 57. 48.41 | 32.85 | 5 | + 3.236 | — 24. 37. 58.36 | 32.83 | 5 | +19.324 | 3053 | 9371 | 299 |
| 10612 | 10637 | Piazzi XXII. 300 | 8 | 22. 58. 6.61 | 36.99 | 4 | + 2.959 | + 17. 37. 32.16 | 37.24 | 4 | +19.331 | ... | ... | 300 |
| 10613 | 10638 | Piazzi XXII. 301 | 8 | 22. 58. 21.02 | 36.97 | 4 | + 2.949 | + 19. 1. 14.43 | 37.39 | 5 | +19.337 | ... | ... | 301 |
| 10614 | 10639 | 87 Aquarii ^h ₄ | 7.8 | 22. 58. 37.12 | 35.81 | 1 | + 3.125 | — 8. 34. 57.05 | 35.07 | 4 | +19.344 | 3055 | ... | 302 |
| 10615 | 10640 | 55 Pegasi | 5 | 22. 58. 41.86 | 34.98 | 11 | + 3.019 | + 8. 31. 10.61 | 32.88 | 10 | +19.345 | 3056 | ... | 303 |
| 10616 | 10641 | 56 Pegasi | 4.5 | 22. 59. 4.92 | 31.77 | 6 | + 2.911 | + 24. 34. 45.88 | 33.33 | 10 | +19.354 | 3057 | ... | 304 |
| 10617 | 10642 | Lacaille 9376 | 6 | 22. 59. 24.79 | 36.06 | 11 | + 3.271 | — 29. 42. 48.26 | 36.86 | 11 | +19.362 | ... | 9376 | 305 |
| 10618 | 10643 | Piazzi XXII. 306 | 7 | 22. 59. 34.84 | 35.84 | 3 | + 2.855 | + 31. 56. 0.23 | 35.00 | 4 | +19.366 | ... | ... | 306 |
| 10619 | 10644 | 1 Cassiopeiæ | 6 | 22. 59. 39.80 | 35.85 | 2 | + 2.503 | + 58. 31. 44.82 | 35.72 | 3 | +19.368 | 3061 | ... | 308 |
| 10620 | 10645 | Piazzi XXII. 307 | 8.9 | 22. 59. 51.32 | 37.01 | 4 | + 3.133 | — 9. 54. 0.85 | 37.02 | 4 | +19.372 | ... | ... | 307 |
| 10621 | 10646 | Piazzi XXII. 309 | 8 | 22. 59. 55.95 | 37.05 | 4 | + 2.882 | + 28. 48. 4.27 | 37.10 | 3 | +19.374 | ... | ... | 309 |
| 10622 | 10647 | 4 Andromedæ | 6 | 23. 0. 7.83 | 35.83 | 2 | + 2.721 | + 45. 29. 46.75 | 34.99 | 4 | +19.378 | 3063 | ... | 311 |
| 10623 | 10648 | 5 Piscium ^A | 6 | 23. 0. 13.97 | 33.20 | 6 | + 3.065 | + 1. 13. 51.55 | 34.43 | 3 | +19.381 | 3059 | ... | 310 |
| 10624 | 10649 | 5 Andromedæ | 6.7 | 23. 0. 16.92 | 35.76 | 2 | + 2.684 | + 48. 23. 51.23 | 35.10 | 4 | +19.382 | 3064 | ... | 312 |
| 10625 | 10650 | 88 Aquarii ^c ₂ | 4.5 | 23. 0. 38.56 | 31.78 | 5 | + 3.211 | — 22. 3. 58.51 | 31.87 | 5 | +19.389 | 3062 | ... | 313 |
| 10626 | 10651 | Lacaille 9381 | 6 | 23. 0. 46.38 | 37.78 | 6 | + 3.399 | — 43. 45. 11.41 | 36.65 | 7 | +19.392 | ... | 9381 | 314 |
| 10627 | 10652 | Lacaille 9383 | 6.7 | 23. 0. 49.31 | 38.76 | 3 | + 3.261 | — 28. 58. 54.95 | 38.76 | 3 | +19.393 | ... | 9383 | ... |
| 10628 | 10653 | Bradley 3066 | 7 | 23. 0. 56.74 | 35.87 | 2 | + 3.065 | + 1. 15. 3.04 | 35.13 | 3 | +19.396 | 3066 | ... | 316 |
| 10629 | 10654 | Lacaille 9384 | 6 | 23. 0. 57.12 | 39.55 | 8 | + 3.373 | — 41. 28. 58.34 | 39.09 | 9 | +19.396 | ... | 9384 | 315 |
| 10630 | 10655 | Gruis ^t | 5 | 23. 0. 59.52 | 36.40 | 13 | + 3.426 | — 46. 8. 18.50 | 36.85 | 11 | +19.397 | ... | 9382 | ... |
| 10631 | 10656 | Brisbane 7253 | 8 | 23. 1. 3.66 | 38.80 | 3 | + 3.396 | — 43. 38. 49.67 | 38.80 | 3 | +19.398 | ... | ... | ... |
| 10632 | 10657 | 89 Aquarii ^c ₃ | 5 | 23. 1. 5.79 | 32.65 | 5 | + 3.219 | — 23. 21. 2.47 | 32.00 | 5 | +19.399 | 3065 | 9386 | 317 |
| 10633 | 10658 | Piazzi XXIII. 1 | 7 | 23. 1. 10.95 | 35.93 | 2 | + 1.832 | + 74. 41. 25.01 | 35.74 | 3 | +19.401 | ... | ... | 1 |
| 10634 | 10659 | 57 Pegasi | 5.6 | 23. 1. 12.03 | 32.87 | 5 | + 3.026 | + 7. 47. 3.18 | 32.64 | 6 | +19.401 | 3068 | ... | 318 |
| 10635 | 10660 | Piazzi XXII. 319 | 7.8 | 23. 1. 34.15 | 35.79 | 2 | + 2.887 | + 28. 46. 33.40 | 35.72 | 3 | +19.409 | ... | ... | 319 |
| 10636 | 10661 | 58 Pegasi | 6 | 23. 1. 43.21 | 36.61 | 6 | + 3.019 | + 8. 55. 46.64 | 35.22 | 3 | +19.412 | 3069 | ... | 320 |
| 10637 | 10662 | Piazzi XXIII. 2 | 7 | 23. 2. 6.84 | 35.83 | 2 | + 3.112 | — 6. 51. 13.83 | 35.78 | 3 | +19.421 | ... | ... | 2 |
| 10638 | 10663 | Piazzi XXIII. 3 | 8.9 | 23. 2. 21.69 | 37.12 | 3 | + 3.022 | + 8. 53. 15.09 | 37.10 | 3 | +19.426 | ... | ... | 3 |
| 10639 | 10664 | Piazzi XXIII. 4 | 7 | 23. 2. 31.18 | 35.73 | 3 | + 2.972 | + 16. 42. 6.43 | 35.14 | 4 | +19.430 | ... | ... | 4 |
| 10640 | 10665 | 33 Cephei ^π | 5 | 23. 2. 40.31 | 31.74 | 1 | + 1.879 | + 74. 29. 46.64 | 31.76 | 5 | +19.434 | 3074 | ... | 8 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835'0.

{cclxix}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|-------|--------------|------------------------|------------|----------------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 10641 | 10666 | 2 Cassiopeia | 6 | ^{h m s} 23. 2. 42'33 | 35'78 | 3 | + 2'533 | + 58. 26. 20'87 | 35'10 | 4 | +19'434 | 3071 | ... | 6 |
| 10642 | 10667 | 6 Andromedæ | 6'7 | 23. 2. 50'65 | 35'72 | 2 | + 2'768 | + 42. 39. 32'42 | 35'12 | 4 | +19'438 | 3070 | ... | 7 |
| 10643 | 10668 | Piazzi XXIII. 5 | 7'8 | 23. 2. 50'99 | 37'29 | 2 | + 3'048 | + 4. 6. 36'65 | 37'04 | 4 | +19'438 | ... | ... | 5 |
| 10644 | 10669 | Lacaille 9393 | 7'8 | 23. 3. 19'40 | 39'99 | 5 | + 3'531 | - 55. 4. 56'08 | 40'46 | 6 | +19'448 | ... | 9393 | ... |
| 10645 | 10670 | 59 Pegasi | 5'6 | 23. 3. 24'68 | 32'82 | 6 | + 3'027 | + 7. 49. 31'61 | 31'92 | 4 | +19'449 | 3072 | ... | 9 |
| 10646 | 10671 | 60 Pegasi | 6 | 23. 3. 49'19 | 32'59 | 6 | + 2'914 | + 25. 57. 26'23 | 32'77 | 5 | +19'458 | 3073 | ... | 11 |
| 10647 | 10672 | Lacaille 9397 | 7'8 | 23. 3. 49'70 | 38'83 | 3 | + 3'466 | - 50. 30. 51'35 | 38'83 | 3 | +19'458 | ... | 9397 | ... |
| 10648 | 10673 | Piazzi XXIII. 10 | 8'9 | 23. 3. 52'56 | 37'39 | 3 | + 3'066 | + 1. 7. 7'93 | 36'77 | 3 | +19'459 | ... | ... | 10 |
| 10649 | 10674 | Lacaille 9400 | 7'8 | 23. 4. 22'17 | 38'78 | 3 | + 3'360 | - 41. 49. 57'10 | 38'78 | 3 | +19'469 | ... | 9400 | ... |
| 10650 | 10675 | Piazzi XXIII. 12 | 7'8 | 23. 4. 22'53 | 37'26 | 4 | + 3'131 | - 10. 27. 57'18 | 37'26 | 4 | +19'469 | ... | ... | 12 |
| 10651 | 10676 | 7 Andromedæ | 5 | 23. 5. 0'52 | 31'74 | 6 | + 2'713 | + 48. 30. 20'11 | 32'91 | 11 | +19'483 | 3075 | ... | 14 |
| 10652 | 10677 | Piazzi XXIII. 13 | 8'9 | 23. 5. 8'13 | 37'13 | 3 | + 3'037 | + 6. 17. 3'91 | 37'30 | 4 | +19'486 | ... | ... | 13 |
| 10653 | 10678 | Piazzi XXIII. 15 | 7'8 | 23. 5. 15'33 | 37'14 | 3 | + 3'065 | + 1. 18. 18'70 | 37'10 | 4 | +19'488 | ... | ... | 15 |
| 10654 | 10679 | Piazzi XXIII. 17 | 7 | 23. 5. 37'33 | 35'69 | 3 | + 3'091 | - 3. 31. 52'42 | 35'00 | 4 | +19'495 | ... | ... | 17 |
| 10655 | 10680 | Piazzi XXIII. 16 | 8 | 23. 5. 39'36 | 36'54 | 4 | + 3'246 | - 29. 21. 19'06 | 37'27 | 4 | +19'496 | ... | ... | 16 |
| 10656 | 10681 | Lacaille 9406 | 6'7 | 23. 5. 42'90 | 38'77 | 3 | + 3'560 | - 57. 35. 17'41 | 38'77 | 3 | +19'498 | ... | 9406 | ... |
| 10657 | 10682 | 90 Aquarii | 5 | 23. 5. 46'59 | 32'48 | 12 | + 3'110 | - 6. 56. 12'96 | 31'84 | 5 | +19'500 | 3076 | ... | 19 |
| 10658 | 10683 | Lacaille 9407 | 6'7 | 23. 5. 48'40 | 37'23 | 6 | + 3'351 | - 41. 59. 53'17 | 36'62 | 7 | +19'501 | ... | 9407 | 18 |
| 10659 | 10684 | Piazzi XXIII. 20 | 7'8 | 23. 5. 48'78 | 37'40 | 3 | + 2'967 | + 18. 44. 14'33 | 37'32 | 4 | +19'501 | ... | ... | 20 |
| 10660 | 10685 | Lacaille 9410 | 7 | 23. 6. 49'25 | 38'81 | 3 | + 3'535 | - 56. 25. 32'42 | 38'81 | 3 | +19'520 | ... | 9410 | ... |
| 10661 | 10686 | Piazzi XXIII. 21 | 8 | 23. 7. 11'97 | 37'26 | 4 | + 3'070 | + 0. 24. 41'02 | 37'05 | 4 | +19'528 | ... | ... | 21 |
| 10662 | 10687 | 91 Aquarii | 5'6 | 23. 7. 14'72 | 33'19 | 12 | + 3'126 | - 9. 59. 7'81 | 32'50 | 6 | +19'529 | 3078 | ... | 22 |
| 10663 | 10688 | Piazzi XXIII. 23 | 8 | 23. 7. 18'02 | 35'72 | 2 | + 2'931 | + 24. 46. 25'07 | 35'02 | 4 | +19'530 | ... | ... | 23 |
| 10664 | 10689 | Lacaille 9424 | 7 | 23. 7. 43'03 | 35'76 | 3 | + 3'345 | - 42. 5. 39'90 | 35'20 | 3 | +19'538 | ... | 9424 | 24 |
| 10665 | 10690 | 61 Pegasi | 6 | 23. 7. 43'47 | 33'91 | 8 | + 2'916 | + 27. 20. 58'34 | 33'66 | 8 | +19'538 | 3080 | ... | 26 |
| 10666 | 10691 | Toucani | 4 | 23. 7. 45'06 | 37'55 | 13 | + 3'578 | - 59. 8. 20'38 | 37'13 | 13 | +19'539 | ... | 9420 | ... |
| 10667 | 10692 | Lacaille 9426 | 8 | 23. 7. 47'44 | 37'24 | 2 | + 3'243 | - 29. 34. 58'41 | 37'33 | 4 | +19'540 | ... | 9426 | 25 |
| 10668 | 10698 | Piazzi XXIII. 27 | 8 | 23. 7. 55'50 | 37'04 | 3 | + 2'977 | + 17. 21. 38'27 | 37'33 | 4 | +19'542 | ... | ... | 27 |
| 10669 | 10693 | Piazzi XXIII. 28 | 6 | 23. 8. 1'03 | 35'81 | 1 | + 2'917 | + 27. 19. 39'49 | 34'81 | 1 | +19'544 | ... | ... | 28 |
| 10670 | 10694 | Lacaille 9429 | 7 | 23. 8. 16'47 | 38'83 | 4 | + 3'240 | - 29. 19. 59'86 | 38'18 | 5 | +19'549 | ... | 9429 | 29 |
| 10671 | 10695 | 92 Aquarii | 5'6 | 23. 8. 17'70 | 33'36 | 10 | + 3'117 | - 8. 37. 29'53 | 32'73 | 4 | +19'550 | 3081 | ... | 30 |
| 10672 | 10696 | 6 Piscium | 4'5 | 23. 8. 36'78 | 33'78 | 11 | + 3'060 | + 2. 22. 55'57 | 33'36 | 22 | +19'556 | 3082 | ... | 31 |
| 10673 | 10697 | Brisbane 7270 | 8 | 23. 8. 52'96 | 38'78 | 3 | + 3'568 | - 59. 11. 59'20 | 38'78 | 3 | +19'562 | ... | ... | ... |
| 10674 | 10699 | Gruis | 6 | 23. 9. 2'37 | 37'32 | 6 | + 3'335 | - 41. 43. 9'20 | 36'67 | 7 | +19'564 | ... | 9432 | 32 |
| 10675 | 10700 | 93 Aquarii | 5 | 23. 9. 19'68 | 32'67 | 9 | + 3'124 | - 10. 4. 55'38 | 31'89 | 4 | +19'569 | 3083 | ... | 33 |
| 10676 | 10701 | Piazzi XXIII. 34 | 6'7 | 23. 9. 25'39 | 36'21 | 4 | + 2'980 | + 17. 24. 22'39 | 35'16 | 4 | +19'571 | ... | ... | 34 |
| 10677 | 10702 | Lacaille 9433 | 7'8 | 23. 9. 30'47 | 40'96 | 7 | + 3'400 | - 48. 20. 9'93 | 40'95 | 7 | +19'573 | ... | 9433 | ... |
| 10678 | 10703 | Piazzi XXIII. 35 | 7'8 | 23. 9. 38'02 | 37'60 | 4 | + 3'236 | - 29. 22. 31'38 | 36'44 | 5 | +19'575 | ... | ... | 35 |
| 10679 | 10704 | Sculptoris | 5 | 23. 9. 54'05 | 34'08 | 9 | + 3'263 | - 33. 25. 46'53 | 34'69 | 8 | +19'581 | ... | 9435 | 36 |
| 10680 | 10705 | 8 Andromedæ | 5 | 23. 10. 6'81 | 32'26 | 6 | + 2'750 | + 48. 6. 51'57 | 32'29 | 5 | +19'584 | 3089 | ... | 39 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-------|--------------|--|------------|------------------------|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| 10681 | 10706 | Piazzi XXIII. 38 | 8 | h m s 23. 10. 10.45 | 37.38 | 4 | + 2.927 | + 26. 42. 3.78 | 37.28 | 4 | +19.585 | ... | ... | 38 |
| 10682 | 10707 | Piazzi XXIII. 37 | 7 | 23. 10. 12.36 | 36.33 | 2 | + 3.234 | - 29. 17. 23.67 | 35.76 | 4 | +19.586 | ... | ... | 37 |
| 10683 | 10708 | 95 Aquarii ^ψ ⁸ | 5 | 23. 10. 22.45 | 32.27 | 11 | + 3.125 | - 10. 30. 41.19 | 32.88 | 5 | +19.589 | 3087 | ... | 40 |
| 10684 | 10709 | Piazzi XXIII. 44 | 7.8 | 23. 10. 24.49 | 37.28 | 4 | + 2.928 | + 26. 42. 19.47 | 37.19 | 5 | +19.590 | ... | ... | 44 |
| 10685 | 10710 | Piazzi XXIII. 41 | 9 | 23. 10. 25.50 | 39.95 | 6 | + 3.145 | - 14. 21. 5.21 | 40.05 | 4 | +19.590 | ... | ... | 41 |
| 10686 | 10711 | 94 Aquarii..... | 6 | 23. 10. 25.71 | 32.77 | 5 | + 3.145 | - 14. 21. 18.49 | 34.78 | 7 | +19.591 | 3088 | ... | 42 |
| 10687 | 10712 | Piazzi XXIII. 43 | 8 | 23. 10. 26.20 | 40.93 | 6 | + 3.049 | + 4. 30. 34.61 | 40.01 | 4 | +19.591 | ... | ... | 43 |
| 10688 | 10713 | 9 Andromedæ | 6 | 23. 10. 34.70 | 35.71 | 3 | + 2.824 | + 40. 52. 23.95 | 35.06 | 4 | +19.593 | 3091 | ... | 45 |
| 10689 | 10714 | Lacaille 9442..... | 7.8 | 23. 10. 45.56 | 38.79 | 3 | + 3.393 | - 48. 26. 31.32 | 38.79 | 3 | +19.596 | ... | 9442 | ... |
| 10690 | 10715 | 96 Aquarii..... | 6 | 23. 10. 50.64 | 33.32 | 10 | + 3.102 | - 6. 1. 29.06 | 32.86 | 5 | +19.598 | 3090 | ... | 46 |
| 10691 | 10716 | Piazzi XXIII. 47 | 7 | 23. 11. 27.57 | 35.68 | 3 | + 2.876 | + 34. 55. 26.57 | 35.74 | 3 | +19.610 | ... | ... | 47 |
| 10692 | 10717 | Lacaille 9446..... | 6.7 | 23. 11. 31.73 | 38.77 | 3 | + 3.421 | - 51. 12. 19.57 | 38.77 | 3 | +19.611 | ... | 9446 | ... |
| 10693 | 10718 | Piazzi XXIII. 48 | 7 | 23. 11. 32.44 | 37.32 | 2 | + 2.953 | + 22. 55. 29.78 | 37.76 | 2 | +19.611 | ... | ... | 48 |
| 10694 | 10719 | 11 Andromedæ..... | 6 | 23. 11. 49.86 | 35.86 | 3 | + 2.765 | + 47. 43. 14.80 | 35.00 | 4 | +19.617 | 3093 | ... | 50 |
| 10695 | 10720 | 34 Cephei | 6 | 23. 11. 52.75 | 35.88 | 3 | + 2.409 | + 67. 12. 34.20 | 35.23 | 3 | +19.618 | 3097 | ... | 53 |
| 10696 | 10721 | 7 Piscium..... ^δ | 6 | 23. 11. 56.31 | 33.50 | 6 | + 3.050 | + 4. 28. 56.07 | 33.58 | 7 | +19.619 | 3092 | ... | 49 |
| 10697 | 10722 | Bradley 3094 | 7 | 23. 11. 57.79 | 40.51 | 6 | + 2.769 | + 47. 28. 39.33 | 39.26 | 6 | +19.619 | 3094 | ... | 51 |
| 10698 | 10723 | 10 Andromedæ..... | 7 | 23. 12. 2.18 | 35.87 | 3 | + 2.829 | + 41. 10. 32.64 | 35.01 | 4 | +19.621 | 3095 | ... | 52 |
| 10699 | 10724 | B.D. — 6°.6191..... | 7 | 23. 12. 10.52 | 32.87 | 5 | + 3.105 | - 6. 48. 27.68 | 32.86 | 5 | +19.623 | ... | ... | ... |
| 10700 | 10725 | Piazzi XXIII. 54..... | 7.8 | 23. 12. 10.86 | 37.12 | 3 | + 2.833 | + 40. 51. 9.72 | 37.43 | 3 | +19.623 | ... | ... | 54 |
| 10701 | 10726 | Lacaille 9448..... | 6 | 23. 12. 27.52 | 32.90 | 5 | + 3.218 | - 27. 53. 16.24 | 32.91 | 5 | +19.629 | ... | 9448 | 55 |
| 10702 | 10727 | 62 Pegasi..... ^T | 5 | 23. 12. 28.69 | 35.13 | 11 | + 2.956 | + 22. 50. 18.48 | 34.41 | 7 | +19.629 | 3096 | ... | 56 |
| 10703 | 10728 | Piazzi XXIII. 57 | 7 | 23. 12. 42.22 | 35.77 | 3 | + 2.992 | + 16. 20. 55.93 | 35.05 | 4 | +19.632 | ... | ... | 57 |
| 10704 | 10729 | 63 Pegasi | 6 | 23. 12. 45.26 | 35.77 | 3 | + 2.917 | + 29. 30. 54.15 | 35.16 | 4 | +19.633 | 3098 | ... | 58 |
| 10705 | 10730 | 12 Andromedæ | 6 | 23. 12. 56.54 | 35.80 | 3 | + 2.864 | + 37. 16. 56.00 | 35.09 | 4 | +19.637 | 3099 | ... | 59 |
| 10706 | 10731 | Piazzi XXIII. 60 | 7.8 | 23. 13. 52.24 | 36.99 | 3 | + 2.943 | + 25. 42. 31.18 | 37.04 | 4 | +19.654 | ... | ... | 60 |
| 10707 | 10732 | 64 Pegasi | 6 | 23. 13. 52.51 | 35.87 | 3 | + 2.912 | + 30. 54. 33.73 | 35.15 | 4 | +19.654 | 3103 | ... | 62 |
| 10708 | 10733 | Lacaille 9452..... | 7 | 23. 13. 56.56 | 41.19 | 5 | + 3.475 | - 56. 27. 26.40 | 41.19 | 5 | +19.655 | ... | 9452 | ... |
| 10709 | 10734 | 97 Aquarii | 6 | 23. 14. 0.06 | 32.62 | 5 | + 3.148 | - 15. 56. 38.68 | 33.10 | 6 | +19.656 | 3102 | ... | 61 |
| 10710 | 10735 | Lacaille 9454..... | 7 | 23. 14. 16.54 | 38.75 | 3 | + 3.315 | - 42. 30. 21.68 | 38.77 | 2 | +19.661 | ... | 9454 | ... |
| 10711 | 10736 | 98 Aquarii..... ^δ ¹ | 5 | 23. 14. 17.93 | 31.79 | 6 | + 3.174 | - 21. 0. 0.45 | 31.73 | 5 | +19.661 | 3105 | ... | 63 |
| 10712 | 10737 | Piazzi XXIII. 64 | 8.9 | 23. 14. 25.28 | 37.12 | 3 | + 3.127 | - 11. 40. 47.73 | 37.04 | 4 | +19.664 | ... | ... | 64 |
| 10713 | 10738 | 65 Pegasi | 6 | 23. 14. 28.09 | 32.92 | 7 | + 2.976 | + 19. 55. 32.19 | 32.83 | 5 | +19.664 | 3106 | ... | 65 |
| 10714 | 10739 | Brisbane 7280 | 7.8 | 23. 14. 30.90 | 38.83 | 3 | + 3.444 | - 54. 43. 5.75 | 38.83 | 3 | +19.665 | ... | ... | ... |
| 10715 | 10740 | Lacaille 9456..... | 6.7 | 23. 14. 41.19 | 39.10 | 9 | + 3.326 | - 44. 1. 45.39 | 38.79 | 11 | +19.668 | ... | 9456 | 66 |
| 10716 | 10741 | 66 Pegasi | 6 | 23. 14. 45.67 | 32.59 | 6 | + 3.019 | + 11. 24. 38.89 | 32.89 | 6 | +19.669 | 3108 | ... | 67 |
| 10717 | 10742 | Lacaille 9457..... | 6.7 | 23. 14. 56.31 | 38.82 | 3 | + 3.416 | - 52. 47. 40.17 | 38.82 | 3 | +19.672 | ... | 9457 | ... |
| 10718 | 10743 | Piazzi XXIII. 68 | 6.7 | 23. 15. 4.22 | 32.80 | 5 | + 3.075 | - 0. 36. 48.03 | 33.09 | 5 | +19.674 | ... | ... | 68 |
| 10719 | 10744 | Piazzi XXIII. 69..... | 7 | 23. 15. 12.18 | 35.70 | 3 | + 3.115 | - 9. 21. 51.23 | 35.09 | 4 | +19.676 | ... | ... | 69 |
| 10720 | 10745 | Lacaille 9462..... | 6 | 23. 15. 22.28 | 32.90 | 6 | + 3.180 | - 22. 40. 32.15 | 33.78 | 6 | +19.679 | ... | 9462 | 70 |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835'0.

{cclxxi}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|-------|--------------|------------------------------|------------|-----------------------------------|----------------------|----------------|----------------------------------|------------------------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 10721 | 10746 | Lacaille 9461..... | 7.8 | ^{h m s} 23. 15. 30.59 | 38.85 | 3 | ^s + 3.274 | ^{° ' "} - 38. 6. 19.80 | 38.88 | 3 | ["] +19.682 | ... | 9461 | ... |
| 10722 | 10747 | Bradley 3109..... | 9 | 23. 15. 41.75 | 35.73 | 4 | + 2.914 | + 31. 37. 29.04 | 35.00 | 4 | +19.684 | 3109 | ... | 71 |
| 10723 | 10748 | Lacaille 9463..... | 5.6 | 23. 15. 52.42 | 40.67 | 5 | + 3.477 | - 57. 45. 12.11 | 40.60 | 7 | +19.687 | ... | 9463 | ... |
| 10724 | 10749 | Piazzi XXIII. 72..... | 8 | 23. 15. 58.42 | 37.00 | 4 | + 3.048 | + 5. 16. 51.52 | 36.84 | 4 | +19.689 | ... | ... | 72 |
| 10725 | 10750 | Piazzi XXIII. 73..... | 7 | 23. 16. 3.22 | 35.80 | 3 | + 2.732 | + 53. 7. 32.99 | 35.13 | 4 | +19.691 | ... | ... | 73 |
| 10726 | 10751 | Piazzi XXIII. 74..... | 9 | 23. 16. 35.28 | 37.09 | 3 | + 2.967 | + 22. 34. 28.44 | 37.13 | 3 | +19.700 | ... | ... | 74 |
| 10727 | 10752 | 67 Pegasi..... | 6 | 23. 16. 47.08 | 35.64 | 3 | + 2.919 | + 31. 28. 45.43 | 35.01 | 4 | +19.704 | 3111 | ... | 75 |
| 10728 | 10753 | 68 Pegasi..... | 5 | 23. 17. 9.21 | 31.73 | 5 | + 2.969 | + 22. 29. 47.60 | 31.72 | 5 | +19.709 | 3114 | ... | 77 |
| 10729 | 10754 | Piazzi XXIII. 76..... | 8 | 23. 17. 12.46 | 35.72 | 1 | + 3.170 | - 21. 30. 48.85 | 35.09 | 4 | +19.710 | ... | ... | 76 |
| 10730 | 10755 | Lacaille 9470..... | 6 | 23. 17. 20.55 | 38.91 | 3 | + 3.408 | - 53. 38. 2.80 | 38.91 | 2 | +19.713 | ... | 9470 | ... |
| 10731 | 10756 | 99 Aquarii..... ^u | 5 | 23. 17. 22.31 | 32.39 | 7 | + 3.170 | - 21. 32. 43.62 | 32.30 | 6 | +19.713 | 3113 | ... | 78 |
| 10732 | 10757 | 4 Cassiopeie..... | 5 | 23. 17. 31.86 | 32.60 | 3 | + 2.621 | + 61. 22. 40.03 | 32.98 | 11 | +19.715 | 3115 | ... | 81 |
| 10733 | 10758 | Piazzi XXIII. 79..... | 8 | 23. 17. 44.39 | 37.17 | 5 | + 3.132 | - 13. 51. 24.93 | 37.05 | 4 | +19.719 | ... | ... | 79 |
| 10734 | 10759 | Lacaille 9474..... | 6.7 | 23. 17. 47.43 | 38.82 | 3 | + 3.486 | - 59. 23. 11.67 | 38.82 | 3 | +19.720 | ... | 9474 | ... |
| 10735 | 10760 | Piazzi XXIII. 80..... | 8.9 | 23. 17. 49.82 | 37.25 | 4 | + 3.171 | - 22. 5. 49.73 | 37.03 | 4 | +19.720 | ... | ... | 80 |
| 10736 | 10761 | Lacaille 9478..... | 6 | 23. 17. 53.26 | 32.85 | 6 | + 3.174 | - 22. 38. 49.82 | 32.45 | 5 | +19.721 | ... | 9478 | 82 |
| 10737 | 10762 | Lacaille 9476..... | 6.7 | 23. 17. 58.38 | 39.25 | 4 | + 3.374 | - 51. 3. 51.94 | 39.24 | 4 | +19.723 | ... | 9476 | ... |
| 10738 | 10763 | Lacaille 9477..... | 8 | 23. 17. 59.07 | 38.77 | 3 | + 3.375 | - 51. 11. 5.17 | 38.77 | 3 | +19.723 | ... | 9477 | ... |
| 10739 | 10764 | 8 Piscium..... ^k | 5.6 | 23. 18. 28.52 | 34.68 | 19 | + 3.071 | + 0. 21. 12.54 | 33.64 | 16 | +19.729 | 3116 | ... | 83 |
| 10740 | 10765 | Piazzi XXIII. 86..... | 7.8 | 23. 18. 40.84 | 35.76 | 3 | + 2.762 | + 52. 15. 36.69 | 35.00 | 4 | +19.731 | ... | ... | 86 |
| 10741 | 10774 | Lacaille 9480..... | 7.8 | 23. 18. 41.04 | 38.76 | 4 | + 3.370 | - 51. 15. 3.16 | 38.78 | 4 | +19.731 | ... | 9480 | ... |
| 10742 | 10766 | 9 Piscium..... | 6 | 23. 18. 47.72 | 32.74 | 5 | + 3.071 | + 0. 13. 1.87 | 32.80 | 4 | +19.734 | 3117 | ... | 84 |
| 10743 | 10767 | Piazzi XXIII. 85..... | 8.9 | 23. 18. 51.13 | 37.12 | 6 | + 3.131 | - 13. 50. 8.67 | 37.10 | 3 | +19.736 | ... | ... | 85 |
| 10744 | 10768 | Piazzi XXIII. 88..... | 8 | 23. 19. 5.18 | 35.80 | 3 | + 2.720 | + 55. 58. 22.73 | 35.07 | 4 | +19.739 | ... | ... | 88 |
| 10745 | 10769 | Lacaille 9485..... | 6.7 | 23. 19. 8.55 | 35.80 | 3 | + 3.247 | - 36. 27. 6.19 | 35.16 | 4 | +19.740 | ... | 9485 | 87 |
| 10746 | 10770 | 13 Andromedæ..... | 6.7 | 23. 19. 11.27 | 35.80 | 3 | + 2.859 | + 42. 0. 15.28 | 35.15 | 4 | +19.741 | 3118 | ... | 89 |
| 10747 | 10771 | 69 Pegasi..... | 6 | 23. 19. 29.21 | 32.81 | 5 | + 2.966 | + 24. 15. 42.70 | 33.79 | 5 | +19.746 | 3119 | ... | 91 |
| 10748 | 10772 | Piazzi XXIII. 90..... | 6.7 | 23. 19. 29.85 | 35.77 | 3 | + 3.123 | - 12. 21. 21.85 | 35.05 | 4 | +19.746 | ... | ... | 90 |
| 10749 | 10773 | 10 Piscium..... ^θ | 5 | 23. 19. 36.07 | 34.07 | 8 | + 3.050 | + 5. 28. 25.22 | 35.28 | 8 | +19.748 | 3120 | ... | 92 |
| 10750 | 10775 | Piazzi XXIII. 93..... | 8.9 | 23. 19. 52.55 | 37.79 | 6 | + 3.051 | + 5. 10. 4.52 | 37.96 | 6 | +19.751 | ... | ... | 93 |
| 10751 | 10776 | Lacaille 9490..... | 6.7 | 23. 19. 59.61 | 40.76 | 6 | + 3.307 | - 45. 24. 19.31 | 40.92 | 7 | +19.753 | ... | 9490 | ... |
| 10752 | 10777 | Lacaille 9488..... | 7.8 | 23. 20. 1.94 | 38.79 | 3 | + 3.408 | - 55. 24. 35.64 | 38.79 | 3 | +19.754 | ... | 9488 | ... |
| 10753 | 10778 | Bradley 3125..... | 5 | 23. 20. 20.36 | 31.78 | 5 | + 2.458 | + 69. 27. 9.51 | 31.80 | 5 | +19.759 | 3125 | ... | ... |
| 10754 | 10779 | 70 Pegasi..... ^q | 5 | 23. 20. 49.07 | 32.46 | 6 | + 3.024 | + 11. 51. 3.21 | 31.73 | 5 | +19.766 | 3122 | ... | 94 |
| 10755 | 10780 | 11 Piscium..... | 6.7 | 23. 20. 58.97 | 32.93 | 6 | + 3.083 | - 2. 41. 54.64 | 32.35 | 6 | +19.769 | 3123 | ... | 95 |
| 10756 | 10781 | Piazzi XXIII. 96..... | 7 | 23. 21. 0.29 | 35.92 | 8 | + 3.093 | - 5. 25. 51.22 | 37.01 | 8 | +19.769 | ... | ... | 96 |
| 10757 | 10782 | 12 Piscium..... | 7 | 23. 21. 2.78 | 33.53 | 7 | + 3.079 | - 1. 56. 35.75 | 33.85 | 5 | +19.770 | 3124 | ... | 97 |
| 10758 | 10783 | Piazzi XXIII. 98..... | 8 | 23. 21. 8.82 | 39.48 | 6 | + 3.052 | + 5. 11. 43.01 | 39.36 | 6 | +19.771 | ... | ... | 98 |
| 10759 | 10784 | Lacaille 9495..... | 8 | 23. 21. 38.55 | 37.76 | 7 | + 3.279 | - 42. 53. 38.29 | 37.77 | 7 | +19.778 | ... | 9495 | 99 |
| 10760 | 10785 | Piazzi XXIII. 100..... | 7 | 23. 22. 17.09 | 35.71 | 2 | + 2.726 | + 57. 38. 23.99 | 35.12 | 4 | +19.787 | ... | ... | 100 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835°0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835°0. | Mean Dec., 1835°0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835°0. | Bradley. | Lacaille. | Piazzi. |
|-------|------------------|---------------------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 10761 | 10786 | Piazzi XXIII. 101 | 5 | h m s 23. 22. 26'54 | 33'51 | 7 | + 2'728 | + 57. 38. 23'11 | 31'76 | 5 | +19'789 | ... | ... | 101 |
| 10762 | 10787 | Lacaille 9502..... | 6'7 | 23. 22. 27'62 | 38'76 | 3 | + 3'296 | - 45. 45. 9'81 | 38'76 | 3 | +19'790 | ... | 9502 | ... |
| 10763 | 10788 | Lacaille 9507..... | 7'8 | 23. 22. 56'52 | 37'27 | 6 | + 3'270 | - 42. 39. 44'69 | 36'61 | 7 | +19'796 | ... | 9507 | 102 |
| 10764 | 10789 | Piazzi XXIII. 103..... | 6'7 | 23. 23. 0'09 | 37'79 | 5 | + 3'091 | - 4. 59. 18'30 | 38'27 | 6 | +19'797 | ... | ... | 103 |
| 10765 | 10790 | 100 Aquarii ^{b8} | 6 | 23. 23. 2'57 | 35'78 | 3 | + 3'160 | - 22. 16. 44'55 | 34'97 | 5 | +19'798 | 3126 | ... | 104 |
| 10766 | 10791 | Bradley 3127..... | 7 | 23. 23. 9'53 | 35'83 | 3 | + 3'159 | - 22. 9. 31'49 | 35'72 | 3 | +19'799 | 3127 | ... | 105 |
| 10767 | 10792 | 14 Andromedæ | 6 | 23. 23. 11'47 | 35'83 | 3 | + 2'903 | + 38. 19. 46'75 | 35'15 | 4 | +19'800 | 3128 | ... | 107 |
| 10768 | 10793 | Piazzi XXIII. 106..... | 7 | 23. 23. 16'94 | 35'67 | 3 | + 3'121 | - 12. 51. 29'53 | 35'07 | 4 | +19'801 | ... | ... | 106 |
| 10769 | 10794 | 13 Piscium | 7 | 23. 23. 29'99 | 32'16 | 4 | + 3'079 | - 1. 59. 48'11 | 33'59 | 5 | +19'804 | 3129 | ... | 108 |
| 10770 | 10795 | Piazzi XXIII. 109..... | 7 | 23. 23. 39'05 | 33'86 | 7 | + 3'119 | - 12. 27. 12'50 | 33'40 | 5 | +19'806 | ... | ... | 109 |
| 10771 | 10796 | Piazzi XXIII. 110..... | 8 | 23. 23. 53'10 | 36'94 | 5 | + 2'875 | + 43. 9. 42'40 | 36'83 | 5 | +19'809 | ... | ... | 110 |
| 10772 | 10797 | Sculptoris ^β | 5'6 | 23. 24. 6'25 | 37'29 | 6 | + 3'239 | - 38. 43. 47'41 | 36'50 | 9 | +19'813 | ... | 9513 | 111 |
| 10773 | 10798 | Piazzi XXIII. 112..... | 7 | 23. 24. 7'00 | 35'78 | 3 | + 2'736 | + 58. 10. 57'30 | 35'15 | 4 | +19'813 | ... | ... | 112 |
| 10774 | 10799 | Piazzi XXIII. 113..... | 8'9 | 23. 24. 22'88 | 37'03 | 4 | + 2'950 | + 30. 32. 2'01 | 37'03 | 4 | +19'816 | ... | ... | 113 |
| 10775 | 10800 | 101 Aquarii ^{b4} | 5 | 23. 24. 38'20 | 31'75 | 6 | + 3'154 | - 21. 49. 30'89 | 31'83 | 5 | +19'820 | 3130 | ... | 114 |
| 10776 | 10801 | 71 Pegasi | 5 | 23. 25. 12'91 | 31'82 | 5 | + 2'992 | + 21. 35. 21'42 | 31'79 | 6 | +19'828 | 3132 | ... | 115 |
| 10777 | 10802 | 14 Piscium | 6'7 | 23. 25. 39'96 | 32'75 | 5 | + 3'079 | - 2. 9. 28'52 | 32'40 | 4 | +19'834 | 3133 | ... | 116 |
| 10778 | 10803 | 72 Pegasi | 5'6 | 23. 25. 46'60 | 35'82 | 3 | + 2'955 | + 30. 24. 53'80 | 35'11 | 4 | +19'835 | 3134 | ... | 118 |
| 10779 | 10804 | Lacaille 9520..... | 7'8 | 23. 25. 52'44 | 38'79 | 3 | + 3'386 | - 57. 44. 11'26 | 38'79 | 3 | +19'836 | ... | 9520 | ... |
| 10780 | {10805 10807} | Lacaille 9522..... | 7'8 | 23. 25. 56'38 | 37'29 | 6 | + 3'261 | - 43. 35. 43'53 | 36'66 | 7 | +19'837 | ... | 9522 | 117 |
| 10781 | 10806 | Piazzi XXIII. 119..... | 8'9 | 23. 25. 57'39 | 36'98 | 4 | + 3'068 | + 1. 5. 30'83 | 37'04 | 4 | +19'837 | ... | ... | 119 |
| 10782 | 10808 | Piazzi XXIII. 121..... | 7'8 | 23. 25. 58'19 | 35'84 | 4 | + 2'888 | + 42. 59. 33'10 | 35'09 | 4 | +19'838 | ... | ... | 121 |
| 10783 | 10809 | Phœnicis | 5 | 23. 26. 10'69 | 33'98 | 14 | + 3'259 | - 43. 31. 34'27 | 33'86 | 7 | +19'840 | ... | 9523 | 120 |
| 10784 | 10810 | Piazzi XXIII. 122..... | 6'7 | 23. 26. 13'94 | 35'82 | 4 | + 3'129 | - 16. 9. 11'91 | 35'14 | 4 | +19'840 | ... | ... | 122 |
| 10785 | 10811 | 73 Pegasi | 6 | 23. 26. 29'36 | 35'77 | 3 | + 2'947 | + 32. 35. 5'46 | 35'06 | 4 | +19'844 | 3136 | ... | 124 |
| 10786 | 10812 | Piazzi XXIII. 123..... | 8 | 23. 26. 33'16 | 37'06 | 4 | + 3'101 | - 8. 35. 20'29 | 37'05 | 4 | +19'845 | ... | ... | 123 |
| 10787 | 10813 | 15 Andromedæ | 6 | 23. 26. 34'18 | 35'83 | 3 | + 2'913 | + 39. 19. 36'11 | 35'12 | 4 | +19'845 | 3137 | ... | 125 |
| 10788 | 10814 | Lacaille 9526..... | 8 | 23. 26. 58'54 | 39'78 | 6 | + 3'232 | - 39. 51. 54'24 | 39'78 | 6 | +19'850 | ... | 9526 | ... |
| 10789 | 10815 | Piazzi XXIII. 126..... | 6'7 | 23. 27. 1'46 | 33'52 | 6 | + 3'100 | - 8. 22. 36'56 | 33'77 | 3 | +19'850 | ... | ... | 126 |
| 10790 | 10816 | 15 Piscium | 7 | 23. 27. 2'66 | 32'90 | 5 | + 3'071 | + 0. 24. 8'59 | 33'21 | 5 | +19'850 | 3138 | ... | 127 |
| 10791 | 10817 | Piazzi XXIII. 128..... | 8 | 23. 27. 7'53 | 35'82 | 2 | + 3'128 | - 16. 12. 33'03 | 35'00 | 4 | +19'851 | ... | ... | 128 |
| 10792 | 10818 | Piazzi XXIII. 129..... | 8'9 | 23. 27. 17'07 | 37'12 | 3 | + 3'094 | - 6. 39. 37'02 | 37'05 | 4 | +19'853 | ... | ... | 129 |
| 10793 | 10819 | Lacaille 9529..... | 6 | 23. 27. 29'13 | 33'36 | 6 | + 3'172 | - 27. 47. 18'79 | 33'83 | 5 | +19'856 | ... | 9529 | 130 |
| 10794 | 10820 | Piazzi XXIII. 135..... | 6 | 23. 27. 45'71 | 39'33 | 3 | + 0'091 | + 86. 23. 49'38 | 39'14 | 9 | +19'859 | ... | ... | 135 |
| 10795 | 10821 | 16 Piscium | 6 | 23. 27. 58'27 | 33'77 | 6 | + 3'068 | + 1. 11. 15'09 | 32'90 | 5 | +19'862 | 3139 | ... | 132 |
| 10796 | 10822 | Lacaille 9532..... | 8 | 23. 28. 1'10 | 37'12 | 3 | + 3'163 | - 26. 9. 5'52 | 37'06 | 4 | +19'862 | ... | 9532 | 131 |
| 10797 | 10823 | Lacaille 9535..... | 6 | 23. 28. 56'53 | 40'78 | 7 | + 3'262 | - 46. 24. 15'69 | 40'55 | 7 | +19'873 | ... | 9535 | ... |
| 10798 | 10824 | Lacaille 9541..... | 7'8 | 23. 28. 57'14 | 40'33 | 6 | + 3'262 | - 46. 28. 52'13 | 40'76 | 7 | +19'873 | ... | 9541 | ... |
| 10799 | 10825 | Piazzi XXIII. 133..... | 6 | 23. 29. 6'27 | 32'81 | 4 | + 3'117 | - 13. 58. 26'95 | 33'79 | 5 | +19'875 | ... | ... | 133 |
| 10800 | 10826 | Lacaille 9540..... | 7'8 | 23. 29. 13'26 | 38'79 | 2 | + 3'236 | - 42. 28. 42'05 | 38'78 | 3 | +19'877 | ... | 9540 | ... |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{celxxiii}

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-------|------------------|---------------------------------|------------|------------------------|-------------------------|-------------------|----------------------------------|-----------------------|-------------------------|-------------------|----------------------------------|----------|-----------|---------|
| 10801 | 10827 | 74 Pegasi | 7 | h m s 23. 29. 18.61 | 35.67 | 3 | + 3.021 | + 15. 54. 45.23 | 35.13 | 4 | +19.878 | 3141 | ... | 134 |
| 10802 | 10828 | Piazzi XXIII. 136..... | 8 | 23. 29. 23.11 | 37.04 | 4 | + 3.064 | + 2. 27. 32.33 | 37.01 | 4 | +19.879 | ... | ... | 136 |
| 10803 | 10829 | Piazzi XXIII. 137..... | 7 | 23. 29. 28.10 | 37.06 | 4 | + 3.123 | - 16. 0. 11.09 | 37.04 | 4 | +19.880 | ... | ... | 137 |
| 10804 | 10830 | 16 Andromedæλ | 4.5 | 23. 29. 30.49 | 32.71 | 9 | + 2.891 | + 45. 33. 53.50 | 32.95 | 14 | +19.880 | 3143 | ... | 138 |
| 10805 | 10831 | 75 Pegasi | 6 | 23. 29. 37.52 | 32.76 | 5 | + 3.016 | + 17. 29. 13.94 | 32.87 | 5 | +19.881 | 3142 | ... | 139 |
| 10806 | 10832 | Piazzi XXIII. 141..... | 8 | 23. 30. 0.22 | 37.06 | 4 | + 2.914 | + 42. 9. 53.71 | 37.27 | 4 | +19.886 | ... | ... | 141 |
| 10807 | 10833 | Brisbane 7313 | 6.7 | 23. 30. 2.56 | 38.76 | 3 | + 3.256 | - 46. 31. 27.78 | 38.76 | 2 | +19.886 | ... | ... | ... |
| 10808 | 10834 | 17 Andromedæλ | 5 | 23. 30. 3.83 | 35.75 | 3 | + 2.913 | + 42. 21. 17.35 | 35.07 | 4 | +19.887 | 3144 | ... | 142 |
| 10809 | 10835 | Piazzi XXIII. 140..... | 8 | 23. 30. 5.36 | 35.75 | 3 | + 3.142 | - 21. 46. 51.74 | 35.15 | 4 | +19.887 | ... | ... | 140 |
| 10810 | 10836 | Phœnicis | 5 | 23. 30. 34.87 | 36.50 | 15 | + 3.259 | - 47. 33. 10.62 | 37.23 | 13 | +19.892 | ... | 9543 | ... |
| 10811 | 10837 | 18 Andromedæλ | 6 | 23. 31. 10.04 | 35.78 | 4 | + 2.875 | + 49. 33. 29.95 | 35.78 | 4 | +19.899 | 3146 | ... | 144 |
| 10812 | 10838 | 102 Aquariiω ¹ | 5 | 23. 31. 13.43 | 34.07 | 8 | + 3.117 | - 15. 8. 1.74 | 35.18 | 8 | +19.900 | 3145 | ... | 143 |
| 10813 | 10839 | 17 Piscium | 4.5 | 23. 31. 28.01 | 34.82 | 14 | + 3.058 | + 4. 43. 59.13 | 32.88 | 11 | +19.902 | 3148 | ... | 145 |
| 10814 | 10840 | Piazzi XXIII. 146..... | 6.7 | 23. 31. 31.00 | 35.73 | 2 | + 3.046 | + 8. 45. 51.47 | 35.73 | 4 | +19.903 | ... | ... | 146 |
| 10815 | 10841 | Piazzi XXIII. 147..... | 8 | 23. 31. 52.96 | 36.98 | 5 | + 3.061 | + 3. 53. 30.43 | 37.26 | 4 | +19.907 | ... | ... | 147 |
| 10816 | 10842 | Sculptorisμ | 6 | 23. 31. 58.02 | 37.12 | 7 | + 3.178 | - 32. 59. 4.99 | 38.77 | 3 | +19.908 | ... | 9552 | 148 |
| 10817 | 10843 | Piazzi XXIII. 149..... | 8 | 23. 31. 59.38 | 39.30 | 6 | + 3.131 | - 19. 54. 2.28 | 42.78 | 3 | +19.908 | ... | ... | 149 |
| 10818 | 10844 | Piazzi XXIII. 152..... | 6.7 | 23. 32. 11.87 | 39.32 | 6 | + 2.540 | + 73. 5. 20.22 | 42.45 | 5 | +19.910 | ... | ... | 152 |
| 10819 | 10845 | 19 Andromedæκ | 5 | 23. 32. 17.84 | 31.93 | 1 | + 2.919 | + 43. 25. 16.14 | 31.92 | 5 | +19.912 | 3149 | ... | 151 |
| 10820 | 10846 (10847) | Piazzi XXIII. 150..... | 7.8 | 23. 32. 26.08 | 37.59 | 5 | + 3.176 | - 32. 59. 13.53 | 38.77 | 3 | +19.913 | ... | ... | 150 |
| 10821 | 10848 | Piazzi XXIII. 153..... | 6 | 23. 32. 36.55 | 32.86 | 5 | + 3.108 | - 12. 35. 42.02 | 32.82 | 5 | +19.915 | ... | ... | 153 |
| 10822 | 10849 | 35 Cepheiγ | 3 | 23. 32. 38.09 | 32.86 | 3 | + 2.397 | + 76. 42. 41.98 | 32.07 | 5 | +19.915 | 3152 | ... | 155 |
| 10823 | 10850 | 103 Aquarii.....A ¹ | 5 | 23. 33. 0.91 | 32.85 | 4 | + 3.126 | - 18. 56. 18.05 | 32.13 | 6 | +19.919 | 3150 | ... | 154 |
| 10824 | 10851 | Lacaille 9561..... | 7.8 | 23. 33. 9.96 | 38.79 | 3 | + 3.219 | - 43. 10. 54.16 | 38.79 | 3 | +19.921 | ... | 9561 | ... |
| 10825 | 10852 | 104 AquariiA ² | 5 | 23. 33. 11.72 | 34.83 | 8 | + 3.124 | - 18. 43. 51.92 | 35.06 | 7 | +19.921 | 3151 | ... | 156 |
| 10826 | 10853 | Piazzi XXIII. 157..... | 8 | 23. 33. 23.81 | 37.25 | 2 | + 3.091 | - 6. 53. 42.34 | 37.45 | 3 | +19.923 | ... | ... | 157 |
| 10827 | 10854 | 18 Pisciumλ | 5 | 23. 33. 37.83 | 33.31 | 11 | + 3.070 | + 0. 52. 21.43 | 32.49 | 5 | +19.925 | 3153 | ... | 158 |
| 10828 | 10855 | Piazzi XXIII. 160..... | 7 | 23. 34. 6.94 | 35.74 | 2 | + 2.927 | + 43. 50. 29.59 | 35.74 | 4 | +19.930 | ... | ... | 160 |
| 10829 | 10856 | 105 Aquariiω ² | 5.6 | 23. 34. 9.82 | 32.91 | 3 | + 3.114 | - 15. 27. 24.92 | 32.85 | 6 | +19.931 | 3154 | ... | 159 |
| 10830 | 10857 | Piazzi XXIII. 161..... | 8 | 23. 34. 17.14 | 36.83 | 4 | + 3.105 | - 12. 14. 31.58 | 37.27 | 4 | +19.932 | ... | ... | 161 |
| 10831 | 10858 | 76 Pegasi | 6 | 23. 34. 21.87 | 33.49 | 6 | + 3.031 | + 15. 25. 13.26 | 32.88 | 5 | +19.933 | 3156 | ... | 162 |
| 10832 | 10859 | 77 Pegasi | 5.6 | 23. 34. 58.80 | 32.94 | 6 | + 3.048 | + 9. 24. 56.40 | 32.78 | 4 | +19.939 | 3157 | ... | 163 |
| 10833 | 10860 | Lacaille 9573..... | 7.8 | 23. 35. 6.26 | 38.81 | 3 | + 3.224 | - 46. 22. 30.77 | 38.81 | 3 | +19.940 | ... | 9573 | ... |
| 10834 | 10861 | Piazzi XXIII. 164..... | 7.8 | 23. 35. 23.21 | 38.54 | 5 | + 2.850 | + 57. 8. 37.73 | 42.75 | 3 | +19.942 | ... | ... | 164 |
| 10835 | 10862 | 106 Aquariiω ¹ | 5 | 23. 35. 38.38 | 31.75 | 6 | + 3.121 | - 19. 11. 32.78 | 31.78 | 5 | +19.945 | 3159 | ... | 165 |
| 10836 | 10863 | 78 Pegasi | 5 | 23. 35. 42.27 | 31.80 | 6 | + 2.995 | + 28. 26. 53.70 | 31.82 | 5 | +19.945 | 3160 | ... | 166 |
| 10837 | 10864 | Piazzi XXIII. 168..... | 8 | 23. 35. 51.58 | 40.04 | 5 | + 3.072 | - 0. 12. 5.25 | 39.83 | 9 | +19.946 | ... | ... | 168 |
| 10838 | 10865 | Lacaille 9579..... | 7.8 | 23. 35. 53.46 | 37.07 | 4 | + 3.144 | - 27. 9. 40.93 | 37.03 | 4 | +19.947 | ... | 9579 | 167 |
| 10839 | 10866 | Piazzi XXIII. 169..... | 8.9 | 23. 36. 12.32 | 37.28 | 2 | + 3.095 | - 9. 22. 38.87 | 37.05 | 4 | +19.950 | ... | ... | 169 |
| 10840 | 10867 | Piazzi XXIII. 170..... | 7 | 23. 36. 24.21 | 32.27 | 7 | + 3.057 | + 6. 16. 37.71 | 31.91 | 5 | +19.952 | ... | ... | 170 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-------|--------------|------------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 10841 | 10868 | Piazzi XXIII. 171..... | 8 | h m s 23. 36. 24.48 | 36.05 | 4 | + 2.932 | + 45. 27. 51.54 | 35.77 | 1 | +19.952 | ... | ... | 171 |
| 10842 | 10869 | Piazzi XXIII. 172..... | 8 | 23. 36. 32.80 | 37.16 | 3 | + 2.934 | + 45. 20. 58.22 | 37.09 | 4 | +19.953 | ... | ... | 172 |
| 10843 | 10870 | Piazzi XXIII. 173..... | 7 | 23. 36. 34.97 | 35.66 | 3 | + 2.946 | + 42. 49. 48.32 | 35.66 | 4 | +19.953 | ... | ... | 173 |
| 10844 | 10871 | Piazzi XXIII. 175..... | 6.7 | 23. 36. 47.63 | 35.81 | 3 | + 2.880 | + 54. 53. 3.28 | 35.81 | 4 | +19.955 | ... | ... | 175 |
| 10845 | 10872 | Piazzi XXIII. 174..... | 8.9 | 23. 36. 50.19 | 36.83 | 3 | + 3.107 | - 14. 35. 54.59 | 37.21 | 3 | +19.955 | ... | ... | 174 |
| 10846 | 10873 | Lacaille 9582 | 6.7 | 23. 37. 18.00 | 37.27 | 6 | + 3.187 | - 41. 5. 49.30 | 38.78 | 3 | +19.960 | ... | 9582 | 176 |
| 10847 | 10874 | 107 Aquarii | 6 | 23. 37. 26.55 | 32.87 | 5 | + 3.119 | - 19. 35. 45.69 | 32.81 | 5 | +19.961 | 3161 | ... | 177 |
| 10848 | 10875 | Piazzi XXIII. 178..... | 8 | 23. 37. 28.62 | 37.02 | 5 | + 3.106 | - 14. 22. 11.17 | 37.17 | 3 | +19.961 | ... | ... | 178 |
| 10849 | 10876 | Piazzi XXIII. 179..... | 8.9 | 23. 37. 33.36 | 37.13 | 3 | + 3.073 | - 0. 39. 5.47 | 37.19 | 3 | +19.962 | ... | ... | 179 |
| 10850 | 10877 | Piazzi XXIII. 180..... | 8 | 23. 37. 47.36 | 37.11 | 3 | + 3.105 | - 14. 16. 50.94 | 37.33 | 2 | +19.964 | ... | ... | 180 |
| 10851 | 10878 | 20 Andromeda..... | 5 | 23. 37. 52.78 | 31.76 | 6 | + 2.941 | + 45. 30. 14.51 | 31.87 | 6 | +19.965 | 3163 | ... | 181 |
| 10852 | 10879 | 19 Piscium | 6 | 23. 37. 57.78 | 33.44 | 13 | + 3.067 | + 2. 34. 20.12 | 32.82 | 4 | +19.966 | 3162 | ... | 182 |
| 10853 | 10880 | Piazzi XXIII. 183..... | 7.8 | 23. 38. 7.87 | 37.07 | 4 | + 3.072 | - 0. 23. 4.69 | 37.08 | 4 | +19.967 | ... | ... | 183 |
| 10854 | 10881 | Piazzi XXIII. 184..... | 7 | 23. 38. 8.08 | 35.80 | 2 | + 3.005 | + 27. 47. 17.13 | 35.80 | 4 | +19.967 | ... | ... | 184 |
| 10855 | 10882 | Phoenixis | 7 | 23. 38. 29.19 | 38.77 | 3 | + 3.228 | - 51. 8. 31.07 | 38.77 | 3 | +19.970 | ... | 9591 | ... |
| 10856 | 10883 | Piazzi XXIII. 185..... | 6 | 23. 38. 46.08 | 33.07 | 7 | + 3.100 | - 12. 49. 22.87 | 32.90 | 5 | +19.972 | ... | ... | 185 |
| 10857 | 10884 | Piazzi XXIII. 186..... | 8.9 | 23. 38. 52.47 | 37.33 | 2 | + 3.125 | - 23. 11. 16.02 | 37.14 | 3 | +19.973 | ... | ... | 186 |
| 10858 | 10885 | 5 Cassiopeia..... | 5 | 23. 39. 1.39 | 32.05 | 6 | + 2.878 | + 57. 43. 58.38 | 31.81 | 5 | +19.974 | 3164 | ... | 187 |
| 10859 | 10886 | 20 Piscium | 5.6 | 23. 39. 27.75 | 32.62 | 6 | + 3.080 | - 3. 40. 42.87 | 32.85 | 5 | +19.978 | 3165 | ... | 188 |
| 10860 | 10887 | Piazzi XXIII. 189..... | 7 | 23. 39. 58.48 | 35.78 | 3 | + 3.114 | - 19. 48. 1.23 | 35.78 | 4 | +19.982 | ... | ... | 189 |
| 10861 | 10888 | Piazzi XXIII. 190..... | 6.7 | 23. 40. 3.78 | 33.06 | 6 | + 3.087 | - 7. 17. 44.30 | 32.50 | 6 | +19.983 | ... | ... | 190 |
| 10862 | 10889 | Bradley 3166..... | 5 | 23. 40. 4.03 | 32.19 | 5 | + 2.800 | + 66. 53. 22.67 | 31.77 | 5 | +19.983 | 3166 | ... | 191 |
| 10863 | 10890 | Sculptoris | 5 | 23. 40. 19.42 | 34.10 | 9 | + 3.136 | - 29. 2. 31.83 | 33.44 | 9 | +19.984 | ... | 9603 | 192 |
| 10864 | 10891 | Piazzi XXIII. 193..... | 6.7 | 23. 40. 22.74 | 35.68 | 2 | + 3.069 | + 1. 17. 57.27 | 35.80 | 2 | +19.984 | ... | ... | 193 |
| 10865 | 10892 | 6 Cassiopeia..... | 6 | 23. 40. 50.55 | 36.28 | 4 | + 2.868 | + 61. 17. 52.44 | 35.80 | 4 | +19.988 | 3169 | ... | 195 |
| 10866 | 10893 | Lacaille 9606..... | 8 | 23. 40. 53.42 | 37.16 | 5 | + 3.118 | - 22. 31. 52.04 | 37.03 | 4 | +19.988 | ... | 9606 | 194 |
| 10867 | 10894 | Piazzi XXIII. 196..... | 7 | 23. 41. 0.08 | 35.75 | 3 | + 3.105 | - 16. 46. 36.95 | 35.75 | 4 | +19.989 | ... | ... | 196 |
| 10868 | 10895 | 21 Piscium | 6 | 23. 41. 1.00 | 31.89 | 6 | + 3.072 | + 0. 9. 36.94 | 31.91 | 5 | +19.989 | 3167 | ... | 197 |
| 10869 | 10896 | 79 Pegasi | 6 | 23. 41. 19.03 | 33.36 | 6 | + 3.014 | + 27. 55. 25.74 | 33.03 | 5 | +19.991 | 3171 | ... | 198 |
| 10870 | 10897 | Piazzi XXIII. 199..... | 8.9 | 23. 41. 26.37 | 37.05 | 5 | + 3.101 | - 15. 15. 9.17 | 37.07 | 4 | +19.992 | ... | ... | 199 |
| 10871 | 10898 | Piazzi XXIII. 200..... | 6 | 23. 41. 43.97 | 32.87 | 3 | + 3.092 | - 10. 53. 42.74 | 33.77 | 5 | +19.995 | ... | ... | 200 |
| 10872 | 10899 | Lacaille 9612..... | 7.8 | 23. 41. 49.47 | 38.79 | 3 | + 3.211 | - 52. 37. 6.96 | 38.79 | 3 | +19.995 | ... | 9612 | ... |
| 10873 | 10900 | Piazzi XXIII. 202..... | 8 | 23. 41. 51.58 | 37.11 | 3 | + 2.879 | + 61. 17. 48.22 | 37.06 | 4 | +19.995 | ... | ... | 202 |
| 10874 | 10901 | Lacaille 9613..... | 7.8 | 23. 41. 54.32 | 38.77 | 3 | + 3.190 | - 48. 17. 44.71 | 38.77 | 3 | +19.996 | ... | 9613 | ... |
| 10875 | 10902 | Piazzi XXIII. 201..... | 8 | 23. 41. 56.53 | 37.24 | 2 | + 3.101 | - 15. 29. 49.34 | 37.64 | 4 | +19.996 | ... | ... | 201 |
| 10876 | 10903 | Piazzi XXIII. 203..... | 6 | 23. 42. 2.79 | 33.25 | 7 | + 3.101 | - 15. 19. 3.36 | 32.79 | 5 | +19.996 | ... | ... | 203 |
| 10877 | 10904 | Piazzi XXIII. 204..... | 7 | 23. 42. 9.55 | 35.76 | 2 | + 2.945 | + 50. 42. 15.65 | 35.76 | 4 | +19.997 | ... | ... | 204 |
| 10878 | 10905 | Piazzi XXIII. 205..... | 7 | 23. 42. 28.47 | 35.80 | 3 | + 2.935 | + 53. 16. 54.32 | 35.80 | 3 | +19.999 | ... | ... | 205 |
| 10879 | 10906 | Piazzi XXIII. 206..... | 7 | 23. 42. 40.18 | 35.66 | 4 | + 3.070 | + 1. 19. 14.71 | 35.75 | 4 | +20.001 | ... | ... | 206 |
| 10880 | 10907 | Lacaille 9618..... | 7 | 23. 42. 48.31 | 38.80 | 3 | + 3.164 | - 42. 41. 23.77 | 38.80 | 3 | +20.002 | ... | 9618 | ... |

MADRAS GENERAL CATALOGUE OF STARS FOR 1835.0.

{cclxxv}

| No. | Taylor's No | Star's Name. | Magnitude. | Mean R.A., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Mean Dec., 1835.0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835.0. | Bradley. | Lacaille. | Piazzi. |
|-------|-------------|------------------------|------------|--|----------------------|-------------------|----------------------------------|-----------------------|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | ^h ^m ^s | | | ^s | [°] ' " | | | " | | | |
| 10881 | 10908 | 108 Aquarii | 6 | 23. 42. 49.92 | 32.80 | 5 | + 3.108 | - 19. 49. 37.55 | 32.83 | 5 | +20.002 | 3172 | ... | 207 |
| 10882 | 10909 | 80 Pegasi | 7 | 23. 42. 56.44 | 32.90 | 5 | + 3.057 | + 8. 23. 55.60 | 32.90 | 5 | +20.003 | 3173 | ... | 208 |
| 10883 | 10910 | Lacaille 9620..... | 7.8 | 23. 43. 3.11 | 39.73 | 4 | + 3.143 | - 35. 36. 28.58 | 39.73 | 4 | +20.003 | ... | 9620 | ... |
| 10884 | 10911 | 22 Piscium | 6 | 23. 43. 31.30 | 32.93 | 5 | + 3.069 | + 2. 0. 48.99 | 32.33 | 5 | +20.006 | 3174 | ... | 209 |
| 10885 | 10912 | Piazzi XXIII. 210..... | 6 | 23. 44. 1.18 | 33.79 | 6 | + 3.097 | - 15. 10. 6.80 | 33.37 | 6 | +20.009 | ... | ... | 210 |
| 10886 | 10913 | Bradley 3175 | 6 | 23. 44. 1.36 | 34.57 | 8 | + 3.037 | + 20. 45. 13.40 | 33.19 | 6 | +20.009 | 3175 | ... | 211 |
| 10887 | 10914 | 81 Pegasi | 6 | 23. 44. 6.16 | 33.90 | 3 | + 3.041 | + 18. 12. 15.56 | 33.46 | 5 | +20.010 | 3176 | ... | 212 |
| 10888 | 10915 | 82 Pegasi | 6 | 23. 44. 12.64 | 33.61 | 6 | + 3.056 | + 10. 1. 46.36 | 33.89 | 5 | +20.010 | 3177 | ... | 213 |
| 10889 | 10916 | 83 Pegasi | 7 | 23. 44. 17.63 | 35.79 | 1 | + 3.037 | + 20. 49. 30.34 | 35.79 | 4 | +20.010 | 3178 | ... | 214 |
| 10890 | 10917 | Lacaille 9631..... | 7.8 | 23. 44. 25.85 | 39.63 | 5 | + 3.203 | - 55. 17. 5.36 | 40.02 | 5 | +20.012 | ... | 9631 | ... |
| 10891 | 10918 | Piazzi XXIII. 218..... | 6.7 | 23. 44. 26.74 | 38.87 | 6 | + 2.742 | + 74. 37. 28.88 | 41.88 | 4 | +20.012 | ... | ... | 218 |
| 10892 | 10919 | 24 Piscium | 6.7 | 23. 44. 27.18 | 33.62 | 7 | + 3.078 | - 4. 4. 17.18 | 33.92 | 5 | +20.012 | 3179 | ... | 215 |
| 10893 | 10920 | Piazzi XXIII. 216..... | 8.9 | 23. 44. 33.57 | 37.05 | 4 | + 3.055 | + 11. 0. 32.43 | 37.06 | 4 | +20.012 | ... | ... | 216 |
| 10894 | 10921 | Piazzi XXIII. 217..... | 8 | 23. 44. 34.80 | 37.10 | 3 | + 3.055 | + 11. 0. 29.22 | 37.05 | 4 | +20.012 | ... | ... | 217 |
| 10895 | 10922 | 25 Piscium | 6.7 | 23. 44. 37.90 | 33.37 | 6 | + 3.070 | + 1. 10. 24.16 | 33.78 | 5 | +20.013 | 3180 | ... | 219 |
| 10896 | 10923 | Piazzi XXIII. 220..... | 7.8 | 23. 44. 38.81 | 37.17 | 3 | + 3.007 | + 36. 2. 24.73 | 37.12 | 3 | +20.013 | ... | ... | 220 |
| 10897 | 10924 | Lacaille 9632..... | 7.8 | 23. 44. 44.13 | 37.34 | 6 | + 3.177 | - 49. 51. 11.45 | 38.83 | 3 | +20.014 | ... | 9632 | ... |
| 10898 | 10925 | Piazzi XXIII. 221..... | 8.9 | 23. 44. 46.32 | 37.14 | 3 | + 3.065 | + 4. 14. 24.87 | 36.86 | 4 | +20.014 | ... | ... | 221 |
| 10899 | 10926 | Lacaille 9633..... | 6.7 | 23. 44. 48.52 | 35.77 | 3 | + 3.114 | - 25. 8. 52.32 | 35.73 | 4 | +20.014 | ... | 9633 | 222 |
| 10900 | 10927 | Piazzi XXIII. 223..... | 7 | 23. 45. 18.84 | 35.82 | 3 | + 2.968 | + 50. 36. 13.16 | 35.77 | 4 | +20.017 | ... | ... | 223 |
| 10901 | 10928 | Piazzi XXIII. 224..... | 8 | 23. 45. 30.94 | 37.01 | 5 | + 3.056 | + 11. 4. 58.89 | 37.08 | 4 | +20.018 | ... | ... | 224 |
| 10902 | 10929 | Lacaille 9639..... | 7.8 | 23. 45. 49.58 | 38.84 | 3 | + 3.116 | - 27. 57. 41.15 | 38.87 | 3 | +20.019 | ... | 9639 | ... |
| 10903 | 10930 | Lacaille 9640..... | 7 | 23. 45. 58.69 | 38.47 | 8 | + 3.144 | - 41. 13. 9.52 | 40.58 | 7 | +20.020 | ... | 9640 | 225 |
| 10904 | 10931 | 7 Cassiopeia | 5.6 | 23. 46. 10.42 | 35.83 | 3 | + 2.950 | + 56. 34. 54.02 | 35.81 | 4 | +20.021 | 3182 | ... | 226 |
| 10905 | 10932 | Piazzi XXIII. 227..... | 6.7 | 23. 46. 20.29 | 32.45 | 7 | + 3.073 | - 0. 48. 29.14 | 32.78 | 5 | +20.022 | ... | ... | 227 |
| 10906 | 10933 | 26 Piscium | 6 | 23. 46. 41.75 | 32.30 | 11 | + 3.064 | + 6. 9. 11.93 | 32.62 | 5 | +20.023 | 3183 | ... | 228 |
| 10907 | 10935 | Lacaille 9643..... | 6.7 | 23. 46. 44.16 | 38.81 | 3 | + 3.122 | - 32. 50. 23.35 | 38.84 | 2 | +20.024 | ... | 9643 | ... |
| 10908 | 10934 | Lacaille 9644..... | 7 | 23. 46. 44.17 | 38.81 | 3 | + 3.122 | - 32. 48. 9.45 | 38.81 | 3 | +20.024 | ... | 9644 | ... |
| 10909 | 10936 | Lacaille 9642..... | 7.8 | 23. 46. 46.76 | 38.85 | 3 | + 3.167 | - 51. 1. 56.65 | 38.85 | 3 | +20.024 | ... | 9642 | ... |
| 10910 | 10937 | Piazzi XXIII. 229..... | 6.7 | 23. 47. 0.09 | 35.82 | 1 | + 3.037 | + 25. 2. 14.12 | 35.79 | 4 | +20.025 | ... | ... | 229 |
| 10911 | 10938 | Piazzi XXIII. 230..... | 8 | 23. 47. 8.11 | 39.94 | 6 | + 3.069 | + 2. 35. 47.60 | 39.49 | 7 | +20.025 | ... | ... | 230 |
| 10912 | 10939 | Piazzi XXIII. 231..... | 6.7 | 23. 47. 15.26 | 35.87 | 3 | + 2.978 | + 51. 48. 57.71 | 35.82 | 3 | +20.026 | ... | ... | 231 |
| 10913 | 10940 | Bradley 3184..... | 7 | 23. 47. 19.68 | 35.77 | 4 | + 2.960 | + 56. 29. 38.97 | 35.84 | 4 | +20.026 | 3184 | ... | 232 |
| 10914 | 10941 | Piazzi XXIII. 233..... | 7 | 23. 47. 28.98 | 35.87 | 3 | + 3.053 | + 14. 18. 40.55 | 35.80 | 4 | +20.027 | ... | ... | 233 |
| 10915 | 10942 | Piazzi XXIII. 234..... | 8.9 | 23. 48. 0.61 | 38.67 | 7 | + 3.113 | - 30. 25. 36.55 | 38.66 | 7 | +20.030 | ... | ... | 234 |
| 10916 | 10943 | Lacaille 9656..... | 6 | 23. 48. 4.70 | 39.11 | 3 | + 3.184 | - 58. 3. 58.75 | 38.77 | 2 | +20.030 | ... | 9656 | ... |
| 10917 | 10944 | Lacaille 9657..... | 7.8 | 23. 48. 6.93 | 41.13 | 7 | + 3.137 | - 43. 6. 42.46 | 41.13 | 7 | +20.030 | ... | 9657 | ... |
| 10918 | 10945 | Piazzi XXIII. 235..... | 7.8 | 23. 48. 17.67 | 37.16 | 3 | + 3.045 | + 21. 43. 48.44 | 37.30 | 4 | +20.031 | ... | ... | 235 |
| 10919 | 10946 | Piazzi XXIII. 236..... | 7.8 | 23. 48. 39.05 | 37.27 | 2 | + 2.978 | + 54. 55. 19.93 | 37.29 | 4 | +20.033 | ... | ... | 236 |
| 10920 | 10947 | Bradley 3185..... | 6 | 23. 48. 51.60 | 35.83 | 3 | + 2.980 | + 54. 47. 11.24 | 35.80 | 4 | +20.034 | 3185 | ... | 237 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R.A., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date, 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|-------|--------------|--------------------------------------|------------|------------------------|----------------------|----------------|----------------------------------|-----------------------|----------------------|----------------|----------------------------------|----------|-----------|---------|
| 10921 | 10948 | Toucani ⁷ | 5 | h m s 23. 48. 52'28 | 34'35 | 7 | + 3'212 | — 65. 12. 46'78 | 37'83 | 3 | +20'034 | ... | 9661 | ... |
| 10922 | 10949 | Piazzi XXIII. 238 ⁸ | 8 | 23. 49. 20'42 | 37'12 | 3 | + 3'060 | + 10. 33. 21'17 | 37'11 | 4 | +20'036 | ... | ... | 238 |
| 10923 | 10950 | 84 Pegasi ⁵ | 5'6 | 23. 49. 21'92 | 32'61 | 5 | + 3'044 | + 24. 13. 28'79 | 32'54 | 6 | +20'036 | 3186 | ... | 239 |
| 10924 | 10951 | Piazzi XXIII. 240 ⁷ | 7'8 | 23. 49. 40'35 | 35'81 | 3 | + 3'046 | + 23. 25. 53'28 | 35'75 | 4 | +20'038 | ... | ... | 240 |
| 10925 | 10952 | Lacaille 9666 ⁸ | 8 | 23. 49. 40'86 | 38'83 | 3 | + 3'147 | — 51. 2. 53'76 | 38'83 | 3 | +20'038 | ... | 9666 | ... |
| 10926 | 10953 | Piazzi XXIII. 241 ⁹ | 9 | 23. 49. 42'03 | 37'30 | 2 | + 3'077 | — 4. 53. 55'17 | 37'07 | 4 | +20'038 | ... | ... | 241 |
| 10927 | 10954 | Piazzi XXIII. 242 ⁶ | 6'7 | 23. 49. 47'22 | 35'68 | 3 | + 3'002 | + 49. 30. 59'72 | 35'79 | 4 | +20'038 | ... | ... | 242 |
| 10928 | 10955 | 1 Ceti ⁶ | 6'7 | 23. 49. 51'71 | 37'07 | 4 | + 3'090 | — 16. 45. 56'19 | 35'79 | 4 | +20'039 | 3188 | ... | 243 |
| 10929 | 10956 | Lacaille 9669 ⁷ | 7 | 23. 49. 55'36 | 39'77 | 6 | + 3'167 | — 58. 11. 56'99 | 40'77 | 6 | +20'039 | ... | 9669 | ... |
| 10930 | 10957 | 27 Piscium ⁵ | 5 | 23. 50. 13'65 | 32'63 | 18 | + 3'076 | — 4. 28. 16'06 | 31'78 | 5 | +20'040 | 3189 | ... | 244 |
| 10931 | 10958 | Phoenixis ⁷ | 7 | 23. 50. 21'46 | 38'79 | 3 | + 3'149 | — 53. 40. 2'30 | 38'79 | 3 | +20'040 | ... | 9671 | ... |
| 10932 | 10959 | 8 Onasiopseis ⁶ | 6'7 | 23. 50. 40'66 | 35'84 | 3 | + 2'995 | + 54. 50. 7'45 | 35'82 | 4 | +20'041 | 3190 | ... | 245 |
| 10933 | 10960 | 28 Piscium ⁴ | 4'5 | 23. 50. 50'63 | 32'58 | 13 | + 3'067 | + 5. 57. 0'19 | 33'16 | 15 | +20'042 | 3191 | ... | 246 |
| 10934 | 10961 | Piazzi XXIII. 247 ⁷ | 7 | 23. 50. 53'29 | 35'77 | 3 | + 3'009 | + 49. 36. 38'84 | 35'80 | 4 | +20'042 | ... | ... | 247 |
| 10935 | 10962 | Lacaille 9675 ⁶ | 6'7 | 23. 50. 58'57 | 37'31 | 6 | + 3'103 | — 30. 24. 14'83 | 38'82 | 3 | +20'042 | ... | 9675 | 248 |
| 10936 | 10963 | Piazzi XXIII. 249 ⁷ | 7 | 23. 51. 12'88 | 32'65 | 5 | + 3'078 | — 6. 48. 33'20 | 32'81 | 6 | +20'043 | ... | ... | 249 |
| 10937 | 10964 | Lacaille 9679 ⁷ | 7 | 23. 51. 13'96 | 38'82 | 3 | + 3'138 | — 51. 54. 57'91 | 38'79 | 3 | +20'043 | ... | 9679 | ... |
| 10938 | 10965 | Toucani ⁵ | 5 | 23. 51. 16'23 | 31'93 | 1 | + 3'189 | — 66. 29. 41'46 | 32'86 | 5 | +20'043 | ... | 9678 | ... |
| 10939 | 10966 | Piazzi XXIII. 250 ⁷ | 7 | 23. 51. 21'68 | 35'83 | 3 | + 3'063 | + 10. 21. 12'58 | 35'81 | 4 | +20'043 | ... | ... | 250 |
| 10940 | 10967 | Lacaille 9682 ⁸ | 8 | 23. 51. 36'60 | 40'37 | 6 | + 3'134 | — 51. 47. 14'11 | 40'57 | 7 | +20'043 | ... | 9682 | ... |
| 10941 | 10968 | Lacaille 9685 ⁷ | 7'8 | 23. 51. 42'82 | 38'81 | 3 | + 3'114 | — 41. 6. 36'39 | 38'78 | 3 | +20'044 | ... | 9685 | ... |
| 10942 | 10969 | Bradley 3192 ⁷ | 7'8 | 23. 51. 58'27 | 37'29 | 2 | + 3'049 | + 26. 0. 4'96 | 37'01 | 4 | +20'045 | 3192 | ... | 251 |
| 10943 | 10970 | Lacaille 9688 ⁷ | 7'8 | 23. 52. 23'11 | 38'85 | 3 | + 3'127 | — 51. 22. 0'02 | 38'81 | 2 | +20'046 | ... | 9688 | ... |
| 10944 | 10971 | Phoenixis ⁶ | 6 | 23. 52. 34'51 | 38'91 | 3 | + 3'123 | — 49. 43. 43'43 | 38'91 | 3 | +20'047 | ... | 9689 | ... |
| 10945 | 10972 | Piazzi XXIII. 252 ⁷ | 7'8 | 23. 52. 35'53 | 35'87 | 3 | + 3'077 | — 6. 45. 9'70 | 35'82 | 4 | +20'047 | ... | ... | 252 |
| 10946 | 10973 | Piazzi XXIII. 253 ⁸ | 8 | 23. 52. 39'99 | 35'87 | 3 | + 3'077 | — 6. 47. 32'96 | 35'82 | 4 | +20'048 | ... | ... | 253 |
| 10947 | 10974 | Lacaille 9694 ⁷ | 7 | 23. 52. 50'37 | 38'86 | 3 | + 3'124 | — 51. 15. 25'55 | 38'86 | 3 | +20'048 | ... | 9694 | ... |
| 10948 | 10975 | Lacaille 9696 ⁶ | 6'7 | 23. 53. 12'26 | 37'34 | 6 | + 3'106 | — 41. 3. 59'30 | 38'81 | 3 | +20'049 | ... | 9696 | 254 |
| 10949 | 10976 | Bradley 3195 ⁵ | 5 | 23. 53. 14'43 | 35'77 | 10 | + 3'002 | + 60. 18. 14'86 | 36'64 | 9 | +20'049 | 3195 | ... | ... |
| 10950 | 10977 | 29 Piscium ⁵ | 5 | 23. 53. 22'28 | 32'80 | 10 | + 3'075 | — 3. 56. 46'58 | 31'76 | 5 | +20'049 | 3196 | ... | 255 |
| 10951 | 10978 | Lacaille 9697 ⁷ | 7'8 | 23. 53. 27'15 | 38'86 | 3 | + 3'102 | — 38. 8. 49'34 | 38'86 | 3 | +20'049 | ... | 9697 | ... |
| 10952 | 10979 | 30 Piscium ⁴ | 4'5 | 23. 53. 29'94 | 32'54 | 10 | + 3'077 | — 6. 55. 52'41 | 31'82 | 5 | +20'049 | 3197 | ... | 256 |
| 10953 | 10980 | 85 Pegasi ⁶ | 6 | 23. 53. 33'92 | 35'38 | 10 | + 3'053 | + 26. 12. 30'36 | 36'47 | 10 | +20'050 | 3198 | ... | 257 |
| 10954 | 10981 | Bradley 3199 ⁷ | 7 | 23. 53. 34'49 | 38'35 | 6 | + 3'074 | — 3. 41. 2'30 | 35'91 | 4 | +20'050 | 3199 | ... | 258 |
| 10955 | 10982 | Sculptoris ⁵ | 5'6 | 23. 53. 51'83 | 37'37 | 6 | + 3'093 | — 30. 38. 23'01 | 38'83 | 3 | +20'051 | ... | 9700 | 259 |
| 10956 | 10983 | 31 Piscium ⁶ | 6 | 23. 53. 57'54 | 32'90 | 5 | + 3'067 | + 8. 2. 17'30 | 32'86 | 6 | +20'051 | 3200 | ... | 260 |
| 10957 | 10984 | 32 Piscium ⁶ | 6 | 23. 54. 4'11 | 32'84 | 5 | + 3'066 | + 7. 34. 8'41 | 32'88 | 5 | +20'051 | 3201 | ... | 261 |
| 10958 | 10985 | Brisbane 7371 ⁹ | 9 | 23. 54. 14'86 | 39'32 | 4 | + 3'127 | — 58. 33. 6'78 | 39'32 | 4 | +20'051 | ... | ... | ... |
| 10959 | 10986 | Piazzi XXIII. 262 ⁶ | 6'7 | 23. 54. 29'02 | 35'80 | 3 | + 3'084 | — 20. 58. 5'78 | 35'80 | 4 | +20'052 | ... | ... | 262 |
| 10960 | 10987 | Piazzi XXIII. 263 ⁷ | 7 | 23. 54. 46'07 | 37'10 | 4 | + 3'062 | + 16. 38. 10'72 | 35'80 | 4 | +20'053 | ... | ... | 263 |

| No. | Taylor's No. | Star's Name. | Magnitude. | Mean R. A., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Mean Dec., 1835'0. | Mean Date. 1800 + | No. of Obs. | Annual Precession, 1835'0. | Bradley. | Lacaille. | Piazzi. |
|-------|--------------|------------------------|------------|--|----------------------|-------------------|----------------------------------|--|----------------------|-------------------|----------------------------------|----------|-----------|---------|
| | | | | ^h ^m ^s | | | ^s | [°] ['] ["] | | | ["] | | | |
| 10961 | 10988 | Lacaille 9703..... | 7·8 | 23. 54. 57·74 | 40·80 | 6 | + 3'094 | - 37. 19. 13·11 | 41·21 | 5 | +20'053 | ... | 9703 | ... |
| 10962 | 10989 | 2 Ceti | 4 | 23. 55. 17·09 | 32·36 | 12 | + 3'081 | - 18. 15. 18·24 | 31·85 | 5 | +20'054 | 3204 | ... | 264 |
| 10963 | 10990 | Brisbane 7372..... | 8·9 | 23. 55. 23·13 | 40·80 | 7 | + 3'116 | - 58. 44. 47·66 | 41·04 | 9 | +20'054 | ... | ... | ... |
| 10964 | 10991 | 9 Cassiopeiæ | 6·7 | 23. 55. 46·69 | 35·85 | 3 | + 3'027 | + 61. 22. 10·35 | 35·85 | 4 | +20'055 | 3205 | ... | 265 |
| 10965 | 10992 | 3 Ceti | 6 | 23. 56. 3·32 | 32·94 | 6 | + 3'077 | - 11. 25. 39·40 | 32·94 | 5 | +20'055 | 3206 | ... | 266 |
| 10966 | 10993 | Piazzi XXIII. 267..... | 7·8 | 23. 56. 16·34 | 36·98 | 5 | + 3'058 | + 33. 44. 11·13 | 37·04 | 4 | +20'055 | ... | ... | 267 |
| 10967 | 10994 | Lacaille 9711..... | 7·8 | 23. 56. 17·93 | 38·82 | 3 | + 3'106 | - 57. 45. 43·12 | 38·77 | 2 | +20'055 | ... | 9711 | ... |
| 10968 | 10995 | Piazzi XXIII. 268..... | 6·7 | 23. 56. 27·32 | 35·74 | 3 | + 3'062 | + 25. 43. 49·58 | 35·78 | 4 | +20'055 | ... | ... | 268 |
| 10969 | 10996 | Piazzi XXIII. 269..... | 9 | 23. 56. 28·22 | 37·00 | 4 | + 3'030 | + 63. 51. 43·76 | 37·05 | 4 | +20'055 | ... | ... | 269 |
| 10970 | 10997 | Lacaille 9713..... | 7·8 | 23. 56. 33·93 | 38·77 | 2 | + 3'087 | - 36. 56. 15·44 | 38·81 | 3 | +20'056 | ... | 9713 | ... |
| 10971 | 10998 | Piazzi XXIII. 270..... | 6·7 | 23. 56. 36·53 | 32·92 | 6 | + 3'072 | - 1. 25. 8·84 | 32·22 | 3 | +20'056 | ... | ... | 270 |
| 10972 | 10999 | Lacaille 9712..... | 7·8 | 23. 56. 44·04 | 38·82 | 3 | + 3'097 | - 53. 3. 55·62 | 38·82 | 3 | +20'056 | ... | 9712 | ... |
| 10973 | 11000 | Piazzi XXIII. 271..... | 7 | 23. 56. 45·24 | 35·83 | 3 | + 3'059 | + 34. 39. 10·94 | 35·80 | 4 | +20'056 | ... | ... | 271 |
| 10974 | 11001 | 33 Piscium | 5 | 23. 56. 53·40 | 32·60 | 12 | + 3'074 | - 6. 37. 49·80 | 31·81 | 5 | +20'056 | 3208 | ... | 272 |
| 10975 | 11002 | Lacaille 9716..... | 7·8 | 23. 56. 56·23 | 38·82 | 3 | + 3'100 | - 57. 52. 27·04 | 38·77 | 2 | +20'056 | ... | 9716 | ... |
| 10976 | 11003 | Piazzi XXIII. 273..... | 8·9 | 23. 57. 3·58 | 37·08 | 3 | + 3'075 | - 10. 31. 59·67 | 37·04 | 4 | +20'056 | ... | ... | 273 |
| 10977 | 11004 | 86 Pegasi | 6 | 23. 57. 14·29 | 32·64 | 5 | + 3'069 | + 12. 28. 39·96 | 33·08 | 4 | +20'056 | 3209 | ... | 274 |
| 10978 | 11005 | 10 Cassiopeiæ | 6·7 | 23. 57. 55·15 | 35·84 | 3 | + 3'048 | + 63. 16. 37·66 | 35·80 | 4 | +20'056 | 3211 | ... | 275 |
| 10979 | 11006 | Bradley 3212..... | 7 | 23. 58. 3·90 | 39·33 | 8 | + 3'067 | + 28. 6. 37·00 | 41·07 | 4 | +20'057 | 3212 | ... | 276 |
| 10980 | 11007 | Lacaille 9724..... | 6·7 | 23. 58. 23·30 | 35·74 | 2 | + 3'076 | - 24. 1. 26·61 | 35·79 | 4 | +20'057 | ... | 9724 | 277 |
| 10981 | 11008 | Lacaille 9725..... | 7·8 | 23. 58. 28·85 | 38·83 | 3 | + 3'079 | - 39. 47. 48·91 | 38·86 | 2 | +20'057 | ... | 9725 | ... |
| 10982 | 11009 | Lacaille 9728..... | 7·8 | 23. 58. 52·53 | 38·86 | 3 | + 3'066 | - 42. 48. 32·84 | 38·86 | 3 | +20'058 | ... | 9728 | ... |
| 10983 | 11010 | Lacaille 9730..... | 7·8 | 23. 58. 59·88 | 38·82 | 3 | + 3'081 | - 57. 45. 19·15 | 38·82 | 3 | +20'058 | ... | 9730 | ... |
| 10984 | 11011 | Lacaille 9731..... | 7·8 | 23. 59. 5·07 | 38·80 | 3 | + 3'080 | - 56. 55. 53·33 | 38·82 | 2 | +20'058 | ... | 9731 | ... |
| 10985 | 11012 | 4 Ceti | 7 | 23. 59. 17·14 | 31·89 | 2 | + 3'072 | - 3. 28. 2·71 | 32·81 | 6 | +20'058 | 3213 | ... | 278 |
| 10986 | 11013 | Lacaille 9735..... | 6 | 23. 59. 39·71 | 37·31 | 6 | + 3'073 | - 34. 26. 55·71 | 38·85 | 3 | +20'058 | ... | 9735 | 279 |
| 10987 | 11014 | 5 Ceti | 7 | 23. 59. 45·35 | 32·36 | 8 | + 3'072 | - 3. 21. 57·67 | 31·93 | 5 | +20'058 | 3214 | ... | 280 |
| 10988 | 11015 | 21 Andromedæ | 1 | 23. 59. 52·37 | 33·92 | 85 | + 3'072 | + 28. 10. 44·63 | 32·69 | 132 | +20'058 | 3215 | ... | 281 |

PRINTED BY
NEILL AND COMPANY, LIMITED,
EDINBURGH.

